LOCAL GOVERNMENT BOARD.

MEDICAL DEPARTMENT LIBRARY.

No. _____ Room 10911

Case N Shelf _____

22500992851

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office.

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 1. 1909. VOL. LXX.] WEEK ENDED SATURDAY, JAN. 9. [Price 1½*d.*

General Register Office, Somerset House,
January 11th, 1909.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 17·5 per 1000 of their aggregate population, which is estimated† at 16,445,281 persons in the middle of this year. In the preceding three weeks the rates had been 15·3, 12·8, and 18·2. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks : it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were :—from *all causes*, 22·6 in Stockport and in Merthyr Tydfil, 22·9 in Bury, 23·6 in Walsall, 23·7 in Oldham, 25·4 in Great Yarmouth, 27·2 in Middlesbrough, and 27·3 in Hanley ; from *measles*, 2·3 in Sunderland, 2·8 in Hull, 2·9 in Great Yarmouth, 4·0 in Middlesbrough, 4·1 in Leicester, and 4·3 in Warrington ; from *diphtheria*, 1·2 in Rochdale and 1·3 in Reading ; from *whooping-cough*, 2·0 in Great Yarmouth ; and from *diarrhœa*, 1·1 in Northampton and 1·5 in Middlesbrough. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2476 BIRTHS and 1672 DEATHS were registered. Allowing for increase of population, the births were 415 and the deaths 152 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes, which had been 14·8, 11·3, and 19·6 per 1000 in the preceding three weeks, was 18·0 last week. The death-rate in the four weeks ended last Saturday averaged 15·9 per 1000, being 2·6 per 1000 below the mean rate in the corresponding periods of the five years 1904–8.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals and Asylums, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

700 Wt 36 (31-4) 1/09 D & S 41 12148 A

The 1672 deaths included 72 from measles, 4 from scarlet fever, 20 from diphtheria, 14 from whooping-cough, 8 from enteric fever, and 17 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia: thus, to these diseases in the aggregate 135 deaths were referred, being 11 above the corrected average number in the first week of the preceding five years.

The deaths from *measles*, which had been 51, 44, and 86 in the preceding three weeks, numbered 72 last week, and were 27 above the corrected average; 10 deaths belonged to the Borough of Southwark, 9 to Bermondsey, 7 to Islington, 6 to St. Pancras, and 6 to Bethnal Green. The deaths from *scarlet fever*, which had been 14, 7, and 7 in the preceding three weeks, fell to 4 last week, and were 7 below the corrected average. The deaths from *diphtheria*, which had been 24, 17, and 23 in the preceding three weeks, were 20 last week, the corrected average being 19; 4 deaths belonged to Wandsworth. The deaths from *whooping-cough*, which had been 4, 7, and 11 in the preceding three weeks, further rose to 14 last week, but were 14 below the corrected average. The deaths from *enteric fever*, which had been 14, 8, and 7 in the preceding three weeks, were 8 last week, the corrected average being 7; 3 deaths belonged to Poplar. The deaths from *diarrhœa*, which had been 19, 14, and 22 in the preceding three weeks, numbered 17 last week, and were 2 above the corrected average; 3 deaths belonged to Hackney. Of the 17 deaths from diarrhœa, 12 were those of children under 5 years of age; 9 other deaths at this age were certified as due to *enteritis* and 4 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 15, having been 14, 13, and 16 in the preceding three weeks.

Different forms of violence caused 82 deaths, concerning all of which inquests were held. Of these 82 deaths, 13 were cases of suicide, 1 of homicide, and 1 of execution, while the remaining 67 deaths were attributed to accident or negligence. Seventeen of these latter were referred to burns or scalds, four to drowning, and sixteen, including fifteen of infants under one year of age, to suffocation in bed. One death occurred while under an anæsthetic administered for surgical purposes.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 3347 cases of scarlet fever, 1215 of diphtheria, and 145 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 323 cases, against 381, 303, and 379; of diphtheria, 141 cases, against 161, 129, and 131; and of enteric fever, 21 cases, against 19, 12, and 18. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended January 2nd, 1909.

Greater London.

In Greater London 3927 births and 2360 deaths were registered. Allowing for increase of population, these numbers are 566 and 217 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is outside the great towns, 4 deaths from measles, 4 from diphtheria, and 2 from whooping-cough were registered.

Meteorology

The mean reading of the Barometer last week at Greenwich was 30·19 inches, and that of the Thermometer 40°·7, the latter being 2°·6 above the week's average in the 65 years ended 1905. The direction of the wind was variable, the horizontal movement of the air being 15 per cent. below the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 8·1 hours; the measured rainfall amounted to 0·13 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 9th January, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909 *	DEATH-RATES from all Causes. Week ended 19th Dec., 1908.	26th Dec., 1908.	2nd Jan., 1909.	9th Jan., 1909.	Rate from Diseases in Cols. 11-17. Week ended 9th Jan., 1909.	Registered during the Week ended 9th Jan., 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS	**16,445,231**	**15·3**	**12·8**	**18·2**	**17·5**	**1·4**	**9035**	**5535**	**1062**	**1846**	**–**	**229**	**32**	**62**	**45**	**30**	**52**	**218**	**505**	**1391**	**64**	**76 TOWNS.**
LONDON	4,833,938	14·8	11·3	19·6	18·0	1·5	2476	1672‡	251	595	–	72	4	20	14	8	17	82	201	616	4	LONDON.
CROYDON	161,078	10·6	14·5	15·9	17·2	1·0	84	53	8	13	–	2	–	1	–	–	–	–	3	13	–	CROYDON.
WILLESDEN	160,424	9·6	5·0	10·3	12·7	1·6	77	39	10	10	–	3	–	–	–	1	1	1	4	5	–	WILLESDEN.
HORNSEY	95,628	6·2	6·2	12·4	10·4	–	21	19	3	9	–	–	–	–	–	–	–	–	1	1	–	HORNSEY.
† TOTTENHAM	129,464	12·8	9·5	16·5	17·3	1·2	85	43	10	14	–	1	1	1	–	–	–	1	10	12	–	† TOTTENHAM.
WEST HAM	321,767	13·2	10·8	18·7	15·9	2·6	207	98	21	22	–	11	–	–	4	–	1	2	7	14	–	WEST HAM.
EAST HAM	149,575	8·0	5·8	10·2	10·5	0·3	74	30	10	9	–	–	1	–	–	–	–	1	1	6	–	EAST HAM.
LEYTON	129,614	13·7	8·7	9·9	16·9	0·8	59	42	6	15	–	2	–	–	–	–	–	–	2	6	–	LEYTON.
WALTHAMSTOW	136,602	10·7	6·7	14·3	11·8	–	77	31	8	7	–	–	–	–	–	–	–	–	5	4	–	WALTHAMSTOW.
HASTINGS	68,165	15·4	10·0	7·7	12·2	–	22	16	1	9	–	–	–	–	–	–	–	1	1	1	–	HASTINGS.
BRIGHTON	130,926	13·2	8·4	21·3	18·3	1·2	59	46	5	22	–	–	–	2	–	1	–	1	3	18	–	BRIGHTON.
PORTSMOUTH	214,726	13·3	10·6	19·5	17·2	1·0	122	71	13	29	–	2	–	2	–	–	–	4	9	21	–	PORTSMOUTH.
BOURNEMOUTH	72,368	10·3	4·4	9·6	19·5	–	18	27	3	16	–	–	–	–	–	–	–	–	2	3	–	BOURNEMOUTH.
SOUTHAMPTON	124,667	13·7	9·0	17·1	14·6	0·4	68	35	7	12	–	–	–	1	–	–	–	1	5	5	–	SOUTHAMPTON.
READING	82,995	8·3	8·9	15·3	16·3	1·3	34	26	4	12	–	–	–	2	–	–	–	–	–	7	–	READING.
NORTHAMPTON	97,752	13·5	10·3	10·8	16·5	1·1	40	31	6	19	–	–	–	–	–	–	2	2	2	8	–	NORTHAMPTON.
IPSWICH	74,889	14·8	14·8	14·8	13·2	0·7	34	19	3	9	–	–	–	1	–	–	–	–	–	4	–	IPSWICH.
GREAT YARMOUTH	53,430	15·7	12·8	16·7	25·4	4·9	32	26	5	9	–	3	–	–	2	–	–	–	2	5	–	GREAT YARMOUTH.
NORWICH	124,136	12·7	10·6	16·1	14·7	0·8	52	35	4	15	–	–	–	1	1	–	–	1	1	11	–	NORWICH.
PLYMOUTH	124,180	17·1	14·5	15·8	17·6	1·3	43	42	10	17	–	2	–	–	–	1	–	1	4	3	–	PLYMOUTH.
DEVONPORT	83,103	20·5	7·7	15·4	17·6	0·6	45	28	4	8	–	–	–	–	–	1	–	–	–	4	–	DEVONPORT.
BRISTOL	377,642	13·8	10·8	14·4	13·5	0·7	166	98	18	36	–	1	–	–	1	2	1	5	9	24	–	BRISTOL.
HANLEY	68,831	16·1	13·8	16·1	27·3	0·8	40	36	6	8	–	–	–	–	–	–	1	1	1	3	–	HANLEY.
BURTON-ON-TRENT	54,453	10·6	9·7	19·3	18·2	1·0	38	19	4	6	–	–	–	1	–	–	–	1	2	3	1	BURTON-ON-TRENT.
WOLVERHAMPTON	104,633	18·2	15·1	18·2	16·9	1·0	61	34	11	10	–	–	–	1	1	–	–	3	6	7	–	WOLVERHAMPTON.
WALSALL	99,399	12·8	14·9	18·7	23·6	–	58	45	6	19	–	–	–	–	–	–	–	2	3	6	1	WALSALL.
HANDSWORTH	70,186	12·3	11·5	13·0	14·1	–	31	19	2	8	–	–	–	–	–	–	–	–	2	1	2	HANDSWORTH.
WEST BROMWICH	70,457	20·9	14·2	22·4	22·2	0·7	41	30	9	10	–	–	1	–	–	–	–	2	2	4	2	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

‡ Including 1 death from Cerebral-spinal meningitis (endemic).

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 9th January, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 19th Dec., 1908.	26th Dec., 1908.	2nd Jan., 1909.	9th Jan., 1909.	Rate from Diseases in Cols. 11-17. Week ended 9th Jan., 1909.	Registered during the Week ended 9th Jan., 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
BIRMINGHAM ..	563,629	13·4	11·3	18·9	19·0	1·4	312	205	50	62	–	8	–	2	1	1	3	9	9	62	8	BIRMINGHAM.
KINGS NORTON ..	81,632	9·3	9·9	6·6	13·4	0·6	47	21	5	7	–	–	–	–	–	–	1	1	2	1	2	KINGS NORTON.
SMETHWICK	70,377	7·6	11·4	11·4	11·9	0·7	47	16	3	4	–	–	–	–	1	–	–	1	2	1	–	SMETHWICK.
ASTON MANOR ..	85,257	11·1	8·7	14·2	11·6	0·6	50	19	6	5	–	–	1	–	–	–	–	2	4	2	–	ASTON MANOR.
COVENTRY	8 ,163	17·8	9·9	25·1	20·2	–	48	31	6	13	–	–	–	–	–	–	–	1	3	12	–	COVENTRY.
LEICESTER	244,255	17·2	15·4	20·2	16·9	4·3	104	79	12	28	–	19	1	–	–	–	–	–	6	8	1	LEICESTER.
GRIMSBY	73,036	14·5	16·0	18·2	15·0	0·7	41	21	3	8	–	1	–	–	–	–	–	–	2	3	–	GRIMSBY.
NOTTINGHAM ..	263,443	18·8	13·2	20·0	20·0	1·8	154	101	23	43	–	4	–	2	3	–	–	3	5	16	–	NOTTINGHAM.
DERBY	129,411	16·8	14·7	15·1	17·7	1·2	65	44	9	16	–	2	–	1	–	–	–	4	8	8	–	DERBY.
STOCKPORT	103,706	16·8	15·8	19·4	22·6	2·0	56	45	7	15	–	1	–	1	1	1	–	4	4	9	–	STOCKPORT.
BIRKENHEAD ..	121,123	10·0	13·1	17·8	16·4	–	85	38	6	15	–	–	–	–	–	–	–	1	5	10	–	BIRKENHEAD.
WALLASEY	71,004	15·1	6·1	11·4	14·7	1·5	48	20	3	11	–	–	–	1	–	–	1	–	–	5	–	WALLASEY.
LIVERPOOL	760,357	16·3	17·0	23·5	21·5	1·6	591	313	80	92	–	9	3	1	5	–	5	9	15	112	15	LIVERPOOL.
BOOTLE	69,393	14·5	16·0	20·6	19·5	1·5	42	26	5	8	–	1	1	–	–	–	–	1	1	6	1	BOOTLE.
ST. HELENS	95,161	10·6	13·3	13·9	15·9	1·6	50	29	5	10	–	–	–	1	1	1	–	–	1	7	2	ST. HELENS.
WIGAN	90,678	16·9	16·9	23·3	19·0	1·7	56	33	12	3	–	1	–	1	–	1	–	1	2	2	–	WIGAN.
WARRINGTON ..	72,276	16·1	18·3	16·8	18·8	5·8	47	26	6	5	–	6	1	1	–	–	–	1	1	3	1	WARRINGTON.
BOLTON	187,824	12·1	8·4	13·8	20·3	1·4	102	73	15	25	–	2	1	1	–	–	1	–	4	8	1	BOLTON.
BURY	59,234	12·4	20·3	17·7	22·9	0·9	26	26	6	8	–	1	–	–	–	–	–	–	–	6	–	BURY.
MANCHESTER ..	655,435	19·5	16·6	22·6	18·5	2·2	388	233	51	53	–	11	8	–	1	4	4	14	23	71	2	MANCHESTER.
SALFORD	241,950	19·4	18·5	19·0	17·0	2·2	171	79	20	22	–	2	3	2	–	1	2	2	4	19	1	SALFORD.
OLDHAM	143,301	24·9	20·1	23·4	23·7	0·7	75	65	14	23	–	1	–	–	–	1	–	–	7	10	–	OLDHAM.
ROCHDALE	89,653	22·9	22·3	17·0	19·2	1·7	30	33	4	14	–	1	–	2	–	–	–	1	2	4	3	ROCHDALE.
BURNLEY	106,267	16·9	11·4	15·4	19·6	1·5	64	40	8	16	–	–	–	1	–	–	2	1	1	8	1	BURNLEY.
BLACKBURN	136,959	19·2	18·8	18·0	15·2	0·8	58	40	10	16	–	1	1	–	–	–	–	2	5	5	2	BLACKBURN.
PRESTON	118,519	21·2	18·6	16·8	15·8	0·9	71	36	7	14	–	–	–	–	–	–	2	–	–	8	–	PRESTON.
BARROW-IN-FURNESS.	62,996	11·7	10·0	19·2	12·4	0·8	34	15	3	6	–	–	–	–	–	–	1	3	3	3	1	BARROW-IN-FURNESS.

* See note † on first page of this return.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 9th January, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 19th Dec., 1908.	26th Dec., 1908.	2nd Jan., 1909.	9th Jan., 1909.	Rate from Diseases in Cols. 11-17. Week ended 9th Jan., 1909.	Registered during the Week ended 9th Jan., 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,739	23·7	11·0	15·4	18·7	1·7	48	34	6	13	–	3	–	–	–	–	–	2	4	4	–	HUDDERSFIELD.
HALIFAX	111,911	15·5	16·9	18·8	15·4	0·9	29	33	5	12	–	1	1	–	–	–	–	2	4	11	–	HALIFAX.
BRADFORD	293,983	16·2	13·0	11·1	17·4	0·9	107	93	16	43	–	–	–	3	1	–	1	6	9	18	–	BRADFORD.
LEEDS	484,012	16·1	13·0	17·0	16·3	1·1	210	151	29	43	–	5	–	1	–	3	1	6	10	21	–	LEEDS.
SHEFFIELD	470,958	14·2	13·3	17·2	18·8	1·7	323	170	36	54	–	10	1	3	–	1	–	1	6	29	6	SHEFFIELD.
ROTHERHAM.. ..	65,070	18·0	14·7	15·5	13·6	0·8	37	17	7	4	–	1	–	–	–	–	–	–	1	3	1	ROTHERHAM.
YORK	87,004	10·9	13·4	9·1	10·2	0·6	44	17	3	8	–	–	–	1	–	–	–	–	1	4	–	YORK.
HULL	275,552	17·7	14·6	19·6	16·8	3·4	185	89	17	22	–	15	2	–	–	1	–	6	13	9	2	HULL.
MIDDLESBROUGH ..	105,255	24·7	17·6	20·7	27·2	6·9	77	55	13	6	–	8	–	1	2	–	3	2	5	6	–	MIDDLESBROUGH.
STOCKTON-ON-TEES	53,417	19·6	15·7	16·7	20·5	–	34	21	8	7	–	–	–	–	–	–	–	3	5	5	–	STOCKTON-ON-TEES.
WEST HARTLEPOOL	79,686	14·8	15·5	12·1	15·7	1·3	25	24	4	10	–	2	–	–	–	–	–	–	–	4	–	WEST HARTLEPOOL.
SUNDERLAND ..	159,378	18·2	18·8	24·1	16·7	2·6	106	51	9	15	–	7	–	–	–	–	1	4	4	10	–	SUNDERLAND.
SOUTH SHIELDS ..	117,627	15·8	14·0	15·3	18·6	–	78	42	9	10	–	–	–	–	–	–	–	2	5	3	1	SOUTH SHIELDS.
GATESHEAD	131,024	9·3	15·4	13·4	12·7	0·4	77	32	11	8	–	–	–	1	–	–	–	1	2	–	2	GATESHEAD.
NEWCASTLE-ON-TYNE.	281,584	20·5	18·2	15·6	13·9	1·5	166	75	13	20	–	4	–	1	3	–	–	1	5	7	–	NEWCASTLE-ON-TYNE.
TYNEMOUTH ..	55,808	18·9	17·9	17·0	21·5	0·9	40	23	6	6	–	–	1	–	–	–	–	–	2	4	–	TYNEMOUTH.
NEWPORT (MON.) ..	78,336	12·2	20·3	20·3	10·0	0·7	58	15	–	4	–	–	–	1	–	–	–	1	1	6	–	NEWPORT (MON.).
CARDIFF	195,303	14·2	12·8	16·1	16·6	0·5	93	62	12	19	–	–	–	–	1	1	–	2	13	12	–	CARDIFF.
RHONDDA	135,894	15·7	11·7	21·1	15·0	0·4	126	39	12	10	–	–	–	–	–	–	1	3	4	2	–	RHONDDA.
MERTHYR TYDFIL..	78,365	18·9	16·2	30·4	22·6	2·7	59	34	13	5	–	3	–	–	1	–	–	1	1	3	1	MERTHYR TYDFIL.
SWANSEA	98,308	15·5	14·4	22·4	19·1	0·5	82	36‡	6	12	–	–	–	–	1	–	–	2	3	6	–	SWANSEA.
GREATER LONDON	7,429,740	13·8	10·4	17·8	16·6	1·2	3927	2360	389	839	–	95	6	26	20	9	19	98	262	733	6	GREATER LONDON.
OUTER RING ..	2,595,802	12·0	8·7	14·3	13·8	0·8	1451	688	138	244	–	23	2	6	6	1	2	16	61	117	2	OUTER RING.
8 TOWNS IN OUTER RING.	1,284,152	11·1	8·9	14·3	14·4	1·2	684	355	76	99	–	19	2	2	4	1	2	5	33	61	–	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,311,650	12·9	8·6	14·4	13·2	0·4	767	333	62	145	–	4	–	4	2	–	–	11	28	56	2	REMAINDER OF OUTER RING.
EDINBURGH	355,366	16·4	17·0	15·6	20·2	0·7	187	138§	24	45	–	–	–	–	–	–	5	4	?	39	6	EDINBURGH.
GLASGOW	872,021	16·2	14·8	18·7	19·5	2·6	544	326§	71	79	–	1	3	5	25	2	7	8	?	105	12	GLASGOW.
DUBLIN (Registration Area).†	398,356	18·0	17·2	28·3	23·6	2·1	201	180	27	53	–	9	–	–	–	4	3	1	2	73	5	DUBLIN (Registration Area).†
BELFAST†	386,576	19·7	23·4	21·4	16·7	0·7	268	124§	17	27	–	–	–	2	1	–	2	2	3	28	1	BELFAST.†

* See note † on first page of this return. † Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast respectively.
‡ Including 1 death from Epidemic cerebro-spinal meningitis. § Including 1 death from Cerebro-spinal meningitis in Edinburgh, 1 in Glasgow, and 1 in Belfast.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FIRST Week of each of the Eleven Years, 1899–1909.

	1899	1900	1901	1902	1903	1904	1905	1906	1907	1908	Corrected Weekly Average in 5 Years 1904–1908.*	1909
TOTAL **Births** -	2893	2792	2983	2949	2661	2862	2720	2788	2905	2843	2890·7	2476
Males - - -	1437	1400	1482	1496	1367	1471	1370	1424	1464	1414	1462·6	1246
Females - -	1456	1392	1501	1453	1294	1391	1350	1364	1441	1429	1428·1	1230
TOTAL **Deaths** -	1666	3266	1533	1810	1660	1731	1665	1756	2232	1526	1824·3	1672
Males - - -	882	1542	801	920	805	861	863	885	1098	766	915·8	813
Females - -	784	1724	792	890	855	870	802	871	1134	760	908·5	859

* The numbers in this column are the average weekly numbers in the First week of the five years 1904-1908, raised by 2·375 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Oct. 17.	Oct. 24.	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	1909 Jan. 2.	Jan. 9.	13 Weeks.
TOTAL **Births** -	2341	2163	2358	2485	2189	2187	2221	2040	2186	2133	1438	22[illegible]8	2476	28415
TOTAL **Deaths** -	1092	1212	1396	1388	1418	1357	1451	1383	1311	1359	1038	1801	1672	17881
Ages at Death: Under 1 year -	271	324	339	332	305	284	262	242	265	240	155	305	251	3575
1—5 years -	107	121	149	136	166	149	166	135	147	139	115	210	174	1914
5—20 " -	62	52	71	72	81	70	66	71	57	81	53	81	79	896
20—40 " -	151	153	174	154	181	187	181	171	161	162	118	2[illegible]3	179	2205
40—60 " -	230	246	267	265	285	266	288	278	264	284	221	354	394	3642
60 yrs. & upwds.	271	316	396	429	400	401	488	486	417	453	376	621	595	5849
Deaths from—														
Small-pox† - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles - - -	13	15	19	28	31	32	34	38	49	51	44	86	72	512
Scarlet Fever - -	4	6	13	10	11	8	9	14	10	14	7	7	4	117
Diphtheria - -	11	11	16	18	19	16	30	13	14	21	17	23	20	232
Whooping-cough -	2	11	7	7	10	7	7	2	7	4	7	11	14	96
Typhus - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever - -	11	5	11	12	9	11	10	5	9	14	8	7	8	120
Pyrexia (origin uncertain).	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa, Dysentery	69	70	76	44	41	31	32	24	11	19	14	22	17	470
All above diseases -	110	118	142	119	121	105	122	96	100	126	97	156	135	1547
Dis. of Resp. System	64	103	119	115	149	157	150	141	129	136	106	193	158	1820
Pneumonia - -	95	123	147	161	161	177	168	154	155	145	96	188	184	1954
Phthisis - - -	112	114	128	145	150	145	143	131	135	116	104	171	158	1752
Dis. of Circ. System -	147	160	184	202	182	176	177	189	170	199	149	252	253	2440
Violence - - -	63	50	57	57	59	50	71	62	52	52	50	83	82	788
Inquest Cases - -	122	125	136	134	139	132	137	127	132	129	111	207	201	1832
Deaths in Institutions	454	516	581	566	570	568	651	602	541	599	434	686	616	7384
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	56·3	47·8	50·2	47·3	45·1	44·7	47·6	43·5	42·8	45·1	40·2	31·5	40·7	44·9
Mean of Highest -	66·0	53·1	58·2	53·1	51·8	49·1	53·7	47·1	46·9	49·3	42·4	35·9	44·0	50·1
Mean of Lowest -	48·6	42·8	40·9	41·0	38·9	39·4	39·7	40·5	37·1	40·2	37·6	26·8	37·0	39·1
Mean Humidity of the Air.	88	84	89	87	80	84	81	94	87	92	91	85	86	87
Rain-fall (in inches) -	0·72	0·26	0·73	0·00	0·28	0·39	0·07	0·08	0·62	0·81	0·02	0·43	0·13	4·59
Registered Sunshine (in hours).	37·6	17·3	21·1	19·8	33·2	7·7	15·9	0·0	8·8	4·3	3·5	5·7	8·1	183·0
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever - -	3755	3761	3833	3851	3859	3310	3831	3747	3704	3537	3454	3557	3317	3696
Diphtheria - - -	1070	1094	1128	1139	1187	1215	1242	1241	1263	1266	1259	1245	1215	1197
Typhus - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever - -	110	122	147	161	173	185	187	190	181	173	168	153	145	161

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lauder, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq., F.R.Met.Soc., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Committee; and E. Walford Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the FIRST Week of the Year 1909.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 1st week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.			
ALL CAUSES	1824·3	1672	251	174	79	179	394	595
Small-pox*	–	–	–	–	–	–	–	–
Cowpox	–	–	–	–	–	–	–	–
Measles (Morbilli)	44·6	72	8	61	3	–	–	–
Scarlet Fever	10·9	4	1	3	–	–	–	–
Typhus	–	–	–	–	–	–	–	–
Plague	–	–	–	–	–	–	–	–
Influenza	32·6	15	1	–	1	1	5	7
Whooping-cough	27·6	14	7	6	1	–	–	–
Diphtheria	19·2	20	1	11	7	1	–	–
Cerebro-spinal Fever ..	0·2	1	1	–	–	–	–	–
Pyrexia† (origin uncertain)	–	–	–	–	–	–	–	–
Enteric Fever	6·6	8	–	–	3	3	2	–
Asiatic Cholera	–	–	–	–	–	–	–	–
Epidemic Diarrhœa, Infective Enteritis	4·7	5	4	1	–	–	–	–
Diarrhœa, Dysentery ..	10·6	12	6	1	–	–	2	3
Tetanus	0·2	–	–	–	–	–	–	–
Rabies, Hydrophobia ..	–	–	–	–	–	–	–	–
Glanders	–	–	–	–	–	–	–	–
Anthrax (Splenic Fever)..	0·2	–	–	–	–	–	–	–
Venereal Dis.	8·0	5	5	–	–	–	–	–
Puerperal Septicæmia ..	3·1	4	–	–	–	3	1	–
Puerperal Pyæmia.. ..	0·6	–	–	–	–	–	–	–
Puerperal Fever	–	–	–	–	–	–	–	–
Infective Endocarditis ..	3·3	2	–	–	–	1	1	–
Pneumonia: Lobar ..	21·7	21	1	3	1	2	4	10
Pneumonia: Broncho ..	108·3	89	28	31	2	2	11	15
Pneumonia: Epidemic ..	–	–	–	–	–	–	–	–
Pneumonia: Not defined	87·4	74	13	9	3	5	21	23
Erysipelas	3·5	3	1	–	–	–	–	2
Septicæmia (not Puerperal)	0·8	4	–	–	–	2	2	–
Pyæmia (not Puerperal)	1·0	–	–	–	–	–	–	–
Other Infective Processes	7·2	–	–	–	–	–	–	–
Tuberculous Phthisis ..	93·4	107	–	5	4	48	42	8
"*Phthisis*"	68·8	51	–	–	–	23	24	4
Tuberculous Meningitis ..	17·6	17	2	7	6	2	–	–
Tuberculous Peritonitis ..	6·3	6	1	1	2	1	1	–
Tabes Mesenterica	1·2	2	–	2	–	–	–	–
Tuberculous Dis., Other ..	18·2	8	1	3	2	1	–	1
Scrofula..	–	–	–	–	–	–	–	–
Alcoholism	13·7	13	–	–	–	2	9	2
Rheumatic Fever	5·9	3	–	–	1	2	–	–
Gout	1·8	1	–	–	–	–	1	–
Carcinoma	54·1	58	–	–	–	2	27	29
Sarcoma	7·6	7	–	–	1	–	5	1
Cancer (undefined) ..	42·2	33	–	–	–	1	13	19
Diabetes Mellitus	11·1	7	–	–	–	2	1	4
Premature Birth	69·4	42	42	–	–	–	–	–

CAUSES OF DEATH.	Corrected Average for the 1st week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.			
Meningitis (not tuberc.)..	17·4	14	4	4	5	–	1	–
Gen. Par. of Insane, Insanity	18·2	20	–	–	–	4	7	9
Epilepsy	8·0	9	1	–	–	1	6	1
Convulsions	22·3	19	19	–	–	–	–	–
Locomotor Ataxy.. ..	2·3	2	–	–	–	–	1	1
Paraplegia, Dis. of Cord.	8·6	7	–	–	1	1	1	4
Nervous Sys., Other Dis.	24·2	14	–	–	3	2	3	6
Valv. Dis., Endocarditis..	62·9	63	–	–	6	12	21	24
Cereb. Hæm. Cereb. Emb.	41·0	55	–	–	–	–	11	44
Apoplexy, Hemiplegia ..	22·9	14	–	–	–	–	2	12
Aneurysm	5·3	9	–	–	–	2	4	3
Embolism, Thrombosis (not Cerebral) ..	1·0	2	–	–	–	–	1	1
Heart & Blood Ves., Other Dis... ..	109·3	110	–	–	5	8	37	60
Croup (not Spasm: nor Memb.)	0·8	–	–	–	–	–	–	–
Bronchitis	238·3	214	24	5	1	4	40	140
Emphysema, Asthma ..	9·6	19	–	–	–	–	10	9
Pleurisy	5·9	7	–	–	1	–	4	2
Respiratory Dis, Other..	15·8	18	1	2	1	–	4	10
Tonsillitis, Quinsy.. ..	0·6	–	–	–	–	–	–	–
Enteritis (not Epid.) ..	8·2	13	7	2	–	2	–	2
Gastro-enteritis	5·9	6	4	–	1	1	–	–
Peritonitis (not Puerp.) ..	2·7	3	–	1	–	2	–	–
Cirrhosis of Liver.. ..	16·0	6	–	–	–	–	5	1
Liver Dis., Other	4·1	6	–	–	1	–	3	2
Digestive Sys., Other Dis.	40·3	38	3	–	3	7	13	12
Acute Nephritis	8·0	10	1	1	1	3	2	2
Bright's Dis., Albuminuria	43·4	38	–	–	–	5	17	16
Urinary Sys., Other Dis.	10·4	10	–	–	–	–	1	9
Generative Organs Dis...	4·9	4	–	–	–	3	1	–
Childbirth (Accid. of) ..	4·1	1	–	–	–	1	–	–
Old Age	74·5	75	–	–	–	–	–	75
Other Diseases	98·3	76	45	6	4	5	8	8
ACCIDENT.								
By Railways	1·8	2	–	–	1	1	–	–
By Vehicles and Horses..	4·9	1	–	–	–	1	–	–
In Ships, Boats, Docks, (exclusive of Drowning)	0·8	–	–	–	–	–	–	–
In Building Operations..	0·4	3	–	–	–	–	2	1
In Conflagrations	0·4	1	–	–	–	–	1	–
By Burns, Scalds, Explosions	13·7	17	1	6	6	1	–	3
By Drowning	3·5	4	–	–	–	1	3	–
By Suffocation in Bed ..	15·8	16	15	1	–	–	–	–
By Poisons or Poisonous Vapours	3·9	3	–	–	–	1	2	–
Other Deaths by Accident..	21·9	20	2	2	2	1	4	9
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	1·2	1	1	–	–	–	–	–
Suicide	7·2	13	–	–	–	5	7	1
Execution	–	1	–	–	–	1	–	–

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.
† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c. registered in each SUB-DISTRICT during the Week ended Saturday, 9th January, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexiat (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON	4,536,267	2476	1672	251	595	–	72	4	20	14	–	8	–	17	82	201	616	4
WEST DISTRICTS	805,311	377	254	40	97	–	8	–	3	2	–	1	–	4	14	26	96	–
NORTH DISTRICTS	1,055,908	512	373	41	155	–	19	–	3	4	–	1	–	2	18	49	119	–
CENTRAL DISTRICTS	209,465	121	80	18	28	–	2	–	1	1	–	–	–	–	1	5	35	–
EAST DISTRICTS	715,739	496	301	52	79	–	13	–	–	1	–	2	–	5	19	58	128	–
SOUTH DISTRICTS	1,749,844	970	618	100	222	–	30	3	13	6	–	4	–	4	30	62	192	4
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	–	46	–	14	–	–	1	–	–	–	–	–	2	–	1	46	–
WEST DISTRICTS.																		
North Paddington *H*	63,603	36	15	4	5	–	–	–	–	–	–	–	–	–	3	6	1	–
Central Paddington *W,3H*	50,053	28	26	2	6	–	1	–	–	–	–	–	–	–	3	3	17	–
South Paddington	30,320	9	7	–	5	–	–	–	–	–	–	–	–	–	–	–	–	–
Kensington Town *2W,w,2H* ..	128,037	62	54	8	23	–	2	–	–	–	–	–	–	–	–	2	22	–
Brompton *2H*	48,591	7	11	–	8	–	–	–	–	–	–	–	–	–	–	1	–	–
North Hammersmith *2W,w,H* ..	49,192	28	15	1	6	–	2	–	–	–	–	–	–	–	1	2	2	–
South Hammersmith *w,2H* ..	63,047	18	22	2	9	–	–	–	–	–	–	1	–	–	5	7	4	–
North-west Fulham *W*	45,180	51	19	2	5	–	–	–	1	–	–	–	–	–	1	1	9	–
North-east Fulham *F*	46,405	31	15	3	4	–	2	–	–	1	–	–	–	–	1	2	2	–
South Fulham *W*	45,704	36	8	4	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Chelsea North *W,w,3H*	42,514	13	20	1	12	–	–	–	1	–	–	–	–	–	–	–	15	–
Chelsea South *W,2H*	31,328	6	10	4	2	–	1	–	–	–	–	–	–	2	–	–	3	–
Mayfair and Knightsbridge	28,743	10	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Belgrave *W,2H*	55,815	19	9	2	3	–	–	–	1	–	–	–	–	1	–	–	3	–
St. Margaret & St. John *6H*	43,698	17	15	7	2	–	–	–	–	–	–	–	–	1	–	2	14	–
St. James and St. Anne *W,6H* ..	33,081	6	7	–	5	–	–	–	–	–	–	–	–	–	–	–	4	–
NORTH DISTRICTS.																		
All Souls Marylebone *8H*	35,391	5	12	–	3	–	–	–	–	–	–	–	–	–	–	–	10	–
St. Mary Marylebone *W.4H* ..	37,948	41	7	3	1	–	–	–	–	–	–	–	–	–	–	–	4	–
Christchurch Marylebone	39,536	23	10	1	4	–	–	–	–	–	–	–	–	–	–	1	–	–
St. John Marylebone *2H*	20,426	7	4	–	4	–	–	–	–	–	–	–	–	–	–	1	2	–
Hampstead *W,F,6H*	81,942	29	28	3	13	–	–	–	1	1	–	–	–	–	–	3	15	–
West St. Pancras *2H*	60,562	27	16	3	6	–	–	–	–	–	–	–	–	–	1	5	2	–
South St. Pancras *w.12H*	55,707	25	17	3	4	–	4	–	1	–	–	–	–	–	2	3	7	–
East St. Pancras *W,2H*	60,320	20	29	2	15	–	2	–	–	–	–	1	–	–	2	4	12	–
North St. Pancras *2W*	58,728	35	17	1	9	–	–	–	–	–	–	–	–	–	–	–	9	–
Tufnell *W*	31,995	9	26	2	8	–	–	–	–	–	–	–	–	–	–	1	16	–
Upper Holloway *2W,w,H*	33,978	25	22	2	4	–	–	–	–	2	–	–	–	–	–	1	16	–
Tollington *W,w,H*	33,922	14	8	–	5	–	–	–	–	–	–	–	–	–	–	1	–	–
Lower Holloway	41,424	22	15	2	5	–	2	–	–	–	–	–	–	–	2	2	–	–
Barnsbury	54,478	41	22	3	6	–	4	–	–	–	–	–	–	–	3	7	–	–
Islington South-east *F*	75,397	35	22	6	8	–	–	–	–	–	–	–	–	–	4	8	–	–
Highbury *2H*	63,797	26	20	3	11	–	1	–	–	–	–	–	–	–	1	1	1	–
Stoke Newington *H*	51,247	25	17	–	12	–	–	–	–	1	–	–	–	–	–	1	–	–
North Hackney	50,398	13	12	–	9	–	–	–	–	–	–	–	–	1	–	–	–	–
Central Hackney *w,F*	50,536	26	18	4	5	–	4	–	1	–	–	–	–	–	–	2	3	–
South-west Hackney *3H*	59,921	30	26	2	11	–	1	–	–	–	–	–	–	1	2	5	6	–
South-east Hackney *2W,w,H* ..	58,255	34	25	1	12	–	1	–	–	–	–	–	–	–	1	3	16	–
Hackney Union Workhouse, Brentwood	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 9th January, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
St. Giles and Bloomsbury 2*W*,2*H*..	31,436	20	8	1	6	–	–	–	–	1	–	–	–	–	–	–	2	–
Strand *W*,4*H*	21,674	4	15	–	5	–	1	–	–	–	–	–	–	–	–	–	11	–
Strand Union Workhouse, Edmonton	–	–	2	1	1	–	–	–	–	–	–	–	–	–	–	–	2	–
Holborn *W*,6*H*	29,612	18	12	3	3	–	–	–	–	–	–	–	–	–	–	1	9	–
Clerkenwell *H*	63,704	36	18	7	5	–	1	–	–	–	–	–	–	–	–	–	–	–
St. Luke* 3*H*,*L*	36,116	35	9	3	3	–	–	–	–	–	–	–	–	–	1	3	–	–
Holborn Union Workhouse, Mitcham	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Botolph *H*	10,299	4	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Sepulchre and Allhallows *W*,2*H*	16,624	4	14	3	4	–	–	–	1	–	–	–	–	–	–	1	11	–
City of London Asylum, Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
EAST DISTRICTS.																		
Shoreditch South 2*H*	46,362	31	15	2	3	–	–	–	–	–	–	–	–	–	2	4	–	–
Shoreditch North-West *W*,*w*,*H* ..	36,127	26	20	2	7	–	–	–	–	–	–	–	–	1	1	3	18	–
Shoreditch North-East	36,148	17	9	1	1	–	1	–	–	–	–	–	–	–	–	2	–	–
Shoreditch Union Workhouse Wood Green	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	41	50	10	16	–	3	–	–	–	–	1	–	–	4	10	27	–
Bethnal Green South-West *H* ..	64,542	51	18	6	2	–	2	–	–	–	–	–	–	–	1	8	–	–
Spitalfields..	27,969	14	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mile End New Town *W*,*H*	28,718	18	43	6	3	–	1	–	–	–	–	–	–	2	5	9	40	–
Goodman's Fields	22,081	10	4	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–
St. George and St. John 2*W* ..	49,068	37	13	2	5	–	–	–	–	–	–	–	–	1	–	4	2	–
Shadwell and Ratcliff *W*,*H* ..	25,568	17	10	1	4	–	2	–	–	–	–	–	–	–	–	–	1	–
Limehouse *W*	32,369	28	15	2	3	–	–	–	–	1	–	–	–	–	1	3	–	–
Mile End Old Town South-Western *H*	63,698	57	14	5	3	–	–	–	–	–	–	–	–	1	–	1	1	–
Mile End Old Town North-Eastern *W*,*w*	49,129	25	21	1	12	–	–	–	–	–	–	–	–	–	–	2	11	–
Bow	41,989	23	10	1	1	–	–	–	–	–	–	–	–	–	–	2	–	–
Bromley 3*w*,*H*	68,319	61	38	7	14	–	1	–	–	–	–	1	–	–	3	6	22	–
Poplar *W*,*w*	58,514	40	15	3	3	–	2	–	–	–	–	–	–	–	2	4	2	–
Workhouse, Forest Gate (Parish of Poplar Borough).	–	–	4	–	1	–	–	–	–	–	–	–	–	–	–	–	4	–

* On 1st January, 1909, the sub-district of Finsbury was re-named St. Luke.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 9th January, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total Births.	Total Deaths.	The Deaths registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch and St. Saviour Southwark *W,2H*	23,319	12	18	6	3	–	1	–	–	–	–	–	–	–	2	3	10	2
Kent-road	21,904	15	8	2	–	–	3	–	–	–	–	–	–	–	–	–	–	–
St. George the Martyr West *W,2H,L*	39,094	16	8	2	2	–	2	–	–	–	–	–	–	–	–	2	1	–
Newington North	49,022	25	13	4	3	–	1	–	–	–	–	–	–	1	–	2	–	–
Newington South *W*	72,841	51	28	4	8	–	2	–	–	1	–	–	–	–	–	1	1	–
St. Olave *2W*	9,817	2	3	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
Bermondsey *W*	82,483	59	33	12	8	–	3	–	–	–	–	–	–	2	2	7	–	–
Rotherhithe *W,F*	38,460	26	30	3	10	–	6	–	–	–	–	–	–	–	3	3	19	–
Waterloo *2H*	27,440	26	12	3	4	–	–	–	–	–	–	–	–	–	–	–	3	–
Lambeth Church *H*	27,440	19	22	3	4	–	–	–	2	1	–	–	–	–	4	4	20	–
Kennington *2W*	52,518	39	31	5	14	–	–	–	–	1	–	–	–	–	–	2	21	–
Stockwell *HF*	63,826	40	12	2	2	–	–	–	–	–	–	–	–	–	2	4	1	–
Brixton *H*	73,673	26	14	2	4	–	–	–	–	–	–	–	–	–	–	1	2	–
Norwood *2WH*	56,998	21	7	2	4	–	–	–	–	–	–	–	–	–	1	1	–	–
East Battersea *H*	72,203	34	19	3	7	–	1	–	–	2	–	–	–	–	–	2	1	–
North-west Battersea	49,656	36	10	–	4	–	–	–	–	–	–	–	–	–	–	1	–	–
South-west Battersea *2W,H*	47,048	16	26	2	9	–	–	–	–	–	–	–	–	–	2	3	17	–
Clapham *2H*	51,361	37	8	–	5	–	–	–	–	–	–	–	–	–	–	–	–	–
Streatham *W,2w,2F,2L*	88,019	50	44	8	20	–	1	–	6	–	–	–	–	–	–	2	17	1
Springfield *2W,L*	27,959	19	8	2	2	–	–	–	–	1	–	–	–	–	1	3	1	–
Southfields *H*	40,444	25	14	3	5	–	–	–	–	–	–	–	–	–	1	2	–	–
Putney	24,139	8	5	1	3	–	–	–	–	–	–	–	–	–	1	1	–	–
Dulwich	13,359	1	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Camberwell South *W,w*	40,206	15	25	1	12	–	2	–	–	–	–	–	–	–	–	–	16	–
Camberwell North *W,2L*	65,584	41	38	6	19	–	2	–	–	–	–	1	–	–	5	6	22	–
St. George	47,331	27	11	1	6	–	–	–	–	–	–	–	–	–	–	1	–	1
Peckham North	48,913	28	12	2	5	–	–	–	–	–	–	–	–	–	–	1	–	–
Peckham South *2W,w*	43,946	20	7	2	2	–	–	–	–	–	–	–	–	–	1	1	–	–
Deptford North	37,613	33	11	1	2	–	4	–	–	–	–	–	–	–	–	–	–	–
Deptford Central *F*	45,481	25	14	2	3	–	1	1	2	–	–	1	–	–	–	1	4	–
Deptford South	34,625	10	12	–	6	–	–	–	–	–	–	–	–	–	–	–	–	–
Greenwich West *2H*	23,456	18	7	1	3	–	1	–	–	–	–	–	–	–	1	1	–	–
Greenwich East *2W,H*	43,859	21	22	5	6	–	–	–	–	–	–	–	–	–	1	1	14	–
Eltham *w,H*	7,226	3	3	–	2	–	–	–	–	–	–	–	–	–	–	–	1	–
Lee *w,H*	25,490	5	8	–	5	–	–	–	–	–	–	–	–	–	1	1	1	–
Lewisham *W,w,F*	58,352	31	16	3	7	–	–	1	3	–	–	–	–	–	–	–	6	–
Sydenham *H*	43,653	14	9	2	3	–	–	–	–	–	–	–	–	–	–	3	–	–
Charlton *F,2H*	21,134	14	7	2	2	–	–	1	–	–	–	2	–	–	–	–	3	–
Woolwich *5H*	41,625	22	5	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Plumstead West *W,H*	39,376	19	14	1	7	–	–	–	–	–	–	–	–	–	–	–	–	–
Plumstead East *2W*	28,951	21	15	2	9	–	–	–	–	–	–	–	–	1	1	1	11	–
Workhouses:—																		
Fulham Workhouse, Belmont	—	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
M. A. B. Small-pox Hospitals:—																		
Long Reach	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joyce Green	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
M. A. B. Fever Hospitals:—																		
Gore Farm (temporary)	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
North-Eastern	—	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–
Northern	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
M. A. B. Imbecile Asylums:—																		
Caterham	—	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Darenth	—	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Leavesden	—	–	8	–	–	–	–	–	–	–	–	–	–	1	–	–	8	–
London County Lunatic Asylums:—																		
Banstead	—	–	4	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–
Ewell (Epileptic Colony)	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Horton	—	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Manor	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Long Grove	—	–	7	–	3	–	–	–	–	–	–	–	–	–	–	–	7	–
Cane Hill	—	–	3	–	1	–	–	–	–	–	–	–	–	1	–	–	3	–
Dartford Heath	—	–	5	–	3	–	–	–	–	–	–	–	–	–	–	–	5	–
Hanwell	—	–	5	–	2	–	–	–	–	–	–	–	–	–	–	–	5	–
Colney Hatch	—	–	6	–	2	–	–	–	–	–	–	–	–	–	–	1	6	–
Claybury	—	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	2	–

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERATED POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 9th January, 1909.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING ..	368,603	2,045,135	1451	688	138	244	-	23	2	6	6	1	2	16	61	117	2
30 : 1	Carshalton 2F,3H	12,228	32,997	12	7	2	3	-	-	-	-	-	-	-	2	2	1	-
2	Epsom, *part of** W,w,2F,H..	10,423	15,548	10	3	1	1	-	-	-	-	-	-	-	-	-	-	2
37 : 1	Godstone, *part of** W,F,L ..	2 754	2,692	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38 : 1	Coulsdon	11,069	8,166	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w,H ..	4,200	49,309	24	12	3	5	-	-	-	-	-	-	-	-	-	-	-
3	West Croydon 3W,F,H ..	2,168	42,888	32	25	3	6	-	-	-	1	-	-	-	-	-	15	-
4	North Croydon H	2,614	41,698	28	18	2	4	-	2	-	-	-	-	-	-	3	-	-
5	Penge w	770	22,465	10	8	1	3	-	-	-	-	-	-	-	1	2	-	-
6	Mitcham w	11,711	30,015	43	8	2	3	-	-	-	-	-	-	-	1	1	-	-
39 : 1	Wimbledon F,3H	3,221	41,652	31	7	1	2	-	-	-	-	1	-	-	-	1	1	-
2	Kingston 2W,H	6,224	42,068	20	14	4	7	-	-	-	-	-	-	-	1	3	5	-
3	Surbiton F,H	3,046	15,017	5	5	1	4	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** H	5,402	13,100	8	3	1	1	-	-	-	-	-	-	-	2	3	-	-
5	Hampton H,F,L	4,564	23,456	20	12	4	4	-	-	-	-	-	-	-	-	-	1	-
40 : 1	Richmond W,H	2,491	31,672	19	6	-	4	-	-	-	-	-	-	-	1	1	2	-
2	Mortlake F	2,518	17,821	8	7	-	5	-	-	-	-	-	-	-	-	-	-	-
41 : 1	Bromley F,3H	4,703	27,354	16	9	-	5	-	-	-	1	-	-	-	1	2	2	-
2	Beckenham H	7,825	28,497	11	9	3	2	-	-	-	-	-	-	-	1	1	-	-
3	Orpington, *part of** W,F ..	10,113	9,857	5	5	-	5	-	-	-	-	-	-	-	-	-	4	-
4	Chislehurst 2H	7,333	16,446	12	7	2	4	-	-	-	-	-	-	-	-	-	1	-
42 : 1	Bexley w,F,H	8,678	21,151	10	5	-	2	-	-	-	-	-	-	-	-	-	-	-
2	Erith F,H	3,854	25,296	16	3	1	-	-	-	-	-	-	-	-	-	-	-	-
3	Dartford W,F, *part of** ..	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
124 : 1	Sunbury w	11,054	18,683	10	6	4	1	-	-	-	-	-	-	-	-	-	-	-
2	Staines W,H	13,277	15,178	12	3	1	1	-	-	-	-	-	-	-	-	1	1	-
125 : 1	Hillingdon W,F,H	6,035	13,661	10	4	-	2	-	1	-	-	-	-	-	-	-	1	-
2	Uxbridge H	12,757	8,984	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w 2F,H	8,066	16,358	14	7	4	-	-	1	-	-	-	-	-	-	-	-	-
126 : 1	Isleworth 3W,3F,H	6,859	30,863	26	18	4	6	-	-	-	1	1	-	-	-	-	6	-
2	Twickenham F,2H	2,421	20,991	12	7	1	3	-	-	-	-	-	-	-	1	1	-	-
3	Brentford 3F,2H	4,319	48,289	50	19	1	10	-	-	-	-	-	-	-	-	2	-	-
4	Chiswick H	1,249	29,809	13	9	2	5	-	-	-	-	-	-	-	-	2	-	-
5	Acton w,F,3H	6,132	48,914	43	12	4	3	-	-	-	1	-	-	-	-	-	2	-
127 : 1	Harrow F,H	13,809	25,523	23	3	-	3	-	-	-	-	-	-	-	-	-	-	-
2	Edgware 2F,2H	6,994	4,521	-	2	-	1	-	-	-	-	-	-	-	-	1	-	-
3	Willesden W,F,2H	4,384	114,811	77	38	10	10	-	3	-	-	-	1	1	1	4	4	-
4	Hendon W,F	8,382	22,450	21	11	2	5	-	-	-	-	-	-	-	-	-	1	-
128 : 1	South Mimms 2F,H ..	17,755	7,308	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,970	8	5	-	5	-	-	-	-	-	-	-	-	-	-	-
3	Finchley F,3H	4,688	33,692	19	10	2	4	-	-	-	-	-	-	-	-	-	1	-
129 : 1	Hornsey F,H	2,875	72,056	21	18	3	9	-	-	-	-	-	-	-	-	1	-	-
2	Wood Green H	1,625	34,233	32	11	4	2	-	-	-	-	-	-	-	-	2	-	-
3	West Tottenham	995	48,741	37	10	-	5	-	-	-	-	-	-	-	-	2	-	-
4	East Tottenham 2H ..	2,019	53,962	48	25	10	7	-	1	-	-	-	-	-	1	8	4	-
5	Edmonton W,w,2F	7,491	61,892	54	30	5	11	-	1	-	-	-	-	-	-	2	12	-
6	Enfield 2W,F,H	12,601	42,738	37	13	1	9	-	-	-	-	-	-	-	-	-	1	-
7	Waltham Abbey F	11,017	6,549	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	12	3	-	2	-	-	-	1	-	-	-	-	-	1	-
135 : 1	Hatfield, *part of** W ..	3,305	664	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey H	9,333	9,173	3	2	-	2	-	-	-	-	-	-	-	-	-	-	-
2	Watford W,2F, *part of** ..	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
186 : 1	Stratford H	1,091	52,974	37	15	7	3	-	2	-	-	2	-	-	1	2	-	-
2	Forest Gate	787	52,745	27	18	3	6	-	1	-	-	-	-	-	-	-	-	-
3	Plaistow F,2H	1,249	90,921	73	30	4	3	-	5	-	-	1	-	-	-	1	1	-
4	Canning Town H	1,556	70,718	70	22	6	6	-	3	-	-	1	-	1	1	3	-	-
5	South East Ham 2F ..	1,991	37,342	31	10	3	3	-	-	1	-	-	-	-	-	-	1	-
6	North East Ham w,H ..	1,333	58,666	43	15	7	3	-	-	-	-	-	-	-	1	1	-	-
7	Wanstead F	1,679	9,179	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	20	17	2	8	-	1	-	-	-	-	-	-	-	5	-
9	North Leyton 2W,w,F ..	1,963	48,445	39	43	5	13	-	1	-	-	-	-	-	-	3	19	-
10	Walthamstow 2H,L ..	6,504	108,929	87	31	9	9	-	-	-	-	-	-	-	-	5	-	-
187 : 1	Chigwell 2F,3H	11,778	16,397	11	3	1	-	-	-	-	-	-	-	-	-	-	1	-
2	Epping W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189 : 1	Romford, *part of** W,2F ..	6,556	6,091	5	1	-	1	-	-	-	-	-	-	-	-	-	1	-
2	Ilford F,L	8,496	41,244	42	13	2	1	-	1	-	-	-	-	-	-	1	1	-
3	Barking Town F	3,805	21,547	21	3	-	1	-	-	-	-	-	-	-	-	-	-	-
	N.E. Hospital, Tottenham -	—	—	-	2	-	-	-	-	1	1	-	-	-	-	-	2	-
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	5	-	1	-	-	-	-	-	-	-	-	-	5	-
	Surrey County Lunatic Asylum, Brookwood.	—	—	-	5	-	2	-	-	-	-	-	-	-	-	-	5	-
	Middlesex County Lunatic Asylum, Napsbury.	—	—	-	4	-	2	-	-	-	-	-	-	-	-	-	4	-
	Essex County Lunatic Asylum, Brentwood.	—	—	-	4	-	2	-	-	-	-	-	-	-	-	-	4	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30 : 2, excepting Ashtead parish; 37 : 1, Warlingham and Farley parishes; 39 : 4, excepting Esher parish; 41 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135 : 1, Northaw parish; 189 : 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42 : 3, 137 : 2 and 187 : 2 and in the Croydon Mental Hospital in 37 : 1 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON	4,833,938	January 9	2476	1672	18·0	-	72	4	20	14	8	17
CALCUTTA	992,718	December 12	-	499	26·2	6	1	-	1	-	118†	61‡
BOMBAY	982,000	" 22	-	-	-	-	-	-	-	-	-	-
MADRAS	548,974	" 18	-	-	-	-	-	-	-	-	-	-
PARIS	2,722,731	January 2	943	1017	19·4	-	1	3	9	7	5	24
BRUSSELS	630,078	" 2	187	151	12·4	-	1	-	1	-	-	5
ANTWERP	310,903	" 2	111	90	15·0	-	-	1	-	-	-	12
AMSTERDAM	564,989	December 26	233	142	13·1	-	4	-	-	3	2	2
COPENHAGEN	445,000	January 2	249	142	16·6	-	1	3	1	4	1	6
STOCKHOLM	337,460	December 26	130	72	11·1	-	-	3	2	-	-	3
CHRISTIANIA	231,687	January 2	121	76	17·2	-	1	-	1	2	-	2
ST. PETERSBURG	1,527,500	December 26	898	716	24·4	3	3	19	11	9	13	106‡
MOSCOW	1,359,886	" 26	-	629	24·1	7	8	12	12	4	8	45
BERLIN	2,110,451	" 12	837	580	14·4	-	4	16	12	5	1	32
	2,111,677	" 19	843	593	14·7	-	6	9	11	6	-	30
HAMBURG	854,472	January 2	-	275	16·7	-	3	8	7	7	2	18
BRESLAU	494,029	December 26	-	144	15·2	-	-	1	1	-	-	7
MUNICH	556,000	" 26	-	213	19·9	-	5	6	4	1	-	24
VIENNA	2,021,052	" 26	956	668	17·0	-	19	9	19	6	1	31
PRAGUE	478,547	" 26	180	138	14·9	-	-	8	1	-	2	10
BUDAPEST	812,723	" 26	338	312	20·0	-	6	13	1	-	3	11
TRIESTE	213,719	January 2	-	-	-	-	-	-	-	-	-	-
ROME	559,715	October 31	248	115	10·7	-	3	-	-	-	6	7
VENICE	176,815	December 19	-	-	-	-	-	-	-	-	-	-
BUCAREST	293,619	" 26	-	-	-	-	-	-	-	-	-	-
NEW YORK	4,422,685	" 12	2508	1249	14·7	-	10	10	42	2	11	44
		" 19	2187	1359	16·0	-	13	5	31	5	10	54
CHICAGO	2,166,055	" 19	-	580	13·9	-	3	12	23	1	12	34
PHILADELPHIA	1,532,738	" 19	-	-	-	-	-	-	-	-	-	-
RIO DE JANEIRO	636,018	December 6	-	426	35·0	109	1	-	3	1	3†	?

* Excluding deaths from croup in the Indian Cities.
† Including 9 deaths from plague in Calcutta and 2 in Rio de Janeiro.
‡ Including 10 deaths from cholera in Calcutta and 42 in St. Petersburg.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 9th January, 1909.

Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	47·4	32·5	40·5	0·13	BRADFORD	49·2	39·6	40·4	0·22
BRIGHTON	47·5	34·7	42·0	0·10	YORK	50·0	31·8	40·8	0·14
PORTSMOUTH	50·6	34·0	43·1	0·03	HULL	49·0	31·0	39·6	0·21
NORWICH	47·4	32·0	39·8	0·46	TYNEMOUTH	52·0	30·0	41·5	0·34
PLYMOUTH	50·7	33·5	43·8	0·37	CARDIFF	49·1	31·0	41·9	0·09
BRISTOL	49·0	30·5	41·4	0·08	EDINBURGH	49·8	31·7	42·0	0·65
BIRMINGHAM	48·9	32·3	40·5	0·21	GLASGOW	50·6	33·0	42·7	0·74
NOTTINGHAM	48·9	30·0	40·6	0·20	DUBLIN Phœnix Park	53·1	30·8	43·4	0·32
LIVERPOOL OBSERVATORY	52·0	37·0	43·2	0·44	DUBLIN Fitzwilliam Square.†	52·7	34·0	45·1	0·33
MANCHESTER	48·6	28·8	40·1	0·76	BELFAST	49·8	36·0	43·3	0·46
BURNLEY	48·8	27·5	40·8	0·49					
HUDDERSFIELD	48·5	31·2	40·6	0·42					

* At the English stations the figures in this column which are compiled in the Meteorological Office (*see* footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0°·1 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 9th January, 1909.

[*Under the Superintendence of the Astronomer Royal.*]

1909. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est.	Daily Range.	Mean daily value.	Departure from Average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
JANUARY.		in.	°	°		°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 3	..	30·477	47·4	43·3	4·1	45·7	+ 7·4	45·3	0·4	0·9	0·0	99	49·6	38·9	43·71	W. & WNW.	Calm, W. & WSW.	0·4	0·0	0·0	124	−186	0·01	0·0
MONDAY - 4	..	30·527	46·4	41·5	4·9	44·0	+ 5·7	41·8	2·2	4·1	0·2	92	48·2	38·0	44·20	WSW.SSW. & SSE.	Calm, SW. & S.	0·0	0·0	0·0	86	−224	0·00	1·0
TUESDAY - 5	..	30·421	42·0	32·5	9·5	35·7	− 2·5	33·7	2·0	4·4	0·3	92	49·0	20·7	44·45	S. & SSE.	SW. & W.	0·7	0·0	0·0	147	−167	0·00	0·0
WEDNESDAY 6	Gr. Dec. N. Full,	30·251	44·5	34·9	9·6	41·1	+ 3·0	39·3	1·8	3·5	0·7	93	52·0	29·0	44·60	WSW.	WNW. & W.	1·3	0·0	0·0	207	−108	0·01	0·0
THURSDAY - 7	..	30·002	45·3	36·5	8·8	41·7	+ 3·7	35·4	6·3	9·0	0·7	78	64·9	30·0	44·43	WNW., WSW. & W.	WNW. & W.	10·1	0·0	0·5	469	+157	0·10	0·7
FRIDAY - 8	..	29·664	41·4	35·9	5·5	38·8	+ 0·9	31·1	7·7	11·9	1·8	74	52·1	29·0	44·30	NNW & NW.	NNW., N. & NNE.	13·8	0·0	1·2	533	+226	0·01	2·3
SATURDAY - 9	..	30·008	40·8	34·6	6·2	38·0	+ 0·1	30·9	7·1	11·0	3·2	76	54·2	27·0	44·15	N.	N., NW. & W.	3·5	0·0	0·2	286	− 14	0·00	0·0
MEANS - -		30·193	44·0	37·0	6·9	40·7	+ 2·6	36·8	3·9	6·4	1·0	86	52·9	30·4	44·26	WSW. & NW.		..	..	..	Sum 1852	Sum −316	Sum 0·13	0·6
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. JANUARY.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.
SUNDAY - 3	w. P. throughout.	0·0	7·9
MONDAY - 4	w. P. generally.	0·0	7·9
TUESDAY - 5	w.P till 7h. A.M.: m. P. till 10h. P.M.: w. P. afterwards.	0·1	7·9
WEDNESDAY 6	w P. generally; s. N. at 10h. A.M.	0·6	8·0
THURSDAY - 7	w.P. till 3h. P.M.; m. P. till 7h. P.M.; w. P. till 10h. P.M.; v. P. and s. N. afterwards.	2·5	8·0
FRIDAY - 8	w. P. till 7h. A.M.; m. P. generally afterwards.	4·1	8·0
SATURDAY - 9	w. P. till 8h. A.M.; m. P. generally afterwards.	0·8	8·1
		Sum 8·1	Sum 55·8
No. of Col. - -	27	28	29

GENERAL REMARKS.

Overcast with slight exceptions; gloomy intervals between 10h. A.M and 4h P.M.: followed by slight fog; a little misty rain at times in morning.

Overcast; slight fog in morning.

Cloudy till 3h. A.M.: very fine generally till 10h. 30m. A.M.; overcast afterwards; hoar frost in early morning.

Generally overcast with occasional fine intervals; a little fine rain occasionally between 9h. A.M. and 8h. 30m. P.M.

Very fine interval between 10h. A.M. and 1h. P.M.; otherwise cloudy with slight exceptions; occasional showers at night: heavy shower of rain and hail accompanied by lightning and thunder and sharp squall at and about 11h. P.M. Solar halo in afternoon.

Very fine generally till 3h. P.M: variably cloudy afterwards with slight showers of snow, sleet, and rain in evening; gusty wind prevalent after 10h. A.M.

Fine and partially cloudy till 3h. P.M.; overcast afterwards with occasional thin rain at night; slight hoar frost in morning.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·46 in. at the beginning of the week to 30·44 in. by 5h. A.M. on the 3rd; increased to 30·56 in. by 10h. A.M. on the 4th; decreased to 29·61 in. by 3h. P.M. on the 8th; increased to 30·06 in. by 11h. A.M. on the 9th; and decreased to 29·93 in. by midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 2nd January, 1909.*

BOROUGHS.	Estimated Population in the middle of 1908.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	150,923	–	9	2	–	–	–	–	3	2	–
Kensington	182,752	–	13	5	–	2	–	–	9	–	–
Hammersmith	124,012	–	9	7	–	2	–	–	1	–	–
Fulham	171,562	–	5	11	–	1	–	–	3	–	1
Chelsea	75,049	–	2	2	–	–	–	–	1	–	–
City of Westminster	170,545	–	11	5	–	1	–	–	–	–	–
NORTH.											
St. Marylebone	126,867	–	8	2	–	–	–	–	4	–	–
Hampstead	92,654	–	7	–	–	3	–	–	–	–	–
St. Pancras	237,075	–	20	3	–	3	–	–	3	–	–
Islington	349,091	–	22	16	–	1	–	–	10	–	–
Stoke Newington	54,015	–	6	2	–	1	–	–	2	–	–
Hackney	235,253	–	32	6	–	2	–	–	2	–	–
CENTRAL.											
Holborn	54,466	–	–	–	–	–	–	–	–	–	–
Finsbury	96,007	–	6	–	–	4	–	–	–	–	–
City of London	19,252	–	2	–	–	–	–	–	–	–	–
EAST.											
Shoreditch	115,227	–	7	3	–	5	–	–	3	–	–
Bethnal Green	131,066	–	13	6	–	–	–	–	7	–	–
Stepney	310,706	–	42	10	–	1	–	–	8	1	–
Poplar	171,516	–	35	7	–	5	–	–	6	–	–
SOUTH.											
Southwark	210,442	–	13	2	–	1	–	–	4	–	–
Bermondsey	127,910	–	16	1	–	1	–	–	5	–	–
Lambeth	321,344	–	26	14	–	1	–	–	9	–	–
Battersea	183 873	–	13	7	–	–	–	–	4	–	–
Wandsworth	289,506	–	30	10	–	–	–	–	2	–	–
Camberwell	280,022	–	16	9	–	1	–	–	6	1	–
Deptford	117,539	–	14	8	–	–	–	–	3	–	–
Greenwich	109,110	–	12	7	–	1	–	–	2	–	–
Lewisham	156,627	–	14	22	–	–	–	–	–	–	–
Woolwich	131,346	–	14	13	–	2	–	–	1	–	–
Port of London	—	–	–	–	–	–	–	–	–	–	–
ADMINISTRATIVE COUNTY OF LONDON.	4,795,757	–	417	180	–	38	–	–	93	4	1
Ages 0–1		–	9	2	–	–	–	–	6	–	–
„ 1–5		–	111	73	–	4	–	–	2	–	1
„ 5–		–	174	74	–	4	–	–	–	–	–
„ 10–		–	76	12	–	5	–	–	2	–	–
„ 15–		–	19	4	–	3	–	–	6	–	–
„ 20–		–	12	5	–	3	–	–	5	–	–
„ 25–		–	10	8	–	9	–	–	19	3	–
„ 35–		–	3	1	–	4	–	–	21	1	–
„ 45–		–	2	1	–	4	–	–	14	–	–
„ 55–		–	1	–	–	2	–	–	15	–	–
„ 65 and upwards		–	–	–	–	–	–	–	8	–	–
Age not stated		–	–	–	–	–	–	–	–	–	–

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY DARLING & SON, LTD., 34-40, BACON STREET, E.

1909.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office.

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 2. 1909. VOL. LXX.] WEEK ENDED SATURDAY, JAN. 16. [Price 1½*d*.

General Register Office, Somerset House,
January 18th, 1909.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 16·6 per 1000 of their aggregate population, which is estimated† at 16,445,281 persons in the middle of this year. In the preceding three weeks the rates had been 12·8, 18·2, and 17·5. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks : it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were :—from *all causes*, 23·4 in Tynemouth, 24·4 in Great Yarmouth, 24·6 in Merthyr Tydfil, 24·7 in Oldham, 26·2 in Sunderland, and 27·3 in Bury ; from *measles*, 2·2 in Warrington, 2·6 in Leicester and in Sunderland, and 4·0 in Rotherham ; from *diphtheria*, 1·4 in East Ham and in Grimsby ; from *whooping-cough*, 1·5 in West Bromwich ; from "*fever*" 1·1 in Oldham ; and from *diarrhœa*, 1·5 in Smethwick. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2434 BIRTHS and 1563 DEATHS were registered. Allowing for increase of population, the births were 219 and the deaths 144 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes, which had been 11·3, 19·6, and 18·0 per 1000 in the preceding three weeks, was 16·9 last week. The death-rate in the four weeks ended last Saturday averaged 16·5 per 1000, being 2·1 per 1000 below the mean rate in the corresponding periods of the five years 1904–8.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals and Asylums, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-five other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

700 Wt 36 (31-4) 1/09 D & S 41 12217 B

The 1563 deaths included 79 from measles, 11 from scarlet fever, 14 from diphtheria, 8 from whooping-cough, 8 from enteric fever, and 22 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia: thus, to these diseases in the aggregate 142 deaths were referred, being 26 above the corrected average number in the second week of the preceding five years.

The deaths from *measles*, which had been 44, 87, and 72 in the preceding three weeks, numbered 79 last week, and were 42 above the corrected average; 11 deaths belonged to the Borough of Stepney, 9 to Southwark, 8 to Bermondsey, and 7 each to Bethnal Green and Deptford. The deaths from *scarlet fever*, which had been 7, 7, and 4 in the preceding three weeks, rose to 11 last week, the corrected average being 12. The deaths from *diphtheria*, which had been 17, 23, and 20 in the preceding three weeks, fell to 14 last week, the corrected average being 15. The deaths from *whooping-cough*, which had been 7, 11, and 14 in the preceding three weeks, were 8 last week, and were 21 below the corrected average. The deaths from *enteric fever*, which had been 7, 7, and 8 in the preceding three weeks, were again 8 last week, the corrected average being 7; 3 deaths belonged to Kensington. The deaths from *diarrhœa*, which had been 14, 22, and 17 in the preceding three weeks, numbered 22 last week, and were 6 above the corrected average. Of the 22 deaths from diarrhœa, 16 were those of children under 5 years of age; 5 other deaths at this age were certified as due to *enteritis* and 3 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 20, having been 13, 16, and 15 in the preceding three weeks.

Different forms of violence caused 72 deaths, concerning all of which inquests were held. Of these 72 deaths, 10 were cases of suicide and 1 of homicide, while the remaining 61 deaths were attributed to accident or negligence. Five of these latter were referred to vehicles in the streets, thirteen to burns or scalds, six to drowning, and seven, of infants under one year of age, to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 3261 cases of scarlet fever, 1205 of diphtheria, and 145 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 358 cases, against 303, 379, and 323; of diphtheria, 136 cases, against 129, 131, and 141; and of enteric fever, 21 cases, against 12, 18, and 21. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended January 9th, 1909.

Greater London.

In Greater London 3773 births and 2208 deaths were registered. Allowing for increase of population, these numbers are 377 and 224 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is outside the great towns, 3 deaths from measles, 3 from scarlet fever, 6 from diphtheria, 3 from whooping-cough, and 1 from diarrhœa were registered.

Meteorology

The mean reading of the Barometer last week at Greenwich was 29·43 inches, and that of the Thermometer 42°·2, the latter being 4°·2 above the week's average in the 65 years ended 1905. The general direction of the wind was Westerly, the horizontal movement of the air being 57 per cent. above the week's average in the 40 years ended 1905. The duration of registered bright sunshine in the week was 22·7 hours; the measured rainfall amounted to 0·49 of an inch.

---

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 16th January, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1909 *	Death-Rates from all Causes. Week ended 26th Dec., 1908.	2nd Jan., 1909.	9th Jan., 1909.	16th Jan., 1909.	Rate from Diseases in Cols. 11-17. Week ended 16th Jan., 1909.	Registered during the Week ended 16th Jan., 1909. Births.	Deaths.	The Deaths registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS	**16,445,231**	**12·8**	**18·2**	**17·5**	**16·6**	**1·6**	**8495**	**5237**	**1032**	**1760**	**–**	**221**	**50**	**72**	**54**	**38**	**56**	**194**	**408**	**1392**	**46**	**76 TOWNS.**
LONDON	4,833,938	11·3	19·6	18·0	16·9	1·5	2134	1563	273	533	–	79	11	14	8	8	22	72	162	631	3	LONDON.
† CROYDON	161,078	14·5	15·9	17·2	15·9	2·6	84	49	9	22	–	4	1	2	–	–	1	3	7	10	–	CROYDON.
† WILLESDEN	160,424	5·0	10·3	12·7	13·0	2·3	79	40	9	15	–	6	1	–	–	–	–	2	3	7	–	WILLESDEN.
† HORNSEY	95,628	6·2	12·4	10·4	4·9	–	34	9	–	3	–	–	–	–	–	–	–	–	–	–	–	HORNSEY.
† TOTTENHAM	129,464	9·5	16·5	17·3	12·9	1·2	63	32	8	9	–	–	1	1	1	–	–	2	5	7	–	TOTTENHAM.
† WEST HAM	321,767	10·8	18·7	15·9	15·6	2·9	188	96	32	26	–	9	4	1	2	–	2	4	8	29	–	WEST HAM.
† EAST HAM	149,575	5·8	10·2	10·5	14·3	1·7	74	41	9	20	–	1	–	4	–	–	–	2	3	9	–	EAST HAM.
† LEYTON	129,614	8·7	9·9	16·9	14·1	1·6	75	35	8	11	–	2	–	1	–	–	1	–	1	7	–	LEYTON.
† WALTHAMSTOW	136,602	6·7	14·3	11·8	9·9	0·4	72	26	6	10	–	–	–	1	–	–	–	1	1	5	–	WALTHAMSTOW.
HASTINGS	68,165	10·0	7·7	12·2	16·8	–	20	22	1	13	–	–	–	–	–	–	–	–	1	9	1	HASTINGS.
BRIGHTON	130,926	8·4	21·3	18·3	15·1	1·6	49	38	5	19	–	–	–	1	1	1	1	2	6	9	–	BRIGHTON.
PORTSMOUTH	214,726	10·6	19·5	17·2	13·6	0·7	102	56	7	22	–	1	–	1	1	–	–	3	4	12	–	PORTSMOUTH.
BOURNEMOUTH	72,368	4·4	9·6	19·5	20·9	1·4	23	29	3	12	–	–	–	1	1	–	–	–	2	2	–	BOURNEMOUTH.
SOUTHAMPTON	124,667	9·0	17·1	14·6	17·6	–	57	42	9	15	–	–	–	–	–	–	–	3	6	15	–	SOUTHAMPTON.
READING	82,995	8·9	15·3	16·3	17·0	–	44	27	4	12	–	–	–	–	–	–	–	–	–	1	–	READING.
NORTHAMPTON	97,752	10·3	10·8	16·5	16·5	0·5	28	31	4	18	–	–	–	1	–	–	–	–	–	6	2	NORTHAMPTON.
IPSWICH	74,889	14·8	14·8	13·2	16·0	–	32	23	4	10	–	–	–	–	–	–	–	–	1	7	–	IPSWICH.
GREAT YARMOUTH	53,430	12·8	16·7	25·4	24·4	2·9	24	25	5	13	–	2	–	–	1	–	–	–	–	2	–	GREAT YARMOUTH.
NORWICH	124,136	10·6	16·1	14·7	16·0	0·4	54	38	7	17	–	–	–	1	–	–	–	–	1	9	–	NORWICH.
PLYMOUTH	124,180	14·5	15·8	17·6	19·3	0·8	46	46	8	17	–	–	–	1	–	–	1	3	6	11	–	PLYMOUTH.
DEVONPORT	83,103	7·7	15·4	17·6	12·5	–	46	20	5	7	–	–	–	–	–	–	–	–	2	2	–	DEVONPORT.
BRISTOL	377,642	10·8	14·4	13·5	14·6	0·7	146	106	20	51	–	–	–	3	1	1	–	3	5	29	1	BRISTOL.
HANLEY	68,931	13·8	16·1	27·3	14·4	0·8	41	19	4	5	–	–	–	–	–	1	–	1	1	3	–	HANLEY.
BURTON-ON-TRENT	54,453	9·7	19·3	18·2	14·4	1·9	31	15	5	6	–	1	–	–	–	1	–	–	–	1	–	BURTON-ON-TRENT.
WOLVERHAMPTON	104,633	15·1	18·2	16·9	15·0	1·0	52	30	5	12	–	–	1	–	–	–	1	1	1	8	–	WOLVERHAMPTON.
WALSALL	99,399	14·9	18·7	23·6	16·3	0·5	42	31	4	13	–	–	1	–	–	–	–	3	5	6	–	WALSALL.
HANDSWORTH	70,186	11·5	13·0	14·1	11·1	–	34	15	3	8	–	–	–	–	–	–	–	–	3	–	1	HANDSWORTH.
WEST BROMWICH	70,457	14·2	22·4	22·2	20·0	3·0	45	27	6	10	–	–	1	–	2	–	1	1	1	4	2	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 16th January, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 26th Dec., 1908.	2nd Jan., 1909.	9th Jan., 1909.	16th Jan., 1909.	Rate from Diseases in Cols. 11-17. Week ended 16th Jan., 1909.	Registered during the Week ended 16th Jan., 1909. BIRTHS	DEATHS.	The DEATHS registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Vio'ence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
BIRMINGHAM ..	563,629	11·3	18·9	19·0	16·3	1·9	328	176	32	51	-	13	1	2	2	-	3	3	6	38	3	BIRMINGHAM.
KINGS NORTON ..	81,632	9·9	6·6	13·4	8·9	1·9	36	14	3	4	-	1	1	1	-	-	-	-	-	5	-	KINGS NORTON.
SMETHWICK	70,377	11·4	11·4	11·9	17·0	3·0	33	23	5	6	-	1	-	1	-	-	2	-	1	-	-	SMETHWICK.
ASTON MANOR ..	85,257	8·7	14·2	11·6	10·4	0·6	37	17	6	5	-	1	-	-	-	-	-	-	-	-	-	ASTON MANOR.
COVENTRY	8[illegible],163	9·9	25·1	20·2	8·5	0·7	55	13	7	-	-	-	-	-	1	-	-	2	2	1	-	COVENTRY.
LEICESTER	244,255	15·4	20·2	16·9	16·2	2·8	108	76	19	24	-	12	1	-	-	-	-	2	3	12	1	LEICESTER.
GRIMSBY	73,036	16·0	18·2	15·0	16·4	2·1	44	23	5	8	-	-	-	2	-	-	1	1	3	1	-	GRIMSBY.
NOTTINGHAM ..	263,443	13·2	20·0	20·0	18·2	2·0	127	92	18	28	-	5	-	1	2	1	1	5	7	16	-	NOTTINGHAM.
DERBY	129,411	14·7	15·1	17·7	10·5	0·8	57	26	7	8	-	1	-	-	-	1	-	1	4	8	-	DERBY.
STOCKPORT	103,706	15·8	19·4	22·6	19·6	2·5	56	39	5	17	-	1	-	1	1	1	1	1	3	7	-	STOCKPORT.
BIRKENHEAD ..	121,123	13·1	17·8	16·4	18·9	0·4	73	44	11	18	-	1	-	-	-	-	-	2	4	12	-	BIRKENHEAD.
WALLASEY	71,004	6·1	11·4	14·7	10·3	-	38	14	1	7	-	-	-	-	-	-	-	1	2	-	-	WALLASEY.
LIVERPOOL	76[illegible],357	17·0	23·5	21·5	19·4	1·6	521	283	71	69	-	6	7	3	6	-	1	9	12	89	11	LIVERPOOL.
BOOTLE	69,393	16·0	20·6	19·5	18·8	0·8	49	25	5	6	-	-	1	-	-	-	-	3	4	10	-	BOOTLE.
ST. HELENS	95,161	13·3	13·9	15·9	18·6	0·5	61	34	8	9	-	-	-	1	-	-	-	-	-	6	3	ST. HELENS.
WIGAN	90,678	16·9	23·3	19·0	17·3	-	61	30	10	5	-	-	-	-	-	-	-	2	5	4	-	WIGAN.
WARRINGTON ..	72,276	18·3	16·8	18·8	11·5	2·2	31	16	6	6	-	3	-	-	-	-	-	-	-	1	1	WARRINGTON.
BOLTON	187,824	8·4	13·8	20·3	18·9	1·9	111	68	11	22	-	-	-	2	3	1	1	1	4	9	1	BOLTON.
BURY	59,234	20·3	17·7	22·9	27·3	-	26	31	10	11	-	-	-	-	-	-	-	-	3	3	1	BURY.
MANCHESTER ..	655,435	16·6	22·6	18·5	20·1	3·0	338	253	58	73	-	16	6	3	2	6	5	5	12	70	1	MANCHESTER.
SALFORD	241,950	18·5	19·0	17·0	18·3	2·4	142	85	15	28	-	-	3	4	1	3	-	7	12	24	-	SALFORD.
OLDHAM	143,301	20·1	23·4	23·7	24·7	2·9	62	68	9	19	-	5	-	-	-	3	-	2	5	12	-	OLDHAM.
ROCHDALE	89,653	22·3	17·0	19·2	15·7	1·2	41	27	4	12	-	-	-	1	-	-	1	-	-	7	-	ROCHDALE.
BURNLEY	106,267	11·4	15·4	19·6	11·8	1·5	58	24	9	5	-	-	-	-	1	1	1	2	2	4	1	BURNLEY.
BLACKBURN	136,959	18·8	18·0	15·2	19·4	1·5	69	51	9	18	-	2	1	-	-	-	1	1	2	6	2	BLACKBURN.
PRESTON	118,519	18·6	16·8	15·8	15·4	1·3	47	35	8	8	-	-	-	1	1	1	-	-	1	2	2	PRESTON.
BARROW-IN-FURNESS.	62,996	10·0	19·2	12·4	11·6	1·7	20	14	1	5	-	-	1	1	-	-	-	-	-	2	-	BARROW-IN-FURNESS.

ended Saturday, 16th January, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 26th Dec., 1908.	2nd Jan., 1909.	9th Jan., 1909.	16th Jan., 1909.	Rate from Diseases in Cols. 11–17. Week ended 16th Jan., 1909.	Registered during the Week ended 16th Jan., 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,739	11·0	16·0	18·7	14·9	1·1	34	27	2	7	–	2	–	–	–	–	–	1	1	4	–	HUDDERSFIELD.
HALIFAX	111,911	16·9	18·8	15·4	17·2	0·9	32	37	1	17	–	–	–	–	1	1	–	2	3	8	–	HALIFAX.
BRADFORD	293,983	13·0	11·1	17·4	16·7	0·5	107	94	13	44	–	–	2	–	1	–	–	5	10	20	–	BRADFORD.
LEEDS	484,012	13·0	17·0	16·3	15·7	1·7	217	146	33	45	–	4	–	5	4	2	1	5	12	27	–	LEEDS.
SHEFFIELD	470,958	13·3	17·2	18·8	15·8	1·6	271	143	23	43	–	9	1	2	1	–	1	10	12	33	1	SHEFFIELD.
ROTHERHAM.. ..	65,070	14·7	15·5	13·6	14·4	4·8	30	18	5	3	–	5	–	–	1	–	–	–	–	–	1	ROTHERHAM.
YORK	37,004	13·4	9·1	10·2	17·4	0·6	43	29	6	11	–	–	–	–	–	–	1	–	–	6	–	YORK.
HULL	275,552	14·6	19·6	16·8	17·0	2·5	148	90	12	39	–	8	–	3	1	–	1	4	9	18	1	HULL.
MIDDLESBROUGH ..	105,255	17·6	20·7	27·2	18·3	2·5	63	37	12	6	–	4	–	–	1	–	–	–	–	6	–	MIDDLESBROUGH.
STOCKTON-ON-TEES	53,417	15·7	16·7	20·5	10·7	–	40	11	3	6	–	–	–	–	–	–	–	–	–	–	–	STOCKTON-ON-TEES.
WEST HARTLEPOOL	79,686	15·5	12·1	15·7	13·1	0·7	37	20	4	10	–	1	–	–	–	–	–	–	–	4	–	WEST HARTLEPOOL.
SUNDERLAND ..	159,378	18·8	24·1	16·7	26·2	3·6	99	80	18	18	–	8	–	1	–	2	–	4	7	19	1	SUNDERLAND.
SOUTH SHIELDS ..	117,627	14·0	15·3	18·6	17·3	2·2	58	39	7	11	–	–	2	2	1	–	–	1	1	5	1	SOUTH SHIELDS.
GATESHEAD	131,024	15·4	13·4	12·7	13·9	–	69	35	4	13	–	–	–	–	–	–	–	–	–	9	3	GATESHEAD.
NEWCASTLE-ON-TYNE.	281,584	18·6	15·6	13·9	16·9	1·9	154	91	16	27	–	3	1	–	2	2	2	1	4	13	–	NEWCASTLE-ON-TYNE.
TYNEMOUTH ..	55,808	17·9	17·0	21·5	23·4	2·8	39	25	9	5	–	1	–	–	1	–	1	–	3	3	1	TYNEMOUTH.
NEWPORT (MON.) ..	78,336	20·3	20·3	10·0	14·6	0·7	60	22	7	7	–	–	–	–	–	–	1	2	2	5	–	NEWPORT (MON.).
CARDIFF	195,303	12·8	16·1	16·6	12·8	–	86	48	13	15	–	–	–	–	–	–	–	–	4	11	–	CARDIFF.
RHONDDA	135,894	11·7	21·1	15·0	15·0	1·2	98	39	13	14	–	–	–	1	2	–	–	2	3	1	–	RHONDDA.
MERTHYR TYDFIL..	78,365	16·2	30·4	22·6	24·6	3·3	68	37	9	8	–	3	1	1	–	–	–	–	2	5	–	MERTHYR TYDFIL.
SWANSEA	98,308	14·4	22·4	19·1	19·6	0·5	86	37	6	10	–	–	–	–	–	1	–	1	3	5	–	SWANSEA.
GREATER LONDON	7,429,740	10·4	17·8	16·6	15·5	1·4	3773	2208	411	781	–	191	21	31	14	8	27	101	224	754	4	GREATER LONDON.
OUTER RING ..	2,595,802	8·7	14·3	13·8	13·0	1·2	1339	645	138	248	–	25	10	16	6	–	5	29	62	123	1	OUTER RING.
8 TOWNS IN OUTER RING.	1,284,152	8·9	14·3	14·4	13·3	1·9	669	328	81	116	–	22	7	10	3	–	4	14	28	74	–	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,311,650	8·6	14·4	13·2	12·6	0·6	670	317	57	132	–	3	3	6	3	–	1	15	34	49	1	REMAINDER OF OUTER RING.
EDINBURGH	355,366	17·0	15·6	20·2	16·0	0·7	139	109‡	20	35	–	–	1	–	1	–	3	2	?	38	2	EDINBURGH.
GLASGOW	872,021	14·8	18·7	19·5	17·6	2·6	450	295‡	61	71	–	–	2	6	27	2	6	8	?	85	10	GLASGOW.
DUBLIN (Registration Area).†	398,356	17·2	28·3	23·6	23·7	2·0	236	181	29	49	–	8	–	1	2	3	1	1	2	54	6	DUBLIN (Registration Area).†
BELFAST†	386,576	23·4	21·4	16·7	19·3	0·5	208	143	31	32	–	3	–	–	1	–	–	2	7	40	1	BELFAST.†

* See note † on first page of this return.

† Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast respectively.
‡ Including 1 death from Cerebro-spinal meningitis in Edinburgh, and 1 in Glasgow.

TABLE **2.** LONDON.—**Births** and **Deaths** Registered in the SECOND Week of each of the Eleven Years, 1899–1909.

	1899	1900	1901	1902	1903	1904	1905	1906	1907	1908	Corrected Weekly Average in 5 Years 1904–1908.*	1909
TOTAL **Births** -	2435	2766	2466	2690	2349	2589	2553	2705	2593	2516	2652·7	2434
Males - - -	1275	1396	1259	1351	1147	1339	1277	1432	1288	1302	1359·1	1235
Females - -	1160	1370	1207	1339	1202	1250	1276	1273	1305	1214	1293·6	1199
TOTAL **Deaths** -	1568	2930	1750	1633	1545	1677	1424	1586	1946	1706	1707·4	1563
Males - - -	808	1325	863	820	774	840	710	779	947	877	850·3	777
Females - -	760	1605	887	813	771	837	714	807	999	829	857·1	786

* The numbers in this column are the average weekly numbers in the Second week of the five years 1904-1908, raised by 2·375 per cent. for increase of population.

TABLE **3.** LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Oct. 24.	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	1909 Jan. 2.	Jan. 9.	Jan. 16.	13 Weeks.
TOTAL **Births** -	2163	2358	2485	2189	2187	2221	2040	2186	2133	1438	2228	2476	2434	28538
TOTAL **Deaths** -	1212	1396	1388	1418	1357	1451	1383	1311	1359	1038	1805	1672	1563	18353
Ages at Death: Under 1 year -	324	339	332	305	284	262	242	265	240	155	305	251	273	3577
1—5 years -	121	149	136	166	149	166	135	147	139	115	211	174	181	1989
5—20 " -	52	71	72	81	70	66	71	57	81	53	81	79	71	905
20—40 " -	153	174	154	181	187	181	171	161	162	118	233	179	175	2229
40—60 " -	246	267	265	285	266	288	278	264	284	221	354	394	330	3742
60 yrs. & upwds.	316	396	429	400	401	488	486	417	453	376	621	595	533	5911
Deaths from—														
Small-pox† - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles - - -	15	19	28	31	32	34	38	49	51	44	87	72	79	579
Scarlet Fever - -	6	13	10	11	8	9	14	10	14	7	7	4	11	124
Diphtheria - -	11	16	18	19	16	30	13	14	24	17	23	20	14	235
Whooping-cough -	11	7	7	10	7	7	2	7	4	7	11	14	8	102
Typhus - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever - -	5	11	12	9	11	10	5	9	14	7	7	8	8	116
Pyrexia (origin uncertain).	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa, Dysentery	70	76	44	41	31	32	24	11	19	14	22	17	22	423
All above diseases -	118	142	119	121	105	122	96	100	126	96	157	135	142	1579
Dis. of Resp. System	103	119	115	149	157	150	141	129	136	106	193	258	181	1937
Pneumonia - -	123	147	161	161	177	168	154	155	145	96	188	184	188	2047
Phthisis - - -	114	128	145	150	145	143	131	135	116	104	171	158	121	1761
Dis. of Circ. System -	160	184	202	182	176	177	189	170	199	149	252	253	211	2504
Violence - - -	50	57	57	59	50	71	62	52	52	50	83	82	72	797
Inquest Cases - -	125	136	134	139	132	137	127	132	129	111	207	201	162	1872
Deaths in Institutions	516	581	566	570	568	651	602	541	599	434	686	615	631	7560
TEMPERATURE OF THE AIR.														
Mean - - - -	47·8	50·2	47·3	45·1	44·7	47·6	43·5	42·8	45·4	40·2	31·5	40·7	42·2	43·8
Mean of Highest -	53·4	58·2	53·1	51·8	49·1	53·7	47·1	46·9	49·3	42·4	35·9	44·0	47·4	48·6
Mean of Lowest -	42·8	40·9	41·0	36·9	39·4	39·7	40·5	37·1	40·2	37·6	26·8	37·0	37·6	38·3
Mean Humidity of the Air.	84	89	87	80	84	81	94	87	92	91	85	86	80	86
Rain-fall (in inches) -	0·26	0·73	0·00	0·28	0·39	0·07	0·08	0·62	0·81	0·02	0·48	0·13	0·49	4·36
Registered Sunshine (in hours).	17·3	21·1	19·8	33·2	7·7	15·9	0·0	8·8	4·3	3·5	5·7	8·1	22·7	168·1
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever - -	3761	3833	3851	3859	3810	3831	3747	3704	3537	3454	3557	3347	3261	3658
Diphtheria - - -	1094	1128	1139	1187	1215	1242	1241	1263	1266	1259	1245	1215	1205	1208
Typhus - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever - -	122	147	161	173	185	187	190	181	173	168	153	145	145	164

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lander, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq., F.R.Met.Soc., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Committee; and E. Walford Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the SECOND Week of the Year 1909.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 2nd week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.			
ALL CAUSES	1707·4	1563	273	181	71	175	330	533
Small-pox*	0·2	–	–	–	–	–	–	–
Cowpox	–	–	–	–	–	–	–	–
Measles (Morbilli)	37·3	79	17	56	5	1	–	–
Scarlet Fever	12·5	11	2	6	2	1	–	–
Typhus	–	–	–	–	–	–	–	–
Plague	–	–	–	–	–	–	–	–
Influenza	35·6	20	–	–	–	6	7	7
Whooping-cough	28·7	8	2	5	1	–	–	–
Diphtheria	14·7	14	3	6	4	–	1	–
Cerebro-spinal Fever ..	0·2	–	–	–	–	–	–	–
Pyrexia† (origin uncertain)	0·2	–	–	–	–	–	–	–
Enteric Fever	6·6	8	–	–	4	3	1	–
Asiatic Cholera	–	–	–	–	–	–	–	–
Epidemic Diarrhœa, Infective Enteritis	5·1	11	6	1	2	–	1	1
Diarrhœa, Dysentery ..	10·6	11	7	2	–	–	1	1
Tetanus	0·4	1	–	–	–	–	1	–
Rabies, Hydrophobia ..	–	–	–	–	–	–	–	–
Glanders	–	–	–	–	–	–	–	–
Anthrax (Splenic Fever)..	–	–	–	–	–	–	–	–
Venereal Dis.	6·1	14	8	–	1	2	2	1
Puerperal Septicæmia ..	4·3	1	–	–	–	1	–	–
Puerperal Pyæmia.. ..	–	–	–	–	–	–	–	–
Puerperal Fever	1·2	–	–	–	–	–	–	–
Infective Endocarditis ..	2·9	6	–	–	2	1	3	–
Pneumonia: Lobar ..	19·2	27	–	–	4	5	10	8
Pneumonia: Broncho ..	102·6	90	31	34	3	3	6	13
Pneumonia: Epidemic ..	–	–	–	–	–	–	–	–
Pneumonia: Not defined	80·3	71	10	10	3	12	14	22
Erysipelas	5·3	6	2	–	–	1	1	2
Septicæmia (not Puerperal)	0·8	2	–	–	1	–	1	–
Pyæmia (not Puerperal)	0·6	–	–	–	–	–	–	–
Other Infective Processes	5·3	6	–	–	–	3	2	1
Tuberculous Phthisis ..	92·9	85	2	5	3	33	34	8
"*Phthisis*"	71·0	36	–	–	2	16	15	3
Tuberculous Meningitis ..	19·2	19	5	10	4	–	–	–
Tuberculous Peritonitis ..	7·8	10	3	3	3	–	1	–
Tabes Mesenterica	2·3	1	1	–	–	–	–	–
Tuberculous Dis., Other ..	16·6	14	3	5	2	4	–	–
Scrofula..	–	–	–	–	–	–	–	–
Alcoholism	11·1	7	–	–	–	2	4	1
Rheumatic Fever	3·5	4	–	–	3	–	–	1
Gout	3·7	5	–	–	–	–	1	4
Carcinoma	55·9	72	–	–	–	8	33	31
Sarcoma	6·6	6	–	–	–	1	2	3
Cancer (undefined) ..	34·8	40	–	–	–	5	14	21
Diabetes Mellitus	9·8	7	–	–	–	1	2	4
Premature Birth	55·7	53	53	–	–	–	–	–

CAUSES OF DEATH.	Corrected Average for the 2nd week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.			
Meningitis (not tuberc.)..	13·3	10	4	3	1	2	–	–
Gen. Par. of Insane, Insanity	21·1	14	–	–	–	2	6	6
Epilepsy	7·0	5	–	–	–	1	2	2
Convulsions	16·4	17	16	1	–	–	–	–
Locomotor Ataxy.. ..	2·5	6	–	–	–	–	4	2
Paraplegia, Dis. of Cord.	7·0	6	–	–	1	2	2	1
Nervous Sys., Other Dis.	22·3	18	–	1	–	1	3	13
Valv. Dis., Endocarditis..	47·5	44	–	–	2	5	10	27
Cereb. Hæm. Cereb. Emb.	46·7	46	1	–	–	2	15	28
Apoplexy, Hemiplegia ..	16·6	16	–	–	–	–	3	13
Aneurysm	4·7	8	–	–	–	2	1	5
Embolism, Thrombosis (not Cerebral) ..	1·2	3	–	–	–	1	1	1
Heart & Blood Ves., Other Dis... ..	98·3	94	–	1	4	6	23	60
Croup (not Spasm: nor Memb.)	0·2	–	–	–	–	–	–	–
Bronchitis	210·3	150	17	7	1	2	32	91
Emphysema, Asthma ..	8·0	12	–	–	–	–	5	7
Pleurisy	4·9	1	–	–	1	–	–	–
Respiratory Dis., Other..	16·8	18	2	3	1	1	1	10
Tonsillitis, Quinsy.. ..	1·2	–	–	–	–	–	–	–
Enteritis (not Epid.) ..	10·6	7	3	2	–	–	2	–
Gastro-enteritis	4·5	5	2	1	–	–	–	2
Peritonitis (not Puerp.) ..	2·3	2	–	–	–	2	–	–
Cirrhosis of Liver.. ..	12·7	11	–	–	–	1	4	6
Liver Dis., Other	4·7	6	–	–	–	–	–	6
Digestive Sys., Other Dis.	42·0	27	4	3	2	4	8	6
Acute Nephritis	9·0	11	–	–	2	3	2	4
Bright's Dis., Albuminuria	37·7	35	–	–	–	3	14	18
Urinary Sys., Other Dis.	10·4	10	–	–	–	1	2	7
Generative Organs Dis...	5·5	4	–	–	–	3	1	–
Childbirth (Accid. of) ..	4·3	3	–	–	–	3	–	–
Old Age	76·6	63	–	–	–	–	–	63
Other Diseases	104·0	94	54	9	3	7	13	8
ACCIDENT.								
By Railways	1·2	3	–	–	–	1	2	–
By Vehicles and Horses..	4·3	5	–	–	1	–	3	1
In Ships, Boats, Docks, (exclusive of Drowning)	0·6	1	–	–	1	–	–	–
In Building Operations..	0·4	1	–	–	–	–	1	–
In Conflagrations	1·0	–	–	–	–	–	–	–
By Burns, Scalds, Explosions	8·8	13	2	6	1	–	1	3
By Drowning	2·7	6	–	–	1	3	–	2
By Suffocation in Bed ..	14·1	7	7	–	–	–	–	–
By Poisons or Poisonous Vapours	2·5	2	–	–	–	2	–	–
Other Deaths by Accident..	20·7	23	5	1	–	2	7	8
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	1·4	1	1	–	–	–	–	–
Suicide	9·8	10	–	–	–	4	5	1
Execution	–	–	–	–	–	–	–	–

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 16th January, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia*† (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON	4,536,267	2434	1563	273	533	–	79	11	14	8	–	8	–	22	72	162	631	3
WEST DISTRICTS	805,311	383	257	39	91	–	3	–	2	2	–	2	–	6	12	25	105	–
NORTH DISTRICTS	1,055,908	547	325	54	126	–	10	1	1	2	–	2	–	4	18	38	123	1
CENTRAL DISTRICTS	209,465	105	73	14	13	–	3	–	2	1	–	1	–	1	6	9	37	–
EAST DISTRICTS	715,739	489	311	74	89	–	21	–	1	–	–	1	–	5	14	39	141	–
SOUTH DISTRICTS	1,749,844	910	551	92	191	–	42	7	8	3	–	2	–	6	21	49	179	2
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	–	46	–	23	–	–	3	–	–	–	–	–	–	1	2	46	–
WEST DISTRICTS.																		
North Paddington *H*	63,603	42	9	2	5	–	–	–	–	–	–	–	–	–	–	1	–	–
Central Paddington *W,3H*	50,053	26	31	7	12	–	–	–	–	1	–	–	–	3	3	4	19	–
South Paddington	30,320	6	5	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Kensington Town *2W,w,2H* ..	128,037	66	53	8	19	–	1	–	–	–	–	1	–	–	1	4	30	–
Brompton *2H*	48,591	9	11	1	6	–	–	–	–	–	–	–	–	–	–	2	–	–
North Hammersmith *2W,w,H* ..	49,192	34	20	1	6	–	–	–	–	–	–	–	–	–	–	–	10	–
South Hammersmith *w,2H* ..	63,047	31	11	2	4	–	–	–	1	–	–	–	–	–	1	3	3	–
North-west Fulham *W*	45,180	39	23	5	6	–	–	–	–	1	–	–	–	–	2	5	12	–
North-east Fulham *F*	46,405	18	9	1	3	–	–	–	1	–	–	1	–	1	–	–	3	–
South Fulham *W*	45,704	18	8	1	4	–	–	–	–	–	–	–	–	–	2	2	–	–
Chelsea North *W,w,3H*	42,514	19	10	1	5	–	1	–	–	–	–	–	–	–	1	1	3	–
Chelsea South *W,2H*	31,328	19	16	4	4	–	–	–	–	–	–	–	–	2	1	1	3	–
Mayfair and Knightsbridge	28,743	6	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Belgrave *W,2H*	55,815	21	12	1	6	–	1	–	–	–	–	–	–	–	–	1	4	–
St. Margaret & St. John *6H*	43,698	18	28	4	5	–	–	–	–	–	–	–	–	–	1	1	15	–
St. James and St. Anne *W,6H* ..	33,081	11	8	1	2	–	–	–	–	–	–	–	–	–	–	–	3	–
NORTH DISTRICTS.																		
All Souls Marylebone *8H*	35,391	12	18	–	5	–	–	–	–	–	–	–	–	–	–	–	14	–
St. Mary Marylebone *W 4H* ..	37,948	34	11	–	8	–	–	–	–	–	–	–	–	–	–	–	3	–
Christchurch Marylebone	39,536	18	9	2	5	–	–	–	–	–	–	–	–	–	–	2	–	–
St. John Marylebone *2H*	20,426	4	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Hampstead *W,F,6H*	81,942	21	29	2	11	–	1	–	1	–	–	1	–	–	2	3	11	–
West St. Pancras *2H*	60,582	22	15	1	2	–	3	–	–	–	–	–	–	–	–	3	3	–
South St. Pancras *w,12H*	55,707	24	27	2	10	–	–	–	–	–	–	–	–	–	3	5	16	–
East St. Pancras *W,2H*	60,320	45	26	4	14	–	–	–	–	–	–	–	–	1	–	2	11	–
North St. Pancras *2W*	58,728	30	19	1	7	–	1	–	–	–	–	–	–	–	3	4	7	–
Tufnell *W*	31,995	18	32	4	17	–	–	–	–	–	–	–	–	–	1	1	19	–
Upper Holloway *2W,w,H*	33,978	27	13	4	3	–	1	–	–	–	–	–	–	–	1	1	7	–
Tollington *W,w,H*	33,922	12	6	2	1	–	–	–	–	–	–	–	–	–	1	1	–	–
Lower Holloway	41,424	25	11	3	5	–	–	–	–	–	–	–	–	–	–	–	–	–
Barnsbury	54,478	34	8	4	1	–	1	–	–	–	–	–	–	–	–	–	–	1
Islington South-east *F*	75,397	48	10	3	2	–	1	–	–	1	–	1	–	–	–	–	1	–
Highbury *2H*	63,797	31	18	2	9	–	–	–	–	–	–	–	–	–	–	2	–	–
Stoke Newington *H*	51,247	19	8	2	5	–	–	–	–	–	–	–	–	1	1	1	–	–
North Hackney	50,398	14	8	2	2	–	–	–	–	–	–	–	–	1	1	1	–	–
Central Hackney *w,F*	50,536	33	8	4	3	–	–	1	–	–	–	–	–	–	1	1	1	–
South-west Hackney *3H*	59,921	48	16	7	1	–	1	–	–	–	–	–	–	–	1	3	7	–
South-east Hackney *2W,w,H* ..	58,255	28	31	5	14	–	1	–	–	1	–	–	–	1	3	8	23	–
Hackney Union Workhouse, Brentwood	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 16th January, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
St. Giles and Bloomsbury 2*W*,2*H*..	31,436	12	5	1	3	–	–	–	–	–	–	–	–	–	–	–	1	–
Strand *W*,4*H*	21,674	4	9	–	1	–	–	–	–	–	–	–	–	–	–	–	6	–
Strand Union Workhouse, Edmonton	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–	2	–
Holborn *W*,6*H*	29,612	8	12	3	2	–	–	–	1	1	–	–	–	–	–	1	7	–
Clerkenwell *H*	63,704	48	12	4	2	–	2	–	–	–	–	–	–	–	1	1	–	–
St. Luke* 3*H*,*L*	36,116	30	7	2	1	–	1	–	–	–	–	–	–	1	1	3	–	–
Holborn Union Workhouse, Mitcham	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–
St. Botolph *H*	10,299	3	3	1	1	–	–	–	–	–	–	–	–	–	1	1	–	–
St. Sepulchre and Allhallows *W*,2*H*	16,624	–	1	3	1	–	–	–	1	–	–	1	–	–	3	3	19	–
City of London Asylum, Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
EAST DISTRICTS.																		
Shoreditch South 2*H*	46,362	33	13	6	1	–	–	–	–	–	–	–	–	1	–	1	1	–
Shoreditch North-West *W*,*w*,*H* ..	36,127	30	33	5	16	–	–	–	–	–	–	–	–	–	3	9	23	–
Shoreditch North-East	36,148	23	10	2	2	–	–	–	–	–	–	–	–	–	1	2	–	–
Shoreditch Union Workhouse Wood Green	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	40	48	10	13	–	4	–	–	–	–	–	–	–	2	4	31	–
Bethnal Green South-West *H* ..	64,542	42	21	7	3	–	3	–	–	–	–	–	–	1	1	2	1	–
Spitalfields..	27,969	16	4	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Mile End New Town *W*,*H*	28,718	29	41	7	8	–	–	–	–	–	–	1	–	–	2	7	36	–
Goodman's Fields	22,081	14	6	2	1	–	3	–	–	–	–	–	–	–	–	1	–	–
St. George and St. John 2*W* ..	49,068	31	13	6	1	–	1	–	–	–	–	–	–	2	1	2	3	–
Shadwell and Ratcliff *W*,*H* ..	25,568	12	12	7	1	–	2	–	1	–	–	–	–	–	–	–	10	–
Limehouse *W*	32,369	25	9	4	1	–	2	–	–	–	–	–	–	–	–	–	–	–
Mile End Old Town South-Western *H*	63,698	45	15	5	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Mile End Old Town North-Eastern *W*,*w*	49,129	31	18	1	9	–	2	–	–	–	–	–	–	–	–	1	10	–
Bow	41,989	34	7	1	3	–	–	–	–	–	–	–	–	–	1	2	–	–
Bromley 3*w*,*H*	68,319	49	51	7	25	–	2	–	–	–	–	–	–	1	3	6	24	–
Poplar *W*,*w*	58,514	35	10	2	3	–	–	–	–	–	–	–	–	–	–	2	2	–
Workhouse, Forest Gate (Parish of Poplar Borough).	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

* On 1st January, 1909, the sub-district of Finsbury was re-named St. Luke.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 16th January, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch and St. Saviour Southwark *W,2H*	23,319	10	19	5	2	–	4	–	–	–	–	–	–	–	3	3	13	–
Kent-road	21,904	22	3	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
St. George the Martyr West *W,2H,L*	39,091	15	7	2	1	–	1	–	–	–	–	–	–	1	–	1	2	1
Newington North	49,022	25	8	3	1	–	–	–	1	–	–	–	–	–	2	2	–	–
Newington South *W*	72,841	31	16	3	4	–	1	–	–	–	–	–	–	–	–	1	1	–
St. Olave *2W*	9,817	8	2	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
Bermondsey *W*	82,483	60	22	3	5	–	4	–	–	–	–	–	–	–	–	2	–	–
Rotherhithe *W,F*	38,460	30	18	2	5	–	3	–	–	–	–	–	–	–	1	2	7	–
Waterloo *2H*	27,440	30	11	2	3	–	1	–	–	–	–	–	–	1	2	2	3	–
Lambeth Church *H*	27,440	16	18	1	2	–	1	–	–	–	–	1	–	–	1	1	14	–
Kennington *2W*	52,518	33	41	8	14	–	1	–	–	–	–	–	–	–	–	3	22	–
Stockwell *HF*	63,826	37	12	2	5	–	1	1	–	–	–	–	–	–	–	1	2	1
Brixton *H*	73,673	29	19	3	1	–	–	–	–	–	–	–	–	1	1	2	1	–
Norwood *2WH*	53,998	19	7	1	3	–	–	–	–	–	–	–	–	1	–	–	1	–
East Battersea *H*	72,203	38	15	3	3	–	4	–	–	2	–	–	–	–	–	1	–	–
North-west Battersea	49,656	22	7	1	4	–	–	–	–	–	–	–	–	–	–	–	–	–
South-west Battersea *2W,H*	47,048	12	26	4	11	–	1	–	–	–	–	–	–	–	2	2	15	–
Clapham *2H*	51,361	21	20	1	12	–	1	–	–	–	–	–	–	–	–	–	4	–
Streatham *W,2w,2F,2L*	88,019	55	32	2	18	–	2	1	–	–	–	–	–	–	–	1	13	–
Springfield *2W,L*	27,959	16	9	4	2	–	1	–	–	1	–	–	–	–	–	–	3	–
Southfields *H*	40,444	15	5	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Putney	24,139	11	3	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Dulwich	13,359	6	3	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Camberwell South *W,w*	40,206	21	22	–	9	–	3	–	–	–	–	–	–	–	–	1	14	–
Camberwell North *W,2L*	65,584	24	30	3	12	–	–	–	–	–	–	–	–	2	3	9	16	–
St. George	47,331	22	7	2	2	–	–	–	–	–	–	–	–	–	1	1	–	–
Peckham North	48,913	27	17	3	4	–	1	–	–	–	–	–	–	–	–	3	–	–
Peckham South *2W,w*	43,946	21	11	1	6	–	1	–	–	–	–	–	–	–	–	–	–	–
Deptford North	37,613	21	9	1	3	–	2	–	–	–	–	–	–	–	2	3	–	–
Deptford Central *F*	45,481	27	17	4	3	–	4	3	3	–	–	1	–	–	–	–	6	–
Deptford South	34,625	9	9	2	2	–	1	–	–	–	–	–	–	–	1	1	–	–
Greenwich West *2H*	23,456	13	10	1	3	–	–	–	–	–	–	–	–	–	1	1	3	–
Greenwich East *2W,H*	43,859	25	23	5	7	–	1	–	–	–	–	–	–	–	1	2	12	–
Eltham *w,H*	7,226	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Lee *w,H*	25,490	10	3	–	3	–	–	–	–	–	–	–	–	–	–	–	1	–
Lewisham *W,w,F*	58,352	37	25	4	11	–	1	1	1	–	–	–	–	–	–	–	15	–
Sydenham *H*	43,653	20	9	1	4	–	–	–	–	–	–	–	–	–	–	–	1	–
Charlton *F,2H*	21,134	9	7	2	1	–	–	1	3	–	–	–	–	–	–	1	4	–
Woolwich *5H*	41,625	23	6	3	2	–	1	–	–	–	–	–	–	–	–	–	1	–
Plumstead West *W,H*	39,376	23	12	4	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Plumstead East *2W*	28,951	13	10	2	4	–	–	–	–	–	–	–	–	–	–	1	5	–
Workhouses:—																		
Belmont Workhouse	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	2	–
M. A. B. Small-pox Hospitals:—																		
Long Reach	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joyce Green	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
M. A. B. Fever Hospitals:—																		
Gore Farm (temporary)	—	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–
North-Eastern	—	–	2	–	–	–	–	2	–	–	–	–	–	–	–	–	2	–
Northern	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
M. A. B. Imbecile Asylums:—																		
Caterham	—	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–
Darenth	—	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Leavesden	—	–	2	–	1	–	–	–	–	–	–	–	–	–	1	1	2	–
London County Lunatic Asylums:—																		
Banstead	—	–	11	–	7	–	–	–	–	–	–	–	–	–	–	–	11	–
Ewell (Epileptic Colony)	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Horton	—	–	6	–	3	–	–	–	–	–	–	–	–	–	–	–	6	–
Manor	—	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Long Grove	—	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–	2	–
Cane Hill	—	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–	2	–
Dartford Heath	—	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–	2	–
Hanwell	—	–	6	–	3	–	–	–	–	–	–	–	–	–	–	1	6	–
Colney Hatch	—	–	5	–	–	–	–	–	–	–	–	–	–	–	–	–	5	–
Claybury	—	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERATED POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 16th January, 1909.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING ..	368,603	2,045,135	1339	645	138	248	-	25	10	16	6	-	5	29	62	123	1
30 : 1	Carshalton 2F,3H	12,228	32,997	13	7	4	3	-	-	-	-	1	-	-	-	-	-	1
2	Epsom, *part of** W,w,2F,H..	10,423	15,548	5	2	1	-	-	-	-	1	-	-	-	-	-	1	-
37 : 1	Godstone, *part of** W,F,L ..	2 754	2,692	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38 : 1	Coulsdon	11,069	8,166	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w,H ..	4,200	49,309	22	11	1	7	-	-	-	-	-	-	-	1	1	-	-
3	West Croydon 3W,F,H ..	2,168	42,888	39	28	5	10	-	2	2	2	-	-	-	-	3	14	-
4	North Croydon H	2,614	41,698	23	15	3	6	-	2	-	-	-	-	1	2	3	1	-
5	Penge w	770	22,465	4	4	-	2	-	-	-	-	-	-	-	1	2	-	-
6	Mitcham w	11,711	30,015	43	12	4	3	-	-	-	-	-	-	-	-	1	-	-
39 : 1	Wimbledon F,3H	3,221	41,652	21	6	2	1	-	-	-	-	-	-	-	-	-	-	-
2	Kingston 2W,H	6,224	42,068	25	19	4	9	-	1	-	-	-	-	-	2	5	5	-
3	Surbiton F,H	3,046	15,017	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** H	5,402	13,100	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
5	Hampton H,F,L	4,564	23,456	7	6	-	3	-	-	-	-	-	-	-	-	-	-	-
40 : 1	Richmond W,H	2,491	31,672	8	5	-	3	-	-	-	-	-	-	-	2	2	-	-
2	Mortlake F	2,518	17,821	11	6	2	3	-	-	-	-	-	-	-	-	1	-	-
41 : 1	Bromley F,3H	4,703	27,354	18	13	1	6	-	1	-	2	-	-	-	1	1	2	-
2	Beckenham H	7,825	28,497	17	8	1	7	-	-	-	-	-	-	1	-	-	1	-
3	Orpington, *part of** W,F ..	10,113	9,857	9	6	1	4	-	-	-	-	-	-	-	-	-	3	-
4	Chislehurst 2H	7,333	16,446	9	2	-	1	-	-	-	-	-	-	-	-	-	-	-
42 : 1	Bexley w,F,H	8,678	21,151	16	7	1	4	-	-	-	-	-	-	-	-	-	-	-
2	Erith F,H	3,854	25,296	14	4	1	-	-	-	-	-	-	-	-	-	-	-	-
3	Dartford W,F, *part of** ..	—	—	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-
124 : 1	Sunbury w	11,054	18,683	10	6	2	3	-	-	-	-	-	-	-	-	-	1	-
2	Staines W,H	13,277	15,178	8	3	1	2	-	-	-	-	-	-	-	-	-	1	-
125 : 1	Hillingdon W,F,H	6,035	13,661	5	6	1	3	-	-	-	-	-	-	-	1	1	-	-
2	Uxbridge H	12,757	8,984	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w 2F,H	8,066	16,358	14	7	2	2	-	-	-	-	-	-	-	-	-	-	-
126 : 1	Isleworth 3W,3F,H	6,859	30,863	18	15	1	6	-	-	-	1	-	-	-	1	1	9	-
2	Twickenham F,2H	2,421	20,991	9	3	-	1	-	-	1	-	-	-	-	1	2	-	-
3	Brentford 3F,2H	4,319	48,289	26	27	4	12	-	-	-	-	-	-	-	2	6	-	-
4	Chiswick H	1,249	29,809	16	7	-	1	-	-	-	-	-	-	-	-	1	-	-
5	Acton w,F,3H	6,132	48,914	43	17	3	7	-	-	1	1	1	-	-	-	1	1	-
127 : 1	Harrow F,H	13,809	25,523	16	4	-	3	-	-	-	-	-	-	-	-	1	-	-
2	Edgware 2F,2H	6,994	4,521	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-
3	Willesden W,F,2H	4,384	114,811	79	39	9	15	-	6	1	-	-	-	-	2	3	6	-
4	Hendon W,F	8,382	22,450	14	6	2	3	-	-	-	-	-	-	-	-	-	2	-
128 : 1	South Mimms 2F,H ..	17,755	7,308	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,970	14	7	2	5	-	-	-	-	-	-	-	-	-	1	-
3	Finchley F,3H	4,688	33,692	27	8	-	4	-	-	-	-	-	-	-	-	-	-	-
129 : 1	Hornsey F,H	2,875	72,053	34	10	-	3	-	-	-	1	-	-	-	-	-	1	-
2	Wood Green H	1,625	34,233	23	8	3	2	-	-	-	-	-	-	-	-	1	-	-
3	West Tottenham	995	48,741	26	14	4	4	-	-	-	-	1	-	-	1	3	-	-
4	East Tottenham 2H ..	2,019	53,962	37	16	3	4	-	-	-	1	-	-	-	1	2	5	-
5	Edmonton W,w,2F	7,491	61,892	58	25	4	7	-	1	-	-	1	-	-	1	3	8	-
6	Enfield 2W,F,H	12,601	42,738	32	16	5	5	-	-	-	-	-	-	-	2	2	1	-
7	Waltham Abbey F	11,017	6,549	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	8	5	1	2	-	-	-	-	-	-	-	-	-	-	-
135 : 1	Hatfield, *part of** W ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey H	9,333	9,173	6	2	-	1	-	-	-	-	-	-	-	-	-	1	-
2	Watford W,2F, *part of** ..	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
186 : 1	Stratford H	1,091	52,974	18	16	8	6	-	2	-	-	-	-	-	1	3	2	-
2	Forest Gate	787	52,745	25	14	3	7	-	-	-	-	-	-	-	-	1	-	-
3	Plaistow F,2H	1,249	90,921	89	32	13	5	-	6	3	1	1	-	1	-	-	6	-
4	Canning Town H	1,556	70,718	56	13	7	-	-	1	1	-	1	-	1	-	1	-	-
5	South East Ham 2F ..	1,991	37,342	44	19	6	6	-	-	-	3	-	-	-	1	1	3	-
6	North East Ham w,H ..	1,333	58,666	30	16	3	10	-	1	-	1	-	-	-	-	1	-	-
7	Wanstead F	1,679	9,179	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	37	28	3	13	-	1	-	-	-	-	1	3	4	14	-
9	North Leyton 2W,w,F ..	1,963	48,445	38	36	6	11	-	1	-	1	-	-	-	1	1	22	-
10	Walthamstow 2H,L ..	6,504	108,929	77	22	6	7	-	-	-	1	-	-	-	1	1	1	-
187 : 1	Chigwell 2F,3H	11,778	16,397	7	4	1	2	-	-	-	-	-	-	-	-	-	-	-
2	Epping W,F, *part of** ..	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
189 : 1	Romford, *part of** W,2F ..	6,556	6,091	9	2	-	1	-	-	-	-	-	-	-	-	1	-	-
2	Ilford F,L	8,496	41,244	28	8	2	3	-	-	-	-	-	-	-	1	1	1	-
3	Barking Town F	3,805	21,547	19	7	2	2	-	-	-	-	-	-	-	-	-	-	-
	N.E. Hospital, Tottenham -	—	—	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-
	London County Lunatic Asylum, Colney Hatch.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Essex County Lunatic Asylum, Brentwood.	—	—	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30 : 2, excepting Ashtead parish; 37 : 1, Warlingham and Farley parishes; 39 : 4, excepting Esher parish; 41 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135 : 1, Northaw parish; 189 : 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42 : 3, 137 : 2 and 187 : 2

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths.	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœal Diseases.
London	4,833,938	January 16	2434	1563	16·9	-	79	11	14	8	8	22
Calcutta	992,718	December 19	-	-	-	-	-	-	-	-	-	-
Bombay	982,000	" 22	-	-	-	-	-	-	-	-	-	-
Madras	548,974	" 18	-	-	-	-	-	?	?	?	-	-
Paris	2,722,731	January 9	1012	1164	22·2	-	2	6	6	3	3	33
Brussels	693,720	" 9	250	245	18·4	-	2	2	1	-	2	12
Antwerp	310,903	" 9	108	107	17·9	-	-	-	-	-	-	-
Amsterdam	565,601	" 2	278	158	14·6	-	4	-	1	2	-	5
		" 9	262	191	17·6	-	6	-	1	4	-	7
Copenhagen	445,000	" 9	264	145	17·0	-	4	2	2	3	-	3
Stockholm	337,460	" 2	175	120	18·5	-	-	7	-	-	-	1
Christiania	231,687	" 9	106	70	15·7	-	-	-	3	3	-	-
St. Petersburg	1,527,500	" 2	953	825	28·2	4	7	16	16	13	15	117‡
Moscow	1,359,886	" 2	-	756	29·0	5	12	15	10	6	8	49
Berlin	2,111,974	December 26	882	566	14·0	-	5	9	11	9	1	30
Hamburg	872,252	January 9	-	300	17·9	-	4	8	8	4	-	20
Breslau	494,029	" 2	-	208	22·0	-	-	1	1	1	-	13
Munich	556,000	" 2	-	198	18·5	-	2	2	4	1	-	14
Vienna	2,021,052	" 2	713	751	19·1	-	9	12	11	1	1	39
Prague	480,856	" 2	193	200	21·5	-	1	4	2	-	2	5
Budapest	812,728	" 2	482	302	19·3	-	6	3	5	-	-	17
Trieste	213,719	" 2	-	-	-	-	-	-	-	-	-	-
Rome	559,715	November 7	249	171	15·9	-	1	-	4	-	6	17
Venice	176,815	December 19	91	73	21·5	-	-	-	1	-	1	2
		" 26	71	71	20·9	-	-	-	1	-	-	1
Bucarest	293,619	" 26	150	114	20·2	-	-	2	-	1	-	5
New York	4,422,685	" 26	2136	1278	15·1	-	12	17	37	3	2	35
Chicago	2,166,055	" 26	-	482	11·6	-	3	14	14	2	4	33
Philadelphia	1,532,738	" 19	-	-	-	-	-	-	-	-	-	-
Rio de Janeiro	636,018	" 13	-	320	26·3	60	1	-	2	1	6†	?

* Excluding deaths from croup in the Indian Cities.
† Including 4 deaths from plague in Rio de Janeiro.
‡ Including 36 deaths from cholera in St. Petersburg.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 16th January, 1909.

Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
London (Greenwich)	50·4	34·1	42·5	0·49	Bradford	48·2	32·2	38·9	1·86
Brighton	49·5	35·3	43·8	0·71	York	49·0	33·0	41·1	0·48
Portsmouth	51·3	34·5	44·4	0·65	Hull	47·0	33·0	40·3	0·34
Norwich	49·0	29·0	39·6	0·30	Tynemouth	50·0	31·0	37·8	0·22
Plymouth	52·2	34·4	45·3	1·13	Cardiff	50·1	32·8	42·5	1·51
Bristol	51·0	32·3	42·2	1·25	Edinburgh	47·0	28·7	37·2	1·38
Birmingham	50·0	30·0	40·6	0·48	Glasgow	49·0	30·0	38·5	1·92
Nottingham	48·1	30·2	39·0	0·56	Dublin (Phœnix Park)	50·3	30·3	41·1	0·69
Liverpool Observatory	49·0	33·0	41·0	0·61	Dublin (Fitzwilliam Square.†)	51·1	31·7	42·2	0·57
Manchester	47·8	31·6	40·3	1·15					
Burnley	47·0	30·0	38·3	1·64					
Huddersfield	48·0	31·5	40·1	1·86	Belfast	49·0	29·5	38·6	1·12

* At the English stations the figures in this column which are compiled in the Meteorological Office (*see* footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0°·2 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

Table 9.—METEOROLOGICAL OBSERVATIONS taken at the Royal Observatory, Greenwich, during the Week ended Saturday, 16th January, 1909.
[*Under the Superintendence of the Astronomer Royal.*]

1909. Month and Day.		Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est.	Daily Range.	Mean daily value.	Departure from Average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
January.			in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
Sunday	10	..	29·717	43·3	37·1	11·2	43·7	+ 5·8	42·2	1·5	3·8	1·3	94	55·5	31·4	43·90	WSW. & W.	W., WSW. & SW.	2·0	0·0	0·1	317	+ 23	0·18	0·0
Monday	11	Apogee	29·439	50·4	43·4	7·0	46·9	+ 9·0	42·2	4·7	9·0	1·3	84	71·9	36·7	43·85	W.	WNW. & W.	6·2	0·0	0·4	420	+129	0·01	1·3
Tuesday	12	..	29·601	45·3	35·2	10·1	40·5	+ 2·6	32·1	8·4	11·3	4·4	72	57·3	29·4	44·10	W. & WNW.	NW.WNW. & W.	6·1	0·0	0·7	478	+185	0·00	3·7
Wednesday	13	In Equator	29·261	47·0	34·1	12·9	40·3	+ 2·3	37·6	2·7	7·2	1·2	90	46·4	29·7	44·18	Variable, E. & SE.	W. & WSW.	11·5	0·0	0·5	360	+ 62	0·03	0·5
Thursday	14	Last Quarter.	29·227	48·9	39·5	9·4	44·3	+ 6·3	36·9	7·4	11·3	1·7	75	65·7	33·6	44·09	W.	WSW. & SW.	9·5	0·0	1·0	629	+324	0·01	2·5
Friday	15	..	29·251	50·4	38·1	12·3	41·6	+ 3·5	32·6	9·0	13·9	2·4	70	66·8	30·3	44·00	WSW., W. & NW.	W. & SW.	10·0	0·0	0·8	511	+200	0·26	4·5
Saturday	16	..	29·538	41·2	36·0	5·2	38·2	− 0·1	30·7	7·5	9·7	4·8	74	69·0	29·4	44·03	WSW. & W.	W.	10·2	0·0	0·9	585	+271	0·00	4·5
Means			29·433	47·4	37·6	9·7	42·2	+ 4·2	36·3	5·9	9·5	2·4	80	61·8	31·5	44·02	W.		..	..	..	Sum 3300	Sum +1194	Sum 0·49	2·4
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date. January.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	General Remarks.
Sunday	10	w. P. generally; w. N. at 10h. P.M.	0·1	8·1	Generally overcast; occasional rain.
Monday	11	w. P. throughout.	2·4	8·1	Generally overcast in morning with frequent rain till 4h. 50m. A.M.; fine with variable amounts of cloud till evening; very fine with little cloud at night.
Tuesday	12	w.P. till 9h. A.M.; m. P. till 4h. P.M.; s. P. afterwards.	4·0	8·2	Very fine generally; partially cloudy; brisk wind occasionally till afternoon.
Wednesday	13	s. P. till 2h. A.M.; m.P. till 4h. A.M.; w. P. generally afterwards; m. N. at 9h. A.M. and 8h. P.M.	0·0	8·2	Generally overcast with occasional rain till 9h. P.M.; very fine with little cloud afterwards; strong wind prevalent after 5h. P.M.
Thursday	14	w. P. generally; m. P. between 9h. A.M. and 1h. P.M.	4·0	8·2	Very fine generally till 6h. P.M.; overcast afterwards with frequent rain after 8h. P.M.; gusty wind at intervals. Solar halo observed at 9h. A.M.
Friday	15	w.P. and occasional w.N. till 7h. A.M.; m.P. till 10h. P.M.; s P. and s. N. afterwards.	6·6	8·3	Overcast with strong wind and occasional rain till 4h. A.M.; very fine till 9h. P.M.; variable and showery afterwards; lightning and thunder at 11h. 30m. P.M.
Saturday	16	w.P till 8h. A.M.; m. P. afterwards.	5·6	8·3	Variably cloudy in morning: very fine generally after 6h. A.M. and cloudless at night; lightning in early morning; brisk wind at times till afternoon.
			Sum 22·7	Sum 57·4	
No. of Col.		27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·93 in. at the beginning of the week to 29·39 in. by 11h. P.M. on the 11th; increased to 29·70 in. by 9h. P.M. on the 12th; decreased to 29·06 in. by 8h. P.M. on the 13th; increased to 29·29 in. by 1h. P.M. on the 14th; decreased to 28·91 in. by 3h. A.M. on the 15th; increased to 29·31 in. by 6h. P.M. on the same day; decreased to 29·20 in. by 4h. A.M. on the 16th; and increased to 29·88 in. by midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 9th January, 1909.*

BOROUGHS.	Estimated Population in the middle of 1909.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	151,955	–	8	7	–	1	–	–	1	–	–
Kensington	183,683	–	6	7	–	–	–	–	7	–	–
Hammersmith	125,704	–	4	6	–	–	–	–	3	–	–
Fulham	176,406	–	9	9	–	1	–	–	–	1	–
Chelsea	75,249	–	4	4	–	–	–	–	1	–	–
City of Westminster ..	168,883	–	5	8	–	–	–	–	2	–	–
NORTH.											
St. Marylebone	126,027	–	4	2	–	1	–	–	9	1	–
Hampstead	94,785	–	5	1	–	1	–	–	–	–	–
St. Pancras	237,422	–	14	6	–	1	–	–	3	–	–
Islington	351,202	–	36	12	–	2	–	–	10	–	–
Stoke Newington	54,423	–	4	–	–	–	–	–	–	–	–
Hackney	237,601	–	23	8	–	2	–	–	1	–	–
CENTRAL.											
Holborn	53,802	–	3	–	–	–	–	–	–	–	–
Finsbury	95,289	–	4	4	–	–	–	–	3	–	–
City of London	18,193	–	3	–	–	–	–	–	–	–	–
EAST.											
Shoreditch	114,802	–	6	3	–	3	–	–	3	1	–
Bethnal Green	131,316	–	6	6	–	–	–	–	3	–	–
Stepney	312,525	–	24	14	–	–	–	–	13	–	–
Poplar	171,965	–	13	4	–	6	–	–	3	–	–
SOUTH.											
Southwark	211,125	–	17	2	–	3	–	–	5	–	–
Bermondsey	127,569	–	11	8	–	2	–	–	1	–	–
Lambeth	324,188	–	22	8	–	1	–	–	7	1	1
Battersea	186,036	–	20	6	–	–	–	–	4	–	–
Wandsworth	297,646	–	21	8	–	3	–	–	4	–	–
Camberwell	283,022	–	29	8	–	2	–	–	7	–	–
Deptford	118,583	–	14	4	–	2	–	–	6	–	–
Greenwich	111,014	–	13	5	–	–	–	–	6	–	–
Lewisham	160,749	–	13	11	–	1	–	–	1	–	–
Woolwich	133,374	–	19	9	–	–	–	–	2	–	–
Port of London	—	–	–	–	–	–	–	–	–	–	–
ADMINISTRATIVE COUNTY OF LONDON.	4,833,938	–	360	170	–	32	–	–	105	4	1
Ages 0–1		–	2	10	–	–	–	–	2	–	–
„ 1–5		–	111	72	–	3	–	–	5	–	1
„ 5–		–	152	45	–	4	–	–	5	–	–
„ 10–		–	56	15	–	4	–	–	2	–	–
„ 15–		–	17	8	–	2	–	–	4	–	–
„ 20–		–	10	5	–	5	–	–	2	–	–
„ 25–		–	9	10	–	4	–	–	8	2	–
„ 35–		–	3	5	–	4	–	–	22	2	–
„ 45–		–	–	–	–	6	–	–	24	–	–
„ 55–		–	–	–	–	–	–	–	18	–	–
„ 65 and upwards		–	–	–	–	–	–	–	12	–	–
Age not stated		–	–	–	–	–	–	–	1	–	–

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

TABLE 11.—DEATHS of PERSONS BELONGING to the COUNTY of LONDON and the METROPOLITAN BOROUGHS, REGISTERED in the 14 WEEKS ENDED 2nd JANUARY, 1909.

BOROUGHS.	Deaths from											Deaths of Infants under 1 Year of Age.	Deaths under 1 Year to 1000 Births registered.†
	ALL CAUSES.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric Fever.	*Pyrexia** (origin uncertain).	Diarrhœa.	Phthisis.		
COUNTY OF LONDON -	17,615	-	453	136	225	94	-	115	-	586	1,744	3,735	123
West.													
PADDINGTON - - -	467	-	5	4	1	6	-	1	-	13	34	98	128
KENSINGTON - - -	625	-	3	6	9	3	-	4	-	16	49	108	138
HAMMERSMITH - -	474	-	2	4	6	2	-	1	-	20	39	115	154
FULHAM - - -	557	-	6	4	14	3	-	-	-	27	57	150	126
CHELSEA - - -	279	-	3	1	6	5	-	3	-	5	29	38	112
CITY OF WESTMINSTER -	591	-	15	1	5	-	-	1	-	8	57	81	123
North.													
ST. MARYLEBONE - -	494	-	21	2	3	1	-	2	-	14	46	81	79
HAMPSTEAD - - -	217	-	1	-	-	1	-	3	-	5	23	22	68
ST. PANCRAS - - -	916	-	11	3	7	4	-	4	-	18	102	172	121
ISLINGTON - - -	1,299	-	42	7	21	9	-	9	-	30	125	273	128
STOKE NEWINGTON - -	179	-	-	4	-	1	-	4	-	4	20	23	90
HACKNEY - - -	812	-	11	11	9	6	-	4	-	27	84	160	114
Central.													
HOLBORN - - -	236	-	3	2	-	1	-	4	-	7	30	34	94
FINSBURY - - -	493	-	14	1	4	3	-	7	-	25	53	125	145
CITY OF LONDON - -	83	-	-	-	-	-	-	-	-	-	12	9	117
East.													
SHOREDITCH - - -	530	-	3	7	8	10	-	7	-	19	61	126	148
BETHNAL GREEN - -	595	-	51	8	7	5	-	6	-	16	53	135	136
STEPNEY - - -	1,430	-	101	16	24	8	-	9	-	61	141	360	143
POPLAR - -	686	-	12	15	8	3	-	6	-	29	57	164	127
South.													
SOUTHWARK - - -	930	-	26	7	9	1	-	4	-	41	114	234	152
BERMONDSEY - - -	651	-	47	6	4	3	-	10	-	24	61	168	155
LAMBETH - - -	1,082	-	16	8	19	1	-	3	-	25	117	203	92
BATTERSEA - - -	580	-	8	3	7	5	-	2	-	20	57	129	115
WANDSWORTH - -	895	-	13	4	11	6	-	3	-	20	97	178	102
CAMBERWELL - -	932	-	9	2	16	1	-	5	-	24	90	196	116
DEPTFORD - - -	407	-	3	2	3	2	-	3	-	25	34	111	154
GREENWICH - - -	350	-	7	1	3	1	-	6	-	16	35	81	128
LEWISHAM - - -	441	-	15	4	13	-	-	4	-	35	31	93	111
WOOLWICH - - -	384	-	5	3	8	3	-	-	-	12	36	68	84

In the above Table, all deaths of persons in, or on the way to, Hospitals and other Public Institutions as well as those of persons under treatment in surgical homes, or dying by accident or otherwise in the streets, have been distributed, as far as practicable, to the Boroughs in which the deceased had previously resided. The deaths of 585 London residents who died outside London in the Strand Union Workhouse at Edmonton, the Holborn Union Workhouse at Mitcham, the City of London Lunatic Asylum at Stone, the Shoreditch Union Workhouse at Wood Green, the Poplar Union Workhouse at Forest Gate, the Belmont Workhouse, the Central London Sick Asylum at Hendon, and the Metropolitan Hospitals and Asylums, have been similarly distributed. Of the deaths shown in Table 5 during the 14 weeks the previous residence was outside London in 842 cases and these have been excluded from this Table.

* Called "Simple Continued Fever" previous to 1901.

† The number of births used in this calculation is the number registered in the several Boroughs, no correction being made for births occurring in Public Institutions.

Returns of London Water Districts.

(Furnished by the Metropolitan Water Board.)

The following is an account of the number of services and the average daily amount of water supplied during the month of December, 1908, inclusive of supply to the Borough of Croydon and to the Urban Districts of Tottenham and Enfield. The supply was in the ratio of 196 gallons to one service.

Districts.	Number of Services.		Average Daily Supply of Water in Gallons.	
	December, 1907.	December, 1908.	December, 1907.	December, 1908.
Total Supply - - -	1,073,432	1,086,221	204,203,456	213,288,287
New River - - - - - -	212,293	214,415	39,408,672	41,266,273
Eastern - - - - - -	241,137	243,643	38,063,354	40,759,151
Western { Chelsea, Grand Junction, West Middlesex } - -	219,885	222,499	50,851,000	53,061,093
Southern { Lambeth - - - Southwark and Vauxhall }	232,269	236,413	57,463,786	59,390,171
Kent - - - - - - - -	117,848	119,251	18,416,644	18,811,299

Note.—The Returns for December, 1908, as compared with that for the corresponding month of 1907 shows an increase of 12,789 services, and of 9,084,831 gallons of water supplied daily.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 3. 1909. VOL. LXX.] WEEK ENDED SATURDAY, JAN. 23. [Price 1½*d.*

General Register Office, Somerset House,
January 25th, 1909.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 15·7 per 1000 of their aggregate population, which is estimated† at 16,445,281 persons in the middle of this year. In the preceding three weeks the rates had been 18·2, 17·5, and 16·6. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 20·4 in Nottingham, 20·5 in Salford, 20·6 in Manchester, 20·9 in Rochdale, 21·5 in Stockton on Tees, 22·4 in Warrington, and 23·6 in Stockport; from *measles*, 1·7 in Huddersfield, 1·8 in Birmingham, 2·3 in Sunderland, 3·3 in West Hartlepool, and 4·3 in Warrington; from *scarlet fever*, 1·3 in Merthyr Tydfil; from *diphtheria*, 1·2 in Rochdale, 1·3 in Kings Norton, 1·6 in Rotherham, and 2·2 in Warrington; from *whooping-cough*, 1·3 in Coventry, 1·4 in Bournemouth, 1·9 in Tynemouth, and 2·0 in Stockton on Tees; from "*fever*" 1·4 in Warrington; and from *diarrhœa*, 1·5 in Smethwick. One death from *small-pox* was registered in Bristol, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2162 BIRTHS and 1414 DEATHS were registered. Allowing for increase of population, the births were 352 and the deaths 213 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes, which had been 19·6, 18·0, and 16·9 per 1000 in the preceding three weeks, further fell last week to 15·3. The death-rate in the four weeks ended last Saturday averaged 17·5 per 1000, being 1·2 per 1000 below the mean rate in the corresponding periods of the five years 1904–8.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals and Asylums, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-five other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

700 Wt 36 (31-4) 1/09 D & S 41 12273 C

The 1414 deaths included 76 from measles, 11 from scarlet fever, 20 from diphtheria, 11 from whooping-cough, 6 from enteric fever, and 15 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia: thus, to these diseases in the aggregate 139 deaths were referred, being 26 above the corrected average number in the third week of the preceding five years.

The deaths from *measles*, which had been 87, 72, and 79 in the preceding three weeks, numbered 76 last week, and were 38 above the corrected average; 11 deaths belonged to the Borough of Stepney, 7 each to Bethnal Green and Battersea, 6 to Bermondsey, and 5 each to Hackney and Southwark. The deaths from *scarlet fever*, which had been 7, 4, and 11 in the preceding three weeks, were again 11 last week, the corrected average being 13; 3 deaths belonged to St. Pancras. The deaths from *diphtheria*, which had been 23, 20, and 14 in the preceding three weeks, numbered 20 last week, and were 6 above the corrected average; 4 deaths belonged to Camberwell, and 3 each to Fulham, Stepney, and Southwark. The deaths from *whooping-cough*, which had been 11, 14, and 8 in the preceding three weeks, were 11 last week, and were 17 below the corrected average. The deaths from *enteric fever*, which had been 7, 8, and 8 in the preceding three weeks, were 6 last week, the corrected average being 4; 3 deaths belonged to Shoreditch. The deaths from *diarrhœa*, which had been 22, 17, and 22 in the preceding three weeks, fell to 15 last week, the corrected average being 16; 3 deaths belonged to Stepney, and 3 each to Poplar and Southwark. Of the 15 deaths from diarrhœa, 11 were those of children under 5 years of age; 4 other deaths at this age were certified as due to *enteritis* and 8 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 14, having been 16, 15, and 20 in the preceding three weeks.

Different forms of violence caused 51 deaths, concerning all of which inquests were held. Of these 51 deaths, 11 were cases of suicide and 1 of homicide, while the remaining 39 deaths were attributed to accident or negligence. Seven of these latter were referred to vehicles in the streets, eight to burns or scalds, and six, of infants under one year of age, to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 3211 cases of scarlet fever, 1191 of diphtheria, and 137 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 379 cases, against 379, 323, and 358; of diphtheria, 133 cases, against 131, 141, and 136; and of enteric fever, 17 cases, against 18, 21, and 21. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended January 16th, 1909.

Greater London.

In Greater London 3451 births and 2010 deaths were registered. Allowing for increase of population, these numbers are 441 and 310 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is outside the great towns, 3 deaths from measles, 2 from scarlet fever, 3 from diphtheria, 1 from whooping-cough, and 4 from diarrhœa were registered.

Meteorology

The mean reading of the Barometer last week at Greenwich was 30·06 inches, and that of the Thermometer 38°·7, the latter being 0°·1 below the week's average in the 65 years ended 1905. The direction of the wind was variable, the horizontal movement of the air being 5 per cent. above the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 10·9 hours; the measured rainfall amounted to 0·12 of an inch.

---

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 23rd January, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 2nd Jan., 1909.	9th Jan., 1909.	16th Jan., 1909.	23rd Jan., 1909.	Rate from Diseases in Cols. 11-17. Week ended 23rd Jan., 1909.	Registered during the Week ended 23rd Jan., 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS	**16,445,281**	**18·2**	**17·5**	**16·6**	**15·7**	**1·4**	**8209**	**4964**	**860**	**1672**	**1**	**210**	**32**	**71**	**56**	**31**	**46**	**172**	**394**	**1408**	**49**	**76 TOWNS.**
LONDON	4,833,938	19·6	18·0	16·9	15·3	1·5	2162	1414	221	504	-	76	11	20	11	6	15	51	140	611	2	LONDON.
† CROYDON	161,078	15·9	17·2	15·9	14·2	0·6	65	44	10	16	-	2	-	-	-	-	-	1	3	7	-	CROYDON.
† WILLESDEN ..	160,424	10·3	12·7	13·0	8·1	1·6	75	25	7	7	-	2	-	-	1	2	-	-	1	1	-	WILLESDEN.
† HORNSEY	95,628	12·4	10·4	4·9	8·2	-	29	15	1	7	-	-	-	-	-	-	-	-	-	1	-	HORNSEY.
† TOTTENHAM ..	129,464	16·5	17·3	12·9	9·3	0·8	87	23	8	6	-	1	-	1	-	-	-	-	7	4	-	TOTTENHAM.
† WEST HAM ..	321,767	18·7	15·9	15·6	14·3	2·1	178	88	15	27	-	7	1	3	1	-	1	3	5	30	-	WEST HAM.
† EAST HAM.. ..	149,575	10·2	10·5	14·3	9·8	0·7	70	28	7	6	-	-	-	1	-	-	1	-	-	5	-	EAST HAM.
† LEYTON	129,614	9·9	16·9	14·1	6·8	1·2	64	17	2	7	-	2	-	1	-	-	-	-	1	5	-	LEYTON.
† WALTHAMSTOW ..	136,602	14·3	11·8	9·9	8·4	-	57	22	9	8	-	-	-	-	-	-	-	-	2	4	-	WALTHAMSTOW.
HASTINGS	68,165	7·7	12·2	16·8	12·2	-	24	16	-	8	-	-	-	-	-	-	-	-	-	1	1	HASTINGS.
BRIGHTON	130,926	21·3	18·3	15·1	15·5	0·4	51	39	8	19	-	-	-	1	-	-	-	1	2	7	-	BRIGHTON.
PORTSMOUTH ..	214,726	19·5	17·2	13·6	15·1	0·2	101	62	11	27	-	1	-	-	-	-	-	-	9	17	-	PORTSMOUTH.
BOURNEMOUTH ..	72,368	9·6	19·5	20·9	16·6	2·2	22	23	4	9	-	-	-	-	2	-	1	1	1	4	-	BOURNEMOUTH.
SOUTHAMPTON ..	124,667	17·1	14·6	17·6	15·1	-	44	36	6	12	-	-	-	-	-	-	-	1	3	13	-	SOUTHAMPTON.
READING	82,995	15·3	16·3	17·0	15·1	-	26	24	2	9	-	-	-	-	-	-	-	2	3	3	1	READING.
NORTHAMPTON ..	97,752	10·8	16·5	16·5	13·3	0·5	29	25	4	10	-	-	-	1	-	-	-	-	2	5	-	NORTHAMPTON.
IPSWICH	74,889	14·8	13·2	16·0	13·2	-	28	19	2	6	-	-	-	-	-	-	-	1	2	5	-	IPSWICH.
GREAT YARMOUTH	53,430	16·7	25·4	24·4	11·7	1·0	29	12	1	9	-	1	-	-	-	-	-	1	1	4	-	GREAT YARMOUTH.
NORWICH	124,136	16·1	14·7	16·0	14·3	1·3	58	34	9	17	-	-	-	2	1	-	-	-	1	5	-	NORWICH.
PLYMOUTH	124,180	15·8	17·6	19·3	13·0	0·8	51	31	4	13	-	1	-	1	-	-	-	2	4	3	-	PLYMOUTH.
DEVONPORT	83,103	15·4	17·6	12·5	17·6	0·6	51	28	3	14	-	-	-	-	-	1	-	-	3	5	-	DEVONPORT.
BRISTOL	377,642	14·4	13·5	14·6	11·9	0·7	172	86	12	38	1	-	-	2	1	-	1	4	14	26	1	BRISTOL.
HANLEY	68,831	16·1	27·3	14·4	14·4	0·8	48	19	5	4	-	-	-	-	-	1	-	-	-	2	-	HANLEY.
BURTON-ON-TRENT	54,453	19·3	18·2	14·4	10·5	-	22	11	4	1	-	-	-	-	-	-	-	2	2	1	-	BURTON-ON-TRENT.
WOLVERHAMPTON..	104,633	18·2	16·9	15·0	15·4	0·5	57	31	8	10	-	-	-	-	-	-	1	1	3	3	-	WOLVERHAMPTON.
WALSALL	99,399	18·7	23·6	16·3	15·7	1·6	58	30	7	10	-	-	1	-	-	1	1	1	2	2	-	WALSALL.
HANDSWORTH ..	70,186	13·0	14·1	11·1	10·4	-	33	14	2	7	-	-	-	-	-	-	-	-	-	1	-	HANDSWORTH.
WEST BROMWICH ..	70,457	22·4	22·2	20·0	16·3	0·7	33	22	10	6	-	-	-	-	-	-	1	-	-	4	1	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 23rd January, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 2nd Jan., 1909.	9th Jan., 1909.	16th Jan., 1909.	23rd Jan., 1909.	Rate from Diseases in Cols. 11–17. Week ended 23rd Jan., 1909.	Registered during the Week ended 23rd Jan., 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
BIRMINGHAM ..	563,629	18·9	19·0	16·3	17·7	2·3	321	191	39	59	–	19	2	1	1	–	2	6	7	42	6	BIRMINGHAM.
KINGS NORTON ..	81,632	6·6	13·4	8·9	18·5	3·2	35	29	3	16	–	1	1	2	1	–	–	–	–	4	–	KINGS NORTON.
SMETHWICK	70,377	11·4	11·9	17·0	18·5	2·2	42	25	3	12	–	1	–	–	–	–	2	1	1	2	–	SMETHWICK.
ASTON MANOR ..	85,257	14·2	11·6	10·4	15·9	1·2	47	26	7	10	–	2	–	–	–	–	–	–	1	8	–	ASTON MANOR.
COVENTRY	80,163	25·1	20·2	8·5	13·7	1·3	53	21	5	5	–	–	–	–	2	–	–	4	4	6	1	COVENTRY.
LEICESTER	244,255	20·2	16·9	16·2	12·8	2·3	101	60	9	24	–	7	–	–	1	1	2	–	2	20	–	LEICESTER.
GRIMSBY	73,036	18·2	15·0	16·4	12·9	–	44	18	4	4	–	–	–	–	–	–	–	1	1	4	–	GRIMSBY.
NOTTINGHAM ..	263,443	20·0	20·0	18·2	20·4	2·6	125	103	15	44	–	5	–	–	2	3	3	2	5	22	2	NOTTINGHAM.
DERBY	129,411	15·1	17·7	10·5	13·7	0·8	49	34	5	12	–	2	–	–	–	–	–	–	3	7	–	DERBY.
STOCKPORT	103,706	19·4	22·6	19·6	23·6	1·5	50	47	3	15	–	3	–	–	–	–	–	2	2	8	–	STOCKPORT.
BIRKENHEAD ..	121,123	17·8	16·4	18·9	13·3	0·9	85	31	5	11	–	–	–	2	–	–	–	–	2	5	–	BIRKENHEAD.
WALLASEY	71,004	11·4	14·7	10·3	11·0	–	47	15	5	6	–	–	–	–	–	–	–	2	2	1	1	WALLASEY.
LIVERPOOL	760,357	23·5	21·5	19·4	19·7	1·4	493	287	43	88	–	–	6	3	8	–	4	12	20	115	8	LIVERPOOL.
BOOTLE	69,393	20·6	19·5	18·8	9·8	–	38	13	2	3	–	–	–	–	–	–	–	–	–	2	–	BOOTLE.
ST. HELENS	95,161	13·9	15·9	18·6	15·3	1·1	59	28	5	8	–	1	–	–	1	–	–	–	–	5	1	ST. HELENS.
WIGAN	90,678	23·3	19·0	17·3	17·3	1·2	50	30	8	5	–	–	–	–	1	1	–	2	3	6	–	WIGAN.
WARRINGTON ..	72,276	16·8	18·8	11·5	22·4	7·9	51	31	4	5	–	6	–	3	–	2	–	1	1	6	2	WARRINGTON.
BOLTON	187,824	13·8	20·3	18·9	16·7	0·6	103	60	5	19	–	–	–	–	1	–	1	1	2	13	–	BOLTON.
BURY	59,234	17·7	22·9	27·3	16·7	–	29	19	4	6	–	–	–	–	–	–	–	–	–	4	–	BURY.
MANCHESTER ..	655,435	22·6	18·5	20·1	20·6	3·0	339	259	46	60	–	19	2	7	5	3	2	8	20	75	4	MANCHESTER.
SALFORD	241,950	19·0	17·0	18·3	20·5	1·5	120	95	15	26	–	–	–	1	2	4	–	6	9	30	–	SALFORD.
OLDHAM	143,301	23·4	23·7	24·7	19·6	1·1	68	54	5	18	–	2	1	–	–	–	–	–	4	5	–	OLDHAM.
ROCHDALE	89,653	17·0	19·2	15·7	20·9	1·2	42	36	6	18	–	–	–	2	–	–	–	1	1	7	1	ROCHDALE.
BURNLEY	106,267	15·4	19·6	11·8	18·2	1·0	50	37	7	10	–	–	–	1	1	–	–	–	1	4	1	BURNLEY.
BLACKBURN	136,959	18·0	15·2	19·4	16·8	1·1	74	44	10	14	–	2	–	–	–	1	–	4	5	12	–	BLACKBURN.
PRESTON	118,519	16·8	15·8	15·4	14·1	1·8	51	32	9	14	–	1	–	–	1	–	2	2	3	1	2	PRESTON.
BARROW-IN-FURNESS.	62,996	19·2	12·4	11·6	10·8	0·8	38	13	1	5	–	1	–	–	–	–	–	–	–	1	–	BARROW-IN-FURNESS.

TOWNS.	Population estimated to the middle of the Year 1909.*	Death-Rates from all Causes. Week ended 2nd Jan., 1909.	9th Jan., 1909.	16th Jan., 1909.	23rd Jan., 1909.	Rate from Diseases in Cols. 11-17. Week ended 23rd Jan., 1909.	Registered during the Week ended 23rd Jan., 1909. Births.	Deaths.	The Deaths registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,739	16·0	18·7	14·9	19·8	2·8	44	36	2	8	–	3	1	–	–	1	–	–	2	8	–	HUDDERSFIELD.
HALIFAX	111,911	18·8	15·4	17·2	12·1	0·9	41	26	3	13	–	–	–	–	–	1	1	–	1	5	–	HALIFAX.
BRADFORD	293,983	11·1	17·4	16·7	16·8	0·9	95	95	15	42	–	–	–	3	1	–	1	2	9	22	–	BRADFORD.
LEEDS	484,012	17·0	16·3	15·7	15·4	1·1	222	143	12	49	–	6	1	3	–	–	–	8	15	32	–	LEEDS.
SHEFFIELD	470,958	17·2	18·8	15·8	18·7	1·9	295	169	31	56	–	11	2	–	2	1	1	5	9	42	2	SHEFFIELD.
ROTHERHAM.. ..	65,070	15·5	13·6	14·4	16·8	2·4	47	21	2	6	–	1	–	2	–	–	–	2	3	4	–	ROTHERHAM.
YORK	87,004	9·1	10·2	17·4	10·2	–	43	17	5	7	–	–	–	–	–	–	–	1	1	1	–	YORK.
HULL	275,552	19·6	16·8	17·0	19·3	1·7	155	102	16	37	–	6	–	3	–	–	–	7	10	24	1	HULL.
MIDDLESBROUGH ..	105,255	20·7	27·2	18·3	16·3	1·0	54	33	7	10	–	1	–	–	–	–	1	1	3	6	–	MIDDLESBROUGH.
STOCKTON-ON-TEES	53,417	16·7	20·5	10·7	21·5	2·9	20	22	5	6	–	1	–	–	2	–	–	2	2	5	–	STOCKTON-ON-TEES.
WEST HARTLEPOOL	79,686	12·1	15·7	13·1	13·1	3·3	39	20	7	5	–	5	–	–	–	–	–	1	1	1	–	WEST HARTLEPOOL.
SUNDERLAND ..	159,378	24·1	16·7	26·2	16·7	3·3	88	51	8	12	–	7	–	2	1	–	–	1	2	8	2	SUNDERLAND.
SOUTH SHIELDS ..	117,627	15·3	18·6	17·3	16·0	0·4	77	36	6	10	–	–	–	1	–	–	–	1	1	7	1	SOUTH SHIELDS.
GATESHEAD	131,024	13·4	12·7	13·9	15·5	1·6	77	39	6	14	–	1	1	–	–	1	1	–	1	1	1	GATESHEAD.
NEWCASTLE-ON-TYNE.	281,584	15·6	13·9	16·9	16·9	1·1	166	91	26	22	–	2	–	1	2	1	–	4	7	17	1	NEWCASTLE-ON-TYNE.
TYNEMOUTH ..	55,808	17·0	21·5	23·4	13·1	1·9	37	14	4	3	–	–	–	–	2	–	–	2	2	1	1	TYNEMOUTH.
NEWPORT (MON.) ..	78,336	20·3	10·0	14·6	16·0	1·3	48	24	7	6	–	–	–	1	–	–	1	–	4	8	–	NEWPORT (MON.).
CARDIFF	195,303	16·1	16·6	12·8	13·6	–	116	51	10	12	–	–	–	–	–	–	–	2	3	14	2	CARDIFF.
RHONDDA	135,894	21·1	15·0	15·0	15·7	0·4	98	41	15	8	–	–	–	–	1	–	–	2	2	2	1	RHONDDA.
MERTHYR TYDFIL..	78,365	30·4	22·6	24·6	15·3	2·0	51	23	7	4	–	1	2	–	–	–	–	2	3	1	1	MERTHYR TYDFIL.
SWANSEA	98,308	22·4	19·1	19·6	18·0	0·5	68	34	11	8	–	–	–	–	1	–	–	2	3	5	1	SWANSEA.
GREATER LONDON	7,429,740	17·8	16·6	15·5	14·1	1·3	3451	2010	334	752	–	93	14	29	14	8	21	67	182	731	2	GREATER LONDON.
OUTER RING ..	2,595,802	14·3	13·8	13·0	12·0	0·8	1289	596	113	248	–	17	3	9	3	2	6	16	42	120	–	OUTER RING.
8 TOWNS IN OUTER RING.	1,284,152	14·3	14·4	13·3	10·6	1·1	625	262	59	84	–	14	1	6	2	2	2	4	19	57	–	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,311,650	14·4	13·2	12·6	13·3	0·5	664	334	54	164	–	3	2	3	1	–	4	12	23	63	–	REMAINDER OF OUTER RING.
EDINBURGH	355,366	15·6	20·2	16·0	19·4	1·2	149	132	22	52	–	–	1	–	3	–	4	5	?	49	6	EDINBURGH.
GLASGOW	872,021	18·7	19·5	17·6	18·5	2·0	498	309‡	63	77	–	–	1	7	23	–	2	6	?	98	12	GLASGOW.
DUBLIN (Registration Area).†	398,356	28·3	23·6	23·7	25·3	1·7	205	193	43	54	–	9	–	1	2	–	1	5	4	70	6	DUBLIN (Registration Area).†
BELFAST†	386,576	21·4	16·7	19·3	18·9	0·7	226	140‡	26	35	–	2	–	–	1	1	1	4	6	33	1	BELFAST.†

* See note † on first page of this return. † Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast respectively.
‡ Including 1 death from Cerebro-spinal meningitis in Glasgow, and 1 from Cerebro-spinal fever and 1 from Cerebro-spinal meningitis in Belfast.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the THIRD Week of each of the Eleven Years, 1899–1909.

	1899	1900	1901	1902	1903	1904	1905	1906	1907	1908	Corrected Weekly Average in 5 Years 1904–1908.*	1909
TOTAL **Births** -	2811	2533	2693	2580	2593	2515	2408	2390	2454	2511	2513·9	2162
Males - - -	1485	1288	1334	1360	1353	1288	1222	1231	1246	1275	1282·1	1111
Females - -	1326	1245	1359	1220	1240	1227	1186	1159	1208	1236	1231·8	1051
TOTAL **Deaths** -	1503	2365	1666	1583	1848	1519	1492	1402	1679	1825	1627·2	1414
Males - - -	779	1128	799	802	930	791	757	719	841	918	824·4	712
Females - -	724	1237	867	781	918	758	735	683	838	907	802·8	702

* The numbers in this column are the average weekly numbers in the Third week of the five years 1904-1908, raised by 2·375 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	1909 Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	13 Weeks.
TOTAL **Births** -	2358	2485	2189	2187	2221	2040	2186	2133	1438	2228	2476	2434	2162	28537
TOTAL **Deaths** -	1396	1388	1418	1357	1451	1383	1311	1359	1038	1805	1672	1563	1414	18555
Ages at Death: Under 1 year -	339	332	305	284	262	242	265	240	155	305	251	273	221	3474
1—5 years -	149	136	166	149	166	135	147	139	115	211	174	181	175	2043
5—20 " -	71	72	81	70	66	71	57	81	53	81	79	71	51	904
20—40 " -	174	154	181	187	181	171	161	162	118	233	179	175	171	2247
40—60 " -	267	265	285	266	288	278	264	284	221	354	394	330	292	3788
60 yrs. & upwds.	396	429	400	401	488	486	417	453	376	621	595	533	504	6099
Deaths from—														
Small-pox† - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles - - -	19	28	31	32	34	38	49	51	44	87	72	79	76	640
Scarlet Fever - -	13	10	11	8	9	14	10	14	7	7	4	11	11	129
Diphtheria - -	16	18	19	16	30	13	14	24	17	23	20	14	20	244
Whooping-cough -	7	7	10	7	7	2	7	4	7	11	14	8	11	102
Typhus - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever - -	11	12	9	11	10	5	9	14	7	7	8	8	6	117
Pyrexia (origin uncertain).	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa, Dysentery	76	44	41	31	32	24	11	19	14	22	17	22	15	368
All above diseases -	142	119	121	105	122	96	100	126	96	157	135	142	139	1600
Dis. of Resp. System	119	115	149	157	150	141	129	136	106	193	258	181	158	1990
Pneumonia - -	147	161	161	177	168	154	155	145	96	188	184	188	161	2085
Phthisis - - -	128	145	150	145	143	131	135	116	104	171	158	121	128	1775
Dis. of Circ. System -	184	202	182	176	177	189	170	199	149	252	253	211	185	2529
Violence - - -	57	57	59	50	71	62	52	52	50	83	82	72	51	798
Inquest Cases - -	136	134	139	132	137	127	132	129	111	207	201	162	140	1887
Deaths in Institutions	581	566	570	568	651	602	541	599	434	686	615	631	611	7655
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	50·2	47·3	45·1	44·7	47·6	43·5	42·8	45·4	40·2	31·5	40·7	42·2	38·7	43·1
Mean of Highest -	58·2	53·1	51·8	49·1	53·7	47·1	46·9	49·3	42·4	35·9	44·0	47·4	42·8	47·8
Mean of Lowest -	40·9	41·0	36·9	39·4	39·7	40·5	37·1	40·2	37·6	26·8	37·0	37·6	34·1	37·6
Mean Humidity of the Air.	89	87	80	84	81	94	87	92	91	85	86	80	81	86
Rain-fall (in inches) -	0·73	0·00	0·28	0·39	0·07	0·08	0·62	0·81	0·02	0·48	0·13	0·49	0·12	4·22
Registered Sunshine (in hours).	21·1	19·8	33·2	7·7	15·9	0·0	8·8	4·3	3·5	5·7	8·1	22·7	10·9	161·7
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever - -	3833	3851	3859	3810	3831	3747	3704	3537	3454	3557	3317	3261	3211	3616
Diphtheria - - -	1128	1139	1187	1215	1232	1241	1263	1266	1259	1245	1215	1205	1191	1215
Typhus - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever - -	147	161	173	185	187	190	184	173	168	153	145	145	137	165

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8**.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lander, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq., F.R.Met.Soc., Hull; the Meteorological Committee, Tynemouth; and E. Walford Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the THIRD Week of the Year 1909.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 3rd week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1627·2	1414	221	175	51	171	292	504
Small-pox*	-	-	-	-	-	-	-	-
Cowpox	-	-	-	-	-	-	-	-
Measles (Morbilli)	37·7	76	16	57	3	-	-	-
Scarlet Fever	13·3	11	-	8	3	-	-	-
Typhus	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-
Influenza	28·9	14	-	-	-	2	5	7
Whooping-cough	28·5	11	6	4	1	-	-	-
Diphtheria	14·3	20	1	14	5	-	-	-
Cerebro-spinal Fever ..	0·2	-	-	-	-	-	-	-
Pyrexia† (origin uncertain)	-	-	-	-	-	-	-	-
Enteric Fever	3·7	6	-	-	-	4	1	1
Asiatic Cholera	-	-	-	-	-	-	-	-
Epidemic Diarrhœa, Infective Enteritis	3·7	5	4	1	-	-	-	-
Diarrhœa, Dysentery ..	12·1	10	5	1	-	1	1	2
Tetanus	1·2	2	-	-	1	1	-	-
Rabies, Hydrophobia ..	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever)..	-	-	-	-	-	-	-	-
Venereal Dis.	8·4	3	2	-	-	1	-	-
Puerperal Septicæmia ..	2·9	6	-	-	-	5	1	-
Puerperal Pyæmia.. ..	0·2	-	-	-	-	-	-	-
Puerperal Fever	0·6	-	-	-	-	-	-	-
Infective Endocarditis ..	4·1	2	-	-	-	2	-	-
Pneumonia: Lobar ..	16·8	20	1	3	-	4	4	8
Pneumonia: Broncho ..	90·5	78	19	30	3	3	8	15
Pneumonia: Epidemic ..	-	-	-	-	-	-	-	-
Pneumonia: Not defined	70·0	63	7	6	2	10	18	20
Erysipelas	4·9	-	-	-	-	-	-	-
Septicæmia (not Puerperal)	1·0	1	-	-	-	1	-	-
Pyæmia (not Puerperal)	0·8	2	-	-	-	-	-	2
Other Infective Processes	7·4	5	-	-	-	-	3	2
Tuberculous Phthisis ..	103·0	89	1	-	5	42	30	11
"*Phthisis*"	57·7	39	-	-	1	16	15	7
Tuberculous Meningitis ..	16·2	13	4	8	1	-	-	-
Tuberculous Peritonitis ..	6·3	6	2	3	1	-	-	-
Tabes Mesenterica	1·8	-	-	-	-	-	-	-
Tuberculous Dis., Other ..	13·1	18	5	6	1	4	1	1
Scrofula..	0·4	-	-	-	-	-	-	-
Alcoholism	9·6	9	-	-	-	3	5	1
Rheumatic Fever	5·1	2	-	-	-	1	1	-
Gout	1·8	2	-	-	-	-	1	1
Carcinoma	55·3	51	-	-	-	4	17	30
Sarcoma	6·8	4	-	-	-	-	1	3
Cancer (undefined) ..	32·6	30	-	-	-	-	14	16
Diabetes Mellitus	7·8	11	-	-	-	-	2	9
Premature Birth	51·6	47	47	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 3rd week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)..	13·3	10	4	4	-	-	-	2
Gen. Par. of Insane, Insanity	19·7	22	-	-	-	3	13	6
Epilepsy	8·4	9	-	-	-	5	2	2
Convulsions	19·5	11	9	2	-	-	-	-
Locomotor Ataxy.. ..	3·7	5	-	-	-	1	3	1
Paraplegia, Dis. of Cord.	5·9	8	-	-	-	3	2	3
Nervous Sys., Other Dis.	21·9	24	1	3	2	3	7	8
Valv. Dis., Endocarditis..	47·5	42	-	-	3	4	14	21
Cereb. Hæm. Cereb. Emb.	48·1	43	-	-	-	2	5	36
Apoplexy, Hemiplegia ..	15·6	11	-	-	-	-	3	8
Aneurysm	4·7	5	-	-	-	1	3	1
Embolism, Thrombosis (not Cerebral) ..	1·0	-	-	-	-	-	-	-
Heart & Blood Ves., Other Dis... ..	98·3	84	-	-	3	7	26	48
Croup (not Spasm: nor Memb.)	0·6	-	-	-	-	-	-	-
Bronchitis	199·0	140	10	2	-	4	26	98
Emphysema, Asthma ..	10·2	6	-	-	-	1	3	2
Pleurisy	3·3	2	-	1	-	-	1	-
Respiratory Dis., Other..	13·9	8	2	1	-	-	1	4
Tonsillitis, Quinsy.. ..	0·4	2	-	1	1	-	-	-
Enteritis (not Epid.) ..	6·8	9	4	-	-	1	2	2
Gastro-enteritis	5·5	10	6	2	-	-	2	-
Peritonitis (not Puerp.) ..	2·5	-	-	-	-	-	-	-
Cirrhosis of Liver.. ..	12·5	10	-	-	-	1	6	3
Liver Dis., Other	7·4	4	-	-	-	1	-	3
Digestive Sys., Other Dis.	41·2	34	4	3	4	8	7	8
Acute Nephritis	7·2	10	-	2	-	2	2	4
Bright's Dis., Albuminuria	38·3	33	-	1	-	3	13	16
Urinary Sys., Other Dis.	11·1	9	-	-	-	-	-	9
Generative Organs Dis...	4·5	4	-	-	-	2	2	-
Childbirth (Accid. of) ..	3·5	2	-	-	-	2	-	-
Old Age	70·4	65	-	-	-	-	-	65
Other Diseases	100·8	85	52	5	8	7	6	7
ACCIDENT.								
By Railways	1·2	1	-	-	-	-	1	-
By Vehicles and Horses..	5·3	7	-	2	-	-	2	3
In Ships, Boats, Docks, (exclusive of Drowning)	0·8	-	-	-	-	-	-	-
In Building Operations..	0·4	-	-	-	-	-	-	-
In Conflagrations	1·2	-	-	-	-	-	-	-
By Burns, Scalds, Explosions	11·1	8	1	4	2	1	-	-
By Drowning	3·9	1	-	-	-	1	-	-
By Suffocation in Bed ..	10·0	6	6	-	-	-	-	-
By Poisons or Poisonous Vapours	2·3	1	-	-	-	-	1	-
Other Deaths by Accident..	15·6	15	2	1	-	2	4	6
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	1·0	1	-	-	1	-	-	-
Suicide	7·4	11	-	-	-	2	7	2
Execution	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

Table 5. LONDON.*—Enumerated Population; Births; Deaths from all Causes, and from Small-pox, Measles, Scarlet Fever, Diphtheria, Whooping-cough, Fever, Diarrhœa, Violence, &c. registered in each Sub-district during the Week ended Saturday, 23rd January, 1909.

Registration Sub-Districts.	Enumerated Population, 1901.	Total Births.	Total Deaths.	The Deaths registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia† (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON	4,536,267	2162	1414	221	504	–	76	11	20	11	–	6	–	15	51	140	611	2
West Districts	805,311	313	274	45	108	–	5	1	4	2	–	–	–	1	13	23	114	–
North Districts	1,055,908	454	303	54	113	–	15	4	3	4	–	2	–	–	12	35	122	–
Central Districts	209,465	95	56	8	17	–	5	–	–	1	–	–	–	–	–	2	31	–
East Districts	715,739	397	244	47	75	–	21	–	5	1	–	3	–	8	12	46	115	–
South Districts	1,749,844	903	470	67	171	–	30	5	8	3	–	1	–	3	14	34	162	2
Metropolitan Hospitals and Asylums outside Registration London*	—	–	67	–	20	–	–	1	–	–	–	–	–	3	–	–	67	–
West Districts.																		
North Paddington *H*	63,603	24	17	4	3	–	1	–	–	–	–	–	–	–	1	1	1	–
Central Paddington *W,3H*	50,053	18	24	5	8	–	–	–	–	–	–	–	–	–	1	1	19	–
South Paddington	39,320	4	3	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
Kensington Town *2W,w,2H* ..	128,037	64	60	7	25	–	1	–	–	–	–	–	–	–	2	4	28	–
Brompton *2H*	48,591	7	16	3	7	–	–	–	–	–	–	–	–	–	–	1	1	–
North-Hammersmith *2W,w,H* ..	49,192	28	21	6	9	–	–	–	–	–	–	–	–	–	1	2	6	–
South Hammersmith *w,2H* ..	63,047	21	14	4	5	–	–	–	–	–	–	–	–	–	3	4	7	–
North-west Fulham *W*	45,180	25	20	4	3	–	2	–	–	1	–	–	–	1	1	4	6	–
North-east Fulham *F*	46,405	25	18	2	5	–	1	1	4	–	–	–	–	–	1	2	5	–
South Fulham *W*	45,704	28	9	1	6	–	–	–	–	–	–	–	–	–	1	1	–	–
Chelsea North *W,w,3H*	42,514	18	35	3	19	–	–	–	–	–	–	–	–	–	–	–	28	–
Chelsea South *W,2H*	31,328	9	8	2	6	–	–	–	–	–	–	–	–	–	–	–	1	–
Mayfair and Knightsbridge	28,743	4	4	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Belgrave *W,2H*	55,815	17	11	–	4	–	–	–	–	–	–	–	–	–	1	1	5	–
St. Margaret & St. John *6H*	43,698	13	11	3	4	–	–	–	–	–	–	–	–	–	1	1	6	–
St. James and St. Anne *W,6H* ..	33,081	5	3	1	1	–	–	–	–	1	–	–	–	–	–	–	1	–
North Districts.																		
All Souls Marylebone *8H*	35,391	8	18	–	7	–	–	–	–	–	–	–	–	–	1	1	10	–
St. Mary Marylebone *W,4H* ..	37,948	46	7	1	2	–	1	–	–	–	–	–	–	–	–	–	5	–
Christchurch Marylebone	39,536	17	8	2	2	–	2	1	–	–	–	–	–	–	–	2	–	–
St. John Marylebone *2H*	20,426	5	5	–	3	–	–	–	–	–	–	–	–	–	–	1	–	–
Hampstead *W,F,6H*	81,942	18	25	2	8	–	–	2	1	–	–	–	–	–	1	1	14	–
West St. Pancras *2H*	60,562	32	19	5	6	–	–	–	–	–	–	–	–	–	1	2	2	–
South St. Pancras *w,12H*	55,707	21	23	4	3	–	–	–	–	–	–	–	–	–	–	2	14	–
East St. Pancras *W,2H*	60,320	30	31	9	12	–	2	–	–	1	–	–	–	–	–	3	14	–
North St. Pancras *2W*	58,728	19	19	3	11	–	–	–	–	–	–	–	–	–	–	–	5	–
Tufnell *W*	31,995	14	10	2	5	–	–	–	–	–	–	–	–	–	–	–	6	–
Upper Holloway *2W,w,H*	33,978	15	23	2	9	–	1	–	–	2	–	–	–	–	1	3	17	–
Tollington *W,w,H*	33,922	8	5	1	2	–	–	–	–	–	–	–	–	–	1	1	–	–
Lower Holloway	41,424	22	10	1	4	–	2	–	–	–	–	–	–	–	–	3	–	–
Barnsbury	54,478	28	6	2	2	–	–	–	1	–	–	–	–	–	1	2	–	–
Islington South-east *F*	75,397	29	13	2	5	–	–	1	–	–	–	–	–	–	2	4	1	–
Highbury *2H*	63,797	25	7	1	6	–	1	–	–	–	–	–	–	–	–	–	–	–
Stoke Newington *H*	51,247	29	6	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–
North Hackney	50,398	17	5	2	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Central Hackney *w,F*	50,536	22	15	2	5	–	3	–	1	–	–	1	–	–	1	3	3	–
South-west Hackney *3H*	59,921	27	15	9	–	–	1	–	–	1	–	–	–	–	2	2	8	–
South-east Hackney *2W,w,H* ..	58,255	22	33	4	15	–	2	–	–	–	–	1	–	–	1	5	23	–
Hackney Union Workhouse, Brentwood	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 23rd January, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	~~Total Births.~~	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
St. Giles and Bloomsbury 2*W*,2*H* ..	31,436	21	6	–	3	–	–	–	–	–	–	–	–	–	–	–	3	–
Strand *W*,4*H*	21,674	6	7	1	2	–	1	–	–	–	–	–	–	–	–	1	3	–
Strand Union Workhouse, Edmonton	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Holborn *W*,6*H*	29,612	8	12	2	1	–	–	–	–	1	–	–	–	–	–	–	9	–
Clerkenwell *H*	63,704	28	10	5	3	–	3	–	–	–	–	–	–	–	–	1	–	–
St. Luke* 3*H*,*L*	36,116	29	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Holborn Union Workhouse, Mitcham	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
St. Botolph *H*	10,299	1	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Sepulchre and Allhallows *W*,2*H*	16,624	2	16	–	4	–	1	–	–	–	–	–	–	–	–	–	14	–
City of London Asylum, Stone	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
EAST DISTRICTS.																		
Shoreditch South 2*H*	46,362	25	8	1	4	–	1	–	–	–	–	–	–	–	1	2	–	–
Shoreditch North-West *W*,*w* *H* ..	36,127	14	23	1	6	–	–	–	–	–	–	2	–	–	–	7	19	–
Shoreditch North-East	36,148	19	6	–	2	–	–	–	–	–	–	–	–	–	–	1	–	–
Shoreditch Union Workhouse Wood Green	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	47	29	4	7	–	4	–	1	–	–	–	–	1	2	6	16	–
Bethnal Green South-West *H* ..	64,542	31	18	5	6	–	3	–	–	–	–	–	–	1	3	7	1	–
Spitalfields..	27,969	9	5	2	–	–	–	–	–	–	–	–	–	–	2	3	–	–
Mile End New Town *W*,*H*	28,718	19	44	7	11	–	1	–	2	–	–	–	–	1	2	4	38	–
Goodman's Fields	22,081	8	3	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–
St. George and St. John 2*W* ..	49,068	28	12	5	4	–	–	–	–	–	–	1	–	1	–	2	3	–
Shadwell and Ratcliff *W*,*H* ..	25,568	12	10	2	1	–	4	–	1	1	–	–	–	–	–	1	7	–
Limehouse *W*	32,369	18	6	2	2	–	1	–	–	–	–	–	–	–	–	1	–	–
Mile End Old Town South-Western *H*	63,698	49	17	5	4	–	4	–	–	–	–	–	–	–	1	4	–	–
Mile End Old Town North-Eastern *W*,*w*	49,129	21	18	1	11	–	–	–	–	–	–	–	–	–	–	1	8	–
Bow	41,989	14	4	1	–	–	–	–	1	–	–	–	–	1	–	1	–	–
Bromley 3*w*,*H*	68,319	47	30	7	14	–	–	–	–	–	–	–	–	3	1	4	21	–
Poplar *W*,*w*	58,514	36	11	3	3	–	2	–	–	–	–	–	–	–	–	1	2	–
Workhouse, Forest Gate (Parish of Poplar Borough).	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

* On 1st January, 1909, the sub-district of Finsbury was re-named St. Luke.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 23rd January, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch and St. Saviour Southwark *W,2H*	23,319	10	13	2	2	–	1	–	1	–	–	–	–	1	1	1	9	–
Kent-road	21,904	18	8	3	–	–	2	–	–	–	–	–	–	–	–	–	–	–
St. George the Martyr West *W,2H,L*	39,094	22	20	5	9	–	–	–	–	–	–	–	–	–	–	1	8	–
Newington North	49,022	28	9	–	3	–	2	–	1	–	–	–	–	–	–	–	–	–
Newington South *W*	72,841	28	13	2	3	–	–	–	–	1	–	–	–	1	–	–	2	–
St. Olave *2W*	9,817	5	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Bermondsey *W*	82,483	48	12	5	1	–	1	–	–	1	–	–	–	–	–	–	–	–
Rotherhithe *W,F*	38,460	26	18	1	6	–	5	–	–	–	–	–	–	–	–	1	10	–
Waterloo *2H*	27,440	31	11	3	3	–	–	–	–	–	–	–	–	–	–	2	4	–
Lambeth Church *H*	27,440	8	22	4	3	–	1	–	–	–	–	–	–	–	4	5	18	–
Kennington *2W*	52,518	22	25	4	9	–	1	–	–	–	–	–	–	–	–	–	16	–
Stockwell *HF*	63,826	39	8	1	2	–	–	1	1	–	–	–	–	–	–	–	2	–
Brixton *H*	73,673	27	21	5	6	–	1	–	–	–	–	–	–	–	–	2	4	–
Norwood *2WH*	56,998	23	14	–	7	–	–	–	–	–	–	–	–	–	–	4	–	–
East Battersea *H*	72,203	44	22	3	8	–	5	–	–	1	–	–	–	–	1	1	–	–
North-west Battersea	49,656	23	11	4	2	–	2	–	–	–	–	–	–	–	–	1	–	–
South-west Battersea *2W,H* ..	47,048	13	21	1	9	–	1	–	–	–	–	–	–	–	–	2	18	–
Clapham *2H*	51,361	27	12	3	7	–	–	–	–	–	–	–	–	–	–	–	–	–
Streatham *W,2w,2F,2L*	88,019	57	22	1	14	–	–	–	–	–	–	–	–	–	1	1	8	1
Springfield *2W,L*	27,959	22	9	2	2	–	–	–	–	–	–	–	–	–	1	2	1	–
Southfields *H*	40,444	18	9	–	5	–	–	–	–	–	–	–	–	–	–	–	1	–
Putney	24,139	9	6	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Dulwich	13,359	6	3	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Camberwell South *W,w*	40,206	14	25	–	13	–	–	–	–	–	–	–	–	–	1	1	19	–
Camberwell North *W,2L*	65,584	30	22	3	9	–	1	–	–	–	–	–	–	–	1	1	7	–
St. George	47,331	34	6	–	1	–	–	–	2	–	–	–	–	–	–	1	–	–
Peckham North	48,913	36	7	2	1	–	–	–	1	–	–	–	–	1	–	2	–	–
Peckham South *2W,w*	43,946	15	8	2	4	–	2	–	1	–	–	–	–	–	–	–	–	1
Deptford North	37,613	18	8	1	1	–	2	1	–	–	–	–	–	–	1	1	–	–
Deptford Central *F*	45,481	23	6	1	1	–	–	1	1	–	–	–	–	–	–	–	2	–
Deptford South	34,625	11	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Greenwich West *2H*	23,456	16	3	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Greenwich East *2W,H*	43,859	25	20	2	9	–	–	–	–	–	–	–	–	–	2	2	15	–
Eltham *w,H*	7,226	4	3	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Lee *w,H*	25,490	5	3	–	2	–	–	–	–	–	–	–	–	–	–	–	1	–
Lewisham *W,w,F*	58,352	32	19	1	9	–	1	–	–	–	–	–	–	–	1	1	12	–
Sydenham *H*	43,653	22	11	1	5	–	–	–	–	–	–	1	–	–	–	1	–	–
Charlton *F,2H*	21,134	6	5	–	2	–	1	2	–	–	–	–	–	–	–	–	2	–
Woolwich *5H*	41,625	27	4	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Plumstead West *W,H*	39,376	16	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Plumstead East *2W*	28,951	10	6	1	2	–	–	–	–	–	–	–	–	–	–	1	3	–
Workhouses:—																		
Belmont Workhouse	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Central London Sick Asylum .. (Westminster, St. Giles, and Strand Unions.)	—	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
M. A. B. Small-pox Hospitals:—																		
Long Reach	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joyce Green	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
M. A. B. Fever Hospitals:—																		
Gore Farm (temporary)	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
North-Eastern	—	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–
Northern	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
M. A. B. Imbecile Asylums:—																		
Caterham	—	–	6	–	2	–	–	–	–	–	–	–	–	–	–	–	6	–
Darenth	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Leavesden	—	–	3	–	1	–	–	–	–	–	–	–	–	–	–	–	3	–
London County Lunatic Asylums:—																		
Banstead	—	–	6	–	2	–	–	–	–	–	–	–	–	–	–	–	6	–
Ewell (Epileptic Colony)	—	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Horton	—	–	8	–	3	–	–	–	–	–	–	–	–	–	–	–	8	–
Manor	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Long Grove	—	–	12	–	3	–	–	–	–	–	–	–	–	1	–	–	12	–
Cane Hill	—	–	5	–	1	–	–	–	–	–	–	–	–	–	–	–	5	–
Dartford Heath	—	–	6	–	1	–	–	–	–	–	–	–	–	–	–	–	6	–
Hanwell	—	–	9	–	4	–	–	–	–	–	–	–	–	1	–	–	9	–
Colney Hatch	—	–	6	–	2	–	–	–	–	–	–	–	–	1	–	–	6	–
Claybury	—	–	3	–	1	–	–	–	–	–	–	–	–	–	–	–	3	–

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERATED POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 23rd January, 1909.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING ..	368,603	2,045,135	1289	596	113	248	-	17	3	9	3	2	6	16	42	120	-
30 : 1	Carshalton 2F,3H	12,228	32,997	16	8	2	2	-	-	-	-	-	-	-	1	1	2	-
2	Epsom, *part of** W,w,2F,H..	10,423	15,548	4	9	2	6	-	-	-	-		-	-	-	1	2	-
37 : 1	Godstone, *part of** W,F,L ..	2 754	2,692	3	1	-	-	-	-	-	-		-	-	-	-	1	-
38 : 1	Coulsdon	11,069	8,166	5	2	-	1	-		-	-	-	-	-	-	-	-	-
2	South Croydon w,H ..	4,200	49,309	13	17	3	5	-	-	-	-	-	-	-	1	2	-	-
3	West Croydon 3W,F,H ..	2,168	42,888	34	21	4	12		2	-	-	-	-	-	-	-	11	-
4	North Croydon H	2,614	41,698	18	10	3	2	-	-	-	-	-	-	-	-	1	-	-
5	Penge w	770	22,465	5	4	1	3	-	-	-	-	-	-	-	-	-	-	-
6	Mitcham w	11,711	30,015	23	5	1	1	-	-	-	-	-	-	-	-	-	-	-
39 : 1	Wimbledon F,3H	3,221	41,652	19	6	1	1	-	-	-	-	-	-	-	-	-	-	-
2	Kingston 2W,H	6,224	42,068	25	15	1	11	-		-	-	-	-	-	-	-	6	-
3	Surbiton F,H	3,046	15,017	8	3	1	1	-	-	-	-	-	-	-	-	1	-	-
4	Esher, *part of** H	5,402	13,100	8	4	-	3	-	-	-	-	-	-	-	-	-	-	-
5	Hampton H,F,L	4,564	23,456	22	9	1	6	-	-	-	-	-	-	-	-	2	1	-
40 : 1	Richmond W,H	2,491	31,672	13	12	1	5	-	-	-	-	-	-	-	1	1	-	-
2	Mortlake F	2,518	17,821	15	3	-	1	-	-	-	-	-	-	-	1	1	-	-
41 : 1	Bromley F,3H	4,703	27,354	18	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Beckenham H	7,825	28,497	9	7	-	5	-	-	-	-	-	-	-	-	-	-	-
3	Orpington, *part of** W,F ..	10,113	9,857	5	7	-	5	-	-	-	-	-	-	-	1	1	5	-
4	Chislehurst 2H	7,333	16,446	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-
42 : 1	Bexley w,F,H	8,678	21,151	10	5	-	4	-	-	-	-	-	-	-	-	-	-	-
2	Erith F,H	3,854	25,296	18	3	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Dartford W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124 : 1	Sunbury w	11,054	18,683	13	8	-	2	-	1	-	1	-	-	-	1	1	-	-
2	Staines W,H	13,277	15,178	7	3	3	-	-	-	-	-	-	-	-	-	-	-	-
125 : 1	Hillingdon W,F,H	6,035	13,661	8	14	4	7	-	-	-	-	-	-	1	-	-	8	-
2	Uxbridge H	12,757	8,984	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w 2F,H	8,066	16,358	11	6	4	1	-	-	-	-	-	-	-	-	-	-	-
126 : 1	Isleworth 3W,3F,H	6,859	30,863	15	15	-	11	-	-	-	-	-	-	-	-	-	5	-
2	Twickenham F,2H	2,421	20,991	13	6	-	3	-	-	-	-	-	-	1	-	-	-	-
3	Brentford 3F,2H	4,319	48,289	32	14	2	7	-	-	-	1	1	-	-	1	1	2	-
4	Chiswick H	1,249	29,809	20	11	3	4	-	-	-	-	-	-	-	-	-	-	-
5	Acton w,F,3H	6,132	48,914	45	16	4	7	-	-	-	-	-	-	-	-	1	2	-
127 : 1	Harrow F,H	13,809	25,523	19	12	3	4	-	-	-	-	-	-	-	-	-	-	-
2	Edgware 2F,2H	6,994	4,521	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Willesden W,F,2H	4,384	114,811	75	25	7	7	-	2	-	-	1	2	-	-	1	1	-
4	Hendon W,F	8,382	22,450	15	3	-	-	-	1	-	-	-	-	-	-	-	-	-
128 : 1	South Mimms 2F,H ..	17,755	7,308	-	2	-	2	-	-	-	-	-	-	-	1	1	-	-
2	Barnet W,2H	3,324	17,970	9	7	-	4	-	-	-	-	-	-	-	-	-	-	-
3	Finchley F,3H	4,688	33,692	17	11	2	7	-	-	-	-	-	-	-	1	1	2	-
129 : 1	Hornsey F,H	2,875	72,056	29	14	1	6	-	-	-	-	-	-	-	-	-	-	-
2	Wood Green H	1,625	34,233	20	8	2	6	-	-	-	-	-	-	-	-	-	1	-
3	West Tottenham	995	48,741	46	7	3	2	-	-	-	-	-	-	-	-	3	-	-
4	East Tottenham 2H ..	2,019	53,962	41	18	5	4	-	1	-	-	-	-	-	-	4	6	-
5	Edmonton W,w,2F	7,491	61,892	56	21	5	9	-	-	-	-	-	-	1	1	2	3	-
6	Enfield 2W,F,H	12,601	42,738	29	19	3	11	-	-	1	-	-	-	1	1	2	2	-
7	Waltham Abbey F	11,017	6,549	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	7	5	1	-	-	-	1	-	-	-	-	1	1	2	-
135 : 1	Hatfield, *part of** W ..	3,205	664	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey H	9,333	9,173	2	2	-	2	-	-	-	-	-	-	-	-	1	-	-
2	Watford W,2F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
186 : 1	Stratford H	1,091	52,974	31	10	2	5	-	-	-	-	-	-	1	2	2	2	-
2	Forest Gate	787	52,745	18	9	1	3	-	1	-	-	-	-	-	-	-	-	-
3	Plaistow F,2H	1,249	90,921	70	23	5	5	-	2	1	1	-	-	-	-	-	3	-
4	Canning Town H	1,556	70,718	59	21	7	5	-	1	-	1	1	-	-	2	4	-	-
5	South East Ham 2F ..	1,991	37,342	34	14	5	3	-	-	-	1	-	-	1	-	-	1	-
6	North East Ham w,H ..	1,333	58,666	36	11	2	3	-	-	-	-	-	-	-	-	-	-	-
7	Wanstead F	1,679	9,179	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	33	13	1	8	-	1	-	-	-	-	-	-	1	8	-
9	North Leyton 2W,w,F ..	1,963	48,445	31	31	2	8	-	4	-	1	-	-	-	-	-	21	-
10	Walthamstow 2H,L ..	6,504	108,929	64	19	8	8	-	-	-	-	-	-	-	-	3	-	-
187 : 1	Chigwell 2F,3H	11,778	16,397	9	1	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Epping W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189 : 1	Romford, *part of** W,2F ..	6,556	6,091	5	2	-	2	-	-	-	-	-	-	-	-	-	1	-
2	Ilford F,L	8,496	41,244	35	20	3	9	-	1	-	1	-	-	-	-	1	6	-
3	Barking Town F	3,805	21,547	16	6	3	1	-	-	-	-	-	-	-	-	1	-	-
	Eastern Hospital, Hackney	—	—	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-
	N.E. Hospital, Tottenham..	—	—	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
	London County Lunatic Asylum, Claybury.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Surrey County Lunatic Asylum, Brookwood.	—	—	-	4	-	1	-	-		-		-	-	-	-	4	-
	Kent County Lunatic Asylum, Maidstone.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
	Middlesex County Lunatic Asylum, Napsbury.	—	—	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-
	Essex County Lunatic Asylum, Brentwood.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30 : 2, excepting Ashtead parish; 37 : 1, Warlingham and Farley parishes; 39 : 4, excepting Esher parish; 41 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135 : 1, Northaw parish; 189 : 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42 : 3, 137 : 2 and 187 : 2 and in the Croydon Mental Hospital in 37 : 1 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON	4,833,938	January 23	2162	1414	15·3	-	76	11	20	11	6	15
CALCUTTA	992,718	December 19	-	-	-	-	-	-	-	-	-	-
BOMBAY	982,000	" 22	461	605	32·2	3	1	-	-	-	58†	78‡
		" 29	425	618	32·9	4	1	-	-	-	58†	84‡
MADRAS	548,974	" 18	386	332	33·8	-	2	?	?	?	82	39‡
		" 25	324	376	38·3	-	3	?	?	?	114	41
PARIS	2,722,731	January 16	970	1127	21·5	-	2	4	6	2	5	21
BRUSSELS	693,720	" 16	231	191	14·3	-	-	-	2	-	1	12
ANTWERP	310,903	" 16	138	86	14·4	-	-	-	-	-	1	4
AMSTERDAM	565,601	" 16	281	173	15·9	-	7	-	1	4	2	2
COPENHAGEN	445,000	" 16	250	156	18·3	-	2	-	-	3	-	7
STOCKHOLM	337,460	" 9	148	86	13·3	-	-	2	1	1	1	2
CHRISTIANIA	231,687	" 16	118	66	14·8	-	-	-	5	2	-	2
ST. PETERSBURG	1,527,500	" 9	941	825	28·2	3	9	13	17	8	18	89‡
MOSCOW	1,359,886	" 9	-	801	30·7	9	8	8	10	7	17	57
BERLIN	2,111,991	" 2	864	622	15·4	-	6	7	22	4	-	30
HAMBURG	872,252	" 16	-	266	15·9	-	1	3	2	2	1	12
BRESLAU	494,029	" 9	-	200	21·1	-	1	1	2	-	-	14
MUNICH	556,000	" 9	282	182	16·7	-	4	1	1	2	-	15
VIENNA	2,042,426	" 9	777	694	17·7	-	11	9	7	4	2	21
		" 16	-	-	-	-	-	-	-	-	-	-
PRAGUE	480,856	" 9	227	178	19·2	-	1	7	4	-	2	9
BUDAPEST	823,215	" 9	439	309	19·2	-	4	4	5	-	3	16
TRIESTE	216,680	" 2	150	107	25·7	-	-	2	-	-	-	1
		" 9	143	107	25·7	-	-	2	1	-	-	1
ROME	559,715	November 14	252	187	17·4	-	1	-	1	-	5§	16
VENICE	176,815	January 2	74	63	18·6	-	-	-	1	-	-	6
		" 9	88	97	28·6	-	-	-	-	-	-	5
BUCAREST	293,619	" 2	138	130	23·1	-	-	1	2	-	1	2
NEW YORK	4,422,685	" 9	2781	1440	16·5	-	12	15	42	5	6	44
CHICAGO	2,166,055	" 2	-	615	14·4	-	-	12	20	1	8	33
PHILADELPHIA	1,532,738	December 19	-	-	-	-	-	-	-	-	-	-
RIO DE JANEIRO	636,018	" 20	-	-	-	-	-	-	-	-	-	?

* Excluding deaths from croup in the Indian Cities.
† Including 4 deaths in each week from plague in Bombay.
‡ Including 23 and 18 deaths, respectively, from cholera in Bombay, 3 in Madras, and 31 in St. Petersburg.
§ Including 1 death from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday 23rd January, 1909.

TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches
	°	°	°			°	°	°	
LONDON (Greenwich)	49·7	29·0	38·5	0·12	BRADFORD	48·8	28·4	36·8	0·10
BRIGHTON	47·9	31·3	39·3	0·36	YORK	52·0	26·0	38·3	0·03
PORTSMOUTH	51·2	30·0	40·1	0·10	HULL	50·0	25·0	37·4	0·05
NORWICH	48·4	28·8	37·9	0·09	TYNEMOUTH	52·0	30·0	39·1	0·04
PLYMOUTH	52·0	30·8	39·5	0·11	CARDIFF	50·2	27·8	37·7	0·05
BRISTOL	50·5	27·0	37·4	0·19	EDINBURGH	50·5	28·6†	40·1†	0·57
BIRMINGHAM	47·9	27·6	37·7	0·11	GLASGOW	51·0	32·0	41·2	0·88
NOTTINGHAM	49·6	25·0	36·6	0·13	DUBLIN Phœnix Park.	52·1	27·	38·8	0·38
LIVERPOOL OBSERVATORY.	52·0	28·0	38·1	0·10	DUBLIN Fitzwilliam Square.‡	53·2	32·8	41·2	0·26
MANCHESTER	50·0	26·8	37·2	0·07					
BURNLEY	48·5	26·0	36·2	0·11					
HUDDERSFIELD	50·4	27·8	37·8	0·08	BELFAST	50·0	30·0	39·6	0·41

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0°·2 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Owing to gale, the lowest readings on January 18 and 19 were false, and have been excluded.
‡ Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 23rd January, 1909.

[*Under the Superintendence of the Astronomer Royal.*]

1909. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface.	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day	Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
JANUARY.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 17	..	29·972	49·7	35·0	14·7	43·8	+ 5·3	38·4	5·4	7·6	3·4	81	68·0	28·2	43·90	W., WSW. & SW.	WSW.	5·5	0·0	0·5	452	+139	0·00	5·2
MONDAY - 18	..	29·801	49·0	45·1	3·9	46·7	+ 8·1	39·9	6·8	9·9	4·2	77	69·0	40·1	43·67	SW.	SW.	8·7	0·0	1·1	586	+274	0·00	6·8
TUESDAY - 19	..	29·967	46·9	32·6	14·3	39·9	+ 1·2	35·1	4·8	7·0	2·9	83	51·2	21·5	43·81	SW., N. & NNE.	N., NW. & WNW.	2·5	0·0	0·2	256	− 54	0·11	0·0
WEDNESDAY 20	Greatest Dec. S.	30·282	41·0	29·0	12·0	35·7	− 3·1	32·2	3·5	7·1	0·0	87	56·8	19·3	44·00	W. & NNE.	NNE., NE. & ENE.	1·2	0·0	0·0	184	−125	0·01*	0·0
THURSDAY - 21	..	30·291	41·8	32·0	9·8	36·9	− 1·9	33·7	3·2	6·4	0·0	88	59·0	25·0	43·70	NE. & NNE.	ENE. & NE.	1·0	0·0	0·1	190	−121	0·00	0·0
FRIDAY - 22	New	30·134	37·4	32·9	4·5	34·6	− 4·2	30·1	4·5	7·0	2·9	84	43·7	31·5	43·40	ENE. & NE.	E. & ENE.	3·9	0·0	0·3	327	+ 12	0·00	2·0
SATURDAY - 23	Perigee	29·951	34·1	31·8	2·3	33·0	− 5·0	24·3	8·7	10·2	2·9	70	40·0	29·0	43·21	ENE. & NE.	E., ENE. & NE.	2·9	0·0	0·2	300	− 20	0·00	0·0
MEANS - -		30·057	42·8	34·1	8·8	38·7	− 0·1	33·4	5·3	7·9	2·3	81	55·4	27·8	43·67	WSW. & NE.		..	..	..	Sum 2295	Sum +105	Sum 0·12	2·0
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

* Frost.

DATE. JANUARY.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY - 17	w. P. generally; m. P. between 8h. A.M. and 1h. P.M.	2·3	8·3	Cloudless with slight hoar frost in morning; fine with large amounts of light cloud between 7h. A.M. and 7h. P.M.: overcast with brisk wind and occasional small rain afterwards.
MONDAY - 18	w. P. throughout.	3·3	8·4	Generally cloudy with fine intervals; brisk wind prevalent till afternoon; very mild with small range of temperature.
TUESDAY - 19	w. P. till 4h. A.M.: w. P. and v. N. till 10h. A.M.; m. P. afterwards.	0·1	8·4	Generally overcast with frequent rain till 2h. P.M.; decreasing amounts of cloud till 6h. P.M.; apparently cloudless afterwards; hoar frost at night.
WEDNESDAY 20	m. P. throughout.	4·5	8·5	Very fine generally with small amounts of cloud till 9h. 30m. P.M.; overcast and foggy afterwards; hoar frost in morning and at night.
THURSDAY - 21	m. P. generally.	0·7	8·5	Overcast with slight exceptions; foggy in morning.
FRIDAY - 22	m. P. throughout.	0·0	8·6	Overcast; very dull.
SATURDAY - 23	m. P. throughout.	0·0	8·6	Overcast with slight exceptions; small range of temperature.
		Sum 10·9	Sum 59·3	
No. of Col. - -	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·88 in. at the beginning of the week to 30·02 in. by 9h. A.M. on the 17th; decreased to 29·75 in. by 5h. A.M. on the 19th; increased to 30·34 in. by 11h. P.M. on the 20th; and decreased to 29·92 in. by midnight on the 23rd.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 16th January, 1909.*

BOROUGHS.	Estimated Population in the middle of 1909.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	151,955	-	15	3	-	1	-	-	3	-	-
Kensington	183,683	-	9	2	-	2	-	-	6	-	-
Hammersmith	125,704	-	11	8	-	1	-	-	1	-	-
Fulham	176,406	-	9	6	-	-	-	-	2	1	-
Chelsea	75,249	-	7	1	-	-	-	-	1	-	-
City of Westminster ..	168,883	-	4	4	-	4	-	-	3	-	-
NORTH.											
St. Marylebone	126,027	-	7	1	-	2	-	-	8	-	-
Hampstead	94,185	-	8	-	-	1	-	-	2	-	-
St. Pancras	237,422	-	12	5	-	1	-	-	4	1	-
Islington	351,202	-	23	12	-	2	-	-	2	1	-
Stoke Newington	54,423	-	3	1	-	1	-	-	1	-	-
Hackney	237,601	-	16	8	-	1	-	-	3	-	-
CENTRAL.											
Holborn	53,802	-	1	1	-	-	-	-	3	-	-
Finsbury	95,289	-	6	4	-	1	-	-	3	-	-
City of London	18,193	-	-	-	-	-	-	-	-	-	-
EAST.											
Shoreditch	114,802	-	8	10	-	3	-	-	4	-	-
Bethnal Green	131,316	-	8	3	-	-	-	-	8	-	-
Stepney	312,525	-	17	15	-	4	-	-	5	1	-
Poplar	171,965	-	25	4	-	3	-	-	3	-	-
SOUTH.											
Southwark	211,125	-	6	2	-	3	-	-	3	-	-
Bermondsey	127,569	-	11	6	-	3	-	-	3	-	-
Lambeth	324,188	-	30	9	-	1	-	-	5	2	-
Battersea	186,036	-	15	7	-	2	-	-	5	1	-
Wandsworth	297,646	-	28	13	-	-	-	-	3	-	-
Camberwell	283,022	-	15	8	-	-	-	-	6	2	-
Deptford	118,583	-	23	5	-	1	-	-	2	-	-
Greenwich	111,014	-	12	4	-	-	-	-	2	-	-
Lewisham	160,749	-	15	13	-	1	-	-	4	-	-
Woolwich	133,374	-	10	5	-	-	-	-	1	-	-
Port of London	—	-	-	-	-	1	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,833,938	-	354	160	-	39	-	-	96	9	-
Ages 0–1		-	11	5	-	-	-	-	4	-	-
„ 1–5		-	92	68	-	1	-	-	2	-	-
„ 5–		-	135	45	-	5	-	-	6	-	-
„ 10–		-	64	14	-	6	-	-	1	-	-
„ 15–		-	21	7	-	5	-	-	4	-	-
„ 20–		-	11	9	-	4	-	-	4	2	-
„ 25–		-	16	10	-	8	-	-	18	5	-
„ 35–		-	2	1	-	5	-	-	19	1	-
„ 45–		-	-	1	-	3	-	-	11	1	-
„ 55–		-	1	-	-	2	-	-	13	-	-
„ 65 and upwards		-	1	-	-	-	-	-	14	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
By DARLING & SON, Ltd., 34-40, Bacon Street, E.

1909.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 4. 1909. VOL. LXX.] WEEK ENDED SATURDAY, JAN. 30. [Price 1½*d*.

General Register Office, Somerset House,
February 1st, 1909.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 18·0 per 1000 of their aggregate population, which is estimated† at 16,445,281 persons in the middle of this year. In the preceding three weeks the rates had been 17·5, 16·6, and 15·7. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 23·5 in Liverpool, 23·6 in Sunderland, 23·7 in Oldham, 23·9 in Manchester, 24·2 in Wigan, 26·4 in Bury and in Huddersfield, and 30·8 in Swansea; from *measles*, 2·2 in Warrington, 2·3 in West Ham and in Sunderland, 2·4 in Rotherham, 2·6 in West Hartlepool, and 4·0 in Middlesbrough; from *diphtheria*, 1·3 in Merthyr Tydfil, 1·4 in Warrington, and 1·9 in Tynemouth; and from *whooping-cough*, 1·1 in Walthamstow and in St. Helens, 1·2 in Wigan, 1·6 in Swansea, and 2·6 in Bury. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2110 BIRTHS and 1653 DEATHS were registered. Allowing for increase of population, the births were 347 and the deaths 9 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes, which had been 18·0, 16·9, and 15·3 per 1000 in the preceding three weeks, was 17·8 last week. The death-rate in the four weeks ended last Saturday averaged 17·0 per 1000, being 1·4 per 1000 below the mean rate in the corresponding periods of the five years 1904–8.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals and Asylums, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-five other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(12337—41.) Wt 36—184. 700. 2/09. D & S. G. 31. Sch. 4.

The 1653 deaths included 82 from measles, 7 from scarlet fever, 16 from diphtheria, 29 from whooping-cough, 3 from enteric fever, and 10 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia: thus, to these diseases in the aggregate 147 deaths were referred, being 29 above the corrected average number in the fourth week of the preceding five years.

The deaths from *measles*, which had been 72, 79, and 76 in the preceding three weeks, rose to 82 last week, and were 51 above the corrected average; 16 deaths belonged to the Borough of Stepney, 9 to Southwark, 7 to Lambeth, 6 to Deptford, and 5 each to Bethnal Green and Camberwell. The deaths from *scarlet fever*, which had been 4, 11, and 11 in the preceding three weeks, numbered 7 last week, and were 5 below the corrected average. The deaths from *diphtheria*, which had been 20, 14, and 20 in the preceding three weeks, were 16 last week, and were 5 below the corrected average. The deaths from *whooping-cough*, which had been 14, 8, and 11 in the preceding three weeks, rose to 29 last week, but were 7 below the corrected average; 4 deaths belonged to Fulham, and 3 each to Paddington and Wandsworth. The deaths from *enteric fever*, which had been 8, 8, and 6 in the preceding three weeks, fell to 3 last week, and were equal to the corrected average. The deaths from *diarrhœa*, which had been 17, 22, and 15 in the preceding three weeks, fell to 10 last week, and were 4 below the corrected average. Of the 10 deaths from diarrhœa, 8 were those of children under 5 years of age; 4 other deaths at this age were certified as due to *enteritis* and 2 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 12, having been 15, 20, and 14 in the preceding three weeks. The death of a house decorator, aged 45, and that of a boiler maker, aged 36, were certified after inquest as due to *lead-poisoning*.

Different forms of violence caused 65 deaths, concerning all of which inquests were held. Of these 65 deaths, 11 were cases of suicide and 3 of homicide, while the remaining 51 deaths were attributed to accident or negligence. Six of these latter were referred to vehicles in the streets, fourteen to burns or scalds, two to drowning, and six, of infants under one year of age, to suffocation in bed. Three deaths occurred while under anæsthetics administered for surgical purposes.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 3201 cases of scarlet fever, 1187 of diphtheria, and 130 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows :—Of scarlet fever, 339 cases, against 323, 358, and 379; of diphtheria, 138 cases, against 141, 136, and 133; and of enteric fever, 13 cases, against 21, 21, and 17. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended January 23rd, 1909.

Greater London.

In Greater London 3131 births and 2263 deaths were registered. Allowing for increase of population, these numbers are 668 and 93 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 5 deaths from measles, 5 from diphtheria, 4 from whooping-cough, 3 from "fever," and 1 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 30·15 inches, and that of the Thermometer 31°·8, the latter being 7°·6 below the week's average in the 65 years ended 1905. The direction of the wind was variable, the horizontal movement of the air being 56 per cent. below the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 18·9 hours; the measured rainfall amounted to 0·02 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases but in some of the cases the diagnosis is afterwards found to have been erroneous.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 30th January, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1909.*	Death-Rates from all Causes. Week ended 9th Jan., 1909.	16th Jan., 1909.	23rd Jan., 1909.	3 th Jan., 1909.	Rate from Diseases in Cols. 11–17. Week ended 30th Jan., 1909.	Registered during the Week ended 30th Jan., 1909. Births.	Deaths.	The Deaths registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS	**16,445,231**	**17·5**	**16·6**	**15·7**	**18·0**	**1·5**	**7657**	**5665**	**967**	**1888**	**–**	**217**	**30**	**75**	**94**	**27**	**40**	**203**	**459**	**1530**	**61**	**76 TOWNS.**
LONDON	4,833,938	18·0	16·9	15·3	17·8	1·6	2110	1653‡	256	555	–	82	7	16	29	3	10	65	154	662	–	LONDON.
† CROYDON	161,078	17·2	15·9	14·2	14·6	2·3	69	45	12	8	–	3	–	1	2	1	–	2	3	9	1	CROYDON.
† WILLESDEN ..	160,424	12·7	13·0	8·1	6·8	0·7	73	21	3	10	–	1	–	–	–	–	1	–	1	3	–	WILLESDEN.
† HORNSEY	95,628	10·4	4·9	8·2	9·3	0·5	27	17	1	8	–	–	–	1	–	–	–	1	2	2	–	HORNSEY.
† TOTTENHAM ..	129,464	17·3	12·9	9·3	14·5	1·6	53	36	7	9	–	3	–	1	–	–	–	–	3	4	–	TOTTENHAM.
† WEST HAM ..	321,767	15·9	15·6	14·3	17·2	3·1	140	106	20	40	–	14	1	1	2	–	1	3	6	25	–	WEST HAM.
† EAST HAM.. ..	149,575	10·5	14·3	9·8	8·0	0·3	53	23	9	7	–	1	–	–	–	–	–	2	4	3	1	EAST HAM.
† LEYTON	129,614	16·9	14·1	6·8	14·9	2·0	46	37	10	9	–	3	–	1	1	–	–	3	4	7	–	LEYTON.
† WALTHAMSTOW ..	136,602	11·8	9·9	8·4	13·0	1·5	60	34	6	12	–	–	–	–	3	1	–	4	5	5	–	WALTHAMSTOW.
HASTINGS	68,165	12·2	16·8	12·2	15·3	–	20	20	2	10	–	–	–	–	–	–	–	1	1	4	–	HASTINGS.
BRIGHTON	130,926	18·3	15·1	15·5	14·3	0·4	34	36	3	18	–	–	–	1	–	–	–	1	3	8	–	BRIGHTON.
PORTSMOUTH ..	214,726	17·2	13·6	15·1	18·5	1·5	102	76	15	32	–	–	–	2	2	–	2	1	5	17	1	PORTSMOUTH.
BOURNEMOUTH ..	72,368	19·5	20·9	16·6	18·0	0·7	22	25	4	10	–	1	–	–	–	–	–	1	3	3	–	BOURNEMOUTH.
SOUTHAMPTON ..	124,667	14·6	17·6	15·1	18·0	1·3	56	43	8	15	–	–	–	–	1	–	2	1	5	9	–	SOUTHAMPTON.
READING	82,995	16·3	17·0	15·1	15·1	0·6	26	24	2	13	–	–	–	–	–	1	–	1	1	4	1	READING.
NORTHAMPTON ..	97,752	16·5	16·5	13·3	22·4	0·5	33	42	6	20	–	–	–	1	–	–	–	2	2	4	1	NORTHAMPTON.
IPSWICH	74,889	13·2	16·0	13·2	18·1	–	37	26	7	10	–	–	–	–	–	–	–	–	1	4	–	IPSWICH.
GREAT YARMOUTH	53,430	25·4	24·4	11·7	20·5	2·9	23	21	3	12	–	1	–	1	1	–	–	–	2	3	–	GREAT YARMOUTH.
NORWICH	124,136	14·7	16·0	14·3	14·3	0·8	58	34	8	13	–	–	–	1	1	–	–	1	2	4	–	NORWICH.
PLYMOUTH	124,180	17·6	19·3	13·0	15·1	1·3	53	36	5	14	–	1	–	–	1	1	–	–	3	7	–	PLYMOUTH.
DEVONPORT	83,103	17·6	12·5	17·6	11·9	0·6	30	19	3	9	–	–	–	1	–	–	–	–	1	3	–	DEVONPORT.
BRISTOL	377,642	13·5	14·6	11·9	14·5	0·6	155	105	16	51	–	–	–	2	–	–	2	4	12	31	–	BRISTOL.
HANLEY	68,831	27·3	14·4	14·4	20·5	–	36	27	6	10	–	–	–	–	–	–	–	–	3	5	1	HANLEY.
BURTON-ON-TRENT	54,453	18·2	14·4	10·5	12·4	–	22	13	4	4	–	–	–	–	–	–	–	–	–	3	1	BURTON-ON-TRENT.
WOLVERHAMPTON..	104,633	16·9	15·0	15·4	15·9	0·5	39	32	8	8	–	–	–	–	1	–	–	1	4	5	1	WOLVERHAMPTON.
WALSALL	99,399	23·6	16·3	15·7	14·2	–	51	27	3	11	–	–	–	–	–	–	–	1	5	8	–	WALSALL.
HANDSWORTH ..	70,186	14·1	11·1	10·4	5·2	–	16	7	2	3	–	–	–	–	–	–	–	–	–	–	–	HANDSWORTH.
WEST BROMWICH ..	70,457	22·2	20·0	16·3	22·2	0·7	47	30	5	13	–	–	–	1	–	–	–	–	2	5	1	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

‡ Including 1 death from Epidemic Cerebro-spinal meningitis.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 30th January, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1909.*	Death-Rates from all Causes. Week ended 9th Jan., 1909.	16th Jan., 1909.	23rd Jan., 1909.	30th Jan., 1909.	Rate from Diseases in Cols. 11-17. Week ended 30th Jan., 1909.	Registered during the Week ended 30th Jan., 1909. Births.	Deaths.	The Deaths registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
BIRMINGHAM ..	563,629	19·0	16·3	17·7	16·7	2·1	284	180	36	55	–	11	1	1	7	–	3	4	5	30	10	BIRMINGHAM.
KINGS NORTON ..	81,632	13·4	8·9	18·5	16·6	–	40	26	6	13	–	–	–	–	–	–	–	–	–	1	1	KINGS NORTON.
SMETHWICK	70,377	11·9	17·0	18·5	14·1	2·2	29	19	7	3	–	2	1	–	–	–	–	–	–	3	–	SMETHWICK.
ASTON MANOR ..	85,257	11·6	10·4	15·9	17·1	0·6	32	28	7	8	–	–	–	1	–	–	–	1	1	2	–	ASTON MANOR.
COVENTRY	84,163	20·2	8·5	13·7	20·2	2·0	48	31	6	11	–	1	–	–	1	1	–	1	1	6	2	COVENTRY.
LEICESTER	244,255	16·9	16·2	12·8	16·0	1·7	76	75	12	21	–	4	3	–	–	–	1	–	5	20	1	LEICESTER.
GRIMSBY	73,036	15·0	16·4	12·9	15·0	2·1	42	21	6	2	–	1	–	1	1	–	–	1	4	3	–	GRIMSBY.
NOTTINGHAM ..	263,443	20·0	18·2	20·4	20·2	1·6	123	102	18	39	–	4	–	–	2	1	1	3	5	21	1	NOTTINGHAM.
DERBY	129,411	17·7	10·5	13·7	12·5	2·4	79	31	6	13	–	3	–	2	–	–	1	1	7	4	–	DERBY.
STOCKPORT	103,706	22·6	19·6	23·6	21·1	1·5	50	42	7	17	–	1	–	1	1	–	–	1	2	12	–	STOCKPORT.
BIRKENHEAD ..	121,123	16·4	18·9	13·3	19·4	0·9	68	45	8	19	–	–	1	1	–	–	–	1	4	15	–	BIRKENHEAD.
WALLASEY	71,004	14·7	10·3	11·0	10·3	0·7	34	14	2	5	–	–	–	–	–	–	1	–	1	2	–	WALLASEY.
LIVERPOOL	760,357	21·5	19·4	19·7	23·5	1·2	473	342	65	106	–	4	5	2	5	–	1	16	30	131	12	LIVERPOOL.
BOOTLE	69,393	19·5	18·8	9·8	20·3	–	38	27	2	7	–	–	–	–	–	–	–	2	2	5	–	BOOTLE.
ST. HELENS	95,161	15·9	18·6	15·3	20·8	2·2	67	38	9	11	–	1	1	–	2	–	–	3	3	7	2	ST. HELENS.
WIGAN	90,678	19·0	17·3	17·3	24·2	1·7	60	42	10	11	–	–	–	–	2	–	1	–	3	3	–	WIGAN.
WARRINGTON ..	72,276	18·8	11·5	22·4	13·0	4·3	44	18	4	4	–	3	–	2	–	1	–	1	1	5	–	WARRINGTON.
BOLTON	187,824	20·3	18·9	16·7	16·1	1·1	82	58	9	17	–	3	–	1	–	–	–	1	3	7	–	BOLTON.
BURY	59,234	22·9	27·3	16·7	26·4	4·4	29	30	2	13	–	1	–	–	3	1	–	–	–	8	–	BURY.
MANCHESTER ..	655,435	18·5	20·1	20·6	23·9	2·6	345	301	49	90	–	11	4	4	6	5	3	8	23	89	3	MANCHESTER.
SALFORD	241,950	17·0	18·3	20·5	19·6	1·9	124	91	23	25	–	–	–	3	2	3	1	5	8	19	–	SALFORD.
OLDHAM	143,301	23·7	24·7	19·6	23·7	1·8	84	65	8	22	–	2	1	2	–	–	–	–	2	16	–	OLDHAM.
ROCHDALE	89,653	19·2	15·7	20·9	23·3	–	31	40	1	17	–	–	–	–	–	–	–	1	4	9	–	ROCHDALE.
BURNLEY	106,267	19·6	11·8	18·2	15·7	1·0	38	32	6	9	–	–	–	1	–	1	–	–	–	4	–	BURNLEY.
BLACKBURN	136,959	15·2	19·4	16·8	22·1	1·5	68	58	9	12	–	2	–	–	1	–	1	5	7	13	1	BLACKBURN.
PRESTON	118,519	15·8	15·4	14·1	20·2	–	58	46	4	15	–	–	–	–	–	–	–	5	5	9	1	PRESTON.
BARROW-IN-FURNESS.	62,996	12·4	11·6	10·8	9·9	–	30	12	3	5	–	–	–	–	–	–	–	–	–	1	–	BARROW-IN-FURNESS.

* See note † on first page of this return.

TABLE 1 (*cont.*).—78 GREATER TOWNS, ETC., in which the Population at the Census of 1901 was 50,000 and upwards, or which are Boroughs, Parliamentary Boroughs, or Seaports, Population, Births, Deaths, Death-Rates, and Causes of Death, for the Week ended Saturday, 30th January, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 9th Jan., 1909.	16th Jan., 1909.	23rd Jan., 1909.	30th Jan., 1909.	Rate from Diseases in Cols. 11-17. Week ended 30th Jan., 1909.	Registered during the Week ended 30th Jan., 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,739	18·7	14·9	19·8	26·4	1·1	39	48	6	19	–	1	–	–	–	1	–	5	6	9	–	HUDDERSFIELD.
HALIFAX	111,911	15·4	17·2	12·1	18·2	0·9	23	39	3	16	–	–	1	1	–	–	–	2	4	11	–	HALIFAX.
BRADFORD	293,983	17·4	16·7	16·8	17·9	0·7	78	101	7	50	–	–	–	3	–	–	1	3	10	30	–	BRADFORD.
LEEDS	484,012	16·3	15·7	15·4	19·0	0·4	186	176	26	62	–	1	–	1	1	1	–	6	17	32	–	LEEDS.
SHEFFIELD	470,958	18·8	15·8	18·7	18·9	3·2	267	171	25	54	–	18	2	3	3	3	–	5	9	39	7	SHEFFIELD.
ROTHERHAM.. ..	65,070	13·6	14·4	16·8	20·8	4·0	37	26	5	4	–	3	–	–	–	1	1	–	1	4	1	ROTHERHAM.
YORK	87,004	10·2	17·4	10·2	16·2	0·6	30	27	5	10	–	–	–	–	–	–	1	2	3	2	–	YORK.
HULL	275,552	16·8	17·0	19·3	18·9	1·7	145	100	21	27	–	5	–	1	3	–	–	2	5	15	2	HULL.
MIDDLESBROUGH ..	105,255	27·2	18·3	16·3	20·8	5·9	73	42	8	8	–	8	–	1	2	–	1	1	2	6	1	MIDDLESBROUGH.
STOCKTON-ON-TEES	53,417	20·5	10·7	21·5	11·7	–	13	12	4	1	–	–	–	–	–	–	–	–	1	2	1	STOCKTON-ON-TEES.
WEST HARTLEPOOL	79,686	15·7	13·1	13·1	15·1	3·3	32	23	4	4	–	4	–	1	–	–	–	2	4	4	–	WEST HARTLEPOOL.
SUNDERLAND ..	159,378	16·7	26·2	16·7	23·6	3·3	95	72	10	21	–	7	1	2	–	–	–	–	–	18	–	SUNDERLAND.
SOUTH SHIELDS ..	117,627	18·6	17·3	16·0	14·6	1·3	68	33	6	9	–	–	–	1	1	–	1	2	2	3	1	SOUTH SHIELDS.
GATESHEAD	131,024	12·7	13·9	15·5	11·5	0·8	68	29	5	8	–	1	–	1	–	–	–	–	–	3	3	GATESHEAD.
NEWCASTLE-ON-TYNE.	281,584	13·9	16·9	16·9	20·0	1·9	166	108	18	28	–	5	–	2	2	1	–	4	8	20	–	NEWCASTLE-ON-TYNE.
TYNEMOUTH ..	55,808	21·5	23·4	13·1	16·7	2·8	29	20	3	7	–	–	–	2	1	–	–	–	–	2	1	TYNEMOUTH.
NEWPORT (MON.) ..	78,336	10·0	14·6	16·0	14·6	–	46	22	1	9	–	–	–	–	–	–	–	1	3	6	–	NEWPORT (MON.).
CARDIFF	195,303	16·6	12·8	13·6	13·6	0·5	95	51	12	16	–	–	–	1	–	–	1	4	6	16	–	CARDIFF.
RHONDDA	135,894	15·0	15·0	15·7	16·5	–	95	43	12	6	–	–	–	–	–	–	–	7	7	–	1	RHONDDA.
MERTHYR TYDFIL..	78,365	22·6	24·6	15·3	23·3	3·3	51	35	7	8	–	–	1	2	1	–	1	1	2	6	–	MERTHYR TYDFIL.
SWANSEA	98,308	19·1	19·6	18·0	30·8	2·1	54	58	20	17	–	–	–	–	3	–	1	1	6	10	–	SWANSEA.
GREATER LONDON	7,429,740	16·6	15·5	14·1	15·9	1·5	3131	2263	379	779	–	112	8	26	41	8	13	89	203	765	2	GREATER LONDON.
OUTER RING ..	2,595,802	13·8	13·0	12·0	12·3	1·2	1021	610	123	224	–	30	1	10	12	5	3	24	49	103	2	OUTER RING.
8 TOWNS IN OUTER RING.	1,284,152	14·4	13·3	10·6	13·0	1·7	521	319	68	103	–	25	1	5	8	2	2	15	28	58	2	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,311,650	13·2	12·6	13·3	11·6	0·7	500	291	55	121	–	5	–	5	4	3	1	9	21	45	–	REMAINDER OF OUTER RING.
EDINBURGH	355,366	20·2	16·0	19·4	17·0	0·6	155	116‡	15	45	–	–	1	1	–	–	2	6	?	43	–	EDINBURGH.
GLASGOW	872,021	19·5	17·6	18·5	18·0	2·8	462	301	56	67	–	–	2	7	26	3	9	16	?	98	6	GLASGOW.
DUBLIN (Registration Area).†	398,353	23·6	23·7	25·3	25·4	1·7	238	194‡	38	63	–	6	–	2	2	2	1	6	8	84	9	DUBLIN (Registration Area).†
BELFAST†	386,576	16·7	19·3	18·9	19·7	0·9	263	146‡	27	38	–	1	–	1	1	2	2	2	3	37	–	BELFAST.†

* See note † on first page of this return. † Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast respectively.
‡ Including 1 death from Cerebro-spinal meningitis in Edinburgh, 1 from Cerebro-spinal fever in Dublin, and 1 from Cerebro-spinal fever and 1 from Cerebro-spinal meningitis in Belfast.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FOURTH Week of each of the Eleven Years, 1899–1909.

	1899	1900	1901	1902	1903	1904	1905	1906	1907	1908	Corrected Weekly Average in 5 Years 1904–1908.*	1909
TOTAL **Births** -	2686	2634	2713	2467	2652	2434	2637	2451	2134	2344	2457·0	2110
Males - - -	1360	1329	1355	1247	1343	1236	1287	1243	1092	1182	1310·4	1089
Females - -	1326	1305	1358	1220	1309	1198	1350	1208	1042	1162	1146·6	1021
TOTAL **Deaths** -	1381	1950	1568	1571	1569	1734	1700	1384	1647	1651	1661·8	1653
Males - - -	698	1009	777	808	801	853	857	715	864	862	850·0	866
Females - -	683	941	791	763	768	881	843	669	783	789	811·8	787

* The numbers in this column are the average weekly numbers in the Fourth week of the five years 1904-1908, raised by 2·375 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	1909 Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	13 Weeks.
TOTAL **Births** -	2485	2189	2187	2221	2040	2186	2133	1438	2228	2476	2434	2162	2110	28289
TOTAL **Deaths** -	1388	1418	1357	1451	1383	1311	1359	1038	1805	1672	1563	1414	1653	18812
Ages at Death: Under 1 year -	332	305	284	262	242	265	240	155	305	251	273	221	256	3391
1—5 years -	136	166	149	166	135	147	139	115	211	174	181	175	205	2099
5—20 " -	72	81	70	66	71	57	81	53	81	79	71	51	65	898
20—40 " -	154	181	187	181	171	161	162	118	233	179	175	171	214	2287
40—60 " -	265	285	266	288	278	264	284	221	354	394	330	292	358	3879
60 yrs. & upwds.	429	400	401	488	486	417	453	376	621	595	533	504	555	6258
Deaths from—														
Small-pox† - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles - - -	28	31	32	34	38	49	51	44	87	72	79	76	82	703
Scarlet Fever - -	10	11	8	9	14	10	14	7	7	4	11	11	7	123
Diphtheria - -	18	19	16	30	13	14	24	17	23	20	14	20	16	244
Whooping-cough -	7	10	7	7	2	7	4	7	11	14	8	11	29	124
Typhus - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever - -	12	9	11	10	5	9	14	7	7	8	8	6	3	109
Pyrexia (origin uncertain).	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa, Dysentery	44	41	31	32	24	11	19	14	22	17	22	15	10	302
All above diseases -	119	121	105	122	96	100	126	96	157	135	142	139	147	1605
Dis. of Resp. System	115	149	157	150	141	129	136	106	193	258	181	156	214	2085
Pneumonia - -	161	161	177	168	154	155	145	96	188	184	188	161	163	2101
Phthisis - - -	145	150	145	143	131	135	116	104	171	158	121	127	198	1844
Dis. of Circ. System -	202	182	176	177	189	170	199	149	252	253	211	185	252	2557
Violence - - -	57	59	50	71	62	52	52	50	83	82	72	51	65	806
Inquest Cases - -	134	139	132	137	127	132	129	111	207	201	162	140	154	1905
Deaths in Institutions	536	570	568	651	602	541	599	434	686	615	631	611	662	1736
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	47·3	45·1	44·7	47·6	43·5	42·3	45·1	40·2	31·5	40·7	42·2	38·7	31·8	41·7
Mean of Highest -	53·1	51·8	49·1	53·7	47·1	46·9	49·3	42·4	35·9	44·0	47·4	42·8	37·1	46·2
Mean of Lowest -	41·0	35·9	39·4	39·7	40·5	37·1	40·2	37·6	26·8	37·0	37·6	34·1	25·3	36·4
Mean Humidity of the Air.	87	80	84	81	94	87	92	91	85	86	80	81	88	86
Rain-fall (in inches) -	0·00	0·28	0·39	0·07	0·08	0·62	0·81	0·02	0·43	0·13	0·49	0·12	0·02	3·51
Registered Sunshine (in hours).	19·8	33·2	7·7	15·9	0·0	8·8	4·3	3·5	5·7	8·1	22·7	10·9	18·9	159·5
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever - -	3851	3859	3810	3831	3747	3704	3537	3454	3557	3347	3261	3211	3201	3567
Diphtheria - - -	1139	1187	1215	1242	1241	1263	1266	1259	1245	1215	1205	1191	1187	1220
Typhus - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever - -	161	173	185	187	190	184	173	168	153	145	145	137	130	164

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lander, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq., F.R.Met.Soc., Hull; the Meteorological Committee, Tynemouth; and E. Walford Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the FOURTH Week of the Year 1909.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 4th week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.			
ALL CAUSES	1661·8	1653	256	205	65	214	358	555
Small-pox*	0·2	–	–	–	–	–	–	–
Cowpox	–	–	–	–	–	–	–	–
Measles (Morbilli)	30·7	82	20	61	1	–	–	–
Scarlet Fever	11·9	7	–	4	2	1	–	–
Typhus	–	–	–	–	–	–	–	–
Plague	–	–	–	–	–	–	–	–
Influenza	24·8	12	1	–	1	1	6	3
Whooping-cough	36·0	29	6	20	3	–	–	–
Diphtheria	21·1	16	2	11	3	–	–	–
Cerebro-spinal Fever ..	0·2	1	–	1	–	–	–	–
Pyrexia† (origin uncertain)	–	–	–	–	–	–	–	–
Enteric Fever	3·3	3	–	–	–	2	1	–
Asiatic Cholera	–	–	–	–	–	–	–	–
Epidemic Diarrhœa, Infective Enteritis	2·9	2	2	–	–	–	–	–
Diarrhœa, Dysentery ..	11·5	8	5	1	1	–	–	1
Tetanus	1·0	–	–	–	–	–	–	–
Rabies, Hydrophobia ..	–	–	–	–	–	–	–	–
Glanders	–	–	–	–	–	–	–	–
Anthrax (Splenic Fever)..	–	–	–	–	–	–	–	–
Venereal Dis.	8·2	9	6	–	–	2	1	–
Puerperal Septicæmia ..	3·1	3	–	–	–	3	–	–
Puerperal Pyæmia.. ..	–	–	–	–	–	–	–	–
Puerperal Fever	0·6	2	–	–	–	2	–	–
Infective Endocarditis ..	2·0	3	–	–	–	3	–	–
Pneumonia — Lobar ..	20·3	20	–	1	1	3	13	2
Pneumonia — Broncho ..	82·9	69	22	26	3	2	6	10
Pneumonia — Epidemic ..	–	1	–	–	–	–	1	–
Pneumonia — Not defined	81·3	73	9	17	3	8	16	20
Erysipelas	4·7	–	–	–	–	–	–	–
Septicæmia (not Puerperal)	0·4	2	–	–	–	–	1	1
Pyæmia (not Puerperal)	0·6	–	–	–	–	–	–	–
Other Infective Processes	9·8	7	–	–	–	–	2	5
Tuberculous Phthisis ..	104·2	146	1	4	6	61	54	20
"*Phthisis*"	62·9	52	1	–	1	21	20	9
Tuberculous Meningitis ..	23·5	14	3	10	1	–	–	–
Tuberculous Peritonitis ..	5·3	5	–	3	1	1	–	–
Tabes Mesenterica	2·3	2	1	1	–	–	–	–
Tuberculous Dis., Other ..	17·6	15	3	5	4	2	1	–
Scrofula..	0·4	–	–	–	–	–	–	–
Alcoholism	10·6	8	–	–	–	2	4	2
Rheumatic Fever	6·1	8	–	–	4	–	3	1
Gout	2·7	1	–	–	–	–	1	–
Carcinoma	52·6	62	–	–	–	8	29	25
Sarcoma	4·3	3	–	–	1	–	1	1
Cancer (undefined) ..	30·5	28	–	1	–	5	9	13
Diabetes Mellitus	10·2	10	–	–	1	1	4	4
Premature Birth	44·2	55	55	–	–	–	–	–

CAUSES OF DEATH.	Corrected Average for the 4th week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.			
Meningitis (not tuberc.)..	11·5	10	3	4	1	2	–	–
Gen. Par. of Insane, Insanity	22·1	18	–	–	–	3	6	9
Epilepsy	5·9	3	–	–	–	1	1	1
Convulsions	18·0	13	11	2	–	–	–	–
Locomotor Ataxy.. ..	2·5	–	–	–	–	–	–	–
Paraplegia, Dis. of Cord.	4·9	6	–	–	–	–	3	3
Nervous Sys., Other Dis.	20·9	20	1	–	2	–	4	13
Valv. Dis., Endocarditis..	48·9	70	–	1	9	14	14	32
Cereb. Hæm. Cereb. Emb.	33·8	37	–	–	–	1	5	31
Apoplexy, Hemiplegia ..	19·2	16	–	–	–	–	4	12
Aneurysm	5·7	9	–	–	–	1	3	5
Embolism, Thrombosis (not Cerebral)	1·4	1	–	–	–	–	1	–
Heart & Blood Ves., Other Dis... ..	107·7	119	–	–	4	4	33	78
Croup (not Spasm: nor Memb.)	0·6	–	–	–	–	–	–	–
Bronchitis	226·5	188	21	8	–	11	38	110
Emphysema, Asthma ..	8·2	8	–	–	–	–	2	6
Pleurisy	3·7	8	1	1	–	5	1	–
Respiratory Dis., Other..	15·2	10	1	–	–	–	3	6
Tonsillitis, Quinsy.. ..	1·6	1	–	1	–	–	–	–
Enteritis (not Epid.) ..	8·0	5	3	1	–	–	1	–
Gastro-enteritis	4·3	3	1	1	–	–	–	1
Peritonitis (not Puerp.) ..	3·7	4	–	–	–	1	2	1
Cirrhosis of Liver.. ..	13·1	17	–	–	–	2	10	5
Liver Dis., Other	4·7	5	–	1	–	–	1	3
Digestive Sys., Other Dis.	39·7	32	3	2	2	12	10	3
Acute Nephritis	8·8	11	–	1	–	5	2	3
Bright's Dis., Albuminuria	38·5	41	–	–	1	5	15	20
Urinary Sys., Other Dis.	11·9	9	–	–	1	1	1	6
Generative Organs Dis...	4·9	3	–	–	–	–	3	–
Childbirth (Accid. of) ..	4·1	2	–	–	–	2	–	–
Old Age	69·0	64	–	–	–	–	–	64
Other Diseases	95·1	97	61	6	2	7	10	8
ACCIDENT.								
By Railways	1·4	1	–	–	–	1	–	–
By Vehicles and Horses..	5·9	6	–	–	1	–	2	3
In Ships, Boats, Docks, (exclusive of Drowning)	0·2	–	–	–	–	–	–	–
In Building Operations..	1·2	1	–	–	–	1	–	–
In Conflagrations	1·4	1	–	–	–	–	–	1
By Burns, Scalds, Explosions	10·0	14	–	9	2	1	1	1
By Drowning	2·7	2	–	–	–	1	1	–
By Suffocation in Bed ..	12·9	6	6	–	–	–	–	–
By Poisons or Poisonous Vapours	2·0	3	–	1	–	1	–	1
Other Deaths by Accident..	18·4	17	2	–	1	1	1	12
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	1·0	3	2	–	–	1	–	–
Suicide	5·7	11	–	–	2	2	7	–
Execution	–	–	–	–	–	–	–	–

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 30th January, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia*† (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON	4,536,267	2110	1653	256	555	–	82	7	16	29	–	3	–	10	65	154	662	–
WEST DISTRICTS	805,311	304	289	31	119	–	7	1	3	12	–	1	–	2	5	17	112	–
NORTH DISTRICTS	1,055,908	447	361	46	139	–	8	3	3	6	–	–	–	2	16	41	146	–
CENTRAL DISTRICTS	209,465	103	71	17	14	–	3	–	1	1	–	–	–	–	8	11	33	–
EAST DISTRICTS	715,739	398	266	57	61	–	24	–	2	2	–	–	–	2	15	32	132	–
SOUTH DISTRICTS	1,749,844	858	629	104	207	–	40	2	6	8	–	2	–	4	21	53	202	–
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	–	37	1	15	–	–	1	1	–	–	–	–	–	–	–	37	–
WEST DISTRICTS.																		
North Paddington *H*	63,603	33	16	4	3	–	–	–	–	2	–	–	–	–	–	–	1	–
Central Paddington *W,3H*	50,053	26	29	4	14	–	1	1	–	1	–	–	–	–	1	2	19	–
South Paddington	30,320	7	12	–	8	–	–	–	–	–	–	–	–	–	–	–	–	–
Kensington Town *2W,w,2H* ..	128,037	49	56	3	30	–	2	–	–	1	–	–	–	–	1	3	27	–
Brompton *2H*	48,591	10	15	–	8	–	–	–	–	–	–	1	–	–	–	–	2	–
North Hammersmith *2W,w,H* ..	49,192	27	20	5	9	–	–	–	–	1	–	–	–	–	–	2	7	–
South Hammersmith *w,2H* ..	63,047	20	23	2	6	–	–	–	–	1	–	–	–	1	–	2	9	–
North-west Fulham *W*	45,180	26	22	5	6	–	1	–	–	3	–	–	–	1	1	1	14	–
North-east Fulham *F*	46,405	17	13	1	4	–	–	–	3	1	–	–	–	–	–	2	3	–
South Fulham *W*	45,704	29	10	1	7	–	–	–	–	–	–	–	–	–	–	–	–	–
Chelsea North *W,w,3H*	42,514	10	20	1	5	–	3	–	–	–	–	–	–	–	–	–	12	–
Chelsea South *W,2H*	31,328	9	14	2	7	–	–	–	–	–	–	–	–	–	–	–	2	–
Mayfair and Knightsbridge	28,743	2	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Belgrave *W,2H*	55,815	21	16	–	4	–	–	–	–	1	–	–	–	–	–	–	8	–
St. Margaret & St. John *6H*	43,693	10	14	1	6	–	–	–	–	1	–	–	–	–	2	4	6	–
St. James and St. Anne *W,6H* ..	33,081	8	7	2	1	–	–	–	–	–	–	–	–	–	–	1	2	–
NORTH DISTRICTS.																		
All Souls Marylebone *8H*	35,391	9	16	1	6	–	–	–	–	–	–	–	–	–	–	2	9	–
St. Mary Marylebone *W.4H* ..	37,948	48	10	1	6	–	–	–	–	–	–	–	–	1	–	1	3	–
Christchurch Marylebone	39,536	21	10	3	3	–	1	–	–	–	–	–	–	–	–	1	–	–
St. John Marylebone *2H*	20,426	3	5	1	2	–	–	–	–	1	–	–	–	–	1	1	–	–
Hampstead *W,F,6H*	81,942	24	28	2	9	–	–	3	2	2	–	–	–	1	–	–	11	–
West St. Pancras *2H*	60,562	16	10	1	4	–	1	–	–	–	–	–	–	–	–	2	2	–
South St. Pancras *w.12H*	55,707	16	26	2	4	–	–	–	–	–	–	–	–	–	2	2	19	–
East St. Pancras *W,H*	60,320	32	27	1	13	–	1	–	–	1	–	–	–	–	–	–	15	–
North St. Pancras *2W*	58,728	20	28	4	10	–	–	–	–	–	–	–	–	–	2	4	11	–
Tufnell *W*	31,995	8	28	3	10	–	–	–	–	–	–	–	–	–	–	–	21	–
Upper Holloway *2W,w,H*	33,978	21	35	3	15	–	1	–	–	–	–	–	–	–	3	4	22	–
Tollington *W,w,H*	33,922	17	4	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Lower Holloway	41,424	26	11	3	5	–	1	–	–	–	–	–	–	–	1	1	–	–
Barnsbury	54,478	26	11	1	5	–	1	–	–	–	–	–	–	–	–	1	–	–
Islington South-east *F*	75,397	37	10	–	5	–	–	–	–	–	–	–	–	–	–	–	–	–
Highbury *2H*	63,797	15	10	2	5	–	–	–	–	1	–	–	–	–	–	2	1	–
Stoke Newington *H*	51,247	16	10	4	4	–	–	–	–	–	–	–	–	–	–	3	–	–
North Hackney	50,398	20	12	2	6	–	–	–	–	1	–	–	–	–	1	2	–	–
Central Hackney *w,F*	50,536	17	7	1	3	–	1	–	1	–	–	–	–	–	–	1	1	–
South-west Hackney *3H*	59,921	27	29	6	9	–	–	–	–	–	–	–	–	–	4	5	7	–
South-east Hackney *2W,w,H* ..	58,255	28	34	5	14	–	1	–	–	–	–	–	–	–	2	9	24	–
Hackney Union Workhouse, Brentwood	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 30th January, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
St. Giles and Bloomsbury 2*W*,2*H* ..	31,436	21	7	2	3	–	–	–	–	–	–	–	–	–	–	–	5	–
Strand *W*,4*H*	21,674	2	12	1	3	–	–	–	–	–	–	–	–	–	–	–	8	–
Strand Union Workhouse, Edmonton	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Holborn *W*,6*H*	29,612	10	10	2	2	–	–	–	–	–	–	–	–	–	–	–	7	–
Clerkenwell *H*	63,704	36	20	7	5	–	3	–	–	–	–	–	–	–	1	4	–	–
St. Luke* 3*H*,*L*	36,116	30	4	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Holborn Union Workhouse, Mitcham	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Botolph *H*	10,299	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Sepulchre and Allhallows *W*,2*H*	16,624	2	16	3	–	–	–	–	1	–	–	–	–	–	7	7	12	–
City of London Asylum, Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
EAST DISTRICTS.																		
Shoreditch South 2*H*	46,362	25	8	2	1	–	–	–	–	–	–	–	–	–	1	1	2	–
Shoreditch North-West *W*,*w* *H* ..	36,127	17	25	2	8	–	1	–	–	2	–	–	–	–	2	5	17	–
Shoreditch North-East	36,148	20	3	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–
Shoreditch Union Workhouse Wood Green	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	44	44	5	13	–	4	–	–	–	–	–	–	–	2	2	28	–
Bethnal Green South-West *H* ..	64,542	28	11	4	2	–	1	–	–	–	–	–	–	–	2	3	1	–
Spitalfields..	27,969	13	5	3	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Mile End New Town *W*,*H*	28,718	25	36	7	4	–	1	–	–	–	–	–	–	–	1	3	31	–
Goodman's Fields	22,081	7	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
St. George and St. John 2*W* ..	49,068	35	18	4	4	–	5	–	–	–	–	–	–	–	–	2	9	–
Shadwell and Ratcliff *W*,*H* ..	25,568	18	12	9	–	–	–	–	–	–	–	–	–	2	2	3	8	–
Limehouse *W*	32,369	16	6	2	1	–	1	–	–	–	–	–	–	–	–	2	–	–
Mile End Old Town South-Western *H*	63,698	42	18	2	5	–	3	–	1	–	–	–	–	–	–	1	–	–
Mile End Old Town North-Eastern *W*,*w*	49,129	21	14	5	5	–	3	–	–	–	–	–	–	–	–	–	10	–
Bow	41,989	17	12	3	2	–	–	–	–	–	–	–	–	–	2	3	–	–
Bromley 3*w*,*H*	68,319	34	40	6	7	–	2	–	1	–	–	–	–	–	2	3	25	–
Poplar *W*,*w*	58,514	36	11	1	6	–	2	–	–	–	–	–	–	–	1	3	1	–
Workhouse, Forest Gate (Parish of Poplar Borough).	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

* On 1st January, 1909, the sub-district of Finsbury was re-named St. Luke.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 30th January, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch and St. Saviour Southwark *W,2H*	23,319	12	18	1	4	-	-	-	-	-	-	-	-	-	1	1	15	-
Kent-road	21,904	14	7	2	1	-	1	-	-	1	-	-	-	1	-	1	-	-
St. George the Martyr West *W,2H,L*	39,094	25	22	3	4	-	3	-	-	-	-	-	-	-	1	1	6	-
Newington North	49,022	37	14	1	4	-	2	-	-	-	-	-	-	-	1	1	-	-
Newington South *W*	72,841	34	17	3	7	-	2	-	-	-	-	-	-	-	-	-	4	-
St. Olave *2W*	9,817	13	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Bermondsey *W*	82,483	41	25	4	5	-	3	-	-	1	-	-	-	-	-	3	1	-
Rotherhithe *W,F*	38,460	13	17	7	1	-	1	-	-	-	-	-	-	-	-	1	5	-
Waterloo *2H*	27,440	29	10	5	1	-	3	-	-	1	-	-	-	-	-	1	3	-
Lambeth Church *H*	27,440	10	27	3	5	-	-	-	-	-	-	-	-	-	7	8	18	-
Kennington *2W*	52,518	20	33	6	12	-	3	-	-	-	-	-	-	-	1	2	21	-
Stockwell *HF*	63,826	30	19	2	8	-	-	1	2	-	-	-	-	-	-	1	4	-
Brixton *H*	73,673	25	19	1	10	-	1	-	-	-	-	-	-	-	-	-	-	-
Norwood *2WH*	56,998	29	21	8	6	-	-	-	-	-	-	-	-	-	-	-	2	-
East Battersea *H*	72,203	35	19	4	2	-	2	-	-	1	-	-	-	-	-	3	-	-
North-west Battersea	49,656	24	15	3	4	-	1	-	-	-	-	-	-	-	-	-	-	-
South-west Battersea *2W,H* ..	47,048	14	24	3	6	-	1	-	-	1	-	-	-	1	1	6	20	-
Clapham *2H*	51,361	20	18	2	8	-	-	-	-	-	-	-	-	1	1	1	1	-
Streatham *W,2w,2F,2L*	88,019	32	35	3	21	-	1	1	-	-	-	-	-	-	-	-	13	-
Springfield *2W,L*	27,959	27	5	-	2	-	-	-	-	1	-	-	-	-	-	-	1	-
Southfields *H*	40,444	19	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Putney	24,139	12	5	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Dulwich	13,359	3	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	24	32	3	17	-	1	-	-	1	-	-	-	-	-	2	23	-
Camberwell North *W,2L*	65,584	26	31	4	13	-	1	-	-	-	-	-	-	-	-	2	16	-
St. George	47,331	27	12	3	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Peckham North	48,913	27	19	4	6	-	3	-	-	-	-	-	-	-	1	2	-	-
Peckham South *2W,w*	43,946	17	11	1	3	-	-	-	1	-	-	-	-	-	1	1	-	-
Deptford North	37,613	36	8	6	-	-	4	-	-	-	-	-	-	-	-	-	-	-
Deptford Central *F*	45,481	21	19	1	7	-	3	-	1	-	-	-	-	-	1	1	3	-
Deptford South	34,625	25	10	3	4	-	-	-	-	-	-	-	-	-	1	2	-	-
Greenwich West *2H*	23,456	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich East *2W,H*	43,859	18	37	2	14	-	2	-	-	-	-	-	-	-	1	4	24	-
Eltham *w,H*	7,226	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Lee *w,H*	25,490	9	11	3	4	-	-	-	-	-	-	-	-	1	-	1	3	-
Lewisham *W,w,F*	58,352	31	22	3	11	-	-	-	1	-	-	-	-	-	-	1	11	-
Sydenham *H*	43,653	20	7	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Charlton *F,2H*	21,134	9	7	-	1	-	-	-	1	-	-	2	-	-	1	1	4	-
Woolwich *5H*	41,625	18	10	2	6	-	1	-	-	-	-	-	-	-	1	2	-	-
Plumstead West *W,H*	39,376	15	8	1	3	-	-	-	-	-	-	-	-	-	1	1	-	-
Plumstead East *2W*	28,951	7	6	2	1	-	-	-	-	-	-	-	-	-	-	-	3	-
Workhouses:—																		
Belmont Workhouse	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asylum .. (Westminster, St. Giles, and Strand Unions.)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Small-pox Hospitals:—																		
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																		
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	2	1	-	-	-	1	1	-	-	-	-	-	-	-	2	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums:—																		
Caterham	—	-	4	-	3	-	-	-	-	-	-	-	-	-	-	-	4	-
Darenth	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden	—	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	5	-
London County Lunatic Asylums:—																		
Banstead	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Manor	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Long Grove	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
Cane Hill	—	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	5	-
Dartford Heath	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Hanwell	—	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	5	-
Colney Hatch	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
Claybury	—	-	5	-	2	-	-	-	-	-	-	-	-	-	-	-	5	-

TABLE **6.** LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERATED POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 30th January, 1909.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING ..	368,603	2,045,135	1021	610	123	224	-	30	1	10	12	5	3	24	49	103	2
30 : 1	Carshalton *2F,3H*	12,228	32,997	20	6	3	2	-	-	-	-	-	-	-	-	-	-	-
2	Epsom, *part of** *W,w,2F,H* ..	10,423	15,548	4	5	-	3	-	-	-	-	-	-	-	-	-	4	-
37 : 1	Godstone, *part of** *W,F,L* ..	2 754	2,692	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
38 : 1	Coulsdon	11,069	8,166	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon *w,H* ..	4,200	49,309	14	8	3	-	-	1	-	-	-	1	-	-	-	-	-
3	West Croydon *3W,F,H* ..	2,168	42,888	26	21	5	6	-	-	-	1	-	-	-	2	3	11	1
4	North Croydon *H*	2,614	41,698	29	18	4	4	-	2	-	-	2	-	-	-	-	-	-
5	Penge *w*	770	22,465	7	1	-	1	-	-	-	-	-	-	-	-	-	-	-
6	Mitcham *w*	11,711	30,015	21	11	4	5	-	-	-	-	-	-	1	1	3	-	-
39 : 1	Wimbledon *F,3H*	3,221	41,652	13	10	1	6	-	-	-	-	1	-	-	-	1	-	-
2	Kingston *2W,H*	6,224	42,068	27	16	2	10	-	-	-	1	-	-	-	-	3	3	-
3	Surbiton *F,H*	3,046	15,017	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** *H*	5,402	13,100	9	3	1	1	-	-	-	-	-	-	-	-	-	-	-
5	Hampton *H,F,L*	4,564	23,456	10	6	2	4	-	-	-	-	-	-	-	-	-	-	-
40 : 1	Richmond *W,H*	2,491	31,672	7	18	1	11	-	1	-	-	1	-	-	-	-	1	-
2	Mortlake *F*	2,518	17,821	12	5	1	3	-	-	-	-	-	-	-	-	-	-	-
41 : 1	Bromley *F,3H*	4,703	27,354	12	5	-	2	-	-	-	-	-	-	-	1	1	1	-
2	Beckenham *H*	7,825	28,497	10	2	1	-	-	-	-	-	-	-	-	-	-	-	-
3	Orpington, *part of** *W,F* ..	10,113	9,857	6	6	2	3	-	-	-	-	-	-	-	-	-	-	-
4	Chislehurst *2H*	7,333	16,446	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-
42 : 1	Bexley *w,F,H*	8,678	21,151	4	3	-	-	-	-	-	-	-	-	-	-	-	1	-
2	Erith *F,H*	3,854	25,296	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Dartford *W,F, part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124 : 1	Sunbury *w*	11,054	18,683	14	6	3	2	-	2	-	-	-	-	-	-	-	-	-
2	Staines *W,H*	13,277	15,178	5	4	1	2	-	-	-	-	-	-	-	-	1	1	-
125 : 1	Hillingdon *W,F,H*	6,035	13,661	9	3	-	2	-	-	-	-	-	-	-	-	-	-	-
2	Uxbridge *H*	12,757	8,984	1	2	-	-	-	-	-	-	-	-	-	-	-	1	-
3	Hayes *w 2F,H*	8,066	16,358	10	8	2	2	-	-	-	-	-	-	-	1	1	-	-
126 : 1	Isleworth *3W,3F,H*	6,859	30,863	21	19	-	9	-	-	-	-	-	1	-	-	1	11	-
2	Twickenham *F,2H*	2,421	20,991	13	6	-	1	-	-	-	-	-	-	-	-	1	1	-
3	Brentford *3F,2H*	4,319	48,289	13	15	5	4	-	1	-	-	1	-	-	2	2	-	-
4	Chiswick *H*	1,219	29,809	10	6	3	3	-	-	-	-	-	-	-	-	-	-	-
5	Acton *w,F,3H*	6,132	48,914	32	13	5	4	-	-	-	-	-	-	-	-	-	-	-
127 : 1	Harrow *F,H*	13,809	25,523	15	5	1	1	-	-	-	-	1	-	-	-	-	-	-
2	Edgware *2F,2H*	6,994	4,521	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
3	Willesden *W,F,2H*	4,384	114,811	73	21	3	10	-	1	-	-	-	-	1	-	1	3	-
4	Hendon *W,F*	8,382	22,450	7	5	1	2	-	-	-	1	-	-	-	-	-	-	-
128 : 1	South Mimms *2F,H* ..	17,755	7,308	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet *W,2H*	3,324	17,970	9	6	-	4	-	-	-	1	-	-	-	-	-	-	-
3	Finchley *F,3H*	4,688	33,692	18	9	2	5	-	-	-	-	-	-	-	2	2	-	-
129 : 1	Hornsey *F,H*	2,875	72,056	27	16	1	7	-	-	-	1	-	-	-	1	2	1	-
2	Wood Green *H*	1,625	34,233	19	7	1	3	-	-	-	-	-	-	-	-	-	-	-
3	West Tottenham	995	48,741	22	13	2	2	-	2	-	-	-	-	-	-	-	-	-
4	East Tottenham *2H* ..	2,019	53,962	31	22	5	7	-	1	-	-	-	-	-	-	3	3	-
5	Edmonton *W,w,2F*	7,491	61,892	31	20	2	7	-	1	-	-	-	-	-	1	1	9	-
6	Enfield *2W,F,H*	12,601	42,738	22	12	-	2	-	-	-	-	-	2	-	-	2	2	-
7	Waltham Abbey *F*	11,017	6,549	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt *F,H*	8,479	12,292	2	4	1	2	-	-	-	1	-	-	-	-	-	1	-
135 : 1	Hatfield, *part of** *W* ..	3,305	634	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey *H*	9,333	9,173	5	2	1	1	-	-	-	-	-	-	-	-	-	1	-
2	Watford *W,2F, part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
186 : 1	Stratford *H*	1,091	52,974	20	17	4	4	-	3	-	-	-	-	-	2	2	2	-
2	Forest Gate	787	52,745	16	15	2	10	-	-	-	-	-	-	-	-	2	-	-
3	Plaistow *F,2H*	1,249	90,921	51	25	3	9	-	5	1	1	1	-	-	-	1	4	-
4	Canning Town *H*	1,556	70,718	53	30	5	11	-	4	-	-	1	-	-	1	1	-	-
5	South East Ham *2F* ..	1,991	37,342	24	5	4	-	-	1	-	-	-	-	-	-	1	-	-
6	North East Ham *w,H* ..	1,333	58,666	29	15	5	5	-	-	-	-	-	-	-	1	2	-	1
7	Wanstead *F*	1,679	9,179	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton *2W*	631	50,467	28	21	6	8	-	2	-	-	1	-	-	1	1	8	-
9	North Leyton *2W,w,F* ..	1,963	48,445	18	44	11	11	-	3	-	1	-	1	1	4	5	27	-
10	Walthamstow *2H,L* ..	6,504	108,929	65	31	6	10	-	-	-	-	3	-	-	4	5	-	-
187 : 1	Chigwell *2F,3H*	11,778	16,397	3	4	1	1	-	-	-	-	-	-	-	-	-	-	-
2	Epping *W,F, part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189 : 1	Romford, *part of** *W,2F* ..	6,556	6,091	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Ilford *F,L*	8,496	41,244	25	11	4	4	-	-	-	-	-	-	-	-	-	-	-
3	Barking Town *F*	3,805	21,547	16	4	2	-	-	-	-	-	-	-	-	-	1	-	-
	N.E. Hospital, Tottenham ..	—	—	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-
	London County Lunatic Asylum (Manor Asylum), Epsom.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	London County Lunatic Asylum (Horton Asylum), Epsom.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Kent County Lunatic Asylum, Maidstone.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30 : 2, excepting Ashtead parish; 37 : 1, Warlingham and Farley parishes; 39 : 4, excepting Esher parish; 41 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135 : 1, Northaw parish; 189 : 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42 : 3, 137 : 2 and 187 : 2 and in the Croydon Mental Hospital in 37 : 1 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Stillborn.	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœal Diseases.
London	4,833,938	January 30	2110	1653	17·8	-	82	7	16	29	3	10
Calcutta	992,718	December 19	-	501	26·3	16	-	-	-	-	117†	60‡
		" 26	-	514	27·0	33	3	-	1	2	97†	65‡
Bombay	982,000	January 5	423	626	33·3	3	2	-	-	-	64†	53‡
Madras	548,974	" 1	331	325	33·1	-	1	?	?	?	83	42
Paris	2,722,731	" 23	977	1023	19·5	-	1	2	4	3	7	18
Brussels	693,720	" 23	230	216	16·2	-	1	-	1	1	1	10
Antwerp	310,903	" 23	126	96	16·1	-	-	1	1	-	1	6
Amsterdam	565,601	" 23	272	141	13·0	-	2	-	2	1	-	3
Copenhagen	445,000	" 23	252	150	17·6	-	2	2	1	6	-	3
Stockholm	337,460	" 16	178	80	12·3	-	-	-	-	-	-	2
Christiania	231,687	" 23	129	62	13·9	-	-	-	2	1	-	1
St. Petersburg	1,527,500	" 16	528	894	30·5	1	15	19	20	7	20	109§
Moscow	1,359,886	" 16	-	831	31·9	6	6	9	14	3	10	75
Berlin	2,111,297	" 9	954	753	18·6	-	8	8	11	3	1	38
Hamburg	872,252	" 23	-	256	15·3	-	1	5	4	4	2	14
Breslau	499,437	" 16	-	176	18·4	-	-	-	1	2	-	9
Munich	566,000	" 16	266	165	15·2	-	4	1	4	4	-	11
		" 23	-	169	15·5	-	2	4	5	3	-	7
Vienna	2,042,426	" 16	863	742	18·9	-	16	8	14	3	1	31
Prague	480,856	" 16	202	188	20·3	-	-	7	2	-	-	7
Budapest	823,215	" 16	401	275	17·3	-	3	7	2	-	5	14
Trieste	216,680	" 16	153	113	27·1	-	-	-	1	-	-	1
		" 23	136	85	20·4	-	-	1	-	-	-	-
Rome	559,715	November 21	219	169	15·7	-	3	1	2	1	6§	12
Venice	176,815	January 16	85	112	33·0	-	-	-	-	-	-	4
Bucarest	293,619	" 9	-	-	-	-	-	-	-	-	-	-
New York	4,564,792	" 16	-	-	-	-	-	-	-	-	-	-
Chicago	2,166,055	" 9	-	-	-	-	-	-	-	-	-	-
Philadelphia	1,532,738	December 19	-	-	-	-	-	-	-	-	-	-
Rio de Janeiro	636,018	" 27	-	369	30·3	56	4	-	2	1	9†	?

* Excluding deaths from croup in the Indian Cities.
† Including 9 and 8 deaths from plague in Calcutta, 7 in Bombay, and 7 in Rio de Janeiro.
‡ Including 8 and 12 deaths from cholera in Calcutta, 7 in Bombay, and 50 in St. Petersburg.
§ Including 1 death from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 30th January, 1909.

Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
London (Greenwich)	45·5	20·8	31·2	0·02	Bradford	41·6	18·8	28·7	0·03
Brighton	44·9	26·5	35·9	0·01	York	43·8	19·5	29·9	0·02
Portsmouth	47·7	24·5	35·5	0·03	Hull	41·0	19·0	30·3	0·05
Norwich	40·0	20·8	30·7	0·14	Tynemouth	45·0	22·0	32·2	0·01
Plymouth	52·0	26·2	38·9	0·00	Cardiff	41·0	21·0	31·4	0·10
Bristol	42·0	21·0	32·5	0·09	Edinburgh	44·2	28·4	36·0	0·00
Birmingham	45·0	20·9	32·2	0·06	Glasgow	45·0	31·5	38·4	0·21
Nottingham	41·0	20·8	29·7	0·09	Dublin: Phœnix Park	50·5	29·3	39·6	0·11
Liverpool Observatory	43·0	23·0	32·5	0·14	Dublin: Fitzwilliam Square†	50·1	33·6	40·7	0·09
Manchester	42·8	15·9	30·3	0·03	Belfast	48·0	31·5	40·5	0·13
Burnley	42·0	20·2	31·2	0·11					
Huddersfield	40·8	17·5	30·2	0·01					

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0°·3 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 30th January, 1909.

[*Under the Superintendence of the Astronomer Royal.*]

1909. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
JANUARY.		in.	°	°		°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 24	..	30·020	33·9	25·1	8·8	30·8	- 8·1	24·0	6·8	8·5	3·8	75	58·0	19·8	42·80	ENE., SSE. & ESE.	ESE. & ENE.	0·2	0·0	0·0	119	-207	0·00	0·0
MONDAY - 25	..	30·216	40·8	25·2	15·6	32·9	- 6·2	31·4	1·5	6·7	1·1	94	53·0	14·9	42·40	Calm & ENE.	ENE. & NE.	0·0	0·0	0·0	115	-218	0·00	0·0
TUESDAY - 26	In Equator.	30·326	40·6	29·1	11·5	34·8	- 4·5	32·2	2·6	6·0	0·4	90	69·0	17·3	42·06	NE. & ENE.	NE., E. & ENE.	0·5	0·0	0·0	164	-175	0·00	0·0
WEDNESDAY 27	..	30·319	30·0	26·2	3·8	28·3	-11·2	27·8	0·5	4·1	0·0	98	33·8	15·5	41·70	Calm	Calm	0·0	0·0	0·0	54	-290	0·00	0·0
THURSDAY - 28	First Quarter.	30·205	30·2	20·8	9·4	26·1	-13·5	26·1	0·0	0·8	0·0	100	39·2	21·7	41·51	Calm	Calm	0·0	0·0	0·0	36	-312	0·01*	0·0
FRIDAY - 29	..	30·003	45·5	21·0	24·5	35·3	- 4·4	34·8	0·5	4·4	0·0	98	62·6	22·0	41·10	Calm & SW.	WSW., W. & WNW.	1·0	0·0	0·0	171	-180	0·01	0·0
SATURDAY - 30	..	29·940	38·4	30·0	8·4	34·4	- 5·3	23·3	11·1	13·6	2·3	63	67·0	22·2	40·85	W., NW. & NNE.	NNE., N. & NNW.	8·5	0·0	0·5	402	+ 51	0·00	0·0
MEANS - -		30·147	37·1	25·3	11·7	31·8	- 7·6	28·5	3·3	6·3	1·1	88	54·7	19·1	41·77	ENE. & variable.		..	..	..	Sum 1061	Sum -1331	Sum 0·02	0·0
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

* Fog and frost.

DATE. JANUARY.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.
SUNDAY - 24	m.P. till 3h. A.M.; w. P. till 9h. A.M.; m. P. afterwards.	4·0	8·7
MONDAY - 25	m. P. throughout.	5·5	8·7
TUESDAY - 26	m. P. throughout.	3·8	8·8
WEDNESDAY 27	s. P. throughout.	0·0	8·8
THURSDAY - 28	s. P. throughout.	0·0	8·9
FRIDAY - 29	s. P. till 10h. A.M.; m. P. generally afterwards.	1·0	8·9
SATURDAY - 30	w. P. generally till 8h. A.M.; m. P. till noon; s.P. afterwards.	4·6	9·0
		Sum 18·9	Sum 61·8
No. of Col. - -	27	28	29

GENERAL REMARKS.

Overcast till 5h. A.M.; fine and partially cloudy till 3h. P.M.; overcast afterwards: slight hoar frost in morning.

Very fine throughout; hoar frost and slight fog in morning and at night.

Cloudless at first with hoar frost; overcast between 2h. and 11h. A.M.; very fine afterwards with hoar frost at night; slight fog in evening becoming dense about 11h. 30m. P.M.

Thick fog generally prevalent; hoar frost.

Thick fog prevalent with slight exceptions; hoar frost.

Fog of variable density prevalent till 11h. A.M.; fine interval till 2h. P.M.; generally overcast afterwards with light shower about 6h. P.M.; much hoar frost in morning. Solar halo observed occasionally between 11h. 30m. A.M. and 1h. 40m. P.M.

Generally overcast till 10h. A.M.; very fine afterwards. Faint lunar halo observed at night; brisk wind between 10h. A.M. and 0h. 30m. P.M.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and - "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·92 in. at the beginning of the week to 30·35 in. by 9h. P.M. on the 26th; decreased to 29·82 in. by 4h. A.M. on the 30th; increased to 29·99 in. by 8h. P.M.; and was 29·97 in. at midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 23rd January, 1909.*

BOROUGHS.	Estimated Population in the middle of 1909.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	151,955	-	12	2	-	-	-	-	3	-	-
Kensington	183,683	-	10	3	-	2	-	-	2	-	-
Hammersmith	125,704	-	7	3	-	-	-	-	2	1	-
Fulham	176,406	-	9	6	-	2	-	-	1	1	-
Chelsea	75,249	-	6	1	-	-	-	-	2	-	-
City of Westminster ..	168,883	-	7	3	-	-	-	-	4	-	-
NORTH.											
St. Marylebone	126,027	-	3	2	-	-	-	-	4	-	-
Hampstead	94,185	-	5	2	-	-	-	-	-	-	-
St. Pancras	237,422	-	14	8	-	-	-	-	4	1	-
Islington	351,202	-	28	14	-	3	-	-	6	-	-
Stoke Newington	54,423	-	2	1	-	1	-	-	1	-	-
Hackney	237,601	-	20	10	-	4	-	-	4	2	-
CENTRAL.											
Holborn	53,802	-	3	-	-	1	-	-	-	-	-
Finsbury	95,289	-	6	1	-	1	-	-	1	-	-
City of London	18,193	-	1	-	-	-	-	-	-	-	-
EAST.											
Shoreditch	114,802	-	17	3	-	7	-	-	3	1	-
Bethnal Green	131,316	-	10	6	-	3	-	-	3	-	-
Stepney	312,525	-	26	8	-	4	-	-	11	-	-
Poplar	171,965	-	21	6	-	2	-	-	2	-	-
SOUTH.											
Southwark	211,125	-	11	4	-	1	-	-	3	-	-
Bermondsey	127,569	-	9	6	-	3	-	-	6	-	-
Lambeth	324,188	-	23	14	-	-	-	-	5	-	-
Battersea	186,036	-	24	4	-	-	-	-	4	-	-
Wandsworth	297,646	-	39	6	-	2	-	-	6	-	-
Camberwell	283,022	-	24	15	-	2	-	-	9	1	-
Deptford	118,583	-	15	7	-	1	-	-	2	-	-
Greenwich	111,014	-	15	6	-	-	-	-	5	-	-
Lewisham	160,749	-	28	11	-	-	-	-	2	-	-
Woolwich	133,374	-	13	7	-	1	-	-	5	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,833,938	-	408	159	-	40	-	-	100	7	-
Ages 0–1		-	2	7	-	1	-	-	4	-	-
„ 1–5		-	127	58	-	5	-	-	4	-	-
„ 5–		-	178	65	-	3	-	-	3	-	-
„ 10–		-	54	11	-	4	-	-	3	-	-
„ 15–		-	16	6	-	4	-	-	3	-	-
„ 20–		-	15	4	-	4	-	-	5	1	-
„ 25–		-	12	5	-	10	-	-	7	5	-
„ 35–		-	1	2	-	5	-	-	20	1	-
„ 45–		-	2	1	-	2	-	-	25	-	-
„ 55–		-	1	-	-	1	-	-	15	-	-
„ 65 and upwards		-	-	-	-	1	-	-	11	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY DARLING & SON, LTD., 34-40, BACON STREET, E

1909.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 5. 1909. VOL. LXX.] WEEK ENDED SATURDAY, FEB. 6. [Price 1½*d.*

General Register Office, Somerset House,
February 8th, 1909.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 18·7 per 1000 of their aggregate population, which is estimated† at 16,445,281 persons in the middle of this year. In the preceding three weeks the rates had been 16·6, 15·7, and 18·0. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 22·6 in Nottingham, 22·7 in Croydon, 22·9 in Bradford, 23·3 in Salford, 23·5 in Hanley, 24·0 in Bootle, 24·6 in Manchester, and 26·3 in Middlesbrough; from *measles*, 2·6 in West Hartlepool, 3·7 in Smethwick, 5·4 in Middlesbrough, and 5·8 in Warrington; from *diphtheria*, 1·0 in Croydon and 1·2 in Derby; from *whooping-cough*, 1·1 in St. Helens, 1·7 in Wigan, and 2·1 in Swansea; from "*fever*" 1·1 in Salford; and from *diarrhœa*, 1·3 in Southampton and 1·5 in Wallasey. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2444 BIRTHS and 1878 DEATHS were registered. Allowing for increase of population, the births were 210 below and the deaths 251 above the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes, which had been 16·9, 15·3, and 17·8 per 1000 in the preceding three weeks, rose last week to 20·3. The death-rate in the four weeks ended last Saturday averaged 17·6 per 1000, being 0·3 per 1000 below the mean rate in the corresponding periods of the five years 1904–8.

---

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals and Asylums, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-five other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(12415—41.) Wt. 36—184. 700. 2/09. D & S. G. 31. Sch. 4.

The 1878 deaths included 52 from measles, 11 from scarlet fever, 24 from diphtheria, 29 from whooping-cough, 7 from enteric fever, and 12 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia: thus, to these diseases in the aggregate 135 deaths were referred, being 21 above the corrected average number in the fifth week of the preceding five years.

The deaths from *measles*, which had been 79, 76, and 82 in the preceding three weeks, fell to 52 last week, but were 27 above the corrected average; 6 deaths belonged to the Borough of Stepney, 6 to Bermondsey, 5 each to Bethnal Green and Southwark, and 4 to St. Pancras. The deaths from *scarlet fever*, which had been 11, 11, and 7 in the preceding three weeks, were 11 last week, and were 3 above the corrected average. The deaths from *diphtheria*, which had been 14, 20, and 16 in the preceding three weeks, rose to 24 last week, and were 6 above the corrected average; 3 deaths belonged to Hackney, and 3 each to Lambeth and Woolwich. The deaths from *whooping-cough*, which had been 8, 11, and 29 in the preceding three weeks, were again 29 last week, and were 13 below the corrected average; 4 deaths belonged to St. Pancras, and 3 each to Paddington and Islington. The deaths from *enteric fever*, which had been 8, 6, and 3 in the preceding three weeks, numbered 7 last week, the corrected average being 4. The deaths from *diarrhœa*, which had been 22, 15, and 10 in the preceding three weeks, were 12 last week, and were 5 below the corrected average. Of the 12 deaths from diarrhœa, 9 were those of children under 5 years of age; 5 other deaths at this age were certified as due to *enteritis* and 4 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 12, having been 20, 14, and 12 in the preceding three weeks. The death of a lead caster, aged 25 years, was certified after inquest as due to *plumbism*.

Different forms of violence caused 64 deaths, concerning all but one of which inquests were held. Of these 64 deaths, 5 were cases of suicide, while the remaining 59 deaths were attributed to accident or negligence. Seven of these latter were referred to vehicles in the streets, fourteen to burns or scalds, four to conflagrations, four to drowning, and nine, of infants under one year of age, to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1 case of small-pox, 3117 cases of scarlet fever, 1181 of diphtheria, and 124 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 1 case, against 0, 0, and 0; of scarlet fever, 312 cases, against 358, 379, and 339; of diphtheria, 147 cases, against 136, 133, and 138; and of enteric fever, 14 cases, against 21, 17, and 13. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended January 30th, 1909.

Greater London.

In Greater London 3777 births and 2617 deaths were registered. Allowing for increase of population, these numbers are 343 below and 294 above the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 3 deaths from measles, 4 from scarlet fever, 9 from diphtheria, 2 from whooping-cough, and 1 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·80 inches, and that of the Thermometer 42°·7, the latter being 3°·1 above the week's average in the 65 years ended 1905. The general direction of the wind was Westerly, the horizontal movement of the air being 47 per cent. above the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 7·7 hours; the measured rainfall amounted to 0·04 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 6th February, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1909.*	Death-Rates from all Causes. Week ended 16th Jan., 1909.	23rd Jan., 1909.	30th Jan., 1909.	6th Feb., 1909.	Rate from Diseases in Cols. 11-17. Week ended 6th Feb., 1909.	Registered during the Week ended 6th Feb., 1909. Births.	Deaths.	The Deaths registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS	**16,445,281**	**16·6**	**15·7**	**18·0**	**18·7**	**1·6**	**3449**	**5893**	**1028**	**2083**	**–**	**190**	**43**	**80**	**114**	**27**	**40**	**224**	**504**	**1571**	**43**	**76 TOWNS.**
LONDON	4,833,938	16·9	15·3	17·8	20·3	1·5	2444	1878	254	746	–	52	11	24	29	7	12	64	198	749	2	LONDON.
† CROYDON	161,078	15·9	14·2	14·6	22·7	1·9	66	70	6	33	–	1	–	3	2	–	–	4	8	11	–	CROYDON.
† WILLESDEN ..	160,424	13·0	8·1	6·8	14·6	2·0	95	45	12	18	–	–	1	2	1	–	2	2	3	11	–	WILLESDEN.
† HORNSEY	95,628	4·9	8·2	9·3	10·4	–	19	19	4	8	–	–	–	–	–	–	–	1	2	–	–	HORNSEY.
† TOTTENHAM ..	129,464	12·9	9·3	14·5	14·9	0·8	77	37	2	12	–	–	–	1	1	–	–	2	9	8	–	TOTTENHAM.
† WEST HAM ..	321,767	15·6	14·3	17·2	16·9	2·8	170	104	18	32	–	11	–	1	4	–	1	4	9	25	–	WEST HAM.
† EAST HAM.. ..	149,575	14·3	9·8	8·0	12·2	1·0	75	35	5	12	–	2	–	1	–	–	–	–	2	6	–	EAST HAM.
† LEYTON	129,614	14·1	6·8	14·9	14·1	0·8	69	35	7	13	–	–	–	–	2	–	–	–	1	5	–	LEYTON.
† WALTHAMSTOW ..	136,602	9·9	8·4	13·0	8·8	1·1	69	23	8	8	–	–	–	1	–	–	2	2	5	3	–	WALTHAMSTOW.
HASTINGS	68,165	16·8	12·2	15·3	9·2	–	16	12	1	6	–	–	–	–	–	–	–	1	1	1	–	HASTINGS.
BRIGHTON	130,926	15·1	15·5	14·3	13·1	1·2	50	33	4	14	–	–	–	2	1	–	–	1	1	5	–	BRIGHTON.
PORTSMOUTH ..	214,726	13·6	15·1	18·5	15·1	2·2	114	62	11	24	–	4	–	–	2	–	3	4	8	10	1	PORTSMOUTH.
BOURNEMOUTH ..	72,368	20·9	16·6	18·0	20·2	2·2	26	28	6	13	–	1	–	1	1	–	–	1	2	1	1	BOURNEMOUTH.
SOUTHAMPTON ..	124,667	17·6	15·1	18·0	16·3	1·7	62	39	11	16	–	–	–	–	1	–	3	1	7	12	–	SOUTHAMPTON.
READING	82,995	17·0	15·1	15·1	15·1	0·6	44	24	6	8	–	–	–	–	–	–	1	–	–	5	2	READING.
NORTHAMPTON ..	97,752	16·5	13·3	22·4	13·3	–	40	25	1	11	–	–	–	–	–	–	–	–	–	5	–	NORTHAMPTON.
IPSWICH	74,889	16·0	13·2	18·1	16·0	–	30	23	8	9	–	–	–	–	–	–	–	–	3	2	–	IPSWICH.
GREAT YARMOUTH	53,430	24·4	11·7	20·5	17·6	1·0	22	18	1	8	–	–	–	–	1	–	–	–	–	2	–	GREAT YARMOUTH.
NORWICH	124,136	16·0	14·3	14·3	18·1	1·3	64	43	8	18	–	–	–	1	2	–	–	–	2	10	–	NORWICH.
PLYMOUTH	124,180	19·3	13·0	15·1	17·6	–	51	42	6	17	–	–	–	–	–	–	–	1	5	5	–	PLYMOUTH.
DEVONPORT	83,103	12·5	17·6	11·9	6·9	–	41	11	3	7	–	–	–	–	–	–	–	–	–	–	–	DEVONPORT.
BRISTOL	377,642	14·6	11·9	14·5	14·1	0·6	164	102	13	44	–	–	1	–	3	–	–	4	11	25	–	BRISTOL.
HANLEY	68,831	14·4	14·4	20·5	23·5	1·5	37	31	7	9	–	–	–	1	–	1	–	1	2	5	–	HANLEY.
BURTON-ON-TRENT	54,453	14·4	10·5	12·4	19·2	–	19	20	4	5	–	–	–	–	–	–	–	–	–	2	1	BURTON-ON-TRENT.
WOLVERHAMPTON..	104,633	15·0	15·4	15·9	19·4	1·0	44	39	4	23	–	–	–	1	1	–	–	–	3	7	1	WOLVERHAMPTON.
WALSALL	99,399	16·3	15·7	14·2	16·3	1·0	62	31	6	12	–	–	–	1	–	1	–	–	–	3	–	WALSALL.
HANDSWORTH ..	70,186	11·1	10·4	5·2	12·6	–	18	17	3	7	–	–	–	–	–	–	–	–	–	2	–	HANDSWORTH.
WEST BROMWICH ..	70,457	20·0	16·3	22·2	19·2	–	45	26	6	12	–	–	–	–	–	–	–	1	2	3	1	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 6th February, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 16th Jan., 1909.	23rd Jan., 1909.	30th Jan., 1909.	6th Feb., 1909.	Rate from Diseases in Cols. 11-17. Week ended 6th Feb., 1909.	Registered during the Week ended 6th Feb., 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
BIRMINGHAM ..	563,629	16·3	17·7	16·7	20·8	3·5	287	225	49	67	–	20	3	7	6	–	2	10	12	57	5	BIRMINGHAM.
KINGS NORTON ..	81,632	8·9	18·5	16·6	14·1	2·6	31	22	6	6	–	2	–	–	1	–	1	3	3	4	1	KINGS NORTON.
SMETHWICK	70,377	17·0	18·5	14·1	20·0	4·4	45	27	3	5	–	5	–	–	1	–	–	–	–	3	–	SMETHWICK.
ASTON MANOR ..	85,257	10·4	15·9	17·1	13·5	0·6	33	22	4	9	–	–	–	–	–	1	–	–	1	–	–	ASTON MANOR.
COVENTRY	80,163	8·5	13·7	20·2	14·3	0·7	63	22	4	3	–	–	1	–	–	–	–	1	1	9	–	COVENTRY.
LEICESTER	244,255	16·2	12·8	16·0	19·0	2·6	107	89	22	19	–	8	3	–	1	–	–	4	5	14	–	LEICESTER.
GRIMSBY	73,036	16·4	12·9	15·0	12·9	0·7	47	18	5	5	–	1	–	–	–	–	–	–	2	4	–	GRIMSBY.
NOTTINGHAM ..	263,443	18·2	20·4	20·2	22·6	1·8	154	114	23	38	–	3	–	–	4	–	2	2	3	17	2	NOTTINGHAM.
DERBY	129,411	10·5	13·7	12·5	20·1	2·8	59	50	7	18	–	2	–	3	1	–	1	5	7	16	–	DERBY.
STOCKPORT	103,706	19·6	23·6	21·1	20·6	1·0	47	41	13	11	–	1	–	–	1	–	–	2	4	11	1	STOCKPORT.
BIRKENHEAD ..	121,123	18·9	13·3	19·4	15·5	0·9	87	36	10	11	–	–	–	1	1	–	–	–	4	7	–	BIRKENHEAD.
WALLASEY	71,004	10·3	11·0	10·3	16·2	1·5	38	22	3	13	–	–	–	–	–	–	2	–	3	1	–	WALLASEY.
LIVERPOOL	760,357	19·4	19·7	23·5	21·7	1·9	471	316	69	88	–	5	10	3	7	1	1	13	17	109	10	LIVERPOOL.
BOOTLE	69,393	18·8	9·8	20·3	24·0	–	51	32	4	8	–	–	–	–	–	–	–	2	4	13	–	BOOTLE.
ST. HELENS	95,161	18·6	15·3	20·8	18·1	3·3	63	33	5	5	–	2	1	1	2	–	–	2	2	9	–	ST. HELENS.
WIGAN	90,678	17·3	17·3	24·2	21·9	2·3	78	38	13	5	–	–	–	1	3	–	–	1	2	5	–	WIGAN.
WARRINGTON ..	72,276	11·5	22·4	13·0	20·2	7·2	45	28	7	4	–	8	1	1	–	–	–	3	3	5	–	WARRINGTON.
BOLTON	187,824	18·9	16·7	16·1	17·8	1·1	89	64	11	18	–	–	2	–	2	–	–	2	5	9	–	BOLTON.
BURY	59,234	27·3	16·7	26·4	17·6	0·9	19	20	1	9	–	1	–	–	–	–	–	1	1	4	–	BURY.
MANCHESTER ..	655,435	20·1	20·6	23·9	24·6	3·0	354	309	65	86	–	15	2	5	8	5	3	10	24	105	5	MANCHESTER.
SALFORD	241,950	18·3	20·5	19·6	23·3	2·8	127	1[illegible]8	17	33	–	–	1	4	3	5	–	6	9	38	–	SALFORD.
OLDHAM	143,301	24·7	19·6	23·7	19·3	0·4	76	53	7	17	–	–	–	–	–	1	–	1	3	11	–	OLDHAM.
ROCHDALE	89,653	15·7	20·9	23·3	18·0	0·6	33	31	3	14	–	1	–	–	–	–	–	–	–	1	1	ROCHDALE.
BURNLEY	106,267	11·8	18·2	15·7	20·6	2·0	60	42	12	10	–	1	1	–	–	1	1	4	7	9	1	BURNLEY.
BLACKBURN	136,959	19·4	16·8	22·1	19·0	1·1	43	50	10	16	–	1	1	–	1	–	–	–	1	8	1	BLACKBURN.
PRESTON	118,519	15·4	14·1	20·2	21·1	0·9	68	48	4	21	–	–	–	–	1	1	–	3	3	6	–	PRESTON.
BARROW-IN-FURNESS.	62,996	11·6	10·8	9·9	14·1	–	40	17	1	4	–	–	–	–	–	–	–	2	2	–	–	BARROW-IN-FURNESS

* See note † on first page of this return.

TOWNS.	Population estimated to the middle of the Year 1909.*	Death-Rates from all Causes. Week ended 16th Jan., 1909.	23rd Jan., 1909.	30th Jan., 1909.	6th Feb., 1909.	Rate from Diseases in Cols. 11–17. Week ended 6th Feb., 1909.	Registered during the Week ended 6th Feb., 1909. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Huddersfield ..	94,739	14·9	19·8	26·4	17·6	2·8	42	32	1	15	–	2	1	1	–	–	1	1	1	5	–	Huddersfield.
Halifax	111,911	17·2	12·1	18·2	11·2	–	39	24	4	12	–	–	–	–	–	–	–	–	4	4	–	Halifax.
Bradford	293,983	16·7	16·8	17·9	22·9	0·7	105	129	16	63	–	–	–	2	1	1	–	7	18	26	–	Bradford.
Leeds	484,012	15·7	15·4	19·0	16·5	0·9	218	153	25	58	–	1	–	2	3	2	–	7	14	25	–	Leeds.
Sheffield	470,958	15·8	18·7	18·9	16·6	2·2	254	150	31	45	–	14	1	3	2	–	–	9	11	31	2	Sheffield.
Rotherham.. ..	65,070	14·4	16·8	20·8	12·8	1·6	32	16	5	5	–	2	–	–	–	–	–	1	1	2	–	Rotherham.
York	87,004	17·4	10·2	16·2	13·2	0·6	42	22	6	7	–	–	–	–	–	–	1	2	3	2	–	York.
Hull	275,552	17·0	19·3	18·9	18·0	0·6	171	95	22	35	–	2	–	1	–	–	–	7	10	14	1	Hull.
Middlesbrough ..	105,255	18·3	16·3	20·8	26·3	6·4	54	53	14	9	–	11	–	–	2	–	–	1	1	7	–	Middlesbrough.
Stockton-on-Tees	53,417	10·7	21·5	11·7	17·6	1·0	16	18	4	4	–	–	–	–	1	–	–	1	1	1	–	Stockton-on-Tees.
West Hartlepool	79,686	13·1	13·1	15·1	19·6	2·6	38	30	7	10	–	4	–	–	–	–	–	2	2	4	–	West Hartlepool.
Sunderland ..	159,378	26·2	16·7	23·6	17·7	1·6	102	54	11	15	–	3	–	1	–	–	1	4	5	11	2	Sunderland.
South Shields ..	117,627	17·3	16·0	14·6	16·0	–	72	36	8	14	–	–	–	–	–	–	–	3	3	3	2	South Shields.
Gateshead	131,024	13·9	15·5	11·5	13·9	0·4	78	35	6	8	–	1	–	–	–	–	–	–	1	2	–	Gateshead.
Newcastle-on-Tyne.	281,584	16·9	16·9	20·0	14·6	1·7	122	79	15	24	–	3	1	2	3	–	–	2	5	12	–	Newcastle-on-Tyne.
Tynemouth ..	55,808	23·4	13·1	18·7	20·6	1·9	33	22	4	8	–	–	–	1	1	–	–	1	1	3	–	Tynemouth.
Newport (Mon.) ..	78,336	14·6	16·0	14·6	22·0	–	50	33	7	12	–	–	–	–	–	–	–	–	–	2	–	Newport (Mon.).
Cardiff	195,303	12·8	13·6	13·6	15·8	0·5	109	59	8	21	–	–	1	–	1	–	–	1	4	12	–	Cardiff.
Rhondda	135,894	15·0	15·7	16·5	15·3	1·2	112	40	16	6	–	–	–	1	2	–	–	1	2	2	–	Rhondda.
Merthyr Tydfil..	78,365	24·6	15·3	23·3	20·0	–	57	30	8	8	–	–	–	–	–	–	–	2	3	3	–	Merthyr Tydfil.
Swansea	98,308	19·6	18·0	30·8	18·0	2·1	55	34	7	16	–	–	–	–	4	–	–	1	2	2	–	Swansea.
Greater London	7,429,740	15·5	14·1	15·9	18·4	1·4	3777	2617	380	1036	–	69	16	42	41	7	18	105	283	899	2	Greater London.
Outer Ring ..	2,595,802	13·0	12·0	12·3	14·8	1·2	1333	739	126	290	–	17	5	18	12	–	6	41	85	150	–	Outer Ring.
8 Towns in Outer Ring.	1,284,152	13·3	10·6	13·0	14·9	1·6	640	368	62	136	–	14	1	9	10	–	5	15	39	69	–	8 Towns in Outer Ring.
Remainder of Outer Ring.	1,311,650	12·6	13·3	11·6	14·7	0·8	693	371	64	154	–	3	4	9	2	–	1	26	46	81	–	Remainder of Outer Ring.
Edinburgh	355,366	16·0	19·4	17·0	17·3	0·7	124	118	14	54	–	–	–	1	3	–	1	1	?	44	5	Edinburgh.
Glasgow	872,021	17·6	18·5	18·0	17·9	3·0	441	300‡	58	80	–	–	2	6	33	1	9	13	?	93	6	Glasgow.
Dublin (Registration Area).†	398,356	23·7	25·3	25·4	24·3	1·4	213	186	32	64	–	7	–	3	1	–	–	2	3	75	3	Dublin (Registration Area).†
Belfast†	386,576	19·8	18·9	19·7	17·5	0·5	217	130	19	40	–	–	–	1	2	–	1	3	7	33	3	Belfast.†

* See note † on first page of this return.

† Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast respectively.
‡ Including 2 deaths from Cerebro-spinal meningitis.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FIFTH Week of each of the Eleven Years, 1899–1909.

	1899	1900	1901	1902	1903	1904	1905	1906	1907	1908	Corrected Weekly Average in 5 Years 1904–1908.*	1909
TOTAL **Births** -	2696	2498	2410	2448	2765	2748	2676	2508	2550	2481	2654·2	2444
Males - - -	1342	1263	1254	1203	1422	1397	1374	1273	1295	1249	1348·9	1258
Females - -	1354	1235	1156	1245	1343	1351	1302	1235	1255	1232	1305·3	1186
TOTAL **Deaths** -	1690	1722	1438	1652	1558	1554	1576	1339	1895	1584	1627·4	1878
Males - - -	875	856	709	806	797	792	766	690	938	789	813·9	934
Females - -	815	866	729	846	761	762	810	649	957	795	813·5	944

* The numbers in this column are the average weekly numbers in the Fifth week of the five years 1904-1908, raised by 2·375 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	1909 Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	13 Weeks.
TOTAL **Births** -	2189	2187	2221	2040	2186	2133	1438	2228	2476	2434	2162	2110	2444	28248
TOTAL **Deaths** -	1418	1357	1451	1383	1311	1359	1038	1805	1672	1563	1414	1653	1878	19302
Ages at Death: Under 1 year -	305	284	262	242	265	240	155	305	251	273	221	256	254	3313
1—5 years -	166	149	166	135	147	139	115	211	174	181	175	205	185	2148
5—20 " -	81	70	66	71	57	81	53	81	79	71	51	65	77	903
20—40 " -	181	187	181	171	161	162	118	233	179	175	171	214	199	2332
40—60 " -	285	266	288	278	264	284	221	354	394	330	292	358	417	4031
60 yrs. & upwds.	400	401	488	486	417	453	376	621	595	533	504	555	746	6575
Deaths from—														
Small-pox† - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles - - -	31	32	34	38	49	51	44	87	72	79	76	82	52	727
Scarlet Fever - -	11	8	9	14	10	14	7	7	4	11	11	7	11	124
Diphtheria - -	19	16	30	13	14	24	17	23	20	14	20	16	24	250
Whooping-cough -	10	7	7	2	7	4	7	11	14	8	11	29	29	146
Typhus - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever - -	9	11	10	5	9	14	7	7	8	8	6	3	7	104
Pyrexia (origin uncertain).	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa, Dysentery	41	31	32	24	11	19	14	22	17	22	15	10	12	270
All above diseases -	121	105	122	96	100	126	96	157	135	142	139	147	135	1621
Dis. of Resp. System	149	157	150	141	129	136	106	193	258	181	156	214	354	2324
Pneumonia - -	161	177	168	154	155	145	96	188	184	188	161	163	202	2142
Phthisis - - -	150	145	143	131	135	116	104	171	158	121	127	198	171	1870
Dis. of Circ. System -	182	176	177	189	170	199	149	252	253	211	185	252	270	2665
Violence - - -	59	50	71	62	52	52	50	83	82	72	51	65	64	813
Inquest Cases - -	139	132	137	127	132	129	111	207	201	162	140	154	198	1969
Deaths in Institutions	570	568	651	602	541	599	434	686	615	631	611	662	749	7919
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	45·1	44·7	47·6	43·5	42·8	45·4	40·2	31·5	40·7	42·2	38·7	31·8	42·7	41·3
Mean of Highest -	51·8	49·1	53·7	47·1	46·9	49·3	42·4	35·9	44·0	47·4	42·8	37·1	47·7	45·8
Mean of Lowest -	36·9	39·4	39·7	40·5	37·1	40·2	37·6	26·8	37·0	37·6	34·1	25·3	37·1	36·1
Mean Humidity of the Air.	80	84	81	94	87	92	91	85	86	80	81	88	79	85
Rain-fall (in inches) -	0·28	0·39	0·07	0·08	0·62	0·81	0·02	0·48	0·13	0·49	0·12	0·02	0·04	3·55
Registered Sunshine (in hours).	33·2	7·7	15·9	0·0	8·8	4·3	3·5	5·7	8·1	22·7	10·9	18·9	7·7	147·4
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Scarlet Fever - -	3859	3810	3831	3747	3704	3537	3454	3557	3347	3261	3211	3201	3117	3510
Diphtheria - - -	1187	1215	1242	1241	1263	1266	1259	1245	1215	1205	1191	1187	1181	1223
Typhus - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever - -	173	185	187	190	184	173	168	153	145	145	137	130	124	161

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lander, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq. F.R.Met.Soc., Hull; the Meteorological Committee, Tynemouth; and E. Walford Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the FIFTH Week of the Year 1909.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 5th week of the 5 years 1904–1908.	1909—Deaths of Persons of the Ages						
		ALL AGES.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1627·4	1878	254	185	77	199	417	746
Small-pox*	–	–	–	–	–	–	–	–
Cowpox	–	–	–	–	–	–	–	–
Measles (Morbilli)	25·4	52	15	33	4	–	–	–
Scarlet Fever	7·8	11	1	5	4	1	–	–
Typhus	–	–	–	–	–	–	–	–
Plague	–	–	–	–	–	–	–	–
Influenza	24·6	12	–	1	–	2	2	7
Whooping-cough	42·0	29	9	20	–	–	–	–
Diphtheria	18·0	24	5	10	8	1	–	–
Cerebro-spinal Fever ..	0·2	–	–	–	–	–	–	–
Pyrexia† (origin uncertain)	0·2	–	–	–	–	–	–	–
Enteric Fever	3·9	7	–	1	2	3	1	–
Asiatic Cholera	–	–	–	–	–	–	–	–
Epidemic Diarrhœa, Infective Enteritis	4·3	7	5	2	–	–	–	–
Diarrhœa, Dysentery ..	12·7	5	2	–	–	–	1	2
Tetanus	0·4	1	–	–	–	–	1	–
Rabies, Hydrophobia ..	–	–	–	–	–	–	–	–
Glanders	–	–	–	–	–	–	–	–
Anthrax (Splenic Fever)..	–	–	–	–	–	–	–	–
Venereal Dis.	8·4	5	5	–	–	–	–	–
Puerperal Septicæmia ..	3·3	2	–	–	–	2	–	–
Puerperal Pyæmia.. ..	–	–	–	–	–	–	–	–
Puerperal Fever	0·4	–	–	–	–	–	–	–
Infective Endocarditis ..	2·7	5	–	–	3	1	1	–
Pneumonia: Lobar ..	18·0	28	2	2	3	1	12	8
Pneumonia: Broncho ..	88·2	100	29	26	6	7	11	21
Pneumonia: Epidemic ..	–	–	–	–	–	–	–	–
Pneumonia: Not defined	73·9	74	4	12	3	9	17	29
Erysipelas	4·1	1	1	–	–	–	–	–
Septicæmia (not Puerperal)	1·0	1	–	–	–	–	1	–
Pyæmia (not Puerperal)	1·0	–	–	–	–	–	–	–
Other Infective Processes	6·1	3	1	–	–	–	1	1
Tuberculous Phthisis ..	92·3	108	–	3	11	42	43	9
"*Phthisis*	56·9	63	–	–	2	19	30	12
Tuberculous Meningitis ..	20·7	21	6	12	3	–	–	–
Tuberculous Peritonitis ..	8·4	18	6	7	–	3	2	–
Tabes Mesenterica	2·3	2	1	–	1	–	–	–
Tuberculous Dis., Other ..	18·2	17	4	5	3	2	3	–
Scrofula..	–	–	–	–	–	–	–	–
Alcoholism	8·8	9	–	–	–	2	4	3
Rheumatic Fever	4·9	7	–	–	1	3	3	–
Gout	2·0	2	–	–	–	–	1	1
Carcinoma	54·7	73	–	–	–	2	32	39
Sarcoma	5·3	3	–	–	–	2	–	1
Cancer (undefined) ..	38·5	42	–	–	–	5	19	18
Diabetes Mellitus	9·4	12	–	–	–	1	3	8
Premature Birth	50·2	32	32	–	–	–	–	–

CAUSES OF DEATH.	Corrected Average for the 5th week of the 5 years 1904–1908.	1909—Deaths of Persons of the Ages						
		ALL AGES.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)..	11·5	15	3	3	6	2	1	–
Gen. Par. of Insane, Insanity	17·8	17	–	–	–	3	11	3
Epilepsy	7·0	9	–	–	1	4	3	1
Convulsions	20·3	9	8	1	–	–	–	–
Locomotor Ataxy.. ..	0·8	1	–	–	–	–	1	–
Paraplegia, Dis. of Cord.	6·6	9	–	–	–	1	3	5
Nervous Sys., Other Dis.	20·3	23	2	2	1	–	6	12
Valv. Dis., Endocarditis..	50·4	64	–	–	3	12	17	32
Cereb. Hæm. Cereb. Emb.	37·7	54	–	–	–	2	6	46
Apoplexy, Hemiplegia ..	17·8	17	–	–	–	2	2	13
Aneurysm	3·9	7	–	–	–	–	4	3
Embolism, Thrombosis (not Cerebral) ..	0·8	2	–	–	–	–	2	–
Heart & Blood Ves., Other Dis... ..	104·6	126	–	–	2	11	25	88
Croup (not Spasm: nor Memb.)	0·6	1	–	1	–	–	–	–
Bronchitis	208·8	317	22	13	1	8	66	207
Emphysema, Asthma ..	9·6	23	–	–	–	4	6	13
Pleurisy	4·9	2	–	1	–	–	1	–
Respiratory Dis, Other..	16·2	11	1	1	–	2	4	3
Tonsillitis, Quinsy.. ..	0·6	–	–	–	–	–	–	–
Enteritis (not Epid.) ..	8·6	8	4	1	–	–	1	2
Gastro-enteritis	4·5	4	4	–	–	–	–	–
Peritonitis (not Puerp.) ..	3·1	3	–	–	1	–	2	–
Cirrhosis of Liver.. ..	11·3	16	–	–	–	2	8	6
Liver Dis., Other	5·3	5	–	–	–	–	3	2
Digestive Sys., Other Dis.	36·0	28	3	3	1	6	8	7
Acute Nephritis	8·4	14	–	–	–	1	4	9
Bright's Dis., Albuminuria	43·4	47	–	–	–	1	14	32
Urinary Sys., Other Dis.	11·7	15	–	–	–	3	2	10
Generative Organs Dis...	4·1	8	–	–	–	3	5	–
Childbirth (Accid. of) ..	3·7	8	–	–	–	7	1	–
Old Age	63·1	69	–	–	–	–	–	69
Other Diseases	101·9	106	66	11	2	9	5	13
ACCIDENT.								
By Railways	2·3	4	–	–	–	1	1	2
By Vehicles and Horses..	4·3	7	–	–	1	2	3	1
In Ships, Boats, Docks, (exclusive of Drowning)	–	–	–	–	–	–	–	–
In Building Operations..	–	–	–	–	–	–	–	–
In Conflagrations	0·4	4	–	–	1	–	2	1
By Burns, Scalds, Explosions	10·9	14	1	8	3	1	1	–
By Drowning	3·3	4	–	–	–	–	2	2
By Suffocation in Bed ..	12·5	9	9	–	–	–	–	–
By Poisons or Poisonous Vapours	1·8	2	1	–	–	–	1	–
Other Deaths by Accident..	15·6	15	2	1	–	2	5	5
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	2·0	–	–	–	–	–	–	–
Suicide	8·8	5	–	–	–	2	3	–
Execution	–	–	–	–	–	–	–	–

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.
† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 6th February, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia† (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON	4,536,267	2444	1878	254	746	–	52	11	24	29	–	7	–	12	64	198	749	2
WEST DISTRICTS	805,311	334	373	45	164	–	3	–	3	8	–	3	–	4	11	29	139	–
NORTH DISTRICTS	1,055,908	513	382	46	153	–	8	3	7	7	–	1	–	2	7	35	138	–
CENTRAL DISTRICTS	209,465	96	94	16	30	–	1	–	–	2	–	–	–	1	11	18	44	–
EAST DISTRICTS	715,739	485	277	47	93	–	16	–	1	4	–	1	–	–	8	43	149	–
SOUTH DISTRICTS	1,749,844	1016	697	100	289	–	21	8	13	8	–	2	–	4	26	71	224	2
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	–	55	–	17	–	–	–	–	–	–	–	–	1	1	2	55	–
WEST DISTRICTS.																		
North Paddington *H*	63,603	28	22	4	10	–	1	–	–	2	–	–	–	–	2	4	–	–
Central Paddington *W,3H*	50,053	25	32	7	11	–	–	–	–	1	–	–	–	–	3	3	16	–
South Paddington	30,320	8	5	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Kensington Town *2W,w,2H* ..	128,037	49	76	4	39	–	1	–	–	2	–	–	–	–	2	3	37	–
Brompton *2H*	48,591	4	14	–	11	–	–	–	–	–	–	1	–	–	–	–	1	–
North Hammersmith *2W,w,H* ..	49,192	42	29	4	13	–	–	–	–	1	–	–	–	–	–	3	9	–
South Hammersmith *w,2H* ..	63,047	23	23	3	14	–	–	–	–	–	–	–	–	1	2	3	3	–
North-west Fulham *W*	45,180	40	29	6	5	–	1	–	–	–	–	–	–	1	–	–	12	–
North-east Fulham *F*	46,405	24	13	–	7	–	–	–	3	–	–	1	–	–	–	–	4	–
South Fulham *W*	45,704	15	13	3	3	–	–	–	–	–	–	–	–	–	–	2	–	–
Chelsea North *W,w,3H*	42,514	14	47	4	16	–	–	–	–	–	–	–	–	2	–	2	36	–
Chelsea South *W,2H*	31,328	11	18	3	11	–	–	–	–	–	–	–	–	–	1	2	2	–
Mayfair and Knightsbridge	28,743	6	6	–	4	–	–	–	–	–	–	–	–	–	1	1	–	–
Belgrave *W,2H*	55,815	18	20	1	7	–	–	–	–	1	–	1	–	–	–	3	9	–
St. Margaret & St. John *6H*	43,698	20	18	5	7	–	–	–	–	1	–	–	–	–	–	2	9	–
St. James and St. Anne *W,6H* ..	33,081	7	8	–	3	–	–	–	–	–	–	–	–	–	–	1	1	–
NORTH DISTRICTS.																		
All Souls Marylebone *8H*	35,391	9	12	–	5	–	–	–	–	–	–	–	–	1	–	2	5	–
St. Mary Marylebone *W,4H* ..	37,948	42	14	1	5	–	–	–	–	–	–	–	–	–	–	–	5	–
Christchurch Marylebone	39,536	21	5	–	3	–	–	–	–	–	–	–	–	–	–	1	–	–
St. John Marylebone *2H*	20,426	9	8	–	4	–	–	–	1	–	–	–	–	–	–	–	1	–
Hampstead *W,F,6H*	81,942	29	24	–	16	–	–	1	2	–	–	–	–	–	–	–	8	–
West St. Pancras *2H*	60,532	24	22	2	8	–	–	–	–	1	–	–	–	–	1	2	2	–
South St. Pancras *w,12H*	55,707	23	26	3	12	–	–	–	–	–	–	–	–	–	–	3	17	–
East St. Pancras *W,H*	60,320	26	40	5	24	–	3	–	–	–	–	–	–	–	–	3	21	–
North St. Pancras *2W*	58,728	33	25	3	7	–	–	–	–	2	–	–	–	–	–	–	11	–
Tufnell *W*	31,995	12	27	3	7	–	–	–	–	–	–	–	–	–	–	–	19	–
Upper Holloway *2W,w,H*	33,978	20	25	2	6	–	–	–	–	–	–	–	–	–	1	1	21	–
Tollington *W,w,H*	33,922	5	4	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Lower Holloway	41,424	25	11	3	2	–	1	–	–	–	–	–	–	–	–	1	–	–
Barnsbury	54,478	30	14	2	7	–	–	–	–	1	–	–	–	–	1	1	–	–
Islington South-east *F*	75,397	29	21	3	7	–	2	1	–	1	–	–	–	–	–	7	–	–
Highbury *2H*	63,797	28	9	2	5	–	–	–	–	–	–	–	–	–	–	1	–	–
Stoke Newington *H*	51,247	20	9	–	6	–	–	–	–	–	–	–	–	–	–	–	–	–
North Hackney	50,398	21	16	5	10	–	–	–	–	–	–	–	–	–	–	2	–	–
Central Hackney *w,F*	50,536	32	15	4	4	–	2	1	3	–	–	–	–	–	1	3	5	–
South-west Hackney *3H*	59,921	53	22	5	6	–	–	–	–	1	–	–	–	1	–	1	6	–
South-east Hackney *2W,w,H* ..	58,255	19	29	2	7	–	–	–	1	1	–	1	–	–	3	7	16	–
Hackney Union Workhouse, Brentwood	—	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 6th February, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
St. Giles and Bloomsbury 2*W*,2*H* ..	31,436	14	8	1	3	–	–	–	–	–	–	–	–	–	–	–	5	–
Strand *W*,4*H*	21,674	3	11	1	4	–	–	–	–	–	–	–	–	–	4	4	9	–
Strand Union Workhouse, Edmonton	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–	2	–
Holborn *W*,6*H*	29,612	14	18	6	2	–	1	–	–	2	–	–	–	1	–	1	13	–
Clerkenwell *H*	63,704	27	19	3	8	–	–	–	–	–	–	–	–	–	2	5	–	–
St. Luke* 3*H*,*L*	36,116	35	17	4	6	–	–	–	–	–	–	–	–	–	1	3	2	–
Holborn Union Workhouse, Mitcham	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
St. Botolph *H*	10,299	2	3	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
St. Sepulchre and Allhallows *W*,2*H*	16,624	1	14	1	3	–	–	–	–	–	–	–	–	–	3	4	11	–
City of London Asylum, Stone	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
EAST DISTRICTS.																		
Shoreditch South 2*H*	46,362	33	12	2	3	–	2	–	–	1	–	–	–	–	–	4	–	–
Shoreditch North-West *W*,*w* *H* ..	36,127	30	31	3	17	–	1	–	–	–	–	–	–	–	1	6	25	–
Shoreditch North-East	36,148	20	9	1	4	–	–	–	–	1	–	–	–	–	–	1	–	–
Shoreditch Union Workhouse Wood Green	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	46	43	10	16	–	4	–	–	–	–	1	–	–	–	1	33	–
Bethnal Green South-West *H* ..	64,542	41	15	4	4	–	–	–	–	–	–	–	–	–	–	2	2	–
Spitalfields..	27,969	16	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Mile End New Town *W*,*H*	28,718	22	54	6	9	–	4	–	1	–	–	–	–	–	4	12	50	–
Goodman's Fields	22,081	8	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
St. George and St. John 2*W* ..	49,068	38	12	2	3	–	–	–	–	–	–	–	–	–	–	4	3	–
Shadwell and Ratcliff *W*,*H* ..	25,568	21	11	3	2	–	–	–	–	1	–	–	–	–	1	2	6	–
Limehouse *W*	32,369	22	4	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Mile End Old Town South-Western *H*	63,698	63	10	3	4	–	–	–	–	–	–	–	–	–	–	–	1	–
Mile End Old Town North-Eastern *W*,*w*	49,129	29	20	2	10	–	1	–	–	–	–	–	–	–	–	2	10	–
Bow	41,989	28	11	3	5	–	1	–	–	–	–	–	–	–	–	3	–	–
Bromley 3*w*,*H*	68,319	33	30	2	13	–	3	–	–	1	–	–	–	–	–	2	19	–
Poplar *W*,*w*	58,514	35	12	6	1	–	–	–	–	–	–	–	–	–	2	3	–	–
Workhouse, Forest Gate (Parish of Poplar Borough).	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

* On 1st January, 1909, the sub-district of Finsbury was re-named St. Luke.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 6th February, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch and St. Saviour Southwark *W,2H*	23,319	9	27	5	5	–	2	–	–	–	–	–	–	–	6	8	19	–
Kent-road	21,904	11	4	–	–	–	2	–	–	–	–	–	–	–	1	1	–	–
St. George the Martyr West *W,2H,L*	39,094	16	21	5	5	–	1	–	–	1	–	–	–	1	–	4	3	–
Newington North	49,022	32	10	2	5	–	1	–	–	–	–	–	–	–	–	1	–	–
Newington South *W*	72,841	51	27	3	10	–	–	1	–	–	–	–	–	–	–	3	1	–
St. Olave *2W*	9,817	9	5	1	1	–	–	–	–	–	–	–	–	–	1	1	1	–
Bermondsey *W*	82,483	57	21	4	6	–	5	–	–	1	–	–	–	–	1	2	–	–
Rotherhithe *W,F*	38,460	22	28	3	10	–	–	–	–	–	–	–	–	–	–	2	22	–
Waterloo *2H*	27,440	32	14	6	3	–	1	–	–	–	–	–	–	2	–	1	5	–
Lambeth Church *H*	27,440	18	26	1	7	–	1	–	1	–	–	–	–	–	5	6	20	–
Kennington *2W*	52,518	32	38	4	17	–	–	–	–	1	–	–	–	–	–	2	20	–
Stockwell *HF*	63,826	42	19	5	7	–	–	–	4	–	–	–	–	–	–	–	4	–
Brixton *H*	73,673	38	24	3	17	–	–	–	–	–	–	–	–	–	1	4	2	1
Norwood *2WH*	56,998	21	15	3	8	–	–	–	–	–	–	–	–	–	1	2	–	–
East Battersea *H*	72,203	34	19	4	6	–	1	–	–	1	–	–	–	–	–	3	–	–
North-west Battersea	49,656	36	13	2	6	–	–	–	–	1	–	–	–	–	–	3	–	–
South-west Battersea *2W,H* ..	47,048	22	34	–	18	–	–	–	–	–	–	–	–	–	3	3	20	–
Clapham *2H*	51,361	26	17	2	7	–	–	–	–	–	–	–	–	–	–	2	1	–
Streatham *W,2w,2F,2L*	88,019	56	29	7	16	–	1	3	1	–	–	–	–	–	–	2	9	–
Springfield *2W,L*	27,959	23	8	–	1	–	–	–	–	–	–	–	–	–	1	1	–	–
Southfields *H*	40,444	22	12	1	7	–	–	–	1	1	–	–	–	–	–	1	–	–
Putney	24,139	12	4	–	4	–	–	–	–	–	–	–	–	–	–	–	–	–
Dulwich	13,359	3	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Camberwell South *W,w*	40,206	24	45	4	26	–	–	–	–	–	–	–	–	–	–	–	34	1
Camberwell North *W,2L*	65,584	36	33	3	16	–	–	–	–	1	–	–	–	–	1	4	20	–
St. George	47,331	32	7	3	2	–	–	–	–	–	–	–	–	–	–	1	–	–
Peckham North	48,913	30	19	4	8	–	2	–	–	–	–	–	–	–	–	1	–	–
Peckham South *2W,w*	43,946	9	13	2	7	–	–	–	–	–	–	–	–	–	–	–	–	–
Deptford North	37,613	23	10	2	2	–	1	–	–	–	–	–	–	–	1	3	–	–
Deptford Central *F*	45,481	36	19	7	3	–	1	2	1	1	–	–	–	1	1	1	3	–
Deptford South	34,625	19	7	–	6	–	–	–	–	–	–	–	–	–	–	–	–	–
Greenwich West *2H*	23,456	17	13	3	4	–	1	–	–	–	–	–	–	–	–	2	1	–
Greenwich East *2W,H*	43,859	18	31	3	16	–	2	–	–	–	–	–	–	–	–	1	17	–
Eltham *w,H*	7,226	4	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Lee *w,H*	25,490	12	8	–	4	–	–	–	–	–	–	–	–	–	1	1	1	–
Lewisham *W,w,F*	58,352	47	26	3	12	–	2	–	2	–	–	–	–	–	–	2	12	–
Sydenham *H*	43,653	23	8	1	2	–	–	–	1	–	–	–	–	–	–	–	–	–
Charlton *F,2H*	21,134	10	12	1	1	–	–	2	–	–	–	2	–	–	–	1	5	–
Woolwich *5H*	41,625	13	7	1	2	–	–	–	1	–	–	–	–	–	1	–	–	–
Plumstead West *W,H*	39,376	21	8	1	5	–	–	–	1	–	–	–	–	–	–	1	–	–
Plumstead East *2W*	28,951	18	11	–	5	–	–	–	–	–	–	–	–	–	1	1	4	–
Workhouses:—																		
Belmont Workhouse	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Central London Sick Asylum .. (Westminster, St. Giles, and Strand Unions.)	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
M. A. B. Small-pox Hospitals:—																		
Long Reach	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joyce Green	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
M. A. B. Fever Hospitals:—																		
Gore Farm (temporary)	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
North-Eastern	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Northern	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
M. A. B. Imbecile Asylums:—																		
Caterham	—	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–
Darenth	—	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–
Leavesden	—	–	8	–	5	–	–	–	–	–	–	–	–	–	–	–	8	–
London County Lunatic Asylums:—																		
Banstead	—	–	9	–	2	–	–	–	–	–	–	–	–	–	–	–	9	–
Ewell (Epileptic Colony)	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Horton	—	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–
Manor	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Long Grove	—	–	8	–	3	–	–	–	–	–	–	–	–	–	–	–	8	–
Cane Hill	—	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Dartford Heath	—	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–
Hanwell	—	–	10	–	4	–	–	–	–	–	–	–	–	–	–	–	10	–
Colney Hatch	—	–	6	–	2	–	–	–	–	–	–	–	1	1	1	2	6	–
Claybury	—	–	3	–	1	–	–	–	–	–	–	–	–	–	–	–	3	–

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA: ENUMERATED POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 6th February, 1909.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING ..	368,603	2,045,135	1333	739	126	290	-	17	5	18	12	-	6	41	85	150	-
30 : 1	Carshalton 2F,3H	12,228	32,997	16	13	2	3	-	-	-	3	-	-	-	1	2	4	-
2	Epsom, *part of** W,w,2F,H..	10,423	15,548	4	2	-	-	-	-	-	-	-	-	-	-	-	1	-
37 : 1	Godstone, *part of** W,F,L ..	2 754	2,692	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38 : 1	Coulsdon	11,069	8,166	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w,H ..	4,200	49,309	16	24	-	14	-	1	-	1	-	-	-	1	2	-	-
3	West Croydon 3W,F,H ..	2,168	42,888	28	38	4	12	-	-	2	2	1	-	-	3	5	13	-
4	North Croydon H	2,614	41,698	22	17	2	11	-	-	-	1	1	-	-	1	2	2	-
5	Penge w	770	22,465	8	3	1	1	-	-	-	-	-	-	-	-	-	-	-
6	Mitcham w	11,711	30,015	28	9	1	4	-	-	-	-	-	-	-	-	-	-	-
39 : 1	Wimbledon F,3H	3,221	41,652	18	6	2	1	-	-	-	1	-	-	-	1	1	2	-
2	Kingston 2W,H	6,224	42,068	24	23	2	13	-	-	-	-	-	-	-	-	2	9	-
3	Surbiton F,H	3,046	15,017	12	6	2	3	-	-	-	-	-	-	-	1	2	-	-
4	Esher, *part of** H	5,402	13,100	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-
5	Hampton H,F,L	4,564	23,456	16	9	3	4	-	1	-	-	-	-	-	2	3	-	-
40 : 1	Richmond W,H	2,491	31,672	13	5	1	2	-	-	-	-	-	-	-	-	-	2	-
2	Mortlake F	2,518	17,821	13	5	-	2	-	-	-	-	-	-	-	-	-	-	-
41 : 1	Bromley F,3H	4,703	27,354	19	7	3	1	-	-	1	1	-	-	-	-	1	2	-
2	Beckenham H	7,825	28,497	12	4	1	3	-	-	-	-	-	-	-	-	-	-	-
3	Orpington, *part of** W,F ..	10,113	9,857	6	13	-	10	-	-	-	-	-	-	-	-	-	6	-
4	Chislehurst 2H	7,333	16,446	4	8	1	7	-	-	-	-	-	-	-	1	1	2	-
42 : 1	Bexley w,F,H	8,678	21,151	12	7	-	4	-	-	-	-	-	-	-	-	-	-	-
2	Erith F,H	3,854	25,296	13	4	-	3	-	-	-	-	-	-	-	-	-	-	-
3	Dartford W,F, *part of** ..	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
124 : 1	Sunbury w	11,054	18,683	16	3	-	-	-	-	-	-	-	-	-	-	1	-	-
2	Staines W,H	13,277	15,178	5	6	1	4	-	-	-	-	-	-	1	-	-	-	-
125 : 1	Hillingdon W,F,H	6,035	13,661	15	8	1	4	-	-	-	-	-	-	-	1	1	1	-
2	Uxbridge H	12,757	8,984	5	4	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w 2F,H	8,066	16,358	13	7	1	3	-	-	-	-	-	-	-	-	-	-	-
126 : 1	Isleworth 3W,3F,H	6,859	30,863	23	18	3	9	-	-	-	-	-	-	-	1	2	9	-
2	Twickenham F,2H	2,421	20,991	19	11	5	1	-	-	-	-	-	-	-	1	1	2	-
3	Brentford 3F,2H	4,319	48,289	30	19	4	5	-	2	-	-	1	-	-	2	4	1	-
4	Chiswick H	1,249	29,809	27	7	2	4	-	-	-	-	-	-	-	2	2	-	-
5	Acton w,F,3H	6,132	48,914	45	7	1	2	-	-	-	-	-	-	-	-	-		-
127 : 1	Harrow F,H	13,809	25,523	17	12	2	7	-	-	-	-	-	-	-	1	2	1	-
2	Edgware 2F,2H	6,994	4,521	1	4	1	3	-	-	-	-	-	-	-	-	-	-	-
3	Willesden W,F,2H	4,384	114,811	95	45	12	18	-	-	1	2	1	-	2	2	3	11	-
4	Hendon W,F	8,382	22,450	21	4	1	-	-	-	-	-	-	-	-	-	1	1	-
128 : 1	South Mimms 2F,H ..	17,755	7,308	6	3	-	2	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,970	6	7	-	5	-	-	-	-	-	-	-	-	-	4	-
3	Finchley F,3H	4,688	33,692	31	11	3	5	-	-	-	-	-	-	-	2	3	-	-
129 : 1	Hornsey F,H	2,875	72,056	19	19	4	8	-	-	-	-	-	-	-	1	2	-	-
2	Wood Green H	1,625	34,233	19	6	2	1	-	-	-	-	-	-	-	1	3	-	-
3	West Tottenham	995	48,741	41	18	1	6	-	-	-	-	-	-	-	-	5	-	-
4	East Tottenham 2H ..	2,019	53,962	36	17	1	5	-	-	-	-	1	-	-	2	3	6	-
5	Edmonton W,w,2F	7,491	61,892	53	25	5	8	-	-	-	-	1	-	-	3	6	8	-
6	Enfield 2W,F,H	12,601	42,738	20	10	5	2	-	-	1	1	-	-	-	1	2	3	-
7	Waltham Abbey F	11,017	6,549	4	1	-	-	-	-	-	1	-	-	-	-	-	1	-
8	Cheshunt F,H	8,479	12,292	1	4	1	1	-	-	-	-	-	-	-	-	-	-	-
135 : 1	Hatfield, *part of** W ..	3,305	664	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey H	9,333	9,173	10	3	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Watford W,2F, *part of** ..	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
186 : 1	Stratford H	1,091	52,974	35	18	4	2	-	3	-	-	-	-	-	3	3	3	-
2	Forest Gate	787	52,745	18	11	-	7	-	-	-	-	-	-	-	-	-	-	-
3	Plaistow F,2H	1,249	90,921	69	32	5	9	-	5	-	1	3	-	1	-	1	1	-
4	Canning Town H	1,556	70,718	48	23	7	7	-	2	-	-	1	-	-	1	4	1	-
5	South East Ham 2F ..	1,991	37,342	41	16	3	5	-	1	-	1	-	-	-	-	2	1	-
6	North East Ham w,H ..	1,333	58,666	34	14	2	3	-	1	-	-	-	-	-	-	-	-	-
7	Wanstead F	1,679	9,179	3	3	-	1	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	37	24	3	12	-	-	-	-	2	-	-	-	-	11	-
9	North Leyton 2W,w,F ..	1,963	48,445	32	37	6	12	-	1	-	-	-	-	-	-	2	20	-
10	Walthamstow 2H,L ..	6,504	108,929	77	28	11	8	-	-	-	-	-	-	2	2	6	-	-
187 : 1	Chigwell 2F,3H	11,778	16,397	4	7	1	3	-	-	-	2	-	-	-	-	-	2	-
2	Epping W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189 : 1	Romford, *part of** W,2F ..	6,556	6,091	6	3	1	-	-	-	-	-	-	-	-	-	-	2	-
2	Ilford F,L	8,496	41,244	41	20	-	8	-	-	-	-	-	-	-	2	2	3	-
3	Barking Town F	3,805	21,547	15	10	2	5	-	-	-	-	-	-	-	2	3	-	-
	N.E. Hospital, Tottenham..	—	—	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Surrey County Lunatic Asylum, Brookwood.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Kent County Lunatic Asylum, Maidstone.	—	—	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
	Essex County Lunatic Asylum, Brentwood.	—	—	-	2	-	1	-	-		-		-	-	-	-	2	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30 : 2, excepting Ashtead parish; 37 : 1, Warlingham and Farley parishes; 39 : 4, excepting Esher parish; 41 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135 : 1, Northaw parish; 189 : 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42 : 3, 137 : 2 and 187 : 2 and in the Croydon Mental Hospital in 37 : 1 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON - -	4,833,938	February 6	2444	1878	20·3	-	52	11	25	29	7	12
CALCUTTA - -	992,718	January 2	-	492	25·9	28	-	-	-	3	102†	47‡
BOMBAY - -	982,000	" 12	397	576	30·6	7	1	-	-	-	57†	52‡
		" 19	408	581	30·9	5	2	-	-	-	56†	43‡
MADRAS - -	548,974	" 8	456	367	37·4	1	1	?	?	?	102	46‡
PARIS - - -	2,722,731	" 30	991	1158	22·1	-	2	3	4	7	6	23
BRUSSELS - -	693,720	" 30	235	197	14·8	-	1	-	3	1	3	5
ANTWERP - -	310,903	" 30	121	82	13·7	-	-	3	-	-	1	3
AMSTERDAM -	565,601	" 30	245	138	12·7	-	1	-	2	1	-	5
COPENHAGEN -	445,000	" 30	212	128	15·0	-	-	1	2	7	-	4
STOCKHOLM -	337,460	" 23	164	109	16·8	-	-	1	1	-	-	2
CHRISTIANIA -	231,687	" 30	124	55	12·3	-	-	2	1	-	-	-
ST. PETERSBURG	1,573,800	" 23	840	863	28·6	2	12	16	14	6	17	171‡
MOSCOW - -	1,359,886	" 23	-	842	32·3	15	8	20	16	5	11	53‡
BERLIN - -	2,107,199	" 16	970	683	16·9	-	10	6	11	5	1	31
HAMBURG - -	872,252	" 30	-	263	15·7	-	1	5	6	4	1	17
BRESLAU - -	499,437	" 23	-	207	21·6	-	-	2	3	2	-	15
MUNICH - -	566,000	" 30	-	-	-	-	-	-	-	-	-	-
VIENNA - -	2,042,426	" 23	844	699	17·8	-	13	6	10	3	-	22
		" 30	864	709	18·1	-	12	8	8	3	-	21
PRAGUE - -	480,856	" 23	229	172	18·6	-	-	6	-	-	2	12
BUDAPEST - -	823,215	" 23	421	326	20·5	-	2	4	2	-	3	14
TRIESTE - -	216,680	" 30	166	124	29·8	-	-	2	2	-	-	1
ROME - - -	559,715	November 28	271	201	18·7	-	2	-	1	-	2§	12
VENICE - -	176,815	January 23	-	-	-	-	-	-	-	-	-	-
BUCAREST - -	293,619	" 9	164	138	24·5	-	1	2	-	-	3	3
		" 16	181	166	29·5	-	-	2	1	-	-	3
NEW YORK -	4,564,792	" 16	2626	1443	16·5	-	16	18	47	3	9	42
CHICAGO - -	2,166,055	" 9	-	581	13·6	-	1	8	19	1	3	32
		" 16	-	726	17·0	-	3	15	17	1	10	39
PHILADELPHIA -	1,532,738	December 19	-	-	-	-	-	-	-	-	-	-
RIO DE JANEIRO	636,018	January 3	-	317	26·0	36	-	-	-	-	8†	?

* Excluding deaths from croup in the Indian Cities.
† Including 5 deaths from plague in Calcutta, 9 and 17 in Bombay, and 4 in Rio de Janeiro.
‡ Including 8 deaths from cholera in Calcutta, 2 and 1 in Bombay, 1 in Madras, 105 in St. Petersburg, and 1 in Moscow.
§ Including 1 death from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 6th February, 1909.

Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	56·1	29·2	42·4	0·04	BRADFORD - -	50·6	29·2	41·1	0·48
BRIGHTON - -	50·5	29·9	41·5	0·05	YORK - - -	54·0	28·0	42·0	0·07
PORTSMOUTH - -	53·2	29·0	43·5	0·00	HULL - - -	54·0	30·0	41·8	0·69
NORWICH - -	53·2	30·2	41·4	0·20	TYNEMOUTH - -	53·0	30·0	40·1	0·58
PLYMOUTH - -	53·4	33·1	44·4	0·16	CARDIFF - - -	51·0	30·2	42·9	0·07
BRISTOL - - -	51·0	30·0	42·6	0·06	EDINBURGH - -	51·2	29·8	39·6	0·83
BIRMINGHAM - -	56·8	30·6	42·5	0·21	GLASGOW - -	52·0	31·5	40·4	1·55
NOTTINGHAM - -	54·1	29·2	41·7	0·13	DUBLIN Phœnix Park.	54·3	28·7	44·4	0·18
LIVERPOOL OBSERVATORY.	54·0	34·0	43·2	0·21	DUBLIN Fitz-william Square.†	55·2	36·0	45·9	0·07
MANCHESTER -	51·1	28·8	41·3	1·11					
BURNLEY - -	50·0	28·5	40·4	2·50					
HUDDERSFIELD -	50·8	30·3	41·3	0·99	BELFAST - - -	53·0	35·0	43·3	1·85

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0°·3 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 6th February, 1909.

[*Under the Superintendence of the Astronomer Royal.*]

1909. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
JANUARY.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 31	..	29·843	38·0	29·2	8·8	34·6	− 5·1	29·5	5·1	8·2	2·3	82	51·0	21·7	40·30	WNW. NW. & NNW.	NNW. & WNW.	1·2	0·0	0·1	276	− 68	0·01	0·0
FEBRUARY. MONDAY - 1	..	29·794	43·9	35·9	8·0	40·1	+ 0·5	34·4	5·7	8·9	2·2	80	56·9	28·3	40·66	W., NW. & N.	N. & NNE.	4·0	0·0	0·3	334	− 1	0·03	0·0
TUESDAY - 2	Greatest Dec. N.	29·937	46·5	31·0	15·5	39·1	− 0·4	34·5	4·6	8·6	0·7	84	61·7	23·4	40·68	WSW. & W.	W.	6·7	0·0	0·2	351	+ 27	0·00	0·8
WEDNESDAY 3	..	29·669	54·2	46·4	7·8	51·2	+11·7	43·7	7·5	9·4	4·0	76	70·5	44·0	40·79	W.	W.	12·3	0·0	1·7	776	+465	0·00	2·2
THURSDAY - 4	..	29·687	56·1	49·5	6·6	52·3	+12·8	45·3	7·0	11·2	4·2	77	76·5	44·3	41·25	W.	WNW. & W.	8·5	0·0	1·1	666	+363	0·00	1·5
FRIDAY - 5	Full	29·672	49·5	38 8	10·7	44·1	+ 4·5	36·3	7·8	13·4	4·2	74	64·5	30·0	41·98	W. & NW.	NNW. & NW.	13·0	0·0	1·4	655	+354	0·00	4·5
SATURDAY - 6	..	29·992	45·9	29·2	16·7	37·6	− 2·0	32·1	5·5	11·7	0·0	81	77·1	17·4	42·60	NNW., W. & N.	N., NNE. & variable.	1·3	0·0	0·1	201	−105	0·00	0·0
MEANS - -		29·799	47·7	37·1	10·6	42·7	+ 3·1	36·5	6·2	10·2	2·5	79	65·5	29·9	41·25	NW. & W.		..	..	..	Sum 3259	Sum +1035	Sum 0·04	1·3
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. JANUARY.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY - 31	s.P. till 3h. A.M.; m.P. generally afterwards with w. N. at 9h. P.M.	0·0	9·0	Fine but cloudy till 4h. P.M.; overcast afterwards with frequent slight rain after 6h. P.M.; hoar frost in morning.
FEBRUARY. MONDAY - 1	w.P. generally with occasional v.N. till 8h. A.M.; w.P. till 3h. P.M.; m. P. afterwards.	0·8	9·1	Generally overcast till 2h. P.M.; fine and partially cloudy afterwards: occasional slight rain till 9h. A.M.
TUESDAY - 2	m. P. generally till 10h. P.M.; w. P. afterwards.	0·5	9·2	Fine with hoar frost in early morning; generally overcast after 4h. A.M.; brisk wind at night.
WEDNESDAY 3	w. P. throughout.	0·2	9·2	Overcast with slight exceptions; very mild; strong gusty wind prevalent throughout.
THURSDAY - 4	w, P. throughout.	0·4	9·3	A very mild day; fine and variably cloudy till 3h. P.M.; generally overcast afterwards; brisk wind prevalent till 9h. P.M.
FRIDAY - 5	w. P. generally till noon; m. P. afterwards; w. N. at 9h. A.M.	3·6	9·3	Generally overcast with occasional slight showers till 9h. A.M.; large amounts of cloud prevalent till noon; very fine afterwards; strong gusty wind between 3h. A.M. and 4h. P.M. Lunar halo observed at night.
SATURDAY - 6	m. P. generally.	2·2	9·4	Fine generally; cloudless after 5h. P.M. with increasing fog after 7h. P.M.; hoar frost in morning and at night.
		Sum 7·7	Sum 64·5	
No. of Col. - -	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·97 in. at the beginning of the week to 29·69 in. by 7h. A.M. on Feb. 1st; increased to 30·01 in. by 5h. A.M. on Feb. 2nd; decreased to 29·63 in. by 2h. P.M. on Feb. 3rd; increased to 29·72 in. by 11h. A.M. on Feb. 4th; decreased to 29·44 in. by 8h. A.M. on Feb. 5th; and increased to 30·03 in. by midnight on Feb. 6th.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 30th January, 1909.*

BOROUGHS.	Estimated Population in the middle of 1909.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	151,955	-	7	1	-	-	-	-	2	-	-
Kensington	183,683	-	6	5	-	2	-	-	2	-	-
Hammersmith	125,704	-	2	3	-	-	-	-	2	1	-
Fulham	176,406	-	11	4	-	-	-	-	3	1	-
Chelsea	75,249	-	6	1	-	-	-	-	2	-	-
City of Westminster ..	168,883	-	16	5	-	1	-	-	6	-	-
NORTH.											
St. Marylebone	126,027	-	8	1	-	-	-	-	3	-	-
Hampstead	94,185	-	6	2	-	-	-	-	1	-	-
St. Pancras	237,422	-	13	4	-	2	-	-	3	1	-
Islington	351,202	-	23	13	-	4	-	-	6	-	-
Stoke Newington	54,423	-	8	-	-	1	-	-	-	-	-
Hackney	237,601	-	17	10	-	4	-	-	5	1	-
CENTRAL.											
Holborn	53,802	-	-	1	-	-	-	-	-	-	-
Finsbury	95,289	-	3	4	-	-	-	-	2	-	-
City of London	18,193	-	-	-	-	1	-	-	-	-	-
EAST.											
Shoreditch	114,802	-	10	9	-	4	-	-	4	1	-
Bethnal Green	131,316	-	11	4	-	-	-	-	2	-	1
Stepney	312,525	-	25	14	-	1	-	-	7	1	-
Poplar	171,965	-	13	2	-	1	-	-	2	1	1
SOUTH.											
Southwark	211,125	-	7	2	-	-	-	-	4	-	-
Bermondsey	127,569	-	10	1	-	-	-	-	2	-	-
Lambeth	324,188	-	23	4	-	2	-	-	2	-	-
Battersea	186,036	-	21	6	-	-	-	-	3	1	-
Wandsworth	297,646	-	28	5	-	1	-	-	4	-	-
Camberwell	283,022	-	17	15	-	2	-	-	5	-	-
Deptford	118,583	-	7	3	-	1	-	-	3	1	-
Greenwich	111,014	-	16	2	-	2	-	-	1	-	-
Lewisham	160,749	-	17	19	-	-	-	-	3	-	-
Woolwich	133,374	-	19	13	-	1	-	-	1	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,833,938	-	350	153	-	30	-	-	80	9	2
Ages 0–1		-	5	7	-	-	-	-	3	-	1
„ 1–5		-	87	58	-	5	-	-	2	-	1
„ 5–		-	150	52	-	2	-	-	3	-	-
„ 10–		-	50	17	-	3	-	-	3	-	-
„ 15–		-	19	6	-	3	-	-	2	1	-
„ 20–		-	13	3	-	4	-	-	2	2	-
„ 25–		-	19	7	-	10	-	-	9	5	-
„ 35–		-	4	3	-	2	-	-	10	1	-
„ 45–		-	3	-	-	1	-	-	24	-	-
„ 55–		-	-	-	-	-	-	-	12	-	-
„ 65 and upwards		-	-	-	-	-	-	-	9	-	-
Age not stated		-	-	-	-	-	-	-	1	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY DARLING & SON, LTD., 34-40, BACON STREET, E.

1909.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 6. 1909. VOL. LXX.] WEEK ENDED SATURDAY, FEB. 13. [Price 1½*d.*

General Register Office, Somerset House,
February 15th, 1909.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 17·5 per 1000 of their aggregate population, which is estimated† at 16,445,281 persons in the middle of this year. In the preceding three weeks the rates had been 15·7, 18·0, and 18·7. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were :—from *all causes*, 21·3 in Merthyr Tydfil, 21·5 in Liverpool, 21·6 in Warrington, 21·8 in Salford, 22·0 in Bury, 22·3 in Middlesbrough, 22·8 in Blackburn, 25·0 in Wallasey, and 25·5 in Oldham ; from *measles*, 2·2 in Warrington, 2·3 in Birmingham, and 3·3 in West Hartlepool ; from *scarlet fever*, 1·5 in Wallasey, 1·7 in Birkenhead, and 1·8 in Bury ; from *diphtheria*, 1·3 in Newport (Mon.), 1·6 in St. Helens, and 2·2 in Handsworth (Staffs.) ; and from *whooping-cough*, 1·0 in West Ham, 1·1 in St. Helens, 1·3 in Preston, and 2·0 in Great Yarmouth. One death from *small-pox* was registered in Bristol, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2335 BIRTHS and 1646 DEATHS were registered. Allowing for increase of population, the births were 294 below and the deaths 10 above the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes, which had been 15·3, 17·8, and 20·3 per 1000 in the preceding three weeks, was 17·8 last week. The death-rate in the four weeks ended last Saturday averaged 17·8 per 1000, being 0·1 per 1000 above the mean rate in the corresponding periods of the five years 1904–8.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals and Asylums, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-five other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(12486—41.) Wt. 36—184. 700. 2/09. D & S. G. 31. Sch. 4.

The 1646 deaths included 69 from measles, 9 from scarlet fever, 15 from diphtheria, 15 from whooping-cough, 4 from enteric fever, and 19 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia: thus, to these diseases in the aggregate 131 deaths were referred, being 11 above the corrected average number in the sixth week of the preceding five years.

The deaths from *measles,* which had been 76, 82, and 52 in the preceding three weeks, were 69 last week, being 40 above the corrected average; 10 deaths belonged to the Borough of Stepney, 7 to Bermondsey, 6 each to Shoreditch and Lambeth, and 5 to Southwark. The deaths from *scarlet fever*, which had been 11, 7, and 11 in the preceding three weeks, were 9 last week, being equal to the corrected average. The deaths from *diphtheria*, which had been 20, 16, and 24 in the preceding three weeks, fell to 15 last week, the corrected average being 17. The deaths from *whooping-cough*, which had been 11, 29, and 29 in the preceding three weeks, fell to 15 last week, and were 27 below the corrected average. The deaths from *enteric fever*, which had been 6, 3, and 7 in the preceding three weeks, were 4 last week, being equal to the corrected average. The deaths from *diarrhœa*, which had been 15, 10, and 12 in the preceding three weeks, were 19 last week, being equal to the corrected average; 3 deaths belonged to Hackney, and 3 to Poplar. Of the 19 deaths from diarrhœa, 10 were those of children under 5 years of age; 6 other deaths at this age were certified as due to *enteritis* and 2 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 17, having been 14, 12, and 12 in the preceding three weeks.

Different forms of violence caused 54 deaths, concerning all but one of which inquests were held. Of these 54 deaths, 9 were cases of suicide, and 2 of homicide, while the remaining 43 deaths were attributed to accident or negligence. Three of these latter were referred to vehicles in the streets, ten to burns or scalds, five to drowning, and seven, of infants under one year of age, to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1 case of small-pox, 3002 cases of scarlet fever, 1177 of diphtheria, and 128 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 289 cases, against 379, 339, and 312; of diphtheria, 133 cases, against 133, 138, and 147; and of enteric fever, 17 cases, against 17, 13, and 14. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended February 6th, 1909.

Greater London.

In Greater London 3546 births and 2310 deaths were registered. Allowing for increase of population, these numbers are 496 and 4 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 5 deaths from measles, 1 from scarlet fever, 8 from diphtheria, 4 from whooping-cough, and 1 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·83 inches, and that of the Thermometer 34°·8, the latter being 4°·3 below the week's average in the 65 years ended 1905. The direction of the wind was variable, the horizontal movement of the air being 2 per cent. above the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 21·1 hours; the measured rainfall amounted to 0·29 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 13th February, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1909.*	Death-Rates from all Causes. Week ended 23rd Jan., 1909.	30th Jan., 1909.	6th Feb., 1909.	13th Feb., 1909.	Rate from Diseases in Cols. 11-17. Week ended 13th Feb., 1909.	Registered during the Week ended 13th Feb., 1909. Births.	Deaths.	The Deaths registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS	**16,445,281**	**15·7**	**18·0**	**18·7**	**17·5**	**1·4**	**8163**	**5518**	**976**	**1893**	**1**	**188**	**44**	**79**	**68**	**24**	**49**	**183**	**436**	**1499**	**52**	**76 TOWNS.**
LONDON	4,833,938	15·3	17·8	20·3	17·8	1·4	2335	1646	258	591	–	69	9	15	15	4	19	54	150	639	3	LONDON.
† CROYDON	161,078	14·2	14·6	22·7	12·9	1·0	69	40	3	22	–	–	–	2	–	–	1	3	8	11	–	CROYDON.
† WILLESDEN ..	160,424	8·1	6·8	14·6	11·7	1·3	87	36	14	9	–	2	–	1	1	–	–	–	–	5	–	WILLESDEN.
† HORNSEY	95,628	8·2	9·3	10·4	10·9	0·5	23	20	2	10	–	–	–	–	–	–	1	–	1	–	–	HORNSEY.
† TOTTENHAM ..	129,464	9·3	14·5	14·9	12·1	0·8	62	30	6	10	–	1	–	1	–	–	–	1	6	2	–	TOTTENHAM.
† WEST HAM ..	321,767	14·3	17·2	16·9	17·3	3·6	153	107	16	40	–	11	1	–	6	1	3	4	11	23	–	WEST HAM.
† EAST HAM.. ..	149,575	9·8	8·0	12·2	11·9	1·4	82	34	8	9	–	2	–	1	–	1	–	1	3	7	–	EAST HAM.
† LEYTON	129,614	6·8	14·9	14·1	12·9	0·8	65	32	7	12	–	–	–	–	2	–	–	1	3	8	–	LEYTON.
† WALTHAMSTOW ..	136,602	8·4	13·0	8·8	11·1	1·5	72	29	6	11	–	2	2	–	–	–	–	–	3	7	–	WALTHAMSTOW.
HASTINGS	68,165	12·2	15·3	9·2	17·6	–	16	23	–	17	–	–	–	–	–	–	–	–	–	2	–	HASTINGS.
BRIGHTON	130,926	15·5	14·3	13·1	20·7	0·8	45	52	8	22	–	–	–	1	1	–	–	1	5	17	–	BRIGHTON.
PORTSMOUTH ..	214,726	15·1	18·5	15·1	17·5	1·5	100	72	9	37	–	1	–	4	–	–	1	2	4	14	–	PORTSMOUTH.
BOURNEMOUTH ..	72,368	16·6	18·0	20·2	14·4	1·4	17	20	5	11	–	–	–	–	1	–	1	–	1	4	–	BOURNEMOUTH.
SOUTHAMPTON ..	124,667	15·1	18·0	16·3	14·6	–	50	35	4	14	–	–	–	–	–	–	–	3	6	10	–	SOUTHAMPTON.
READING	82,995	15·1	15·1	15·1	8·2	–	32	13	3	6	–	–	–	–	–	–	–	–	–	3	1	READING.
NORTHAMPTON ..	97,752	13·3	22·4	13·3	15·5	0·5	42	29	5	17	–	–	–	–	–	–	1	–	–	7	1	NORTHAMPTON.
IPSWICH	74,889	13·2	18·1	16·0	20·9	–	39	30	3	12	–	–	–	–	–	–	–	1	3	3	–	IPSWICH.
GREAT YARMOUTH	53,430	11·7	20·5	17·6	20·5	2·9	30	21	3	9	–	1	–	–	2	–	–	2	3	3	–	GREAT YARMOUTH.
NORWICH	124,136	14·3	14·3	18·1	11·8	1·3	58	28	5	10	–	–	–	1	2	–	–	–	2	8	–	NORWICH.
PLYMOUTH	124,180	13·0	15·1	17·6	17·2	2·1	53	41	7	13	–	3	–	1	1	–	–	–	1	8	–	PLYMOUTH.
DEVONPORT	83,103	17·6	11·9	6·9	20·7	0·6	43	33	8	14	–	–	–	–	–	–	1	1	3	4	–	DEVONPORT.
BRISTOL	377,642	11·9	14·5	14·1	16·0	0·7	182	116	11	64	1	–	–	2	–	1	1	5	10	25	–	BRISTOL.
HANLEY	68,831	14·4	20·5	23·5	15·9	0·8	47	21	7	5	–	–	–	–	–	1	–	–	1	2	–	HANLEY.
BURTON-ON-TRENT	54,453	10·5	12·4	19·2	10·5	1·0	14	11	3	2	–	–	–	1	–	–	–	–	–	–	–	BURTON-ON-TRENT.
WOLVERHAMPTON..	104,633	15·4	15·9	19·4	16·4	0·5	39	33	2	15	–	1	–	–	–	–	–	–	2	5	–	WOLVERHAMPTON.
WALSALL	99,399	15·7	14·2	16·3	15·2	0·5	52	29	6	9	–	–	–	–	1	–	–	1	3	7	1	WALSALL.
HANDSWORTH ..	70,186	10·4	5·2	12·6	17·1	3·7	28	23	5	8	–	–	1	3	1	–	–	–	–	–	–	HANDSWORTH.
WEST BROMWICH..	70,457	16·3	22·2	19·2	15·5	0·7	47	21	7	5	–	–	–	1	–	–	–	–	–	3	–	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 13th February, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 23rd Jan., 1909.	30th Jan., 1909.	6th Feb., 1909.	13th Feb., 1909.	Rate from Diseases in Cols. 11-17. Week ended 13th Feb., 1909.	Registered during the Week ended 13th Feb., 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
BIRMINGHAM ..	563,629	17·7	16·7	20·8	20·1	3·4	248	217	49	71	–	25	3	5	3	–	1	3	6	48	8	BIRMINGHAM.
KINGS NORTON ..	81,632	18·5	16·6	14·1	13·4	0·6	34	21	5	7	–	–	1	–	–	–	–	1	1	5	1	KINGS NORTON.
SMETHWICK	70,377	18·5	14·1	20·0	11·9	–	41	16	3	5	–	–	–	–	–	–	–	1	1	2	–	SMETHWICK.
ASTON MANOR ..	85,257	15·9	17·1	13·5	16·5	0·6	43	27	5	9	–	1	–	–	–	–	–	1	7	2	–	ASTON MANOR.
COVENTRY	80,163	13·7	20·2	14·3	16·9	0·7	52	26	5	8	–	–	1	–	–	–	–	3	3	5	1	COVENTRY.
LEICESTER	244,255	12·8	16·0	19·0	15·8	2·1	92	74	15	20	–	8	–	1	–	1	–	1	2	10	–	LEICESTER.
GRIMSBY	73,036	12·9	15·0	12·9	17·8	0·7	33	25	8	5	–	–	1	–	–	–	–	1	1	5	–	GRIMSBY.
NOTTINGHAM ..	263,443	20·4	20·2	22·6	16·4	1·2	131	83	15	27	–	2	–	2	1	–	1	2	3	7	2	NOTTINGHAM.
DERBY	129,411	13·7	12·5	20·1	14·9	2·0	58	37	6	17	–	1	–	2	2	–	–	1	4	7	–	DERBY.
STOCKPORT	103,706	23·6	21·1	20·6	19·1	1·5	57	38	4	16	–	3	–	–	–	–	–	1	4	11	–	STOCKPORT.
BIRKENHEAD ..	121,123	13·3	19·4	15·5	19·8	3·0	74	46	12	8	–	–	4	2	1	–	–	5	7	14	–	BIRKENHEAD.
WALLASEY	71,004	11·0	10·3	16·2	25·0	1·5	18	34	3	15	–	–	2	–	–	–	–	–	–	5	–	WALLASEY.
LIVERPOOL	760,357	19·7	23·5	21·7	21·5	2·0	487	314	62	84	–	8	6	5	6	2	2	9	21	132	14	LIVERPOOL.
BOOTLE	69,393	9·8	20·3	24·0	15·0	2·3	46	20	3	2	–	1	1	1	–	–	–	1	2	3	2	BOOTLE.
ST. HELENS	95,161	15·3	20·8	18·1	19·7	4·4	58	36	12	6	–	1	1	3	2	1	–	2	3	11	2	ST. HELENS.
WIGAN	90,678	17·3	24·2	21·9	20·1	1·2	57	35	9	7	–	–	1	–	–	1	–	–	1	3	–	WIGAN.
WARRINGTON ..	72,276	22·4	13·0	20·2	21·6	2·9	42	30	11	6	–	3	1	–	–	–	–	2	2	11	1	WARRINGTON.
BOLTON	187,824	16·7	16·1	17·8	17·2	0·3	83	62	10	24	–	–	–	1	–	–	–	2	6	10	–	BOLTON.
BURY	59,234	16·7	26·4	17·6	22·0	3·5	25	25	3	7	–	1	2	–	–	1	–	1	2	4	1	BURY.
MANCHESTER ..	655,435	20·6	23·9	24·6	20·2	1·3	361	254	37	74	–	4	–	5	4	2	1	9	15	72	3	MANCHESTER.
SALFORD	241,950	20·5	19·6	23·3	21·8	2·2	162	101	16	32	–	3	1	2	–	2	2	3	8	29	1	SALFORD.
OLDHAM	143,301	19·6	23·7	19·3	25·5	1·5	71	70	10	28	–	1	1	1	–	–	1	2	4	13	–	OLDHAM.
ROCHDALE	89,653	20·9	23·3	18·0	17·4	0·6	42	30	3	15	–	–	–	–	–	1	–	1	2	4	2	ROCHDALE.
BURNLEY	106,267	18·2	15·7	20·6	19·1	1·0	44	39	6	11	–	–	–	1	–	–	1	2	3	6	2	BURNLEY.
BLACKBURN	136,959	16·8	22·1	19·0	22·8	1·1	70	60	8	22	–	1	2	–	–	–	–	1	3	8	–	BLACKBURN.
PRESTON	118,519	14·1	20·2	21·1	16·7	1·8	68	38	5	16	–	–	–	–	3	1	–	–	1	8	–	PRESTON.
BARROW-IN-FURNESS.	62,996	10·8	9·9	14·1	11·6	–	31	14	1	1	–	–	–	–	–	–	–	–	–	2	–	BARROW-IN-FURNESS.

Towns.	Population estimated to the middle of the Year 1909.*	Death-Rates from all Causes. Week ended 23rd Jan., 1909.	30th Jan., 1909.	6th Feb., 1909.	13th Feb., 1909.	Rate from Diseases in Cols. 11–17. Week ended 13th Feb., 1909.	Registered during the Week ended 13th Feb., 1909. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Towns.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Huddersfield ..	94,739	19·8	26·4	17·6	16·0	–	47	29	4	13	–	–	–	–	–	–	–	1	1	6	–	Huddersfield.
Halifax	111,911	12·1	18·2	11·2	11·6	0·5	46	25	2	12	–	1	–	–	–	–	–	1	2	9	–	Halifax.
Bradford	293,983	16·8	17·9	22·9	17·4	0·9	112	98	17	42	–	–	–	4	–	–	1	5	13	27	–	Bradford.
Leeds	484,012	15·4	19·0	16·5	17·1	1·4	200	159	20	47	–	1	–	5	4	2	1	6	10	34	–	Leeds.
Sheffield	470,958	18·7	18·9	16·6	17·1	1·7	239	154	22	54	–	12	–	–	3	–	–	4	10	43	1	Sheffield.
Rotherham.. ..	65,070	16·8	20·8	12·8	12·8	0·8	31	16	4	5	–	–	–	–	1	–	–	–	1	7	–	Rotherham.
York	87,004	10·2	16·2	13·2	11·4	1·2	40	19	2	8	–	–	–	–	1	–	1	1	2	7	–	York.
Hull	275,552	19·3	18·9	18·0	16·3	0·4	158	86	21	29	–	1	–	1	–	–	–	10	14	19	–	Hull.
Middlesbrough ..	105,255	16·3	20·8	26·3	22·3	3·0	57	45	7	8	–	3	–	1	–	–	2	–	2	8	1	Middlesbrough.
Stockton-on-Tees	53,417	21·5	11·7	17·6	17·6	–	30	18	3	8	–	–	–	–	–	–	–	–	–	4	–	Stockton-on-Tees.
West Hartlepool	79,686	13·1	15·1	19·6	15·7	3·9	38	24	4	7	–	5	–	–	–	–	1	2	2	3	–	West Hartlepool.
Sunderland ..	159,378	16·7	23·6	17·7	20·0	2·3	90	61	22	11	–	5	–	–	–	1	1	4	6	9	–	Sunderland.
South Shields ..	117,627	16·0	14·6	16·0	19·1	–	68	43	14	9	–	–	–	–	–	–	–	3	3	5	2	South Shields.
Gateshead	131,024	15·5	11·5	13·9	11·1	0·4	77	28	7	8	–	1	–	–	–	–	–	1	1	2	1	Gateshead.
Newcastle-on-Tyne.	281,584	16·9	20·0	14·6	18·0	1·1	140	97	25	26	–	2	1	–	2	1	–	1	4	17	1	Newcastle-on-Tyne.
Tynemouth ..	55,808	13·1	18·7	20·6	18·7	0·9	33	20	4	6	–	–	1	–	–	–	–	1	3	3	–	Tynemouth.
Newport (Mon.) ..	78,336	16·0	14·6	22·0	19·3	1·3	50	29	6	5	–	–	–	2	–	–	–	–	3	8	–	Newport (Mon.).
Cardiff	195,303	13·6	13·6	15·8	17·4	1·3	97	65	12	21	–	1	1	1	1	–	1	4	9	14	–	Cardiff.
Rhondda	135,894	15·7	16·5	15·3	13·8	0·8	92	36	12	7	–	–	–	–	–	–	2	3	3	–	–	Rhondda.
Merthyr Tydfil..	78,365	15·3	23·3	20·0	21·3	1·3	48	32	8	11	–	–	–	–	1	–	1	–	1	6	–	Merthyr Tydfil.
Swansea	98,308	18·0	30·8	18·0	19·6	–	60	37	13	9	–	–	–	–	–	–	–	1	5	4	–	Swansea.
Greater London	7,429,740	14·1	15·9	18·4	16·2	1·3	3546	2310	365	863	–	92	13	28	28	6	25	75	215	757	3	Greater London.
Outer Ring ..	2,595,802	12·0	12·3	14·8	13·3	1·2	1211	664	107	272	–	23	4	13	13	2	6	21	65	118	–	Outer Ring.
8 Towns in Outer Ring.	1,284,152	10·6	13·0	14·9	13·3	1·7	613	328	62	123	–	18	3	5	9	2	5	10	35	63	–	8 Towns in Outer Ring.
Remainder of Outer Ring.	1,311,650	13·3	11·6	14·7	13·4	0·8	598	336	45	149	–	5	1	8	4	–	1	11	30	55	–	Remainder of Outer Ring.
Edinburgh	355,366	19·4	17·0	17·3	14·8	0·7	118	101	18	37	–	–	1	–	2	–	2	5	?	32	5	Edinburgh.
Glasgow	872,021	18·5	18·0	17·9	18·3	2·4	470	306‡	65	75	–	–	2	4	30	2	2	9	?	86	12	Glasgow.
Dublin (Registration Area).†	398,356	25·3	25·4	24·3	25·1	1·7	231	192	46	46	–	1	1	–	5	4	2	4	4	73	5	Dublin (Registration Area).†
Belfast†	386,576	18·9	19·7	17·5	15·6	0·4	228	116‡	24	27	–	1	–	–	–	–	2	2	7	27	2	Belfast.†

* See note † on first page of this return.

† Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast respectively.

‡ Including 1 death from Cerebro-spinal meningitis in Glasgow, and 3 from Cerebro-spinal fever in Belfast.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the SIXTH Week of each of the Eleven Years, 1899–1909.

	1899	1900	1901	1902	1903	1904	1905	1906	1907	1908	Corrected Weekly Average in 5 Years 1904–1908.*	1909
TOTAL **Births** -	2802	2889	2687	2647	2696	2637	2722	2550	2356	2575	2629·0	2335
Males - - -	1408	1516	1366	1359	1332	1290	1334	1285	1203	1353	1323·7	1197
Females - -	1394	1373	1321	1288	1364	1347	1388	1265	1153	1222	1305·3	1138
TOTAL **Deaths** -	1991	1792	1668	1978	1504	1574	1580	1347	1858	1629	1635·5	1646
Males - - -	989	905	843	1002	778	782	748	673	950	818	813·1	813
Females - -	1002	887	825	976	726	792	832	674	908	811	822·4	833

* The numbers in this column are the average weekly numbers in the Sixth week of the five years 1904-1908, raised by 2·375 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	1909 Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	13 Weeks.
TOTAL **Births** -	2187	2221	2040	2186	2133	1438	2228	2476	2434	2162	2110	2444	2335	28394
TOTAL **Deaths** -	1357	1451	1383	1311	1359	1038	1805	1672	1563	1414	1653	1878	1646	19530
Ages at Death: Under 1 year -	284	262	242	265	240	155	305	251	273	221	256	254	258	3266
1—5 years -	149	166	135	147	139	115	211	174	181	175	205	185	193	2175
5—20 " -	70	66	71	57	81	53	81	79	71	51	65	77	69	891
20—40 " -	187	181	171	161	162	118	233	179	175	171	214	199	190	2341
40—60 " -	266	288	278	264	284	221	354	394	330	292	358	416	345	4090
60 yrs. & upwds.	401	488	486	417	453	376	621	595	533	504	555	747	591	6767
Deaths from—														
Small-pox† - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles - - -	32	34	38	49	51	44	87	72	79	76	82	52	69	765
Scarlet Fever - -	8	9	14	10	14	7	7	4	11	11	7	11	9	122
Diphtheria - -	16	30	13	14	24	17	23	20	14	20	16	24	15	246
Whooping-cough -	7	7	2	7	4	7	11	14	8	11	29	29	15	151
Typhus - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever - -	11	10	5	9	14	7	7	8	8	6	3	7	4	99
Pyrexia (origin uncertain).	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa, Dysentery	31	32	24	11	19	14	22	17	22	15	10	12	19	248
All above diseases -	105	122	96	100	126	96	157	135	142	139	147	135	131	1631
Dis. of Resp. System	157	150	141	129	136	106	193	258	181	156	214	354	219	2394
Pneumonia - -	177	168	154	155	145	96	188	184	188	161	163	202	222	2203
Phthisis - - -	145	143	131	135	116	104	171	158	121	127	198	171	145	1865
Dis. of Circ. System -	176	177	189	170	199	149	252	253	211	185	252	270	249	2732
Violence - - -	50	71	62	52	52	50	83	82	72	51	65	63	54	807
Inquest Cases - -	132	137	127	132	129	111	207	201	162	140	154	198	150	1980
Deaths in Institutions	568	651	602	541	599	434	686	615	631	611	662	749	639	7988
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	44·7	47·6	43·5	42·8	45·4	40·2	31·5	40·7	42·2	38·7	31·8	42·7	34·8	40·5
Mean of Highest -	49·1	53·7	47·1	46·9	49·3	42·4	35·9	44·0	47·4	42·8	37·1	47·7	40·0	44·9
Mean of Lowest -	39·4	39·7	40·5	37·1	40·2	37·6	26·8	37·0	37·6	34·1	25·3	37·1	30·0	35·6
Mean Humidity of the Air.	84	81	94	87	92	91	85	86	80	81	88	79	81	85
Rain-fall (in inches) -	0·39	0·07	0·08	0·62	0·81	0·02	0·43	0·13	0·49	0·12	0·02	0·04	0·29	3·56
Registered Sunshine (in hours).	7·7	15·9	0·0	8·8	4·3	3·5	5·7	8·1	22·7	10·9	18·9	7·7	21·1	135·3
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	–	–	–	–	–	–	–	–	–	–	–	1	1	–
Scarlet Fever - -	3310	3331	3747	3704	3537	3454	3557	3347	3261	3211	3201	3117	3002	3445
Diphtheria - - -	1215	1242	1241	1263	1266	1259	1245	1215	1205	1191	1187	1181	1177	1222
Typhus - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever - -	185	187	190	184	173	168	153	145	145	137	130	124	128	158

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lander, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq. F.R.Met.Soc., Hull; the Meteorological Committee, Tynemouth; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the SIXTH Week of the Year 1909.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 6th week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1635·5	1646	258	193	69	190	345	591
Small-pox*	-	-	-	-	-	-	-	-
Cowpox	0·2	-	-	-	-	-	-	-
Measles (Morbilli)	28·5	69	15	53	1	-	-	-
Scarlet Fever	9·4	9	-	6	3	-	-	-
Typhus	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-
Influenza	27·0	17	1	3	1	2	3	7
Whooping-cough	41·6	15	4	11	-	-	-	-
Diphtheria	17·4	15	2	10	3	-	-	-
Cerebro-spinal Fever ..	-	-	-	-	-	-	-	-
Pyrexia† (origin uncertain)	-	-	-	-	-	-	-	-
Enteric Fever	4·1	4	-	-	1	2	1	-
Asiatic Cholera	-	-	-	-	-	-	-	-
Epidemic Diarrhœa, Infective Enteritis	5·1	5	3	-	-	-	1	1
Diarrhœa, Dysentery ..	13·9	14	6	1	-	1	4	2
Tetanus	1·0	2	1	-	-	-	1	-
Rabies, Hydrophobia ..	-	-	-	-	-	-	-	-
Glanders	0·2	-	-	-	-	-	-	-
Anthrax (Splenic Fever)..	-	-	-	-	-	-	-	-
Venereal Dis.	7·6	2	2	-	-	-	-	-
Puerperal Septicæmia ..	3·7	4	-	-	-	4	-	-
Puerperal Pyæmia.. ..	0·4	-	-	-	-	-	-	-
Puerperal Fever	0·2	1	-	-	-	1	-	-
Infective Endocarditis ..	2·3	2	-	-	2	-	-	-
Pneumonia: Lobar ..	18·0	32	1	1	3	11	13	3
Pneumonia: Broncho ..	81·1	97	30	30	3	-	11	23
Pneumonia: Epidemic ..	-	-	-	-	-	-	-	-
Pneumonia: Not defined	83·7	93	10	15	5	9	21	33
Erysipelas	3·7	6	1	-	-	1	2	2
Septicæmia (not Puerperal)	1·4	-	-	-	-	-	-	-
Pyæmia (not Puerperal)	0·8	-	-	-	-	-	-	-
Other Infective Processes	6·3	5	-	-	-	2	3	-
Tuberculous Phthisis ..	87·8	106	1	3	5	49	38	10
"*Phthisis*	59·4	39	-	-	4	16	15	4
Tuberculous Meningitis ..	19·7	16	1	12	2	-	1	-
Tuberculous Peritonitis ..	6·1	8	1	3	1	2	1	-
Tabes Mesenterica	2·3	9	5	3	-	1	-	-
Tuberculous Dis., Other ..	18·0	17	4	5	3	4	-	1
Scrofula..	0·2	-	-	-	-	-	-	-
Alcoholism	11·1	8	-	-	-	3	3	2
Rheumatic Fever	3·7	4	-	-	2	1	1	-
Gout	1·6	-	-	-	-	-	-	-
Carcinoma	55·1	67	-	-	-	6	24	37
Sarcoma	3·9	7	-	-	2	1	4	-
Cancer (undefined) ..	32·6	30	-	-	-	1	13	16
Diabetes Mellitus	8·8	9	-	-	1	1	1	6
Premature Birth	47·9	47	47	-	-	-	-	-

CAUSES OF DEATH	Corrected Average for the 6th week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)..	16·8	7	1	2	-	1	2	1
Gen. Par. of Insane, Insanity	19·2	10	-	-	-	3	4	3
Epilepsy	8·4	6	1	-	-	2	1	2
Convulsions	18·8	17	15	2	-	-	-	-
Locomotor Ataxy.. ..	1·8	3	-	-	-	-	1	2
Paraplegia, Dis. of Cord.	6·6	3	-	-	-	2	1	-
Nervous Sys., Other Dis.	21·7	23	3	-	2	2	3	13
Valv. Dis., Endocarditis..	57·3	59	-	-	3	8	19	29
Cereb. Hæm. Cereb. Emb.	39·9	49	-	-	-	3	10	36
Apoplexy, Hemiplegia ..	18·2	28	-	-	-	-	8	20
Aneurysm	7·2	9	-	-	-	2	3	4
Embolism, Thrombosis (not Cerebral) ..	1·6	3	-	-	-	-	3	-
Heart & Blood Ves., Other Dis... ..	105·9	101	-	-	1	11	29	60
Croup (not Spasm: nor Memb.)	0·4	-	-	-	-	-	-	-
Bronchitis	189·0	190	17	14	-	5	36	118
Emphysema, Asthma ..	8·0	7	-	-	-	1	3	3
Pleurisy	4·1	5	-	-	1	-	3	1
Respiratory Dis., Other..	9·4	17	1	1	2	2	3	8
Tonsillitis, Quinsy.. ..	1·8	-	-	-	-	-	-	-
Enteritis (not Epid.) ..	11·7	7	5	1	-	-	1	-
Gastro-enteritis	4·7	3	2	-	-	-	-	1
Peritonitis (not Puerp.) ..	2·3	-	-	-	-	-	-	-
Cirrhosis of Liver.. ..	13·5	10	-	-	1	4	5	-
Liver Dis., Other	5·1	3	-	-	-	1	1	1
Digestive Sys., Other Dis.	38·1	30	2	2	5	4	10	7
Acute Nephritis	9·8	9	-	-	1	1	5	2
Bright's Dis., Albuminuria	47·1	35	-	-	1	3	12	19
Urinary Sys., Other Dis.	11·3	8	-	-	-	-	2	6
Generative Organs Dis...	5·9	6	-	-	-	2	3	1
Childbirth (Accid. of) ..	2·5	3	-	-	-	2	1	-
Old Age	68·2	89	-	-	-	-	-	89
Other Diseases	103·0	93	63	8	7	3	6	6
ACCIDENT.								
By Railways	1·2	2	-	-	-	1	1	-
By Vehicles and Horses..	4·9	3	-	-	2	1	-	-
In Ships, Boats, Docks, (exclusive of Drowning)	0·2	-	-	-	-	-	-	-
In Building Operations..	1·2	-	-	-	-	-	-	-
In Conflagrations	-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions	8·8	10	1	7	1	1	-	-
By Drowning	3·1	5	1	-	-	3	1	-
By Suffocation in Bed ..	11·7	7	7	-	-	-	-	-
By Poisons or Poisonous Vapours	2·5	1	-	-	-	1	-	-
Other Deaths by Accident..	18·6	15	3	-	-	1	2	9
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	0·8	2	1	-	-	1	-	-
Suicide	7·4	9	-	-	-	1	5	3
Execution	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c. registered in each SUB-DISTRICT during the Week ended Saturday, 13th February, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia†* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON	4,536,267	2335	1646	258	591	–	69	9	15	15	–	4	–	19	54	150	639	3
WEST DISTRICTS	805,311	313	261	34	101	–	5	1	3	2	–	1	–	3	10	25	97	–
NORTH DISTRICTS	1,055,908	509	324	44	132	–	9	1	1	1	–	–	–	6	16	35	124	–
CENTRAL DISTRICTS	209,465	101	77	12	19	–	2	–	–	2	–	–	–	–	4	6	42	–
EAST DISTRICTS	715,739	428	285	58	79	–	22	–	2	2	–	–	–	3	11	39	123	1
SOUTH DISTRICTS	1,749,844	984	641	110	241	–	29	4	9	8	–	2	–	5	13	45	195	2
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	–	58	–	19	–	2	3	–	–	–	1	–	2	–	–	58	–
WEST DISTRICTS.																		
North Paddington *H*	63,603	17	15	2	8	–	1	–	–	–	–	–	–	1	–	–	–	–
Central Paddington *W,3H*	50,053	30	26	2	9	–	–	–	1	–	–	–	–	1	1	2	14	–
South Paddington	30,320	6	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kensington Town *2W,w,2H* ..	128,037	49	60	6	22	–	1	–	1	–	–	–	–	–	2	3	29	–
Brompton *2H*	48,591	10	8	–	5	–	–	–	–	–	–	–	–	–	–	–	–	–
North Hammersmith *2W,w,H* ..	49,192	33	14	2	7	–	–	–	–	1	–	–	–	–	–	3	6	–
South Hammersmith *w,2H* ..	63,047	26	25	3	9	–	–	–	–	–	–	–	–	–	3	6	6	–
North-west Fulham *W*	45,180	28	16	5	4	–	–	–	–	1	–	–	–	–	–	1	6	–
North-east Fulham *F*	46,405	18	13	–	7	–	–	1	1	–	–	1	–	–	–	1	3	–
South Fulham *W*	45,704	20	8	2	2	–	–	–	–	–	–	–	–	–	–	1	–	–
Chelsea North *W,w,3H*	42,514	14	18	1	8	–	2	–	–	–	–	–	–	–	–	2	12	–
Chelsea South *W,2H*	31,328	15	13	4	6	–	–	–	–	–	–	–	–	–	–	1	–	–
Mayfair and Knightsbridge	28,713	2	4	–	1	–	–	–	–	–	–	–	–	–	1	2	–	–
Belgrave *W,2H*	55,815	19	16	–	3	–	–	–	–	–	–	–	–	–	3	3	9	–
St. Margaret & St. John *6H*	43,698	16	18	6	6	–	–	–	–	–	–	–	–	1	–	–	9	–
St. James and St. Anne *W,6H* ..	33,081	10	5	–	4	–	1	–	–	–	–	–	–	–	–	–	3	–
NORTH DISTRICTS.																		
All Souls Marylebone *8H*	35,391	16	15	1	3	–	–	–	–	–	–	–	–	1	1	1	5	–
St. Mary Marylebone *W,4H* ..	37,948	48	9	1	4	–	–	–	–	–	–	–	–	–	–	–	3	–
Christchurch Marylebone	39,536	20	11	4	5	–	–	–	–	–	–	–	–	1	1	1	–	–
St. John Marylebone *2H*	20,426	8	6	–	2	–	–	–	–	1	–	–	–	–	–	1	1	–
Hampstead *W,F,6H*	81,942	27	28	5	11	–	1	1	–	–	–	–	–	–	3	3	11	–
West St. Pancras *2H*	60,582	25	11	1	4	–	–	–	–	–	–	–	–	–	1	2	4	–
South St. Pancras *w,12H*	55,707	13	13	4	3	–	1	–	–	–	–	–	–	–	1	2	6	–
East St. Pancras *W,H*	60,320	29	17	–	11	–	–	–	–	–	–	–	–	–	1	3	11	–
North St. Pancras *2W*	58,728	33	18	2	9	–	3	–	–	–	–	–	–	1	–	2	9	–
Tufnell *W*	31,995	16	35	4	16	–	–	–	–	–	–	–	–	–	–	1	22	–
Upper Holloway *2W,w,H*	33,978	17	20	1	7	–	2	–	–	–	–	–	–	–	4	4	16	–
Tollington *W,w,H*	33,922	17	4	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Lower Holloway	41,424	15	7	1	2	–	–	–	–	–	–	–	–	–	–	1	–	–
Barnsbury	54,478	31	8	1	3	–	–	–	–	–	–	–	–	–	–	2	–	–
Islington South-east *F*	75,397	34	22	3	4	–	2	–	–	–	–	–	–	–	–	3	–	–
Highbury *2H*	63,797	31	10	–	7	–	–	–	–	–	–	–	–	–	–	1	–	–
Stoke Newington *H*	51,247	22	17	3	8	–	–	–	–	–	–	–	–	–	–	–	–	–
North Hackney	50,398	20	12	2	5	–	–	–	–	–	–	–	–	1	2	2	–	–
Central Hackney *w,F*	50,536	27	7	1	3	–	–	–	1	–	–	–	–	–	–	–	2	–
South-west Hackney *3H*	59,921	28	19	3	7	–	–	–	–	–	–	–	–	–	1	3	10	–
South-east Hackney *2W,w,H* ..	58,255	32	35	5	16	–	–	–	–	–	–	–	–	2	1	3	24	–
Hackney Union Workhouse, Brentwood	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 13th February, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
St. Giles and Bloomsbury 2*W*,2*H*..	31,436	18	11	2	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Strand *W*,4*H*	21,674	5	11	1	3	-	-	-	-	-	-	-	-	-	-	1	10	-
Strand Union Workhouse, Edmonton	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	3	-
Holborn *W*,6*H*	29,612	12	15	4	1	-	1	-	-	1	-	-	-	-	-	-	11	-
Clerkenwell *H*	63,704	34	11	2	4	-	1	-	-	1	-	-	-	-	1	1	-	-
St. Luke 3*H*,*L*	36,116	27	6	1	1	-	-	-	-	-	-	-	-	-	-	-	2	-
Holborn Union Workhouse, Mitcham	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph *H*	10,299	1	3	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	4	17	1	3	-	-	-	-	-	-	-	-	-	3	2	16	-
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
Shoreditch South 2*H*	46,362	33	9	4	1	-	3	-	-	-	-	-	-	-	-	-	-	-
Shoreditch North-West *W*,*w* *H* ..	36,127	17	32	-	14	-	1	-	-	1	-	-	-	-	1	5	20	-
Shoreditch North-East	36,148	29	12	3	2	-	1	-	-	-	-	-	-	-	-	2	-	1
Shoreditch Union Workhouse Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	24	43	7	11	-	2	-	1	1	-	-	-	-	1	4	21	-
Bethnal Green South-West *H* ..	64,542	32	13	4	1	-	1	-	-	-	-	-	-	-	1	3	-	-
Spitalfields..	27,969	16	5	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Mile End New Town *W*,*H*	28,718	28	37	5	6	-	-	-	1	-	-	-	-	1	1	5	36	-
Goodman's Fields	22,081	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George and St. John 2*W* ..	49,068	34	13	4	3	-	3	-	-	-	-	-	-	-	1	1	3	-
Shadwell and Ratcliff *W*,*H* ..	25,568	14	14	7	2	-	1	-	-	-	-	-	-	-	3	3	9	-
Limehouse *W*	32,369	24	9	2	5	-	1	-	-	-	-	-	-	-	-	1	-	-
Mile End Old Town South-Western *H*	63,698	48	13	3	3	-	2	-	-	-	-	-	-	-	1	1	-	-
Mile End Old Town North-Eastern *W*,*w*	49,129	31	18	5	9	-	1	-	-	-	-	-	-	-	1	3	8	-
Bow	41,989	22	10	3	1	-	1	-	-	-	-	-	-	1	-	2	-	-
Bromley 3*w*,*H*	68,319	42	33	5	12	-	3	-	-	-	-	-	-	1	-	4	19	-
Poplar *W*,*w*	58,514	28	20	5	5	-	2	-	-	-	-	-	-	-	1	3	5	-
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	1	2	-

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 13th February, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch and St. Saviour Southwark *W,2H*	23,319	16	23	6	1	–	3	–	–	–	–	–	–	–	2	3	18	–
Kent-road	21,904	9	4	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
St. George the Martyr West *W,2H,L*	39,094	20	14	5	3	–	1	–	–	1	–	–	–	–	–	1	8	–
Newington North	49,022	16	16	2	4	–	2	–	–	–	–	–	–	–	–	4	–	–
Newington South *W*	72,841	48	16	1	7	–	–	–	–	–	–	–	–	–	–	–	1	–
St. Olave *2W*	9,817	6	8	3	4	–	–	–	–	–	–	–	–	–	1	1	4	–
Bermondsey *W*	82,483	49	25	11	8	–	2	–	–	–	–	–	–	–	–	4	–	–
Rotherhithe *W,F*	38,460	14	17	4	3	–	3	–	–	–	–	–	–	–	–	–	9	–
Waterloo *2H*	27,440	27	13	5	2	–	2	–	–	–	–	–	–	1	–	–	3	–
Lambeth Church *H*	27,410	25	23	2	1	–	3	–	2	–	–	1	–	–	1	3	16	–
Kennington *2W*	52,518	47	41	4	22	–	–	–	–	–	–	–	–	–	1	1	24	–
Stockwell *HF*	63,826	40	14	1	3	–	–	1	1	–	–	–	–	–	–	1	2	–
Brixton *H*	73,673	33	17	1	12	–	–	–	–	–	–	–	–	–	–	1	1	–
Norwood *2WH*	56,998	21	23	5	9	–	–	–	–	–	–	–	–	–	1	4	–	–
East Battersea *H*	72,203	33	21	4	8	–	–	–	–	1	–	–	–	–	–	–	1	–
North-west Battersea	49,656	36	17	5	4	–	–	–	–	–	–	–	–	–	–	3	–	–
South-west Battersea *2W,H*	47,048	19	31	4	13	–	2	–	–	–	–	–	–	–	1	1	19	–
Clapham *2H*	51,361	19	12	2	6	–	–	–	–	–	–	–	–	–	–	–	1	–
Streatham *W,2w,2F,2L*	88,019	55	35	8	20	–	–	1	1	2	–	–	–	–	–	1	9	–
Springfield *2W,L*	27,959	32	9	1	5	–	–	–	–	–	–	–	–	–	–	–	1	–
Southfields *H*	40,444	32	15	5	6	–	–	–	–	–	–	–	–	1	–	3	–	–
Putney	24,139	10	4	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Dulwich	13,359	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Camberwell South *W,w*	40,206	14	30	3	14	–	2	–	–	–	–	–	–	–	–	1	19	–
Camberwell North *W,2L*	65,584	35	30	2	10	–	–	–	–	1	–	–	–	–	2	3	17	–
St. George	47,331	26	18	6	7	–	–	–	–	–	–	–	–	–	–	1	–	–
Peckham North	48,913	28	11	1	7	–	1	–	–	–	–	–	–	–	–	–	–	–
Peckham South *2W,w*	43,946	16	8	–	4	–	–	–	–	–	–	–	–	–	–	1	–	1
Deptford North	37,613	23	7	1	4	–	3	–	–	–	–	–	–	–	–	–	–	–
Deptford Central *F*	45,481	32	11	2	3	–	2	–	1	–	–	–	–	–	–	–	3	1
Deptford South	34,625	12	5	1	3	–	–	–	1	–	–	–	–	–	–	1	–	–
Greenwich West *2H*	23,456	13	10	2	2	–	–	–	–	–	–	–	–	–	–	–	2	–
Greenwich East *2W,H*	43,859	31	22	2	7	–	3	–	–	1	–	–	–	–	1	1	14	–
Eltham *w,H*	7,226	2	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Lee *w,H*	25,490	16	7	2	4	–	–	–	–	–	–	–	–	–	–	1	1	–
Lewisham *W,w,F*	58,352	36	30	3	15	–	–	–	1	1	–	–	–	1	1	2	11	–
Sydenham *H*	43,653	24	7	1	4	–	–	–	1	–	–	–	–	–	–	–	–	–
Charlton *F,2H*	21,134	9	8	–	2	–	–	2	–	1	–	1	–	–	–	–	3	–
Woolwich *5H*	41,625	24	10	2	4	–	–	–	–	–	–	–	–	1	1	2	–	–
Plumstead West *W,H*	39,376	17	13	2	3	–	–	–	1	–	–	–	–	–	–	–	–	–
Plumstead East *2W*	28,951	13	13	–	3	–	–	–	–	–	–	–	–	1	1	1	8	–
Workhouses:—																		
Belmont Workhouse	—	–	3	–	3	–	–	–	–	–	–	–	–	–	–	–	3	–
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
M. A. B. Small-pox Hospitals:—																		
Long Reach	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joyce Green	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
M. A. B. Fever Hospitals:—																		
Gore Farm (temporary)	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
North-Eastern	—	–	7	–	–	–	1	3	–	–	–	1	–	–	–	–	7	–
Northern	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
M. A. B. Children's Hospital:—																		
Children's Infirmary, Carshalton	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
M. A. B. Imbecile Asylums:—																		
Caterham	—	–	4	–	1	–	–	–	–	–	–	–	–	–	–	–	4	–
Darenth	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Leavesden	—	–	4	–	2	–	–	–	–	–	–	–	–	–	–	–	4	–
London County Lunatic Asylums:—																		
Banstead	—	–	7	–	2	–	–	–	–	–	–	–	–	–	–	–	7	–
Ewell (Epileptic Colony)	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Horton	—	–	3	–	1	–	–	–	–	–	–	–	–	–	–	–	3	–
Manor	—	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Long Grove	—	–	3	–	1	–	–	–	–	–	–	–	–	1	–	–	3	–
Cane Hill	—	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–
Dartford Heath	—	–	5	–	1	–	–	–	–	–	–	–	–	–	–	–	5	–
Hanwell	—	–	4	–	2	–	–	–	–	–	–	–	–	–	–	–	4	–
Colney Hatch	—	–	7	–	3	–	–	–	–	–	–	–	–	1	–	–	7	–
Claybury	—	–	7	–	2	–	–	–	–	–	–	–	–	–	–	–	7	–

TABLE **6.** LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERATED POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 13th February, 1909.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING ..	368,603	2,045,135	1211	664	107	272	-	23	4	13	13	2	6	21	65	118	-
30 : 1	Carshalton 2F,3H	12,228	32,997	11	15	1	6	-	1	-	3	1	-	-	-	-	3	-
2	Epsom, *part of** W,w,2F,H..	10,423	15,548	10	6	1	2	-	-	-	-	-	-	-	-	-	4	-
37 : 1	Godstone, *part of** W,F,L ..	2 754	2,692	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38 : 1	Coulsdon	11,069	8,166	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w,H ..	4,200	49,309	18	10	3	4	-	-	-	-	-	-	-	1	2	1	-
3	West Croydon 3W,F,H ..	2,168	42,888	26	25	-	12	-	-	-	2	-	-	-	2	3	14	-
4	North Croydon H	2,614	41,698	25	10	1	8	-	-	-	-	-	-	1	1	4	1	-
5	Penge w	770	22,465	7	6	2	1	-	-	-	-	-	-	-	-	-	-	-
6	Mitcham w	11,711	30,015	31	13	3	6	-	-	-	-	-	-	-	-	-	-	-
39 : 1	Wimbledon F,3H	3,221	41,652	19	10	2	6	-	-	-	-	-	-	-	-	1	1	-
2	Kingston 2W,H	6,224	42,068	21	20	5	12	-	-	-	-	-	-	-	-	3	6	-
3	Surbiton F,H	3,046	15,017	3	2	-	-	-	-	-	-	1	-	-	-	-	-	-
4	Esher, *part of** H	5,402	13,100	7	4	-	2	-	-	-	-	-	-	-	-	1	-	-
5	Hampton H,F,L	4,564	23,456	17	5	-	3	-	-	-	-	-	-	-	-	-	-	-
40 : 1	Richmond W,H	2,491	31,672	10	7	-	6	-	-	-	-	-	-	-	-	1	-	-
2	Mortlake F	2,518	17,821	10	6	-	5	-	-	-	-	-	-	-	-	-	-	-
41 : 1	Bromley F,3H	4,703	27,354	16	8	1	3	-	-	-	-	-	-	-	-	-	1	-
2	Beckenham H	7,825	28,497	7	3	-	2	-	-	-	-	-	-	-	-	-	-	-
3	Orpington, *part of** W,F ..	10,113	9,857	3	10	2	5	-	-	-	-	-	-	-	1	1	1	-
4	Chislehurst 2H	7,333	16,446	9	4	-	2	-	-	-	-	-	-	-	-	-	-	-
42 : 1	Bexley w,F,H	8,678	21,151	17	3	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Erith F,H	3,854	25,296	15	4	-	-	-	-	-	-	-	-	-	-	-	1	-
3	Dartford W,F, *part of** ..	—	—	-	3	-	3	-	-	-	-	-	-	-	1	1	3	-
124 : 1	Sunbury w	11,054	18,683	4	2	-	-	-	-	-	1	-	-	-	-	-	-	-
2	Staines W,H	13,277	15,178	9	7	1	2	-	-	-	-	-	-	-	1	2	1	-
125 : 1	Hillingdon W,F,H	6,035	13,661	10	2	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Uxbridge H	12,757	8,984	6	2	-	2	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w 2F,H	8,066	16,358	15	5	2	2	-	-	-	-	-	-	-	-	-	-	-
126 : 1	Isleworth 3W,3F,H	6,859	30,863	19	18	1	9	-	-	-	-	-	-	-	-	1	9	-
2	Twickenham F,2H	2,421	20,991	10	11	1	3	-	1	1	-	-	-	-	-	2	1	-
3	Brentford 3F,2H	4,319	48,289	29	15	2	8	-	1	-	1	-	-	-	-	2	1	-
4	Chiswick H	1,249	29,809	13	9	1	6	-	-	-	-	-	-	-	-	1	-	-
5	Acton w,F,3H	6,132	48,914	45	16	2	6	-	-	-	2	2	-	-	-	-	-	-
127 : 1	Harrow F,H	13,809	25,523	21	9	-	2	-	1	-	-	-	-	-	-	1	1	-
2	Edgware 2F,2H	6,994	4,521	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden W,F,2H	4,384	114,811	87	36	14	9	-	2	-	1	1	-	-	-	-	5	-
4	Hendon W,F	8,382	22,450	16	3	-	2	-	-	-	-	-	-	-	-	-	-	-
128 : 1	South Mimms 2F,H ..	17,755	7,308	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,970	9	3	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Finchley F,3H	4,688	33,692	14	10	-	7	-	-	-	-	-	-	-	1	1	1	-
129 : 1	Hornsey F,H	2,875	72,056	23	20	2	10	-	-	-	-	-	-	1	-	1	-	-
2	Wood Green H	1,625	34,233	18	13	2	7	-	-	-	-	-	-	-	-	1	-	-
3	West Tottenham	995	48,741	28	10	3	2	-	1	-	-	-	-	-	-	1	-	-
4	East Tottenham 2H ..	2,019	53,962	34	23	3	7	-	-	-	1	-	-	-	2	7	5	-
5	Edmonton W,w,2F	7,491	61,892	52	23	6	10	-	1	-	-	-	-	1	2	3	5	-
6	Enfield 2W,F,H	12,601	42,738	16	7	-	2	-	-	-	1	-	-	-	1	1	1	-
7	Waltham Abbey F	11,017	6,549	1	3	-	2	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-
135 : 1	Hatfield, *part of** W ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey H	9,333	9,173	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford W,2F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
186 : 1	Stratford H	1,091	52,974	22	21	3	7	-	2	-	-	-	-	-	2	4	3	-
2	Forest Gate	787	52,745	14	20	-	15	-	-	-	-	1	1	-	1	4	-	-
3	Plaistow F,2H	1,249	90,921	62	24	3	7	-	3	1	-	2	-	2	1	2	3	-
4	Canning Town H	1,556	70,718	55	25	8	4	-	5	-	-	2	-	1	-	1	-	-
5	South East Ham 2F ..	1,991	37,342	44	15	3	3	-	2	-	1	-	-	-	-	1	1	-
6	North East Ham w,H ..	1,333	58,666	38	14	5	6	-	-	-	-	-	-	-	1	2	1	-
7	Wanstead F	1,679	9,179	3	3	1	2	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	30	22	2	13	-	-	-	-	2	-	-	1	1	9	-
9	North Leyton 2W,w,F ..	1,963	48,445	35	35	7	9	-	1	-	-	1	1	-	-	2	24	-
10	Walthamstow 2H,L ..	6,504	108,929	76	23	6	8	-	2	-	-	-	-	-	-	3	-	-
187 : 1	Chigwell 2F,3H	11,778	16,397	4	8	1	2	-	-	2	-	-	-	-	-	-	3	-
2	Epping W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189 : 1	Romford, *part of** W,2F ..	6,556	6,091	8	3	1	1	-	-	-	-	-	-	-	-	-	1	-
2	Ilford F,L	8,496	41,244	27	12	2	3	-	-	-	-	-	-	-	1	2	2	-
3	Barking Town F	3,805	21,547	11	7	1	1	-	-	-	-	-	-	-	1	2	-	-
	M.A.B. Imbecile Asylum, Tooting Bec.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
	Essex County Lunatic Asylum, Brentwood.	—	—	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30 : 2, excepting Ashtead parish; 37 : 1, Warlingham and Farley parishes; 39 : 4, excepting Esher parish; 41 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135 : 1, Northaw parish; 189 : 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42 : 3, 137 : 2 and 187 : 2 and in the Croydon Mental Hospital in 37 : 1 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON - -	4,833,938	February 13	2335	1646	17·8	-	69	9	15	15	4	19
CALCUTTA - -	992,718	January 9	-	-	-	-	-	-	-	-	-	-
BOMBAY - -	982,000	" 26	410	690	31·9	10	2	-	-	-	74†	48‡
MADRAS - -	548,974	" 15	328	414	42·2	-	1	?	?	?	98	52
PARIS - - -	2,747,599	February 6	1090	1134	21·6	-	2	4	2	3	8	35
BRUSSELS - -	693,720	" 6	272	239	17·9	-	1	-	5	1	-	11
ANTWERP - -	310,903	" 6	106	83	13·9	-	-	-	1	1	-	5
AMSTERDAM -	565,601	" 6	268	154	14·2	-	2	-	2	3	-	2
COPENHAGEN -	445,000	" 6	236	145	17·0	-	2	3	1	1	-	3
STOCKHOLM -	337,460	January 30	148	92	14·2	-	-	4	1	2	-	1
CHRISTIANIA -	231,687	February 6	111	64	14·4	-	-	-	2	4	-	1
ST. PETERSBURG	1,573,800	January 30	556	861	28·5	1	12	15	19	7	17	104‡
MOSCOW - -	1,452,100	" 30	-	821	29·5	10	6	9	16	4	15	54
BERLIN - -	2,108,302	" 23	921	598	14·8	-	10	4	6	3	2	25
HAMBURG - -	872,252	February 6	-	267	15·9	-	3	8	6	4	1	17
BRESLAU - -	499,437	January 30	-	181	18·9	-	-	-	-	-	-	11
MUNICH - -	566,000	" 30	276	183	16·8	-	2	1	3	1	1	11
		February 6	-	193	17·7	-	1	2	4	4	-	9
VIENNA - -	2,042,426	" 6	833	742	18·9	-	21	11	11	3	-	29
PRAGUE - -	480,856	January 30	162	187	20·2	-	1	3	2	1	2	10
BUDAPEST - -	823,215	" 30	400	306	19·3	-	4	7	1	1	-	14
TRIESTE - -	216,680	February 6	143	134	32·2	-	-	1	1	-	-	2
ROME - - -	559,715	December 5	269	230	21·4	-	4	-	1	-	2§	15
VENICE - -	176,815	January 23	66	90	26·5	-	-	-	1	-	-	5
BUCAREST - -	293,619	" 23	178	148	26·3	-	1	7	-	1	1	-
		" 30	-	-	-	-	-	-	-	-	-	-
NEW YORK -	4,564,792	" 23	2200	1499	17·1	-	21	18	49	4	8	38
CHICAGO - -	2,224,490	" 23	-	622	14·6	-	4	10	19	1	3	34
PHILADELPHIA -	1,532,738	December 19	-	-	-	-	-	-	-	-	-	-
RIO DE JANEIRO	636,018	January 10	-	272	22·3	24	3	-	1	-	2†	?

* Excluding deaths from croup in the Indian Cities.
† Including 16 deaths from plague in Bombay and 1 in Rio de Janeiro.
‡ Including 4 deaths from cholera in Bombay and 49 in St. Petersburg,
§ Including 1 death from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 13th February, 1909.

Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	44·1	26·1	35·0	0·29	BRADFORD - -	41·8	28·0	34·1	0·24
BRIGHTON - -	46·9	28·9	37·2	0·18	YORK - - -	43·0	26·0	34·5	0·31
PORTSMOUTH - -	46·0	29·5	37·6	0·23	HULL - - -	42·0	27·0	35·3	0·24
NORWICH - -	43·0	27·0	34·9	0·19	TYNEMOUTH - -	42·0	28·0	35·0	0·32
PLYMOUTH - -	49·9	29·3	40·0	0·35	CARDIFF - - -	46·9	28·7	35·8	0·45
BRISTOL - - -	45·0	27·0	36·0	0·59	EDINBURGH - -	40·2	28·6	35·4	0·25
BIRMINGHAM - -	40·3	27·8	34·2	0·53	GLASGOW - -	44·0	30·0	37·5	0·29
NOTTINGHAM - -	39·9	24·8	34·1	0·54	DUBLIN Phœnix Park.	47·1	24·9	38·6	0·22
LIVERPOOL OBSERVATORY.	44·0	31·0	36·0	0·32	DUBLIN Fitzwilliam Square.†	46·3	32·2	40·4	0·18
MANCHESTER -	40·8	28·8	34·9	0·53					
BURNLEY - -	41·8	29·0	34·4	0·64					
HUDDERSFIELD -	39·8	26·0	34·2	0·48	BELFAST - - -	48·8	34·0	42·0	0·37

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0°·4 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 13th February, 1909.

[*Under the Superintendence of the Astronomer Royal.*]

1909. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
FEBRUARY.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 7	..	29·988	44·1	26·1	18·0	33·8	- 5·7	31·0	2·8	9·7	0·0	90	74·8	15·1	42·68	WSW. calm & variable.	SSE.	1·0	0·0	0·0	151	-164	0·01*	0·5
MONDAY - 8	Apogee	30·083	40·0	28·7	11·3	34·0	- 5·3	28·7	5·3	9·0	2·4	81	69·0	17·0	42·42	SSE., ESE. & SE.	SSE., SE. & S.	1·1	0·0	0·0	177	-149	0·00	2·2
TUESDAY - 9	In Equator	29·556	40·8	30·3	10·5	36·7	- 2·4	32·1	4·6	8·2	2·6	83	58·2	19·0	42·09	S., SSW. & SW.	SW. & WSW.	2·9	0·0	0·3	326	- 6	0·07	2·3
WEDNESDAY 10	..	29·220	40·8	33·8	7·0	36·6	- 2·3	33·7	2·9	6·9	1·2	89	53·0	29·4	41·69	W. & WNW.	NW., NNE. & NE.	1·8	0·0	0·1	248	- 87	0·14	0·0
THURSDAY - 11	..	29·630	40·4	33·2	7·2	36·4	- 2·4	33·2	3·2	8·5	0·9	88	60·1	28·4	41·57	NE. & ENE.	ENE. & NE.	5·5	0·0	0·6	483	+150	0·07	0·5
FRIDAY - 12	..	30·006	36·8	29·5	7·3	32·5	- 6·3	22·4	10·1	13·9	5·6	65	79·8	23·2	41·40	ENE.	ENE. & NE.	9·1	0·0	1·0	587	+258	0·00	1·5
SATURDAY - 13	Last Quarter.	30·333	37·3	28·3	9·0	33·4	- 5·6	25·8	7·6	8·8	3·5	73	59·8	21·5	41·13	NE. & ENE.	ENE., NE. & NNE.	3·6	0·0	0·3	356	+ 33	0·00	0·0
MEANS - -		29·831	40·0	30·0	10·0	34·8	- 4·3	29·6	5·2	9·3	2·3	81	65·0	21·9	41·85	Variable & NE.		..	..	..	Sum 2328	Sum + 35	Sum 0·29	1·0
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

* Fog and frost.

DATE. FEBRUARY.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon in hours.	GENERAL REMARKS.
SUNDAY - 7	w. P. generally.	5·5	9·4	Fog and hoar frost in morning; very fine with little cloud after 10h. 30m. A.M.; hoar frost at night.
MONDAY - 8	w. P. till 4h. P.M.; m. P. generally afterwards..	4·2	9·5	Very fine with hoar frost in early morning; generally overcast between 6h. and 10h A.M.; very fine afterwards with hoar frost at night. Solar halo observed in afternoon and lunar halo after 9h. P.M.
TUESDAY - 9	w. P. generally with occasional m. P. till 2h. P.M.; w. P. and v. N. till 5h. P.M.; m. P. afterwards.	0·0	9·5	Very fine with hoar frost till 4h. A.M.; generally overcast afterwards with occasional rain after 2h. P.M. Solar halo observed at noon.
WEDNESDAY 10	m. P. till 1h. A.M.; v. N. and w. P. till 6h. A.M.; m. P. generally afterwards.	0·1	9·6	Overcast with slight exceptions; frequent rain in morning followed by snow from 7h. 45m. to 8h. 45m. A.M.
THURSDAY - 11	w. P. with occasional s. P. and s. N. till 10h. A.M.; m. P. till 5h. P.M.; w. P. afterwards.	0·7	9·7	Generally overcast; occasional slight rain till 9h. 30m. A.M.; continuous slight sleet between 4h. and 9h. P.M. followed by wet snow till 9h. 30m. P.M.
FRIDAY - 12	w. P. till 7h. A.M.; m. P. afterwards.	7·3	9·7	Overcast till 4h. A.M.; very fine generally with variable amounts of cloud afterwards; hoar frost at night; strong gusty wind prevalent between 9h. A.M. and 6h. P.M.
SATURDAY - 13	m. P. till 6h. A.M.; s. P. generally afterwards.	3·3	9·8	Very fine generally; partially cloudy; hoar frost in morning and at night.
		Sum 21·1	Sum 67·2	
No. of Col. - -	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and - "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·03 in. at the beginning of the week to 29·97 in. by 4h. P.M. on the 7th; increased to 30·11 in. by 11h. A.M. on the 8th; decreased to 29·20 in. by 3h. P.M. on the 10th; and increased to 30·39 in. by midnight on the 13th.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 6th February, 1909.*

BOROUGHS.	Estimated Population in the middle of 1909.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	151,955	-	6	4	-	-	-	-	5	-	-
Kensington	183,683	-	5	1	-	1	-	-	2	-	-
Hammersmith	125,704	-	9	8	-	-	-	-	1	1	-
Fulham	176,406	-	7	10	-	1	-	-	5	1	-
Chelsea	75,249	-	6	1	-	1	-	-	1	-	-
City of Westminster ..	168,883	-	11	6	-	-	-	-	2	-	-
NORTH.											
St. Marylebone	126,027	-	4	3	-	-	-	-	3	-	-
Hampstead	94,185	-	6	1	-	-	-	-	-	-	-
St. Pancras	237,422	-	10	7	-	-	-	-	1	-	-
Islington	351,202	-	25	9	-	2	-	-	2	-	-
Stoke Newington	54,423	-	4	1	-	-	-	-	-	-	-
Hackney	237,601	-	15	14	-	4	-	-	13	-	-
CENTRAL.											
Holborn	53,802	-	4	2	-	-	-	-	-	-	-
Finsbury	95,289	-	4	-	-	1	-	-	-	-	-
City of London	18,193	-	-	-	-	-	-	-	1	-	-
EAST.											
Shoreditch	114,802	-	9	8	-	2	-	-	4	-	1
Bethnal Green	131,316	-	10	2	-	1	-	-	3	-	-
Stepney	312,525	-	17	15	-	3	-	-	11	1	-
Poplar	171,965	-	15	6	-	3	-	-	1	1	-
SOUTH.											
Southwark	211,125	-	12	5	-	-	-	-	8	-	-
Bermondsey	127,569	-	16	3	-	-	-	-	2	-	-
Lambeth	324,188	-	16	9	-	2	-	-	3	-	-
Battersea	186,036	-	20	14	-	3	-	-	2	-	-
Wandsworth	297,646	-	24	7	-	1	-	-	-	-	-
Camberwell	283,022	1	19	5	-	3	-	-	7	-	-
Deptford	118,583	-	4	7	-	1	-	-	3	-	-
Greenwich	111,014	-	5	5	-	-	-	-	1	1	-
Lewisham	160,749	-	28	12	-	-	-	-	2	-	-
Woolwich	133,374	-	15	15	-	-	-	-	7	-	-
Port of London	—	-	-	-	-	-	-	-	1	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,833,938	1	326	180	-	29	-	-	91	5	1
Ages 0-1		-	3	5	-	-	-	-	1	-	-
" 1-5		-	98	71	-	1	-	-	4	-	-
" 5-		-	139	69	-	6	-	-	5	-	-
" 10-		-	57	18	-	6	-	-	3	-	1
" 15-		-	9	2	-	5	-	-	5	1	-
" 20-		-	9	3	-	1	-	-	5	2	-
" 25-		1	8	6	-	4	-	-	13	2	-
" 35-		-	3	3	-	3	-	-	13	-	-
" 45-		-	-	2	-	1	-	-	17	-	-
" 55-		-	-	-	-	2	-	-	10	-	-
" 65 and upwards		-	-	-	-	-	-	-	14	-	-
Age not stated		-	-	1	-	-	-	-	1	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

Returns of London Water Districts.

(Furnished by the Metropolitan Water Board.)

The following is an account of the number of services and the average daily amount of water supplied during the month of January, 1909, inclusive of supply to the Borough of Croydon and to the Urban Districts of Tottenham and Enfield. The supply was in the ratio of 205 gallons to one service.

Districts.	Number of Services.		Average Daily Supply of Water in Gallons.	
	January, 1908.	January, 1909.	January, 1908.	January, 1909.
Total Supply - - -	1,074,000	1,086,688	225,342,833	222,547,698
New River - - - - - - -	212,375	214,488	43,217,687	42,840,339
Eastern - - - - - - -	241,227	243,749	45,858,355	43,688,677
Western { Chelsea, Grand Junction, West Middlesex } - -	219,928	222,463	54,506,629	54,622,032
Southern { Lambeth - - - Southwark and Vauxhall }	282,418	286,624	61,724,447	61,392,339
Kent - - - - - - - -	118,052	119,364	20,035,715	20,004,311

Note.—The Returns for January, 1909, as compared with that for the corresponding month of 1908, shows an increase of 12,688 services, and a decrease of 2,795,135 gallons of water supplied daily.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY DARLING & SON, LTD., 34-40, BACON STREET, E.

1909.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 7. 1909. VOL. LXX.] WEEK ENDED SATURDAY, FEB. 20. [Price 1½*d.*

General Register Office, Somerset House,
February 22nd, 1909.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 18·1 per 1000 of their aggregate population, which is estimated† at 16,445,281 persons in the middle of this year. In the preceding three weeks the rates had been 18·0, 18·7, and 17·5. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 23·2 in Manchester, 23·3 in Merthyr Tydfil, 24·5 in Warrington, 24·8 in Liverpool, 25·2 in St. Helens, 25·5 in Bury, and 31·1 in Wigan; from *measles*, 3·3 in Sunderland, 4·9 in St. Helens, 5·5 in Aston Manor, 5·9 in West Hartlepool, and 6·5 in Warrington; from *scarlet fever*, 1·5 in Hastings; from *diphtheria*, 1·3 in Reading, and 1·6 in Leyton and in Derby; from *whooping-cough*, 1·3 in Norwich, 1·9 in Tynemouth, and 2·3 in Wigan; from "*fever*," 1·4 in Grimsby; and from *diarrhœa*, 1·0 in Wolverhampton, and 1·5 in Middlesbrough. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2461 BIRTHS and 1731 DEATHS were registered. Allowing for increase of population, the births were 116 below and the deaths 55 above the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes, which had been 17·8, 20·3, and 17·8 per 1000 in the preceding three weeks, was 18·7 last week. The death-rate in the four weeks ended last Saturday averaged 18·7 per 1000, being 0·9 per 1000 above the mean rate in the corresponding periods of the five years 1904–8.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals and Asylums, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-five other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(12543—41.) Wt. 36—184. 700. 2/09. D & S. G. 31. Sch. 4. G

The 1731 deaths included 93 from measles, 8 from scarlet fever, 19 from diphtheria, 25 from whooping-cough, 4 from enteric fever, and 9 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia: thus, to these diseases in the aggregate 158 deaths were referred, being 37 above the corrected average number in the seventh week of the preceding five years.

The deaths from *measles*, which had been 82, 52, and 69 in the preceding three weeks, rose to 93 last week, and were 59 above the corrected average; 20 deaths belonged to the Borough of Bermondsey, 14 to Stepney, 9 to Shoreditch and 8 to St. Pancras. The deaths from *scarlet fever*, which had been 7, 11, and 9 in the preceding three weeks, numbered 8 last week, and were 3 below the corrected average. The deaths from *diphtheria*, which had been 16, 24, and 15 in the preceding three weeks, were 19 last week, and were 4 above the corrected average; 4 deaths belonged to Fulham, 4 to Camberwell, and 3 to Stepney. The deaths from *whooping-cough*, which had been 29, 29, and 15 in the preceding three weeks, numbered 25 last week, and were 19 below the corrected average; 4 deaths belonged to Finsbury, and 3 each to Lambeth and Wandsworth. The deaths from *enteric fever*, which had been 3, 7, and 4 in the preceding three weeks, were again 4 last week, the corrected average being 3. The deaths from *diarrhœa*, which had been 10, 12, and 19 in the preceding three weeks, fell to 9 last week, and were 4 below the corrected average. Of the 9 deaths from diarrhœa, 5 were those of children under 5 years of age; 5 other deaths at this age were certified as due to *enteritis* and 6 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 25, having been 12, 12, and 17 in the preceding three weeks.

Different forms of violence caused 55 deaths, concerning all but one of which inquests were held. Of these 55 deaths, 11 were cases of suicide, and 2 of homicide, while the remaining 42 deaths were attributed to accident or negligence. Five of these latter were referred to vehicles in the streets, five to burns or scalds, five to drowning, and eight, of infants under one year of age, to suffocation in bed. Three deaths occurred while under anæsthetics administered for surgical purposes.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1 case of small-pox, 2910 cases of scarlet fever, 1188 of diphtheria, and 133 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 273 cases, against 339, 312, and 289; of diphtheria, 135 cases, against 138, 147, and 133; and of enteric fever, 18 cases, against 13, 14, and 17. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended February 13th, 1909.

Greater London.

In Greater London 3815 births and 2442 deaths were registered. Allowing for increase of population, these numbers are 190 below and 81 above the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 9 deaths from measles, 6 from diphtheria, 5 from whooping-cough, and 1 from "fever" were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 30·05 inches, and that of the Thermometer 37°·4, the latter being 2°·1 below the week's average in the 65 years ended 1905. The direction of the wind was variable, the horizontal movement of the air being 37 per cent. below the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 36·3 hours; the measured rainfall amounted to 0·01 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

TABLE I.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 20th February, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1909.*	Death-Rates from all Causes. Week ended 30th Jan., 1909.	6th Feb., 1909.	13th Feb., 1909.	20th Feb., 1909.	Rate from Diseases in Cols. 11–17. Week ended 20th Feb., 1909.	Registered during the Week ended 20th Feb., 1909. Births.	Deaths.	The Deaths registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS	**16,445,281**	**18·0**	**18·7**	**17·5**	**18·1**	**1·6**	**8921**	**5709**	**1007**	**1878**	**-**	**274**	**36**	**69**	**82**	**26**	**28**	**207**	**454**	**1493**	**54**	**76 TOWNS.**
LONDON	4,833,938	17·8	20·3	17·8	18·7	1·7	2461	1731	256	571	-	93	8	19	25	4	9	55	142	681	3	LONDON.
CROYDON	161,078	14·6	22·7	12·9	15·9	0·3	73	49	9	20	-	-	-	1	-	-	-	3	3	16	-	CROYDON.
WILLESDEN ..	160,424	6·8	14·6	11·7	12·7	3·3	77	39	10	7	-	5	2	-	3	-	-	1	2	10	-	WILLESDEN.
HORNSEY	95,628	9·3	10·4	10·9	11·5	0·5	31	21	3	6	-	-	-	1	-	-	-	-	-	2	-	HORNSEY.
† TOTTENHAM ..	129,464	14·5	14·9	12·1	11·3	0·8	79	28	4	8	-	2	-	-	-	-	-	2	5	7	-	† TOTTENHAM.
WEST HAM ..	321,767	17·2	16·9	17·3	18·3	2·1	194	113	27	29	-	9	1	2	1	-	-	4	7	23	-	WEST HAM.
EAST HAM.. ..	149,575	8·0	12·2	11·9	11·2	0·3	66	32	9	9	-	-	-	-	1	-	-	1	4	10	-	EAST HAM.
LEYTON	129,614	14·9	14·1	12·9	9·3	1·6	48	23	5	5	-	-	-	4	-	-	-	1	4	4	-	LEYTON.
WALTHAMSTOW ..	136,602	13·0	8·8	11·1	8·4	0·4	75	22	4	7	-	-	-	-	1	-	-	1	3	4	-	WALTHAMSTOW.
HASTINGS	68,165	15·3	9·2	17·6	17·6	1·5	19	23	2	16	-	-	2	-	-	-	-	-	-	2	-	HASTINGS.
BRIGHTON	130,926	14·3	13·1	20·7	17·1	0·8	51	43	5	26	-	-	-	1	1	-	-	1	5	8	-	BRIGHTON.
PORTSMOUTH ..	214,726	18·5	15·1	17·5	16·3	1·7	110	67	7	27	-	4	-	-	3	-	-	2	7	14	-	PORTSMOUTH.
BOURNEMOUTH ..	72,368	18·0	20·2	14·4	9·4	-	17	13	-	9	-	-	-	-	-	-	-	1	1	2	-	BOURNEMOUTH.
SOUTHAMPTON ..	124,667	18·0	16·3	14·6	13·4	0·4	72	32	2	17	-	-	-	-	1	-	-	-	3	8	-	SOUTHAMPTON.
READING	82,995	15·1	15·1	8·2	11·9	1·9	35	19	3	10	-	1	-	2	-	-	-	1	1	4	-	READING.
NORTHAMPTON ..	97,752	22·4	13·3	15·5	12·3	-	41	23	1	13	-	-	-	-	-	-	-	-	-	3	-	NORTHAMPTON.
IPSWICH	74,889	18·1	16·0	20·9	16·0	-	38	23	2	11	-	-	-	-	-	-	-	-	4	2	-	IPSWICH.
GREAT YARMOUTH	53,430	20·5	17·6	20·5	13·7	1·0	36	14	3	6	-	1	-	-	-	-	-	-	1	5	-	GREAT YARMOUTH.
NORWICH	124,136	14·3	18·1	11·8	16·0	1·3	50	38	10	11	-	-	-	-	3	-	-	2	4	7	2	NORWICH.
PLYMOUTH	124,180	15·1	17·6	17·2	19·7	1·3	67	47	10	14	-	3	-	-	-	-	-	-	6	1	-	PLYMOUTH.
DEVONPORT	83,103	11·9	6·9	20·7	10·7	-	34	17	4	7	-	-	-	-	-	-	-	2	4	1	-	DEVONPORT.
BRISTOL	377,642	14·5	14·1	16·0	15·5	1·1	157	112	13	44	-	2	1	2	3	-	-	6	12	17	-	BRISTOL.
HANLEY	68,831	20·5	23·5	15·9	15·9	2·3	45	21	3	7	-	-	-	1	-	1	1	2	5	2	-	HANLEY.
BURTON-ON-TRENT	54,453	12·4	19·2	10·5	19·2	-	23	20	2	7	-	-	-	-	-	-	-	3	3	5	-	BURTON-ON-TRENT.
WOLVERHAMPTON..	104,633	15·9	19·4	16·4	15·9	1·5	55	32	9	10	-	-	-	-	1	-	2	1	1	6	-	WOLVERHAMPTON.
WALSALL	99,399	14·2	16·3	15·2	15·7	-	45	30	11	8	-	-	-	-	-	-	-	2	3	8	-	WALSALL.
HANDSWORTH ..	70,186	5·2	12·6	17·1	16·3	-	35	22	2	8	-	-	-	-	-	-	-	1	1	3	-	HANDSWORTH.
WEST BROMWICH..	70,457	22·2	19·2	15·5	17·0	-	51	23	4	9	-	-	-	-	-	-	-	2	4	5	2	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 20th February, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 30th Jan., 1909.	6th Feb., 1909.	13th Feb., 1909.	20th Feb., 1909.	Rate from Diseases in Cols. 11-17. Week ended 20th Feb., 1909.	Registered during the Week ended 20th Feb., 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
BIRMINGHAM ..	563,629	16·7	20·8	20·1	20·5	3·8	353	222	48	61	–	31	3	4	3	–	–	5	5	49	8	BIRMINGHAM.
KINGS NORTON ..	81,632	16·6	14·1	13·4	12·8	1·9	44	20	5	4	–	1	1	1	–	–	–	–	–	3	–	KINGS NORTON.
SMETHWICK .. ,,	70,377	14·1	20·0	11·9	17·0	2·2	36	23	2	12	–	3	–	–	–	–	–	1	1	4	–	SMETHWICK.
ASTON MANOR ..	85,257	17·1	13·5	16·5	22·0	5·5	46	36	3	10	–	9	–	–	–	–	–	1	4	3	–	ASTON MANOR.
COVENTRY	80,163	20·2	14·3	16·9	17·6	–	46	27	3	12	–	–	–	–	–	–	–	–	–	6	–	COVENTRY.
LEICESTER	244,255	16·0	19·0	15·8	14·7	1·7	113	69	12	19	–	7	–	1	–	–	–	3	4	11	–	LEICESTER.
GRIMSBY	73,036	15·0	12·9	17·8	19·3	2·1	45	27	7	7	–	–	–	–	–	2	1	2	4	5	1	GRIMSBY.
NOTTINGHAM ..	263,443	20·2	22·6	16·4	17·6	1·4	147	89	21	36	–	4	–	–	3	–	–	4	4	23	1	NOTTINGHAM.
DERBY	129,411	12·5	20·1	14·9	11·7	2·0	65	29	10	4	–	1	–	4	–	–	–	2	8	6	–	DERBY.
STOCKPORT	103,706	21·1	20·6	19·1	18·1	3·0	65	36	3	17	–	2	1	1	2	–	–	1	1	11	–	STOCKPORT.
BIRKENHEAD ..	121,123	19·4	15·5	19·8	20·7	0·9	94	48	9	18	–	–	1	1	–	–	–	2	5	10	–	BIRKENHEAD.
WALLASEY	71,004	10·3	16·2	25·0	11·0	–	42	15	4	5	–	–	–	–	–	–	–	1	1	4	–	WALLASEY.
LIVERPOOL	760,357	23·5	21·7	21·5	24·8	1·4	515	362	73	107	–	3	4	4	6	–	4	19	29	109	14	LIVERPOOL.
BOOTLE	69,393	20·3	24·0	15·0	20·3	1·5	40	27	1	11	–	1	–	–	–	1	–	1	1	8	1	BOOTLE.
ST. HELENS	95,161	20·8	18·1	19·7	25·2	5·5	71	46	16	8	–	9	1	–	–	–	–	4	4	9	1	ST. HELENS.
WIGAN	90,678	24·2	21·9	20·1	31·1	2·3	60	54	10	21	–	–	–	–	4	–	–	1	5	6	–	WIGAN.
WARRINGTON ..	72,276	13·0	20·2	21·6	24·5	7·2	48	34	5	8	–	9	1	–	–	–	–	–	1	5	–	WARRINGTON.
BOLTON	187,824	16·1	17·8	17·2	17·8	1·4	112	64	14	23	–	1	–	–	1	3	–	3	4	8	1	BOLTON.
BURY	59,234	26·4	17·6	22·0	25·5	2·6	26	29	5	10	–	2	–	–	1	–	–	1	2	5	–	BURY.
MANCHESTER ..	655,435	23·9	24·6	20·2	23·2	1·8	417	292	52	81	–	11	4	1	1	5	1	19	28	87	5	MANCHESTER.
SALFORD	241,950	19·6	23·3	21·8	19·8	1·1	152	92	15	27	–	–	–	3	2	–	–	4	10	21	2	SALFORD.
OLDHAM	143,301	23·7	19·3	25·5	20·4	2·5	79	56	9	20	–	5	–	1	–	1	–	–	3	8	–	OLDHAM.
ROCHDALE	89,653	23·3	18·0	17·4	18·0	0·6	36	31	6	14	–	1	–	–	–	–	–	1	3	3	–	ROCHDALE.
BURNLEY	106,267	15·7	20·6	19·1	14·7	–	42	30	7	9	–	–	–	–	–	–	–	–	1	4	1	BURNLEY.
BLACKBURN	136,959	22·1	19·0	22·8	19·4	2·7	62	51	10	20	–	2	2	1	1	1	–	–	1	13	–	BLACKBURN.
PRESTON	118,519	20·2	21·1	16·7	18·5	1·3	71	42	4	14	–	1	–	–	1	1	–	1	2	6	1	PRESTON.
BARROW-IN-FURNESS.	62,996	9·9	14·1	11·6	17·4	–	34	21	2	3	–	–	–	–	–	–	–	–	–	1	–	BARROW-IN-FURNESS.

TOWNS.	Population estimated to the middle of the Year 1909.*	Death-Rates from all Causes. Week ended 30th Jan., 1909.	6th Feb., 1909.	13th Feb., 1909.	20th Feb., 1909.	Rate from Diseases in Cols. 11–17. Week ended 20th Feb., 1909.	Registered during the Week ended 20th Feb., 1909. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Huddersfield ..	94,739	26·4	17·6	16·0	17·6	1·1	39	32	3	16	–	2	–	–	–	–	–	–	3	9	–	Huddersfield.
Halifax	111,911	18·2	11·2	11·6	18·6	0·9	36	40	3	20	–	–	–	–	–	2	–	–	1	7	–	Halifax.
Bradford	293,983	17·9	22·9	17·4	22·0	0·5	126	124	22	50	–	–	–	1	2	–	–	3	12	25	2	Bradford.
Leeds	484,012	19·0	16·5	17·1	14·8	0·6	249	137	20	55	–	–	–	3	–	1	2	8	14	25	1	Leeds.
Sheffield	470,958	18·9	16·6	17·1	18·4	3·1	277	166	27	40	–	19	2	1	2	3	1	4	8	38	3	Sheffield.
Rotherham.. ..	65,070	20·8	12·8	12·8	20·8	3·2	61	26	7	9	–	1	–	1	2	–	–	–	–	4	–	Rotherham.
York	87,004	16·2	13·2	11·4	17·4	–	43	29	7	9	–	–	–	–	–	–	–	–	–	6	–	York.
Hull	275,552	18·9	18·0	16·3	15·3	1·5	169	81	17	24	–	3	–	2	1	–	2	3	6	9	–	Hull.
Middlesbrough ..	105,255	20·8	26·3	22·3	18·8	3·5	70	38	12	9	–	3	–	1	–	–	3	–	–	7	1	Middlesbrough.
Stockton-on-Tees	53,417	11·7	17·6	17·6	18·5	2·0	30	19	2	9	–	1	–	–	1	–	–	3	3	2	–	Stockton-on-Tees.
West Hartlepool	79,686	15·1	19·6	15·7	19·0	6·5	37	29	8	9	–	9	–	1	–	–	–	1	1	5	–	West Hartlepool.
Sunderland ..	159,378	23·6	17·7	20·0	18·6	3·6	100	57	11	13	–	10	–	–	–	–	1	–	4	12	1	Sunderland.
South Shields ..	117,627	14·6	16·0	19·1	13·3	0·9	82	30	9	9	–	–	1	1	–	–	–	1	1	3	–	South Shields.
Gateshead	131,024	11·5	13·9	11·1	14·3	0·8	83	36	9	15	–	–	–	–	1	–	1	1	1	9	2	Gateshead.
Newcastle-on-Tyne.	281,584	20·0	14·6	18·0	14·8	0·7	129	80	11	23	–	2	–	1	–	1	–	2	7	16	–	Newcastle-on-Tyne.
Tynemouth ..	55,808	18·7	20·6	18·7	20·6	2·8	33	22	3	5	–	–	–	1	2	–	–	–	–	2	–	Tynemouth.
Newport (Mon.) ..	78,336	14·6	22·0	19·3	17·3	–	65	26	5	10	–	–	–	–	–	–	–	3	7	5	–	Newport (Mon.).
Cardiff	195,303	13·6	15·8	17·4	15·2	0·5	100	57	11	25	–	–	–	1	1	–	–	3	11	10	–	Cardiff.
Rhondda	135,894	16·5	15·3	13·8	21·5	0·8	120	56	15	9	–	–	1	–	1	–	–	1	1	2	–	Rhondda.
Merthyr Tydfil..	78,365	23·3	20·0	21·3	23·3	0·7	58	35	17	5	–	1	–	–	–	–	–	3	6	6	1	Merthyr Tydfil.
Swansea	98,308	30·8	18·0	19·6	21·2	0·5	68	40	12	11	–	–	–	–	1	–	–	1	2	3	–	Swansea.
Greater London	7,429,740	15·9	18·4	16·2	17·1	1·5	3815	2442	392	812	–	118	11	33	36	5	9	74	190	829	4	Greater London.
Outer Ring ..	2,595,802	12·3	14·8	13·3	14·3	1·1	1354	711	136	241	–	25	3	14	11	1	–	19	48	148	1	Outer Ring.
8 Towns in Outer Ring.	1,284,152	13·0	14·9	13·3	13·3	1·3	643	327	71	91	–	16	3	8	6	–	–	13	28	76	–	8 Towns in Outer Ring.
Remainder of Outer Ring.	1,311,650	11·6	14·7	13·4	15·3	0·8	711	384	65	150	–	9	–	6	5	1	–	6	20	72	1	Remainder of Outer Ring.
Edinburgh	355,366	17·0	17·3	14·8	17·8	1·5	143	121	27	52	–	1	–	–	7	–	2	2	?	36	10	Edinburgh.
Glasgow	872,021	18·0	17·9	18·3	19·9	2·6	479	333‡	64	78	–	–	4	9	22	3	6	4	?	110	9	Glasgow.
Dublin (Registration Area).†	398,353	25·4	24·3	25·1	25·8	1·3	224	197‡	33	61	–	4	1	2	2	1	–	5	5	83	5	Dublin (Registration Area).†
Belfast†	386,576	19·7	17·5	15·6	17·1	0·5	179	127	17	34	–	–	–	–	–	–	4	5	9	31	2	Belfast.†

* See note † on first page of this return.

† Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast respectively.

‡ Including 2 deaths from Cerebro-spinal meningitis in Glasgow, and 1 from Cerebro-spinal fever in Dublin.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the SEVENTH Week of each of the Eleven Years, 1899–1909.

	1899	1900	1901	1902	1903	1904	1905	1906	1907	1908	Corrected Weekly Average in 5 Years 1904–1908.*	1909
TOTAL **Births** -	2862	2439	2690	2691	2515	2737	2612	2394	2350	2491	2576·6	2461
Males - - -	1465	1232	1373	1372	1306	1375	1334	1219	1188	1281	1309·8	1300
Females - -	1397	1207	1317	1319	1209	1362	1278	1175	1162	1210	1266·8	1161
TOTAL **Deaths** -	1686	2013	1719	2277	1556	1589	1506	1520	1819	1752	1676·1	1731
Males - - -	806	1015	883	1103	798	781	766	774	890	889	839·5	902
Females - -	880	998	836	1174	758	808	740	746	929	863	836·6	829

* The numbers in this column are the average weekly numbers in the Seventh week of the five years 1904-1908, raised by 2·375 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	1909 Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	13 Weeks.
TOTAL **Births** -	2221	2040	2186	2133	1438	2228	2476	2434	2162	2110	2444	2335	2461	28668
TOTAL **Deaths** -	1451	1383	1311	1359	1038	1805	1672	1563	1414	1653	1878	1646	1731	19904
Ages at Death: Under 1 year -	262	242	265	240	155	305	251	273	221	256	254	258	256	3238
1—5 years -	166	135	147	139	115	211	174	181	175	205	185	193	250	2276
5—20 " -	66	71	57	81	53	81	79	71	51	65	77	69	89	910
20—40 " -	181	171	161	162	118	233	179	175	171	214	199	190	192	2346
40—60 " -	288	278	264	284	221	354	394	330	292	358	416	345	373	4197
60 yrs. & upwds.	488	486	417	453	376	621	595	533	504	555	747	591	571	6937
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	34	38	49	51	44	87	72	79	76	82	52	69	93	826
Scarlet Fever - -	9	14	10	14	7	7	4	11	11	7	11	9	8	122
Diphtheria - -	30	13	14	24	17	23	20	14	20	16	24	15	19	249
Whooping-cough -	7	2	7	4	7	11	14	8	11	29	29	15	25	169
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	10	5	9	14	7	7	8	8	6	3	7	4	4	92
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery	32	24	11	19	14	22	17	22	15	10	12	19	9	226
All above diseases -	122	96	100	126	96	157	135	142	139	147	135	131	158	1684
Dis. of Resp. System	150	141	129	136	106	193	258	181	156	214	354	219	235	2472
Pneumonia - -	168	154	155	145	96	188	184	188	161	163	202	222	252	2278
Phthisis - - -	143	131	135	116	104	171	158	121	127	198	171	145	153	1873
Dis. of Circ. System -	177	189	170	199	149	252	253	211	185	252	270	249	214	2770
Violence - - -	71	62	52	52	50	83	82	72	51	65	63	54	55	812
Inquest Cases - -	137	127	132	129	111	207	201	162	140	154	198	150	142	1990
Deaths in Institutions	651	602	541	599	434	686	615	631	611	662	749	639	681	8101
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	47·6	43·5	42·8	45·4	40·2	31·5	40·7	42·2	38·7	31·8	42·7	34·8	37·4	39·9
Mean of Highest -	53·7	47·1	46·9	49·3	42·4	35·9	44·0	47·4	42·8	37·1	47·7	40·0	45·8	44·6
Mean of Lowest -	39·7	40·5	37·1	40·2	37·6	26·8	37·0	37·6	34·1	25·3	37·1	30·0	29·3	34·8
Mean Humidity of the Air.	81	94	87	92	91	85	86	80	81	88	79	81	75	85
Rain-fall (in inches) -	0·07	0·08	0·62	0·81	0·02	0·48	0·13	0·49	0·12	0·02	0·04	0·29	0·01	3·18
Registered Sunshine (in hours).	15·9	0·0	8·8	4·3	3·5	5·7	8·1	22·7	10·9	18·9	7·7	21·1	36·3	163·9
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	1	1	1	-
Scarlet Fever - -	3831	3747	3704	3537	3454	3557	3347	3261	3211	3201	3117	3002	2910	3375
Diphtheria - - -	1242	1241	1263	1266	1259	1245	1215	1205	1191	1187	1181	1177	1188	1220
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	187	190	184	173	168	153	145	145	137	130	124	128	133	154

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lander, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq. F.R.Met.Soc., Hull; the Meteorological Committee, Tynemouth; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the SEVENTH Week of the Year 1909.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 7th week of the 5 years 1904–1908.	1909—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0–1.	1–5.	5–20.			
ALL CAUSES	1676·1	1731	256	250	89	192	373	571
Small-pox*	0·4	–	–	–	–	–	–	–
Cowpox	0·2	–	–	–	–	–	–	–
Measles (Morbilli)	33·6	93	16	69	8	–	–	–
Scarlet Fever	11·1	8	–	4	4	–	–	–
Typhus	–	–	–	–	–	–	–	–
Plague	–	–	–	–	–	–	–	–
Influenza	42·4	25	1	–	4	4	5	11
Whooping-cough	44·4	25	9	16	–	–	–	–
Diphtheria	14·9	19	1	11	7	–	–	–
Cerebro-spinal Fever ..	0·2	–	–	–	–	–	–	–
Pyrexia† (origin uncertain)	0·2	–	–	–	–	–	–	–
Enteric Fever	3·3	4	–	–	1	1	2	–
Asiatic Cholera	–	–	–	–	–	–	–	–
Epidemic Diarrhœa, Infective Enteritis	3·3	3	2	1	–	–	–	–
Diarrhœa, Dysentery ..	10·0	6	2	–	–	1	2	1
Tetanus	0·6	1	–	–	1	–	–	–
Rabies, Hydrophobia ..	–	–	–	–	–	–	–	–
Glanders	–	–	–	–	–	–	–	–
Anthrax (Splenic Fever)..	–	–	–	–	–	–	–	–
Venereal Dis.	7·4	9	3	3	–	2	1	–
Puerperal Septicæmia ..	1·6	2	–	–	–	1	1	–
Puerperal Pyæmia.. ..	0·8	–	–	–	–	–	–	–
Puerperal Fever	0·4	1	–	–	–	1	–	–
Infective Endocarditis ..	2·5	3	–	–	–	1	1	1
Pneumonia: Lobar ..	18·0	26	–	2	1	9	7	7
Pneumonia: Broncho ..	86·6	126	28	59	3	1	20	15
Pneumonia: Epidemic ..	–	–	–	–	–	–	–	–
Pneumonia: Not defined	72·9	100	11	13	4	9	28	35
Erysipelas	3·1	2	–	–	–	–	–	2
Septicæmia (not Puerperal)	0·8	1	–	–	–	–	1	–
Pyæmia (not Puerperal)	0·4	1	–	–	–	1	–	–
Other Infective Processes	5·3	5	–	–	1	2	1	1
Tuberculous Phthisis ..	95·4	118	–	2	11	47	45	13
"*Phthisis*	63·5	35	–	–	3	13	16	3
Tuberculous Meningitis ..	21·7	22	9	11	1	–	1	–
Tuberculous Peritonitis ..	5·7	7	3	2	1	–	–	1
Tabes Mesenterica	2·3	–	–	–	–	–	–	–
Tuberculous Dis., Other ..	15·6	19	4	4	7	3	1	–
Scrofula..	–	–	–	–	–	–	–	–
Alcoholism	9·2	17	–	–	–	4	10	3
Rheumatic Fever	4·7	4	–	–	3	1	–	–
Gout	2·0	–	–	–	–	–	–	–
Carcinoma	55·9	53	–	–	–	1	26	26
Sarcoma	5·1	8	–	–	–	3	2	3
Cancer (undefined) ..	35·0	40	–	–	–	2	17	21
Diabetes Mellitus	7·6	17	–	–	–	7	5	5
Premature Birth	54·7	46	46	–	–	–	–	–

CAUSES OF DEATH	Corrected Average for the 7th week of the 5 years 1904–1908.	1909—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0–1.	1–5.	5–20.			
Meningitis (not tuberc.)..	13·1	14	6	7	–	–	–	1
Gen. Par. of Insane, Insanity	17·2	21	–	–	–	4	11	6
Epilepsy	9·6	11	–	–	2	5	2	2
Convulsions	19·7	8	7	1	–	–	–	–
Locomotor Ataxy.. ..	2·7	4	–	–	–	1	2	1
Paraplegia, Dis. of Cord.	7·8	8	–	–	1	–	4	3
Nervous Sys., Other Dis.	19·0	22	2	2	2	1	3	12
Valv. Dis., Endocarditis..	53·4	38	–	–	1	10	13	14
Cereb. Hæm. Cereb. Emb.	43·4	39	–	–	1	4	9	25
Apoplexy, Hemiplegia ..	17·6	20	–	–	–	–	3	17
Aneurysm	7·0	4	–	–	–	1	1	2
Embolism, Thrombosis (not Cerebral) ..	1·4	2	–	1	–	–	1	–
Heart & Blood Ves., Other Dis... ..	104·8	111	–	–	–	8	37	66
Croup (not Spasm: nor Memb.)	0·4	1	1	–	–	–	–	–
Bronchitis	202·9	214	20	17	3	8	36	130
Emphysema, Asthma ..	10·2	11	–	–	–	–	2	9
Pleurisy	4·5	3	–	–	–	1	–	2
Respiratory Dis., Other..	12·7	6	–	5	–	1	–	–
Tonsillitis, Quinsy.. ..	1·4	1	–	–	1	–	–	–
Enteritis (not Epid.) ..	7·8	10	5	–	–	2	1	2
Gastro-enteritis	4·3	6	6	–	–	–	–	–
Peritonitis (not Puerp.) ..	3·9	–	–	–	–	–	–	–
Cirrhosis of Liver.. ..	15·4	12	–	–	–	3	8	1
Liver Dis., Other	4·3	5	–	–	–	–	1	4
Digestive Sys., Other Dis.	40·5	33	5	1	6	4	10	7
Acute Nephritis	9·0	13	–	–	1	3	5	4
Bright's Dis., Albuminuria	46·5	33	–	1	–	5	12	15
Urinary Sys., Other Dis.	12·9	9	–	–	–	–	2	7
Generative Organs Dis...	4·9	2	–	–	–	–	1	1
Childbirth (Accid. of) ..	2·9	4	–	–	–	3	1	–
Old Age	70·2	72	–	–	–	–	–	72
Other Diseases	98·2	93	58	13	5	5	6	6
ACCIDENT.								
By Railways	1·2	3	–	–	–	–	2	1
By Vehicles and Horses..	4·9	5	–	–	2	1	1	1
In Ships, Boats, Docks, (exclusive of Drowning)	0·4	–	–	–	–	–	–	–
In Building Operations..	1·0	–	–	–	–	–	–	–
In Conflagrations	0·8	–	–	–	–	–	–	–
By Burns, Scalds, Explosions	9·0	5	–	4	–	–	–	1
By Drowning	2·7	5	–	1	–	2	2	–
By Suffocation in Bed ..	12·1	8	8	–	–	–	–	–
By Poisons or Poisonous Vapours	2·5	4	–	–	2	–	2	–
Other Deaths by Accident..	17·2	12	2	–	1	–	–	9
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	0·8	2	1	–	1	–	–	–
Suicide	11·1	11	–	–	–	6	3	2
Execution	–	–	–	–	–	–	–	–

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.
† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 20th February, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexiæ* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON	4,536,267	2461	1731	256	571	–	93	8	19	25	–	4	–	9	55	142	681	3
WEST DISTRICTS	805,311	327	303	38	112	–	10	3	6	7	–	–	–	2	11	24	113	–
NORTH DISTRICTS	1,055,908	559	354	47	137	–	14	2	2	1	–	1	–	2	12	24	135	1
CENTRAL DISTRICTS	209,465	97	79	8	20	–	2	–	–	3	–	–	–	–	3	8	41	–
EAST DISTRICTS	715,739	461	277	50	71	–	29	–	1	3	–	–	–	–	13	38	133	1
SOUTH DISTRICTS	1,749,844	1017	660	113	214	–	38	1	10	11	–	3	–	1	16	47	201	1
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	–	58	–	17	–	–	2	–	–	–	–	–	4	–	1	58	–
WEST DISTRICTS.																		
North Paddington *H*	63,603	27	18	2	6	–	1	–	–	–	–	–	–	–	2	3	–	–
Central Paddington *W,3H*	50,053	32	38	8	10	–	–	–	–	1	–	–	–	–	1	2	18	–
South Paddington	30,320	4	6	–	5	–	–	–	–	–	–	–	–	–	–	–	–	–
Kensington Town *2W,w,2H* ..	128,037	44	64	6	31	–	3	–	–	2	–	–	–	1	1	3	40	–
Brompton *2H*	48,591	8	10	–	7	–	–	–	–	–	–	–	–	–	1	2	–	–
North Hammersmith *2W,w,H* ..	49,192	28	20	–	8	–	1	–	–	–	–	–	–	–	–	–	9	–
South Hammersmith *w,2H* ..	63,047	21	28	3	8	–	–	–	–	2	–	–	–	–	4	7	6	–
North-west Fulham *W*	45,180	45	30	5	8	–	2	–	1	1	–	–	–	1	–	1	11	–
North-east Fulham *F*	46,405	20	14	1	1	–	1	2	4	–	–	–	–	–	–	1	6	–
South Fulham *W*	45,704	20	6	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Chelsea North *W,w,3H*	42,514	16	15	1	6	–	–	1	–	–	–	–	–	–	1	2	10	–
Chelsea South *W,2H*	31,328	17	11	3	6	–	–	–	–	–	–	–	–	–	–	–	1	–
Mayfair and Knightsbridge	28,743	2	3	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Belgrave *W,2H*	55,815	20	21	3	9	–	–	–	1	1	–	–	–	–	1	1	7	–
St. Margaret & St. John *6H*	43,698	22	14	2	4	–	–	–	–	–	–	–	–	–	–	1	5	–
St. James and St. Anne *W,6H* ..	33,081	1	5	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–
NORTH DISTRICTS.																		
All Souls Marylebone *8H*	35,391	12	21	1	7	–	–	–	–	–	–	–	–	–	1	1	11	–
St. Mary Marylebone *W.4H* ..	37,948	46	14	6	7	–	–	–	–	–	–	–	–	–	2	2	4	–
Christchurch Marylebone	39,536	15	7	3	3	–	–	–	–	–	–	–	–	–	1	3	–	–
St. John Marylebone *2H*	20,426	11	5	1	3	–	–	–	–	–	–	–	–	–	–	–	3	–
Hampstead *W,F,6H*	81,942	33	30	2	11	–	–	2	1	–	–	–	–	–	1	2	14	–
West St. Pancras *2H*	60,562	29	22	3	10	–	4	–	–	–	–	–	–	–	1	3	1	–
South St. Pancras *w,12H*	55,707	29	17	4	1	–	1	–	–	–	–	–	–	1	–	2	10	–
East St. Pancras *W,H*	60,320	27	22	3	10	–	1	–	–	–	–	–	–	–	–	–	13	–
North St. Pancras *2W*	58,728	30	17	1	8	–	2	–	–	–	–	–	–	–	1	1	5	–
Tufnell *W*	31,995	12	27	2	17	–	–	–	–	–	–	–	–	–	–	1	22	–
Upper Holloway *2W,w,H*	33,978	33	27	5	8	–	–	–	–	1	–	–	–	–	1	1	21	1
Tollington *W,w,H*	33,922	15	6	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Lower Holloway	41,424	29	7	1	4	–	1	–	–	–	–	–	–	–	–	–	–	–
Barnsbury	54,478	32	16	1	5	–	–	–	–	–	–	–	–	–	–	–	–	–
Islington South-east *F*	75,397	32	14	1	3	–	2	–	–	–	–	–	–	–	–	2	–	–
Highbury *2H*	63,797	37	17	1	8	–	1	–	–	–	–	–	–	1	1	1	3	–
Stoke Newington *H*	51,247	17	13	–	7	–	–	–	–	–	–	–	–	–	–	–	–	–
North Hackney	50,398	25	12	1	5	–	–	–	–	–	–	–	–	–	–	–	–	–
Central Hackney *w,F*	50,536	24	10	2	4	–	–	–	1	–	–	1	–	–	–	–	2	–
South-west Hackney *3H*	59,921	33	18	4	3	–	–	–	–	–	–	–	–	–	2	2	11	–
South-east Hackney *2W,w,H* ..	58,255	38	32	5	12	–	2	–	–	–	–	–	–	–	1	3	15	–
Hackney Union Workhouse, Brentwood	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 20th February, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
St. Giles and Bloomsbury 2*W*,2*H* ..	31,436	18	6	-	2	-	-	-	-	-	-	-	-	-	-	1	2	-
Strand *W*,4*H*	21,674	2	11	-	1	-	-	-	-	-	-	-	-	-	-	1	10	-
Strand Union Workhouse, Edmonton	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Holborn *W*,6*H*	29,612	14	20	2	5	-	1	-	-	-	-	-	-	-	1	1	9	-
Clerkenwell *H*	63,704	28	11	3	6	-	-	-	-	-	-	-	-	-	-	1	-	-
St. Luke 3*H*,*L*	36,116	30	7	2	1	-	-	-	-	3	-	-	-	-	-	-	1	-
Holborn Union Workhouse, Mitcham	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
St. Botolph *H*	10,299	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	1	20	1	1	-	1	-	-	-	-	-	-	-	2	4	16	-
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
Shoreditch South 2*H*	46,362	30	12	4	4	-	-	-	-	-	-	-	-	-	1	1	-	-
Shoreditch North-West *W*,*w* *H* ..	36,127	21	36	4	14	-	8	-	-	-	-	-	-	-	-	7	22	-
Shoreditch North-East	36,148	25	8	2	1	-	1	-	-	1	-	-	-	-	1	2	-	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	40	37	9	11	-	-	-	-	-	-	-	-	-	2	4	25	-
Bethnal Green South-West *H* ..	64,542	43	15	4	4	-	1	-	-	1	-	-	-	-	-	3	1	1
Spitalfields..	27,969	12	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mile End New Town *W*,*H*	28,718	30	35	3	3	-	2	-	-	-	-	-	-	-	7	9	29	-
Goodman's Fields	22,081	10	3	-	1	-	1	-	-	-	-	-	-	-	1	2	-	-
St. George and St. John 2*W* ..	49,068	46	23	4	4	-	5	-	-	-	-	-	-	-	-	2	12	-
Shadwell and Ratcliff *W*,*H* ..	25,568	17	10	5	-	-	3	-	1	-	-	-	-	-	-	-	9	-
Limehouse *W*	32,369	10	9	1	3	-	-	-	-	-	-	-	-	-	-	1	-	-
Mile End Old Town South-Western *H*	63,698	50	12	3	2	-	1	-	-	-	-	-	-	-	1	2	-	-
Mile End Old Town North-Eastern *W*,*w*	49,129	29	25	2	7	-	3	-	-	-	-	-	-	-	-	1	16	-
Bow	41,989	21	7	3	1	-	2	-	-	-	-	-	-	-	-	-	-	-
Bromley 3*w*,*H*	68,319	46	29	1	12	-	2	-	-	-	-	-	-	-	-	4	17	-
Poplar *W*,*w*	58,514	31	13	5	4	-	-	-	-	1	-	-	-	-	-	-	1	-
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c. registered in each SUB-DISTRICT during the Week ended Saturday, 20th February, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch and St. Saviour Southwark *W,2H*	23,319	12	19	3	1	-	2	-	-	-	-	-	-	-	1	2	14	-
Kent-road	21,904	11	8	-	5	-	2	-	-	-	-	-	-	-	-	2	-	-
St. George the Martyr West *W,2H,L*	39,094	26	14	1	2	-	1	-	-	1	-	-	-	-	-	1	2	-
Newington North	49,022	33	11	1	4	-	-	-	-	1	-	-	-	-	-	-	-	-
Newington South *W*	72,841	43	23	6	7	-	-	-	-	-	-	-	-	-	-	3	5	-
St. Olave *2W*	9,817	1	6	2	3	-	-	-	-	-	-	-	-	-	-	1	3	-
Bermondsey *W*	82,483	53	32	6	2	-	7	-	-	1	-	-	-	-	-	-	-	-
Rotherhithe *W,F*	38,460	25	29	5	4	-	10	-	-	-	-	-	-	-	4	5	14	-
Waterloo *2H*	27,440	28	9	4	2	-	-	-	-	1	-	-	-	-	-	1	3	-
Lambeth Church *H*	27,440	22	20	5	5	-	-	-	-	-	-	-	-	-	-	1	13	-
Kennington *2W*	52,518	32	34	6	15	-	2	-	-	1	-	-	-	-	1	3	11	-
Stockwell *HF*	63,826	49	18	4	8	-	1	-	1	-	-	1	-	-	-	-	3	1
Brixton *H*	73,673	32	15	2	4	-	-	-	-	-	-	-	-	-	1	2	1	-
Norwood *2WH*	56,998	20	12	1	6	-	-	-	-	-	-	-	-	-	-	1	1	-
East Battersea *H*	72,203	48	20	8	4	-	1	-	-	2	-	-	-	-	-	2	-	-
North-west Battersea	49,656	32	14	4	3	-	-	-	-	-	-	-	-	-	-	2	-	-
South-west Battersea *2W,H* ..	47,048	15	32	7	12	-	-	-	-	-	-	-	-	-	2	4	26	-
Clapham *2H*	51,361	24	22	2	5	-	-	-	-	3	-	-	-	1	-	-	3	-
Streatham *W,2w,2F,2L*	88,019	57	36	2	24	-	-	-	-	-	-	-	-	-	-	2	13	-
Springfield *2W,L*	27,959	23	9	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Southfields *H*	40,444	33	11	4	5	-	-	-	-	-	-	-	-	-	-	1	-	-
Putney	24,139	8	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich	13,359	2	5	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	14	30	2	13	-	-	-	-	-	-	-	-	-	-	-	20	-
Camberwell North *W,2L*	65,584	36	38	1	15	-	-	-	-	-	-	-	-	-	1	-	19	-
St. George	47,331	24	9	-	5	-	1	-	-	-	-	-	-	-	-	2	-	-
Peckham North	48,913	28	15	2	5	-	2	-	-	-	-	-	-	-	-	1	-	-
Peckham South *2W,w*	43,946	17	10	1	6	-	1	-	-	-	-	-	-	-	-	1	-	-
Deptford North	37,613	24	10	3	3	-	2	-	-	-	-	-	-	-	-	-	-	-
Deptford Central *F*	45,481	36	10	2	-	-	2	-	2	-	-	1	-	-	1	1	4	-
Deptford South	34,625	20	16	3	5	-	-	-	-	-	-	1	-	-	-	1	-	-
Greenwich West *2H*	23,456	11	7	-	3	-	-	-	-	-	-	-	-	-	1	1	1	-
Greenwich East *2W,H*	43,859	31	36	6	12	-	4	-	-	-	-	-	-	-	1	3	23	-
Eltham *w,H*	7,226	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *w,H*	25,490	10	8	2	3	-	-	-	-	1	-	-	-	-	1	1	1	-
Lewisham *W,w,F*	58,352	51	22	6	8	-	-	-	4	-	-	-	-	-	1	1	11	-
Sydenham *H*	43,653	21	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Charlton *F,2H*	21,134	6	4	-	-	-	-	1	1	-	-	-	-	-	-	-	3	-
Woolwich *5H*	41,625	26	9	3	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Plumstead West *W,H*	39,376	16	11	2	5	-	-	-	1	-	-	-	-	-	-	-	-	-
Plumstead East *2W*	28,951	11	14	2	1	-	-	-	-	-	-	-	-	-	1	1	7	-
Workhouses:—																		
Belmont Workhouse	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Central London Sick Asylum .. (Westminster, St. Giles, and Strand Unions.)	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
M. A. B. Small-pox Hospitals:—																		
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																		
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																		
Children's Infirmary, Carshalton..	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums:—																		
Caterham	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Darenth	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
London County Lunatic Asylums:—																		
Banstead	—	-	9	-	5	-	-	-	-	-	-	-	-	-	-	-	9	-
Ewell (Epileptic Colony)	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Horton	—	-	4	-	-	-	-	-	-	-	-	-	-	1	-	-	4	-
Manor	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Grove	—	-	6	-	2	-	-	-	-	-	-	-	-	1	-	-	6	-
Cane Hill	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
Dartford Heath	—	-	6	-	2	-	-	-	-	-	-	-	-	-	-	1	6	-
Hanwell	—	-	6	-	1	-	-	-	-	-	-	-	-	-	-	-	6	-
Colney Hatch	—	-	10	-	2	-	-	-	-	-	-	-	-	2	-	-	10	-
Claybury	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERATED POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 20th February, 1909.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING ..	368,603	2,045,135	1354	711	136	241	-	25	3	14	11	1	-	19	48	148	1
30 : 1	Carshalton 2F,3H	12,228	32,997	21	10	4	1	-	-	-	1	1	-	-	-	1	2	-
2	Epsom, *part of** W,w,2F,H..	10,423	15,548	4	7	-	4	-	-	-	-	-	-	-	-	-	4	-
37 : 1	Godstone, *part of** W,F,L ..	2 754	2,692	4	3	-	1	-	-	-	-	-	-	-	-	-	3	-
38 : 1	Coulsdon	11,069	8,166	4	3	-	3	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w,H ..	4,200	49,309	20	11	1	6	-	-	-	-	-	-	-	1	2	1	-
3	West Croydon 3W,F,H ..	2,168	42,888	34	28	6	10	-	-	-	1	-	-	-	2	3	17	-
4	North Croydon H	2,614	41,698	19	13	2	6	-	-	-	-	-	-	-	1	1	1	-
5	Penge w	770	22,465	6	5	-	2	-	-	-	-	-	-	-	-	1	-	-
6	Mitcham w	11,711	30,015	25	13	3	3	-	-	-	-	-	-	-	-	1	-	-
39 : 1	Wimbledon F,3H	3,221	41,652	34	14	4	3	-	-	-	-	1	-	-	-	-	-	-
2	Kingston 2W,H	6,224	42,068	22	26	4	12	-	-	-	-	-	-	-	-	-	6	-
3	Surbiton F,H	3,046	15,017	5	5	-	3	-	1	-	-	-	-	-	-	-	1	-
4	Esher, *part of** H	5,402	13,100	10	5	2	1	-	1	-	-	-	-	-	-	-	-	-
5	Hampton H,F,L	4,564	23,456	14	11	1	5	-	2	-	-	-	-	-	-	-	-	-
40 : 1	Richmond W,H	2,491	31,672	15	9	1	4	-	-	-	-	-	-	-	-	1	2	-
2	Mortlake F	2,518	17,821	13	5	-	2	-	-	-	-	-	-	-	-	-	-	-
41 : 1	Bromley F,3H	4,703	27,354	9	5	-	2	-	-	-	-	-	-	-	-	-	1	-
2	Beckenham H	7,825	28,497	13	5	-	3	-	-	-	-	-	-	-	-	1	-	-
3	Orpington, *part of** W,F ..	10,113	9,857	4	6	-	5	-	-	-	-	-	-	-	-	1	3	-
4	Chislehurst 2H	7,333	16,446	5	6	-	2	-	-	-	-	-	-	-	-	1	-	-
42 : 1	Bexley w,F,H	8,678	21,151	9	6	-	3	-	-	-	-	-	-	-	-	-	-	-
2	Erith F,H	3,854	25,296	20	8	4	2	-	-	-	-	-	-	-	-	-	-	-
3	Dartford W,F, *part of** ..	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
124 : 1	Sunbury w	11,054	18,683	7	2	1	-	-	-	-	1	-	-	-	-	-	-	-
2	Staines W,H	13,277	15,178	17	12	2	6	-	-	-	-	-	-	-	1	1	2	-
125 : 1	Hillingdon W,F,H	6,035	13,661	10	5	1	2	-	-	-	-	-	-	-	-	-	2	-
2	Uxbridge H	12,757	8,984	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w 2F,H	8,066	16,358	19	4	-	3	-	-	-	-	-	-	-	-	-	-	-
126 : 1	Isleworth 3W,3F,H	6,859	30,863	27	21	2	8	-	-	-	-	1	-	-	-	-	9	-
2	Twickenham F,2H	2,421	20,991	14	8	2	5	-	-	-	-	-	-	-	-	1	-	-
3	Brentford 3F,2H	4,319	48,289	33	19	3	6	-	2	-	-	1	-	-	-	-	1	-
4	Chiswick H	1,219	29,809	18	7	2	2	-	-	-	-	-	-	-	-	-	-	-
5	Acton w,F,3H	6,132	48,914	40	18	8	4	-	-	-	1	1	-	-	1	3	3	-
127 : 1	Harrow F,H	13,809	25,523	15	9	-	3	-	-	-	2	-	1	-	1	1	1	-
2	Edgware 2F,2H	6,994	4,521	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Willesden W,F,2H	4,384	114,811	77	38	10	7	-	5	2	-	3	-	-	1	2	9	-
4	Hendon W,F	8,382	22,450	16	9	1	5	-	1	-	-	-	-	-	-	-	4	-
128 : 1	South Mimms 2F,H ..	17,755	7,308	8	2	2	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,970	10	6	-	5	-	-	-	-	-	-	-	-	-	3	-
3	Finchley F,3H	4,688	33,692	21	12	1	6	-	2	-	-	-	-	-	1	1	-	-
129 : 1	Hornsey F,H	2,875	72,056	31	20	3	5	-	-	-	2	-	-	-	-	-	1	-
2	Wood Green H	1,625	34,233	28	3	-	-	-	-	-	-	-	-	-	-	1	-	-
3	West Tottenham	995	48,741	31	8	-	2	-	1	-	-	-	-	-	1	2	-	-
4	East Tottenham 2H ..	2,019	53,962	48	15	4	5	-	1	-	-	-	-	-	1	2	2	-
5	Edmonton W,w,2F	7,491	61,892	51	23	-	8	-	-	-	-	-	-	-	1	2	13	-
6	Enfield 2W,F,H	12,601	42,738	37	17	7	5	-	-	-	-	-	-	-	-	1	2	-
7	Waltham Abbey F	11,017	6,549	3	2	-	2	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	6	5	2	1	-	-	-	-	-	-	-	-	-	-	1
135 : 1	Hatfield, *part of** W ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey H	9,333	9,173	6	4	1	1	-	-	-	-	-	-	-	-	-	-	-
2	Watford W,2F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
186 : 1	Stratford H	1,091	52,974	32	20	4	5	-	1	-	-	-	-	-	2	4	2	-
2	Forest Gate	787	52,745	20	15	2	7	-	-	1	-	-	-	-	-	-	-	-
3	Plaistow F,2H	1,249	90,921	81	32	10	6	-	4	-	1	1	-	-	2	3	2	-
4	Canning Town H	1,556	70,718	61	27	10	5	-	3	-	1	-	-	-	-	-	-	-
5	South East Ham 2F ..	1,991	37,342	41	9	4	2	-	-	-	-	-	-	-	-	1	-	-
6	North East Ham w,H ..	1,333	58,666	25	13	5	4	-	-	-	-	-	-	-	1	2	-	-
7	Wanstead F	1,679	9,179	3	2	-	2	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	16	10	1	7	-	-	-	1	-	-	-	1	1	6	-
9	North Leyton 2W,w,F ..	1,963	48,445	32	37	6	6	-	1	-	3	1	-	-	-	5	22	-
10	Walthamstow 2H,L ..	6,504	108,929	90	24	5	7	-	-	-	-	1	-	-	1	2	1	-
187 : 1	Chigwell 2F,3H	11,778	16,397	8	4	1	1	-	-	-	-	-	-	-	-	-	-	-
2	Epping W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189 : 1	Romford, *part of** W,2F ..	6,556	6,091	8	2	-	1	-	-	-	-	-	-	-	-	-	1	-
2	Ilford F,L	8,496	41,244	36	17	4	5	-	-	-	-	-	-	-	-	-	5	-
3	Barking Town F	3,805	21,547	12	6	-	2	-	-	-	-	-	-	-	-	-	-	-
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	3	-	1	-	-	-	-	-	-	-	-	-	3	-
	London County Lunatic Asylum, Long Grove, Epsom.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Surrey County Lunatic Asylum, Brookwood.	—	—	-	3	-	1	-	-	-	-	-	-	-	-	-	3	-
	Kent County Lunatic Asylum, Maidstone.	—	—	-	3	-	1	-	-	-	-	-	-	-	-	-	3	-
	Middlesex County Lunatic Asylum, Napsbury.	—	—	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
	Essex County Lunatic Asylum, Brentwood.	—	—	-	3	-	1	-	-	-	-	-	-	-	-	-	3	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30 : 2, excepting Ashtead parish; 37 : 1, Warlingham and Farley parishes; 39 : 4, excepting Esher parish; 41 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135 : 1, Northaw parish; 189 : 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42 : 3, 137 : 2 and 187 : 2 and in the Croydon Mental Hospital in 37 : 1 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON	4,833,938	February 20	2461	1731	18·7	-	93	8	20	25	4	9
CALCUTTA	992,718	January 9	-	482	25·3	31	-	-	-	-	115†	40‡
BOMBAY	982,000	February 2	363	669	35·6	19	1	-	-	-	85†	48‡
MADRAS	548,974	January 22	318	376	38·3	1	3	?	?	?	91	42
PARIS	2,747,599	February 13	981	1080	20·6	1	6	-	5	5	4	22
BRUSSELS	693,720	" 13	262	168	12·6	-	-	-	4	-	2	4
ANTWERP	310,903	" 13	117	82	13·7	-	-	1	-	2	-	9
AMSTERDAM	565,601	" 13	275	170	15·6	-	4	-	-	5	1	1
COPENHAGEN	445,000	" 13	259	127	14·9	-	3	2	1	4	-	4
STOCKHOLM	337,460	" 6	145	100	15·4	-	-	-	5	-	-	2
CHRISTIANIA	231,687	" 13	106	57	12·8	-	-	-	1	2	-	-
ST. PETERSBURG	1,573,000	" 6	649	832	27·6	2	12	16	18	1	8	107‡
MOSCOW	1,452,100	" 6	-	853	30·6	4	10	16	23	3	16	56
BERLIN	2,109,348	January 30	879	622	15·4	-	8	7	17	3	1	28
HAMBURG	872,252	February 13	-	249	14·8	-	-	8	2	9	-	10
BRESLAU	499,437	" 6	-	177	18·5	-	-	3	3	-	-	10
MUNICH	566,000	" 13	-	204	18·7	-	5	3	2	3	1	17
VIENNA	2,042,426	" 13	931	739	18·8	-	15	14	8	4	-	31
PRAGUE	480,856	" 6	193	176	19·0	-	-	-	2	-	-	17
BUDAPEST	823,215	" 6	467	353	22·3	-	5	5	5	-	1	9
TRIESTE	216,680	" 13	136	109	26·2	-	-	5	-	-	-	-
ROME	559,715	December 12	303	206	19·2	-	7	1	1	-	3§	12
		" 19	341	238	22·2	-	3	-	1	-	3	4
VENICE	176,815	January 30	82	84	24·8	-	-	-	1	1	-	2
BUCAREST	293,619	" 30	-	-	-	-	-	-	-	-	-	-
NEW YORK	4,564,792	" 30	2185	1364	15·6	-	18	26	42	5	7	24
CHICAGO	2,224,490	" 30	-	545	12·8	-	3	16	9	1	4	38
PHILADELPHIA	1,532,738	December 19	-	464	15·7	-	1	2	17	4	5	14
		" 26	-	474	16·1	-	1	2	15	3	3	15
		January 2	-	516	17·5	-	4	1	17	1	5	18
RIO DE JANEIRO	636,018	" 17	-	287	23·5	23	2	-	-	1	1†	?

* Excluding deaths from croup in the Indian Cities.
† Including 14 deaths from plague in Calcutta, 27 in Bombay, and 1 in Rio de Janeiro.
‡ Including 11 deaths from cholera in Calcutta, 1 in Bombay, and 44 in St. Petersburg.
§ Including 1 death from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 20th February, 1909.

Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	50·0	25·0	37·6	0·01	BRADFORD	46·4	25·4	36·4	0·01
BRIGHTON	51·7	28·1	38·3	0·00	YORK	47·8	26·0	37·3	0·03
PORTSMOUTH	51·3	27·0	38·9	0·01	HULL	48·0	26·0	37·6	0·01
NORWICH	46·2	26·8	36·5	0·16	TYNEMOUTH	47·0	28·0	37·4	0·06
PLYMOUTH	50·9	27·0	40·8	0·00	CARDIFF	52·2	25·1	39·0	0·02
BRISTOL	52·2	21·5	37·2	0·02	EDINBURGH	50·4	30·6	40·1	0·00
BIRMINGHAM	49·5	28·0	37·9	0·02	GLASGOW	51·0	30·8	40·7	0·01
NOTTINGHAM	47·6	25·0	37·2	0·03	DUBLIN (Phœnix Park)	51·8	23·0	39·5	0·02
LIVERPOOL OBSERVATORY	46·0	30·0	37·9	0·01	DUBLIN (Fitz-william Square.†)	50·0	28·0	41·7	0·01
MANCHESTER	49·4	27·8	37·1	0·01					
BURNLEY	48·2	24·0	35·8	0·00					
HUDDERSFIELD	50·5	25·5	37·4	0·01	BELFAST	49·5	29·8	40·8	0·04

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0°·4 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 20th February, 1909.

[*Under the Superintendence of the Astronomer Royal.*]

1909. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
FEBRUARY.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 14	..	30·261	40·9	25·0	15·9	33·8	− 5·5	28·7	5·1	8·0	2·6	81	57·5	13·6	40·83	Variable	N., NNW. & NW.	0·8	0·0	0·0	157	−160	0·00	0·0
MONDAY - 15	..	30·023	48·8	37·6	11·2	43·3	+ 3·9	35·6	7·7	12·7	0·7	74	82·8	29·2	40·51	WSW. & NNW.	N. & NNW.	1·7	0·0	0·1	271	− 42	0·01	0·0
TUESDAY - 16	..	30·016	41·5	32·2	9·3	37·1	− 2·4	27·5	9·6	12·9	5·0	68	67·8	23·5	40·55	NNW. & N.	N., NNW. & NW.	1·7	0·0	0·1	261	− 49	0·00	3·0
WEDNESDAY 17	Greatest Dec. S.	29·932	45·5	28·8	16·7	36·2	− 3·4	30·2	6·0	13·5	3·9	79	70·0	16·6	40·61	WSW. & SW.	WSW. & SW.	0·1	0·0	0·0	166	−142	0·00	0·0
THURSDAY - 18	..	29·885	46·4	28·3	18·1	37·4	− 2·1	31·2	6·2	11·9	4·0	78	87·4	16·3	40·55	S., calm & SSE.	SSE. SE. & ESE.	0·8	0·0	0·0	153	−154	0·00	6·0
FRIDAY - 19	..	30·023	47·4	27·1	20·3	36·0	− 3·5	28·7	7·3	17·4	0·0	75	90·2	11·9	40·50	E. & ESE.	ESE. & E.	0·9	0·0	0·0	187	−120	0·00	5·0
SATURDAY - 20	New. Perigee.	30·218	50·0	26·4	23·6	37·9	− 1·6	29·4	8·5	19·6	0·0	71	92·5	10·9	40·35	SE. & SSE.	SE.	1·1	0·0	0·0	166	−140	0·00	5·0
MEANS - -		30·051	45·8	29·3	16·4	37·4	− 2·1	30·2	7·2	13·7	2·3	75	78·3	17·4	40·56	NNW. & SE.		..	..	..	Sum 1361	Sum −807	Sum 0·01	2·7
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. FEBRUARY.	Electricity. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY - 14	m. P. generally.	1·0	9·9	Fine with hoar frost in early morning; generally overcast with slight mist till 11h. A.M.; fine and partially cloudy afterwards. Solar halo observed at 1h. P.M.
MONDAY - 15	w. P. till 7h. A.M.; m. P. till 4h. P.M.; s. P. generally afterwards.	3·1	9·9	Overcast till 10h. A.M.; fine with variable amounts of cloud afterwards; slight rain at 6h. A.M.
TUESDAY - 16	m. P. till 6h. A.M.; s. P. afterwards..	4·0	10·0	Very fine generally till 2h. P.M.; overcast afterwards; hoar frost in morning.
WEDNESDAY 17	s. P. generally.	2·3	10·0	Fine and variably cloudy till 7h. P.M.; cloudless afterwards; hoar frost at night. Partial solar halo observed at intervals in afternoon.
THURSDAY - 18	w. P. generally till 4h. P.M.; m. P. afterwards.	7·2	10·1	Very fine generally with occasional cloudy intervals; hoar frost at night.
FRIDAY - 19	m. P. till 6h. A.M.; s. P. generally afterwards.	8·9	10·2	Cloudless; very fine; hoar frost in morning and at night.
SATURDAY - 20	s. P. generally; occasional m. P.	9·8	10·2	Cloudless; a very fine day; hoar frost in morning and at night.
		Sum 36·3	Sum 70·3	
No. of Col. - -	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*" than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·39 in. at the beginning of the week to 29·86 in. by 4h. P.M. on the 18th; and increased to 30·28 in. by midnight on the 20th.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 13th February, 1909.*

BOROUGHS.	Estimated Population in the middle of 1909.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	151,955	-	10	4	-	1	-	-	-	-	-
Kensington	183,683	-	2	8	-	2	-	-	3	-	-
Hammersmith	125,704	-	6	1	-	1	-	-	1	-	-
Fulham	176,406	-	3	5	-	-	-	-	2	1	-
Chelsea	75,249	-	4	2	-	-	-	-	1	-	-
City of Westminster ..	168,883	-	11	3	-	1	-	-	-	-	-
NORTH.											
St. Marylebone	126,027	-	6	2	-	-	-	-	2	-	-
Hampstead	94,185	-	14	1	-	-	-	-	1	-	-
St. Pancras	237,422	-	11	3	-	-	-	-	1	-	-
Islington	351,202	-	24	7	-	2	-	-	6	1	-
Stoke Newington	54,423	-	2	-	-	1	-	-	-	-	-
Hackney	237,601	-	32	2	-	2	-	-	5	-	-
CENTRAL.											
Holborn	53,802	-	1	1	-	-	-	-	4	-	-
Finsbury	95,289	-	4	2	-	-	-	-	1	-	-
City of London	18,193	-	2	-	-	1	-	-	-	-	-
EAST.											
Shoreditch	114,802	-	12	3	-	2	-	-	5	1	-
Bethnal Green	131,316	-	8	8	-	-	-	-	1	-	-
Stepney	312,525	-	29	16	-	-	-	-	11	-	-
Poplar	171,965	-	11	5	-	1	-	-	2	1	-
SOUTH.											
Southwark	211,125	-	2	3	-	2	-	-	2	-	-
Bermondsey	127,569	-	4	7	-	1	-	-	2	-	-
Lambeth	324,188	2	24	11	-	-	-	-	3	-	-
Battersea	186,036	-	9	6	-	1	-	-	4	-	-
Wandsworth	297,646	-	24	13	-	3	1	-	5	-	-
Camberwell	283,022	-	13	11	-	2	-	-	5	1	-
Deptford	118,583	-	4	5	-	-	-	-	3	-	-
Greenwich	111,014	-	2	5	-	-	-	-	1	-	-
Lewisham	160,749	-	20	10	-	1	-	-	2	-	-
Woolwich	133,374	-	17	9	-	-	-	-	2	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,833,938	2	311	153	-	24	1	-	75	5	-
Ages 0–1		-	3	3	-	-	-	-	3	-	-
„ 1–5		1	96	64	-	2	-	-	8	-	-
„ 5–		1	144	54	-	1	-	-	1	-	-
„ 10–		-	33	15	-	5	1	-	6	-	-
„ 15–		-	15	5	-	2	-	-	7	-	-
„ 20–		-	8	1	-	1	-	-	5	1	-
„ 25–		-	10	10	-	8	-	-	3	1	-
„ 35–		-	2	1	-	3	-	-	15	3	-
„ 45–		-	-	-	-	2	-	-	15	-	-
„ 55–		-	-	-	-	-	-	-	9	-	-
„ 65 and upwards		-	-	-	-	-	-	-	3	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY DARLING & SON, LTD., 34-40, BACON STREET, E.

1909.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 8. 1909. VOL. LXX.] WEEK ENDED SATURDAY, FEB. 27. [Price 1½d.

General Register Office, Somerset House,
March 1st, 1909.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 19·1 per 1000 of their aggregate population, which is estimated† at 16,445,281 persons in the middle of this year. In the preceding three weeks the rates had been 18·7, 17·5, and 18·1. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 24·2 in Wigan, 25·5 in Birmingham, 25·6 in Rochdale, 26·3 in St. Helens, 27·1 in Tynemouth, and 29·4 in Aston Manor; from *measles*, 4·0 in Birmingham, 5·2 in West Hartlepool, 5·8 in Warrington, 6·6 in St. Helens, 6·7 in Smethwick, and 8·0 in Aston Manor; from *scarlet fever*, 1·4 in Bournemouth; from *diphtheria*, 1·2 in Aston Manor; from *whooping-cough*, 1·4 in Nottingham and in Warrington, 1·8 in Preston, 2·0 in Coventry, 2·2 in St. Helens, and 2·3 in Wigan; from "*fever*," 1·5 in Hanley; and from *diarrhœa*, 1·5 in Middlesbrough. One death from *small-pox* was registered in Bristol, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2173 BIRTHS and 1849 DEATHS were registered. Allowing for increase of population, the births were 254 below and the deaths 263 above the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes, which had been 20·3, 17·8, and 18·7 per 1000 in the preceding three weeks, was 19·9 last week. The death-rate in the four weeks ended last Saturday averaged 19·2 per 1000, being 1·6 per 1000 above the mean rate in the corresponding periods of the five years 1904–8.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals and Asylums, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-five other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(12618—41.) Wt. 36—184. 700. 3/09. D & S. G. 31. Sch. 4. H

The 1849 deaths included 94 from measles, 8 from scarlet fever, 18 from diphtheria, 35 from whooping-cough, 2 from enteric fever, and 14 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia: thus, to these diseases in the aggregate 171 deaths were referred, being 60 above the corrected average number in the eighth week of the preceding five years.

The deaths from *measles*, which had been 52, 69, and 93 in the preceding three weeks, numbered 94 last week, and were 61 above the corrected average; 21 deaths belonged to the Borough of Bermondsey, 9 each to Islington and Camberwell, and 6 each to Shoreditch, Poplar, and Greenwich. The deaths from *scarlet fever*, which had been 11, 9, and 8 in the preceding three weeks, were again 8 last week, the corrected average being 9. The deaths from *diphtheria*, which had been 24, 15, and 19 in the preceding three weeks, were 18 last week, and were 3 above the corrected average; 3 deaths belonged to Lambeth, and 3 to Camberwell. The deaths from *whooping-cough*, which had been 29, 15, and 25 in the preceding three weeks, rose to 35 last week, the corrected average being 34; 5 deaths belonged to Islington, 4 to Shoreditch, and 3 each to Lambeth and Battersea. The deaths from *enteric fever*, which had been 7, 4, and 4 in the preceding three weeks, fell to 2 last week, and were equal to the corrected average. The deaths from *diarrhœa*, which had been 12, 19, and 9 in the preceding three weeks, were 14 last week, and were 3 below the corrected average; 3 deaths belonged to Hackney. Of the 14 deaths from diarrhœa, 10 were those of children under 5 years of age; 9 other deaths at this age were certified as due to *enteritis* and 4 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 36, having been 12, 17, and 25 in the preceding three weeks. The death of a stereotyper, aged 57 years, was certified as due to *lead-poisoning*.

Different forms of violence caused 42 deaths, concerning all of which inquests were held. Of these 42 deaths, 12 were cases of suicide, while the remaining 30 deaths were attributed to accident or negligence. Seven of these latter were referred to vehicles in the streets, five to burns or scalds, and two, of infants under one year of age, to suffocation in bed. Two deaths occurred while under anæsthetics administered for surgical purposes.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1 case of small-pox, 2825 cases of scarlet fever, 1158 of diphtheria, and 124 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 292 cases, against 312, 289, and 273; of diphtheria, 118 cases, against 147, 133, and 135; and of enteric fever, 17 cases, against 14, 17, and 18. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended February 20th, 1909.

Greater London.

In Greater London 3400 births and 2621 deaths were registered. Allowing for increase of population, these numbers are 337 below and 364 above the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 14 deaths from measles, 1 from scarlet fever, 17 from diphtheria, 2 from whooping-cough, 1 from "fever," and 2 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 30·17 inches, and that of the Thermometer 33°·4, the latter being 6°·5 below the week's average in the 65 years ended 1905. The direction of the wind was variable, the horizontal movement of the air being 23 per cent. below the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 22·4 hours; the measured rainfall amounted to 0·08 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

TABLE I.—76 GREAT TOWNS, GREATER LONDON, AND FOUR SCOTTISH OF IRISH TOWNS.—BIRTHS, DEATHS, AND DEATH-RATES IN THE WEEK ended Saturday, 27th February, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS:	Population estimated to the middle of the Year 1909.*	Death-Rates from all Causes. Week ended 6th Feb., 1909.	13th Feb., 1909.	20th Feb., 1909.	27th Feb., 1909.	Rate from Diseases in Cols. 11–17. Week ended 27th Feb., 1909.	Registered during the Week ended 27th Feb., 1909. Births.	Deaths.	The Deaths registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS	**16,445,281**	**18·7**	**17·5**	**18·1**	**19·1**	**1·9**	**8241**	**6024**	**1068**	**2044**	**1**	**318**	**38**	**66**	**111**	**18**	**32**	**165**	**400**	**1464**	**54**	**76 TOWNS.**
LONDON	4,833,938	20·3	17·8	18·7	19·9	1·8	2173	1849	273	692	–	94	8	18	35	2	14	42	140	677	1	LONDON.
† CROYDON	161,078	22·7	12·9	15·9	17·5	0·6	77	54	5	25	–	–	–	1	1	–	–	2	5	9	–	CROYDON.
† WILLESDEN ..	160,424	14·6	11·7	12·7	17·6	1·0	78	54	14	21	–	1	–	1	1	–	–	1	4	4	–	WILLESDEN.
† HORNSEY	95,628	10·4	10·9	11·5	7·6	–	19	14	1	6	–	–	–	–	–	–	–	–	–	1	–	HORNSEY.
† TOTTENHAM ..	129,464	14·9	12·1	11·3	17·3	0·8	73	43	8	19	–	–	1	–	1	–	–	–	2	8	–	TOTTENHAM.
† WEST HAM ..	321,767	16·9	17·3	18·3	17·7	1·5	168	109	28	39	–	4	–	1	4	–	–	5	13	20	–	WEST HAM.
† EAST HAM.. ..	149,575	12·2	11·9	11·2	13·9	1·0	67	40	7	15	–	2	1	–	–	–	–	2	4	7	–	EAST HAM.
† LEYTON	129,614	14·1	12·9	9·3	11·3	–	56	28	2	15	–	–	–	–	–	–	–	1	3	3	–	LEYTON.
† WALTHAMSTOW ..	136,602	8·8	11·1	8·4	6·9	1·1	62	18	6	10	–	2	–	1	–	–	–	2	3	5	–	WALTHAMSTOW.
HASTINGS	68,165	9·2	17·6	17·6	16·8	0·8	12	22	–	11	–	–	–	1	–	–	–	–	1	1	–	HASTINGS.
BRIGHTON	130,926	13·1	20·7	17·1	19·9	–	56	50	8	26	–	–	–	–	–	–	–	2	3	8	–	BRIGHTON.
PORTSMOUTH ..	214,726	15·1	17·5	16·3	23·8	2·4	118	98	23	36	–	7	–	1	2	–	–	4	12	20	–	PORTSMOUTH.
BOURNEMOUTH ..	72,368	20·2	14·4	9·4	15·1	2·2	19	21	1	13	–	–	2	–	1	–	–	–	–	3	–	BOURNEMOUTH.
SOUTHAMPTON ..	124,667	16·3	14·6	13·4	18·8	0·8	50	45	9	22	–	–	–	–	1	1	–	1	3	11	–	SOUTHAMPTON.
READING	82,995	15·1	8·2	11·9	17·0	2·5	27	27	3	11	–	3	–	–	–	–	1	1	1	9	–	READING.
NORTHAMPTON ..	97,752	13·3	15·5	12·3	20·8	–	29	39	5	23	–	–	–	–	–	–	–	–	1	5	–	NORTHAMPTON.
IPSWICH	74,889	16·0	20·9	16·0	18·1	–	31	26	5	11	–	–	–	–	–	–	–	2	2	9	–	IPSWICH.
GREAT YARMOUTH	53,430	17·6	20·5	13·7	22·4	2·0	27	23	7	7	–	1	–	–	1	–	–	1	1	3	–	GREAT YARMOUTH.
NORWICH	124,136	18·1	11·8	16·0	13·4	–	62	32	3	16	–	–	–	–	–	–	–	–	1	7	–	NORWICH.
PLYMOUTH	124,180	17·6	17·2	19·7	17·2	0·8	49	41	7	21	–	2	–	–	–	–	–	1	4	7	–	PLYMOUTH.
DEVONPORT	83,103	6·9	20 7	10·7	13·8	0·6	46	22	4	10	–	–	–	1	–	–	–	–	–	4	–	DEVONPORT.
BRISTOL	377,642	14·1	16·0	15·5	15·3	0·6	154	111	20	37	1	–	–	2	1	–	–	1	10	31	–	BRISTOL.
HANLEY	68,831	23·5	15·9	15·9	22·7	2·3	36	30	8	6	–	–	–	1	–	2	–	–	2	5	–	HANLEY.
BURTON-ON-TRENT	54,453	19·2	10·5	19·2	15·3	–	25	16	4	7	–	–	–	–	–	–	–	1	1	2	–	BURTON-ON-TRENT.
WOLVERHAMPTON..	104,633	19·4	16·4	15·9	22·4	1·0	56	45	8	16	–	–	–	–	2	–	–	1	3	11	–	WOLVERHAMPTON.
WALSALL	99,399	16·3	15·2	15·7	13·6	1·0	54	26	5	9	–	–	1	–	1	–	–	2	2	7	–	WALSALL.
HANDSWORTH ..	70,186	12·6	17·1	16·3	14·9	1·5	43	20	1	9	–	1	1	–	–	–	–	–	–	2	1	HANDSWORTH.
WEST BROMWICH ..	70,457	19·2	15·5	17·0	16·3	0·7	43	22	7	12	–	–	1	–	–	–	–	1	1	7	2	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 27th February, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 6th Feb., 1909.	13th Feb., 1909.	20th Feb., 1909.	27th Feb., 1909.	Rate from Diseases in Cols. 11–17. Week ended 27th Feb., 1909.	Registered during the Week ended 27th Feb., 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
BIRMINGHAM ..	563,629	20·8	20·1	20·5	25·5	4·9	361	276	54	80	–	43	1	2	6	–	1	10	15	51	14	BIRMINGHAM.
KINGS NORTON ..	81,632	14·1	13·4	12·8	16·6	0·6	28	26	2	14	–	1	–	–	–	–	–	2	2	3	1	KINGS NORTON.
SMETHWICK	70,377	20·0	11·9	17·0	20·7	8·2	46	28	11	3	–	9	–	–	1	–	1	–	–	1	–	SMETHWICK.
ASTON MANOR ..	85,257	13·5	16·5	22·0	29·4	9·2	43	48	5	11	–	13	–	2	–	–	–	–	1	5	–	ASTON MANOR.
COVENTRY	80,163	14·3	16·9	17·6	20·2	2·6	53	31	5	15	–	–	–	1	3	–	–	1	1	5	1	COVENTRY.
LEICESTER	244,255	19·0	15·8	14·7	13·9	0·9	106	65	13	20	–	4	–	–	–	–	–	–	3	13	2	LEICESTER.
GRIMSBY	73,036	12·9	17·8	19·3	19·3	1·4	28	27	5	13	–	–	–	–	–	1	1	–	1	2	1	GRIMSBY.
NOTTINGHAM ..	263,443	22·6	16·4	17·6	20·2	2·8	132	102	24	28	–	6	–	–	7	–	1	3	6	13	–	NOTTINGHAM.
DERBY	129,411	20·1	14·9	11·7	16·9	1·2	49	42	10	15	–	2	–	1	–	–	–	2	2	12	–	DERBY.
STOCKPORT	103,706	20·6	19·1	18·1	19·6	2·0	46	39	8	12	–	–	–	1	1	1	1	2	3	13	–	STOCKPORT.
BIRKENHEAD ..	121,123	15·5	19·8	20·7	15·9	–	82	37	9	12	–	–	–	–	–	–	–	3	5	11	–	BIRKENHEAD.
WALLASEY	71,004	16·2	25·0	11·0	17·6	0·7	40	24	2	10	–	–	–	1	–	–	–	–	1	1	1	WALLASEY.
LIVERPOOL	760,357	21·7	21·5	24·8	21·3	2·3	461	311	56	74	–	9	11	4	6	2	2	6	9	96	4	LIVERPOOL.
BOOTLE	69,393	24·0	15·0	20·3	18·8	0·8	45	25	5	7	–	1	–	–	–	–	–	1	1	4	–	BOOTLE.
ST. HELENS	95,161	18·1	19·7	25·2	26·3	9·9	52	48	11	5	–	12	1	1	4	–	–	–	1	6	1	ST. HELENS.
WIGAN	90,678	21·9	20·1	31·1	24·2	2·3	54	42	9	7	–	–	–	–	4	–	–	1	1	7	–	WIGAN.
WARRINGTON ..	72,276	20·2	21·6	24·5	18·0	7·9	45	25	5	3	–	8	1	–	2	–	–	–	1	1	1	WARRINGTON.
BOLTON	187,824	17·8	17·2	17·8	16·4	0·6	92	59	8	18	–	–	1	–	–	1	–	–	5	12	–	BOLTON.
BURY	59,234	17·6	22·0	25·5	21·1	0·9	27	24	3	9	–	1	–	–	–	–	–	2	3	–	–	BURY.
MANCHESTER ..	655,435	24·6	20·2	23·2	22·0	2·1	386	277	50	76	–	13	2	3	5	3	–	7	15	66	–	MANCHESTER.
SALFORD	241,950	23·3	21·8	19·8	19·6	1·5	133	91	17	25	–	1	–	4	1	–	1	1	5	17	2	SALFORD.
OLDHAM	143,301	19·3	25·5	20·4	21·5	2·9	103	59	7	18	–	5	–	–	1	1	1	4	8	8	–	OLDHAM.
ROCHDALE	89,653	18·0	17·4	18·0	25·6	0·6	35	44	8	19	–	–	–	–	–	–	1	1	1	10	1	ROCHDALE.
BURNLEY	106,267	20·6	19·1	14·7	18·6	0·5	46	33	8	10	–	–	–	–	1	–	–	4	5	9	–	BURNLEY.
BLACKBURN	136,959	19·0	22·8	19·4	16·0	1·1	68	42	10	14	–	2	–	–	1	–	–	–	–	3	–	BLACKBURN.
PRESTON	118,519	21·1	16·7	18·5	18·0	3·1	55	41	11	12	–	2	–	–	4	–	1	–	–	3	1	PRESTON.
BARROW-IN-FURNESS.	62,996	14·1	11·6	17·4	10·8	–	24	13	–	7	–	–	–	–	–	–	–	–	–	2	–	BARROW-IN-FURNESS.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 6th Feb., 1909.	13th Feb., 1909.	20th Feb., 1909.	27th Feb., 1909.	Rate from Diseases in Cols. 11-17. Week ended 27th Feb., 1909.	Registered during the Week ended 27th Feb., 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquests Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,739	17·6	16·0	17·6	19·3	2·8	45	35	7	8	–	4	–	1	–	–	–	–	–	5	–	HUDDERSFIELD.
HALIFAX	111,911	11·2	11·6	18·6	16·8	1·4	32	36	4	15	–	–	1	1	1	–	–	1	3	3	–	HALIFAX.
BRADFORD	293,983	22·9	17·4	22·0	22·2	1·1	103	125	14	54	–	–	–	3	2	1	–	7	9	19	1	BRADFORD.
LEEDS	484,012	16·5	17·1	14·8	15·8	0·3	192	147	23	49	–	–	–	1	1	–	1	5	16	29	–	LEEDS.
SHEFFIELD	470,958	16·6	17·1	18·4	19·3	4·7	260	174	37	32	–	33	2	2	3	2	–	10	16	38	1	SHEFFIELD.
ROTHERHAM.. ..	65,070	12·8	12·8	20·8	23·2	–	37	29	8	10	–	–	–	–	–	–	–	2	2	5	2	ROTHERHAM.
YORK	87,004	13·2	11·4	17·4	12·0	0·6	37	20	5	8	–	–	–	1	–	–	–	–	1	1	–	YORK.
HULL	275,552	18·0	16·3	15·3	16·5	0·6	182	87	19	29	–	2	–	1	–	–	–	4	6	17	1	HULL.
MIDDLESBROUGH ..	105,255	26·3	22·3	18·8	21·8	3·5	60	44	10	7	–	2	–	1	–	1	3	1	1	9	1	MIDDLESBROUGH.
STOCKTON-ON-TEES	53,417	17·6	17·6	18·5	22·5	3·9	19	23	5	7	–	4	–	–	–	–	–	–	1	1	–	STOCKTON-ON-TEES.
WEST HARTLEPOOL	79,686	19·6	15·7	19·0	20·3	5·9	43	31	3	7	–	8	–	1	–	–	–	3	4	6	1	WEST HARTLEPOOL.
SUNDERLAND ..	159,378	17·7	20·0	18·6	22·6	5·2	99	69	14	13	–	12	1	1	2	–	–	3	3	17	4	SUNDERLAND.
SOUTH SHIELDS ..	117,627	16·0	19·1	13·3	17·3	0·4	87	39	12	13	–	–	1	–	–	–	–	–	–	5	1	SOUTH SHIELDS.
GATESHEAD	131,024	13·9	11·1	14·3	12·3	–	65	31	6	8	–	–	–	–	–	–	–	1	1	6	5	GATESHEAD.
NEWCASTLE-ON-TYNE.	281,584	14·6	18·0	14·8	18·0	0·9	169	97	16	37	–	2	–	1	2	–	–	1	5	17	–	NEWCASTLE-ON-TYNE.
TYNEMOUTH ..	55,808	20·6	18·7	20·6	27·1	0·9	41	29	9	6	–	–	–	1	–	–	–	–	1	2	2	TYNEMOUTH.
NEWPORT (MON.) ..	78,336	22·0	19·3	17·3	18·6	–	48	28	8	9	–	–	–	–	–	–	–	1	3	4	–	NEWPORT (MON.).
CARDIFF	195,303	15·8	17·4	15·2	15·5	0·5	110	58	7	21	–	–	–	1	–	–	1	–	4	11	–	CARDIFF.
RHONDDA	135,894	15·3	13·8	21·5	17·7	1·2	127	46	13	13	–	–	–	2	1	–	–	2	3	–	1	RHONDDA.
MERTHYR TYDFIL..	78,365	20·0	21·3	23·3	18·0	2·7	65	27	9	9	–	2	1	–	–	–	1	1	2	3	–	MERTHYR TYDFIL.
SWANSEA	98,308	18·0	19·6	21·2	21·2	1·1	70	40	11	7	–	–	–	1	1	–	–	–	2	6	–	SWANSEA.
GREATER LONDON	7,429,740	18·4	16·2	17·1	18·4	1·6	3400	2621	403	1018	–	117	11	39	44	3	16	67	203	806	3	GREATER LONDON.
OUTER RING ..	2,595,802	14·8	13·3	14·3	15·5	1·2	1227	772	130	326	–	23	3	21	9	1	2	25	63	129	2	OUTER RING.
8 TOWNS IN OUTER RING.	1,284,152	14·9	13·3	13·3	14·6	0·9	600	360	71	150	–	9	2	4	7	–	–	13	34	57	–	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,311,650	14·7	13·4	15·3	16·4	1·5	627	412	59	176	–	14	1	17	2	1	2	12	29	72	2	REMAINDER OF OUTER RING.
EDINBURGH	355,366	17·3	14·8	17·8	21·4	1·0	154	146	25	50	–	–	1	3	2	1	–	5	?	51	3	EDINBURGH.
GLASGOW	872,021	17·9	18·3	19·9	21·0	2·7	421	352‡	68	90	–	–	1	4	29	5	6	17	?	99	9	GLASGOW.
DUBLIN (Registration Area).†	398,356	24·3	25·1	25·8	24·3	2·2	227	186	36	60	–	1	–	–	7	4	5	2	4	52	6	DUBLIN (Registration Area).†
BELFAST†	386,576	17·5	15·6	17·1	21·0	–	210	156‡	23	42	–	–	–	–	–	–	–	2	5	32	3	BELFAST.†

* See note † on first page of this return.

† Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast respectively.

‡ Including 1 death from Cerebro-spinal meningitis in Glasgow, and 1 from Cerebro-spinal fever in Belfast.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the EIGHTH Week of each of the Eleven Years, 1899–1909.

	1899	1900	1901	1902	1903	1904	1905	1906	1907	1908	Corrected Weekly Average in 5 Years 1904–1908.*	1909
TOTAL **Births** -	2752	2805	2673	2723	2449	2456	2200	2500	2412	2287	2427·3	2173
Males - - -	1470	1379	1329	1391	1224	1213	1083	1291	1210	1155	1218·7	1100
Females - -	1282	1426	1344	1332	1225	1243	1117	1209	1202	1132	1208·6	1073
TOTAL **Deaths** -	1875	1894	1853	2569	1444	1467	1436	1586	1558	1698	1585·8	1849
Males - - -	976	992	916	1214	733	760	746	841	773	817	806·1	896
Females - -	899	902	937	1355	711	707	690	745	785	881	779·7	953

* The numbers in this column are the average weekly numbers in the Eighth week of the five years 1904-1908, raised by 2·375 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	1909 Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	13 Weeks.
TOTAL **Births** -	2040	2186	2133	1438	2228	2476	2434	2162	2110	2414	2335	2461	2173	28620
TOTAL **Deaths** -	1383	1311	1359	1038	1805	1672	1563	1414	1653	1878	1646	1731	1849	20302
Ages at Death: Under 1 year -	242	265	240	155	305	251	273	221	256	254	258	256	273	3249
1—5 years -	135	147	139	115	211	174	181	175	215	185	193	250	224	2334
5—20 " -	71	57	81	53	81	79	71	51	65	77	69	89	79	923
20—40 " -	171	161	162	118	233	179	175	171	214	199	190	192	183	2348
40—60 " -	278	264	284	221	354	394	330	292	358	416	345	373	398	4307
60 yrs. & upwds.	486	417	453	376	621	595	533	504	555	747	591	571	692	7141
Deaths from—														
Small-pox† - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles - - -	38	49	51	44	87	72	79	76	82	52	69	93	94	886
Scarlet Fever - -	14	10	14	7	7	4	11	11	7	11	9	8	8	121
Diphtheria - -	13	14	24	17	23	20	14	20	16	24	15	19	18	237
Whooping-cough -	2	7	4	7	11	14	8	11	29	29	15	25	35	197
Typhus - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever - -	5	9	14	7	7	8	8	6	3	7	4	4	2	84
Pyrexia (origin uncertain).	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa, Dysentery	24	11	19	14	22	17	22	15	10	12	19	9	14	208
All above diseases -	96	100	126	96	157	135	142	139	147	135	131	158	171	1733
Dis. of Resp. System	141	129	136	106	193	258	181	156	214	354	219	235	309	2331
Pneumonia - -	154	155	145	96	188	184	188	161	163	202	222	252	237	2347
Phthisis - - -	131	135	116	104	171	158	121	127	198	171	145	153	161	1891
Dis. of Circ. System -	189	170	199	149	252	253	211	185	252	270	249	214	257	2850
Violence - - -	62	52	52	50	83	82	72	51	65	63	54	55	42	783
Inquest Cases - -	127	132	129	111	207	201	162	140	154	198	150	142	140	1993
Deaths in Institutions	602	541	599	434	686	615	631	611	662	749	639	681	677	8127
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	43·5	42·8	45·4	40·2	31·5	40·7	42·2	38·7	31·8	42·7	34·8	37·4	33·4	38·9
Mean of Highest -	47·1	46·9	49·3	42·4	35·9	44·0	47·4	42·8	37·1	47·7	40·0	45·8	40·9	43·6
Mean of Lowest -	40·5	37·1	40·2	37·6	26·8	37·0	37·6	34·1	25·3	37·1	30·0	29·3	27·1	33·8
Mean Humidity of the Air.	94	87	92	91	85	86	80	81	88	79	81	75	79	84
Rain-fall (in inches) -	0·08	0·62	0·81	0·02	0·48	0·13	0·49	0·12	0·02	0·04	0·29	0·01	0·08	3·19
Registered Sunshine (in hours).	0·0	8·8	4·3	3·5	5·7	8·1	22·7	10·9	18·9	7·7	21·1	36·3	22·4	170·4
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	–	–	–	–	–	–	–	–	–	1	1	1	1	–
Scarlet Fever - -	3747	3704	3537	3454	3557	3347	3261	3211	3201	3117	3002	2910	2825	3298
Diphtheria - - -	1241	1263	1266	1259	1245	1215	1205	1191	1187	1181	1177	1188	1158	1214
Typhus - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever - -	190	184	173	168	153	145	115	137	130	124	128	133	124	149

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lauder, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq. F.R Met.Soc., Hull; the Meteorological Committee, Tynemouth; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the EIGHTH Week of the Year 1909.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 8th week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages: All Ages.	Under 20: 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1585·8	1849	273	224	79	183	398	692
Small-pox*	0·2	-	-	-	-	-	-	-
Cowpox	-	-	-	-	-	-	-	-
Measles (Morbilli)	33·2	94	17	70	7	-	-	-
Scarlet Fever	9·0	8	-	4	3	1	-	-
Typhus	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-
Influenza	46·9	36	-	1	-	4	7	24
Whooping-cough	34·4	35	16	19	-	-	-	-
Diphtheria	15·4	18	1	13	4	-	-	-
Cerebro-spinal Fever ..	0·2	-	-	-	-	-	-	-
Pyrexia† (origin uncertain)	-	-	-	-	-	-	-	-
Enteric Fever	2·3	2	-	-	-	1	1	-
Asiatic Cholera	-	-	-	-	-	-	-	-
Epidemic Diarrhœa, Infective Enteritis	5·9	7	2	5	-	-	-	-
Diarrhœa, Dysentery ..	10·6	7	3	-	-	-	-	4
Tetanus	0·8	-	-	-	-	-	-	-
Rabies, Hydrophobia ..	-	-	-	-	-	-	-	-
Glanders	0·2	-	-	-	-	-	-	-
Anthrax (Splenic Fever)..	-	-	-	-	-	-	-	-
Venereal Dis.	5·9	6	5	-	-	1	-	-
Puerperal Septicæmia ..	2·0	4	-	-	-	4	-	-
Puerperal Pyæmia.. ..	-	-	-	-	-	-	-	-
Puerperal Fever	0·4	-	-	-	-	-	-	-
Infective Endocarditis ..	3·7	5	-	-	-	1	3	1
Pneumonia: Lobar ..	19·7	22	-	1	-	5	10	6
Pneumonia: Broncho ..	73·3	118	37	33	2	7	12	27
Pneumonia: Epidemic ..	0·2	-	-	-	-	-	-	-
Pneumonia: Not defined	76·8	97	14	9	6	9	32	27
Erysipelas	4·1	5	2	-	-	1	1	1
Septicæmia (not Puerperal)	0·6	2	1	-	-	-	1	-
Pyæmia (not Puerperal)	0·6	-	-	-	-	-	-	-
Other Infective Processes	7·2	4	-	1	1	1	-	1
Tuberculous Phthisis ..	92·8	107	1	2	10	42	45	7
"*Phthisis*	55·7	54	-	-	5	24	20	5
Tuberculous Meningitis ..	20·1	24	2	13	8	1	-	-
Tuberculous Peritonitis ..	7·8	4	1	1	2	-	-	-
Tabes Mesenterica	1·4	1	1	-	-	-	-	-
Tuberculous Dis., Other ..	19·0	23	4	6	5	3	3	2
Scrofula..	-	-	-	-	-	-	-	-
Alcoholism	7·4	11	-	-	-	2	7	2
Rheumatic Fever	5·9	5	-	1	1	1	2	-
Gout	1·4	1	-	-	-	-	-	1
Carcinoma	50·8	54	-	-	-	3	27	24
Sarcoma	6·6	6	-	-	2	-	3	1
Cancer (undefined) ..	33·2	38	-	-	-	4	14	20
Diabetes Mellitus	10·6	8	-	-	-	1	3	4
Premature Birth	51·2	46	46	-	-	-	-	-

CAUSES OF DEATH	Corrected Average for the 8th week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages: All Ages.	Under 20: 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)..	13·3	21	7	7	2	4	1	-
Gen. Par. of Insane, Insanity	16·8	14	-	1	-	3	4	6
Epilepsy	8·4	6	-	1	-	-	2	3
Convulsions	19·5	8	8	-	-	-	-	-
Locomotor Ataxy.. ..	1·4	1	-	-	-	-	1	-
Paraplegia, Dis. of Cord.	5·7	6	-	-	-	1	3	2
Nervous Sys., Other Dis.	23·1	18	-	1	-	3	5	9
Valv. Dis., Endocarditis..	52·0	65	-	-	5	6	15	39
Cereb. Hæm. Cereb. Emb.	39·5	44	-	-	-	1	9	34
Apoplexy, Hemiplegia ..	18·2	13	-	-	-	-	3	10
Aneurysm	5·9	8	-	-	-	2	3	3
Embolism, Thrombosis (not Cerebral) ..	1·4	1	-	-	-	-	-	1
Heart & Blood Ves., Other Dis... ..	93·0	126	-	-	3	13	34	76
Croup (not Spasm: nor Memb.)	0·2	-	-	-	-	-	-	-
Bronchitis	174·7	262	17	12	-	4	46	183
Emphysema, Asthma ..	5·5	26	-	-	-	3	12	11
Pleurisy	3·9	5	-	1	-	1	2	1
Respiratory Dis., Other..	12·7	16	3	2	1	2	2	6
Tonsillitis, Quinsy.. ..	1·6	1	-	-	-	-	-	1
Enteritis (not Epid.) ..	9·6	11	8	1	-	1	1	-
Gastro-enteritis	4·7	4	4	-	-	-	-	-
Peritonitis (not Puerp.) ..	1·8	1	-	-	-	1	-	-
Cirrhosis of Liver.. ..	12·7	10	-	-	-	-	6	4
Liver Dis., Other	4·3	3	-	-	-	-	1	2
Digestive Sys., Other Dis.	37·1	32	5	5	2	2	13	5
Acute Nephritis	8·2	5	-	-	-	-	2	3
Bright's Dis., Albuminuria	39·3	48	-	1	2	5	13	27
Urinary Sys., Other Dis.	14·5	9	1	-	-	1	2	5
Generative Organs Dis...	3·7	3	-	-	-	1	2	-
Childbirth (Accid. of) ..	4·1	1	-	-	-	1	-	-
Old Age	71·3	88	-	-	-	-	-	88
Other Diseases	98·1	99	65	7	5	5	10	7
ACCIDENT.								
By Railways	1·4	1	-	-	1	-	-	-
By Vehicles and Horses..	7·0	7	-	2	1	-	2	2
In Ships, Boats, Docks, (exclusive of Drowning)	0·8	-	-	-	-	-	-	-
In Building Operations..	1·6	-	-	-	-	-	-	-
In Conflagrations	0·2	-	-	-	-	-	-	-
By Burns, Scalds, Explosions	8·8	5	-	4	-	1	-	-
By Drowning	3·5	1	-	-	-	-	1	-
By Suffocation in Bed ..	9·8	2	2	-	-	-	-	-
By Poisons or Poisonous Vapours	1·8	3	-	-	1	1	1	-
Other Deaths by Accident..	16·2	11	-	-	-	2	5	4
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	1·8	-	-	-	-	-	-	-
Suicide	9·2	12	-	-	-	3	6	3
Execution	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.
† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c. registered in each SUB-DISTRICT during the Week ended Saturday, 27th February, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia*† (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified causes of Death.
LONDON	4,536,267	2173	1849	273	392	-	94	8	18	35	-	2	-	14	42	140	677	1
WEST DISTRICTS	805,311	320	313	38	122	-	4	-	3	5	-	1	-	4	11	23	106	-
NORTH DISTRICTS	1,055,908	441	398	46	171	-	18	5	2	8	-	1	-	4	11	29	139	-
CENTRAL DISTRICTS	209,465	106	82	15	23	-	-	-	1	2	-	-	-	-	2	6	33	-
EAST DISTRICTS	715,739	419	288	57	80	-	16	-	1	5	-	-	-	-	7	36	139	-
SOUTH DISTRICTS	1,749,844	887	723	117	277	-	53	2	11	15	-	-	-	4	11	46	215	1
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	45	-	16	-	-	1	-	-	-	-	-	2	-	-	45	-
WEST DISTRICTS.																		
North Paddington *H*	63,603	23	20	3	8	-	-	-	-	1	-	-	-	1	1	2	1	-
Central Paddington *W,3H*	50,053	21	20	4	5	-	-	-	-	-	-	-	-	-	-	-	15	-
South Paddington	30,320	3	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town *2W,w,2H* ..	128,037	53	59	8	23	-	1	-	-	1	-	-	-	2	-	2	19	-
Brompton *2H*	48,591	10	7	1	6	-	-	-	-	-	-	-	-	-	-	2	1	-
North Hammersmith *2W,w,H* ..	49,192	23	18	3	8	-	1	-	-	1	-	-	-	-	-	1	4	-
South Hammersmith *w,2H* ..	63,047	32	22	3	7	-	-	-	-	-	-	-	-	1	1	2	6	-
North-west Fulham *W*	45,180	25	21	1	6	-	1	-	-	-	-	-	-	-	-	1	9	-
North-east Fulham *F*	46,405	25	21	5	7	-	1	-	3	1	-	-	-	-	1	1	4	-
South Fulham *W*	45,704	21	18	1	9	-	-	-	-	-	-	-	-	-	1	1	-	-
Chelsea North *W,w,3H*	42,514	16	25	-	11	-	-	-	-	-	-	-	-	-	-	1	20	-
Chelsea South *W,2H*	31,328	12	12	3	3	-	-	-	-	1	-	-	-	-	1	2	3	-
Mayfair and Knightsbridge	28,743	4	11	-	7	-	-	-	-	-	-	-	-	-	1	1	-	-
Belgrave *W,2H*	55,815	27	28	2	8	-	-	-	-	-	-	1	-	-	5	6	12	-
St. Margaret & St. John *6H*	43,698	20	25	4	10	-	-	-	-	-	-	-	-	-	-	1	10	-
St. James and St. Anne *W,6H* ..	33,081	5	4	-	2	-	-	-	-	-	-	-	-	-		-	2	-
NORTH DISTRICTS.																		
All Souls Marylebone *9H*	35,391	9	25	2	13	-	1	-	-	-	-	-	-	-	1	1	9	-
St. Mary Marylebone *W,4H* ..	37,948	45	8	1	4	-	-	-	-	-	-	-	-	-	-	-	2	-
Christchurch Marylebone	39,536	17	10	2	5	-	-	-	-	-	-	-	-	-	-	-	-	-
St. John Marylebone *2H*	20,426	7	8	-	4	-	-	-	-	1	-	-	-	-	1	1	-	-
Hampstead *W,F,6H*	81,942	23	29	3	15	-	-	2	1	-	-	-	-	-	1	1	6	-
West St. Pancras *2H*	60,562	28	16	2	9	-	1	-	-	-	-	-	-	-	-	1	-	-
South St. Pancras *w,12H*	55,707	16	25	1	3	-	-	-	-	1	-	-	-	-	2	3	16	-
East St. Pancras *W,H*	60,320	30	25	2	14	-	1	-	-	-	-	-	-	-	-	2	10	-
North St. Pancras *2W*	58,728	22	26	1	14	-	1	-	-	-	-	-	-	-	-	-	15	-
Tufnell *W*	31,995	10	32	2	18	-	-	-	-	1	-	-	-	-	2	3	16	-
Upper Holloway *2W,w,H*	33,978	15	24	2	10	-	2	-	-	-	-	-	-	-	1	1	17	-
Tollington *W,w,H*	33,922	13	8	2	2	-	-	-	-	1	-	-	-	-	-	2	-	-
Lower Holloway	41,424	9	9	1	2	-	2	-	-	1	-	-	-	-	-	1	-	-
Barnsbury	54,478	31	19	4	7	-	1	-	1	-	-	-	-	-	-	6	-	-
Islington South-east *F*	75,397	23	25	3	8	-	4	-	-	2	-	1	-	1	-	1	-	-
Highbury *2H*	63,797	26	13	2	5	-	2	-	-	-	-	-	-	-	-	-	1	-
Stoke Newington *H*	51,247	14	13	1	10	-	-	-	-	-	-	-	-	-	-	-	-	-
North Hackney	50,398	14	14	3	6	-	1	-	-	-	-	-	-	-	1	1	-	-
Central Hackney *w,F*	50,536	24	12	4	2	-	-	3	-	1	-	-	-	-	-	1	3	-
South-west Hackney *3H*	59,921	40	19	3	4	-	-	-	-	-	-	-	-	-	1	1	8	-
South-east Hackney *2W,w,H* ..	58,255	25	38	5	16	-	2	-	-	-	-	-	-	3	1	3	26	-
Hackney Union Workhouse, Brentwood	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 27th February, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
St. Giles and Bloomsbury 2*W*,2*H* ..	31,436	16	7	1	3	–	–	–	–	–	–	–	–	–	1	2	2	–
Strand *W*,4*H*	21,674	1	11	1	4	–	–	–	–	–	–	–	–	–	–	1	6	–
Strand Union Workhouse, Edmonton	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Holborn *W*,6*H*	29,612	12	19	6	5	–	–	–	–	1	–	–	–	–	–	–	8	–
Clerkenwell *H*	63,704	38	10	2	4	–	–	–	–	–	–	–	–	–	–	1	–	–
St. Luke 3*H*,*L*	36,116	33	15	4	4	–	–	–	–	1	–	–	–	–	–	–	2	–
Holborn Union Workhouse, Mitcham	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
St. Botolph *H*	10,299	2	2	–	1	–	–	–	–	–	–	–	–	–	1	1	–	–
St. Sepulchre and Allhallows *W*,2*H*	16,624	4	15	1	3	–	–	–	1	–	–	–	–	–	–	1	12	–
City of London Asylum, Stone	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	2	–
EAST DISTRICTS.																		
Shoreditch South 2*H*	46,362	10	9	1	3	–	–	–	–	–	–	–	–	–	–	2	–	–
Shoreditch North-West *W*,*w* *H* ..	36,127	18	37	5	14	–	6	–	–	1	–	–	–	–	1	8	21	–
Shoreditch North-East	36,148	26	9	3	2	–	–	–	–	2	–	–	–	–	1	1	–	–
Shoreditch Union Workhouse Wood Green	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	32	37	8	13	–	2	–	–	–	–	–	–	–	–	5	28	–
Bethnal Green South-West *H* ..	64,542	47	17	7	2	–	–	–	–	1	–	–	–	–	–	3	–	–
Spitalfields..	27,969	17	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Mile End New Town *W*,*H*	28,718	31	33	5	4	–	–	–	–	–	–	–	–	–	1	3	33	–
Goodman's Fields	22,081	8	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
St. George and St. John 2*W* ..	49,068	33	17	3	3	–	2	–	–	–	–	–	–	–	–	–	9	–
Shadwell and Ratcliff *W*,*H* ..	25,568	16	8	–	1	–	–	–	–	1	–	–	–	–	–	1	2	–
Limehouse *W*	32,369	21	8	2	2	–	–	–	–	–	–	–	–	–	–	2	–	–
Mile End Old Town South-Western *H*	63,698	53	9	2	2	–	–	–	–	–	–	–	–	–	–	1	–	–
Mile End Old Town North-Eastern *W*,*w*	49,129	21	23	4	10	–	–	–	–	–	–	–	–	–	1	3	10	–
Bow	41,989	15	13	7	2	–	3	–	–	–	–	–	–	–	1	1	–	–
Bromley 3*w*,*H*	68,319	44	49	5	14	–	1	–	1	–	–	–	–	–	2	6	34	–
Poplar *W*,*w*	58,514	27	15	4	5	–	2	–	–	–	–	–	–	–	–	–	1	–
Workhouse, Forest Gate (Parish of Poplar Borough).	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 27th February, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch and St. Saviour Southwark *W,2H*	23,319	15	20	4	3	–	1	–	1	–	–	–	–	–	–	–	13	–
Kent-road	21,904	18	6	2	1	–	1	–	–	–	–	–	–	1	–	–	–	–
St. George the Martyr West *W,2H,L*	39,094	15	16	6	3	–	–	–	–	2	–	–	–	–	–	1	3	–
Newington North	49,022	27	12	2	8	–	–	–	–	–	–	–	–	–	–	1	–	–
Newington South *W*	72,841	35	22	4	10	–	2	–	–	1	–	–	–	–	1	1	3	–
St. Olave *2W*	9,817	4	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Bermondsey *W*	82,483	57	29	4	3	–	13	–	–	1	–	–	–	–	–	4	1	–
Rotherhithe *W,F*	38,460	22	30	3	9	–	8	–	–	–	–	–	–	–	–	1	21	–
Waterloo *2H*	27,440	28	14	4	5	–	1	–	–	1	–	–	–	–	–	1	4	–
Lambeth Church *H*	27,440	13	24	1	3	–	1	–	2	–	–	–	–	1	2	4	19	–
Kennington *2W*	52,518	29	42	7	17	–	–	–	–	2	–	–	–	–	–	1	21	–
Stockwell *HF*	63,826	44	15	1	5	–	1	–	3	–	–	–	–	–	–	–	3	–
Brixton *H*	73,673	24	18	2	10	–	–	–	–	–	–	–	–	–	–	–	2	–
Norwood *2WH*	56,998	17	15	–	11	–	–	–	–	–	–	–	–	–	1	1	1	1
East Battersea *H*	72,203	32	13	3	5	–	–	–	–	1	–	–	–	–	–	1	–	–
North-west Battersea	49,656	30	14	1	7	–	–	–	–	2	–	–	–	–	–	1	–	–
South-west Battersea *2W,H*	47,048	10	31	6	11	–	1	–	–	–	–	–	–	–	–	1	18	–
Clapham *2H*	51,361	20	21	2	14	–	–	–	–	2	–	–	–	–	1	2	–	–
Streatham *W,2w,2F,2L*	88,019	54	44	9	22	–	1	1	2	–	–	–	–	–	–	1	14	–
Springfield *2W,L*	27,959	25	11	3	3	–	–	–	–	–	–	–	–	–	–	1	1	–
Southfields *H*	40,444	24	17	4	7	–	2	–	–	–	–	–	–	–	–	–	–	–
Putney	24,139	8	9	1	7	–	–	–	–	–	–	–	–	–	–	–	–	–
Dulwich	13,359	6	5	–	4	–	–	–	–	–	–	–	–	–	–	–	–	–
Camberwell South *W,w*	40,206	16	42	3	19	–	–	–	–	1	–	–	–	–	–	–	27	–
Camberwell North *W,2L*	65,584	22	26	1	11	–	1	–	–	–	–	–	–	–	–	2	14	–
St. George	47,331	22	17	3	4	–	3	–	–	–	–	–	–	–	–	2	–	–
Peckham North	48,913	19	21	5	5	–	3	–	–	–	–	–	–	1	–	1	–	–
Peckham South *2W,w*	43,946	19	13	3	5	–	2	–	–	1	–	–	–	–	1	2	–	–
Deptford North	37,613	22	11	5	1	–	3	–	–	–	–	–	–	–	–	2	–	–
Deptford Central *F*	45,481	30	13	2	6	–	2	–	–	–	–	–	–	–	–	1	1	–
Deptford South	34,625	16	11	1	7	–	–	–	–	–	–	–	–	–	–	–	–	–
Greenwich West *2H*	23,456	14	8	2	4	–	–	–	–	–	–	–	–	–	–	–	2	–
Greenwich East *2W,H*	43,859	28	33	9	6	–	6	–	–	1	–	–	–	–	1	1	19	–
Eltham *w,H*	7,226	3	3	–	2	–	–	–	–	–	–	–	–	–	–	–	1	–
Lee *w,H*	25,490	9	6	1	4	–	–	–	–	–	–	–	–	–	–	1	–	–
Lewisham *2W,w,F*	58,352	32	27	5	11	–	–	1	1	–	–	–	–	–	1	2	14	–
Sydenham *H*	43,653	13	10	–	8	–	–	–	–	–	–	–	–	1	2	2	1	–
Charlton *F,2H*	21,134	13	17	–	4	–	–	–	2	–	–	–	–	–	–	4	5	–
Woolwich *5H*	41,625	21	14	4	2	–	3	–	–	–	–	–	–	–	–	–	1	–
Plumstead West *W,H*	39,376	20	11	1	6	–	1	–	–	–	–	–	–	–	1	2	–	–
Plumstead East *2W*	28,951	11	11	2	4	–	–	–	–	–	–	–	–	–	–	2	5	–
Workhouses:—																		
Belmont Workhouse	—	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
M. A. B. Small-pox Hospitals:—																		
Long Reach	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joyce Green	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
M. A. B. Fever Hospitals:—																		
Gore Farm (temporary)	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
North-Eastern	—	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–
Northern	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
M. A. B. Children's Hospital:—																		
Children's Infirmary, Carshalton	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
M. A. B. Imbecile Asylums:—																		
Caterham	—	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–
Darenth	—	–	4	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–
Leavesden	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
London County Lunatic Asylums:—																		
Banstead	—	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–
Ewell (Epileptic Colony)	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Horton	—	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Manor	—	–	3	–	2	–	–	–	–	–	–	–	–	–	–	–	3	–
Long Grove	—	–	4	–	1	–	–	–	–	–	–	–	–	1	–	–	4	–
Cane Hill	—	–	4	–	1	–	–	–	–	–	–	–	–	–	–	–	4	–
Dartford Heath	—	–	5	–	–	–	–	–	–	–	–	–	–	–	–	–	5	–
Hanwell	—	–	3	–	3	–	–	–	–	–	–	–	–	–	–	–	3	–
Colney Hatch	—	–	8	–	4	–	–	–	–	–	–	–	–	–	–	–	8	–
Claybury	—	–	6	–	3	–	–	–	–	–	–	–	–	1	–	–	6	–

TABLE **6.** LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERATED POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 27th February, 1909.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING ..	368,603	2,045,135	1227	772	130	326	-	23	3	21	9	1	2	25	63	129	2
30 : 1	Carshalton *2F,3H*	12,228	32,997	12	10	1	5	-	-	-	-	-	-	-	-	-	-	-
2	Epsom, *part of** *W,w,2F,H* ..	10,423	15,548	14	8	-	5	-	-	1	-	-	-	-	-	-	2	1
37 : 1	Godstone, *part of** *W,F,L* ..	2 754	2,692	-	1	-	-	-	-	-	-		-	-	-	-	-	-
38 : 1	Coulsdon	11,069	8,166	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon *w,H* ..	4,200	49,309	20	15	3	7	-	-	-	-	1	-	-	-	2	-	-
3	West Croydon *3W,F,H* ..	2,168	42,888	27	27	1	14	-	-	-	2	-	-	-	2	2	11	-
4	North Croydon *H*	2,614	41,648	30	14	1	5	-	-	-	-	-	-	-	-	1	-	-
5	Penge *w*	770	22,465	5	4	1	2	-	-	-	-	-	1	-	-	-	-	-
6	Mitcham *w*	11,711	30,015	23	11	1	8	-	-	-	-	-	-	-	-	1	-	-
39 : 1	Wimbledon *F,3H*	3,221	41,652	23	19	4	7	-	-	-	1	-	-	-	1	2	1	-
2	Kingston *2W,H*	6,224	42,068	26	29	2	16	-	4	-	2	-	-	-	-	2	9	-
3	Surbiton *F,H*	3,016	15,017	4	3	-	1	-	-	-	-	-	-	-	-	-	1	-
4	Esher, *part of** *H*	5,402	13,100	6	7	1	4	-	1	-	-	-	-	-	-	1	-	-
5	Hampton *H,F,L*	4,561	23,456	11	11	-	6	-	2	-	-	-	-	-	1	1	-	-
40 : 1	Richmond *W,H*	2,491	31,672	11	9	1	3	-	-	-	-	-	-	-	-	-	-	-
2	Mortlake *F*	2,518	17,821	11	7	-	6	-	-	-	-	-	-	-	-	-	-	-
41 : 1	Bromley *F,3H*	4,703	27,354	10	9	2	3	-	-	-	2	-	-	-	-	-	2	-
2	Beckenham *H*	7,825	28,497	9	7	1	4	-	-	-	-	-	-	-	1	1	1	-
3	Orpington, *part of** *W,F* ..	10,113	9,857	4	3	-	2	-	-	-	-	-	-	-	-	-	-	-
4	Chislehurst *2H*	7,333	16,446	9	4	1	2	-	-	-	-	-	-	-	-	-	1	-
42 : 1	Bexley *w,F,H*	8,678	21,151	13	3	-	2	-	-	-	-	-	-	-	-	1	-	-
2	Erith *F,H*	3,854	25,296	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Dartford *W,F, part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124 : 1	Sunbury *w*	11,054	18,683	10	7	-	5	-	-	-	-	-	-	-	-	-	-	-
2	Staines *W,H*	13,277	15,178	11	8	1	2	-	-	-	-	-	-	-	-	-	3	-
125 : 1	Hillingdon *W,F,H*	6,035	13,661	11	7	4	3	-	-	-	-	-	-	-	-	-	1	-
2	Uxbridge *H*	12,757	8,984	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes *w 2F,H*	8,066	16,358	9	5	-	1	-	-	-	-	-	-	-	1	1	-	-
126 : 1	Isleworth *3W,3F,H*	6,859	30,863	26	25	3	15	-	-	-	-	-	-	1	-	-	17	-
2	Twickenham *F,2H*	2,421	20,991	12	6	1	2	-	-	-	-	-	-	-	1	1	-	-
3	Brentford *3F,2H*	4,319	48,289	39	13	1	2	-	3	-	-	-	-	-	-	1	-	-
4	Chiswick *H*	1,219	29,809	13	16	7	8	-	-	-	-	-	-	-	1	1	-	-
5	Acton *w,F,3H*	6,132	48,914	49	10	7	1	-	-	-	-	-	-	-	1	2	-	-
127 : 1	Harrow *F,H*	13,809	25,523	26	5	2	1	-	1	-	-	-	-	-	-	-	1	-
2	Edgware *2F,2H*	6,994	4,521	3	2	-	1	-	-	-	1	-	-	-	-	-	1	-
3	Willesden *W,F,2H*	4,384	111,811	78	54	14	21	-	1	-	1	1	-	-	1	4	4	-
4	Hendon *W,F*	8,382	22,450	12	7	-	1	-	1	-	1	-	-	-	3	3	-	-
128 : 1	South Mimms *2F,H* ..	17,755	7,308	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-
2	Barnet *W,2H*	3,324	17,970	7	12	1	4	-	2	-	3	1	-	-	-	-	1	-
3	Finchley *F,3H*	4,688	33,692	18	8	-	6	-	-	-	-	-	-	-	-	-	-	-
129 : 1	Hornsey *F,H*	2,875	72,053	19	14	1	6	-	-	-	1	-	-	-	-	-	1	-
2	Wood Green *H*	1,625	34,233	25	18	4	11	-	-	-	-	-	-	-	-	2	-	-
3	West Tottenham	995	48,741	33	24	4	12	-	-	1	-	1	-	-	-	1	-	-
4	East Tottenham *2H* ..	2,019	53,962	40	20	4	6	-	-	-	1	-	-	-	-	2	9	-
5	Edmonton *W,w,2F*	7,491	61,892	32	27	4	10	-	-	-	-	1	-	-	1	3	6	-
6	Enfield *2W,F,H*	12,601	42,738	21	18	4	7	-	-	-	4	-	-	1	-	4	6	-
7	Waltham Abbey *F*	11,017	6,549	6	4	-	3	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt *F,H*	8,479	12,292	6	5	-	3	-	-	-	-	-	-	-	-	-	-	1
135 : 1	Hatfield, *part of** *W* ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey *H*	9,333	9,173	5	2	1	-	-	-	-	-	-	-	-	-	-	2	-
2	Watford *W,2F, part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
186 : 1	Stratford *H*	1,091	52,974	29	14	6	3	-	-	-	-	-	-	-	1	2	1	-
2	Forest Gate	787	52,745	20	19	5	6	-	-	-	-	1	-	-	-	-	-	-
3	Plaistow *F,2H*	1,249	90,921	66	36	7	13	-	1	-	1	2	-	-	4	7	2	-
4	Canning Town *H*	1,556	70,718	53	23	10	7	-	3	-	-	1	-	-	-	3	-	-
5	South East Ham *2F* ..	1,991	37,342	31	18	4	4	-	2	1	-	-	-	-	1	3	-	-
6	North East Ham *w,H* ..	1,333	58,666	36	16	3	8	-	-	-	-	-	-	-	1	1	1	-
7	Wanstead *F*	1,679	9,179	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton *2W*	631	50,467	24	22	2	14	-	-	-	-	-	-	-	2	3	8	-
9	North Leyton *2W,w,F* ..	1,963	48,445	32	31	-	15	-	-	-	-	-	-	-	-	2	20	-
10	Walthamstow *2H,L* ..	6,504	108,929	69	29	6	9	-	2	-	-	-	-	-	2	3	-	-
187 : 1	Chigwell *2F,3H*	11,778	16,397	12	8	1	1	-	-	-	1	-	-	-	-	-	2	-
2	Epping *W,F, part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189 : 1	Romford, *part of** *W,2F* ..	6,556	6,091	4	2	-	-	-	-	-	-	-	-	-	-	-	1	-
2	Ilford *F,L*	8,496	41,244	28	15	1	6	-	-	-	-	-	-	-	-	-	1	-
3	Barking Town *F*	3,805	21,547	14	5	1	2	-	-	-	1	-	-	-	-	-	1	-
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
	London County Lunatic Asylum, Colney Hatch.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
	Kent County Lunatic Asylum, Maidstone.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Middlesex County Lunatic Asylum, Napsbury.	—	—	-	6	-	1	-	-	-	-	-	-	-	-	-	6	-
	Herts County Lunatic Asylum, Hill End.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
	Essex County Lunatic Asylum, Brentwood.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30 : 2, excepting Ashtead parish; 37 : 1, Warlingham and Farley parishes; 39 : 4, excepting Esher parish; 41 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135 : 1, Northaw parish; 189 : 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42 : 3, 137 : 2 and 187 : 2 and in the Croydon Mental Hospital in 37 : 1 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON - -	4,833,938	February 27	2173	1849	19·9	-	94	8	18	35	2	14
CALCUTTA - -	992,718	January 16	-	574	30·1	117	-	-	-	-	107†	59‡
BOMBAY - -	982,000	February 9	364	700	37·2	12	1	-	-	-	87†	58‡
MADRAS - -	548,974	January 29	316	369	37·6	1	3	?	?	?	95	55
PARIS - - -	2 747,599	February 20	1034	1117	21·3	-	3	4	6	3	4	18
BRUSSELS - -	704,975	" 20	256	186	13·7	-	-	1	-	-	-	5
ANTWERP - -	310,903	" 20	144	91	15·2	-	-	1	1	-	-	5
AMSTERDAM -	565,601	" 20	264	129	11·9	-	2	-	-	1	-	2
COPENHAGEN -	445,000	" 20	238	180	21·1	-	3	2	1	8	1	5
STOCKHOLM -	337,460	" 13	156	89	13·7	-	-	2	1	1	-	-
CHRISTIANIA -	231,687	" 20	111	62	13·9	-	-	-	1	3	-	1
ST. PETERSBURG	1,573,000	" 13	974	897	29·7	1	19	29	15	15	15	114‡
MOSCOW - -	1,452,100	" 13	-	849	30·5	3	13	20	14	5	17	86
BERLIN - -	2,110,095	" 6	934	681	16·8	-	3	11	12	12	1	34
HAMBURG - -	872,252	" 20	-	301	17·9	-	1	8	4	5	-	17
BRESLAU - -	499,437	" 13	-	190	19·8	-	1	2	4	1	-	12
MUNICH - -	566,000	" 20	-	-	-	-	-	-	-	-	-	-
VIENNA - -	2,042,426	" 20	906	743	18·9	-	14	12	15	3	1	25
PRAGUE - -	480,856	" 13	221	200	21·6	-	-	6	1	-	4	8
BUDAPEST - -	823,215	" 13	444	334	21·3	-	5	6	3	-	1	26
TRIESTE - -	216,680	" 20	161	129	31·0	-	-	3	2	-	-	3
ROME - - -	559,715	December 26	286	235	21·9	-	1	3	2	2	4§	14
VENICE - -	176,815	February 6	-	-	-	-	-	-	-	-	-	-
BUCAREST - -	293,619	January 30	-	-	-	-	-	-	-	-	-	-
NEW YORK -	4,564,792	February 6	2479	1482	16·9	-	28	21	42	3	7	51
CHICAGO - -	2,224,490	" 6	-	592	13·9	-	2	12	10	1	6	37
PHILADELPHIA -	1,532,738	January 9	-	553	18·4	-	3	2	11	3	9	18
RIO DE JANEIRO	636,018	" 24	-	291	23·8	34	1	-	1	-	-	?

* Excluding deaths from croup in the Indian Cities.
† Including 18 deaths from plague in Calcutta and 28 in Bombay.
‡ Including 15 deaths from cholera in Calcutta, 4 in Bombay, and 40 in St. Petersburg.
§ Including 1 death from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 27th February, 1909.

Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	52·1	19·4	34·0	0·08	BRADFORD - -	51·6	23·6	35·3	0·04
BRIGHTON - -	50·9	27·3	36·3	0·08	YORK - - -	50·0	25·0	36·9	0·13
PORTSMOUTH - -	50·0	24·0	36·1	0·02	HULL - - -	52·0	26·0	36·7	0·08
NORWICH - -	50·4	22·6	34·2	0·20	TYNEMOUTH - -	52·0	27·0	37·3	0·23
PLYMOUTH - -	51·0	28·6	39·5	0·00	CARDIFF - - -	52·1	25·0	35·7	0·03
BRISTOL - - -	53·0	22·0	35·3	0·03	EDINBURGH - -	53·9	26·6	39·3	0·15
BIRMINGHAM - -	51·8	27·0	35·4	0·04	GLASGOW - -	54·4	28·0	39·9	0·02
NOTTINGHAM - -	50·5	21·2	35·2	0·06	DUBLIN Phœnix Park,	52·8	29·7	41·2	0·03
LIVERPOOL OBSERVATORY.	49·0	27·0	36·6	0·08	DUBLIN Fitz-william Square.†	51·5	32·4	43·1	0·08
MANCHESTER -	52·4	27·8	36·2	0·09					
BURNLEY - - -	52·2	24·0	35·6	0·17					
HUDDERSFIELD -	54·0	24·0	35·6	0·04	BELFAST - - -	50·0	34·0	42·4	0·32

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0°·5 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 27th February, 1909.

[*Under the Superintendence of the Astronomer Royal.*]

1909. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
FEBRUARY.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 21	..	30·323	52·1	28·2	23·9	40·7	+ 1·1	29·3	11·4	19·2	4·6	64	94·8	12·3	40·18	SE. & SSE.	SSE. SE. & ESE.	0·7	0·0	0·0	144	−159	0·00	0·0
MONDAY - 22	..	30·333	46·9	25·6	21·3	34·7	− 5·0	28·3	6·4	22·1	0·0	77	97·0	10·7	40·06	E. & ENE.	E., ESE. & calm.	1·0	0·0	0·0	126	−177	0·00	0·0
TUESDAY - 23	In Equator	30·167	41·1	19·4	21·7	29·3	−10·5	27·5	1·8	8·8	0·0	93	49·0	10·9	39·89	Calm & SW.	Calm & E.	1·2	0·0	0·0	150	−154	0·00	0·0
WEDNESDAY 24	..	30·183	39·9	28·3	11·6	32·4	− 7·6	24·7	7·7	11·3	1·0	72	86·8	14·3	39·68	E., NE. & NNE.	E., ENE. & NE.	2·0	0·0	0·1	230	− 75	0·00	6·0
THURSDAY - 25	..	30·153	35·5	30·4	5·1	32·6	− 7·5	26·0	6·6	8·2	5·2	76	46·1	28·4	39·48	N. & NNE.	NNE., ENE. & NE.	3·7	0·0	0·3	368	+ 57	0·00	0·0
FRIDAY - 26	..	30·076	35·8	29 2	6·6	32·2	− 8·0	27·0	5·2	7·7	3·3	81	47·2	27·2	39·35	NE. & N.	N., NNE. & NE.	3·0	0·0	0·2	331	+ 12	0·03	0·0
SATURDAY - 27	First Qr.	29·942	35·1	28·9	6·2	32·1	− 8·2	29·5	2·6	4·5	0·0	90	46·8	26·8	39·22	NNE. & N.	N. & NE.	3·0	0·0	0·3	320	− 4	0·05	0·5
MEANS - -		30·168	40·9	27·1	13·8	33·4	− 6·5	27·5	6·0	11·7	2·0	79	66·8	18·7	39·69	Variable & NE.		..	..	..	Sum 1669	Sum −500	Sum 0·08	0·9
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. FEBRUARY.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY - 21	s. P. principally till noon; m.P. till 4h.P.M.; s. P. afterwards.	9·7	10·3	Cloudless throughout; very fine and bright; hoar frost in morning and at night; slight mist in evening.
MONDAY - 22	s. P. generally.	6·2	10·4	Very fine till 3h. A.M.; foggy till 11h. A.M.; very fine and generally cloudless afterwards; hoar frost in morning and at night.
TUESDAY - 23	s. P. till 4h. P.M.; m. P. generally afterwards.	1·8	10·4	Cloudless with variable fog till 3h. P.M.; fine with increasing cloud till 6h. 30m. P.M.; overcast afterwards. Solar halo observed at intervals during the afternoon.
WEDNESDAY 24	m. P. till 6h. A.M.; s. P. till noon; m P. till 3h. P.M.; s. P. afterwards..	4·7	10·5	Generally overcast till 8h. A.M.: very fine till 2h. P.M.; overcast with slight exceptions afterwards; hoar frost in morning.
THURSDAY - 25	m. P. till 5h. A.M.; s. P. afterwards.	0·0	10·6	Overcast; occasional slight granular snow between 10h. A.M. and 4h. P.M.
FRIDAY - 26	m. P. till 6h. A.M.; s. P. till 10h. P.M.; m. P. afterwards.	0·0	10·6	Overcast with slight exceptions; frequent slight snow. Solar halo with parhelion observed at 3h. P.M.
SATURDAY - 27	m.P. till 1h. A.M.; w. P. till 5h. A.M.; s. P. till 10h. P.M.; m. P. afterwards.	0·0	10·7	Overcast; frequent snow.
		Sum 22·4	Sum 73·5	
No. of Col. - -	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 30·28 in. at the beginning of the week to 30·37 in. by 11h. A.M. on the 22nd; decreased to 30·12 in. by 4h. P.M. on the 23rd; increased to 30·20 in. by 9h. P.M. on the 24th: decreased to 30·13 in. by 3h. P.M. on the 25th; increased to 30·21 in. by 10h. P.M. on the same day; and decreased to 29·87 in. by midnight on the 27th.

ERRATA.—Report for week ending 1909, Feb. 6th. Rainfall. Col. 25. Feb. 5th, *for* 0·00 in. *read* 0·02 in. Sum for week, *for* 0·04 in. *read* 0·06 in.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 20th February, 1909.*

BOROUGHS.	Estimated Population in the middle of 1909.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	151,955	-	18	4	-	2	-	-	2	-	-
Kensington	183,683	-	12	3	-	1	-	-	5	-	-
Hammersmith	125,704	-	1	3	-	1	-	-	3	-	-
Fulham	176,406	-	6	12	-	1	-	-	2	-	-
Chelsea	75,249	-	3	1	-	-	-	-	2	-	-
City of Westminster ..	168,883	-	4	6	-	-	-	-	2	1	-
NORTH.											
St. Marylebone	126,027	-	5	3	-	1	-	-	-	-	-
Hampstead	94,185	-	4	-	-	1	-	-	-	-	-
St. Pancras	237,422	-	10	7	-	-	-	-	2	-	-
Islington	351,202	-	34	8	-	1	-	-	3	-	-
Stoke Newington	54,423	-	1	-	-	1	-	-	-	-	-
Hackney	237,601	-	20	2	-	2	-	-	7	-	1
CENTRAL.											
Holborn	53,802	-	-	-	-	1	-	-	-	-	-
Finsbury	95,289	-	3	7	-	-	-	-	5	-	-
City of London	18,193	-	-	-	-	-	-	-	-	-	-
EAST.											
Shoreditch	114,802	-	6	3	-	5	-	-	3	1	-
Bethnal Green	131,316	-	7	3	-	2	-	-	1	1	-
Stepney	312,525	-	16	20	-	1	-	-	7	-	-
Poplar	171,965	-	25	4	-	1	-	-	2	-	-
SOUTH.											
Southwark	211,125	-	6	5	-	2	-	-	3	1	-
Bermondsey	127,569	-	4	10	-	2	-	-	1	-	-
Lambeth	324,188	-	15	6	-	2	-	-	5	2	-
Battersea	186,036	-	11	7	-	-	-	-	2	-	-
Wandsworth	297,646	-	27	8	-	2	-	-	9	1	-
Camberwell	283,022	-	15	16	-	-	-	-	7	-	-
Deptford	118,583	-	8	5	-	1	-	-	3	-	-
Greenwich	111,014	-	5	4	-	1	-	-	3	-	-
Lewisham	160,749	-	8	8	-	-	-	-	2	-	-
Woolwich	133,374	-	16	14	-	-	-	-	-	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,833,938	-	290	169	-	31	-	-	81	7	1
Ages 0-1		-	4	8	-	-	-	-	2	-	1
" 1-5		-	83	74	-	2	-	-	2	-	-
" 5-		-	132	53	-	4	-	-	6	-	-
" 10-		-	42	16	-	3	-	-	-	-	-
" 15-		-	10	7	-	3	-	-	4	-	-
" 20-		-	9	3	-	3	-	-	5	-	-
" 25-		-	7	6	-	11	-	-	11	5	-
" 35-		-	3	1	-	4	-	-	16	2	-
" 45-		-	-	1	-	-	-	-	13	-	-
" 55-		-	-	-	-	1	-	-	10	-	-
" 65 and upwards		-	-	-	-	-	-	-	12	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY DARLING & SON, LTD., 34-40, BACON STREET, E.

1909.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 9. 1909. VOL. LXX.] WEEK ENDED SATURDAY, MAR. 6. [Price 1½*d.*

General Register Office, Somerset House,
March 8th, 1909.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 21·3 per 1000 of their aggregate population, which is estimated† at 16,445,281 persons in the middle of this year. In the preceding three weeks the rates had been 17·5, 18·1, and 19·1. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 28·0 in Rhondda, 28·7 in Stockport, 29·1 in Rochdale, 29·5 in Hanley, 29·9 in Wigan and in Bury, and 35·6 in St. Helens; from *measles*, 3·5 in Sheffield, 3·9 in Birmingham, 4·4 in Smethwick, 5·9 in West Hartlepool, 7·2 in Warrington, 7·3 in Aston Manor, and 8·8 in St. Helens; from *scarlet fever*, 1·6 in St. Helens; from *diphtheria*, 1·0 in Stockport and 1·3 in Kings Norton; from *whooping-cough*, 1·1 in Swansea, 1·2 in Aston Manor, 1·3 in South Shields, 1·7 in Wigan, and 2·7 in St. Helens; and from *diarrhœa*, 2·0 in Great Yarmouth. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2075 BIRTHS and 2116 DEATHS were registered. Allowing for increase of population, the births were 402 below and the deaths 507 above the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes, which had been 17·8, 18·7, and 19·9 per 1000 in the preceding three weeks, further rose last week to 22·8. The death-rate in the four weeks ended last Saturday averaged 19·8 per 1000, being 2·2 per 1000 above the mean rate in the corresponding periods of the five years 1904–8.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals and Asylums, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-five other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(12737—41.) Wt. 36—184. 700. 3/09. D & S. G. 31. Sch. 4.

The 2116 deaths included 92 from measles, 7 from scarlet fever, 18 from diphtheria, 55 from whooping-cough, 1 from enteric fever, and 10 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, to these diseases in the aggregate 183 deaths were referred, being 61 above the corrected average number in the ninth week of the preceding five years.

The deaths from *measles*, which had been 69, 93, and 94 in the preceding three weeks, numbered 92 last week, and were 55 above the corrected average; 19 deaths belonged to the Borough of Bermondsey, 8 to Islington, and 5 each to Bethnal Green, Stepney, Poplar, and Camberwell. The deaths from *scarlet fever*, which had been 9, 8, and 8 in the preceding three weeks, were 7 last week, the corrected average being 8. The deaths from *diphtheria*, which had been 15, 19, and 18 in the preceding three weeks, were again 18 last week, and were equal to the corrected average; 3 deaths belonged to St. Pancras, and 3 to Lambeth. The deaths from *whooping-cough*, which had been 15, 25, and 35 in the preceding three weeks, further rose to 55 last week, and were 17 above the corrected average; 12 deaths belonged to Lambeth, and 4 each to Fulham, Islington, Hackney, and Wandsworth. One death from *enteric fever* was registered during the week, the corrected average being 5; the deaths in the preceding three weeks had been 4, 4, and 2. The deaths from *diarrhœa*, which had been 19, 9, and 14 in the preceding three weeks, were 10 last week, and were 5 below the corrected average. Of the 10 deaths from diarrhœa, 9 were those of children under 5 years of age; 3 other deaths at this age were certified as due to *enteritis* and 5 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 66, having been 17, 25, and 36 in the preceding three weeks.

Different forms of violence caused 63 deaths, concerning all of which inquests were held. Of these 63 deaths, 14 were cases of suicide, and 1 of homicide, while the remaining 48 deaths were attributed to accident or negligence. Five of these latter were referred to vehicles in the streets, twelve to burns or scalds, and eight, of infants under one year of age, to suffocation in bed. One death occurred while under an anæsthetic administered for surgical purposes.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1 case of small-pox, 2873 cases of scarlet fever, 1167 of diphtheria, and 116 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 285 cases, against 289, 273, and 292; of diphtheria, 114 cases, against 133, 135, and 118; and of enteric fever, 7 cases, against 17, 18, and 17. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended February 27th, 1909.

Greater London.

In Greater London 3193 births and 2939 deaths were registered. Allowing for increase of population, these numbers are 654 below and 633 above the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 18 deaths from measles, 4 from scarlet fever, 7 from diphtheria, 6 from whooping-cough, 1 from "fever," and 2 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·31 inches, and that of the Thermometer 30°·1, the latter being 10°·5 below the week's average in the 65 years ended 1905. The direction of the wind was variable, the horizontal movement of the air being 37 per cent. below the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 16·2 hours; the measured rainfall amounted to 1·23 inches.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 6th March, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1909.*	Death-Rates from all Causes. Week ended 13th Feb., 1909.	20th Feb., 1909.	27th Feb., 1909.	6th Mar., 1909.	Rate from Diseases in Cols. 11-17. Week ended 6th March, 1909.	Registered during the Week ended 6th March, 1909. Births.	Deaths.	The Deaths registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS	**16,445,281**	**17·5**	**18·1**	**19·1**	**21·3**	**2·0**	**7507**	**6705**	**1125**	**2365**	**-**	**350**	**43**	**64**	**122**	**19**	**28**	**186**	**471**	**1715**	**57**	**76 TOWNS.**
LONDON	4,833,938	17·8	18·7	19·9	22·8	2·0	2075	2116	309	811	-	92	7	18	55	1	10	63	188	783	-	LONDON.
† CROYDON	161,078	12·9	15·9	17·5	18·1	0·6	58	56	8	33	-	1	-	1	-	-	-	-	3	12	-	CROYDON.
WILLESDEN ..	160,424	11·7	12·7	17·6	14·3	1·0	80	44	11	12	-	1	-	-	1	1	-	-	1	9	-	WILLESDEN.
HORNSEY	95,628	10·9	11·5	7·6	8·7	-	26	16	2	7	-	-	-	-	-	-	-	-	-	-	-	HORNSEY.
TOTTENHAM ..	129,464	12·1	11·3	17·3	12·1	0·8	62	30	3	13	-	1	-	-	1	-	-	3	10	1	-	TOTTENHAM.
WEST HAM ..	321,767	17·3	18·3	17·7	17·5	2·6	146	108	22	35	-	8	-	1	6	-	1	4	9	26	-	WEST HAM.
EAST HAM.. ..	149,575	11·9	11·2	13·9	12·9	0·7	58	37	8	16	-	2	-	-	-	-	-	-	1	8	-	EAST HAM.
LEYTON	129,614	12·9	9·3	11·3	12·1	0·4	71	30	5	12	-	-	1	-	-	-	-	1	3	2	-	LEYTON.
WALTHAMSTOW‡	136,602	11·1	8·4	10·7	11·5	0·8	49	30	7	13	-	2	-	-	-	-	-	1	1	8	-	WALTHAMSTOW.‡
HASTINGS	68,165	17·6	17·6	16·8	15·3	-	21	20	1	14	-	-	-	-	-	-	-	-	1	6	-	HASTINGS.
BRIGHTON	130,926	20·7	17·1	19·9	27·5	-	50	69	5	33	-	-	-	-	-	-	-	2	4	22	-	BRIGHTON.
PORTSMOUTH ..	214,726	17·5	16·3	23·8	21·6	2·9	121	89	15	37	-	9	1	-	1	-	1	5	15	18	-	PORTSMOUTH.
BOURNEMOUTH ..	72,368	14·4	9·4	15·1	23·1	-	23	32	2	15	-	-	-	-	-	-	-	-	1	6	-	BOURNEMOUTH.
SOUTHAMPTON ..	124,667	14·6	13·4	18·8	23·4	0·8	67	56	9	30	-	-	-	-	2	-	-	2	5	8	-	SOUTHAMPTON.
READING	82,995	8·2	11·9	17·0	10·1	1·9	41	16	2	3	-	2	-	1	-	-	-	1	2	2	-	READING.
NORTHAMPTON ..	97,752	15·5	12·3	20·8	19·7	1·1	38	37	4	19	-	1	-	1	-	-	-	-	2	9	1	NORTHAMPTON.
IPSWICH	74,889	20·9	16·0	18·1	13·9	-	24	20	-	14	-	-	-	-	-	-	-	-	2	5	-	IPSWICH.
GREAT YARMOUTH	53,430	20·5	13·7	22·4	18·5	2·0	26	19	2	10	-	-	-	-	-	-	2	1	1	1	-	GREAT YARMOUTH.
NORWICH	124,136	11·8	16·0	13·4	17·6	0·8	53	42	11	14	-	-	1	-	-	-	1	2	2	8	1	NORWICH.
PLYMOUTH	124,180	17·2	19·7	17·2	21·0	2·5	48	50	18	19	-	5	-	-	-	1	-	1	2	8	-	PLYMOUTH.
DEVONPORT	83,103	20·7	10·7	13·8	15·7	0·6	25	25	2	10	-	-	-	1	-	-	-	1	2	5	-	DEVONPORT.
BRISTOL	377,642	16·0	15·5	15·3	17·3	0·8	145	125§	21	61	-	1	-	2	3	-	-	1	9	25	-	BRISTOL.
HANLEY	68,831	15·9	15·9	22·7	29·5	2·3	36	39	10	13	-	1	-	1	-	1	-	-	5	9	-	HANLEY.
BURTON-ON-TRENT	54,453	10·5	19·2	15·3	19·2	-	25	20	4	8	-	-	-	-	-	-	-	-	-	2	-	BURTON-ON-TRENT.
WOLVERHAMPTON..	104,633	16·4	15·9	22·4	20·9	1·0	47	42	6	20	-	-	-	-	2	-	-	3	3	7	-	WOLVERHAMPTON.
WALSALL	99,399	15·2	15·7	13·6	10·5	1·0	64	20	4	8	-	1	-	-	-	-	1	-	-	4	1	WALSALL.
HANDSWORTH ..	70,186	17·1	16·3	14·9	10·4	0·7	21	14	2	8	-	-	-	-	-	1	-	-	-	-	1	HANDSWORTH.
WEST BROMWICH..	70,457	15·5	17·0	16·3	16·3	-	36	22	5	7	-	-	-	-	-	-	-	-	1	3	1	WEST BROMWICH.

* See note † on first page of this return.

‡ ERRATUM.—Owing to an error on the part of a registrar, the deaths belonging to Walthamstow Urban District were incorrectly stated for the week ended 27th February. The correct number is 28, and the corresponding rate as shown above.

† These towns are included within the area of Greater London.

§ Including 1 death from Cerebro-spinal meningitis (diplococcus intracellularis meningitidis).

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 6th March, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 13th Feb., 1909.	20th Feb., 1909.	27th Feb., 1909.	6th Mar., 1909.	Rate from Diseases in Cols. 11-17. Week ended 6th March, 1909.	Registered during the Week ended 6th March, 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
BIRMINGHAM ..	563,629	20·1	20·5	25·5	26·2	5·1	250	283	55	72	-	42	2	6	4	-	1	7	8	71	7	BIRMINGHAM.
KINGS NORTON ..	81,632	13·4	12·8	16·6	13·4	1·3	28	21	1	8	-	-	-	2	-	-	-	-	-	2	1	KINGS NORTON.
SMETHWICK	70,377	11·9	17·0	20·7	26·7	4·4	26	36	2	14	-	6	-	-	-	-	-	1	2	7	-	SMETHWICK.
ASTON MANOR ..	85,257	16·5	22·0	29·4	23·9	8·6	32	39	5	12	-	12	-	-	2	-	-	1	2	3	-	ASTON MANOR.
COVENTRY	80,163	16·9	17·6	20·2	17·6	3·3	30	27	3	7	-	3	-	-	1	1	-	-	1	6	3	COVENTRY.
LEICESTER	244,255	15·8	14·7	13·9	17·3	0·6	83	81	13	32	-	3	-	-	-	-	-	4	5	8	-	LEICESTER.
GRIMSBY	73,036	17·8	19·3	19·3	15·0	0·7	36	21	7	6	-	-	-	-	-	1	-	2	3	6	-	GRIMSBY.
NOTTINGHAM ..	263,443	16·4	17·6	20·2	23·6	3·0	124	119	30	37	-	9	1	-	4	1	-	3	6	26	1	NOTTINGHAM.
DERBY	129,411	14·9	11·7	16·9	21·8	1·6	74	54	13	19	-	3	-	1	-	-	-	5	13	4	-	DERBY.
STOCKPORT	103,706	19·1	18·1	19·6	28·7	1·5	37	57	11	16	-	1	-	2	-	-	-	-	1	9	-	STOCKPORT.
BIRKENHEAD ..	121,123	19·8	20·7	15·9	23·7	0·4	70	55	11	22	-	-	-	1	-	-	-	2	4	12	-	BIRKENHEAD.
WALLASEY	71,004	25·0	11·0	17·6	22·0	1·5	30	30	2	11	-	-	1	-	-	-	1	-	-	5	-	WALLASEY.
LIVERPOOL	760,357	21·5	24·8	21·3	25·4	2·7	414	371	60	120	-	16	11	2	8	-	2	10	20	119	9	LIVERPOOL.
BOOTLE	69,393	15·0	20·3	18·8	14·3	2·3	52	19	3	5	-	3	-	-	-	-	-	-	-	3	2	BOOTLE.
ST. HELENS	95,161	19·7	25·2	26·3	35·6	13·2	70	65	14	8	-	16	3	-	5	-	-	4	4	10	-	ST. HELENS.
WIGAN	90,678	20·1	31·1	24·2	29·9	4·6	60	52	10	17	-	4	-	-	3	-	1	1	3	3	-	WIGAN.
WARRINGTON ..	72,276	21·6	24·5	18·0	26·7	8·7	36	37	8	4	-	10	-	-	1	1	-	-	-	5	-	WARRINGTON.
BOLTON	187,824	17·2	17·8	16·4	21·4	1·7	80	77	8	21	-	3	-	1	-	2	-	-	4	19	1	BOLTON.
BURY	59,234	22·0	25·5	21·1	29·9	5·3	23	34	3	12	-	3	-	-	1	1	1	-	1	2	-	BURY.
MANCHESTER ..	655,435	20·0	23·0	22·0	25·7	2·2	311	323	48	99	-	15	4	1	4	4	-	7	18	96	2	MANCHESTER.
SALFORD	241,950	21·8	19·8	19·6	25·9	2·6	147	120	35	31	-	7	4	-	-	1	-	-	6	31	-	SALFORD.
OLDHAM	143,301	25·5	20·4	21·5	20·0	-	77	55	7	19	-	-	-	-	-	-	-	1	3	6	1	OLDHAM.
ROCHDALE	89,653	17·4	18·0	25·6	29·1	1·7	44	50	5	21	-	3	-	-	-	-	-	-	-	8	1	ROCHDALE.
BURNLEY	106,267	19·1	14·7	18·6	21·6	0·5	46	44	9	12	-	1	-	-	-	-	-	3	3	8	1	BURNLEY.
BLACKBURN	136,959	22·8	19·4	16·0	24·0	1·1	54	63	10	23	-	2	-	-	1	-	-	2	3	14	2	BLACKBURN.
PRESTON	118,519	16·7	18·5	18·0	21·1	1·3	69	48	6	24	-	1	-	-	2	-	-	-	-	7	5	PRESTON.
BARROW-IN-FURNESS.	62,996	11·6	17·4	10·8	17·4	-	27	21	4	6	-	-	-	-	-	-	-	1	-	2	-	BARROW-IN-FURNESS.

Towns.	Population estimated to the middle of the Year 1909.*	Death-Rates from all Causes. Week ended 13th Feb., 1909.	20th Feb., 1909.	27th Feb., 1909.	6th Mar., 1909.	Rate from Diseases in Cols. 11–17. Week ended 6th March, 1909.	Registered during the Week ended 6th March, 1909. Births.	Deaths.	The Deaths registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Towns.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Huddersfield ..	94,739	16·0	17·6	19·8	18·7	0·6	42	34	6	16	–	–	–	1	–	–	–	1	1	4	–	Huddersfield.
Halifax	111,911	11·6	18·6	16·8	22·4	1·9	28	48	4	23	–	–	1	1	1	1	–	–	3	11	–	Halifax.
Bradford	293,983	17·4	22·0	22·2	22·3	0·7	97	126	16	47	–	1	–	1	1	–	1	5	12	24	2	Bradford.
Leeds	484,012	17·1	14·8	15·8	19·3	0·5	200	179	23	65	–	–	1	3	–	1	–	3	13	30	–	Leeds.
Sheffield	470,958	17·1	18·4	19·3	20·2	4·2	260	182	27	55	–	32	1	2	2	–	1	2	9	37	5	Sheffield.
Rotherham.. ..	65,070	12·8	20·8	23·2	17·6	0·8	36	22	7	4	–	–	–	1	–	–	–	1	1	5	–	Rotherham.
York	87,004	11·4	17·4	12·0	16·2	0·6	45	27	5	10	–	–	–	–	–	–	1	1	3	7	–	York.
Hull	275,552	16·3	15·3	16·5	13·2	0·4	138	70	16	23	–	1	–	1	–	–	–	5	9	14	–	Hull.
Middlesbrough ..	105,255	22·3	18·8	21·8	24·3	4·5	53	49	16	11	–	5	–	1	2	–	1	3	3	6	–	Middlesbrough.
Stockton-on-Tees	53,417	17·6	18·5	22·5	18·5	1·0	29	19	5	4	–	1	–	–	–	–	–	2	2	3	–	Stockton-on-Tees.
West Hartlepool	79,686	15·7	19·0	20·3	19·0	7·2	37	29	6	3	–	9	–	1	1	–	–	1	2	3	–	West Hartlepool.
Sunderland ..	159,378	20·0	18·6	22·6	25·2	2·3	92	77	21	15	–	4	1	2	–	–	–	2	5	18	2	Sunderland.
South Shields ..	117,627	19·1	13·3	17·3	19·9	1·3	60	45	10	12	–	–	–	–	3	–	–	1	2	6	1	South Shields.
Gateshead	131,024	11·1	14·3	12·3	15·9	–	73	40	10	11	–	–	–	–	–	–	–	1	1	6	4	Gateshead.
Newcastle-on-Tyne.	281,584	18·0	14·8	18·0	17·2	2·0	98	93	16	21	–	4	3	2	2	–	–	1	4	15	–	Newcastle-on-Tyne.
Tynemouth ..	55,808	18·7	20·6	27·1	26·2	0·9	43	28	6	5	–	1	–	–	–	–	–	3	3	6	–	Tynemouth.
Newport (Mon.) ..	78,336	19·3	17·3	18·6	13·3	0·7	40	20	7	6	–	–	–	1	–	–	–	1	2	2	–	Newport (Mon.).
Cardiff	195,303	17·4	15·2	15·5	15·5	0·5	79	58	11	26	–	–	–	2	–	–	–	2	6	15	1	Cardiff.
Rhondda	135,894	13·8	21·5	17·7	28·0	1·9	101	73	20	17	–	1	–	2	1	–	1	6	6	1	1	Rhondda.
Merthyr Tydfil..	78,365	21·3	23·3	18·0	15·3	1·3	37	23	2	7	–	1	–	1	–	–	–	–	–	6	–	Merthyr Tydfil.
Swansea	98,308	19·6	21·2	21·2	19·6	1·6	53	37	10	11	–	–	–	–	2	–	1	–	1	7	–	Swansea.
Greater London	7,429,740	16·2	17·1	18·4	20·6	1·7	3193	2939	457	1152	–	125	12	27	69	3	13	85	246	929	1	Greater London.
Outer Ring ..	2,595,802	13·3	14·3	15·5	16·5	1·3	1118	823	148	341	–	33	5	9	14	2	3	22	58	146	1	Outer Ring.
8 Towns in Outer Ring.	1,284,152	13·3	13·3	15·0	14·3	1·1	550	351	66	141	–	15	1	2	8	1	1	9	28	66	–	8 Towns in Outer Ring.
Remainder of Outer Ring.	1,311,650	13·4	15·3	16·0	18·8	1·5	568	472	82	200	–	18	4	7	6	1	2	13	30	80	1	Remainder of Outer Ring.
Edinburgh	355,366	14·8	17·8	21·4	18·3	1·0	138	125‡	22	45	–	–	–	–	6	–	1	1	?	40	10	Edinburgh.
Glasgow	872,021	18·3	19·9	21·0	21·3	3·2	490	357‡	63	83	–	–	3	4	44	3	–	10	?	107	10	Glasgow.
Dublin (Registration Area).†	398,356	25·1	25·8	24·3	26·6	2·0	214	203	30	54	–	5	1	4	3	–	2	3	7	92	3	Dublin (Registration Area).†
Belfast†	386,576	15·6	17·1	21·0	21·6	0·8	212	160	29	52	–	–	–	1	3	–	2	4	6	43	–	Belfast.†

* See note † on first page of this return.

† Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast respectively.
‡ Including 1 death from Cerebro-spinal meningitis in Edinburgh and 3 in Glasgow.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the NINTH Week of each of the Eleven Years, 1899–1909.

	1899	1900	1901	1902	1903	1904	1905	1906	1907	1908	Corrected Weekly Average in 5 Years 1904–1908.*	1909
TOTAL **Births** -	2676	2561	2681	2567	2512	2364	2600	2470	2393	2272	2477·3	2075
Males - - -	1409	1335	1351	1308	1278	1237	1365	1240	1232	1124	1269·1	1072
Females - -	1267	1226	1330	1259	1234	1127	1235	1230	1161	1148	1208·2	1003
TOTAL **Deaths** -	1925	1668	1835	2477	1450	1594	1535	1504	1678	1545	1608·5	1[illegible]6
Males - - -	984	865	918	1203	741	834	794	766	834	805	825·7	1035
Females - -	941	803	947	1274	709	760	741	738	844	740	782·8	1081

* The numbers in this column are the average weekly numbers in the Ninth week of the five years 1904-1908, raised by 2·375 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Dec. 12.	Dec. 19.	Dec. 26.	1909 Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	Mar. 6.	13 Weeks.
TOTAL **Births** -	2186	2133	1438	2228	2476	2434	2162	2110	2444	2335	2461	2173	2075	28655
TOTAL **Deaths** -	1311	1359	1038	1805	1672	1563	1414	1653	1878	1646	1731	1849	2116	21035
Ages at Death: Under 1 year -	235	240	155	305	251	273	221	256	254	258	256	273	309	3316
1—5 years -	147	139	115	211	174	181	175	245	185	193	250	224	251	2410
5—20 " -	57	81	53	81	79	71	51	65	77	69	89	79	97	949
20—40 " -	161	162	118	243	179	175	171	214	199	190	192	183	211	2338
40—60 " -	234	284	221	351	394	330	292	358	416	345	373	398	437	4436
60 yrs. & upwds.	417	453	376	621	595	533	504	555	747	591	571	692	811	7436
Deaths from—														
Small-pox† - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles - - -	49	51	44	87	72	79	76	82	52	69	93	94	92	940
Scarlet Fever - -	10	14	7	7	4	11	11	7	11	9	8	8	7	114
Diphtheria - -	14	24	17	23	20	14	20	16	24	15	19	18	18	242
Whooping-cough -	7	4	7	11	14	8	11	29	29	15	25	35	55	250
Typhus - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever - -	9	14	7	7	8	8	6	3	7	4	4	2	1	80
Pyrexia (origin uncertain).	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa, Dysentery	11	19	14	22	17	22	15	10	12	19	9	14	10	194
All above diseases -	100	126	96	157	135	142	139	147	135	131	158	171	183	1820
Dis. of Resp. System	129	136	106	193	158	181	153	214	354	219	235	309	389	2879
Pneumonia - -	155	145	96	188	184	188	161	163	202	222	252	237	314	2507
Phthisis - - -	135	116	104	171	158	121	127	198	171	145	153	161	183	1943
Dis. of Circ. System -	170	199	149	252	253	211	185	252	270	249	214	257	260	2321
Violence - - -	52	52	50	83	82	72	51	65	63	54	55	42	63	784
Inquest Cases - -	132	129	111	207	201	162	140	154	198	150	142	140	188	2054
Deaths in Institutions	541	599	434	686	615	631	611	662	749	639	681	676	783	8307
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	42·8	45·4	40·2	31·5	40·7	42·2	38·7	31·8	42·7	34·8	37·4	33·4	30·1	37·8
Mean of Highest -	46·9	49·3	42·4	35·9	44·0	47·4	42·8	37·1	47·7	40·0	45·8	40·9	37·1	42·9
Mean of Lowest -	37·1	40·2	37·6	26·8	37·0	37·6	34·1	25·3	37·1	30·0	29·3	27·1	23·4	32·5
Mean Humidity of the Air.	87	92	91	85	86	80	81	88	79	81	75	79	85	84
Rain-fall (in inches) -	0·62	0·81	0·02	0·43	0·13	0·49	0·12	0·02	0·04	0·29	0·01	0·08	1·23	4·34
Registered Sunshine (in hours).	8·8	4·3	3·5	5·7	8·1	22·7	10·9	18·9	7·7	21·1	36·3	22·4	16·2	186·6
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	–	–	–	–	–	–	–	–	1	1	1	1	1	–
Scarlet Fever - -	3704	3537	3451	3557	3317	3261	3211	3201	3117	3002	2910	2825	2873	3231
Diphtheria - - -	1263	1266	1259	1245	1215	1205	1191	1187	1181	1177	1188	1158	1167	1208
Typhus - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever - -	181	173	168	153	145	145	137	130	124	128	133	124	116	143

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lander, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq. F.R.Met.Soc., Hull; the Meteorological Committee, Tynemouth; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the NINTH Week of the Year 1909.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 9th week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.			
ALL CAUSES	1608·5	2116	309	251	97	211	437	811
Small-pox*	-	-	-	-	-	-	-	-
Cowpox	-	-	-	-	-	-	-	-
Measles (Morbilli)	37·1	92	18	68	6	-	-	-
Scarlet Fever	8·4	7	2	3	2	-	-	-
Typhus	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-
Influenza	46·7	66	1	3	1	13	15	33
Whooping-cough	37·9	55	23	29	3	-	-	-
Diphtheria	18·4	18	2	11	5	-	-	-
Cerebro-spinal Fever ..	0·4	-	-		-	-	-	-
Pyrexia† (origin uncertain)	-	-	-	-	-	-	-	-
Enteric Fever	4·7	1	-	-	-	1	-	-
Asiatic Cholera	-	-	-	-	-	-	-	-
Epidemic Diarrhœa, Infective Enteritis	5·1	3	2	1	-	-	-	-
Diarrhœa, Dysentery ..	10·2	7	3	3	-	1	-	-
Tetanus	0·4	-	-	-	-	-	-	-
Rabies, Hydrophobia ..	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever)..	-	-	-	-	-	-	-	-
Venereal Dis.	8·0	8	8	-	-	-	-	-
Puerperal Septicæmia ..	3·9	2	-	-	-	1	1	-
Puerperal Pyæmia.. ..	0·2	-	-	-	-	-	-	-
Puerperal Fever	0·6	-	-	-	-	-	-	-
Infective Endocarditis ..	2·9	3	-	-	1	1	1	-
Pneumonia: Lobar ..	18·4	52	-	7	-	7	2	16
Pneumonia: Broncho ..	82·5	140	36	41	3	9	19	32
Pneumonia: Epidemic ..	-	-	-	-	-	-	-	-
Pneumonia: Not defined	72·7	122	18	14	6	20	28	36
Erysipelas	3·1	2	-	-	-	1	1	-
Septicæmia (not Puerperal)	0·8	2	1	-	-	-	1	-
Pyæmia (not Puerperal)	1·8	1	1	-	-	-	-	-
Other Infective Processes	5·3	4	1	-	-	-	2	1
Tuberculous Phthisis ..	90·3	124	-	2	9	46	52	15
"*Phthisis*"	58·4	59	-	-	7	25	18	9
Tuberculous Meningitis ..	21·5	21	4	13	4	-	-	-
Tuberculous Peritonitis ..	6·8	8	6	1	1	-	-	-
Tabes Mesenterica	3·9	4	3	1	-	-	-	-
Tuberculous Dis., Other ..	19·9	23	1	8	6	2	6	-
Scrofula..	0·4	-	-	-	-	-	-	-
Alcoholism	8·4	8	-	-	-	2	5	1
Rheumatic Fever	6·3	5	-	-	-	1	3	1
Gout	1·2	3	-	-	-	-	-	3
Carcinoma	60·4	53	-	-	-	1	26	26
Sarcoma	7·2	6	-	-	1	2	2	1
Cancer (undefined) ..	33·8	37	-	-	1	-	15	21
Diabetes Mellitus	9·2	15	-	-	2	3	4	6
Premature Birth	50·2	45	45	-	-	-	-	-

CAUSES OF DEATH	Corrected Average for the 9th week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.			
Meningitis (not tuberc.)..	18·0	17	8	5	1	1	2	-
Gen. Par. of Insane, Insanity	16·6	19	-	-	-	4	7	8
Epilepsy	7·2	3	-	1	-	1	-	1
Convulsions	19·9	17	15	2	-	-	-	-
Locomotor Ataxy.. ..	2·3	1	-	-	-	-	-	1
Paraplegia, Dis. of Cord.	4·3	7	1	-	-	1	1	4
Nervous Sys., Other Dis.	21·5	21	-	2	1	6	2	10
Valv. Dis., Endocarditis..	55·7	70	-	-	7	8	23	32
Cereb. Hæm. Cereb. Emb.	38·3	56	-	-	1	-	12	43
Apoplexy, Hemiplegia ..	21·3	7	-	-	-	-	2	5
Aneurysm	4·5	9	-	-	-	1	7	1
Embolism, Thrombosis (not Cerebral) ..	1·4	-	-	-	-	-	-	-
Heart & Blood Ves., Other Dis... ..	93·4	118	-	-	2	7	30	79
Croup (not Spasm: nor Memb.)	0·4	-	-	-	-	-	-	-
Bronchitis	185·3	348	24	14	3	8	57	242
Emphysema, Asthma ..	8·8	15	-	-	-	1	7	7
Pleurisy	3·5	5	-	-	-	-	2	3
Respiratory Dis, Other..	10·0	21	3	2	1	1	4	10
Tonsillitis, Quinsy.. ..	1·2	-	-	-	-	-	-	-
Enteritis (not Epid.) ..	9·4	10	3	-	2	-	4	1
Gastro-enteritis	4·1	6	4	1	-	-	1	-
Peritonitis (not Puerp.) ..	2·3	1	-	-	-	-	1	-
Cirrhosis of Liver.. ..	11·9	8	-	-	-	2	2	4
Liver Dis., Other	4·7	11	-	-	-	-	6	5
Digestive Sys., Other Dis.	33·6	41	3	2	9	6	11	10
Acute Nephritis	9·8	12	-	1	4	4	1	2
Bright's Dis., Albuminuria	36·2	51	-	-	-	6	16	29
Urinary Sys., Other Dis.	12·7	6	-	-	-	-	2	4
Generative Organs Dis...	3·9	4	-	-	1	-	2	1
Childbirth (Accid. of) ..	3·7	5	-	-	-	4	1	-
Old Age	63·5	91	-	-	-	-	-	91
Other Diseases	95·6	77	59	4	2	4	2	6
ACCIDENT.								
By Railways	0·6	-	-	-	-	-	-	-
By Vehicles and Horses..	4·1	5	-	-	2	2	1	-
In Ships, Boats, Docks, (exclusive of Drowning)	0·4	-	-	-	-	-	-	-
In Building Operations..	0·8	1	-	-	-	1	-	-
In Conflagrations	-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions	8·8	12	1	8	2	1	-	-
By Drowning	3·1	2	-	-	-	1	1	-
By Suffocation in Bed ..	11·9	8	8	-	-	-	-	-
By Poisons or Poisonous Vapours	1·2	1	-	-	-	-	1	-
Other Deaths by Accident..	15·4	19	5	4	1	-	2	7
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	0·4	1	-	-	-	-	1	-
Suicide	9·4	14	-	-	-	5	5	4
Execution	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c. registered in each SUB-DISTRICT during the Week ended Saturday, 6th March, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia† (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified causes of Death.
LONDON	4,536,267	2075	2116	309	811	-	92	7	18	55	-	1	-	10	63	188	783	-
WEST DISTRICTS	805 311	306	370	49	157	-	9	3	4	8	-	-	-	-	12	27	135	-
NORTH DISTRICTS	1,055,908	452	450	54	176	-	20	2	4	11	-	-	-	1	11	39	145	-
CENTRAL DISTRICTS	209,465	91	115	21	33	-	2	-	2	2	-	-	-	-	8	22	48	-
EAST DISTRICTS	715,739	375	348	52	128	-	18	-	1	8	-	-	-	5	15	49	161	-
SOUTH DISTRICTS	1,749,844	851	768	132	300	-	43	1	7	26	-	1	-	3	17	51	229	-
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	65	1	17	-	-	1	-	-	-	-	-	1	-	-	65	-
WEST DISTRICTS.																		
North Paddington *H*	63,603	29	31	6	15	-	-	-	-	1	-	-	-		2	4	1	-
Central Paddington *W,3H*	50,053	12	34	5	15	-	-	-	1	-	-	-	-	-	-	2	22	-
South Paddington	30,320	2	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town *2W,w,2H* ..	128,037	47	78	8	29	-	2	-	-	1	-	-	-	-	-	2	32	-
Brompton *2H*	48,591	12	12	1	8	-	-	-	-	-	-	-	-	-	-	1	-	-
North Hammersmith *2W,w,H* ..	49,192	35	23	5	13	-	1	-	-	1	-	-	-	-	1	1	7	-
South Hammersmith *w,2H* ..	63,047	18	22	2	13	-	-	-	-	1	-	-	-	-	2	3	3	-
North-west Fulham *W*	45,180	33	24	3	7	-	2	-	-	1	-	-	-	-	-	1	16	-
North-east Fulham *F*	43,405	28	22	5	7	-	1	3	3	2	-	-	-	-	-	3	7	-
South Fulham *W*	45,704	18	15	4	6	-	-	-	-	1	-	-	-	-	-	-	-	-
Chelsea North *W,w,3H*	42,514	12	36	1	17	-	3	-	-	-	-	-	-	-	1	1	23	-
Chelsea South *W,2H*	31,328	12	16	1	5	-	-	-	-	-	-	-	-	-	-	-	4	-
Mayfair and Knightsbridge	28,743	7	5	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave *W,2H*	55,815	21	24	2	7	-	-	-	-	-	-	-	-	-	3	3	13	-
St. Margaret & St. John *6H*	43,698	14	15	4	4	-	-	-	-	-	-	-	-	-	2	4	4	-
St. James and St. Anne *W,6H* ..	33,031	6	9	2	4	-	-	-	-	-	-	-	-	-	1	2	3	-
NORTH DISTRICTS.																		
All Souls Marylebone *9H*	35,391	13	22	2	5	-	1	-	-	-	-	-	-	-	-	1	9	-
St. Mary Marylebone *W,4H* ..	37,948	52	8	1	6	-	1	-	-	-	-	-	-	-	-	-	3	-
Christchurch Marylebone	39,536	19	11	2	5	-	-	-	-	-	-	-	-	-	-	1	-	-
St. John Marylebone *2H*	20,426	7	11	2	5	-	1	-	-	1	-	-	-	-	-	1	1	-
Hampstead *W,F,6H*	81,942	24	29	3	10	-	-	-	2	-	-	-	-	-	2	2	8	-
West St. Pancras *2H*	60,562	30	20	2	5	-	2	-	1	-	-	-	-	-	-	-	1	-
South St. Pancras *w,12H*	55,707	20	24	2	10	-	-	-	-	-	-	-	-	-	-	2	10	-
East St. Pancras *W,H*	60,320	21	32	5	16	-	-	-	-	-	-	-	-	-	-	2	7	-
North St. Pancras *2W*	58,728	16	30	5	7	-	3	-	-	1	-	-	-	-	1	2	18	-
Tufnell *W*	31,995	13	37	6	22	-	-	-	-	1	-	-	-	1	-	1	23	-
Upper Holloway *2W,w,H*	33,978	23	40	4	17	-	3	-	-	-	-	-	-	-	1	3	28	-
Tollington *W,w,H*	33,922	12	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Lower Holloway	41,424	12	13	1	6	-	1	-	-	-	-	-	-	-	-	-	-	-
Barnsbury	54,478	27	24	4	10	-	2	-	-	-	-	-	-	-	1	3	-	-
Islington South-east *F*	75,397	31	26	2	7	-	3	-	-	3	-	-	-	-	1	5	-	-
Highbury *2H*	63,797	16	21	3	9	-	1	-	-	-	-	-	-	-	-	2	-	-
Stoke Newington *H*	51,247	15	12	1	5	-	1	-	-	1	-	-	-	-	-	2	-	-
North Hackney	50,398	14	11	2	6	-	-	-	-	-	-	-	-	-	-	2	-	-
Central Hackney *w,F*	50,536	30	13	1	2	-	-	2	1	1	-	-	-	-	1	1	6	-
South-west Hackney *3H*	59,921	32	31	4	8	-	1	-	-	-	-	-	-	-	2	6	11	-
South-east Hackney *2W,w,H* ..	58,255	25	32	1	13	-	-	-	-	3	-	-	-	-	2	3	20	-
Hackney Union Workhouse, Brentwood	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 6th March, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
St. Giles and Bloomsbury 2*W*,2*H*..	31,436	20	10	1	5	–	1	–	–	–	–	–	–	–	–	–	3	–
Strand *W*,4*H*	21,674	4	11	–	2	–	–	–	–	–	–	–	–	–	5	7	5	–
Strand Union Workhouse, Edmonton	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Holborn *W*,6*H*	29,612	5	25	6	7	–	–	–	1	1	–	–	–	–	1	2	14	–
Clerkenwell *H*	63,704	32	21	6	9	–	–	–	–	–	–	–	–	–	–	4	1	–
St. Luke 3*H*,*L*	36,116	29	19	6	3	–	–	–	–	–	–	–	–	–	–	5	1	–
Holborn Union Workhouse, Mitcham	–	–	3	–	3	–	–	–	–	–	–	–	–	–	–	–	3	–
St. Botolph *H*	10,299	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Sepulchre and Allhallows *W*,2*H*	16,624	–	25	2	3	–	1	–	1	1	–	–	–	–	2	4	20	–
City of London Asylum, Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
EAST DISTRICTS.																		
Shoreditch South 2*H*..	46,262	16	13	1	7	–	–	–	–	–	–	–	–	–	1	2	–	–
Shoreditch North-West *W*,*w* *H* ..	36,127	21	44	4	18	–	3	–	–	1	–	–	–	1	–	2	24	–
Shoreditch North-East	36,143	22	14	3	4	–	–	–	–	2	–	–	–	–	–	2	–	–
Shoreditch Union Workhouse Wood Green	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	41	60	7	26	–	4	–	–	–	–	–	–	–	4	6	42	–
Bethnal Green South-West *H* ..	64,542	40	17	4	4	–	1	–	–	1	–	–	–	–	2	7	1	–
Spitalfields..	27,969	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mile End New Town *W*,*H*	28,718	21	45	3	7	–	–	–	–	1	–	–	–	–	2	6	42	–
Goodman's Fields	22,081	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
St. George and St. John 2*W* ..	49,068	27	22	3	11	–	2	–	–	–	–	–	–	1	1	6	7	–
Shadwell and Ratcliff *W*,*H* ..	25,568	12	9	4	–	–	2	–	1	1	–	–	–	–	1	2	6	–
Limehouse *W*	32,369	13	7	1	2	–	–	–	–	1	–	–	–	–	–	2	–	–
Mile End Old Town South-Western *H*	63,698	39	14	1	10	–		–	–	–	–	–	–	–	–	2	–	–
Mile End Old Town North-Eastern *W*,*w*	49,129	25	24	4	9	–	2	–	–	–	–	–	–	–	–	2	9	–
Bow	41,989	23	17	5	5	–	2	–	–	–	–	–	–	–	2	3	–	–
Bromley 3*w*,*H*	68,319	30	48	8	19	–	2	–	–	1	–	–	–	3	2	5	30	–
Poplar *W*,*w*	58,514	35	13	4	6	–	–	–	–	–	–	–	–	–	–	2	–	–
Workhouse, Forest Gate (Parish of Poplar Borough).	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 6th March, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch and St. Saviour Southwark *W,2H*	23,319	11	25	3	7	-	2	-	-	1	-	-	-	-	-	1	17	-
Kent-road	21,904	10	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George the Martyr West *W,2H,L*	39,094	20	21	10	2	-	2	-	-	1	-	-	-	-	1	2	2	-
Newington North	49,022	39	12	3	5	-	-	-	-	-	-	-	-	-	-	1	-	-
Newington South *W*	72,841	33	30	3	16	-	1	-	-	-	-	-	-	2	1	4	8	-
St. Olave *2W*	9,817	10	4	1	3	-	-	-	-	1	-	-	-	-	-	-	2	-
Bermondsey *W*	82,483	41	33	6	10	-	11	-	-	1	-	-	-	-	-	2	-	-
Rotherhithe *W,F*	38,460	13	28	4	4	-	6	-	-	-	-	-	-	-	-	-	21	-
Waterloo *2H*	27,440	26	15	7	1	-	1	-	-	1	-	-	-	-	-	2	7	-
Lambeth Church *H*	27,440	16	34	4	6	-	1	-	-	2	-	-	-	-	3	3	14	-
Kennington *2W*	52,518	36	55	6	26	-	-	-	-	7	-	-	-	-	4	4	36	-
Stockwell *HF*	63,826	22	29	6	8	-	2	-	3	-	-	-	-	-	1	3	3	-
Brixton *H*	73,673	24	27	3	13	-	-	-	-	1	-	-	-	-	-	1	3	-
Norwood *2WH*	56,998	23	16	3	9	-	-	-	1	-	-	-	-	-	1	1	1	-
East Battersea *H*	72,203	43	24	5	9	-	2	-	-	3	-	-	-	-	-	-	-	-
North-west Battersea	49,656	19	16	1	9	-	-	-	-	-	-	-	-	-	-	-	-	-
South-west Battersea *2W,H*	47,048	17	33	4	16	-	-	-	-	-	-	-	-	-	-	1	23	-
Clapham *2H*	51,361	21	18	4	9	-	-	-	-	3	-	-	-	-	1	1	-	-
Streatham *W,2w,2F,2L*	88,019	59	41	6	17	-	2	-	1	1	-	-	-	-	-	1	10	-
Springfield *2W,L*	27,959	18	8	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Southfields *H*	40,444	31	13	4	7	-	-	-	-	-	-	-	-	-	-	2	-	-
Putney	24,139	10	12	1	6	-	-	-	-	-	-	-	-	1	1	3	-	-
Dulwich	13,359	6	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	15	23	3	17	-	-	-	-	1	-	-	-	-	-	2	14	-
Camberwell North *W,2L*	65,584	19	50	7	15	-	-	-	-	1	-	-	-	-	2	6	21	-
St. George	47,331	27	12	5	1	-	1	-	-	-	-	-	-	-	1	1	-	-
Peckham North	48,913	33	14	2	6	-	3	-	-	-	-	-	-	-	-	-	-	-
Peckham South *2W,w*	43,946	9	10	1	5	-	1	-	-	-	-	-	-	-	-	-	-	-
Deptford North	37,613	25	13	5	4	-	1	-	-	1	-	-	-	-	-	1	-	-
Deptford Central *F*	45,481	19	14	2	2	-	2	-	2	-	-	1	-	-	-	-	4	-
Deptford South	34,625	14	11	2	6	-	1	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *2H*	23,456	10	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich East *2W,H*	43,859	16	31	4	16	-	-	-	-	-	-	-	-	-	-	2	18	-
Eltham *w,H*	7,226	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *w,H*	25,490	6	7	1	4	-	-	-	-	-	-	-	-	-	1	3	1	-
Lewisham *2W,w,F*	58,352	30	21	4	10	-	-	-	-	1	-	-	-	-	-	1	9	-
Sydenham *H*	43,653	18	8	1	4	-	-	-	-	-	-	-	-	-	-	1	-	-
Charlton *F,2H*	21,134	7	6	2	1	-	-	1	-	-	-	-	-	-	-	-	2	-
Woolwich *5H*	41,625	22	17	5	4	-	4	-	-	-	-	-	-	-	-	1	1	-
Plumstead West *W,H*	39,376	16	8	1	5	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *2W*	28,951	12	13	-	8	-	-	-	-	-	-	-	-	-	-	1	9	-
Workhouses:—																		
Belmont Workhouse	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Small-pox Hospitals:—																		
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																		
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																		
Children's Infirmary, Carshalton	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums:—																		
Caterham	—	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	4	-
Darenth	—	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	5	-
Leavesden	—	-	6	-	2	-	-	-	-	-	-	-	-	-	-	-	6	-
London County Lunatic Asylums:—																		
Banstead	—	-	6	-	1	-	-	-	-	-	-	-	-	-	-	-	6	-
Ewell (Epileptic Colony)	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Horton	—	-	10	-	2	-	-	-	-	-	-	-	-	-	-	-	10	-
Manor	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Grove	—	-	11	1	4	-	-	-	-	-	-	-	-	-	-	-	11	-
Cane Hill	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Dartford Heath	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
Hanwell	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
Colney Hatch	—	-	6	-	1	-	-	-	-	-	-	-	-	1	-	-	6	-
Claybury	—	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-	6	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERATED POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 6th March, 1909.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING ..	368,603	2,045,135	1118	823	148	341	-	33	5	9	14	2	3	22	58	146	1
30 : 1	Carshalton 2F,3H	12,228	32,997	14	10	1	2	-	-	-	-	1	-	-	-	1	1	-
2	Epsom, *part of** W,w,2F,H..	10,423	15,548	7	5	-	2	-	-	-	-	-	-	-	-	-	3	-
37 : 1	Godstone, *part of** W,F,L ..	2 754	2,692	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38 : 1	Coulsdon	11,069	8,166	5	1	-	-	-	-	-	-	-	-	-	-	1	-	-
2	South Croydon w,H ..	4,200	49,309	16	8	-	7	-	-	-	-	-	-	-	-	-	-	-
3	West Croydon 3W,F,H ..	2,168	42,888	30	31	6	14	-	1	-	-	-	-	-	-	3	15	-
4	North Croydon H	2,614	41,698	12	20	2	12	-	-	-	1	-	-	-	-	-	-	-
5	Penge w	770	22,465	6	9	1	5	-	-	-	-	-	-	-	-	-	-	-
6	Mitcham w	11,711	30,015	26	22	7	10	-	3	-	-	-	-	-	1	2	-	-
39 : 1	Wimbledon F,3H	3,221	41,652	15	13	2	10	-	-	-	1	-	-	1	-	-	1	-
2	Kingston 2W,H	6,224	42,068	12	21	-	11	-	-	-	1	-	-	-	-	1	3	-
3	Surbiton F,H	3,046	15,017	7	3	-	2	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** H	5,402	13,100	10	3	1	1	-	-	-	-	-	-	-	1	1	-	-
5	Hampton H,F,L	4,564	23,456	12	10	-	5	-	2	-	-	-	-	-	-	1	-	-
40 : 1	Richmond W,H	2,491	31,672	8	10	1	4	-	-	-	-	-	-	-	1	1	-	-
2	Mortlake F	2,518	17,821	10	10	1	6	-	-	-	-	-	-	-	-	-	-	-
41 : 1	Bromley F,3H	4,703	27,354	10	7	1	4	-	-	-	-	1	-	-	-	-	2	-
2	Beckenham H	7,825	28,497	10	4	-	2	-	-	-	-	-	-	-	-	-	1	-
3	Orpington, *part of** W,F ..	10,113	9,857	12	8	-	2	-	-	-	-	-	-	-	-	-	3	-
4	Chislehurst 2H	7,333	16,446	9	4	1	1	-	-	-	-	-	-	-	-	-	-	-
42 : 1	Bexley w,F,H	8,678	21,151	12	9	2	3	-	-	-	-	-	-	-	-	-	1	-
2	Erith F,H	3,854	25,296	9	9	4	2	-	-	-	-	-	-	-	-	-	-	-
3	Dartford W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124 : 1	Sunbury w	11,054	18,683	3	5	1	2	-	-	-	-	-	-	-	1	2	-	-
2	Staines W,H	13,277	15,178	7	10	2	5	-	-	-	-	-	-	-	-	-	-	-
125 : 1	Hillingdon W,F,H	6,035	13,661	7	18	3	11	-	1	-	-	-	-	-	1	1	9	-
2	Uxbridge H	12,757	8,984	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w 2F,H	8,066	16,358	11	10	3	7	-	-	-	-	-	-	-	-	-	-	-
126 : 1	Isleworth 3W,3F,H	6,859	30,863	18	32	2	15	-	-	1	-	-	-	1	1	2	16	-
2	Twickenham F,2H	2,421	20,991	10	18	7	8	-	1	-	-	-	-	-	2	2	3	-
3	Brentford 3F,2H	4,319	48,289	28	22	4	9	-	5	-	-	2	-	-	1	1	1	-
4	Chiswick H	1,249	29,809	15	9	2	4	-	-	-	-	-	-	-	-	-	-	-
5	Acton w,F,3H	6,132	48,914	45	29	7	9	-	-	1	2	-	-	-	-	3	5	-
127 : 1	Harrow F,H	13,809	25,523	13	14	2	4	-	2	-	-	-	-	-	-	-	1	1
2	Edgware 2F,2H	6,994	4,521	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Willesden W,F,2H	4,384	114,811	80	43	11	12	-	1	-	-	1	1	-	-	1	8	-
4	Hendon W,F	8,382	22,450	17	11	3	5	-	-	-	-	-	-	-	-	-	2	-
128 : 1	South Mimms 2F,H ..	17,755	7,308	5	2	-	2	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,970	11	8	5	1	-	-	-	1	-	-	-	-	-	-	-
3	Finchley F,3H	4,688	33,692	18	11	4	4	-	1	-	-	-	-	-	1	2	1	-
129 : 1	Hornsey F,H	2,875	72,056	26	17	2	7	-	-	1	-	-	-	-	-	-	1	-
2	Wood Green H	1,625	34,233	21	15	4	5	-	-	-	-	-	-	-	1	2	-	-
3	West Tottenham	995	48,741	25	14	2	8	-	-	-	-	1	-	-	-	4	-	-
4	East Tottenham 2H ..	2,019	53,962	37	17	1	5	-	1	-	-	-	-	-	4	7	2	-
5	Edmonton W,w,2F	7,491	61,892	37	24	2	10	-	2	-	-	1	-	-	-	2	3	-
6	Enfield 2W,F,H	12,601	42,738	25	14	-	2	-	-	1	1	1	1	-	1	1	4	-
7	Waltham Abbey F	11,017	6,549	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	3	4	-	2	-	-	-	1	-	-	-	-	-	1	-
135 : 1	Hatfield, *part of** W ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey H	9,333	9,173	4	2	1	-	-	-	-	-	-	-	-	-	1	-	-
2	Watford W,2F, *part of** ..	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
186 : 1	Stratford H	1,091	52,974	21	12	1	4	-	-	-	-	-	-	-	-	-	1	-
2	Forest Gate	787	52,745	18	13	2	8	-	-	-	-	-	-	-	-	-	-	-
3	Plaistow F,2H	1,249	90,921	65	37	11	5	-	4	-	1	5	-	-	2	7	2	-
4	Canning Town H	1,556	70,718	42	23	8	6	-	4	-	-	1	-	1	1	1	-	-
5	South East Ham 2F ..	1,991	37,342	27	16	5	4	-	2	-	-	-	-	-	-	1	-	-
6	North East Ham w,H ..	1,333	58,666	31	13	3	5	-	-	-	-	-	-	-	-	-	-	-
7	Wanstead F	1,679	9,179	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	33	29	2	21	-	-	-	-	-	-	-	1	3	12	-
9	North Leyton 2W,w,F ..	1,963	48,445	38	36	3	12	-	1	1	-	-	-	-	1	1	25	-
10	Walthamstow 2H,L ..	6,504	108,929	57	25	7	11	-	1	-	-	-	-	-	1	1	1	-
187 : 1	Chigwell 2F,3H	11,778	16,397	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Epping W,F, *part of** ..	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
189 : 1	Romford, *part of** W,2F ..	6,556	6,091	2	4	-	3	-	-	-	-	-	-	-	-	-	1	-
2	Ilford F,L	8,496	41,244	32	21	4	7	-	1	-	-	-	-	-	-	2	3	-
3	Barking Town F	3,805	21,547	17	8	4	2	-	-	-	-	-	-	-	-	-	-	-
	Belmont Workhouse, Carshalton.	—	—	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-
	Middlesex County Lunatic Asylum, Tooting.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	City of London Lunatic Asylum, Stone.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Surrey County Lunatic Asylum, Brookwood.	—	—	-	3	-	3	-	-	-	-	-	-	-	-	-	3	-
	Middlesex County Lunatic Asylum, Napsbury.	—	—	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
	Essex County Lunatic Asylum, Brentwood.	—	—	-	3	-	2	-	-	-	-	-	-	-	-	-	3	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30 : 2, excepting Ashtead parish; 37 : 1, Warlingham and Farley parishes; 39 : 4, excepting Esher parish; 41 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135 : 1, Northaw parish; 189 : 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42 : 3, 137 : 2 and 187 : 2 and in the Croydon Mental Hospital in 37 : 1 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON - -	4,833,938	March 6	2075	2116	22·8	-	92	7	18	55	1	10
CALCUTTA - -	1,014 438	January 23	-	519	27·3	98	3	-	-	-	121†	62‡
BOMBAY - -	982,000	February 16	376	702	37·3	14	1	-	-	-	114†	38‡
MADRAS - -	548,974	" 5	311	370	37·7	1	1	?	?	?	103	53‡
PARIS - - -	2 747,599	" 27	836	1116	21·2	-	4	3	4	7	6	16
BRUSSELS - -	704,975	" 27	265	203	15·0	-	1	1	3	2	-	3
ANTWERP - -	310,903	" 27	105	92	15·4	-	-	-	1	-	-	8
AMSTERDAM -	566,256	" 27	245	144	13·3	-	1	2	-	4	1	7
COPENHAGEN -	445,000	" 27	219	165	19·3	-	4	2	3	-	-	4
STOCKHOLM -	337,460	" 20	144	103	15·9	-	-	2	1	-	-	3
CHRISTIANIA -	231,687	" 27	148	57	12·8	-	-	-	-	2	-	1
ST. PETERSBURG	1,573,000	" 20	1460	820	27·2	-	21	18	13	7	16	108‡
MOSCOW - -	1,452,100	" 20	-	-	-	-	-	-	-	-	-	-
BERLIN - -	2,109,933	" 13	835	604	14·9	-	7	13	11	8	2	26
HAMBURG - -	872,252	" 27	-	263	15·7	-	-	4	3	4	-	17
BRESLAU - -	499,437	" 20	-	182	19·0	-	-	1	1	3	-	8
MUNICH - -	566,000	" 27	-	-	-	-	-	-	-	-	-	-
VIENNA - -	2,042,426	" 27	925	773	19·7	-	13	16	12	6	1	31
PRAGUE - -	480,856	" 20	209	207	22·4	-	-	4	-	1	3	11
BUDAPEST - -	823,215	" 20	464	377	23·8	-	4	4	2	1	-	15
TRIESTE - -	216,680	" 27	138	118	28·3	-	-	-	1	-	-	-
ROME - - -	565,323	January 2	273	203	18·7	-	1	1	1	-	1	20
VENICE - -	176,815	February 6	-	-	-	-	-	-	-	-	-	-
BUCAREST - -	293,619	January 30	-	-	-	-	-	-	-	-	-	-
NEW YORK -	4,564,792	February 13	2292	1412	16·1	-	13	18	56	4	9	44
		" 20	2196	1505	17·2	-	20	16	38	5	5	42
CHICAGO - -	2,224,490	" 13	-	592	13·4	-	3	6	13	3	6	47
PHILADELPHIA -	1,565,569	January 16	-	-	-	-	-	-	-	-	-	-
RIO DE JANEIRO	636,018	" 31	-	320	26·2	17	3	-	1	2	2†	?

* Excluding deaths from croup in the Indian Cities.
† Including 13 deaths from plague in Calcutta, 45 in Bombay, and 1 in Rio de Janeiro.
‡ Including 9 deaths from cholera in Calcutta, 2 in Bombay, 2 in Madras, and 35 in St. Petersburg.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 6th March, 1909.

Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	41·7	13·6	30·2	1·23	BRADFORD - -	38·8	21·0	30·9	1·11
BRIGHTON - -	41·5	20·5	31·6	0·75	YORK - - -	41·0	20·0	31·5	1·35
PORTSMOUTH - -	43·0	20·0	32·4	0·96	HULL - - -	40·0	23·0	32·0	1·17
NORWICH - -	39·0	20·4	32·0	0·60	TYNEMOUTH - -	43·0	21·0	32·7	1·20
PLYMOUTH - -	45·4	25·2	34·8	2·01	CARDIFF - - -	38·8	17·5	30·7	1·01
BRISTOL - - -	40·2	14·5	28·8	1·14	EDINBURGH - -	38·8	21·8	31·1	0·71
BIRMINGHAM - -	37·6	19·0	29·2	1·59	GLASGOW - -	43·2	26·1	33·9	0·35
NOTTINGHAM - -	37·8	12·2	29·8	1·44	DUBLIN Phœnix Park.	40·6	21·9	32·8	0·42
LIVERPOOL OBSERVATORY.	39·0	25·0	32·3	0·77	DUBLIN Fitz-william Square.†	42·0	25·8	33·5	0·43
MANCHESTER -	38·0	15·0	29·6	0·74					
BURNLEY - -	38·0	18·0	28·9	0·39					
HUDDERSFIELD -	36·5	22·5	30·0	1·09	BELFAST - - -	40·0	23·8	34·0	0·91

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0°·7 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 6th March, 1909.

[*Under the Superintendence of the Astronomer Royal.*]

1909. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
FEBRUARY.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 28	..	29·656	34·5	28·5	6·0	31·5	− 8·8	26·6	4·9	5·9	0·8	82	65·0	28·1	39·13	NE., ENE, & SE.	E., NE. & calm.	1·0	0·0	0·0	139	−189	0·19	1·5
MARCH. MONDAY - 1	Greatest Dec. N.	29·550	33·5	26·7	6·8	30·3	−10·1	29·5	0·8	4·7	0·0	96	45·0	26·5	38·91	Calm & NNE.	NE.	1·9	0·0	0·1	193	−139	0·13	0·0
TUESDAY - 2	..	29·227	38·3	16·8	21·5	28·2	−12·2	24·7	3·5	9·1	0·0	86	69·9	16·3	38·90	NNE., calm & SW.	SW., SSW. & SE.	0·3	0·0	0·0	178	−155	0·10	0·2
WEDNESDAY 3	..	29·017	38·4	27·9	10·5	30·8	− 9·7	29·7	1·1	5·5	0·0	96	62·3	28·0	38·71	Variable & calm.	E., NE. & NNE.	2·5	0·0	0·1	202	−129	0·30	1·1
THURSDAY - 4	..	29·292	35·0	20·1	14·9	27·9	−12·8	20·7	7·2	11·5	1·6	73	72·6	16·7	38·70	N.	N., SE. & SW.	2·0	0·0	0·1	245	− 88	0·00	0·7
FRIDAY - 5	..	29·408	41·7	13 6	28·1	27·7	−13·2	19·8	7·9	16·4	2·1	71	85·8	12·6	33·59	SW.	SW., S. & SE.	0·6	0·0	0·0	199	−138	0·00	4·7
SATURDAY - 6	..	29·029	38·0	30·0	8·0	34·4	− 6·6	32·5	1·9	5·8	0·3	92	45·9	26·0	38·49	SE. & ESE.	SE.	4·9	0·0	0·3	321	− 19	0·51	23·3
MEANS - -		29·311	37·1	23·4	13·7	30·1	−10·5	26·2	3·9	8·4	0·7	85	63·8	22·0	38·78	Variable		..	..	..	Sum 1477	Sum −857	Sum 1·23	4·5
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
FEBRUARY.					
SUNDAY -	28	m. P. till 6h. A.M.; w. P. till 2h. P.M.: v. P. with occasional s. N. afterwards.	3·8	10·7	Generally overcast; frequent snow; fine interval between 9h. A.M. and 1h. P.M.
MARCH. MONDAY -	1	m.P. till 9h. A.M.; s.P. generally afterwards.	0·0	10·8	Generally overcast till 10h. P.M.; fine afterwards; nearly continuous snow till 7h.30m.P.M.
TUESDAY -	2	s. P. generally.	1·9	10·9	Fine and partially cloudy with hoar frost in morning; generally cloudy between 10h. A.M. and 7h. P.M.; overcast afterwards with snow after 9h. P.M.; fog prevalent between 5h. and 9h. A.M. Lunar halo observed in evening.
WEDNESDAY	3	s.P. till 1h. P.M.; v.P. and v. N. afterwards.	0·0	10·9	Overcast with slight exceptions; snow in early morning and continuously between 1h. and 11h. P.M. Solar halo observed at noon.
THURSDAY -	4	m. P. till 9h. A.M.; s. P. afterwards.	2·7	11·0	Overcast in morning; fine and variably cloudy afterwards with hoar frost at night. Solar halo observed occasionally between 9h. A.M. and 2h. P.M.
FRIDAY -	5	s. P. throughout.	7·8	11·1	A very fine day; the amount of cloud was usually very small but increased to nearly overcast after 10h. P.M.; hoar frost in morning and at night. Lunar halo observed in evening.
SATURDAY -	6	v. P. till 7h. A.M.; v. N. and v. P. afterwards.	0·0	11·1	Generally overcast; nearly continuous rain, sleet and snow between 6h. A.M. and 1h. P.M. followed by frequent rain till 10h. 30m. P.M. Lunar halo observed in evening.
			Sum 16·2	Sum 76·5	
No. of Col. - -		27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·87 in. at the beginning of the week to 29·00 in. by 3h. P.M. on March 3rd; increased to 29·42 in. by 10h. A.M. on March 5th; and decreased to 28·89 in. by midnight on the 6th.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 27th February, 1909.*

BOROUGHS.	Estimated Population in the middle of 1909.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	151,955	-	10	4	-	1	-	-	1	-	1
Kensington	183,683	-	13	2	-	1	-	-	1	-	-
Hammersmith	125,704	-	5	3	-	-	-	-	3	1	-
Fulham	176,406	-	3	11	-	3	-	-	3	-	-
Chelsea	75,249	-	4	2	-	1	-	-	1	-	-
City of Westminster ..	168,883	-	12	3	-	-	-	-	3	-	-
NORTH.											
St. Marylebone	126,027	-	2	2	-	2	-	-	6	-	-
Hampstead	94,185	-	7	2	-	1	-	-	-	-	-
St. Pancras	237,422	-	8	7	-	-	-	-	1	-	-
Islington	351,202	-	22	10	-	2	-	-	-	-	-
Stoke Newington	54,423	-	3	-	-	-	-	-	1	-	-
Hackney	237,601	-	18	6	-	2	-	-	5	-	-
CENTRAL.											
Holborn	53,802	-	7	2	-	1	-	-	2	-	-
Finsbury	95,289	-	7	1	-	-	-	-	2	1	-
City of London	18,193	-	-	-	-	-	-	-	-	-	-
EAST.											
Shoreditch	114,802	-	10	2	-	3	-	-	1	-	-
Bethnal Green	131,316	-	6	3	-	-	-	-	1	-	-
Stepney	312,525	-	22	16	-	3	-	-	12	-	-
Poplar	171,965	-	20	1	-	2	-	-	5	1	-
SOUTH.											
Southwark	211,125	-	6	6	-	-	-	-	4	-	-
Bermondsey	127,569	-	4	7	-	1	-	-	3	-	-
Lambeth	324,188	-	25	6	-	-	-	-	7	-	1
Battersea	186,036	-	23	7	-	1	-	-	2	-	-
Wandsworth	297,646	-	19	8	-	6	-	-	2	2	-
Camberwell	283,022	-	19	13	-	3	-	-	3	-	-
Deptford	118,583	-	8	4	-	-	-	-	2	-	-
Greenwich	111,014	-	7	1	-	-	-	-	1	-	-
Lewisham	160,749	-	18	7	-	1	-	-	2	-	-
Woolwich	133,374	-	25	7	-	1	-	-	1	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,833,938	-	333	143	-	35	-	-	75	5	2
Ages 0–1		-	4	4	-	-	-	-	3	-	1
„ 1–5		-	88	57	-	2	-	-	7	-	1
„ 5–		-	137	53	-	6	-	-	2	-	-
„ 10–		-	55	11	-	5	-	-	4	-	-
„ 15–		-	19	8	-	3	-	-	3	-	-
„ 20–		-	11	1	-	6	-	-	2	3	-
„ 25–		-	14	3	-	3	-	-	10	2	-
„ 35–		-	3	6	-	3	-	-	11	-	-
„ 45–		-	1	-	-	6	-	-	11	-	-
„ 55–		-	-	-	-	1	-	-	12	-	-
„ 65 and upwards		-	1	-	-	-	-	-	10	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY DARLING & SON, LTD., 34-40, BACON STREET, E.

1909.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 10. 1909. VOL. LXX.] WEEK ENDED SATURDAY, MAR. 13. [Price 1½*d*.

General Register Office, Somerset House,
March 15th, 1909.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 22·1 per 1000 of their aggregate population, which is estimated† at 16,445,281 persons in the middle of this year. In the preceding three weeks the rates had been 18·1, 19·1, and 21·3. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 26·2 in Liverpool, 26·3 in Bootle and in Salford, 26·6 in Stockport, 27·0 in Birmingham, 29·0 in Bury, 34·6 in Brighton, and 35·1 in St. Helens; from *measles*, 4·0 in Birmingham, 4·7 in Sheffield, 4·9 in Aston Manor, 6·5 in West Hartlepool, 7·2 in Warrington, and 12·6 in St. Helens; from *scarlet fever*, 1·1 in Northampton and 1·3 in Reading; and from *whooping-cough*, 2·0 in Great Yarmouth, 2·5 in Southampton and in Wolverhampton, 2·6 in Bury, and 2·7 in St. Helens. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2585 BIRTHS and 2221 DEATHS were registered. Allowing for increase of population, the births were 26 and the deaths 577 above the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes, which had been 18·7, 19·9, and 22·8 per 1000 in the preceding three weeks, further rose last week to 24·0. The death-rate in the four weeks ended last Saturday averaged 21·4 per 1000, being 3·8 per 1000 above the mean rate in the corresponding periods of the five years 1904–8.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals and Asylums, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6 added to the Outer Ring. The figures relating to the seventy-five other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(12802—41.) Wt. 36—184. 700. 3/09. D & S. G. 31. Sch. 4. K

The 2221 deaths included 105 from measles, 9 from scarlet fever, 22 from diphtheria, 35 from whooping-cough, 4 from enteric fever, and 10 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia: thus, to these diseases in the aggregate 185 deaths were referred, being 47 above the corrected average number in the tenth week of the preceding five years.

The deaths from *measles*, which had been 93, 94, and 92 in the preceding three weeks, rose to 105 last week, and were 56 above the corrected average; 19 deaths belonged to the Borough of Bermondsey, 11 to Islington, 9 each to Wandsworth and Camberwell, and 6 to Battersea. The deaths from *scarlet fever*, which had been 8, 8, and 7 in the preceding three weeks, were 9 last week, and were equal to the corrected average; 3 deaths belonged to Lambeth. The deaths from *diphtheria*, which had been 19, 18, and 18 in the preceding three weeks, rose to 22 last week, and were 5 above the corrected average The deaths from *whooping-cough*, which had been 25, 35, and 55 in the preceding three weeks, fell to 35 last week, and were 8 below the corrected average; 3 deaths belonged to Shoreditch, and 3 each to Poplar, Battersea, and Wandsworth. The deaths from *enteric fever*, which had been 4, 2, and 1 in the preceding three weeks, numbered 4 last week, and were equal to the corrected average. The deaths from *diarrhœa*, which had been 9, 14, and 10 in the preceding three weeks, were again 10 last week, and were 6 below the corrected average. Of the 10 deaths from diarrhœa, 7 were those of children under 5 years of age; 8 other deaths at this age were certified as due to *enteritis* and 5 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 101, having been 25, 36, and 66 in the preceding three weeks. Compared with the corrected averages, the deaths from *bronchitis* and *pneumonia* last week showed a marked excess. The death of a horse-keeper, aged 41 years, was certified after inquest as due to *glanders*.

Different forms of violence caused 56 deaths, concerning all of which inquests were held. Of these 56 deaths, 10 were cases of suicide, while the remaining 46 deaths were attributed to accident or negligence. Five of these latter were referred to vehicles in the streets, five to burns or scalds, three to drowning, and ten, of infants under one year of age, to suffocation in bed. One death occurred while under an anæsthetic administered for surgical purposes.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 2 cases of small-pox, 2670 of scarlet fever, 1149 of diphtheria, and 115 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 2 cases, against 0, 0, and 0; of scarlet fever, 268 cases, against 273, 292, and 285; of diphtheria, 124 cases, against 135, 117, and 114; and of enteric fever, 13 cases, against 18, 17, and 7. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended March 6th, 1909.

Greater London.

In Greater London 3978 births and 3115 deaths were registered. Allowing for increase of population, these numbers are 2 below and 778 above the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 12 deaths from measles, 4 from scarlet fever, 3 from diphtheria, 6 from whooping-cough, 1 from "fever," and 1 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·52 inches, and that of the Thermometer 36°·5, the latter being 4°·5 below the week's average in the 65 years ended 1905. The direction of the wind was variable, the horizontal movement of the air being 5 per cent. below the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 17·0 hours; the measured rainfall amounted to 0·46 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the week ended Saturday, 13th March, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 20th Feb., 1909.	27th Feb., 1909.	6th Mar., 1909.	13th Mar., 1909.	Rate from Diseases in Cols. 11–17. Week ended 13th March, 1909.	Registered during the Week ended 13th March, 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS	**16,445,281**	**18·1**	**19·1**	**21·3**	**22·1**	**2·0**	**8686**	**6972**	**1143**	**2617**	-	**371**	**34**	**58**	**124**	**14**	**33**	**177**	**472**	**1727**	**64**	**76 TOWNS.**
LONDON	4,833,938	18·7	19·9	22·8	24·0	2·0	2585	2221‡	297	899	-	105	9	22	35	4	10	56	182	777	1	LONDON.
† CROYDON	161,078	15·9	17·5	18·1	20·1	0·3	70	62	10	31	-	-	-	-	1	-	-	-	4	12	-	CROYDON.
† WILLESDEN ..	160,424	12·7	17·6	14·3	13·7	1·3	83	42	9	12	-	1	1	-	2	-	-	3	3	10	-	WILLESDEN.
† HORNSEY	95,628	11·5	7·6	8·7	10·9	-	18	20	3	8	-	-	-	-	-	-	-	-	-	2	-	HORNSEY.
† TOTTENHAM ..	129,464	11·3	17·3	12·1	14·9	1·2	82	37	6	14	-	1	1	1	-	-	-	1	4	8	-	TOTTENHAM.
† WEST HAM ..	321,767	18·3	17·7	17·5	20·4	3·1	206	126	25	45	-	11	2	1	5	-	-	2	8	25	-	WEST HAM.
† EAST HAM.. ..	149,575	11·2	13·9	12·9	11·9	1·0	75	34	5	17	-	1	-	1	1	-	-	1	2	5	-	EAST HAM.
† LEYTON	129,614	9·3	11·3	12·1	16·9	0·4	62	42	5	25	-	1	-	-	-	-	-	2	5	6	-	LEYTON.
† WALTHAMSTOW‡	136,602	8·4	10·7	11·5	14·5	0·8	62	38	12	7	-	1	-	-	1	-	-	-	-	10	-	WALTHAMSTOW.‡
HASTINGS	68,165	17·6	16·8	15·3	24·5	-	18	32	2	21	-	-	-	-	-	-	-	-	-	10	-	HASTINGS.
BRIGHTON	130,926	17·1	19·9	27·5	34·6	0·4	47	87	7	46	-	-	-	-	1	-	-	6	9	16	-	BRIGHTON.
PORTSMOUTH ..	214,726	16·3	23·8	21·6	20·2	1·9	106	83	10	35	-	7	-	1	-	-	-	1	6	22	-	PORTSMOUTH.
BOURNEMOUTH ..	72,368	9·4	15·1	23·1	21·6	0·7	18	30	3	14	-	-	-	1	-	-	-	-	-	8	2	BOURNEMOUTH.
SOUTHAMPTON ..	124,667	13·4	18·8	23·4	20·1	2·5	44	48	12	22	-	-	-	-	6	-	-	3	11	12	-	SOUTHAMPTON.
READING	82,995	11·9	17·0	10·1	15·1	2·5	28	24	5	12	-	2	2	-	-	-	-	3	4	5	-	READING.
NORTHAMPTON ..	97,752	12·3	20·8	19·7	19·2	1·1	38	36	3	17	-	-	2	-	-	-	-	2	3	8	2	NORTHAMPTON.
IPSWICH	74,889	16·0	18·1	13·9	16·7	-	23	24	4	14	-	-	-	-	-	-	-	2	4	6	-	IPSWICH.
GREAT YARMOUTH	53,430	13·7	22·4	18·5	21·5	2·0	19	22	3	13	-	-	-	-	2	-	-	-	1	4	-	GREAT YARMOUTH.
NORWICH	124,136	16·0	13·4	17·6	19·3	0·4	57	46	7	19	-	-	-	-	1	-	-	1	1	9	-	NORWICH.
PLYMOUTH	124,180	19·7	17·2	21·0	23·9	2·1	55	57	12	22	-	5	-	-	-	-	-	-	4	6	-	PLYMOUTH.
DEVONPORT	83,103	10·7	13·8	15·7	13·2	1·9	39	21	3	9	-	2	-	1	-	-	-	-	-	2	-	DEVONPORT.
BRISTOL	377,642	15·5	15·3	17·3	15·9	0·6	184	115	23	55	-	-	-	-	2	-	2	3	9	29	-	BRISTOL.
HANLEY	68,831	15·9	22·7	29·5	25·8	1·5	36	34	5	15	-	-	-	1	-	1	-	1	2	9	-	HANLEY.
BURTON-ON-TRENT	54,453	19·2	15·3	19·2	25·9	-	29	27	2	16	-	-	-	-	-	-	-	-	-	2	1	BURTON-ON-TRENT.
WOLVERHAMPTON..	104,633	15·9	22·4	20·9	22·4	3·0	49	45	13	16	-	-	-	-	5	-	1	-	2	3	1	WOLVERHAMPTON.
WALSALL	99,399	15·7	13·6	10·5	17·8	1·0	55	34	8	13	-	-	-	1	1	-	-	-	2	5	-	WALSALL.
HANDSWORTH ..	70,186	16·3	14·9	10·4	11·9	3·7	33	16	4	3	-	3	-	1	1	-	-	-	-	-	-	HANDSWORTH.
WEST BROMWICH..	70,457	17·0	16·3	16·3	22·9	0·7	40	31	6	9	-	-	-	-	1	-	-	-	-	3	3	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

‡ Including 1 death from Meningococcal Meningitis.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 13th March, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 20th Feb., 1909.	27th Feb., 1909.	6th Mar., 1909.	13th Mar., 1909.	Rate from Diseases in Cols. 11-17. Week ended 13th March, 1909.	Registered during the Week ended 13th March, 1909. BIRTHS	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
BIRMINGHAM ..	563,629	20·5	25·5	26·2	27·0	4·9	332	292	61	86	-	43	3	1	5	1	-	8	9	68	12	BIRMINGHAM.
KINGS NORTON ..	81,632	12·8	16·6	13·4	15·3	1·9	38	24	4	10	-	2	-	-	-	-	1	-	1	2	1	KINGS NORTON.
SMETHWICK	70,377	17·0	20·7	26·7	18·5	5·2	32	25	3	8	-	5	-	1	1	-	-	-	1	3	-	SMETHWICK.
ASTON MANOR ..	85,257	22·0	29·4	23·9	23·9	5·5	39	39	9	6	-	8	-	1	-	-	-	2	4	1	-	ASTON MANOR.
COVENTRY	80,163	17·6	20·2	17·6	23·4	1·3	55	36	7	13	-	1	-	-	1	-	-	1	1	8	-	COVENTRY.
LEICESTER	244,255	14·7	13·9	17·3	19·9	0·6	105	93	18	43	-	2	-	-	1	-	-	3	6	19	1	LEICESTER.
GRIMSBY	73,036	19·3	19·3	15·0	12·9	1·4	37	18	4	5	-	-	-	1	1	-	-	1	1	2	-	GRIMSBY.
NOTTINGHAM ..	263,443	17·6	20·2	23·6	21·2	2·4	131	107	22	42	-	8	-	1	3	-	-	3	4	18	2	NOTTINGHAM.
DERBY	129,411	11·7	16·9	21·8	15·7	0·4	65	39	5	15	-	-	-	1	-	-	-	1	8	11	-	DERBY.
STOCKPORT	103,706	18·1	19·6	28·7	26·6	1·0	67	53	10	22	-	1	-	1	-	-	-	2	4	7	-	STOCKPORT.
BIRKENHEAD ..	121,123	20·7	15·9	23·7	18·9	0·4	68	44	7	21	-	-	1	-	-	-	-	-	-	13	-	BIRKENHEAD.
WALLASEY	71,004	11·0	17·6	22·0	15·4	0·7	38	21	2	10	-	-	-	-	-	-	1	-	1	1	1	WALLASEY.
LIVERPOOL	760,357	24·8	21·3	25·4	26·2	2·4	516	382	82	117	-	18	2	2	8	1	4	16	28	119	10	LIVERPOOL.
BOOTLE	69,393	20·3	18·8	14·3	26·3	2·3	28	35	6	11	-	2	1	-	-	-	-	-	-	6	2	BOOTLE.
ST. HELENS	95,161	25·2	26·3	35·6	35·1	15·9	50	64	10	3	-	23	1	-	5	-	-	-	1	12	3	ST. HELENS.
WIGAN	90,678	31·1	24·2	29·9	25·3	2·3	52	44	14	10	-	1	-	-	2	-	1	2	3	7	-	WIGAN.
WARRINGTON ..	72,276	24·5	18·0	26·7	19·5	7·2	46	27	4	6	-	10	-	-	-	-	-	-	1	2	-	WARRINGTON.
BOLTON	187,824	17·8	16·4	21·4	15·8	0·8	98	57	16	19	-	1	-	-	2	-	-	-	4	10	1	BOLTON.
BURY	59,234	25·5	21·1	29·9	29·0	4·4	31	33	5	13	-	1	-	1	3	-	-	-	1	4	-	BURY.
MANCHESTER ..	655,435	23·0	22·0	25·8	25·5	2·5	377	321	55	96	-	16	4	1	7	1	3	12	24	85	1	MANCHESTER.
SALFORD	241,950	19·8	19·6	25·9	26·3	1·5	117	122	15	42	-	2	-	2	1	1	1	1	7	34	2	SALFORD.
OLDHAM	143,301	20·4	21·5	20·0	21·8	1·5	91	60	11	19	-	4	-	-	-	-	-	1	3	5	-	OLDHAM.
ROCHDALE	89,653	18·0	25·6	29·1	20·4	0·6	44	35	2	15	-	1	-	-	-	-	-	2	2	3	1	ROCHDALE.
BURNLEY	106,267	14·7	18·6	21·6	22·1	0·5	47	45	12	16	-	-	-	-	-	-	1	-	1	5	-	BURNLEY.
BLACKBURN	136,959	19·4	16·0	24·0	25·5	1·1	67	67	10	28	-	1	1	-	1	-	-	3	5	8	-	BLACKBURN.
PRESTON	118,519	18·5	18·0	21·1	25·5	2·6	54	58	10	29	-	2	-	1	3	-	-	1	2	4	2	PRESTON.
BARROW-IN-FURNESS.	62,996	17·4	10·8	17·4	19·0	0·8	36	23	5	6	-	-	1	-	-	-	-	-	-	4	-	BARROW-IN-FURNESS.

TOWNS.	Population estimated to the middle of the Year 1909.*	Death-Rates from all Causes. Week ended 20th Feb., 1909.	27th Feb., 1909.	6th Mar. 1909.	13th Mar., 1909.	Rate from Diseases in Cols. 11–17. Week ended 13th March, 1909.	Registered during the Week ended 13th March, 1909. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,739	17·6	19·8	18·7	22·0	-	49	40	5	19	-	-	-	-	-	-	-	1	1	7	-	HUDDERSFIELD.
HALIFAX	111,911	18·6	16·8	22·4	25·2	1·4	40	54	4	23	-	1	1	-	1	-	-	-	-	10	1	HALIFAX.
BRADFORD	293,983	22·0	22·2	22·3	21·5	1·1	104	121	14	53	-	2	-	1	2	1	-	4	15	24	-	BRADFORD.
LEEDS	484,012	14·8	15·8	19·3	21·0	0·8	212	195	34	75	-	1	-	1	2	1	2	5	20	28	-	LEEDS.
SHEFFIELD	470,958	18·4	19·3	20·2	25·0	5·1	246	226	38	69	-	42	1	1	1	-	1	6	11	53	2	SHEFFIELD.
ROTHERHAM.. ..	65,070	20·8	23·2	17·6	17·6	0·8	37	22	5	8	-	-	-	-	-	1	-	-	-	3	1	ROTHERHAM.
YORK	87,004	17·4	12·0	16·2	16·8	1·2	38	28	8	15	-	-	-	-	2	-	-	-	-	6	-	YORK.
HULL	275,552	15·3	16·5	13·2	20·8	1·7	171	110	11	34	-	3	-	5	1	-	-	4	11	34	1	HULL.
MIDDLESBROUGH ..	105,255	18·8	21·8	24·3	19·3	2·5	69	39	8	10	-	1	-	-	1	2	1	2	3	6	-	MIDDLESBROUGH.
STOCKTON-ON-TEES	53,417	18·5	22·5	18·5	17·6	2·9	32	18	1	6	-	2	-	1	-	-	-	-	1	3	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL	79,686	19·0	20·3	19·0	19·6	6·5	48	30	10	2	-	10	-	-	-	-	-	-	-	3	1	WEST HARTLEPOOL.
SUNDERLAND ..	159,378	18·6	22·6	25·2	21·6	3·3	106	66	12	24	-	10	-	-	-	-	-	-	3	8	3	SUNDERLAND.
SOUTH SHIELDS ..	117,627	13·3	17·3	19·9	15·5	0·4	62	35	5	17	-	-	1	-	-	-	-	1	1	4	2	SOUTH SHIELDS.
GATESHEAD	131,024	14·3	12·3	15·9	11·1	0·4	69	28	3	11	-	1	-	-	-	-	-	-	1	2	-	GATESHEAD.
NEWCASTLE-ON-TYNE.	281,584	14·8	18·0	17·2	18·0	0·9	154	97	14	30	-	1	-	3	1	-	-	3	5	20	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH ..	55,808	20·6	27·1	26·2	20·6	1·9	36	22	7	4	-	1	-	-	-	-	1	2	4	3	-	TYNEMOUTH.
NEWPORT (MON.) ..	78,336	17·3	18·6	13·3	23·3	-	60	35	8	10	-	-	-	-	-	-	-	1	2	2	2	NEWPORT (MON.).
CARDIFF	195,303	15·2	15·5	15·5	20·3	0·5	108	76	10	30	-	1	-	-	1	-	-	1	2	25	-	CARDIFF.
RHONDDA	135,894	21·5	17·7	28·0	20·3	1·5	103	53	19	7	-	-	-	1	1	-	2	1	2	1	-	RHONDDA.
MERTHYR TYDFIL..	78,365	23·3	18·0	15·3	22·6	2·0	54	34	7	13	-	3	-	-	-	-	-	-	1	2	1	MERTHYR TYDFIL.
SWANSEA	98,308	21·2	21·2	19·6	23·9	1·6	66	45	7	17	-	-	-	-	2	-	1	-	1	8	1	SWANSEA.
GREATER LONDON	7,429,740	17·1	18·4	20·6	21·9	1·7	3878	3115	446	1273	-	133	17	28	51	5	11	75	240	924	3	GREATER LONDON.
OUTER RING ..	2,595,802	14·3	15·5	16·5	18·0	1·2	1393	894	149	374	-	28	8	6	16	1	1	19	58	147	2	OUTER RING.
8 TOWNS IN OUTER RING.	1,284,152	13·3	15·0	14·3	16·3	1·3	658	401	75	159	-	16	4	3	10	-	-	9	26	78	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,311,650	15·3	16·0	16·8	19·6	1·1	735	493	74	215	-	12	4	3	6	1	1	10	32	69	2	REMAINDER OF OUTER RING.
EDINBURGH	355,366	17·8	21·4	18·3	20·4	1·3	151	139	20	47	-	-	1	-	6	-	2	3	?	46	5	EDINBURGH.
GLASGOW	872,021	19·9	21·0	21·3	21·9	3·5	499	366	72	99	-	-	1	6	37	1	14	12	?	105	10	GLASGOW.
DUBLIN (Registration Area).†	398,356	25·8	24·3	26·6	27·5	2·2	207	210	42	71	-	5	1	2	5	3	1	2	4	65	11	DUBLIN (Registration Area).†
BELFAST†	386,576	17·1	21·0	21·6	20·9	0·8	187	155‡	27	33	-	1	-	1	3	-	1	3	8	45	1	BELFAST.†

* See note † on first page of this return.

† Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast respectively.
‡ Including 1 death from Cerebro-spinal fever.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the TENTH Week of each of the Eleven Years, 1899–1909.

	1899	1900	1901	1902	1903	1904	1905	1906	1907	1908	Corrected Weekly Average in 5 Years 1904–1908.*	1909
TOTAL **Births** -	2627	2841	2496	2680	2584	2712	2412	2509	2391	2475	2556·2	2585
Males - - -	1312	1458	1286	1382	1328	1376	1223	1243	1234	1246	1294·5	1316
Females - -	1315	1383	1210	1298	1256	1336	1189	1266	1157	1229	1264·7	1269
TOTAL **Deaths** -	1954	1652	1723	2159	1443	1793	1543	1469	1641	1530	1643·9	22 1
Males - - -	943	884	893	1066	720	897	764	763	846	766	826·3	1075
Females - -	1011	768	830	1093	723	899	779	706	795	814	817·6	1146

* The numbers in this column are the average weekly numbers in the Tenth week of the five years 1904-1908, raised by 2·375 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Dec. 19.	Dec. 26.	1909 Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	Mar. 6.	Mar. 13.	13 Weeks.
TOTAL **Births** -	2133	1438	2228	2476	2434	2162	2110	2444	2335	2461	2173	2075	2585	29054
TOTAL **Deaths** -	1359	1038	1505	1672	1513	1414	1653	1878	1646	1731	1849	2116	2221	21945
Ages at Death: Under 1 year -	240	155	305	251	273	221	256	254	258	256	273	309	297	3348
1—5 years -	139	115	211	174	181	175	245	185	193	250	224	251	273	2576
5—20 " -	81	53	81	79	71	51	65	77	69	89	79	97	85	977
20—40 " -	162	118	243	179	175	171	214	199	190	192	183	211	214	2441
40—60 " -	284	221	354	394	330	292	358	416	345	373	398	437	453	4675
60 yrs. & upwds.	453	376	621	595	533	504	555	747	591	571	692	811	899	7948
Deaths from—														
Small-pox† - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles - - -	51	44	87	72	79	76	82	52	69	93	94	92	105	996
Scarlet Fever - -	14	7	7	4	11	11	7	11	9	8	8	7	9	113
Diphtheria - -	24	17	23	20	14	20	16	24	15	19	18	18	22	250
Whooping-cough -	4	7	11	14	8	11	29	29	15	25	35	55	35	278
Typhus - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever - -	14	7	7	8	8	6	3	7	4	4	2	1	4	75
Pyrexia (origin uncertain).	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa, Dysentery	19	14	22	17	22	15	10	12	19	9	14	10	10	193
All above diseases -	126	96	157	135	142	139	147	135	131	158	171	183	185	1905
Dis. of Resp. System	136	106	193	258	181	156	214	354	219	235	309	389	411	3161
Pneumonia - -	145	96	188	184	188	161	163	202	222	252	237	314	347	2699
Phthisis - - -	116	104	171	158	121	127	198	171	145	153	161	183	161	1969
Dis. of Circ. System -	199	149	252	253	211	185	252	270	249	214	257	260	280	3031
Violence - - -	52	50	83	82	72	51	65	63	54	55	42	63	56	788
Inquest Cases - -	129	111	207	201	162	140	154	198	150	142	140	188	182	2104
Deaths in Institutions	599	434	686	615	631	611	662	749	639	681	676	783	777	8543
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	45·4	49·2	31·5	40·7	42·2	38·7	31·8	42·7	34·8	37·4	33·4	30·1	36·5	37·3
Mean of Highest -	49·3	42·4	35·9	44·0	47·4	42·8	37·1	47·7	40·0	45·8	40·9	37·1	41·3	42·4
Mean of Lowest -	40·2	37·6	26·8	37·0	37·6	34·1	25·3	37·1	30·0	29·3	27·1	23·4	33·2	32·2
Mean Humidity of the Air.	92	91	85	86	80	81	88	79	81	75	79	85	84	84
Rain-fall (in inches) -	0·81	0·02	0·48	0·13	0·49	0·12	0·02	0·04	0·29	0·01	0·08	1·23	0·46	4·18
Registered Sunshine (in hours).	4·3	3·5	5·7	8·1	22·7	10·9	18·9	7·7	21·1	36·3	22·4	16·2	17·0	194·8
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Meaus.
Small-pox - - -	–	–	–	–	–	–	–	1	1	1	1	1	2	1
Scarlet Fever - -	3537	3454	3567	3347	3261	3211	3201	3117	3002	2910	2826	2873	2670	3151
Diphtheria - - -	1266	1259	1245	1215	1205	1191	1187	1181	1177	1188	1157	1167	1149	1199
Typhus - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever - -	173	168	153	145	145	137	130	124	128	133	124	116	115	138

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lander, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq. F.R.Met.Soc., Hull; the Meteorological Committee, Tynemouth; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the TENTH Week of the Year 1909.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 10th week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1643·9	2221	297	273	85	211	453	899
Small-pox*	0·2	-	-	-	-	-	-	-
Cowpox	-	-	-	-	-	-	-	-
Measles (Morbilli)	48·7	105	17	81	7	-	-	-
Scarlet Fever	9·4	9	-	6	2	1	-	-
Typhus	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-
Influenza	47·9	101	2	3	1	9	30	56
Whooping-cough	43·0	35	18	17	-	-	-	-
Diphtheria	16·8	22	3	13	5	1	-	-
Cerebro-spinal Fever ..	0·2	1	-	1	-	-	-	-
Pyrexia† (origin uncertain)	-	-	-	-	-	-	-	-
Enteric Fever	4·1	4	-	-	-	3	1	-
Asiatic Cholera	-	-	-	-	-	-	-	-
Epidemic Diarrhœa, Infective Enteritis	4·3	4	2	2	-	-	-	-
Diarrhœa, Dysentery ..	11·3	6	3	-	-	-	-	3
Tetanus	0·6	-	-	-	-	-	-	-
Rabies, Hydrophobia ..	-	-	-	-	-	-	-	-
Glanders	-	1	-	-	-	-	1	-
Anthrax (Splenic Fever)..	-	-	-	-	-	-	-	-
Venereal Dis.	7·0	6	4	-	-	1	1	-
Puerperal Septicæmia ..	2·9	5	-	-	-	5	-	-
Puerperal Pyæmia.. .	0·2	-	-	-	-	-	-	-
Puerperal Fever	0·2	-	-	-	-	-	-	-
Infective Endocarditis ..	2·0	1	-	-	-	1	-	-
Pneumonia: Lobar ..	15·4	40	2	2	2	5	17	12
Pneumonia: Broncho ..	83·7	140	40	69	4	5	16	15
Pneumonia: Epidemic ..	0·2	-	-	-	-	-	-	-
Pneumonia: Not defined	69·6	167	17	14	7	27	44	58
Erysipelas	3·5	1	-	-	-	-	1	-
Septicæmia (not Puerperal)	1·4	1	-	-	-	-	-	1
Pyæmia (not Puerperal)	1·0	-	-	-	-	-	-	-
Other Infective Processes	7·8	4	-	-	-	1	1	2
Tuberculous Phthisis ..	95·0	114	1	4	7	46	46	10
"*Ihthisis*	56·9	47	-	2	4	17	16	8
Tuberculous Meningitis ..	24·2	26	5	11	8	1	1	-
Tuberculous Peritonitis ..	6·1	8	-	3	4	1	-	-
Tabes Mesenterica	1·8	1	-	1	-	-	-	-
Tuberculous Dis., Other ..	20·5	21	4	4	3	3	4	3
Scrofula..	-	-	-	-	-	-	-	-
Alcoholism	11·3	3	-	-	-	-	3	-
Rheumatic Fever	6·1	9	-	-	5	4	-	-
Gout	3·1	4	-	-	-	-	2	2
Carcinoma	53·4	62	-	-	-	3	28	31
Sarcoma	8·8	7	-	-	1	3	2	1
Cancer (undefined) ..	32·6	35	-	-	-	4	13	18
Diabetes Mellitus	10·0	14	-	-	-	1	3	10
Premature Birth	47·7	51	51	-	-	-	-	-

CAUSES OF DEATH	Corrected Average for the 10th week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)..	16·0	10	3	3	1	2	1	-
Gen. Par. of Insane, Insanity	19·5	18	-	1	-	5	4	8
Epilepsy	7·4	6	-	-	-	1	1	4
Convulsions	22·7	13	12	1	-	-	-	-
Locomotor Ataxy.. ..	1·6	5	-	-	-	3	-	2
Paraplegia, Dis. of Cord.	5·7	10	-	-	-	1	2	7
Nervous Sys., Other Dis.	20·5	18	-	1	-	-	7	10
Valv. Dis., Endocarditis..	47·9	74	-	-	7	9	28	30
Cereb. Hæm. Cereb. Emb.	41·0	47	-	-	-	-	12	35
Apoplexy, Hemiplegia ..	16·2	15	-	-	-	1	2	12
Aneurysm	5·7	6	-	-	-	-	5	1
Embolism, Thrombosis (not Cerebral) ..	1·8	2	-	-	-	-	2	-
Heart & Blood Ves., Other Dis... ..	99·7	136	-	-	1	5	40	90
Croup (not Spasm: nor Memb.)	0·4	-	-	-	-	-	-	-
Bronchitis	178·5	331	19	16	1	5	50	270
Emphysema, Asthma ..	7·6	15	-	-	-	1	8	6
Pleurisy	4·5	8	-	1	-	2	2	3
Respiratory Dis., Other..	12·7	27	1	1	2	1	3	19
Tonsillitis, Quinsy.. ..	0·6	-	-	-	-	-	-	-
Enteritis (not Epid.) ..	9·8	9	6	2	-	1	-	-
Gastro-enteritis	5·7	5	5	-	-	-	-	-
Peritonitis (not Puerp.) ..	1·2	-	-	-	-	-	-	-
Cirrhosis of Liver.. ..	13·5	8	-	-	-	1	3	4
Liver Dis., Other	4·9	5	-	-	-	-	3	2
Digestive Sys., Other Dis.	42·4	29	3	1	1	8	7	9
Acute Nephritis	6·8	11	-	-	1	6	-	4
Bright's Dis., Albuminuria	42·8	46	-	-	1	6	19	20
Urinary Sys., Other Dis.	12·5	15	-	1	1	-	2	11
Generative Organs Dis. ..	5·7	4	-	-	-	-	2	2
Childbirth (Accid. of) ..	3·5	5	-	-	-	4	1	-
Old Age	67·6	92	-	-	-	-	-	92
Other Diseases	100·3	110	67	15	5	3	6	14
ACCIDENT.								
By Railways	1·0	3	-	-	-	2	-	1
By Vehicles and Horses..	6·1	5	-	1	3	-	1	-
In Ships, Boats, Docks, (exclusive of Drowning)	0·2	1	-	-	-	-	1	-
In Building Operations..	1·2	1	-	-	-	-	1	-
In Conflagrations	1·8	-	-	-	-	-	-	-
By Burns, Scalds, Explosions	8·6	5	1	4	-	-	-	-
By Drowning	2·3	3	-	-	-	1	2	-
By Suffocation in Bed ..	10·4	10	10	-	-	-	-	-
By Poisons or Poisonous Vapours	2·3	1	-	-	-	-	1	-
Other Deaths by Accident..	15·6	17	1	1	-	4	3	9
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	0·8	-	-	-	-	-	-	-
Suicide	7·8	10	-	-	1	1	4	4
Execution	0·2	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c. registered in each SUB-DISTRICT during the Week ended Saturday, 13th March, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexiæ* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON	4,536,267	2585	2221	297	899	-	105	9	22	35	-	4	-	10	56	182	777
WEST DISTRICTS	805,311	370	380	50	172	-	7	-	4	5	-	1	-	1	5	17	131
NORTH DISTRICTS	1,055,908	575	472	54	192	-	21	2	5	6	-	1	-	2	12	42	136
CENTRAL DISTRICTS	209,465	122	92	15	27	-	-	-	1	4	-	-	-	-	3	7	42
EAST DISTRICTS	715,739	503	343	56	122	-	13	2	-	9	-	-	-	3	14	48	151
SOUTH DISTRICTS	1,749,844	1015	879	119	366	-	61	4	11	11	-	2	-	4	22	68	262
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	55	3	20	-	3	1	1	-	-	-	-	-	-	-	55
WEST DISTRICTS.																	
North Paddington *H*	63,603	26	24	1	10	-	-	-	-	-	-	-	-	-	-	-	-
Central Paddington *W,3H*	50,053	23	36	5	15	-	-	-	-	-	-	-	-	-	1	2	20
South Paddington	30,320	6	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town *2W,w,2H* ..	128,037	58	66	7	31	-	4	-	-	1	-	-	-	-	-	2	26
Brompton *2H*	48,591	11	6	-	3	-	-	-	-	-	-	-	-	-	-	-	-
North Hammersmith *2W,w,H* ..	49,192	29	34	2	19	-	-	-	-	-	-	-	-	-	1	1	11
South Hammersmith *w,2H* ..	63,047	35	22	5	9	-	-	-	-	-	-	-	-	1	-	2	6
North-west Fulham *W*	45,180	45	33	7	12	-	-	-	-	1	-	-	-	-	-	2	15
North-east Fulham *F*	46,405	21	19	6	6	-	-	-	3	1	-	1	-	-	-	1	4
South Fulham *W*	45,704	27	18	3	8	-	1	-	-	-	-	-	-	-	-	1	-
Chelsea North *W,w,3H*	42,514	25	37	1	22	-	-	-	-	-	-	-	-	-	-	2	24
Chelsea South *W,2H*	31,328	19	23	5	8	-	1	-	1	2	-	-	-	-	-	-	8
Mayfair and Knightsbridge	28,743	3	12	-	6	-	-	-	-	-	-	-	-	-	1	1	-
Belgrave *W,2H*	55,815	19	25	6	7	-	1	-	-	-	-	-	-	-	1	1	10
St. Margaret & St. John *6H*	43,698	10	16	1	11	-	-	-	-	-	-	-	-	-	-	1	5
St. James and St. Anne *W,6H* ..	33,081	13	5	1	2	-	-	-	-	-	-	-	-	-	1	1	2
NORTH DISTRICTS.																	
All Souls Marylebone *9H*	35,391	7	20	2	5	-	-	-	-	-	-	-	-	-	-	2	10
St. Mary Marylebone *W,4H* ..	37,948	51	8	-	4	-	-	-	-	-	-	-	-	-	-	-	2
Christchurch Marylebone	39,536	20	15	3	4	-	3	-	-	-	-	-	-	-	-	-	-
St. John Marylebone *2H*	20,426	8	5	-	3	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead *W,F,6H*	81,942	31	31	2	17	-	-	-	1	1	-	-	-	-	3	3	8
West St. Pancras *2H*	60,562	29	23	4	10	-	-	-	1	-	-	-	-	-	-	5	1
South St. Pancras *w,12H*	55,707	23	28	-	12	-	-	-	-	-	-	-	-	-	1	4	14
East St. Pancras *W,H*	60,320	38	38	2	24	-	2	-	-	-	-	-	-	-	1	2	15
North St. Pancras *2W*	58,728	26	27	5	10	-	3	-	-	1	-	-	-	1	-	-	8
Tufnell *W*	31,995	19	30	3	12	-	-	-	-	-	-	-	-	-	-	-	21
Upper Holloway *2W,w,H*	33,978	26	32	1	7	-	1	-	-	-	-	1	-	-	-	-	23
Tollington *W,w,H*	33,922	21	11	2	7	-	-	-	-	1	-	-	-	-	-	-	-
Lower Holloway	41,424	30	20	4	6	-	2	-	-	-	-	-	-	-	-	5	-
Barnsbury	54,478	50	19	4	9	-	1	-	-	-	-	-	-	-	1	3	-
Islington South-east *F*	75,397	36	34	9	7	-	3	-	-	1	-	-	-	-	1	3	-
Highbury *2H*	63,797	25	18	1	6	-	3	-	-	-	-	-	-	-	-	1	-
Stoke Newington *H*	51,247	17	18	-	9	-	-	-	-	2	-	-	-	-	-	-	-
North Hackney	50,398	21	21	2	13	-	1	-	-	-	-	-	-	-	2	3	-
Central Hackney *w,F*	50,536	22	15	1	4	-	1	2	3	-	-	-	-	-	1	2	6
South-west Hackney *3H*	59,921	43	29	6	12	-	1	-	-	-	-	-	-	-	2	6	6
South-east Hackney *2W,w,H* ..	58,255	32	30	3	11	-	-	-	-	-	-	-	-	1	-	3	22
Hackney Union Workhouse, Brentwood	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 13th March, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
St. Giles and Bloomsbury 2*W*,2*H*..	31,436	24	13	3	7	-	-	-	-	-	-	-	-	-	-	-	6	-
Strand *W*,4*H*	21,674	-	19	-	4	-	-	-	-	-	-	-	-	-	-	-	14	-
Strand Union Workhouse, Edmonton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn *W*,6*H*	29,612	10	18	4	-	-	-	-	1	2	-	-	-	-	-	-	14	-
Clerkenwell *H*	63,704	36	18	4	9	-	-	-	-	1	-	-	-	-	2	2	-	-
St. Luke 3*H*,*L*	36,116	44	11	3	3	-	-	-	-	1	-	-	-	-	-	2	-	-
Holborn Union Workhouse, Mitcham	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph *H*	10,299	3	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	5	11	1	2	-	-	-	-	-	-	-	-	-	1	3	8	-
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
Shoreditch South 2*H*..	46,362	30	13	-	4	-	2	-	-	1	-	-	-	-	-	1	-	-
Shoreditch North-West *W*,*w* *H* ..	36,127	32	42	4	17	-	1	-	-	2	-	-	-	1	2	4	28	-
Shoreditch North-East	36,148	29	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	45	33	3	20	-	-	-	-	1	-	-	-	-	-	2	29	-
Bethnal Green South-West *H* ..	64,542	44	19	3	6	-	1	-	-	-	-	-	-	-	3	5	2	-
Spitalfields..	27,969	10	9	3	2	-	2	-	-	-	-	-	-	-	-	3	-	-
Mile End New Town *W*,*H*	28,718	28	31	7	4	-	1	-	-	-	-	-	-	-	1	5	31	-
Goodman's Fields	22,081	10	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George and St. John 2*W* ..	49,068	36	18	3	7	-	-	-	-	1	-	-	-	-	2	5	8	-
Shadwell and Ratcliff *w*,*H* ..	25,568	22	8	4	-	-	1	-	-	-	-	-	-	-	-	-	5	-
Limehouse *W*	32,369	22	13	4	2	-	-	-	-	-	-	-	-	-	-	5	-	-
Mile End Old Town South-Western *H*	63,698	55	12	4	1	-	-	-	-	-	-	-	-	-	1	2	1	-
Mile End Old Town North-Eastern *W*,*w*	49,129	33	28	2	15	-	-	-	-	-	-	-	-	-	1	3	12	-
Bow	41,989	30	16	3	8	-	1	-	-	-	-	-	-	-	-	1	-	-
Bromley 3*w*,*H*	68,319	41	60	11	24	-	1	-	-	4	-	-	-	1	2	9	33	-
Poplar *W*,*w*	58,514	36	23	3	8	-	3	2	-	-	-	-	-	1	2	3	2	-
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c. registered in each SUB-DISTRICT during the Week ended Saturday, 13th March, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch and St. Saviour Southwark *W,2H*	23,319	9	20	4	4	-	2	-	1	-	-	-	-	1	2	2	13	-
Kent-road	21,904	9	8	2	3	-	2	-	-	-	-	-	-	-	-	1	-	-
St. George the Martyr West *W,2H,L*	39,094	15	17	2	7	-	1	-	-	-	-	-	-	-	1	4	3	-
Newington North	49,022	21	19	4	7	-	-	-	-	-	-	-	-	-	1	1	-	-
Newington South *W*	72,841	44	29	6	15	-	-	-	-	-	-	-	-	-	-	2	6	1
St. Olave *2W*	9,817	8	2	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-
Bermondsey *W*	82,483	42	32	8	7	-	5	-	-	2	-	-	-	-	-	1	-	-
Rotherhithe *W,F*	38,460	21	42	5	13	-	12	-	-	-	-	-	-	-	-	1	21	-
Waterloo *2H*	27,440	36	7	-	3	-	1	-	-	-	-	-	-	-	-	1	-	-
Lambeth Church *H*	27,440	13	21	3	1	-	-	-	-	-	-	-	-	-	1	7	13	-
Kennington *2W*	52,518	33	54	4	25	-	2	-	-	1	-	1	-	-	-	3	37	-
Stockwell *HF*	63,826	51	33	7	13	-	-	2	2	-	-	-	-	-	-	-	5	-
Brixton *H*	73,673	40	25	3	16	-	-	-	-	1	-	-	-	-	1	2	-	-
Norwood *2WH*	56,998	24	16	1	12	-	-	-	-	-	-	-	-	-	1	2	1	-
East Battersea *H*	72,203	39	24	7	8	-	2	-	-	3	-	-	-	-	-	5	-	-
North-west Battersea	49,656	31	16	5	3	-	2	-	-	-	-	-	-	-	-	-	-	-
South-west Battersea *2W,H*	47,048	19	46	7	14	-	3	-	-	1	-	-	-	-	1	1	36	-
Clapham *2H*	51,361	27	28	3	12	-	2	-	-	2	-	-	-	-	1	3	2	-
Streatham *W,2w,2F,2L*	88,019	51	70	6	37	-	3	-	4	-	-	-	-	2	2	6	19	-
Springfield *2W,L*	27,959	28	12	-	6	-	1	-	-	-	-	-	-	-	-	-	-	-
Southfields *H*	40,144	30	17	1	7	-	2	-	-	-	-	-	-	-	-	-	-	-
Putney	24,139	12	8	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich	13,359	8	7	-	3	-	-	-	-	-	-	-	-	-	1	1	-	-
Camberwell South *W,w*	40,206	24	50	6	28	-	-	-	-	-	-	-	-	-	1	2	36	-
Camberwell North *W,2L*	65,584	31	43	6	18	-	1	-	-	1	-	-	-	-	1	3	17	-
St. George	47,331	21	17	4	7	-	1	-	-	-	-	-	-	-	-	3	-	-
Peckham North	48,913	38	20	5	9	-	4	-	-	-	-	-	-	-	1	2	-	-
Peckham South *2W,w*	43,946	21	22	3	9	-	3	-	-	-	-	-	-	-	-	1	1	-
Deptford North	37,613	25	17	5	3	-	4	-	1	-	-	-	-	1	-	-	-	-
Deptford Central *F*	45,481	33	16	2	6	-	2	-	1	-	-	1	-	-	-	1	3	-
Deptford South	34,625	13	11	-	7	-	-	-	-	-	-	-	-	-	1	1	-	-
Greenwich West *2H*	23,456	18	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich East *2W,H*	43,859	24	34	2	12	-	1	-	-	-	-	-	-	-	2	4	21	-
Eltham *w,H*	7,226	11	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *w,H*	25,490	15	8	1	6	-	-	-	-	-	-	-	-	-	1	1	2	-
Lewisham *2W,w,F*	58,352	39	27	3	12	-	2	2	1	-	-	-	-	-	1	2	14	-
Sydenham *H*	43,653	20	8	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-
Charlton *F,2H*	21,134	9	10	-	2	-	1	-	1	-	-	-	-	-	-	-	2	-
Woolwich *5H*	41,625	26	15	2	6	-	1	-	-	-	-	-	-	-	1	3	1	-
Plumstead West *W,H*	39,376	18	8	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *2W*	28,951	13	14	-	6	-	1	-	-	-	-	-	-	-	-	1	9	-
Workhouses:—																		
Belmont Workhouse	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
M. A. B. Small-pox Hospitals:—																		
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																		
Gore Farm (temporary)	—	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
North-Eastern	—	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																		
Children's Infirmary, Carshalton	—	-	8	3	-	-	3	-	-	-	-	-	-	-	-	-	8	-
M. A. B. Imbecile Asylums:—																		
Caterham	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Darenth	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
Leavesden	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Lunatic Asylums:—																		
Banstead	—	-	5	-	2	-	-	-	-	-	-	-	-	-	-	-	5	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Manor	—	-	4	-	4	-	-	-	-	-	-	-	-	-	-	-	4	-
Long Grove	—	-	7	-	2	-	-	-	-	-	-	-	-	-	-	-	7	-
Cane Hill	—	-	11	-	4	-	-	-	-	-	-	-	-	-	-	-	11	-
Dartford Heath	—	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	4	-
Hanwell	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Colney Hatch	—	-	6	-	2	-	-	-	-	-	-	-	-	-	-	-	6	-
Claybury	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-

TABLE **6.** LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERATED POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 13th March, 1909

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING ..	368,603	2,045,135	1393	894	149	374	-	28	8	6	16	1	1	19	58	147	2
30 : 1	Carshalton *2F,3H*	12,228	32,997	17	17	6	7	-	-	1	-	-	-	-	-	-	1	-
2	Epsom, *part of** *W,w,2F,H* ..	10,423	15,548	9	5	1	2	-	-	-	-	-	-	1	-	-	-	-
37 : 1	Godstone, *part of** *W,F,L* ..	2 751	2,692	5	-	-	-	-	-	-	-		-	-	-	-	-	-
38 : 1	Coulsdon	11,069	8,166	4	3	2	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon *w,H* ..	4,200	49,309	17	19	4	12	-	-	-	-	-	-	-	-	2	-	-
3	West Croydon *3W,F,H* ..	2,168	42,888	30	30	3	13	-	-	1	-	1	-	-	-	2	14	-
4	North Croydon *H*	2,614	41,698	23	16	3	7	-	-	-	-	-	-	-	-	-	1	-
5	Penge *w*	770	22,465	10	15	1	9	-	-	-	-	-	-	-	-	-	-	-
6	Mitcham *w*	11,711	30,015	31	17	3	9	-	-	-	-	1	-	-	-	-	-	-
39 : 1	Wimbledon *F,3H*	3,221	41,652	21	12	1	6	-	-	-	-	-	-	-	1	1	1	-
2	Kingston *2W,H*	6,224	42,068	21	24	2	12	-	3	-	-	-	-	-	-	-	8	-
3	Surbiton *F,H*	3,046	15,017	10	4	-	3	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** *H*	5,402	13,100	9	2	-	1	-	-	-	-	-	-	-	-	-	-	-
5	Hampton *H,F,L*	4,564	23,456	12	11	2	4	-	-	-	-	-	-	-	-	-	-	-
40 : 1	Richmond *W,H*	2,491	31,672	14	15	3	7	-	-	-	-	-	-	-	-	1	3	-
2	Mortlake *F*	2,518	17,821	9	8	-	5	-	-	-	-	1	-	-	1	1	-	-
41 : 1	Bromley *F,3H*	4,703	27,354	18	12	2	7	-	-	-	-	1	-	-	2	3	2	-
2	Beckenham *H*	7,825	28,497	18	16	3	7	-	-	-	-	-	-	-	-	2	-	-
3	Orpington, *part of** *W,F* ..	10,113	9,857	5	4	-	3	-	-	-	-	-	-	-	-	2	-	-
4	Chislehurst *2H*	7,333	16,446	9	4	-	2	-	-	-	-	-	-	-	-	-	-	-
42 : 1	Bexley *w,F,H*	8,678	21,151	11	9	1	5	-	-	-	-	-	-	-	-	-	-	-
2	Erith *F,H*	3,854	25,296	19	6	3	1	-	-	-	-	-	1	-	-	-	-	-
3	Dartford *W,F, part of** ..	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
124 : 1	Sunbury *w*	11,054	18,683	17	4	1	1	-	-	-	-	-	-	-	-	-	-	-
2	Staines *W,H*	13,277	15,178	9	13	3	7	-	-	-	-	-	-	-	-	-	4	-
125 : 1	Hillingdon *W,F,H*	6,035	13,661	11	8	2	3	-	1	-	-	-	-	-	-	-	-	-
2	Uxbridge *H*	12,757	8,984	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-
3	Hayes *w 2F,H*	8,066	16,358	24	6	1	2	-	1	-	-	-	-	-	-	-	-	-
126 : 1	Isleworth *3W,3F,H*	6,859	30,863	21	26	4	10	-	-	-	-	-	-	-	1	1	16	-
2	Twickenham *F2H*	2,421	20,991	6	7	-	4	-	-	-	-	-	-	-	-	-	-	-
3	Brentford *3F,2H*	4,319	48,289	42	29	4	9	-	1	-	-	1	-	-	-	3	-	-
4	Chiswick *H*	1,249	29,809	9	15	1	10	-	-	-	-	1	-	-	-	1	-	-
5	Acton *w,F,3H*	6,132	48,914	38	21	2	5	-	-	2	-	1	-	-	2	3	-	-
127 : 1	Harrow *F,H*	13,809	25,523	30	19	3	7	-	4	-	-	-	-	-	-	1	-	1
2	Edgware *2F,2H*	6,994	4,521	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden *W,F,2H*	4,384	114,811	83	39	9	11	-	1	1	-	2	-	-	3	3	7	-
4	Hendon *W,F*	8,382	22,450	16	7	-	3	-	-	-	-	-	-	-	-	-	2	-
128 : 1	South Mimms *2F,H* ..	17,755	7,308	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-
2	Barnet *W,2H*	3,324	17,970	13	7	-	4	-	-	-	-	-	-	-	-	-	-	-
3	Finchley *F,3H*	4,688	33,692	34	16	4	5	-	-	-	-	-	-	-	-	2	1	-
129 : 1	Hornsey *F,H*	2,875	72,056	18	18	3	8	-	-	-	-	-	-	-	-	-	-	-
2	Wood Green *H*	1,625	34,233	28	14	2	5	-	-	-	-	-	-	-	-	1	-	-
3	West Tottenham	995	48,741	42	19	2	8	-	1	-	-	-	-	-	-	2	-	-
4	East Tottenham *2H* ..	2,019	53,962	40	13	4	3	-	-	-	-	-	-	-	-	1	3	-
5	Edmonton *W,w,2F*	7,491	61,892	42	25	3	10	-	1	-	-	-	-	-	3	5	6	-
6	Enfield *2W,F,H*	12,601	42,738	28	22	7	6	-	-	-	3	-	-	-	-	2	4	-
7	Waltham Abbey *F*	11,017	6,549	3	2	-	2	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt *F,H*	8,479	12,292	4	4	-	2	-	-	-	-	-	-	-	-	-	1	1
135 : 1	Hatfield, *part of** *W* ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey *H*	9,333	9,173	6	3	-	1	-	-	-	-	-	-	-	-	-	2	-
2	Watford *W,2F, part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
186 : 1	Stratford *H*	1,091	52,974	34	16	4	7	-	-	-	-	-	-	-	-	1	-	-
2	Forest Gate	787	52,746	24	13	2	6	-	-	-	1	-	-	-	-	-	-	-
3	Plaistow *F,2H*	1,249	90,921	71	44	13	14	-	5	2	-	4	-	-	1	2	4	-
4	Canning Town *H*	1,556	70,718	77	32	6	8	-	6	-	-	1	-	-	1	5	-	-
5	South East Ham *2F* ..	1,991	37,342	39	8	2	3	-	-	-	1	-	-	-	-	-	1	-
6	North East Ham *w,H* ..	1,333	58,666	36	22	3	13	-	1	-	-	1	-	-	-	-	-	-
7	Wanstead *F*	1,679	9,179	4	3	-	3	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton *2W*	631	50,467	35	23	2	17	-	1	-	-	-	-	-	1	1	14	-
9	North Leyton *2W,w,F* ..	1,963	48,445	27	52	4	21	-	-	-	-	1	-	-	2	6	25	-
10	Walthamstow *2H,L* ..	6,504	108,929	69	34	13	4	-	1	-	-	-	-	-	-	-	2	-
187 : 1	Chigwell *2F,3H*	11,778	16,397	12	7	-	5	-	-	-	-	-	-	-	1	2	1	-
2	Epping *W,F, part of** ..	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
189 : 1	Romford, *part of** *W,2F* ..	6,556	6,091	4	3	-	3	-	-	-	-	-	-	-	-	-	3	-
2	Ilford *F,L*	8,496	41,244	54	24	3	14	-	1	-	-	-	-	-	-	2	1	-
3	Barking Town *F*	3,805	21,547	15	5	1	1	-	-	-	-	-	-	-	-	-	-	-
	N.E. Hospital, Tottenham..	—	—	-	2	-	-	-	-	1	1	-	-	-	-	-	2	-
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	5	-	3	-	-	-	-	-	-	-	-	-	5	-
	London County Lunatic Asylum, Banstead.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Middlesex County Lunatic Asylum, Napsbury.	—	—	-	5	-	1	-	-	-	-	-	-	-	-	-	5	-
	Essex County Lunatic Asylum, Brentwood.	—	—	-	4	-	1	-	-	-	-	-	-	-	-	-	4	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30 : 2, excepting Ashtead parish; 37 : 1, Warlingham and Farley parishes; 39 : 4, excepting Esher parish; 41 : 3, excepting Cheisfield, Cudham, and Knockholt parishes; 135 : 1, Northaw parish; 189 : 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42 : 3, 137 : 2 and 187 : 2 and in the Croydon Mental Hospital in 37 : 1 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON - -	4,833,938	March 13	2585	2221	24·0	-	105	9	22	35	4	10
CALCUTTA - -	1,014 438	January 30	-	449	23·6	83	1	-	-	-	98†	57‡
BOMBAY - -	982,000	February 23	395	736	39·1	24	3	-	-	-	174†	51‡
MADRAS - -	548,974	" 12	244	373	38·0	3	2	?	?	?	148	55‡
PARIS - - -	2,747,599	March 6	1002	1254	23·9	-	6	3	4	9	5	19
BRUSSELS - -	704,975	" 6	244	213	15·7	-	-	1	1	-	1	13
ANTWERP - -	310,903	" 6	131	110	18·4	-	1	1	3	1	-	1
AMSTERDAM -	566,256	" 6	282	158	14·5	-	1	-	1	2	-	3
COPENHAGEN -	445,000	" 6	256	163	19·1	-	2	2	2	5	-	1
STOCKHOLM -	337,460	February 27	133	118	18·2	-	-	3	1	1	-	3
CHRISTIANIA -	231,687	March 6	119	61	13·7	-	-	-	-	1	-	1
ST. PETERSBURG	1,573,000	February 27	997	845	28·0	1	23	15	11	6	12	81‡
MOSCOW - -	1,452,100	" 20	-	890	32·0	8	19	14	14	4	11	63
		" 27	-	833	29·9	5	17	20	7	5	7	53
BERLIN - -	2,110,975	" 20	896	707	17·5	-	9	13	15	3	3	25
HAMBURG - -	872,252	March 6	-	251	15·0	-	-	3	6	1	-	16
BRESLAU - -	499,437	February 27	-	199	20·8	-	-	-	-	-	1	11
MUNICH - -	566,000	" 27	-	219	20·1	-	6	7	3	-	-	21
VIENNA - -	2,042,426	March 6	770	837	21·3	-	19	9	9	3	1	40
PRAGUE - -	480,856	February 27	207	220	23·8	-	1	7	1	1	1	8
BUDAPEST - -	823,215	" 27	459	313	19·7	-	2	3	1	1	3	8
TRIESTE - -	216,680	March 6	136	138	33·5	-	-	1	-	1	2	2
ROME - - -	565,323	January 9	283	230	21·2	-	5	-	5	1	1§	13
VENICE - -	176,815	February 6	88	99	29·2	-	1	-	1	-	1	-
		" 13	83	100	29·5	-	-	-	1	-	-	3
BUCAREST - -	293,619	January 30	167	151	26·8	-	-	6	-	1	1	2
		February 6	220	153	27·2	-	-	5	-	-	1	3
NEW YORK -	4,564,792	" 27	-	-	-	-	-	-	-	-	-	-
CHICAGO - -	2,224,490	" 20	-	654	15·3	-	7	2	10	-	9	37
PHILADELPHIA -	1,565,569	January 16	-	514	17·1	-	5	1	8	1	6	12
		" 23	-	529	17·5	-	3	2	9	1	20	14
RIO DE JANEIRO	636,018	Febuary 6	-	278	22·8	13	3	-	1	1	5†	?

* Excluding deaths from croup in the Indian Cities.
† Including 14 deaths from plague in Calcutta, 94 in Bombay, and 1 in Rio de Janeiro.
‡ Including 17 deaths from cholera in Calcutta, 5 in Bombay, 1 in Madras, and 22 in St. Petersburg.
§ Malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 13th March, 1909.

Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches
	°	°	°			°	°	°	
LONDON (Greenwich)	49·2	30·2	37·3	0·46	BRADFORD - -	40·6	29·2	34·5	0·90
BRIGHTON - -	45·7	33·9	38·8	0·51	YORK - - -	44·0	28·5	36·2	0·88
PORTSMOUTH - -	48·0	34·0	39·0	0·34	HULL - - -	47·0	29·0	36·5	0·63
NORWICH - -	49·0	31·0	37·1	0·35	TYNEMOUTH - -	45·0	31·0	36·7	0·81
PLYMOUTH - -	48·3	29·9	38·7	0·91	CARDIFF - - -	45·4	30·1	36·4	0·11
BRISTOL - - -	45·2	29·0	36·8	0·17	EDINBURGH - -	44·8	29·7	35·4	0·65
BIRMINGHAM - -	40·6	29·0	34·6	0·29	GLASGOW - -	49·0	32·0	37·7	0·51
NOTTINGHAM - -	44·7	27·1	35·5	0·24	DUBLIN Phœnix Park.	48·5	27·7	38·2	0·60
LIVERPOOL OBSERVATORY.	42·0	31·0	36·0	0·22	DUBLIN Fitzwilliam Square.†	48·0	30·1	39·3	0·43
MANCHESTER -	44·2	29·8	35·8	0·08					
BURNLEY - -	42·2	30·0	34·7	0·14					
HUDDERSFIELD -	41·0	24·5	33·6	0·37	BELFAST - - -	48·0	25·5	37·0	1·13

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0°·9 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 13th March, 1909.

[*Under the Superintendence of the Astronomer Royal.*]

1909. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure on the Square Foot. Least.	Wind. Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
MARCH.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 7	Full	29·103	44·0	33·8	10·2	37·1	− 3·9	31·8	5·3	12·6	0·8	81	79·1	30·9	38·23	SE., W. & WSW.	WSW., SW. & S.	4·4	0·0	0·2	325	− 16	0·33	0·0
MONDAY - 8	In Apogee.	29·489	49·2	30·2	19·0	39 7	− 1·4	34·0	5·7	14·5	0·4	80	104·5	21·1	38·20	S. & SE.	SE., ESE. & E.	1·6	0·0	0·1	206	−137	0·00	7·0
TUESDAY - 9	In Equator	29·512	39·0	33·4	5·6	35·4	− 5·6	33·6	1·8	4·0	1·0	93	56·5	27·0	38·30	E., ENE. & NE.	E. & ENE.	1·1	0·0	0·0	212	−127	0·05	1·0
WEDNESDAY 10	..	29·513	41·0	35·3	5·7	37·4	− 3·5	34·0	3·4	6·2	2·1	87	61·8	33·0	38·50	ENE. & E.	ENE. & NE.	4·1	0·0	0·3	380	+ 52	0·00	0·0
THURSDAY - 11	..	29·636	36·8	33·2	3·6	34·2	− 6·8	32·6	1·6	3·7	0·0	94	37·0	31·9	38·71	NE.	NE. & NNE.	4·0	0·0	0·3	395	+ 77	0·07	1·0
FRIDAY - 12	..	29·787	37·5	33·6	3·9	35·3	− 5·8	30·4	4·9	7·9	1·1	83	47·3	28·5	38·80	N.	N., NNE. & NNW.	3·0	0·0	0·2	334	+ 27	0·01	0·2
SATURDAY - 13	..	29·605	41·9	33·1	8·8	36·7	− 4·6	28·9	7·8	12·0	4·0	73	76·0	28·0	38·88	NNW. & N.	N., NNW. & WSW.	3·3	0·0	0·3	315	+ 18	0·00	0·8
MEANS - -		29·521	41·3	33·2	8·1	36·5	− 4·5	32·2	4·4	8·7	1·3	84	66·0	28·6	38·52	Variable		..	..	..	Sum 2167	Sum −106	Sum 0·46	1·4
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. MARCH.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY - 7	v. N. to 6h. A.M.; then s. P. generally; v. P. and v. N. from 5h. P.M. to 9h. P.M.	3·4	11·2	Very cloudy with frequent rain and a little hail in afternoon. Solar halo in forenoon; clearing late at night.
MONDAY - 8	m. P. generally; a little s. P. towards midnight.	10·3	11·3	A very fine day with hoar frost morning and night. Solar halo with parhelion observed in afternoon.
TUESDAY - 9	v. P. generally; a little v. N. shortly before noon.	0·0	11·3	Overcast throughout with frequent light rain, snow, or sleet.
WEDNESDAY 10	v. P. throughout.	0·2	11·4	Overcast with slight exceptions; cold wind in evening.
THURSDAY - 11	v. P. throughout.	0·0	11·5	Overcast throughout; granular snow and misty rain at times.
FRIDAY - 12	v. P. throughout.	0·0	11·6	Overcast generally; break in afternoon; slight rain and snow at times.
SATURDAY - 13	m. P. till 8h. A.M.; s. P. generally afterwards.	3·1	11·6	Cloudy with bright intervals. Solar halo in morning; slight snow at times.
		Sum 17·0	Sum 79·9	
No. of Col. - -	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 28·89 in. at the beginning of the week to 28·85 in. by 3h. A.M. on 7th; increased to 29·56 in. by 1h. A.M. on 9th; decreased to 29·49 in. by 4h. P.M. on the same day; increased to 29·80 in. by noon on 12th; and decreased to 29·44 in. by midnight on the 13th.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 6th March, 1909.*

BOROUGHS.	Estimated Population in the middle of 1909.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	151,955	-	11	2	-	1	-	-	-	-	-
Kensington	183,683	-	8	4	-	-	-	-	3	-	-
Hammersmith	125,704	-	8	3	-	-	-	-	3	-	-
Fulham	176,406	-	3	14	-	2	-	-	2	-	-
Chelsea	75,249	-	4	1	-	-	-	-	1	1	-
City of Westminster ..	168,883	-	9	7	-	-	-	-	2	-	-
NORTH.											
St. Marylebone	126,027	-	3	2	-	-	-	-	-	-	-
Hampstead	94,185	-	9	-	-	-	-	-	-	-	-
St. Pancras	237,422	-	14	11	-	-	-	-	5	1	-
Islington	351,202	-	27	7	-	1	-	-	9	1	-
Stoke Newington	54,423	-	5	-	-	-	-	-	2	-	-
Hackney	237,601	-	15	6	-	1	-	-	5	-	-
CENTRAL.											
Holborn	53,802	-	2	-	-	-	-	-	-	-	-
Finsbury	95,289	-	7	1	-	-	-	-	2	-	-
City of London	18,193	-	-	-	-	-	-	-	-	-	-
EAST.											
Shoreditch	114,802	-	6	3	-	-	-	-	-	-	-
Bethnal Green	131,316	-	4	3	-	1	-	-	1	-	-
Stepney	312,525	-	23	14	1	1	-	-	6	-	-
Poplar	171,965	-	17	6	-	-	-	-	3	-	-
SOUTH.											
Southwark	211,125	-	9	10	-	1	-	-	6	-	-
Bermondsey	127,569	-	6	2	-	1	-	-	6	-	-
Lambeth	324,188	-	12	8	-	2	-	-	5	-	-
Battersea	186,036	-	8	6	-	1	-	-	3	-	-
Wandsworth	297,646	-	23	8	-	5	-	-	2	-	1
Camberwell	283,022	-	25	4	-	-	-	-	7	-	-
Deptford	118,583	-	3	5	-	-	-	-	2	-	-
Greenwich	111,014	-	5	5	-	-	-	-	-	-	-
Lewisham	160,749	1	14	2	-	1	-	-	1	-	-
Woolwich	133,374	-	28	4	-	-	-	-	5	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,833,938	1	308	138	1	18	-	-	81	3	1
Ages 0-1		-	6	10	-	-	-	-	-	-	1
" 1-5		-	74	62	-	1	-	-	4	-	-
" 5-		1	116	39	-	2	-	-	6	-	-
" 10-		-	51	11	-	3	-	-	3	-	-
" 15-		-	24	3	-	3	-	-	3	-	-
" 20-		-	21	6	-	3	-	-	6	1	-
" 25-		-	14	5	1	4	-	-	11	-	-
" 35-		-	2	2	-	1	-	-	10	2	-
" 45-		-	-	-	-	1	-	-	17	-	-
" 55-		-	-	-	-	-	-	-	11	-	-
" 65 and upwards		-	-	-	-	-	-	-	10	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY DARLING & SON, LTD., 34-40, BACON STREET, E

1909.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 11. 1909. VOL. LXX.] WEEK ENDED SATURDAY, MAR. 20. [Price 1½*d*.

General Register Office, Somerset House,
March 22nd, 1909.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 22·1 per 1000 of their aggregate population, which is estimated† at 16,445,281 persons in the middle of this year. In the preceding three weeks the rates had been 19·1, 21·3, and 22·1. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 25·5 in Burnley, 26·0 in Merthyr Tydfil, 26·5 in Wigan, 26·7 in Warrington, 27·9 in Liverpool, 28·2 in Sheffield, and 36·7 in St. Helens; from *measles*, 4·2 in Birmingham, 4·4 in Smethwick, 4·6 in West Hartlepool, 4·9 in Aston Manor, 5·9 in Sunderland, and 13·2 in St. Helens; from *scarlet fever*, 1·9 in Blackburn and 2·2 in St. Helens; from *whooping-cough*, 1·3 in Coventry, 1·4 in Nottingham, 1·6 in Brighton, 2·0 in Great Yarmouth, and 2·7 in Swansea; from "*fever*," 1·4 in Warrington; and from *diarrhœa*, 2·2 in Smethwick. One death from *small-pox* was registered in London and one in Bristol, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2469 BIRTHS and 2225 DEATHS were registered. Allowing for increase of population, the births were 117 below and the deaths 627 above the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes, which had been 19·9, 22·8, and 24·0 per 1000 in the preceding three weeks, was again 24·0 last week. The death-rate in the four weeks ended last Saturday averaged 22·7 per 1000, being 5·3 per 1000 above the mean rate in the corresponding periods of the five years 1904–8.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals and Asylums, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6 added to the Outer Ring. The figures relating to the seventy-five other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(12849—41.) Wt. 36—184. 700. 3/09. D & S. G. 31. Sch. 4.

The 2225 deaths included 1 from small-pox, 129 from measles, 7 from scarlet fever, 19 from diphtheria, 36 from whooping-cough, 5 from enteric fever, and 16 from diarrhœa; but not one death from typhus or from ill-defined pyrexia: thus, to these diseases in the aggregate 213 deaths were referred, being 81 above the corrected average number in the eleventh week of the preceding five years.

One death from *small-pox*, belonging to the City of Westminster was registered last week. The deaths from *measles*, which had been 94, 92, and 105 in the preceding three weeks, rose to 129 last week, and were 76 above the corrected average; 14 deaths belonged to the Borough of St. Pancras, 14 to Bermondsey, 13 to Islington, 11 to Wandsworth, and 10 to Southwark. The deaths from *scarlet fever*, which had been 8, 7, and 9 in the preceding three weeks, were 7 last week, the corrected average being 8. The deaths from *diphtheria*, which had been 18, 18, and 22 in the preceding three weeks, numbered 19 last week, and were 5 above the corrected average; 4 deaths belonged to Kensington. The deaths from *whooping-cough*, which had been 35, 55, and 35 in the preceding three weeks, were 36 last week, and were 4 below the corrected average; 5 deaths belonged to Wandsworth, and 3 each to Paddington, Islington, and Battersea. The deaths from *enteric fever*, which had been 2, 1, and 4 in the preceding three weeks, were 5 last week, the corrected average being 2. The deaths from *diarrhœa*, which had been 14, 10, and 10 in the preceding three weeks, rose to 16 last week, and were 2 above the corrected average. Of the 16 deaths from diarrhœa, 10 were those of children under 5 years of age; 9 other deaths at this age were certified as due to *enteritis* and 1 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 125, having been 36, 66, and 101 in the preceding three weeks. Compared with the corrected averages, the deaths from *bronchitis* and *pneumonia* last week again showed a marked excess.

Different forms of violence caused 66 deaths, concerning all of which inquests were held. Of these 66 deaths, 11 were cases of suicide, while the remaining 55 were attributed to accident or negligence. Two of these latter were referred to vehicles in the streets, ten to burns or scalds, six to drowning, two to a conflagration, and eight, of infants under one year of age, to suffocation in bed. Two deaths occurred while under anæsthetics administered for surgical purposes.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 3 cases of small-pox, 2596 of scarlet fever, 1143 of diphtheria, and 106 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 1 case, against 0, 0, and 2; of scarlet fever, 279 cases, against 292, 285, and 268; of diphtheria, 126 cases, against 117, 114, and 125; and of enteric fever, 5 cases, against 17, 7, and 13. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended March 13th, 1909.

Greater London.

In Greater London 3745 births and 3070 deaths were registered. Allowing for increase of population, these numbers are 281 below and 814 above the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 13 deaths from measles, 3 from scarlet fever, 5 from diphtheria, 3 from whooping-cough, and 1 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·23 inches, and that of the Thermometer 38°·8, the latter being 3°·0 below the week's average in the 65 years ended 1905. The direction of the wind was variable, the horizontal movement of the air being 1 per cent. above the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 17·7 hours; the measured rainfall amounted to 0·41 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 20th March, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 27th Feb., 1909.	6th Mar., 1909.	13th Mar., 1909.	20th Mar., 1909.	Rate from Diseases in Cols. 11–17. Week ended 20th March, 1909.	Registered during the Week ended 20th March, 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS	**16,445,281**	**19·1**	**21·3**	**22·1**	**22·1**	**2·3**	**8632**	**6985**	**1160**	**2463**	**2**	**438**	**42**	**54**	**122**	**22**	**45**	**200**	**493**	**1780**	**59**	**76 TOWNS.**
LONDON	4,833,938	19·9	22·8	24·0	24·0	2·3	2469	2225	308	860	1	129	7	19	36	5	16	66	190	872	1	LONDON.
CROYDON	161,078	17·5	18·1	20·1	21·4	1·9	81	66	6	29	–	2	–	1	3	–	–	1	6	6	–	CROYDON.
WILLESDEN ..	160,424	17·6	14·3	13·7	14·3	2·0	69	44	10	16	–	4	–	–	1	–	1	2	5	3	1	WILLESDEN.
HORNSEY	95,628	7·6	8·7	10·9	12·0	1·1	36	22	1	17	–	–	–	1	1	–	–	–	2	2	–	HORNSEY.
† TOTTENHAM ..	129,464	17·3	12·1	14·9	14·1	0·8	68	35	7	18	–	–	–	–	2	–	–	1	3	4	–	† TOTTENHAM.
WEST HAM ..	321,767	17·7	17·5	20·4	19·3	2·9	153	119	23	31	–	7	2	1	7	–	1	2	6	30	–	WEST HAM.
EAST HAM.. ..	149,575	13·9	12·9	11·9	15·0	1·0	63	43	7	15	–	3	–	–	–	–	–	1	3	9	–	EAST HAM.
LEYTON	129,614	11·3	12·1	16·9	13·7	1·2	62	34	5	16	–	3	–	–	–	–	–	–	1	6	–	LEYTON.
WALTHAMSTOW‡	136,602	10·7	11·5	14·5	10·3	1·5	74	27	8	10	–	3	1	–	–	–	–	–	4	6	–	WALTHAMSTOW.‡
HASTINGS	68,165	16·8	15·3	24·5	16·1	–	23	21	3	12	–	–	–	–	–	–	–	1	1	1	–	HASTINGS.
BRIGHTON	130,926	19·9	27·5	34·6	21·5	2·4	48	54	6	31	–	–	–	1	4	–	1	1	4	6	–	BRIGHTON.
PORTSMOUTH ..	214,726	23·8	21·6	20·2	19·2	4·4	108	79	17	23	–	16	–	1	1	–	–	4	4	17	1	PORTSMOUTH.
BOURNEMOUTH ..	72,368	15·1	23·1	21·6	19·5	1·4	22	27	2	11	–	1	–	–	–	–	1	–	–	4	–	BOURNEMOUTH.
SOUTHAMPTON ..	124,667	18·8	23·4	20·1	16·7	0·8	64	40	10	20	–	–	–	–	2	–	–	1	2	2	–	SOUTHAMPTON.
READING	82,995	17·0	10·1	15·1	23·2	1·9	36	37	4	15	–	3	–	–	–	–	–	–	1	7	–	READING.
NORTHAMPTON ..	97,752	20·8	19·7	19·2	23·5	–	37	44	5	20	–	–	–	–	–	–	–	–	1	7	–	NORTHAMPTON.
IPSWICH	74,889	18·1	13·9	16·7	16·7	–	38	24	4	9	–	–	–	–	–	–	–	–	–	5	–	IPSWICH.
GREAT YARMOUTH	53,430	22·4	18·5	21·5	21·5	2·0	25	22	2	14	–	–	–	–	2	–	–	1	1	4	–	GREAT YARMOUTH.
NORWICH	124,136	13·4	17·6	19·3	20·2	0·8	49	48	12	24	–	–	–	1	–	–	1	1	7	9	–	NORWICH.
PLYMOUTH	124,180	17·2	21·0	23·9	21·0	2·9	55	50	9	25	–	6	–	–	–	1	–	1	3	5	–	PLYMOUTH.
DEVONPORT	83,103	13·8	15·7	13·2	11·9	1·9	50	19	1	6	–	3	–	–	–	–	–	–	–	2	–	DEVONPORT.
BRISTOL	377,642	15·3	17·3	15·9	20·3	1·4	159	147	23	65	1	3	–	1	4	–	1	1	7	35	1	BRISTOL.
HANLEY	68,831	22·7	29·5	25·8	22·0	0·8	49	29	7	10	–	–	–	–	–	1	–	–	1	6	–	HANLEY.
BURTON-ON-TRENT	54,453	15·3	19·2	25·9	13·4	–	21	14	–	8	–	–	–	–	–	–	–	–	1	4	–	BURTON-ON-TRENT.
WOLVERHAMPTON..	104,633	22·4	20·9	22·4	21·4	0·5	60	43	4	16	–	–	–	–	1	–	–	2	3	11	–	WOLVERHAMPTON.
WALSALL	99,399	13·6	10·5	17·8	19·4	2·1	63	37	7	12	–	2	–	–	1	–	1	3	6	9	–	WALSALL.
HANDSWORTH ..	70,186	14·9	10·4	11·9	20·8	3·7	28	28	2	10	–	4	1	–	–	–	–	–	–	4	1	HANDSWORTH.
WEST BROMWICH..	70,457	16·3	16·3	22·9	20·7	0·7	46	28	2	15	–	–	1	–	–	–	–	1	1	2	–	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 20th March, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 27th Feb., 1909.	6th Mar., 1909.	13th Mar., 1909.	20th Mar., 1909.	Rate from Diseases in Cols. 11-17. Week ended 20th March, 1909.	Registered during the Week ended 20th March, 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
BIRMINGHAM ..	563,629	25·5	26·2	27·0	25·1	4·7	335	271	49	71	-	45	-	2	2	-	2	5	7	52	10	BIRMINGHAM.
KINGS NORTON ..	81,632	16·6	13·4	15·3	16·6	1·3	28	26	4	12	-	2	-	-	-	-	-	-	-	3	-	KINGS NORTON.
SMETHWICK	70,377	20·7	26·7	18·5	23·0	7·4	31	31	10	6	-	6	-	-	1	-	3	-	-	1	1	SMETHWICK.
ASTON MANOR ..	85,257	29·4	23·9	23·9	23·2	5·5	45	38	5	10	-	8	-	-	-	-	1	2	2	2	-	ASTON MANOR.
COVENTRY	80,163	20·2	17·6	23·4	24·1	4·6	55	37	6	14	-	2	1	1	2	1	-	-	-	5	-	COVENTRY.
LEICESTER	244,255	13·9	17·3	19·9	22·8	2·3	125	107	18	38	-	9	-	-	2	-	-	2	6	19	1	LEICESTER.
GRIMSBY	73,036	19·3	15·0	12·9	15·0	-	39	21	4	5	-	-	-	-	-	-	-	1	1	5	-	GRIMSBY.
NOTTINGHAM ..	263,443	20·2	23·6	21·2	24·7	3·2	119	125	30	45	-	8	-	-	7	-	1	3	6	31	1	NOTTINGHAM.
DERBY	129,411	16·9	21·8	15·7	22·6	2·8	61	56	11	18	-	6	-	1	-	-	-	2	5	10	-	DERBY.
STOCKPORT	103,706	19·6	28·7	26·6	22·1	1·0	55	44	9	21	-	1	-	-	-	1	-	2	2	14	-	STOCKPORT.
BIRKENHEAD ..	121,123	15·9	23·7	18·9	17·7	-	74	41	10	16	-	-	-	-	-	-	-	2	4	12	-	BIRKENHEAD.
WALLASEY	71,004	17·6	22·0	15·4	12·5	0·7	52	17	5	5	-	-	1	-	-	-	-	-	-	1	-	WALLASEY.
LIVERPOOL	760,357	21·3	25·4	26·2	27·9	3·4	478	407	99	116	-	30	7	4	6	1	1	17	28	129	16	LIVERPOOL.
BOOTLE	69,393	18·8	14·3	26·3	16·5	2·3	52	22	5	6	-	2	-	1	-	-	-	-	-	8	1	BOOTLE.
ST. HELENS	95,161	26·3	35·6	35·1	36·7	17·0	70	67	19	5	-	24	4	1	2	-	-	1	2	12	2	ST. HELENS.
WIGAN	90,678	24·2	29·9	25·3	26·5	6·3	67	46	10	8	-	6	1	1	2	-	1	-	2	5	-	WIGAN.
WARRINGTON ..	72,276	18·0	26·7	19·5	26·7	5·1	43	37	6	9	-	4	-	1	-	2	-	1	1	8	1	WARRINGTON.
BOLTON	187,824	16·4	21·4	15·8	23·3	0·8	105	84	12	33	-	-	-	1	-	1	1	3	6	15	-	BOLTON.
BURY	59,234	21·1	29·9	29·0	22·0	0·9	28	25	4	12	-	-	-	-	1	-	-	2	5	1	-	BURY.
MANCHESTER ..	655,435	22·0	25·8	25·5	24·1	2·1	371	303	41	86	-	9	3	3	5	6	1	13	28	90	2	MANCHESTER.
SALFORD	241,950	19·6	25·9	26·3	22·2	1·3	141	103	23	37	-	2	1	1	1	-	1	1	1	15	2	SALFORD.
OLDHAM	143,301	21·5	20·0	21·8	24·4	1·1	83	67	8	21	-	3	-	-	-	-	-	1	7	11	-	OLDHAM.
ROCHDALE	89,653	25·6	29·1	20·4	20·4	-	41	35	6	17	-	-	-	-	-	-	-	-	-	4	-	ROCHDALE.
BURNLEY	106,267	18·6	21·6	22·1	25·5	0·5	49	52	12	18	-	-	-	-	1	-	-	1	1	9	1	BURNLEY.
BLACKBURN	136,959	16·0	24·0	25·5	24·0	4·9	84	63	10	20	-	3	5	1	1	1	2	-	2	10	-	BLACKBURN.
PRESTON	118,519	18·0	21·1	25·5	25·1	0·9	52	57	8	19	-	1	-	-	-	-	1	1	3	8	-	PRESTON.
BARROW-IN-FURNESS.	62,996	10·8	17·4	19·0	13·2	-	29	16	3	5	-	-	-	-	-	-	-	-	-	3	-	BARROW-IN-FURNESS.

TOWNS.	Population estimated to the middle of the Year 1909.*	Death-Rates from all Causes. Week ended 27th Feb., 1909.	6th Mar., 1909.	13th Mar., 1909.	20th Mar., 1909.	Rate from Diseases in Cols. 11-17. Week ended 20th March, 1909.	Registered during the Week ended 20th March, 1909. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Huddersfield ..	94,739	19·8	18·7	22·0	22·0	-	38	40	5	20	-	-	-	-	-	-	-	1	3	8	1	Huddersfield.
Halifax	111,911	16·8	22·4	25·2	18·6	0·5	34	40	4	17	-	-	-	1	-	-	-	-	3	10	1	Halifax.
Bradford	293,983	22·2	22·3	21·5	16·5	1·1	110	93	12	38	-	1	-	2	3	-	-	3	8	11	-	Bradford.
Leeds	484,012	15·8	19·3	21·0	18·7	0·9	230	174	33	55	-	-	1	-	5	1	1	7	13	26	-	Leeds.
Sheffield	470,958	19·3	20·2	25·0	28·2	3·4	277	255	40	89	-	27	2	1	1	-	-	7	17	51	4	Sheffield.
Rotherham.. ..	65,070	23·2	17·6	17·6	16·0	1·6	44	20	3	5	-	-	-	1	1	-	-	1	1	1	-	Rotherham.
York	87,004	12·0	16·2	16·8	13·8	1·2	35	23	7	5	-	-	-	-	1	-	1	-	2	3	-	York.
Hull	275,552	16·5	13·2	20·8	21·6	1·5	156	114	22	42	-	6	-	-	1	-	1	6	14	17	-	Hull.
Middlesbrough ..	105,255	21·8	24·3	19·3	24·3	3·0	85	49	9	8	-	3	-	1	1	-	1	2	3	12	2	Middlesbrough.
Stockton-on-Tees	53,417	22·5	18·5	17·6	19·5	2·0	29	20	3	8	-	1	-	-	1	-	-	-	1	1	-	Stockton-on-Tees.
West Hartlepool	79,686	20·3	19·0	19·6	16·4	4·6	34	25	1	8	-	7	-	-	-	-	-	1	2	4	1	West Hartlepool.
Sunderland ..	159,378	22·6	25·2	21·6	21·3	6·5	75	65	11	12	-	18	-	1	-	1	-	2	3	15	2	Sunderland.
South Shields ..	117,627	17·3	19·9	15·5	17·7	1·3	62	40	8	10	-	2	-	-	1	-	-	3	3	10	2	South Shields.
Gateshead	131,024	12·3	15·9	11·1	12·7	1·6	82	32	9	4	-	-	2	-	1	-	1	1	1	5	3	Gateshead.
Newcastle-on-Tyne.	281,584	18·0	17·2	18·0	20·0	2·0	161	108	19	22	-	8	1	2	-	-	-	4	11	9	-	Newcastle-on-Tyne.
Tynemouth ..	55,808	27·1	26·2	20·6	20·6	-	32	22	7	8	-	-	-	-	-	-	-	-	-	4	-	Tynemouth.
Newport (Mon.) ..	78,336	18·6	13·3	23·3	22·0	0·7	50	33	3	10	-	-	-	-	1	-	-	-	1	6	-	Newport (Mon.).
Cardiff	195,303	15·5	15·5	20·3	20·6	1·1	95	77	9	30	-	2	-	-	2	-	-	5	8	18	-	Cardiff.
Rhondda	135,894	17·7	28·0	20·3	24·9	1·5	116	65	12	19	-	2	-	1	-	-	1	3	9	2	-	Rhondda.
Merthyr Tydfil..	78,365	18·0	15·3	22·6	26·0	0·7	56	39	10	7	-	-	1	-	-	-	-	-	3	4	-	Merthyr Tydfil.
Swansea	98,308	21·2	19·6	23·9	24·9	3·7	63	47	11	15	-	1	-	-	5	-	1	4	5	2	-	Swansea.
Greater London	7,429,740	18·4	20·6	21·9	21·5	2·0	3745	3070	434	1228	1	164	13	27	53	5	19	80	247	996	3	Greater London.
Outer Ring ..	2,595,802	15·5	16·5	18·0	17·0	1·4	1276	845	126	368	-	35	6	8	17	-	3	14	57	124	2	Outer Ring.
8 Towns in Outer Ring.	1,284,152	15·0	14·3	16·3	15·8	1·8	606	390	67	152	-	22	3	3	14	-	2	7	30	66	1	8 Towns in Outer Ring.
Remainder of Outer Ring.	1,311,650	16·0	18·8	19·6	18·1	1·0	670	455	59	216	-	13	3	5	3	-	1	7	27	58	1	Remainder of Outer Ring.
Edinburgh	355,366	21·4	18·3	20·4	17·2	0·9	150	117	11	46	-	-	2	1	2	-	1	2	?	40	7	Edinburgh.
Glasgow	872,021	21·0	21·3	21·9	21·9	3·4	489	366‡	58	100	-	-	2	6	37	4	8	11	?	120	0	Glasgow.
Dublin (Registration Area).†	398,356	24·3	26·6	27·5	29·3	1·7	194	224	29	73	-	5	-	-	4	3	1	4	6	83	-	Dublin (Registration Area).†
Belfast†	386,576	21·0	21·6	20·9	21·0	0·9	250	156‡	34	33	-	-	-	-	4	-	3	1	6	38	3	Belfast.†

* See note † on first page of this return.

† Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast respectively.

‡ Including 1 death from Cerebro-spinal meningitis in Glasgow and 1 from Cerebro-spinal fever in Belfast.

TABLE **2.** LONDON.—**Births** and **Deaths** Registered in the ELEVENTH Week of each of the Eleven Years, 1899–1909.

	1899	1900	1901	1902	1903	1904	1905	1906	1907	1908	Corrected Weekly Average in 5 Years 1904–1908.*	1909
TOTAL **Births** -	2613	2628	2607	2628	2596	2577	2535	2499	2390	2631	2586·4	2469
Males - - -	1326	1315	1290	1352	1324	1301	1293	1284	1242	1325	1319·6	1299
Females - -	1287	1313	1317	1276	1272	1276	1242	1215	1148	1306	1266·8	1170
TOTAL **Deaths** -	2099	1659	1571	1936	1521	1680	1399	1498	1696	1533	1598·3	2225
Males - - -	1030	851	799	937	773	846	684	770	864	756	802·6	1097
Females - -	1069	808	772	999	748	834	715	728	832	777	795·7	1128

* The numbers in this column are the average weekly numbers in the Eleventh week of the five years 1904-1908, raised by 2·375 per cent. for increase of population.

TABLE **3.** LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Dec. 26.	1909 Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	Mar. 6.	Mar. 13.	Mar. 20.	13 Weeks
TOTAL **Births** -	1438	2228	2476	2434	2162	2110	2444	2335	2461	2173	2075	2585	2169	29390
TOTAL **Deaths** -	1038	1805	1672	1593	1414	1653	1878	1646	1731	1849	2116	2221	2225	22811
Ages at Death: Under 1 year -	155	305	251	273	221	256	254	258	256	273	309	297	308	3416
1—5 years -	115	211	174	181	175	205	185	193	250	224	251	273	272	2709
5—20 " -	53	81	79	71	51	65	77	69	89	79	97	85	106	1002
20—40 " -	118	233	179	175	171	214	199	190	192	183	211	214	230	2509
40—60 " -	221	354	394	330	292	358	416	345	373	398	437	453	449	4820
60 yrs. & upwds.	376	621	595	533	504	555	747	591	571	692	811	899	860	8355
Deaths from—														
Small-pox† - -	–	–	–	–	–	–	–	–	–	–	–	–	1	1
Measles - - -	44	87	72	79	76	82	52	69	93	94	92	105	129	1074
Scarlet Fever - -	7	7	4	11	11	7	11	9	8	8	7	9	7	106
Diphtheria - -	17	23	20	14	20	16	24	15	19	18	18	22	19	245
Whooping-cough -	7	11	14	8	11	29	29	15	25	35	55	35	36	310
Typhus - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever - -	7	7	8	8	6	3	7	4	4	2	1	4	5	66
Pyrexia (origin uncertain).	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa, Dysentery	14	22	17	22	15	10	12	19	9	14	10	10	16	190
All above diseases -	96	157	135	142	139	147	135	131	158	171	183	185	213	1992
Dis. of Resp. System	106	193	258	181	156	214	354	219	235	309	389	411	360	3385
Pneumonia - -	96	188	184	188	161	163	202	222	252	237	314	347	291	2845
Phthisis - - -	104	171	158	121	127	198	171	145	153	161	183	161	204	2057
Dis. of Circ. System -	149	252	253	211	185	252	270	249	214	257	259	280	266	3098
Violence - - -	50	83	82	72	51	65	63	54	55	42	63	56	66	812
Inquest Cases - -	111	207	201	162	140	154	198	150	142	140	188	182	190	2165
Deaths in Institutions	434	686	615	631	611	662	749	639	681	676	783	777	872	8816
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	40·2	31·5	40·7	42·2	38·7	31·8	42·7	34·8	37·4	33·4	30·1	36·5	38·8	36·8
Mean of Highest -	42·4	35·9	44·0	47·4	42·8	37·1	47·7	40·0	45·8	40·9	37·1	41·3	45·3	42·1
Mean of Lowest -	37·6	26·8	37·0	37·6	34·1	25·3	37·1	30·0	29·3	27·1	23·4	33·2	33·3	31·7
Mean Humidity of the Air.	91	85	86	80	81	88	79	81	75	79	85	84	81	83
Rain-fall (in inches) -	0·02	0·48	0·13	0·49	0·12	0·02	0·01	0·29	0·01	0·08	1·23	0·46	0·41	3·78
Registered Sunshine (in hours).	3·5	5·7	8·1	22·7	10·9	18·9	7·7	21·1	36·3	22·4	16·2	17·0	17·7	208·2
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	–	–	–	–	–	–	1	1	1	1	1	2	3	1
Scarlet Fever - -	3454	3557	3317	3261	3211	3201	3117	3002	2910	2826	2873	2670	2596	3079
Diphtheria - - -	1259	1245	1215	1205	1191	1187	1181	1177	1188	1157	1167	1150	1143	1190
Typhus - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever - -	168	153	145	145	137	130	124	128	133	124	116	115	106	133

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Caun Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lander, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq. F.R Met.Soc., Hull; the Meteorological Committee, Tynemouth; and F. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the ELEVENTH Week of the Year 1909.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 11th week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1598·3	2225	308	272	106	230	449	860
Small-pox*	0·4	1	–	–	–	1	–	–
Cowpox	0·2	–	–	–	–	–	–	–
Measles (Morbilli)	52·6	129	27	94	8	–	–	–
Scarlet Fever	8·4	7	–	4	3	–	–	–
Typhus	–	–	–	–	–	–	–	–
Plague	–	–	–	–	–	–	–	–
Influenza	41·4	125	3	3	3	15	19	82
Whooping-cough	39·9	36	15	19	2	–	–	–
Diphtheria	14·3	19	2	11	6	–	–	–
Cerebro-spinal Fever ..	0·2	–	–	–	–	–	–	–
Pyrexia† (origin uncertain)	0·2	–	–	–	–	–	–	–
Enteric Fever	2·0	5	–	–	–	3	2	–
Asiatic Cholera	–	–	–	–	–	–	–	–
Epidemic Diarrhœa, Infective Enteritis	3·5	5	4	1	–	–	–	–
Diarrhœa, Dysentery ..	10·9	11	4	1	1	–	2	3
Tetanus	1·0	1	–	–	–	1	–	–
Rabies, Hydrophobia ..	–	–	–	–	–	–	–	–
Glanders	0·2	–	–	–	–	–	–	–
Anthrax (Splenic Fever)..	0·2	–	–	–	–	–	–	–
Venereal Dis.	7·4	16	9	3	–	4	–	–
Puerperal Septicæmia ..	3·3	2	–	–	–	2	–	–
Puerperal Pyæmia.. .	0·2	–	–	–	–	–	–	–
Puerperal Fever	0·2	–	–	–	–	–	–	–
Infective Endocarditis ..	3·1	3	–	–	2	1	–	–
Pneumonia: Lobar ..	19·0	40	–	2	1	9	16	12
Pneumonia: Broncho ..	76·6	129	25	46	3	6	17	32
Pneumonia: Epidemic ..	–	–	–	–	–	–	–	–
Pneumonia: Not defined	71·7	122	13	14	8	17	33	37
Erysipelas	4·5	3	1	–	–	–	1	1
Septicæmia (not Puerperal)	1·2	1	–	–	–	1	–	–
Pyæmia (not Puerperal)	0·8	1	–	–	1	–	–	–
Other Infective Processes	5·5	6	–	1	–	–	2	3
Tuberculous Phthisis ..	90·3	138	4	5	14	49	52	14
Phthisis	62·9	66	–	–	2	27	31	6
Tuberculous Meningitis ..	22·9	13	1	9	2	–	1	–
Tuberculous Peritonitis ..	6·3	9	–	5	1	3	–	–
Tabes Mesenterica	2·3	2	2	–	–	–	–	–
Tuberculous Dis., Other ..	19·5	17	3	3	5	1	3	2
Scrofula..	–	–	–	–	–	–	–	–
Alcoholism	10·4	13	–	–	–	–	13	–
Rheumatic Fever	5·7	6	–	–	4	2	–	–
Gout	4·1	5	–	–	–	–	–	5
Cancer	60·6	59	–	–	–	3	26	30
Sarcoma	6·1	6	–	1	1	1	3	–
Cancer (undefined) ..	31·9	30	–	–	–	–	12	18
Diabetes Mellitus	11·7	11	–	–	2	1	5	3
Premature Birth	50·6	53	53	–	–	–	–	–

CAUSES OF DEATH	Corrected Average for the 11th week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)..	16·0	9	1	4	1	–	1	2
Gen. Par. of Insane, Insanity	17·8	16	–	1	1	3	6	5
Epilepsy	9·0	16	–	–	3	6	3	4
Convulsions	18·0	21	15	6	–	–	–	–
Locomotor Ataxy.. ..	2·5	4	–	–	–	1	2	1
Paraplegia, Dis. of Cord.	4·3	5	–	–	–	–	2	3
Nervous Sys., Other Dis.	17·0	23	–	–	1	2	7	13
Valv. Dis., Endocarditis..	49·5	67	–	2	7	7	18	33
Cereb. Hæm. Cereb. Emb.	40·3	54	–	–	–	–	9	45
Apoplexy, Hemiplegia ..	19·2	18	–	–	–	–	3	15
Aneurysm	4·3	7	–	–	–	1	3	3
Embolism, Thrombosis (not Cerebral) ..	1·4	4	–	–	–	2	1	1
Heart & Blood Ves., Other Dis... ..	101·6	116	–	–	3	4	30	79
Croup (not Spasm: nor Memb.)	0·2	1	–	1	–	–	–	–
Bronchitis	165·2	320	16	13	1	9	44	237
Emphysema, Asthma ..	7·0	12	–	–	1	2	4	5
Pleurisy	2·3	6	–	1	–	–	4	1
Respiratory Dis., Other..	12·9	21	4	3	1	–	7	6
Tonsillitis, Quinsy.. ..	0·4	–	–	–	–	–	–	–
Enteritis (not Epid.) ..	6·6	14	9	–	–	4	1	–
Gastro-enteritis	4·7	1	1	–	–	–	–	–
Peritonitis (not Puerp.) ..	2·7	1	–	–	–	1	–	–
Cirrhosis of Liver.. ..	14·5	8	–	–	–	–	6	2
Liver Dis., Other	5·5	4	–	–	–	1	–	3
Digestive Sys., Other Dis.	37·5	38	6	2	4	10	8	8
Acute Nephritis	5·9	10	–	–	–	3	6	1
Bright's Dis., Albuminuria	41·0	46	–	–	–	5	15	26
Urinary Sys., Other Dis.	9·8	12	–	–	–	–	4	8
Generative Organs Dis...	4·3	5	–	–	–	2	3	–
Childbirth (Accid. of) ..	4·1	3	–	–	–	2	1	–
Old Age	62·9	81	–	–	–	–	–	81
Other Diseases	96·6	126	78	14	6	6	10	12
ACCIDENT.								
By Railways	1·8	–	–	–	–	–	–	–
By Vehicles and Horses..	5·5	2	–	–	–	–	–	2
In Ships, Boats, Docks, (exclusive of Drowning)	0·6	1	–	–	–	1	–	–
In Building Operations..	0·8	–	–	–	–	–	–	–
In Conflagrations	0·8	2	–	1	1	–	–	–
By Burns, Scalds, Explosions	7·6	10	1	1	3	2	3	–
By Drowning	2·0	6	–	–	1	1	3	1
By Suffocation in Bed ..	10·9	8	8	–	–	–	–	–
By Poisons or Poisonous Vapours	2·3	4	–	1	–	2	–	1
Other Deaths by Accident..	16·2	22	3	–	2	3	3	11
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	0·6	–	–	–	–	–	–	–
Suicide	10·0	11	–	–	1	3	4	3
Execution	–	–	–	–	–	–	–	–

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.
† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 20th March, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia† (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON	4,536,267	2469	2225	308	860	1	129	7	19	36	-	5	-	16	66	190	872
WEST DISTRICTS	805,311	395	392	43	164	-	8	2	6	11	-	-	-	2	18	37	139
NORTH DISTRICTS	1,055,908	522	496	77	194	-	32	1	6	5	-	1	-	3	15	40	174
CENTRAL DISTRICTS	209,465	103	89	13	34	-	-	-	-	1	-	-	-	-	5	13	44
EAST DISTRICTS	715,739	416	351	58	118	-	20	-	1	6	-	1	-	5	13	43	173
SOUTH DISTRICTS	1,749,844	1033	810	116	313	-	68	3	6	13	-	3	-	4	14	54	255
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	87	1	37	1	1	1	-	-	-	-	-	2	1	3	87
WEST DISTRICTS.																	
North Paddington *H*	63,603	34	28	5	17	-	-	-	-	2	-	-	-	1	-	-	-
Central Paddington *W,3H*	50,053	34	41	6	10	-	-	-	-	1	-	-	-	-	2	4	22
South Paddington	30,320	4	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town *2W,w,2H* ..	128,037	63	83	4	37	-	4	-	-	2	-	-	-	-	4	6	37
Brompton *2H*	48,591	10	13	3	3	-	-	-	-	-	-	-	-	-	1	2	1
North Hammersmith *2W,w,H* ..	49,192	37	35	5	17	-	-	-	1	2	-	-	-	-	1	2	9
South Hammersmith *w,2H* ..	63,047	41	31	5	15	-	-	-	-	-	-	-	-	-	3	7	6
North-west Fulham *W*	45,180	42	35	7	11	-	1	-	-	1	-	-	-	1	3	5	20
North-east Fulham *F*	46,405	31	19	3	5	-	1	2	5	-	-	-	-	-	-	2	9
South Fulham *W*	45,704	20	8	-	3	-	-	-	-	-	-	-	-	-	-	-	-
Chelsea North *W,w,3H*	42,514	10	22	1	10	-	-	-	-	-	-	-	-	-	-	1	16
Chelsea South *W,2H*	31,328	18	19	2	8	-	2	-	-	1	-	-	-	-	-	2	4
Mayfair and Knightsbridge	28,743	4	6	-	4	-	-	-	-	1	-	-	-	-	-	-	-
Belgrave *W,2H*	55,815	15	29	-	15	-	-	-	-	1	-	-	-	-	1	2	9
St. Margaret & St. John *6H*	43,698	25	17	1	6	-	-	-	-	-	-	-	-	-	3	4	5
St. James and St. Anne *W,6H* ..	33,031	7	2	1	1	-	-	-	-	-	-	-	-	-	-	-	1
NORTH DISTRICTS.																	
All Souls Marylebone *9H*	35,391	14	30	2	12	-	-	-	-	-	-	-	-	1	2	2	14
St. Mary Marylebone *W,4H* ..	37,948	48	11	2	3	-	-	-	-	-	-	-	-	-	-	-	4
Christchurch Marylebone	39,536	16	14	4	4	-	1	-	-	-	-	-	-	-	1	1	-
St. John Marylebone *2H*	20,426	4	8	-	3	-	-	-	-	-	-	-	-	-	-	-	1
Hampstead *W,F,6H*	81,942	30	25	3	10	-	-	1	1	-	-	-	-	-	1	1	10
West St. Pancras *2H*	60,562	29	25	4	7	-	3	-	1	-	-	-	-	1	-	3	3
South St. Pancras *w,12H*	55,707	16	29	1	13	-	-	-	-	-	-	-	-	-	1	2	17
East St. Pancras *W,H*	60,320	24	26	5	10	-	-	-	-	-	-	-	-	-	1	4	9
North St. Pancras *2W*	58,728	29	37	6	9	-	12	-	1	1	-	-	-	-	-	1	19
Tufnell *W*	31,995	10	38	6	16	-	6	-	-	-	-	-	-	1	2	2	32
Upper Holloway *2W,w,H*	33,978	17	32	7	11	-	2	-	-	-	-	-	-	-	-	2	18
Tollington *W,w,H*	33,922	16	14	2	5	-	-	-	-	-	-	-	-	-	1	3	-
Lower Holloway	41,424	33	13	1	4	-	1	-	-	-	-	-	-	-	-	1	-
Barnsbury	54,478	30	13	1	6	-	-	-	-	-	-	-	-	-	-	1	-
Islington South-east *F*	75,397	41	27	5	13	-	2	-	1	2	-	-	-	-	-	1	-
Highbury *2H*	63,797	24	23	4	11	-	2	-	-	-	-	-	-	-	-	3	2
Stoke Newington *H*	51,247	21	16	1	10	-	-	-	-	1	-	-	-	-	-	1	-
North Hackney	50,398	18	15	4	8	-	1	-	-	-	-	-	-	-	1	1	-
Central Hackney *w,F*	50,536	34	15	3	5	-	-	-	2	-	-	-	-	-	-	2	2
South-west Hackney *3H*	59,921	40	44	8	17	-	1	-	-	1	-	1	-	-	-	-	13
South-east Hackney *2W,w,H* ..	58,255	23	41	8	17	-	1	-	-	-	-	-	-	-	5	9	30
Hackney Union Workhouse, Brentwood	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 20th March, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
St. Giles and Bloomsbury 2*W*,2*H* ..	31,436	17	9	–	7	–	–	–	–	–	–	–	–	–	–	2	4	–
Strand *W*,4*H*	21,674	4	4	–	2	–	–	–	–	–	–	–	–	–	–	–	2	–
Strand Union Workhouse, Edmonton	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Holborn *W*,6*H*	29,612	8	19	4	5	–	–	–	–	1	–	–	–	–	–	1	8	–
Clerkenwell *H*	63,704	33	10	3	4	–	–	–	–	–	–	–	–	–	1	1	–	–
St. Luke 3*H*,*L*	36,116	36	11	4	4	–	–	–	–	–	–	–	–	–	1	3	1	–
Holborn Union Workhouse, Mitcham	–	–	5	–	5	–	–	–	–	–	–	–	–	–	–	–	5	–
St. Botolph *H*	10,299	–	5	–	2	–	–	–	–	–	–	–	–	–	–	1	1	–
St. Sepulchre and Allhallows *W*,2*H*	16,624	5	24	2	4	–	–	–	–	–	–	–	–	–	3	5	21	–
City of London Asylum, Stone	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
EAST DISTRICTS.																		
Shoreditch South 2*H*	46,362	18	15	–	5	–	1	–	–	–	–	–	–	2	1	3	–	–
Shoreditch North-West *W*,*w*,*H* ..	36,127	17	46	3	25	–	2	–	–	1	–	1	–	–	2	3	34	–
Shoreditch North-East	36,148	25	14	4	3	–	–	–	–	–	–	–	–	–	–	1	–	–
Shoreditch Union Workhouse, Wood Green	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	38	44	7	13	–	2	–	–	1	–	–	–	–	–	1	28	–
Bethnal Green South-West *H* ..	64,542	30	19	–	10	–	2	–	–	–	–	–	–	–	1	3	2	–
Spitalfields..	27,969	10	6	–	3	–	–	–	–	–	–	–	–	–	–	1	–	–
Mile End New Town *W*,*H*	28,718	32	46	10	6	–	2	–	–	–	–	–	–	–	2	11	40	–
Goodman's Fields	22,081	8	4	2	–	–	–	–	–	2	–	–	–	–	–	1	–	–
St. George and St. John 2*W* ..	49,068	22	23	4	7	–	3	–	–	–	–	–	–	1	1	2	11	–
Shadwell and Ratcliff *w*,*H* ..	25,568	13	18	5	2	–	1	–	1	1	–	–	–	–	2	2	8	–
Limehouse *W*	32,369	15	8	2	4	–	–	–	–	–	–	–	–	–	–	3	–	–
Mile End Old Town South-Western *H*	63,698	46	6	1	3	–	–	–	–	–	–	–	–	–	–	1	–	–
Mile End Old Town North-Eastern *W*,*w*	49,129	35	30	6	12	–	3	–	–	–	–	–	–	–	–	–	16	–
Bow	41,989	20	8	3	3	–	1	–	–	–	–	–	–	–	1	2	–	–
Bromley 3*w*,*H*	68,319	42	50	8	19	–	3	–	–	1	–	–	–	2	1	7	31	–
Poplar *W*,*w*	58,514	45	11	3	3	–	–	–	–	–	–	–	–	–	2	2	–	–
Workhouse, Forest Gate (Parish of Poplar Borough).	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 20th March, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch and St. Saviour Southwark *W,2H*	23,319	16	28	5	1	-	-	-	-	-	-	-	-	-	1	1	26	-
Kent-road	21,904	11	5	2	1	-	2	-	-	-	-	-	-	-	-	1	-	-
St. George the Martyr West *W,2H,L*	39,094	22	18	2	3	-	4	-	-	-	-	-	-	1	-	2	5	-
Newington North	49,022	32	13	2	5	-	2	-	-	-	-	-	-	-	-	-	-	-
Newington South *W*	72,841	53	32	5	12	-	2	-	-	-	-	-	-	-	-	3	3	-
St. Olave *2W*	9,817	6	5	2	3	-	-	-	-	1	-	-	-	-	-	-	4	-
Bermondsey *W*	82,483	51	25	5	6	-	5	-	-	-	-	-	-	-	-	6	-	-
Rotherhithe *W,F*	38,460	25	30	6	6	-	8	-	-	-	-	-	-	-	-	2	15	-
Waterloo *2H*	27,440	39	9	3	2	-	1	-	-	-	-	-	-	1	-	1	1	-
Lambeth Church *H*	27,440	22	20	3	1	-	1	-	2	-	-	-	-	-	1	2	15	-
Kennington *2W*	52,518	25	52	6	21	-	3	-	-	1	-	1	-	-	2	2	35	-
Stockwell *HF*	63,826	41	23	2	10	-	-	-	1	1	-	-	-	-	-	2	1	-
Brixton *H*	73,673	42	31	5	15	-	2	-	-	-	-	-	-	-	-	2	2	1
Norwood *2WH*	56,998	27	19	2	11	-	-	-	-	-	-	-	-	-	-	-	-	-
East Battersea *H*	72,203	50	27	5	10	-	2	-	-	2	-	-	-	-	1	3	-	-
North-west Battersea	49,656	25	12	3	1	-	2	-	-	-	-	-	-	-	-	1	-	-
South-west Battersea *2W,H* ..	47,048	12	46	6	21	-	5	-	-	3	-	-	-	-	1	1	34	-
Clapham *2H*	51,361	30	15	1	5	-	1	-	-	2	-	-	-	-	-	-	-	-
Streatham *W,2w,2F,2L*	88,019	56	53	5	29	-	3	-	1	-	-	-	-	-	-	-	15	-
Springfield *2W,L*	27,959	37	10	1	4	-	3	-	-	-	-	-	-	-	-	-	-	-
Southfields *H*	40,444	29	18	3	9	-	1	-	-	1	-	-	-	-	1	2	-	-
Putney	24,139	5	5	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich	13,359	8	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	13	45	4	23	-	-	-	-	1	-	-	-	-	-	2	29	-
Camberwell North *W,2L*	65,584	38	36	3	14	-	2	-	-	-	-	-	-	-	1	5	16	-
St. George	47,331	28	14	-	7	-	2	-	-	-	-	-	-	-	-	1	-	-
Peckham North	48,913	30	18	7	3	-	3	-	-	-	-	-	-	-	-	-	-	-
Peckham South *2W,w*	43,946	17	15	-	6	-	2	-	-	1	-	-	-	-	-	-	-	-
Deptford North	37,613	24	9	1	1	-	4	-	-	-	-	-	-	-	-	-	-	-
Deptford Central *F*	45,481	22	14	3	5	-	1	1	-	-	-	1	-	-	-	-	2	-
Deptford South	34,625	13	12	3	4	-	1	-	-	-	-	1	-	-	-	-	-	-
Greenwich West *2H*	23,456	11	8	3	4	-	-	-	-	-	-	-	-	-	-	-	3	-
Greenwich East *2W,H*	43,859	28	34	4	17	-	1	-	-	-	-	-	-	-	1	3	22	-
Eltham *w,H*	7,226	2	3	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Lee *w,H*	25,490	9	7	1	4	-	-	-	-	-	-	-	-	-	1	1	-	-
Lewisham *2W,w,F*	58,352	44	31	5	15	-	-	2	-	-	-	-	-	1	1	5	13	-
Sydenham *H*	43,653	28	14	2	9	-	-	-	-	-	-	-	-	1	-	-	-	-
Charlton *F,2H*	21,134	8	8	1	2	-	1	-	2	-	-	-	-	-	1	1	3	-
Woolwich *5H*	41,625	22	12	1	3	-	2	-	-	-	-	-	-	-	-	-	2	-
Plumstead West *W,H*	39,376	13	17	2	10	-	2	-	-	-	-	-	-	-	-	1	-	-
Plumstead East *2W*	28,951	19	15	1	4	-	-	-	-	-	-	-	-	-	2	3	9	-
Workhouses:—																		
Belmont Workhouse	—	-	4	-	3	-	-	-	-	-	-	-	-	-	-	-	4	-
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.) ..	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
M. A. B. Small-pox Hospitals:—																		
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-
M. A. B. Fever Hospitals:—																		
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																		
Children's Infirmary, Carshalton..	—	-	4	1	-	-	1	-	-	-	-	-	-	-	-	-	4	-
M. A. B. Imbecile Asylums:—																		
Caterham	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
Darenth	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4	-
Leavesden	—	-	16	-	9	-	-	-	-	-	-	-	-	-	1	1	16	-
London County Lunatic Asylums:—																		
Banstead	—	-	9	-	4	-	-	-	-	-	-	-	-	-	-	-	9	-
Ewell (Epileptic Colony)	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Horton	—	-	5	-	3	-	-	-	-	-	-	-	-	-	-	-	5	-
Manor	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Grove	—	-	7	-	3	-	-	-	-	-	-	-	-	-	-	-	7	-
Cane Hill	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4	-
Dartford Heath	—	-	5	-	1	-	-	-	-	-	-	-	-	-	-	2	5	-
Hanwell	—	-	5	-	1	-	-	-	-	-	-	-	-	1	-	-	5	-
Colney Hatch	—	-	9	-	5	-	-	-	-	-	-	-	-	-	-	-	9	-
Claybury	—	-	7	-	4	-	-	-	-	-	-	-	-	1	-	-	7	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERATED POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 20th March, 1909

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years & upwds.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING ..	368,603	2,045,135	1276	845	126	368	-	35	6	8	17	-	3	14	57	124	2
30 : 1	Carshalton 2F,3H	12,228	32,997	21	20	3	8	-	-	1	-	-	-	-	-	1	-	-
2	Epsom, *part of** W,w,2F,H..	10,423	15,548	7	9	1	5	-	-	-	-		-	-	-	-	2	-
37 : 1	Godstone, *part of** W,F,L ..	2 754	2,692	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38 : 1	Coulsdon	11,069	8,166	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w,H ..	4,200	49,309	23	17	1	8	-	-	-	-	-	-	-	1	3	-	-
3	West Croydon 3W,F,H ..	2,168	42,888	38	40	5	16	-	2	-	1	2	-	-	1	3	8	-
4	North Croydon H	2,614	41,698	20	12	1	5	-	-	-	-	1	-	-	-	1	1	-
5	Penge w	770	22,465	9	7	-	5	-	-	-	-	-	-	-	-	-	-	-
6	Mitcham w	11,711	30,015	35	13	2	3	-	-	-	-	-	-	-	-	1	-	-
39 : 1	Wimbledon F,3H	3,221	41,652	29	16	2	8	-	-	-	-	-	-	-	-	1	-	-
2	Kingston 2W,H	6,224	42,068	26	18	-	12	-	-	-	-	-	-	-	-	2	7	-
3	Surbiton F,H	3,046	15,017	5	6	1	3	-	-	-	1	-	-	-	-	-	1	-
4	Esher, *part of** H	5,402	13,100	9	6	1	4	-	-	-	-	-	-	-	-	-	-	-
5	Hampton H,F,L	4,564	23,456	11	7	-	5	-	1	-	-	-	-	-	-	-	-	-
40 : 1	Richmond W,H	2,491	31,672	8	12	-	8	-	-	-	-	-	-	-	1	1	-	-
2	Mortlake F	2,518	17,821	17	8	2	3	-	-	-	-	-	-	-	-	2	-	-
41 : 1	Bromley F,3H	4,703	27,354	10	7	-	3	-	-	-	-	1	-	-	-	1	-	-
2	Beckenham H	7,825	28,497	17	7	-	5	-	-	-	-	-	-	-	1	1	-	-
3	Orpington, *part of** W,F ..	10,113	9,857	6	3	-	3	-	-	-	-	-	-	-	-	-	3	-
4	Chislehurst 2H	7,333	16,446	10	3	-	2	-	-	-	-	-	-	-	-	-	-	-
42 : 1	Bexley w,F,H	8,678	21,151	14	9	2	3	-	-	-	-	-	-	-	-	1	-	-
2	Erith F,H	3,854	25,296	13	7	-	2	-	-	-	-	-	-	-	-	1	1	-
3	Dartford W,F, *part of** ..	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
124 : 1	Sunbury w	11,054	18,683	10	5	-	3	-	-	-	-	-	-	-	-	-	-	-
2	Staines W,H	13,277	15,178	6	5	-	2	-	-	-	-	-	-	-	-	1	-	-
125 : 1	Hillingdon W,F,H	6,035	13,661	12	5	1	3	-	-	-	-	-	-	-	-	-	1	-
2	Uxbridge H	12,757	8,984	14	5	2	3	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w 2F,H	8,066	16,358	23	6	1	3	-	1	-	-	-	-	-	-	-	-	-
126 : 1	Isleworth 3W,3F,H	6,859	30,863	17	16	1	10	-	-	-	1	-	-	-	-	-	7	-
2	Twickenham F,2H	2,421	20,991	15	15	3	5	-	-	-	1	-	-	-	-	-	2	-
3	Brentford 3F,2H	4,319	48,289	30	33	6	15	-	3	-	-	-	-	-	-	1	1	1
4	Chiswick H	1,249	29,809	19	20	3	12	-	1	-	-	-	-	-	-	2	-	-
5	Acton w,F,3H	6,132	48,914	37	29	5	13	-	-	2	1	2	-	-	1	2	2	-
127 : 1	Harrow F,H	13,809	25,523	24	14	3	3	-	5	-	-	-	-	-	-	-	1	-
2	Edgware 2F,2H	6,994	4,521	4	2	-	2	-	-	-	-	-	-	-	-	-	-	-
3	Willesden W,F,2H	4,384	111,811	69	44	10	16	-	4	-	-	1	-	1	2	5	3	1
4	Hendon W,F	8,382	22,450	8	7	1	2	-	-	-	-	-	-	-	-	-	2	-
128 : 1	South Mimms 2F,H ..	17,755	7,308	1	3	-	1	-	2	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,970	8	8	3	3	-	2	-	-	-	-	-	-	-	1	-
3	Finchley F,3H	4,688	33,692	20	9	5	3	-	-	-	-	-	-	-	-	-	-	-
129 : 1	Hornsey F,H	2,875	72,056	36	20	1	15	-	-	-	1	1	-	-	-	2	-	-
2	Wood Green H	1,625	34,233	13	13	2	5	-	-	-	-	-	-	1	-	1	1	-
3	West Tottenham	995	48,741	39	11	3	5	-	-	-	-	-	-	-	-	-	-	-
4	East Tottenham 2H ..	2,019	53,962	29	25	4	14	-	-	-	-	-	-	-	1	3	5	-
5	Edmonton W,w,2F	7,491	61,892	51	27	4	10	-	-	-	-	-	-	-	1	4	8	-
6	Enfield 2W,F,H	12,601	42,738	28	12	-	5	-	-	-	-	-	-	-	-	-	-	-
7	Waltham Abbey F	11,017	6,549	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-
135 : 1	Hatfield, *part of** W ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey H	9,333	9,173	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford W,2F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
186 : 1	Stratford H	1,091	52,974	20	13	2	3	-	-	-	-	-	-	-	1	2	2	-
2	Forest Gate	787	52,745	23	17	2	6	-	-	-	1	-	-	-	1	2	-	-
3	Plaistow F,2H	1,249	90,921	59	37	12	4	-	5	2	-	6	-	-	-	-	3	-
4	Canning Town H	1,556	70,718	51	27	6	7	-	2	-	-	-	-	1	-	2	-	-
5	South East Ham 2F ..	1,991	37,342	32	18	5	4	-	2	-	-	-	-	-	-	-	-	-
6	North East Ham w,H ..	1,333	58,666	31	16	2	6	-	1	-	-	-	-	-	1	3	-	-
7	Wanstead F	1,679	9,179	5	4	1	2	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	23	27	4	17	-	3	-	-	-	-	-	-	1	13	-
9	North Leyton 2W,w,F ..	1,963	48,445	39	45	4	18	-	-	-	-	1	-	-	-	-	31	-
10	Walthamstow 2H,L ..	6,504	108,929	86	27	7	11	-	3	1	-	-	-	-	-	5	-	-
187 : 1	Chigwell 2F,3H	11,778	16,397	9	2	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Epping W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189 : 1	Romford, *part of** W,2F ..	6,556	6,091	4	2	-	1	-	-	-	1	-	-	-	-	-	1	-
2	Ilford F,L	8,496	41,244	27	21	2	10	-	-	-	-	-	-	-	1	1	4	-
3	Barking Town F	3,805	21,547	10	11	-	6	-	-	-	-	-	-	-	-	-	-	-
	Eastern Hospital, Homerton	—	—	-	1	-	-	-	-	-	-	-	-	-	1	1	1	-
	N.E. Hospital, Tottenham..	—	—	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-
	London County Lunatic Asylum, Banstead.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
	Surrey County Lunatic Asylum, Brookwood.	—	—	-	3	-	1	-	-	-	-	-	-	-	-	-	3	-
	Kent County Lunatic Asylum, Maidstone.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Middlesex County Lunatic Asylum, Napsbury.	—	—	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-
	Essex County Lunatic Asylum, Brentwood.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30 : 2, excepting Ashtead parish; 37 : 1, Warlingham and Farley parishes; 39 : 4, excepting Esher parish; 41 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135 : 1, Northaw parish; 189 : 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42 : 3, 137 : 2 and 187 : 2 and in the Croydon Mental Hospital in 37 : 1 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths.	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON - -	4,833,938	March 20	2469	2225	24·0	1	129	7	20	36	5	16
CALCUTTA - -	1,014 438	February 6	-	708	37·2	202	3	-	1	2	134‡	57‡
BOMBAY - -	982,000	March 2	390	811	43·1	16	1	-	-	-	227†	51
MADRAS - -	548,974	February 19	313	441	45·0	1	2	?	?	?	127	60
PARIS - - -	2,747,599	March 13	-	-	-	-	-	-	-	-	-	-
BRUSSELS - -	704,975	" 13	263	239	17·6	-	1	2	1	1	-	8
ANTWERP - -	310,903	" 13	118	86	14·4	-	2	1	-	-	2	6
AMSTERDAM -	566,256	" 13	277	177	16·3	-	2	2	1	2	-	4
COPENHAGEN -	445,000	" 13	262	175	20·5	-	5	5	1	1	-	1
STOCKHOLM -	337,460	" 6	165	109	16·8	-	-	-	3	2	-	-
CHRISTIANIA -	231,687	" 13	117	57	12·8	-	-	-	-	2	1	1
ST. PETERSBURG	1,573,000	" 6	895	819	27·1	2	22	18	9	7	24	86
MOSCOW - -	1,452,100	" 6	-	804	28·9	4	20	19	11	3	9	59
BERLIN - -	2,111,784	February 27	960	630	15·6	-	11	10	22	7	-	23
HAMBURG - -	872,252	March 13	-	329	19·6	-	2	4	7	3	-	18
BRESLAU - -	499,437	" 6	-	204	21·3	-	-	1	1	1	-	12
MUNICH - -	566,000	" 6	-	258	23·7	-	7	4	3	3	-	31
VIENNA - -	2,042,426	" 13	993	806	20·5	-	26	13	6	3	2	23
PRAGUE - -	480,856	" 6	180	202	21·8	-	1	6	-	-	2	11
BUDAPEST - -	823,215	" 6	491	355	22·4	-	1	4	5	-	2	18
TRIESTE - -	215,250	" 13	145	114	27·5	-	-	-	2	-	-	-
ROME - - -	565,323	January 16	-	-	-	-	-	-	-	-	-	-
VENICE - -	179,236	February 20	87	122	35·5	-	-	1	4	-	-	5
		" 27	78	117	34·0	-	-	-	2	1	-	2
BUCAREST - -	296,585	" 13	203	153	26·9	-	-	1	1	1	1	2
		" 20	147	162	28·5	-	-	6	-	-	1	2
		" 27	173	158	27·8	-	-	2	3	-	1	3
NEW YORK -	4,564,792	" 27	2133	1375	15·7	1	27	29	45	7	4	40
		March 6	2519	1418	16·9	-	20	23	44	3	7	45
CHICAGO - -	2,224,490	February 27	-	659	15·4	-	5	11	18	3	11	48
PHILADELPHIA -	1,565,569	January 30	-	574	19·1	-	7	6	16	2	8	21
		February 6	-	582	19·3	-	3	3	16	4	13	22
RIO DE JANEIRO	633,018	" 14	-	354	29·0	18	1	-	1	1	4	-
CAIRO:—												
Egyptians -	663,587	" 18	582	387	30·2	12	1	-	3	?	10§	63
Foreigners -	35,219	" 18	8	16	23·6	7	-	-	-	-	-	1
ALEXANDRIA:—												
Egyptians -	341,965	" 18	332	249	37·9	3	11	-	4	-	-	44
Foreigners -	46,118	" 18	13	20	22·6	1	-	-	-	-	1	-

* Excluding deaths from croup in the Indian Cities.
† Including 10 deaths from plague in Calcutta, 153 in Bombay, and 3 in Rio de Janeiro.
‡ Including 12 deaths from cholera in Calcutta, and 21 in St. Petersburg.
§ Including 1 death from malarial fever in Cairo.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 20th March, 1909.

Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	57·0	23·1	39·3	0·41	BRADFORD - -	54·0	23·0	36·3	0·26
BRIGHTON - -	48·9	25·9	38·8	0·41	YORK - - -	58·0	22·0	38·8	0·14
PORTSMOUTH - -	51·0	26·0	40·0	0·47	HULL - - -	57·0	22·0	37·4	0·66
NORWICH - -	54·0	22·2	38·0	0·60	TYNEMOUTH - -	54·0	24·0	36·2	0·35
PLYMOUTH - -	53·0	26·6	42·1	0·81	CARDIFF - - -	52·2	24·0	38·4	0·57
BRISTOL - - -	53·2	21·2	38·9	0·36	EDINBURGH - -	47·6	26·9	36·5	0·08
BIRMINGHAM - -	53·1	24·4	37·5	0·29	GLASGOW - -	51·0	29·9	39·8	0·20
NOTTINGHAM - -	55·1	20·0	37·3	0·20	DUBLIN Phœnix Park.	53·7	21·9	39·6	0·34
LIVERPOOL OBSERVATORY.	53·0	28·0	38·6	0·13	DUBLIN Fitzwilliam Square.†	52·0	29·1	40·8	0·63
MANCHESTER -	55·6	19·3	38·2	0·20					
BURNLEY - -	54·0	20·0	36·9	0·24					
HUDDERSFIELD -	54·5	23·0	37·4	0·19	BELFAST - - -	50·0	23·2	38·9	0·63

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°·1 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the year 1909.

[*Under the Superintendence of the Astronomer Royal.*]

1909. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
MARCH.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 14	..	29·123	36·0	31·8	4·2	33·5	− 8·0	28·0	5·5	7·0	0·3	80	48·2	28·0	38·90	SW., WSW. & NNW.	N. & NNW.	7·1	0·0	0·5	421	+128	0·17	0·0
MONDAY - 15	Last Qr.	29·114	35·7	29·3	6·4	31·9	− 9·8	27·2	4·7	7·9	2·7	82	50·6	25·1	38·99	NNW. & N.	N.	8·5	0·0	0·6	410	+115	0·03	0·3
TUESDAY - 16	Greatest Dec. S.	29·354	39·1	27·8	11·3	33·7	− 8·2	25·7	8·0	11·8	3·1	72	84·5	23·0	33·87	NNW. & N.	Variable	1·2	0·0	0·0	174	−124	0·00	0·7
WEDNESDAY 17	..	29·431	45·3	23·1	22·2	35·3	− 6·7	27·8	7·5	15·2	3·4	74	92·5	13·9	38·74	SSW. & SW.	SW., SSW. & S.	2·1	0·0	0·1	232	− 70	0·00	5·5
THURSDAY - 18	..	29·142	49·9	35·7	14·2	42·1	+ 0·1	37·9	4·2	11·1	2·0	85	98·1	29·3	38·67	S., SSE. & SE.	S. & SSE.	6·2	0·0	0·4	360	+ 54	0·06	18·0
FRIDAY - 19	..	29·136	57·0	43·1	13·9	47·7	+ 5·8	43·5	4·2	11·4	0·9	85	94·0	36·3	38·82	SSW. & S.	SSW. & S.	3·7	0·0	0·2	301	− 9	0·11	11·5
SATURDAY - 20	..	29·326	54·4	42·1	12·3	47·7	+ 5·8	44·7	3·0	7·0	1·7	89	91·3	34·0	39·36	S.	S., SW. & WSW.	2·5	0·0	0·1	235	− 76	0·04	8·0
MEANS - -		29·232	45·3	33·3	12·1	38·8	− 3·0	33·5	5·3	10·2	2·0	81	79·9	27·1	38·91	N. & S.		..	..	..	Sum 2133	Sum + 18	Sum 0·41	6·3
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. MARCH.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.
SUNDAY - 14	v. P. and v. N. till 8h. A.M.; m. P. and v. N. till 7h. P.M.; m. P. afterwards.	0·0	11·7
MONDAY - 15	m. P. till 6h. A.M.; s. P. generally afterwards.	0·0	11·7
TUESDAY - 16	m. P. till 6h. A.M.; s. P. afterwards.	5·3	11·8
WEDNESDAY 17	v. P. generally.	7·1	11·9
THURSDAY - 18	w. P. till 1h. P.M.; w. P. and v. N. afterwards.	0·7	11·9
FRIDAY - 19	w. P. generally; occasional v. N.	3·6	12·0
SATURDAY - 20	w. P. generally.	1·0	12·1
		Sum 17·7	Sum 83·1
No. of Col. - -	27	28	29

GENERAL REMARKS.

SUNDAY - 14	Generally overcast; gusty wind prevalent after 10h. A.M.; occasional rain, sleet or snow.
MONDAY - 15	Generally overcast; fine intervals with hoar frost in early morning; frequent snow after 10h. A.M., accompanied by gusty wind till 5h. P.M.
TUESDAY - 16	Fine; variably cloudy; hoar frost in morning.
WEDNESDAY 17	Very fine generally till evening; large amounts of cloud prevalent at night; hoar frost in morning.
THURSDAY - 18	Fine till 2h. A.M.; overcast with slight exceptions afterwards; brisk wind prevalent between 9h. 30m. A.M. and 5h. P.M.; occasional showers of rain after 1h. P.M.
FRIDAY - 19	Variably cloudy and showery; mild.
SATURDAY - 20	Generally overcast; occasional rain in afternoon and evening. Solar halo observed at 2h. 30m. P.M.; mild.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·44 in. at the beginning of the week to 29·04 in. by 6h. A.M. on the 15th; increased to 29·45 in. by 10h. A.M. on the 17th; decreased to 29·04 in. by 1h. A.M. on the 19th; and increased to 29·40 in. by midnight on the 20th.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 13th March, 1909.*

BOROUGHS.	Estimated Population in the middle of 1909.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	151,955	-	8	2	-	-	-	-	3	-	-
Kensington	183,683	-	7	3	-	2	-	-	1	-	-
Hammersmith	125,704	-	6	1	-	-	-	-	1	-	-
Fulham	176,406	-	7	8	-	-	-	-	-	2	-
Chelsea	75,249	-	7	2	-	1	-	-	-	-	-
City of Westminster ..	168,883	1	7	6	-	1	-	-	2	-	-
NORTH.											
St. Marylebone	126,027	-	5	2	-	2	-	-	3	-	-
Hampstead	94,185	-	5	-	-	-	-	-	-	-	-
St. Pancras	237,422	-	11	8	-	1	-	-	1	1	-
Islington	351,202	-	21	13	-	1	-	-	3	1	-
Stoke Newington	54,423	-	5	-	-	-	-	-	-	2	-
Hackney	237,601	1	14	5	-	2	-	-	5	-	-
CENTRAL.											
Holborn	53,802	-	2	1	-	1	-	-	1	-	-
Finsbury	95,289	-	9	1	-	-	-	-	2	-	-
City of London	18,193	-	-	1	-	-	-	-	-	-	-
EAST.											
Shoreditch	114,802	-	6	7	-	1	-	-	5	1	1
Bethnal Green	131,316	-	6	5	-	2	-	-	3	-	-
Stepney	312,525	-	29	11	-	-	-	-	12	-	-
Poplar	171,965	-	8	4	-	-	-	-	2	-	-
SOUTH.											
Southwark	211,125	-	12	7	-	2	-	-	2	-	-
Bermondsey	127,569	-	9	4	-	-	-	-	6	1	-
Lambeth	324,188	-	17	4	-	-	-	-	2	1	1
Battersea	186,036	-	10	5	-	-	-	-	3	-	-
Wandsworth	297,646	-	11	12	-	2	-	-	6	-	-
Camberwell	283,022	-	11	7	-	1	-	-	4	-	-
Deptford	118,583	-	10	6	-	-	-	-	4	-	-
Greenwich	111,014	-	7	5	-	-	-	-	-	-	-
Lewisham	160,749	-	16	5	-	-	-	-	2	-	-
Woolwich	133,374	-	18	5	-	-	-	-	2	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,833,938	2	284	140	-	19	-	-	75	9	2
Ages 0–1		-	5	7	-	-	-	-	4	-	-
„ 1–5		-	69	64	-	1	-	-	4	-	1
„ 5–		-	104	39	-	2	-	-	-	-	-
„ 10–		-	47	10	-	1	-	-	4	-	1
„ 15–		-	26	4	-	1	-	-	1	-	-
„ 20–		-	12	5	-	3	-	-	2	2	-
„ 25–		1	20	11	-	4	-	-	8	5	-
„ 35–		-	1	-	-	5	-	-	14	2	-
„ 45–		1	-	-	-	1	-	-	17	-	-
„ 55–		-	-	-	-	-	-	-	14	-	-
„ 65 and upwards		-	-	-	-	1	-	-	6	-	-
Age not stated		-	-	-	-	-	-	-	1	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

Returns of London Water Districts.

(Furnished by the Metropolitan Water Board.)

The following is an account of the number of services and the average daily amount of water supplied during the month of February, 1909, inclusive of supply to the Borough of Croydon and to the Urban Districts of Tottenham and Enfield. The supply was in the ratio of 194 gallons to one service.

Districts.	Number of Services		Average Daily Supply of Water in Gallons.	
	February, 1908.	February, 1909.	February, 1908.	February, 1909.
Total Supply - - -	1,074,892	1,087,436	212,039,478	211,298,934
New River - - - - - - -	212,453	214,511	40,811,877	40,274,993
Eastern - - - - - - -	241,429	243,944	40,048,966	41,482,571
Western { Chelsea, Grand Junction, West Middlesex } - -	220,147	222,617	51,541,906	52,699,343
Southern { Lambeth - - - Southwark and Vauxhall }	282,735	286,926	60,791,109	57,636,320
Kent - - - - - - - -	118,128	119,438	18,845,620	19,205,707

Note.—The Return for February, 1909, as compared with that for the corresponding month of 1908, shows an increase of 12,544 services, and a decrease of 740,544 gallons of water supplied daily.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY DARLING & SON, LTD., 34-40, BACON STREET, E.

1909.

OFFICIAL COPY.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 12. 1909. VOL. LXX.] WEEK ENDED SATURDAY, MAR. 27. [Price 1½*d.*

General Register Office, Somerset House,
March 29th, 1909.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 19·8 per 1000 of their aggregate population, which is estimated† at 16,445,281 persons in the middle of this year. In the preceding three weeks the rates had been 21·3, 22·1, and 22·1. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks : it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were :—from *all causes*, 25·9 in Liverpool, 26·5 in Swansea, 31·5 in Brighton, 31·6 in Wigan, 36·1 in Great Yarmouth, and 38·9 in St. Helens ; from *measles*, 5·2 in West Hartlepool, 5·3 in Bootle, 5·8 in Wigan, 8·0 in Aston Manor, and 14·2 in St. Helens ; from *scarlet fever*, 1·1 in St. Helens, 1·2 in Aston Manor, and 1·3 in Kings Norton ; from *diphtheria*, 1·7 in Southampton ; from *whooping-cough*, 1·1 in St. Helens, 1·2 in York, 1·3 in Preston, 1·6 in Swansea, and 1·9 in Tynemouth ; and from *diarrhœa*, 1·9 in Tynemouth. One death from *small-pox* was registered in Bristol, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2356 BIRTHS and 1989 DEATHS were registered. Allowing for increase of population, the births were 147 below and the deaths 475 above the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes, which had been 22·8, 24·0, and 24·0 per 1000 in the preceding three weeks, fell last week to 21·5. The death-rate in the four weeks ended last Saturday averaged 23·1 per 1000, being 5·9 per 1000 above the mean rate in the corresponding periods of the five years 1904–8.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals and Asylums, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6 added to the Outer Ring. The figures relating to the seventy-five other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(12923—41.) Wt. 36—184. 700. 3/09. D & S. G. 31. Sch. 4. M

The 1989 deaths included 118 from measles, 9 from scarlet fever, 15 from diphtheria, 40 from whooping-cough, 5 from enteric fever, and 12 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia: thus, to these diseases in the aggregate 199 deaths were referred, being 76 above the corrected average number in the twelfth week of the preceding five years.

The deaths from *measles*, which had been 92, 105, and 129 in the preceding three weeks, numbered 118 last week, and were 74 above the corrected average; 14 deaths belonged to the Borough of Wandsworth, 13 to St. Pancras, 10 to Islington, and 8 each to Southwark and Bermondsey. The deaths from *scarlet fever*, which had been 7, 9, and 7 in the preceding three weeks, were 9 last week, the corrected average being 10. The deaths from *diphtheria*, which had been 18, 22, and 19 in the preceding three weeks, fell to 15 last week, the corrected average being 14. The deaths from *whooping-cough*, which had been 55, 35, and 36 in the preceding three weeks, were 40 last week, and were 3 above the corrected average; 6 deaths belonged to Islington, 4 each to Shoreditch and Wandsworth, and 3 each to Hammersmith and Battersea. The deaths from *enteric fever*, which had been 1, 4, and 5 in the preceding three weeks, were again 5 last week, the corrected average being 3. The deaths from *diarrhœa*, which had been 10, 10, and 16 in the preceding three weeks, numbered 12 last week, and were 2 below the corrected average. Of the 12 deaths from diarrhœa, 7 were those of children under 5 years of age; 10 other deaths at this age were certified as due to *enteritis* and 3 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 138, having been 66, 101, and 125 in the preceding three weeks. Compared with the corrected averages, the deaths from *bronchitis* and *pneumonia* last week again showed considerable excess.

Different forms of violence caused 56 deaths, concerning all of which inquests were held. Of these 56 deaths, 10 were cases of suicide, and 1 of homicide, while the remaining 45 were attributed to accident or negligence. Nine of these latter were referred to vehicles in the streets, seven to burns or scalds, five to drowning, and seven, of infants under one year of age, to suffocation in bed. One death occurred while under an anæsthetic administered for surgical purposes.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 2 cases of small-pox, 2571 of scarlet fever, 1120 of diphtheria, and 96 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 327 cases, against 285, 268, and 279; of diphtheria, 117 cases, against 114, 125, and 126; and of enteric fever, 9 cases, against 7, 13, and 5. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended March 20th, 1909.

Greater London.

In Greater London 3731 births and 2776 deaths were registered. Allowing for increase of population, these numbers are 173 below and 614 above the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 13 deaths from measles, 1 from scarlet fever, 3 from diphtheria, 6 from whooping-cough, and 2 from "fever" were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·44 inches, and that of the Thermometer 44°·8, the latter being 2°·3 above the week's average in the 65 years ended 1905. The general direction of the wind was South-Westerly, the horizontal movement of the air being 6 per cent. above the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 20·7 hours; the measured rainfall amounted to 0·51 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 27th March, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1909.*	Death-Rates from all Causes. Week ended 6th Mar., 1909.	13th Mar., 1909.	20th Mar., 1909.	27th Mar., 1909.	Rate from Diseases in Cols. 11–17. Week ended 27th March, 1909.	Registered during the Week ended 27th March, 1909. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS	**16,445,281**	**21·3**	**22·1**	**22·1**	**19·8**	**2·2**	**8489**	**6253**	**1055**	**2216**	**1**	**410**	**41**	**59**	**119**	**15**	**39**	**164**	**428**	**1665**	**53**	**76 TOWNS.**
LONDON	4,833,938	22·8	24·0	24·0	21·5	2·1	2356	1989	273	813	–	118	9	15	40	5	12	56	169	786	1	LONDON.
CROYDON	161,078	18·1	20·1	21·4	20·7	1·0	71	64	9	35	–	–	–	–	2	–	1	1	4	9	–	CROYDON.
WILLESDEN ..	160,424	14·3	13·7	14·3	11·7	1·3	85	36	7	13	–	2	–	–	2	–	–	–	1	6	–	WILLESDEN.
HORNSEY	95,628	8·7	10·9	12·0	12·5	0·5	36	23	2	12	–	–	–	–	1	–	–	2	3	4	–	HORNSEY.
† TOTTENHAM ..	129,464	12·1	14·9	14·1	16·5	1·6	78	41	6	19	–	1	1	–	2	–	–	–	1	9	–	TOTTENHAM.
WEST HAM ..	321,767	17·5	20·4	19·3	18·6	3·7	190	115	26	29	–	14	1	1	6	–	1	2	10	24	–	WEST HAM.
EAST HAM.. ..	149,575	12·9	11·9	15·0	9·4	0·7	77	27	8	8	–	1	–	1	–	–	–	1	3	6	–	EAST HAM.
LEYTON	129,614	12·1	16·9	13·7	10·9	2·0	57	27	2	12	–	4	–	–	1	–	–	–	3	3	–	LEYTON.
WALTHAMSTOW	136,602	11·5	14·5	10·3	13·0	1·1	79	34	2	18	–	–	–	1	2	–	–	1	2	6	–	WALTHAMSTOW.
HASTINGS	68,165	15·3	24·5	16·1	20·7	–	23	27	4	20	–	–	–	–	–	–	–	–	2	5	–	HASTINGS.
BRIGHTON	130,926	27·5	34·6	21·5	31·5	0·8	52	79	6	39	–	–	1	–	1	–	–	1	4	19	–	BRIGHTON.
PORTSMOUTH ..	214,726	21·6	20·2	19·2	14·8	2·7	111	61	13	15	–	8	–	2	1	–	–	2	4	13	1	PORTSMOUTH.
BOURNEMOUTH ..	72,368	23·1	21·6	19·5	15·9	0·7	19	22	3	12	–	–	–	–	–	–	1	–	–	3	–	BOURNEMOUTH.
SOUTHAMPTON ..	124,667	23·4	20·1	16·7	13·4	2·5	57	32	5	10	–	–	2	4	–	–	–	–	4	13	–	SOUTHAMPTON.
READING	82,995	10·1	15·1	23·2	20·1	2·5	24	32	6	15	–	3	–	–	–	–	1	–	–	6	3	READING.
NORTHAMPTON ..	97,752	19·7	19·2	23·5	17·6	–	34	33	4	14	–	–	–	–	–	–	–	–	2	6	1	NORTHAMPTON.
IPSWICH	74,889	13·9	16·7	16·7	14·6	0·7	41	21	6	10	–	–	–	–	1	–	–	1	1	1	–	IPSWICH.
GREAT YARMOUTH	53,430	18·5	21·5	21·5	36·1	2·0	28	37	5	23	–	–	–	1	1	–	–	2	4	9	–	GREAT YARMOUTH.
NORWICH	124,136	17·6	19·3	20·2	20·2	0·4	74	48	15	18	–	–	–	–	1	–	–	3	7	9	1	NORWICH.
PLYMOUTH	124,180	21·0	23·9	21·0	20·6	2·5	71	49	10	18	–	6	–	–	–	–	–	–	–	10	–	PLYMOUTH.
DEVONPORT	83,103	15·7	13·2	11·9	10·7	1·9	41	17	3	6	–	1	–	1	–	1	–	–	1	2	–	DEVONPORT.
BRISTOL	377,642	17·3	15·9	20·3	18·8	1·2	173	136	19	48	1	4	–	3	1	–	–	7	11	39	–	BRISTOL.
HANLEY	68,831	29·5	25·8	22·0	14·4	2·3	58	19	6	5	–	–	–	–	1	1	1	–	3	1	–	HANLEY.
BURTON-ON-TRENT	54,453	19·2	25·9	13·4	13·4	–	18	14	1	4	–	–	–	–	–	–	–	1	1	2	–	BURTON-ON-TRENT.
WOLVERHAMPTON..	104,633	20·9	22·4	21·4	15·0	0·5	49	30	4	14	–	–	–	–	1	–	–	1	5	7	–	WOLVERHAMPTON.
WALSALL	99,399	10·5	17·8	19·4	16·3	1·0	56	31	12	6	–	1	–	–	–	–	1	–	2	6	–	WALSALL.
HANDSWORTH ..	70,186	10·4	11·9	20·8	11·1	1·5	33	15	–	9	–	1	1	–	–	–	–	–	1	–	–	HANDSWORTH.
WEST BROMWICH..	70,457	16·3	22·9	20·7	13·3	–	43	18	4	5	–	–	–	–	–	–	–	–	–	4	1	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 27th March, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1909.*	Death-Rates from all Causes. Week ended 6th Mar., 1909.	13th Mar., 1909.	20th Mar., 1909.	27th Mar., 1909.	Rate from Diseases in Cols. 11–17. Week ended 27th March, 1909.	Registered during the Week ended 27th March, 1909. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
BIRMINGHAM ..	563,629	26·2	27·0	25·1	21·5	4·4	323	232	50	62	–	31	–	6	4	2	5	2	3	68	5	BIRMINGHAM.
KINGS NORTON ..	81,632	13·4	15·3	16·6	14·1	4·5	31	22	2	9	–	5	2	–	–	–	–	–	–	3	–	KINGS NORTON.
SMETHWICK	70,377	26·7	18·5	23·0	10·4	2·2	40	14	4	3	–	3	–	–	–	–	–	–	–	1	–	SMETHWICK.
ASTON MANOR ..	85,257	23·9	23·9	23·2	19·6	9·2	44	32	4	3	–	13	2	–	–	–	–	–	1	5	1	ASTON MANOR.
COVENTRY	80,163	17·6	23·4	24·1	11·7	0·7	51	18	2	8	–	–	–	1	–	–	–	–	–	3	–	COVENTRY.
LEICESTER	244,255	17·3	19·9	22·8	16·9	1·5	97	79	15	35	–	6	–	–	–	–	1	1	2	17	–	LEICESTER.
GRIMSBY	73,036	15·0	12·9	15·0	18·6	–	31	26	3	7	–	–	–	–	–	–	–	–	1	3	1	GRIMSBY.
NOTTINGHAM ..	263,443	23·6	21·2	24·7	21·8	2·8	136	110	27	29	–	8	–	–	4	1	1	1	6	18	–	NOTTINGHAM.
DERBY	129,411	21·8	15·7	22·6	16·5	0·8	79	41	10	16	–	–	–	–	2	–	–	2	4	5	–	DERBY.
STOCKPORT	103,706	28·7	26·6	22·1	16·6	2·0	62	33	10	11	–	3	–	1	–	–	–	–	–	5	–	STOCKPORT.
BIRKENHEAD ..	121,123	23·7	18·9	17·7	12·9	–	70	30	2	14	–	–	–	–	–	–	–	2	2	5	–	BIRKENHEAD.
WALLASEY	71,004	22·0	15·4	12·5	20·6	0·7	27	28	5	9	–	1	–	–	–	–	–	–	1	5	–	WALLASEY.
LIVERPOOL	760,357	25·4	26·2	27·9	25·9	3·7	432	378	73	92	–	34	6	3	7	–	4	12	27	124	13	LIVERPOOL.
BOOTLE	69,393	14·3	26·3	16·5	23·3	6·0	43	31	3	7	–	7	1	–	–	–	–	1	2	6	1	BOOTLE.
ST. HELENS	95,161	35·6	35·1	36·7	38·9	16·4	66	71	13	9	–	26	2	–	2	–	–	3	3	6	–	ST. HELENS.
WIGAN	90,678	29·9	25·3	26·5	31·6	6·9	62	55	16	11	–	10	–	–	1	–	1	2	3	7	–	WIGAN.
WARRINGTON ..	72,276	26·7	19·5	26·7	24·5	4·3	56	34	7	10	–	5	–	–	–	–	1	–	–	3	–	WARRINGTON.
BOLTON	187,824	21·4	15·8	23·3	20·5	1·4	96	74	13	27	–	2	1	1	1	–	–	2	8	10	–	BOLTON.
BURY	59,234	29·9	29·0	22·0	24·6	0·9	29	28	4	13	–	–	–	–	1	–	–	1	1	6	–	BURY.
MANCHESTER ..	655,435	25·8	25·5	24·1	19·4	1·4	368	244	40	62	–	8	4	1	2	2	1	10	19	72	4	MANCHESTER.
SALFORD	241,950	25·9	26·3	22·2	20·5	2·6	138	95	16	25	–	5	3	2	2	–	–	5	13	23	–	SALFORD.
OLDHAM	143,301	20·0	21·8	24·4	18·6	0·7	81	51	8	18	–	1	–	1	–	–	–	–	–	10	–	OLDHAM.
ROCHDALE	89,653	29·1	20·4	20·4	20·9	1·2	29	36	1	17	–	2	–	–	–	–	–	1	1	7	1	ROCHDALE.
BURNLEY	106,267	21·6	22·1	25·5	20·6	–	62	42	6	12	–	–	–	–	–	–	–	2	4	3	–	BURNLEY.
BLACKBURN	136,959	24·0	25·5	24·0	22·8	4·9	51	60	12	15	–	7	1	2	2	–	1	3	4	7	1	BLACKBURN.
PRESTON	118,519	21·1	25·5	25·1	16·7	2·6	58	38	11	8	–	1	1	1	3	–	–	–	–	7	–	PRESTON.
BARROW-IN-FURNESS.	62,996	17·4	19·0	13·2	18·2	–	37	22	3	6	–	–	–	–	–	–	–	–	–	–	–	BARROW-IN-FURNESS.

* See note † on first page of this return.

ended Saturday, 27th March, 1909, and DEATH-RATES in each of the preceding three weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 6th Mar., 1909.	13th Mar., 1909.	20th Mar., 1909.	27th Mar., 1909.	Rate from Diseases in Cols. 11-17. Week ended 27th March, 1909.	Registered during the Week ended 27th March, 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,739	18·7	22·0	22·0	13·8	1·1	51	25	6	10	–	1	–	–	–	1	–	–	2	4	–	HUDDERSFIELD.
HALIFAX	111,911	22·4	25·2	18·6	22·4	–	40	48	6	27	–	–	–	–	–	–	–	1	2	3	–	HALIFAX.
BRADFORD	293,983	22·3	21·5	16·5	19·3	1·8	106	109	17	46	–	2	1	–	4	1	2	1	6	23	–	BRADFORD.
LEEDS	484,012	19·3	21·0	18·7	21·1	0·8	251	187	23	81	–	5	–	1	1	–	–	6	20	43	–	LEEDS.
SHEFFIELD	470,958	20·2	25·0	28·2	21·5	4·1	237	194	34	57	–	30	–	1	5	1	–	6	10	32	4	SHEFFIELD.
ROTHERHAM.. ..	65,070	17·6	17·6	16·0	15·2	1·6	40	19	4	8	–	–	–	1	1	–	–	–	1	7	–	ROTHERHAM.
YORK	87,004	16·2	16·8	13·8	16·2	1·8	42	27	5	12	–	–	–	–	2	–	1	–	–	6	–	YORK.
HULL	275,552	13·2	20·8	21·6	18·4	0·9	147	97	16	35	–	4	–	1	–	–	–	3	9	26	1	HULL.
MIDDLESBROUGH ..	105,255	24·3	19·3	24·3	24·8	2·0	71	50	10	10	–	3	–	–	1	–	–	–	–	6	–	MIDDLESBROUGH.
STOCKTON-ON-TEES	53,417	18·5	17·6	19·5	17·6	2·0	27	18	8	4	–	1	–	–	1	–	–	1	1	1	–	STOCKTON-ON-TEES.
WEST HARTLEPOOL	79,686	19·0	19·6	16·4	17·7	5·2	31	27	5	5	–	8	–	–	–	–	–	–	–	2	1	WEST HARTLEPOOL.
SUNDERLAND ..	159,378	25·2	21·6	21·3	22·6	2·3	111	69	10	17	–	7	–	–	–	–	–	2	2	22	5	SUNDERLAND.
SOUTH SHIELDS ..	117,627	19·9	15·5	17·7	19·1	0·4	59	43	12	17	–	–	–	1	–	–	–	–	1	6	1	SOUTH SHIELDS.
GATESHEAD	131,024	15·9	11·1	12·7	14·7	2·0	72	37	9	10	–	1	–	2	2	–	–	–	–	1	3	GATESHEAD.
NEWCASTLE-ON-TYNE.	281,584	17·2	18·0	20·0	16·9	2·0	179	91	22	20	–	5	2	2	1	–	1	3	5	11	1	NEWCASTLE-ON-TYNE.
TYNEMOUTH ..	55,808	26·2	20·6	20·6	22·4	3·7	36	24	7	5	–	–	–	–	2	–	2	1	1	5	–	TYNEMOUTH.
NEWPORT (MON.) ..	78,336	13·3	23·3	22·0	18·0	–	50	27	3	16	–	–	–	–	–	–	–	1	2	4	–	NEWPORT (MON.).
CARDIFF	195,303	15·5	20·3	20·6	13·6	–	92	51	10	18	–	–	–	–	–	–	–	1	4	11	–	CARDIFF.
RHONDDA	135,894	28·0	20·3	24·9	13·4	0·8	97	35	10	7	–	–	–	1	1	–	–	1	1	2	2	RHONDDA.
MERTHYR TYDFIL..	78,365	15·3	22·6	26·0	16·0	1·3	54	24	5	9	–	1	–	1	–	–	–	1	1	2	–	MERTHYR TYDFIL.
SWANSEA	98,308	19·6	23·9	24·9	26·5	1·6	63	50	12	14	–	–	–	–	3	–	–	4	7	11	–	SWANSEA.
GREATER LONDON	7,429,740	20·6	21·9	21·5	19·5	1·9	3731	2776	390	1128	–	153	12	21	62	7	14	75	224	909	1	GREATER LONDON.
OUTER RING ..	2,595,802	16·5	18·0	17·0	15·8	1·4	1375	787	117	315	–	35	3	6	22	2	2	19	55	123	–	OUTER RING.
8 TOWNS IN OUTER RING.	1,284,152	14·3	16·3	15·8	14·9	1·8	673	367	62	146	–	22	2	3	16	–	2	7	27	67	–	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,311,650	18·8	19·6	18·1	16·7	1·0	702	420	55	169	–	13	1	3	6	2	–	12	28	56	–	REMAINDER OF OUTER RING.
EDINBURGH	355,366	18·3	20·4	17·2	17·2	0·9	147	117	10	48	–	–	–	1	5	–	–	6	?	38	6	EDINBURGH.
GLASGOW	872,021	21·3	21·9	21·9	22·3	3·2	473	373‡	72	100	–	1	4	4	37	2	5	5	?	110	8	GLASGOW.
DUBLIN (Registration Area).†	398,356	26·6	27·5	29·3	27·2	1·3	238	208	32	73	–	5	–	1	2	1	1	2	5	89	7	DUBLIN (Registration Area).†
BELFAST†	386,576	21·6	20·9	21·0	26·7	1·3	225	198‡	35	59	–	–	–	1	5	–	4	8	13	56	3	BELFAST.†

* See note † on first page of this return. † Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast respectively.
‡ Including 2 deaths from Cerebro-spinal meningitis in Glasgow and 1 from Cerebro-spinal fever in Belfast.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the TWELFTH Week of each of the Eleven Years, 1899–1909.

	1899	1900	1901	1902	1903	1904	1905	1906	1907	1908	Corrected Weekly Average in 5 Years 1904–1908.*	1909
TOTAL **Births** -	2480	2675	2424	2556	2585	2423	2611	2243	2548	2400	2593·1	2356
Males - - -	1249	1378	1233	1271	1276	1243	1321	1202	1326	1226	1293·6	1165
Females - -	1231	1297	1191	1285	1309	1180	1290	1041	1222	1174	1209·5	1191
TOTAL **Deaths** -	2025	1817	1588	1649	1461	1645	1376	1436	1483	1455	1514·1	1980
Males - - -	981	973	813	838	714	857	699	732	776	739	778·6	977
Females - -	1044	844	775	811	747	788	677	704	707	716	735·5	1012

* The numbers in this column are the average weekly numbers in the Twelfth week of the five years 1904-1908, raised by 2·375 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	Mar. 6.	Mar. 13.	Mar. 20.	Mar. 27.	13 Weeks.
TOTAL **Births** -	2228	2476	2434	2162	2110	2444	2335	2461	2173	2075	2585	2169	2356	30308
TOTAL **Deaths** -	1805	1672	1553	1414	1653	1878	1646	1731	1849	2116	2221	2225	1989	23762
Ages at Death: Under 1 year -	305	251	273	221	256	254	258	256	273	309	297	309	273	3535
1—5 years -	211	174	181	175	215	185	193	250	224	251	273	271	246	2839
5—20 " -	81	79	71	51	65	77	69	89	79	97	85	106	87	1036
20—40 " -	243	179	175	171	214	199	190	192	183	211	214	230	187	2578
40—60 " -	354	394	330	292	358	416	345	373	398	437	453	449	383	4982
60 yrs. & upwds.	631	595	533	504	555	747	591	571	692	811	899	860	813	8792
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Measles - - -	87	72	79	76	82	52	69	93	94	92	105	129	118	1148
Scarlet Fever - -	7	4	11	11	7	11	9	8	8	7	9	7	9	108
Diphtheria - -	23	20	14	20	16	24	15	19	18	18	22	19	15	243
Whooping-cough -	11	14	8	11	29	29	15	25	35	55	35	36	40	343
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	7	8	8	6	3	7	4	4	2	1	4	5	5	64
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery	22	17	22	15	10	12	19	9	14	10	10	16	12	188
All above diseases -	157	135	142	139	147	135	131	158	171	183	185	213	199	2095
Dis. of Resp. System	193	158	181	156	214	354	219	235	309	389	411	360	317	3596
Pneumonia - -	188	184	188	161	163	202	222	252	237	314	347	291	250	2999
Phthisis - - -	171	158	121	127	198	171	145	153	161	183	161	204	127	2080
Dis. of Circ. System -	252	253	211	185	252	270	249	214	257	239	280	266	250	3199
Violence - - -	83	82	72	51	65	63	54	55	42	63	56	66	53	808
Inquest Cases - -	207	201	162	140	154	198	150	142	140	188	182	190	169	2223
Deaths in Institutions	686	615	631	611	662	749	639	681	676	783	777	870	786	9156
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	31·5	40·7	42·2	38·7	31·8	42·7	34·8	37·4	33·4	30·1	36·5	38·8	44·8	37·2
Mean of Highest -	35·9	44·0	47·4	42·8	37·1	47·7	40·0	45·8	40·9	37·1	41·3	45·3	51·3	42·8
Mean of Lowest -	26·8	37·0	37·6	34·1	25·3	37·1	30·0	29·3	27·1	23·4	33·2	33·3	39·1	31·8
Mean Humidity of the Air.	85	86	80	81	88	79	81	75	79	85	84	81	81	82
Rain-fall (in inches) -	0·48	0·13	0·49	0·12	0·02	0·01	0·29	0·01	0·08	1·23	0·46	0·41	0·51	4·27
Registered Sunshine (in hours).	5·7	8·1	22·7	10·9	18·9	7·7	21·1	36·3	22·4	16·2	17·0	17·7	20·7	225·4
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	-	-	-	-	-	1	1	1	1	1	2	3	2	1
Scarlet Fever - -	3557	3347	3261	3211	3201	3117	3002	2910	2826	2873	2670	2596	2571	3011
Diphtheria - - -	1245	1215	1205	1191	1187	1181	1177	1188	1157	1167	1150	1143	1120	1179
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	153	145	145	137	130	124	128	133	124	116	115	106	96	127

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **3.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lander, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq. F.R Met.Soc., Hull; the Meteorological Committee, Tynemouth; and E. Walford, Esq., M.D., Cardiff.

Table 4. LONDON.—Deaths Registered in the Twelfth Week of the Year 1909.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

Causes of Death.	Corrected Average for the 12th week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1514·1	1989	273	246	87	187	383	813
Small-pox*	0·6	–	–	–	–	–	–	–
Cowpox	–	–	–	–	–	–	–	–
Measles (Morbilli)	44·0	118	24	89	4	1	–	–
Scarlet Fever	9·8	9	–	7	2	–	–	–
Typhus	–	–	–	–	–	–	–	–
Plague	–	–	–	–	–	–	–	–
Influenza	31·7	138	2	1	3	16	30	86
Whooping-cough	37·5	40	17	22	1	–	–	–
Diphtheria	13·5	15	1	10	4	–	–	–
Cerebro-spinal Fever ..	0·2	–	–	–	–	–	–	–
Pyrexia† (origin uncertain)	–	–	–	–	–	–	–	–
Enteric Fever	3·5	5	–	–	–	4	–	1
Asiatic Cholera	–	–	–	–	–	–	–	–
Epidemic Diarrhœa, Infective Enteritis	4·1	3	3	–	–	–	–	–
Diarrhœa, Dysentery ..	10·2	9	3	1	–	3	–	2
Tetanus	0·2	–	–	–	–	–	–	–
Rabies, Hydrophobia ..	–	–	–	–	–	–	–	–
Glanders	–	–	–	–	–	–	–	–
Anthrax (Splenic Fever)..	0·4	–	–	–	–	–	–	–
Venereal Dis.	8·6	6	5	–	–	1	–	–
Puerperal Septicæmia ..	3·7	1	–	–	–	1	–	–
Puerperal Pyæmia.. .	0·4	1	–	–	–	1	–	–
Puerperal Fever	1·0	2	–	–	–	2	–	–
Infective Endocarditis ..	3·5	–	–	–	–	–	–	–
Pneumonia: Lobar ..	18·4	45	1	2	6	7	14	15
Pneumonia: Broncho ..	77·0	97	31	31	2	3	6	24
Pneumonia: Epidemic ..	–	–	–	–	–	–	–	–
Pneumonia: Not defined	73·3	108	10	13	7	18	26	34
Erysipelas	5·1	7	4	–	–	1	–	2
Septicæmia (not Puerperal)	1·4	2	1	–	–	–	1	–
Pyæmia (not Puerperal)	1·2	–	–	–	–	–	–	–
Other Infective Processes	5·7	5	–	–	1	–	1	3
Tuberculous Phthisis ..	91·7	88	1	1	5	29	40	12
"*Phthisis*"	53·8	39	–	–	5	16	14	4
Tuberculous Meningitis ..	21·7	20	2	16	2	–	–	–
Tuberculous Peritonitis ..	8·0	10	4	4	–	1	1	–
Tabes Mesenterica	2·3	2	–	1	1	–	–	–
Tuberculous Dis., Other ..	15·8	25	5	7	4	2	5	2
Scrofula..	–	–	–	–	–	–	–	–
Alcoholism	9·0	4	–	–	–	1	3	–
Rheumatic Fever	4·7	8	–	1	3	2	1	1
Gout	2·3	1	–	–	–	–	–	1
Carcinoma	48·5	49	–	–	–	1	24	24
Sarcoma	4·5	6	–	–	–	1	1	4
Cancer (undefined) ..	31·5	42	–	–	–	1	15	26
Diabetes Mellitus	12·9	12	–	–	1	1	3	7
Premature Birth	44·2	49	49	–	–	–	–	–

Causes of Death	Corrected Average for the 12th week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)..	15·6	15	6	6	2	–	1	–
Gen. Par. of Insane, Insanity	13·1	16	–	–	–	4	3	9
Epilepsy	4·7	5	–	1	–	2	–	2
Convulsions	19·0	11	11	–	–	–	–	–
Locomotor Ataxy.. ..	2·0	2	–	–	–	1	–	1
Paraplegia, Dis. of Cord.	4·9	9	–	–	–	1	1	7
Nervous Sys., Other Dis.	22·3	18	–	2	–	–	6	10
Valv. Dis., Endocarditis..	49·5	62	–	–	5	7	15	35
Cereb. Hæm. Cereb. Emb.	35·8	43	–	–	–	2	7	34
Apoplexy, Hemiplegia ..	14·9	15	–	–	–	–	1	14
Aneurysm	6·3	6	–	–	–	–	6	–
Embolism, Thrombosis (not Cerebral) ..	0·6	–	–	–	–	–	–	–
Heart & Blood Ves., Other Dis... ..	91·1	124	1	–	4	3	33	83
Croup (not Spasm: nor Memb.)	0·4	1	–	1	–	–	–	–
Bronchitis	148·4	286	19	13	2	8	40	204
Emphysema, Asthma ..	7·4	7	–	–	–	–	1	6
Pleurisy	3·5	6	–	1	1	–	2	2
Respiratory Dis., Other..	15·4	17	3	2	1	1	3	7
Tonsillitis, Quinsy.. ..	1·0	4	–	–	2	2	–	–
Enteritis (not Epid.) ..	8·2	13	7	3	–	–	1	2
Gastro-enteritis	3·9	3	2	1	–	–	–	–
Peritonitis (not Puerp.) ..	1·6	2	–	–	–	1	1	–
Cirrhosis of Liver.. ..	12·9	11	–	–	–	1	5	5
Liver Dis., Other	6·3	11	–	–	–	3	7	1
Digestive Sys., Other Dis.	37·1	35	1	1	8	3	12	10
Acute Nephritis	8·2	14	–	–	–	4	5	5
Bright's Dis., Albuminuria	38·9	52	–	–	3	6	22	21
Urinary Sys., Other Dis.	11·3	11	–	–	–	1	6	4
Generative Organs Dis...	4·5	6	–	–	–	3	2	1
Childbirth (Accid. of) ..	3·9	5	–	–	–	5	–	–
Old Age	61·6	88	–	–	–	–	–	88
Other Diseases	94·8	69	51	5	2	2	1	8
ACCIDENT.								
By Railways	1·6	–	–	–	–	–	–	–
By Vehicles and Horses..	5·7	9	–	1	1	2	4	1
In Ships, Boats, Docks, (exclusive of Drowning)	1·4	–	–	–	–	–	–	–
In Building Operations..	0·6	1	–	–	–	–	1	–
In Conflagrations	0·4	–	–	–	–	–	–	–
By Burns, Scalds, Explosions	7·4	7	–	3	3	1	–	–
By Drowning	3·5	5	–	–	–	–	3	2
By Suffocation in Bed ..	8·8	7	7	–	–	–	–	–
By Poisons or Poisonous Vapours	2·9	4	–	–	–	2	2	–
Other Deaths by Accident..	15·6	12	2	–	1	3	3	3
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	0·6	1	–	–	–	–	1	–
Suicide	10·6	10	–	–	1	6	3	–
Execution	–	–	–	–	–	–	–	–

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 27th March, 1909.

REGISTRATION-SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexiæ* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified causes of Death.
LONDON	4,536,267	2356	1989	273	813	–	118	9	15	40	–	5	–	12	56	169	786	1
WEST DISTRICTS	805,311	337	361	37	169	–	12	–	5	10	–	2	–	1	11	26	154	–
NORTH DISTRICTS	1,055,908	530	447	56	197	–	29	2	4	9	–	2	–	–	13	35	133	–
CENTRAL DISTRICTS	209,465	107	74	13	18	–	1	–	1	4	–	–	–	1	1	8	40	–
EAST DISTRICTS	715,739	413	320	58	100	–	15	2	1	4	–	–	–	2	7	35	165	–
SOUTH DISTRICTS	1,749,844	969	724	109	297	–	61	3	3	13	–	–	–	8	24	64	231	1
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	–	63	–	32	–	–	2	1	–	–	1	–	–	–	1	63	–
WEST DISTRICTS.																		
North Paddington *H*	63,603	31	15	2	8	–	–	–	–	1	–	–	–	–	–	2	–	–
Central Paddington *W,3H*	50,053	21	28	–	12	–	–	–	–	–	–	–	–	–	–	1	19	–
South Paddington	30,320	2	5	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Kensington Town *2W,w,2H* ..	128,037	62	84	9	42	–	6	–	–	2	–	–	–	–	1	6	40	–
Brompton *2H*	48,591	14	16	1	12	–	–	–	–	–	–	–	–	–	–	2	2	–
North Hammersmith *2W,w,H* ..	49,192	27	22	7	8	–	–	–	–	2	–	1	–	–	2	2	6	–
South Hammersmith *w,2H* ..	63,047	41	30	1	15	–	1	–	1	1	–	–	–	–	2	2	8	–
North-west Fulham *W*	45,180	36	18	3	6	–	3	–	–	2	–	–	–	–	–	–	8	–
North-east Fulham *F*	46,405	17	8	1	4	–	–	–	2	–	–	1	–	–	–	1	3	–
South Fulham *W*	45,704	30	12	1	8	–	–	–	–	–	–	–	–	–	–	1	–	–
Chelsea North *W,w,3H*	42,514	10	60	4	30	–	–	–	1	–	–	–	–	–	–	1	49	–
Chelsea South *W,2H*	31,328	11	13	2	4	–	–	–	1	1	–	–	–	–	2	2	3	–
Mayfair and Knightsbridge	28,743	2	6	–	6	–	–	–	–	–	–	–	–	–	–	–	–	–
Belgrave *W,2H*	55,815	11	23	2	9	–	1	–	–	–	–	–	–	–	3	5	9	–
St. Margaret & St. John *6H*	43,693	17	15	4	2	–	1	–	–	1	–	–	–	1	1	1	6	–
St. James and St. Anne *W,6H* ..	33,081	5	6	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
NORTH DISTRICTS.																		
All Souls Marylebone *9H*	35,391	8	19	–	11	–	–	–	–	–	–	–	–	–	1	3	6	–
St. Mary Marylebone *W,4H* ..	37,948	48	16	–	9	–	–	–	–	1	–	–	–	–	1	1	3	–
Christchurch Marylebone	39,536	19	10	3	3	–	2	–	–	–	–	–	–	–	1	2	–	–
St. John Marylebone *2H*	20,426	11	12	–	8	–	–	–	–	–	–	–	–	–	–	2	3	–
Hampstead *W,F,6H*	81,942	17	29	2	14	–	1	1	1	2	–	–	–	–	1	2	8	–
West St. Pancras *2H*	60,562	31	21	5	6	–	6	–	–	–	–	–	–	–	–	2	3	–
South St. Pancras *w,12H*	55,707	24	22	4	9	–	–	–	–	–	–	–	–	–	2	2	9	–
East St. Pancras *W,H*	60,320	42	34	4	11	–	1	–	–	–	–	1	–	–	1	6	15	–
North St. Pancras *2W*	58,728	25	33	4	15	–	6	–	–	–	–	–	–	–	–	1	15	–
Tufnell *W*	31,995	7	35	2	19	–	2	–	–	–	–	1	–	–	–	–	27	–
Upper Holloway *2W,w,H*	33,978	28	25	5	8	–	–	–	–	–	–	–	–	–	2	2	18	–
Tollington *W,w,H*	33,922	21	12	–	6	–	1	–	–	–	–	–	–	–	–	–	–	–
Lower Holloway	41,424	24	7	2	3	–	1	–	–	–	–	–	–	–	–	–	–	–
Barnsbury	54,478	33	17	4	4	–	–	–	–	–	–	–	–	–	1	2	–	–
Islington South-east *F*	75,397	26	34	5	13	–	4	–	–	3	–	–	–	–	1	3	–	–
Highbury *2H*	63,797	33	19	5	9	–	2	–	–	1	–	–	–	–	–	–	–	–
Stoke Newington *H*	51,247	17	19	2	10	–	2	1	–	–	–	–	–	–	–	–	–	–
North Hackney	50,398	19	18	–	12	–	–	–	–	–	–	–	–	–	–	2	–	–
Central Hackney *w,F*	50,536	26	13	3	4	–	–	–	2	–	–	–	–	–	1	1	2	–
South-west Hackney *3H*	59,921	33	20	3	5	–	–	–	1	1	–	–	–	–	–	–	7	–
South-east Hackney *2W,H*	58,255	38	32	3	18	–	1	–	–	1	–	–	–	–	1	4	17	–
Hackney Union Workhouse, Brentwood	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 27th March, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
St. Giles and Bloomsbury 2*W*,2*H* ..	31,436	21	5	-	2	-	-	-	-	-	-	-	-	-	-	1	2	-
Strand *W*,4*H*	21,674	2	15	2	3	-	-	-	-	-	-	-	-	-	-	1	12	-
Strand Union Workhouse, Edmonton	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Holborn *W*,6*H*	29,612	14	14	2	2	-	-	-	-	3	-	-	-	-	1	1	9	-
Clerkenwell *H*	63,704	30	14	4	4	-	-	-	-	1	-	-	-	-	-	3	-	-
St. Luke 3*H*,*L*	36,116	37	7	2	2	-	1	-	-	-	-	-	-	-	-	1	3	-
Holborn Union Workhouse, Mitcham	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
St. Botolph *H*	10,299	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	2	15	3	2	-	-	-	1	-	-	-	-	1	-	1	12	-
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
Shoreditch South 2*H*	46,362	29	8	2	1	-	1	-	-	1	-	-	-	-	-	1	-	-
Shoreditch North-West *W*,*w*,*H* ..	36,127	23	39	4	13	-	5	-	-	2	-	-	-	-	1	5	21	-
Shoreditch North-East	36,148	19	10	2	4	-	1	-	-	-	-	-	-	-	-	-	-	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	37	35	7	12	-	1	-	-	-	-	-	-	1	-	2	25	-
Bethnal Green South-West *H* ..	64,542	41	13	2	4	-	1	-	-	1	-	-	-	-	1	4	-	-
Spitalfields..	27,969	8	2	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-
Mile End New Town *W*,*H*	28,718	23	64	8	11	-	1	1	1	-	-	-	-	-	4	8	61	-
Goodman's Fields	22,081	9	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George and St. John 2*W* ..	49,068	34	16	5	5	-	-	-	-	-	-	-	-	-	-	3	5	-
Shadwell and Ratcliff *w*,*H* ..	25,568	14	15	6	1	-	-	-	-	-	-	-	-	-	-	3	7	-
Limehouse *W*	32,369	20	6	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-
Mile End Old Town South-Western *H*	63,698	44	7	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Mile End Old Town North-Eastern *W*,*w*	49,129	28	28	3	13	-	1	-	-	-	-	-	-	-	-	2	16	-
Bow	41,989	23	13	3	4	-	2	-	-	-	-	-	-	-	-	1	-	-
Bromley 3*w*,*H*	68,319	28	48	9	21	-	1	1	-	-	-	-	-	1	-	3	27	-
Poplar *W*,*w*	58,514	33	11	4	5	-	-	-	-	-	-	-	-	-	-	2	1	-
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c. registered in each SUB-DISTRICT during the Week ended Saturday, 27th March, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch and St. Saviour Southwark *W,2H*	23,319	8	19	2	2	-	2	-	-	-	-	-	-	-	2	2	15	-
Kent-road	21,904	12	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George the Martyr West *W,2H,L*	39,094	16	16	3	4	-	3	-	1	-	-	-	-	-	1	1	5	-
Newington North	49,022	23	13	3	2	-	-	-	-	2	-	-	-	-	1	2	-	-
Newington South *W*	72,841	50	25	3	8	-	3	-	-	-	-	-	-	-	-	4	2	-
St. Olave *2W*	9,817	9	3	-	3	-	-	-	-	-	-	-	-	-	-	-	1	-
Bermondsey *W*	82,483	56	29	5	11	-	4	-	-	2	-	-	-	1	1	3	-	-
Rotherhithe *W,F*	38,460	17	15	3	6	-	3	-	-	-	-	-	-	-	-	-	7	-
Waterloo *2H*	27,440	34	10	4	3	-	1	-	-	-	-	-	-	-	1	1	3	-
Lambeth Church *H*	27,440	15	30	6	8	-	1	-	-	1	-	-	-	-	1	3	22	-
Kennington *2W*	52,518	43	40	9	16	-	4	-	-	1	-	-	-	-	-	2	22	-
Stockwell *HF*	63,826	36	24	4	10	-	-	-	1	-	-	-	-	-	-	-	1	-
Brixton *H*	73,673	35	30	7	14	-	1	-	-	-	-	-	-	-	-	1	2	1
Norwood *2WH*	56,998	27	17	1	10	-	-	-	-	-	-	-	-	-	1	3	1	-
East Battersea *H*	72,203	46	17	4	4	-	2	-	-	2	-	-	-	1	-	1	-	-
North-west Battersea	49,656	33	12	3	4	-	-	-	-	-	-	-	-	-	-	5	-	-
South-west Battersea *2W,H* ..	47,048	10	50	7	20	-	5	-	-	2	-	-	-	-	2	3	37	-
Clapham *2H*	51,361	24	22	3	10	-	2	-	-	2	-	-	-	-	2	4	-	-
Streatham *W,2w,2F,2L*	88,019	39	52	10	28	-	3	2	-	-	-	-	-	-	1	2	19	-
Springfield *2W,L*	27,959	19	12	1	2	-	8	-	-	-	-	-	-	-	-	-	7	-
Southfields *H*	40,444	34	12	2	6	-	1	-	-	-	-	-	-	-	-	-	2	-
Putney	24,139	9	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich	13,359	7	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	19	36	2	19	-	1	-	-	-	-	-	-	-	-	2	23	-
Camberwell North *W,2L*	65,584	38	35	2	11	-	2	-	-	-	-	-	-	1	4	9	21	-
St. George	47,331	24	13	-	4	-	-	-	-	-	-	-	-	-	-	2	-	-
Peckham North	48,913	34	11	5	3	-	-	-	-	-	-	-	-	-	1	2	-	-
Peckham South *2W,w*	43,946	20	15	2	10	-	2	-	-	-	-	-	-	-	1	2	-	-
Deptford North	37,613	29	12	3	2	-	1	-	-	-	-	-	-	-	-	1	-	-
Deptford Central *F*	45,481	32	12	2	4	-	1	1	-	1	-	-	-	-	-	2	1	-
Deptford South	34,625	22	12	1	6	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *2H*	23,456	11	7	1	4	-	-	-	-	-	-	-	-	1	-	-	-	-
Greenwich East *2W,H*	43,859	18	24	4	11	-	2	-	-	-	-	-	-	1	1	2	15	-
Eltham *w,H*	7,226	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *w,H*	25,490	7	17	-	13	-	1	-	-	-	-	-	-	-	-	-	2	-
Lewisham *2W,w,F*	58,352	24	28	2	13	-	2	-	1	-	-	-	-	-	-	-	10	-
Sydenham *H*	43,653	18	9	-	7	-	-	-	-	-	-	-	-	1	1	1	1	-
Charlton *F,2H*	21,134	5	5	-	1	-	1	-	-	-	-	-	-	-	1	1	1	-
Woolwich *5H*	41,625	24	10	4	2	-	2	-	-	-	-	-	-	1	-	-	1	-
Plumstead West *W,H*	39,376	17	10	-	5	-	2	-	-	-	-	-	-	-	2	2	-	-
Plumstead East *2W*	28,951	23	10	-	5	-	1	-	-	-	-	-	-	1	-	1	5	-
Workhouses:—																		
Belmont Workhouse	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.) ..	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Small-pox Hospitals:—																		
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																		
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	4	-	-	-	-	2	1	-	-	1	-	-	-	-	4	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																		
Children's Infirmary, Carshalton..	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
M. A. B. Imbecile Asylums:—																		
Caterham	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Darenth	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden	—	-	9	-	5	-	-	-	-	-	-	-	-	-	-	-	9	-
London County Lunatic Asylums:—																		
Banstead	—	-	4	-	4	-	-	-	-	-	-	-	-	-	-	-	4	-
Ewell (Epileptic Colony)	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Horton	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4	-
Manor	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Long Grove	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Cane Hill	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
Dartford Heath	—	-	5	-	2	-	-	-	-	-	-	-	-	-	-	-	5	-
Hanwell	—	-	6	-	4	-	-	-	-	-	-	-	-	-	-	-	6	-
Colney Hatch	—	-	6	-	5	-	-	-	-	-	-	-	-	-	-	-	6	-
Claybury	—	-	13	-	7	-	-	-	-	-	-	-	-	-	-	1	13	-

TABLE **6.** LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERATED POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 27th March, 1909.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years & upwds.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING ..	368,603	2,045,135	1375	787	117	315	-	35	3	6	22	2	2	19	55	123	-
30 : 1	Carshalton 2F,3H	12,228	32,997	13	11	1	6	-	-	-	-	-	-	-	-	-	2	-
2	Epsom, *part of** W,w,2F,H..	10,423	15,548	9	3	-	2	-	-	-	-	.	-	-	-	-	-	-
37 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	3	3	-	1	-	-	-	-	-	-	-	-	-	2	-
38 : 1	Coulsdon	11,069	8,166	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w,H ..	4,200	49,309	17	18	3	11	-	-	-	-	-	-	-	-	1	-	-
3	West Croydon 3W,F,H ..	2,168	42,888	28	29	4	17	-	-	-	-	1	-	-	-	1	7	-
4	North Croydon H	2,614	41,698	26	16	2	7	-	-	-	-	1	-	1	1	2	1	-
5	Penge w	770	22,465	8	4	-	1	-	-	-	-	-	-	-	-	-	-	-
6	Mitcham w	11,711	30,015	35	14	3	3	-	1	-	-	1	-	-	-	-	-	-
39 : 1	Wimbledon F,3H	3,221	41,652	32	13	3	5	-	-	-	-	-	-	-	1	3	1	-
2	Kingston 2W,H	6,224	42,068	28	18	2	7	-	-	-	1	-	-	-	-	2	6	-
3	Surbiton F,H	3,046	15,017	8	11	3	6	-	-	-	-	1	-	-	-	2	-	-
4	Esher, *part of** H	5,402	13,100	10	5	-	3	-	-	-	-	-	-	-	-	-	-	-
5	Hampton H,F,L	4,564	23,456	15	7	1	3	-	-	-	1	-	-	-	1	1	-	-
40 : 1	Richmond W,H	2,491	31,672	13	10	1	6	-	1	-	-	-	-	-	-	-	2	-
2	Mortlake F	2,518	17,821	16	6	1	2	-	-	-	-	-	-	-	2	2	-	-
41 : 1	Bromley F,3H	4,703	27,354	11	16	-	7	-	-	-	-	1	-	-	-	-	1	-
2	Beckenham H	7,825	28,497	14	12	4	3	-	-	-	-	-	-	-	2	2	-	-
3	Orpington, *part of** W,F ..	10,113	9,857	6	7	-	2	-	-	-	-	-	-	-	-	-	2	-
4	Chislehurst 2H	7,333	16,446	7	2	-	2	-	-	-	-	-	-	-	-	-	-	-
42 : 1	Bexley w,F,H	8,678	21,151	8	5	1	1	-	-	-	-	-	-	-	-	-	-	-
2	Erith F,H	3,854	25,296	17	6	1	3	-	-	-	-	-	-	-	-	1	1	-
3	Dartford W,F, *part of** ..	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
124 : 1	Sunbury w	11,054	18,683	10	3	2	-	-	-	-	-	-	-	-	-	-	-	-
2	Staines W,H	13,277	15,178	7	7	-	3	-	-	1	-	-	1	-	-	1	1	-
125 : 1	Hillingdon W,F,H	6,035	13,661	5	1	-	1	-	-	-	-	-	-	-	-	-	1	-
2	Uxbridge H	12,757	8,984	4	3	-	2	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w 2F,H	8,066	16,358	29	9	3	2	-	2	-	-	-	-	-	1	1	-	-
126 : 1	Isleworth 3W,3F,H	6,859	30,863	19	17	-	11	-	-	-	-	-	-	-	1	1	10	-
2	Twickenham F,2H	2,421	20,991	10	11	-	5	-	-	-	-	-	-	-	-	-	-	-
3	Brentford 3F,2H	4,319	48,289	41	20	6	7	-	1	-	-	-	-	-	-	1	2	-
4	Chiswick H	1,249	29,809	16	11	1	3	-	-	-	-	-	-	-	-	1	-	-
5	Acton w,F,3H	6,132	48,914	45	18	6	5	-	-	-	-	3	-	-	-	-	-	-
127 : 1	Harrow F,H	13,809	25,523	22	12	1	2	-	3	-	-	-	1	-	1	1	1	-
2	Edgware 2F,2H	6,994	4,521	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
3	Willesden W,F,2H	4,384	114,811	85	35	7	13	-	2	-	-	2	-	-	-	1	5	-
4	Hendon W,F	8,382	22,450	16	6	1	2	-	1	-	-	-	-	-	-	-	2	-
128 : 1	South Mimms 2F,H ..	17,755	7,308	2	3	1	2	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,970	8	6	-	4	-	-	-	-	-	-	-	1	1	-	-
3	Finchley F,3H	4,688	33,692	16	11	1	7	-	-	-	-	-	-	-	-	-	1	-
129 : 1	Hornsey F,H	2,875	72,056	36	20	1	10	-	-	-	-	1	-	-	2	2	1	-
2	Wood Green H	1,625	34,233	30	17	1	6	-	1	-	-	-	-	-	-	-	-	-
3	West Tottenham	995	48,741	36	11	2	5	-	-	-	-	1	-	-	-	-	-	-
4	East Tottenham 2H ..	2,019	53,962	42	22	4	10	-	1	-	-	1	-	-	-	1	1	-
5	Edmonton W,w,2F	7,491	61,892	46	35	4	19	-	1	-	1	-	-	-	2	4	12	-
6	Enfield 2W,F,H	12,601	42,738	38	21	3	5	-	-	-	-	-	-	-	-	3	5	-
7	Waltham Abbey F	11,017	6,549	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	4	4	-	2	-	-	-	-	-	-	-	-	1	-	-
135 : 1	Hatfield, *part of** W ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey H	9,333	9,173	5	4	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Watford W,2F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
186 : 1	Stratford H	1,091	52,974	36	15	2	4	-	-	-	-	1	-	-	1	1	1	-
2	Forest Gate	787	52,745	20	18	4	7	-	-	-	-	-	-	-	1	3	-	-
3	Plaistow F,2H	1,249	90,921	72	33	7	7	-	9	1	-	2	-	-	-	3	2	-
4	Canning Town H	1,556	70,718	62	28	12	2	-	5	-	-	3	-	1	-	3	-	-
5	South East Ham 2F ..	1,991	37,342	42	12	5	4	-	1	-	-	-	-	-	-	1	-	-
6	North East Ham w,H ..	1,333	58,666	35	9	3	2	-	-	-	1	-	-	-	-	1	-	-
7	Wanstead F	1,679	9,179	1	5	-	4	-	1	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	25	18	1	11	-	3	-	-	-	-	-	-	3	11	-
9	North Leyton 2W,w,F ..	1,963	48,445	32	39	2	12	-	1	-	-	2	-	-	1	1	22	-
10	Walthamstow 2H,L ..	6,504	108,929	85	34	2	18	-	-	-	1	1	-	-	1	2	1	-
187 : 1	Chigwell 2F,3H	11,778	16,397	9	5	-	3	-	-	-	-	-	-	-	-	-	-	-
2	Epping W,F, *part of** ..	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
189 : 1	Romford, *part of** W,2F ..	6,556	6,091	6	4	1	1	-	-	-	-	-	-	-	-	1	2	-
2	Ilford F,L	8,496	41,244	36	17	2	8	-	1	-	-	-	-	-	-	-	-	-
3	Barking Town F	3,805	21,547	15	5	1	2	-	-	-	-	-	-	-	-	-	-	-
	Eastern Hospital, Homerton	—	—	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-
	N.E. Hospital, Tottenham..	—	—	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	4	-	1	-	-	-	-	-	-	-	-	-	4	-
	London County Lunatic Asylum, Long Grove, Epsom.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
	City of London Lunatic Asylum, Stone.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Surrey County Lunatic Asylum, Brookwood.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Middlesex County Lunatic Asylum, Napsbury.	—	—	-	4	-	1	-	-	-	-	-	-	-	-	-	4	-
	Essex County Lunatic Asylum, Brentwood.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30 : 2, excepting Ashtead parish; 37 : 1, Warlingham and Farley parishes; 39 : 4, excepting Esher parish; 41 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135 : 1, Northaw parish; 189 : 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42 : 3, 137 : 2 and 187 : 2 and in the Croydon Mental Hospital in 37 : 1 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON - -	4,833,938	March 27	2356	1989	21·5	-	118	9	16	40	5	12
CALCUTTA - -	1,014,438	February 13	-	-	-	-	-	-	-	-	-	-
BOMBAY - -	982,000	March 9	360	839	44·6	19	3	-	-	-	257†	58
MADRAS - -	548,974	February 26	263	380	38·7	4	3	?	?	?	119	55‡
PARIS - - -	2,747,599	March 13	-	1225	23·3	-	7	3	5	2	4	21
		" 20	979	1113	21·2	-	5	2	6	4	15	19
BRUSSELS - -	704,975	" 20	246	241	17·8	-	3	-	-	1	2	7
ANTWERP - -	310,903	" 20	126	116	19·4	-	-	2	-	2	1	5
AMSTERDAM -	566,256	" 20	261	200	18·4	-	6	1	1	7	1	5
COPENHAGEN -	445,000	" 20	253	166	19·5	-	3	5	2	6	-	4
STOCKHOLM -	337,460	" 13	173	128	19·7	-	-	1	1	2	-	-
CHRISTIANIA -	231,687	" 20	99	60	13·5	-	-	-	-	1	1	2
ST. PETERSBURG	1,573,000	" 13	1178	781	25·9	-	30	10	10	5	8	62‡
MOSCOW - -	1,452,100	" 13	-	877	31·5	13	22	20	16	6	19	82
BERLIN - -	2,112,146	" 6	968	667	16·5	-	16	13	9	7	-	31
HAMBURG - -	872,252	" 20	-	297	17·7	-	1	5	8	2	-	17
BRESLAU - -	499,437	" 13	-	196	20·5	-	1	1	4	-	-	14
MUNICH - -	566,000	" 13	-	208	19·1	-	3	3	7	3	1	14
VIENNA - -	2,042,426	" 20	-	-	-	-	-	-	-	-	-	-
PRAGUE - -	480,856	" 13	234	205	22·2	-	-	2	1	1	-	9
BUDAPEST - -	823,215	" 13	432	340	21·1	-	1	3	4	-	-	12
TRIESTE - -	215,250	" 20	128	125	30·2	-	-	2	-	-	1	1
ROME - - -	565,323	January 16	267	246	22·7	-	-	3	4	4	3§	7
VENICE - -	179,236	March 6	86	113	32·9	-	-	-	2	2	1	4
BUCAREST - -	296,585	" 6	200	163	28·7	-	-	4	-	-	1	2
		" 13	186	152	26·7	-	1	1	-	1	-	1
NEW YORK -	4,564,792	" 13	2191	1484	17·0	-	22	26	46	6	6	46
CHICAGO - -	2,224,490	" 6	-	601	14·1	-	2	6	16	1	9	37
PHILADELPHIA -	1,565,569	February 13	-	603	20·0	-	7	2	10	3	12	13
		" 20	-	549	18·2	-	5	3	16	2	9	18
RIO DE JANEIRO	636,018	" 21	-	301	24·7	17	4	-	-	-	2†	?
		" 28	-	302	24·7	9	1	-	-	1	6	?
CAIRO:—												
Egyptians -	666,587	" 25	544	362	28·2	13	1	-	3	?	10	60
Foreigners -	35,219	" 25	14	20	29·5	4	-	-	-	?	-	1
ALEXANDRIA:—												
Egyptians -	341,965	" 25	316	243	37·0	1	9	1	1	?	2	39
Foreigners -	43,118	" 25	5	28	31·6	-	1	-	-	?	2	3

* Excluding deaths from croup in the Indian Cities.
† Including 197 deaths from plague in Bombay and 1 in Rio de Janeiro.
‡ Including 1 death from cholera in Madras and 6 in St. Petersburg.
§ Including 1 death from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 27th March, 1909.

Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	54·0	32·1	45·2	0·51	BRADFORD - -	51·4	30·6	40·9	0·74
BRIGHTON - -	49·1	33·5	43·6	0·90	YORK - - -	53·0	32·0	43·1	0·55
PORTSMOUTH - -	53·0	33·0	44·9	1·24	HULL - - -	52·0	32·0	43·1	0·65
NORWICH - -	54·6	33·0	44·4	0·80	TYNEMOUTH - -	50·0	33·0	40·3	0·84
PLYMOUTH - -	54·9	31·9	46·3	2·02	CARDIFF - - -	51·0	32·2	42·9	2·03
BRISTOL - - -	52·0	30·0	44·2	1·53	EDINBURGH - -	48·6	33·4	40·0	1·34
BIRMINGHAM - -	52·3	32·6	42·9	0·49	GLASGOW - -	53·0	31·0	42·2	0·68
NOTTINGHAM - -	55·4	31·1	43·2	0·55	DUBLIN Phœnix Park.	55·2	25·6	43·5	0·92
LIVERPOOL OBSERVATORY.	53·0	33·0	43·5	0·59	DUBLIN Fitz-william Square.†	55·3	33·1	44·8	0·69
MANCHESTER -	53·2	30·8	43·1	1·17					
BURNLEY - -	51·0	28·5	41·3	0·64					
HUDDERSFIELD -	52·4	26·8	41·4	0·78	BELFAST - - -	55·0	29·0	41·9	0·58

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°·2 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 27th March, 1909.

[*Under the Superintendence of the Astronomer Royal.*]

1909. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure on the Square Foot. Least.	Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day	Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
MARCH.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 21	Perigee	29·388	51·0	38·8	12·2	45·4	+ 3·5	40·9	4·5	10·0	0·9	84	101·0	31·2	40·00	SW. & SSW.	S., SE. & WSW.	2·7	0·0	0·2	294	− 19	0·07	6·0
MONDAY - 22	New. In Equator	29·481	52·1	42·0	10·1	46·1	+ 4·1	42·9	3·2	8·1	0·2	88	77·7	37·4	40·51	WSW. & SSW.	S., SSW. & SSE.	1·6	0·0	0·0	138	−179	0·02	5·0
TUESDAY - 23	..	29·649	50·2	41·4	8·8	44·5	+ 2·3	42·1	2·4	5·3	0·2	91	94·7	35·0	41·10	Calm, NE. & ENE.	ENE., E. & SE.	0·5	0·0	0·0	117	−204	0·08	0·2
WEDNESDAY 24	..	29·456	51·0	39·0	12·0	46·0	+ 3·6	45·1	0·9	3·7	0·0	97	66·7	30·0	41·49	SSE. & SSW.	SSW. & SW.	8·0	0·0	0·6	462	+137	0·27	3·3
THURSDAY - 25	..	29·026	54·0	42·1	11·9	47·2	+ 4·5	38·1	9·1	11·5	6·5	71	110·3	37·4	41·84	SW. & WSW.	W. & NW.	10·0	0·0	1·4	704	+372	0·07	6·7
FRIDAY - 26	..	29·435	48·3	38 5	9·8	42·2	− 0·8	31·8	10·4	14·3	6·2	67	89·0	30·0	42·15	NW. & NNW.	NNW. & NW.	6·2	0·0	0·7	461	+125	0·00	0·8
SATURDAY - 27	..	29·674	52·3	32·1	20·2	41·9	− 1·4	31·6	10·3	17·6	3·0	67	107·9	24·0	42·30	WSW. & SW.	SW., SSW. & S.	1·8	0·0	0·1	232	−104	0·00	2·0
MEANS - -		29·444	51·3	39·1	12·1	44·8	+ 2·3	38·9	5·8	10·1	2·4	81	92·5	32·1	41·34	SW.		..	..	..	Sum 2408	Sum +128	Sum 0·51	3·4
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. MARCH.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY - 21	w.P. till 3h. P.M.; w. P. and w. N. till 5h. P.M.; m. P. principally afterwards.	4·3	12·1	Very fine generally till 11h. A.M.; overcast with slight exceptions afterwards; occasional rain in afternoon and evening.
MONDAY - 22	w. P. generally.	0·0	12·2	Generally overcast; showery.
TUESDAY - 23	w. P. generally; occasional m. N. in morning.	0·3	12·3	Generally overcast; frequent rain till 8h. A.M.; misty in early morning.
WEDNESDAY 24	w. P. generally; occasional w. N. after 3h. P.M.	0·0	12·4	Overcast with slight exceptions; frequent rain after 9h. A.M., gusty wind prevalent after 6h. P.M.
THURSDAY - 25	w. P. till 11h. A.M.; v. P. and s. N. till 5h. P.M.; m. P. afterwards.	7·2	12·4	Fine and variably cloudy with occasional showers till 5h. 30m. P.M.; overcast afterwards; gusty wind.
FRIDAY - 26	m. P. generally till 9h. A.M.; s. P. afterwards.	1·5	12·5	Generally cloudy with occasional fine intervals; breezy till afternoon.
SATURDAY - 27	s. P. till 2h. A.M.; m. P. till 7h. A.M.; s. P. till noon; m. P. afterwards.	7·4	12·5	Generally cloudless with hoar frost in early morning; very fine and bright till 2h. P.M.; fine but cloudy till 9h. P.M; overcast afterwards with rain shortly before midnight.
		Sum 20·7	Sum 86·4	
No. of Col. - -	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·40 in. at the beginning of the week to 29·44 in. by 9h. A.M. on the 21st; decreased to 29·32 in. by 4h. P.M. on the same day; increased to 29·51 in. by 11h. A.M. on the 22nd; decreased to 29·44 in. by 4h. A.M. on the 23rd; increased to 29·76 in. by 10h. P.M. on the same day; decreased to 28·95 in. by 4h. P.M. on the 25th; increased to 29·70 in. by 10h. A.M. on the 27th; and decreased to 29·61 in. by midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 20th March, 1909.*

BOROUGHS.	Estimated Population in the middle of 1909.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	151,955	-	10	3	-	-	-	-	1	-	-
Kensington	183,683	-	2	4	-	-	-	-	-	1	-
Hammersmith	125,704	-	1	5	-	1	-	-	2	-	-
Fulham	176,406	-	3	7	-	-	-	-	4	-	-
Chelsea	75,249	-	6	3	-	-	-	-	1	-	-
City of Westminster ..	168,883	-	8	5	-	1	-	-	3	-	-
NORTH.											
St. Marylebone	126,027	-	2	4	-	-	-	-	2	-	-
Hampstead	94,185	-	6	2	-	-	-	-	1	-	-
St. Pancras	237,422	-	16	3	-	1	-	-	1	-	-
Islington	351,202	-	14	11	-	8	-	-	4	1	2
Stoke Newington	54,423	-	6	1	-	1	-	-	-	-	-
Hackney	237,601	-	10	13	-	-	-	-	2	-	-
CENTRAL.											
Holborn	53,802	1	-	1	-	1	-	-	-	-	-
Finsbury	95,289	-	7	3	-	-	-	-	2	1	1
City of London	18,193	-	2	-	-	-	-	-	-	-	-
EAST.											
Shoreditch	114,802	-	3	5	-	1	-	-	3	-	-
Bethnal Green	131,316	-	4	4	-	1	-	-	2	-	2
Stepney	312,525	-	14	13	-	1	-	-	5	-	1
Poplar	171,965	-	10	3	-	-	-	-	4	-	-
SOUTH.											
Southwark	211,125	1	4	8	-	-	-	-	4	-	-
Bermondsey	127,569	-	3	2	-	-	-	-	3	-	-
Lambeth	324,188	-	12	6	-	1	-	-	6	-	2
Battersea	186,036	-	17	5	-	1	-	-	4	1	-
Wandsworth	297,646	-	17	11	-	-	-	-	-	-	-
Camberwell	283,022	-	18	10	-	-	-	-	5	-	-
Deptford	118,583	-	2	3	-	3	-	-	2	-	-
Greenwich	111,014	-	5	1	-	-	-	-	7	-	-
Lewisham	160,749	-	16	6	-	-	-	-	-	-	-
Woolwich	133,374	-	30	9	-	-	-	-	1	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,833,938	2	248	151	-	21	-	-	69	4	8
Ages 0–1		-	4	7	-	-	-	-	6	-	6
„ 1–5		-	58	68	-	1	-	-	1	-	-
„ 5–		-	92	49	-	1	-	-	1	-	2
„ 10–		-	50	15	-	4	-	-	4	-	-
„ 15–		-	18	4	-	-	-	-	6	1	-
„ 20–		2	12	4	-	7	-	-	5	-	-
„ 25–		-	10	2	-	3	-	-	12	2	-
„ 35–		-	4	2	-	3	-	-	15	1	-
„ 45–		-	-	-	-	2	-	-	5	-	-
„ 55–		-	-	-	-	-	-	-	6	-	-
„ 65 and upwards		-	-	-	-	-	-	-	8	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY DARLING & SON, LTD., 34-40, BACON STREET, E.

1909.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No 13. 1909. VOL. LXX.] WEEK ENDED SATURDAY, APR. 3. [Price 1½*d.*

General Register Office, Somerset House,
April 5th, 1909.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 17·9 per 1000 of their aggregate population, which is estimated† at 16,445,281 persons in the middle of this year. In the preceding three weeks the rates had been 22·1, 22·1, and 19·8. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 23·7 in Liverpool, 23·8 in Preston, 24·4 in Oldham, 27·0 in Wigan, 27·3 in Great Yarmouth, 28·1 in Warrington, and 30·7 in St. Helens; from *measles*, 3·1 in Reading and in Sheffield, 3·8 in Bootle, 3·9 in West Hartlepool, 4·6 in Wigan, 8·7 in Warrington, and 14·8 in St. Helens; from *diphtheria*, 1·1 in Huddersfield; from *whooping-cough*, 1·1 in St. Helens and in Swansea, 1·7 in Norwich, and 3·1 in Preston; and from *diarrhœa*, 2·9 in Wigan. One death from *small-pox* was registered in Bristol, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2413 BIRTHS and 1701 DEATHS were registered. Allowing for increase of population, the births were 61 below and the deaths 90 above the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes, which had been 24·0, 24·0, and 21·5 per 1000 in the preceding three weeks, further fell last week to 18·3. The death-rate in the four weeks ended last Saturday averaged 22·0 per 1000, being 4·8 per 1000 above the mean rate in the corresponding periods of the five years 1904–8.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals and Asylums, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6 added to the Outer Ring. The figures relating to the seventy-five other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(12991—41.) Wt. 109—472. 700. 4/09. D & S. G. 31. Sch. 4. N

The 1701 deaths included 94 from measles, 8 from scarlet fever, 14 from diphtheria, 32 from whooping-cough, 3 from enteric fever, and 14 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia: thus, to these diseases in the aggregate 165 deaths were referred, being 5 above the corrected average number in the thirteenth week of the preceding five years.

The deaths from *measles*, which had been 105, 129, and 118 in the preceding three weeks, fell to 94 last week, but were 32 above the corrected average; 12 deaths belonged to the Borough of Islington, 11 to Wandsworth, 9 to Bermondsey, 8 to Southwark, and 7 to Camberwell. The deaths from *scarlet fever*, which had been 9, 7, and 9 in the preceding three weeks, numbered 8 last week, and were equal to the corrected average. The deaths from *diphtheria*, which had been 22, 19, and 15 in the preceding three weeks, were 14 last week, the corrected average being 15; 3 deaths belonged to Lambeth. The deaths from *whooping-cough*, which had been 35, 36, and 40 in the preceding three weeks, fell to 32 last week, and were 26 below the corrected average; 5 deaths belonged to Shoreditch. The deaths from *enteric fever*, which had been 4, 5, and 5 in the preceding three weeks, were 3 last week, and were equal to the corrected average. The deaths from *diarrhœa*, which had been 10, 16, and 12 in the preceding three weeks, numbered 14 last week, and were equal to the corrected average; 3 deaths belonged to St. Pancras. Of the 14 deaths from diarrhœa, 12 were those of children under 5 years of age; 8 other deaths at this age were certified as due to *enteritis* and 1 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 107, having been 101, 125, and 138 in the preceding three weeks.

Different forms of violence caused 52 deaths, concerning all of which inquests were held. Of these 52 deaths, 8 were cases of suicide, and 1 of homicide, while the remaining 43 were attributed to accident or negligence. Five of these latter were referred to vehicles in the streets, eight to burns or scalds, three to drowning, and six, of infants under one year of age, to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 2 cases of small-pox, 2462 of scarlet fever, 1106 of diphtheria, and 87 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 273 cases, against 268, 279, and 327; of diphtheria, 125 cases, against 125, 126, and 117; and of enteric fever, 10 cases, against 13, 5, and 9. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended March 27th, 1909.

Greater London.

In Greater London 3802 births and 2341 deaths were registered. Allowing for increase of population, these numbers are 42 below and 86 above the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 16 deaths from measles, 4 from diphtheria, 3 from whooping-cough, and 1 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·63 inches, and that of the Thermometer 44°·7, the latter being 0°·2 below the week's average in the 65 years ended 1905. The direction of the wind was variable, the horizontal movement of the air being 6 per cent. below the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 23·8 hours; the measured rainfall amounted to 0·66 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 3rd April, 1909, and DEATH-RATES in each of the preceding three Weeks

TOWNS:	Population estimated to the middle of the Year 1909.*	Death-Rates from all Causes. Week ended 13th Mar., 1909.	20th Mar., 1909.	27th Mar., 1909.	3rd April, 1909.	Rate from Diseases in Cols. 11-17. Week ended 3rd April, 1909.	Registered during the Week ended 3rd April, 1909. Births.	Deaths.	The Deaths registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS	**16,445,281**	**22·1**	**22·1**	**19·8**	**17·9**	**1·8**	**8802**	**5653**	**1023**	**1865**	**1**	**329**	**41**	**49**	**103**	**9**	**46**	**172**	**397**	**1490**	**51**	**76 TOWNS.**
LONDON	4,833,938	24·0	24·0	21·5	18·3	1·8	2413	1701	275	629	–	94	8	14	32	3	14	52	153	660	3	LONDON.
† CROYDON	161,078	20·1	21·4	20·7	15·5	0·6	84	48	7	23	–	–	–	–	2	–	–	–	3	9	–	CROYDON.
† WILLESDEN ..	160,424	13·7	14·3	11·7	9·1	2·0	84	28	7	7	–	1	1	–	2	–	2	–	–	5	–	WILLESDEN.
† HORNSEY	95,628	10·9	12·0	12·5	6·0	0·5	29	11	2	5	–	–	1	–	–	–	–	–	–	2	–	HORNSEY.
† TOTTENHAM ..	129,464	14·9	14·1	16·5	10·9	0·8	68	27	6	9	–	–	2	–	–	–	–	1	2	8	–	TOTTENHAM.
† WEST HAM ..	321,767	20·4	19·3	18·6	15·4	2·8	165	95	17	25	–	11	–	2	4	–	–	5	8	27	–	WEST HAM.
† EAST HAM.. ..	149,575	11·9	15·0	9·4	12·2	0·7	73	35	7	12	–	–	–	–	1	1	–	1	4	4	–	EAST HAM.
† LEYTON	129,614	16·9	13·7	10·9	11·3	–	58	28	4	9	–	–	–	–	–	–	–	1	1	5	–	LEYTON.
† WALTHAMSTOW	136,602	14·5	10·3	13·0	8·0	0·8	81	21	6	6	–	–	–	–	1	–	1	3	4	5	–	WALTHAMSTOW.
HASTINGS	68,165	24·5	16·1	20·7	18·4	–	13	24	2	15	–	–	–	–	–	–	–	–	2	2	–	HASTINGS.
BRIGHTON	130,926	34·6	21·5	31·5	20·7	1·2	51	52	6	19	–	–	2	1	–	–	–	–	5	20	–	BRIGHTON.
PORTSMOUTH ..	214,726	20·2	19·2	14·8	18·2	3·6	123	75	10	27	–	10	2	1	1	–	1	1	6	17	–	PORTSMOUTH.
BOURNEMOUTH ..	72,368	21·6	19·5	15·9	13·7	1·4	33	19	3	8	–	–	–	1	–	–	1	1	2	2	–	BOURNEMOUTH.
SOUTHAMPTON ..	124,667	20·1	16·7	13·4	16·3	0·8	61	39	11	15	–	–	–	–	2	–	–	2	4	11	–	SOUTHAMPTON.
READING	82,995	15·1	23·2	20·1	19·5	3·8	50	31	3	11	–	5	1	–	–	–	–	–	–	6	–	READING.
NORTHAMPTON ..	97,752	19·2	23·5	17·6	19·7	0·5	42	37	6	17	–	–	–	1	–	–	–	1	1	10	–	NORTHAMPTON.
IPSWICH	74,889	16·7	16·7	14·6	13·9	1·4	42	20	4	7	–	–	–	–	1	–	1	2	4	4	–	IPSWICH.
GREAT YARMOUTH	53,430	21·5	21·5	36·1	27·3	2·0	30	28	5	15	–	1	–	–	1	–	–	1	2	3	–	GREAT YARMOUTH.
NORWICH	124,136	19·3	20·2	20·2	17·2	2·1	72	41	12	12	–	–	–	1	4	–	–	3	6	6	–	NORWICH.
PLYMOUTH	124,180	23·9	21·0	20·6	14·3	1·7	60	34	4	8	–	4	–	–	–	–	–	1	3	7	–	PLYMOUTH.
DEVONPORT	83,103	13·2	11·9	10·7	22·0	1·3	51	35	10	12	–	2	–	–	–	–	–	–	1	7	–	DEVONPORT.
BRISTOL	377,642	15·9	20·3	18·8	13·7	1·2	165	99	17	43	1	4	–	–	3	–	1	2	6	24	1	BRISTOL.
HANLEY	68,831	25·8	22·0	14·4	23·5	1·5	43	31	7	8	–	–	–	1	1	–	–	2	5	4	–	HANLEY.
BURTON-ON-TRENT	54,453	25·9	13·4	13·4	12·4	–	20	13	1	7	–	–	–	–	–	–	–	–	–	2	2	BURTON-ON-TRENT.
WOLVERHAMPTON..	104,633	22·4	21·4	15·0	18·4	3·5	49	37	7	11	–	3	–	–	2	–	2	–	1	9	1	WOLVERHAMPTON.
WALSALL	99,399	17·8	19·4	16·3	15·7	1·6	55	30	10	5	–	–	1	1	1	–	–	–	–	4	1	WALSALL.
HANDSWORTH ..	70,186	11·9	20·8	11·1	9·7	2·2	26	13	–	7	–	2	–	–	1	–	–	–	1	2	–	HANDSWORTH.
WEST BROMWICH..	70,457	22·9	20·7	13·3	14·8	–	58	20	4	6	–	–	–	–	–	–	–	1	1	2	2	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 3rd April 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1909.*	Death-Rates from all Causes. Week ended 13th Mar., 1909.	20th Mar., 1909.	27th Mar., 1909.	3rd April, 1909.	Rate from Diseases in Cols. 11–17. Week ended 3rd April, 1909.	Registered during the Week ended 3rd April, 1909. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
BIRMINGHAM ..	563,629	27·0	25·1	21·5	17·1	3·6	331	185	46	38	–	30	–	2	6	–	1	1	2	32	8	BIRMINGHAM.
KINGS NORTON ..	81,632	15·3	16·6	14·1	10·2	0·6	41	16	3	4	–	–	1	–	–	–	–	1	1	4	1	KINGS NORTON.
SMETHWICK	70,377	18·5	23·0	10·4	8·9	1·5	42	12	5	4	–	1	–	–	1	–	–	2	2	1	–	SMETHWICK.
ASTON MANOR ..	85,257	23·9	23·2	19·6	14·7	1·2	48	24	4	9	–	2	–	–	–	–	–	–	1	7	–	ASTON MANOR.
COVENTRY	80,163	23·4	24·1	11·7	21·5	1·3	55	33	6	10	–	1	1	–	–	–	–	–	1	5	1	COVENTRY.
LEICESTER	244,255	19·9	22·8	16·9	16·4	1·3	118	77	16	30	–	5	1	–	–	–	–	1	6	21	–	LEICESTER.
GRIMSBY	73,036	12·9	15·0	18·6	14·3	–	49	20	3	3	–	–	–	–	–	–	–	1	1	5	–	GRIMSBY.
NOTTINGHAM ..	263,443	21·2	24·7	21·8	18·6	2·2	174	94	30	33	–	6	–	1	–	–	4	1	7	19	–	NOTTINGHAM.
DERBY	129,411	15·7	22·6	16·5	18·1	2·0	69	45	5	22	–	2	–	2	–	–	1	–	1	9	–	DERBY.
STOCKPORT	103,706	26·6	22·1	16·6	18·1	1·5	44	36	11	11	–	2	–	–	1	–	–	–	2	5	–	STOCKPORT.
BIRKENHEAD ..	121,123	18·9	17·7	12·9	14·6	–	64	34	6	16	–	–	–	–	–	–	–	1	3	11	–	BIRKENHEAD.
WALLASEY	71,004	15·4	12·5	20·6	16·2	0·7	36	22	2	10	–	–	–	1	–	–	–	1	1	4	–	WALLASEY.
LIVERPOOL	760,357	26·2	27·9	25·9	23·7	2·5	465	346	79	70	–	17	4	6	8	–	1	13	20	117	9	LIVERPOOL.
BOOTLE	69,393	26·3	16·5	23·3	16·5	3·8	36	22	5	1	–	5	–	–	–	–	–	2	2	4	1	BOOTLE.
ST. HELENS	95,161	35·1	36·7	38·9	30·7	15·9	63	56	9	8	–	27	–	–	2	–	–	2	2	10	1	ST. HELENS.
WIGAN	90,678	25·3	26·5	31·6	27·0	8·6	69	47	11	9	–	8	–	–	1	1	5	1	2	7	–	WIGAN.
WARRINGTON ..	72,276	19·5	26·7	24·5	28·1	9·4	44	39	12	5	–	12	–	1	–	–	–	–	–	7	1	WARRINGTON.
BOLTON	187,824	15·8	23·3	20·5	17·5	0·6	101	63	10	22	–	1	–	–	–	–	1	2	7	11	–	BOLTON.
BURY	59,234	29·0	22·0	24·6	15·0	0·9	17	17	1	8	–	–	–	1	–	–	–	–	–	3	1	BURY.
MANCHESTER ..	655,435	25·5	24·1	19·3	21·6	2·7	350	272	48	76	–	11	10	2	7	4	–	6	13	74	3	MANCHESTER.
SALFORD	241,950	26·3	22·2	20·5	20·5	1·5	148	95	20	33	–	2	–	3	–	–	2	3	3	19	2	SALFORD.
OLDHAM	143,301	21·8	24·4	18·6	24·4	0·4	95	67	7	26	–	–	–	–	–	–	1	1	3	9	–	OLDHAM.
ROCHDALE	89,653	20·4	20·4	20·9	23·3	0·6	33	40	5	16	–	1	–	–	–	–	–	3	4	3	1	ROCHDALE.
BURNLEY	106,267	22·1	25·5	20·6	18·6	1·0	61	38	7	13	–	–	–	–	–	–	2	1	1	3	–	BURNLEY.
BLACKBURN	136,959	25·5	24·0	22·8	21·3	1·9	63	56	15	6	–	2	2	–	1	–	–	2	2	11	1	BLACKBURN.
PRESTON	118,519	25·5	25·1	16·7	23·8	4·0	65	54	14	17	–	1	–	1	7	–	–	2	3	8	2	PRESTON.
BARROW-IN-FURNESS.	62,996	19·0	13·2	18·2	8·3	–	37	10	3	3	–	–	–	–	–	–	–	–	–	–	1	BARROW-IN-FURNESS.

TOWNS.	Population estimated to the middle of the Year 1909.*	Death-Rates from all Causes. Week ended 13th Mar., 1909.	20th Mar., 1909.	27th Mar., 1909.	3rd April, 1909.	Rate from Diseases in Cols. 11-17. Week ended 3rd April, 1909.	Registered during the Week ended 3rd April, 1909. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Fever.	Diar. Lœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Huddersfield ..	94,739	22·0	22·0	13·8	23·1	1·1	35	42	–	21	–	–	–	2	–	–	–	3	4	6	–	Huddersfield.
Halifax	111,911	25·2	18·6	22·4	15·8	–	30	34	5	16	–	–	–	–	–	–	–	–	1	2	–	Halifax.
Bradford	293,983	21·5	16·5	19·3	16·5	0·2	107	93	11	36	–	–	–	–	–	–	1	–	2	16	–	Bradford.
Leeds	484,012	21·0	18·7	20·1	16·5	0·5	264	153	23	50	–	1	–	1	3	–	–	4	12	25	–	Leeds.
Sheffield	470,958	25·0	28·2	21·5	21·4	3·3	259	193	33	62	–	28	–	1	1	–	–	5	11	47	4	Sheffield.
Rotherham.. ..	65,070	17·6	16·0	15·2	10·4	–	42	13	2	6	–	–	–	–	–	–	–	2	2	4	–	Rotherham.
York	87,004	16·8	13·8	16·2	16·2	0·6	51	27	9	10	–	–	–	–	1	–	–	1	5	7	–	York.
Hull	275,552	20·8	21·6	18·4	18·4	0·4	167	97	9	35	–	–	1	–	–	–	1	5	10	24	2	Hull.
Middlesbrough ..	105,255	19·3	24·3	24·8	19·8	0·5	70	40	7	8	–	1	–	–	–	–	–	–	–	6	–	Middlesbrough.
Stockton-on-Tees	53,417	17·6	19·5	17·6	16·6	–	30	17	3	7	–	–	–	–	–	–	–	2	2	–	–	Stockton-on-Tees.
West Hartlepool	79,686	19·6	16·4	17·7	16·4	3·9	39	25	4	5	–	6	–	–	–	–	–	1	3	3	–	West Hartlepool.
Sunderland ..	159,378	21·6	21·3	22·6	16·0	2·9	114	49	11	13	–	9	–	–	–	–	–	2	3	10	–	Sunderland.
South Shields ..	117,627	15·5	17·7	19·1	16·4	0·4	70	37	7	13	–	–	–	–	1	–	–	1	2	5	1	South Shields.
Gateshead	131,024	11·1	12·7	14·7	13·5	–	91	34	6	9	–	–	–	–	–	–	–	1	1	2	–	Gateshead.
Newcastle-on-Tyne.	281,584	18·0	20·0	16·9	14·8	2·4	176	80	12	21	–	9	1	2	–	–	1	3	5	18	–	Newcastle-on-Tyne.
Tynemouth ..	55,808	20·6	20·6	22·4	20·6	–	44	22	4	11	–	–	–	–	–	–	–	1	2	2	–	Tynemouth.
Newport (Mon.) ..	78,336	23·3	22·0	18·0	20·0	–	44	30	5	11	–	–	–	–	–	–	–	5	5	10	–	Newport (Mon.).
Cardiff	195,303	20·3	20·6	13·6	15·5	1·1	134	58	10	19	–	1	–	–	1	–	2	3	3	18	–	Cardiff.
Rhondda	135,894	20·3	24·9	13·4	16·5	0·4	120	43	12	10	–	1	–	–	–	–	–	4	5	–	–	Rhondda.
Merthyr Tydfil..	78,365	22·6	26·0	16·0	20·0	1·3	46	30	7	8	–	–	1	–	1	–	–	2	2	1	–	Merthyr Tydfil.
Swansea	98,308	23·9	24·9	26·5	23·3	1·6	52	44	7	13	–	–	1	–	2	–	–	–	2	8	1	Swansea.
Greater London	7,429,740	21·9	21·5	19·5	16·4	1·6	3802	2341	387	873	–	122	12	20	45	4	18	79	202	781	3	Greater London.
Outer Ring ..	2,595,802	18·0	17·0	15·8	12·9	1·1	1389	640	112	244	–	28	4	6	13	1	4	27	49	121	–	Outer Ring.
8 Towns in Outer Ring.	1,284,152	16·3	15·8	14·9	11·9	1·3	642	293	56	96	–	12	4	2	10	1	3	11	22	65	–	8 Towns in Outer Ring.
Remainder of Outer Ring.	1,311,650	19·6	18·1	16·7	13·8	1·0	747	347	56	148	–	16	–	4	3	–	1	16	27	56	–	Remainder of Outer Ring.
Edinburgh	355,366	20·4	17·2	17·2	18·3	0·7	157	125†	26	42	–	–	–	–	3	–	2	5	?	35	6	Edinburgh.
Glasgow	872,021	21·9	21·9	22·3	21·5	3·0	500	360‡	73	95	–	–	4	6	32	–	8	11	?	111	12	Glasgow.
Dublin (Registration Area).†	398,356	27·5	29·3	27·2	25·9	2·6	250	198	36	58	–	8	–	4	6	–	2	3	3	78	5	Dublin (Registration Area).†
Belfast†	386,576	20·9	21·0	26·7	21·6	1·6	218	160	25	35	–	1	1	–	4	1	5	3	12	49	1	Belfast.†

* See note † on first page of this return.

† Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast respectively.
‡ Including 1 death from Cerebro-spinal meningitis in Edinburgh, and 3 in Glasgow.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the THIRTEENTH Week of each of the Eleven Years, 1899–1909.

	1899	1900	1901	1902	1903	1904	1905	1906	1907	1908	Corrected Weekly Average in 5 Years 1904–1908.*	1909
TOTAL **Births** -	2609	2736	2634	2383	2465	2240	2619	2663	2236	2325	2474·0	2413
Males - - -	1338	1407	1349	1234	1287	1134	1330	1347	1142	1179	1255·5	1244
Females - -	1271	1329	1285	1149	1178	1106	1289	1316	1094	1146	1218·5	1169
TOTAL **Deaths** -	1922	1785	1645	1614	1386	1672	1357	1675	1586	1580	1611·4	1701
Males - - -	936	933	846	836	763	828	706	870	800	776	814·9	831
Females - -	986	852	799	778	623	844	651	805	786	804	796·5	870

* The numbers in this column are the average weekly numbers in the Thirteenth week of the five years 1904-1908, raised by 2·375 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	Mar. 6.	Mar. 13.	Mar. 20.	Mar. 27.	Apr. 3.	13 Weeks.
TOTAL **Births** -	2476	2434	2162	2110	2444	2335	2461	2173	2075	2585	2169	2356	2413	30493
TOTAL **Deaths** -	1672	1563	1414	1653	1878	1646	1731	1849	2116	2221	2225	1989	1701	23658
Ages at Death: Under 1 year -	251	273	221	256	254	258	256	273	309	297	309	273	275	3505
1—5 years -	174	181	175	215	185	193	250	224	251	273	271	246	197	2825
5—20 " -	79	71	51	65	77	69	89	79	97	85	106	87	77	1032
20—40 " -	179	175	171	214	199	190	192	183	211	214	230	187	182	2527
40—60 " -	394	330	292	358	416	345	373	398	437	453	449	383	341	4969
60 yrs. & upwds.	595	533	504	555	747	591	571	692	811	899	860	813	629	8800
Deaths from—														
Small-pox† - -	–	–	–	–	–	–	–	–	–	–	1	–	–	1
Measles - - -	72	79	76	82	52	69	93	94	92	105	129	118	94	1155
Scarlet Fever - -	4	11	11	7	11	9	8	8	7	9	7	9	8	109
Diphtheria - -	20	14	20	16	24	15	19	18	18	22	19	15	14	234
Whooping-cough -	14	8	11	29	29	15	25	35	55	35	36	40	32	364
Typhus - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever - -	8	8	6	3	7	4	4	2	1	4	5	5	3	60
Pyrexia (origin uncertain).	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa, Dysentery	17	22	15	10	12	19	9	14	10	10	16	12	14	180
All above diseases -	135	142	139	147	135	131	158	171	183	185	213	199	165	2103
Dis. of Resp. System	258	181	153	214	354	219	235	309	389	411	360	317	194	3597
Pneumonia - -	184	188	161	163	202	222	252	237	314	347	291	250	205	3016
Phthisis - - -	158	121	127	198	171	145	153	161	183	161	204	127	142	2051
Dis. of Circ. System -	253	211	185	252	270	249	214	257	260	280	266	250	198	3145
Violence - - -	82	72	51	65	63	54	55	42	63	56	66	56	52	777
Inquest Cases - -	201	162	140	154	198	150	142	140	188	182	190	169	153	2169
Deaths in Institutions	615	631	611	662	719	639	681	676	783	777	870	786	660	9140
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - -	40·7	42·2	38·7	31·8	42·7	34·8	37·4	33·4	30·1	36·5	38·8	44·8	44·7	38·2
Mean of Highest -	44·0	47·4	42·8	37·1	47·7	40·0	45·8	40·9	37·1	41·3	45·3	51·3	52·4	44·1
Mean of Lowest -	37·0	37·6	34·1	25·3	37·1	30·0	29·3	27·1	23·4	33·2	33·3	39·1	37·8	32·6
Mean Humidity of the Air.	86	80	81	88	79	81	75	79	85	84	81	81	80	82
Rain-fall (in inches) -	0·13	0·49	0·12	0·02	0·04	0·29	0·01	0·08	1·23	0·46	0·41	0·51	0·66	4·45
Registered Sunshine (in hours).	8·1	22·7	10·9	18·9	7·7	21·1	36·3	22·4	16·2	17·0	17·7	20·7	23·8	243·5
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	–	–	–	–	1	1	1	1	1	2	3	2	2	1
Scarlet Fever - -	3347	3261	3211	3201	3117	3002	2910	2826	2873	2670	2596	2571	2462	2927
Diphtheria - - -	1215	1205	1191	1187	1181	1177	1188	1157	1167	1150	1143	1120	1106	1168
Typhus - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever - -	145	145	137	130	124	128	133	124	116	115	106	96	87	122

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lander, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq. F.R Met.Soc., Hull; the Meteorological Committee, Tynemouth; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the THIRTEENTH Week of the Year 1909.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 13th week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1611·4	1701	275	187	77	182	341	629
Small-pox*	0·6	-	-	-	-	-	-	-
Cowpox	-	-	-	-	-	-	-	-
Measles (Morbilli)	62·4	94	21	64	9	-	-	-
Scarlet Fever	8·0	8	-	6	2	-	-	-
Typhus	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-
Influenza	32·1	107	3	3	2	14	23	62
Whooping-cough	57·9	32	15	16	1	-	-	-
Diphtheria	14·5	14	1	9	4	-	-	-
Cerebro-spinal Fever ..	0·4	-	-	-	-	-	-	-
Pyrexia† (origin uncertain)	-	-	-	-	-	-	-	-
Enteric Fever	2·9	3	-	-	-	2	1	-
Asiatic Cholera	-	-	-	-	-	-	-	-
Epidemic Diarrhœa, Infective Enteritis	3·9	4	4	-	-	-	-	-
Diarrhœa, Dysentery ..	10·0	10	8	-	-	-	1	1
Tetanus	0·6	1	1	-	-	-	-	-
Rabies, Hydrophobia ..	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever)..	-	-	-	-	-	-	-	-
Venereal Dis.	7·6	4	4	-	-	-	-	-
Puerperal Septicæmia ..	3·7	3	-	-	-	3	-	-
Puerperal Pyæmia.. .	-	-	-	-	-	-	-	-
Puerperal Fever	0·2	-	-	-	-	-	-	-
Infective Endocarditis ..	2·3	5	-	-	1	2	1	1
Pneumonia: Lobar ..	16·0	31	2	-	-	9	10	10
Pneumonia: Broncho ..	81·3	98	32	28	3	5	9	21
Pneumonia: Epidemic ..	-	-	-	-	-	-	-	-
Pneumonia: Not defined	69·2	76	7	10	4	13	18	24
Erysipelas	3·3	6	2	-	-	-	-	4
Septicæmia (not Puerperal)	1·2	-	-	-	-	-	-	-
Pyæmia (not Puerperal)	0·2	-	-	-	-	-	-	-
Other Infective Processes	8·4	4	1	-	-	1	1	1
Tuberculous Phthisis ..	104·6	105	-	5	6	37	44	13
"*Phthisis*	57·7	37	-	-	1	23	9	4
Tuberculous Meningitis ..	18·4	20	8	9	2	1	-	-
Tuberculous Peritonitis ..	9·0	8	4	3	-	-	1	-
Tabes Mesenterica	3·7	-	-	-	-	-	-	-
Tuberculous Dis., Other ..	24·2	13	3	5	3	1	1	-
Scrofula..	-	-	-	-	-	-	-	-
Alcoholism	7·6	12	-	-	-	3	9	-
Rheumatic Fever	5·3	2	-	-	1	1	-	-
Gout	2·0	2	-	-	-	-	-	2
Carcinoma	55·7	63	-	-	-	5	35	23
Sarcoma	3·7	8	-	1	3	1	2	1
Cancer (undefined) ..	36·0	39	-	-	-	5	15	19
Diabetes Mellitus	9·4	9	-	-	1	-	3	5
Premature Birth	51·2	40	40	-	-	-	-	-

CAUSES OF DEATH	Corrected Average for the 13th week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)..	17·4	12	5	4	2	1	-	-
Gen. Par. of Insane, Insanity	16·0	16	-	-	-	1	8	6
Epilepsy	9·4	7	-	-	1	2	1	3
Convulsions	20·9	13	12	1	-	-	-	-
Locomotor Ataxy.. ..	1·6	2	-	-	-	-	2	-
Paraplegia, Dis of Cord.	7·6	7	-	-	-	2	3	2
Nervous Sys., Other Dis.	21·9	21	2	-	-	1	5	13
Valv. Dis, Endocarditis..	51·6	46	-	1	5	13	16	11
Cereb. Hæm. Cereb. Emb.	40·3	58	-	1	1	1	11	44
Apoplexy, Hemiplegia ..	14·7	8	-	-	-	1	1	6
Aneurysm	4·9	3	-	-	-	-	1	2
Embolism, Thrombosis (not Cerebral) ..	1·4	1	-	-	-	1	-	-
Heart & Blood Ves., Other Dis... ..	93·4	82	-	-	5	3	20	54
Croup (not Spasm: nor Memb.)	0·8	1	-	1	-	-	-	-
Bronchitis	148·9	169	15	6	1	4	20	123
Emphysema, Asthma ..	7·6	11	-	-	-	1	4	6
Pleurisy	6·1	2	-	2	-	-	-	-
Respiratory Dis., Other..	12·9	11	-	2	-	-	2	7
Tonsillitis, Quinsy.. ..	1·0	1	-	-	1	-	-	-
Enteritis (not Epid.) ..	6·8	9	8	-	-	-	1	-
Gastro-enteritis	3·9	2	1	-	-	1	-	-
Peritonitis (not Puerp.) ..	2·7	3	-	-	-	1	1	1
Cirrhosis of Liver... ..	15·2	18	-	-	-	-	10	8
Liver Dis., Other	5·5	4	-	-	-	-	1	3
Digestive Sys., Other Dis.	38·9	39	2	1	4	6	15	11
Acute Nephritis	7·6	6	-	-	-	-	4	2
Bright's Dis., Albuminuria	34·2	32	-	-	-	1	9	22
Urinary Sys., Other Dis.	11·7	7	-	-	-	-	1	6
Generative Organs Dis...	4·7	4	-	-	-	-	1	3
Childbirth (Accid. of) ..	2·7	5	-	-	1	3	1	-
Old Age	66·7	86	-	-	-	-	-	86
Other Diseases	94·7	105	6	13	8	7	5	6
ACCIDENT.								
By Railways	2·9	1	-	-	-	1	-	-
By Vehicles and Horses..	7·4	5	-	-	3	-	-	2
In Ships, Boats, Docks, (exclusive of Drowning)	0·4	4	-	-	-	1	3	-
In Building Operations..	1·3	-	-	-	-	-	-	-
In Conflagrations	0·4	-	-	-	-	-	-	-
By Burns, Scalds, Explosions	9·0	8	-	5	1	1	-	1
By Drowning	3·3	3	-	-	-	1	-	2
By Suffocation in Bed ..	10·9	6	6	-	-	-	-	-
By Poisons or Poisonous Vapours	2·9	4	-	-	-	1	2	1
Other Deaths by Accident..	12·1	12	2	1		-	3	5
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	1·4	1	-	-	-	1	-	-
Suicide	10·0	8	-	-	-	-	6	2
Execution	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c. registered in each SUB-DISTRICT during the Week ended Saturday, 3rd April, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia† (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified causes of Death.
LONDON	4,536,267	2413	1701	275	629	-	94	8	14	32	-	3	-	14	52	153	660	3
WEST DISTRICTS	805,311	350	307	42	131	-	13	-	2	1	-	1	-	2	9	27	120	-
NORTH DISTRICTS	1,055,908	519	314	58	101	-	22	2	1	8	-	1	-	3	12	28	100	1
CENTRAL DISTRICTS	209,465	114	71	9	19	-	2	-	-	3	-	1	-	-	2	4	38	-
EAST DISTRICTS	715,739	436	281	55	96	-	15	-	1	8	-	-	-	3	15	41	140	-
SOUTH DISTRICTS	1,749,844	994	668	111	259	-	42	4	10	12	-	-	-	6	14	53	202	2
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	60	-	23	-	-	2	-	-	-	-	-	-	-	-	60	-
WEST DISTRICTS.																		
North Paddington *H*	63,603	26	19	2	10	-	1	-	-	1	-	-	-	-	1	2	-	-
Central Paddington *W,3H*	50,053	50	36	3	13	-	1	-	-	-	-	-	-	-	1	1	22	-
South Paddington	30,320	7	7	3	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Kensington Town *2W,w,2H* ..	128,037	52	55	4	26	-	4	-	-	-	-	-	-	1	3	4	25	-
Brompton *2H*	48,591	7	10	-	5	-	-	-	-	-	-	-	-	-	1	2	-	-
North Hammersmith *2W,w,H* ..	49,192	24	23	3	10	-	1	-	-	-	-	-	-	-	-	4	8	-
South Hammersmith *w,2H* ..	63,047	23	28	3	19	-	1	-	-	-	-	-	-	-	-	2	6	-
North-west Fulham *W*	45,180	40	21	6	5	-	1	-	-	-	-	-	-	1	1	2	11	-
North-east Fulham *F*	48,405	24	14	3	4	-	-	-	2	-	-	-	-	-	-	-	2	-
South Fulham *W*	45,704	30	3	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Chelsea North *W,w,3H*	42,514	18	30	3	16	-	4	-	-	-	-	1	-	-	-	-	21	-
Chelsea South *W,2H*	31,328	13	6	2	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Mayfair and Knightsbridge	28,743	4	8	-	4	-	-	-	-	-	-	-	-	-	-	3	-	-
Belgrave *W,2H*	55,815	15	20	4	7	-	-	-	-	-	-	-	-	-	2	3	12	-
St. Margaret & St. John *6H*	43,698	26	19	4	3	-	-	-	-	-	-	-	-	-	-	-	10	-
St. James and St. Anne *W,6H* ..	33,081	11	8	2	4	-	-	-	-	-	-	-	-	-	-	2	1	-
NORTH DISTRICTS.																		
All Souls Marylebone *9H*	35,391	11	11	-	2	-	-	-	-	-	-	-	-	-	-	-	8	-
St. Mary Marylebone *W,4H* ..	37,948	45	11	3	5	-	-	-	-	-	-	-	-	-	1	1	-	-
Christchurch Marylebone	39,536	10	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	1
St. John Marylebone *2H*	20,426	4	7	2	2	-	-	-	-	-	-	-	-	-	1	1	2	-
Hampstead *W,F,6H*	81,942	22	24	4	6	-	-	2	1	3	-	-	-	-	-	-	10	-
West St. Pancras *2H*	60,532	31	11	4	5	-	-	-	-	-	-	-	-	-	1	1	2	-
South St. Pancras *w,12H*	55,707	27	16	3	2	-	-	-	-	-	-	-	-	1	1	3	11	-
East St. Pancras *W,H*	60,320	26	22	4	13	-	1	-	-	-	-	-	-	2	-	2	9	-
North St. Pancras *2W*	58,728	23	15	1	5	-	5	-	-	-	-	-	-	-	-	1	4	-
Tufnell *W*	31,995	21	22	3	7	-	2	-	-	-	-	1	-	-	2	3	14	-
Upper Holloway *2W,w,H*	33,978	22	21	2	8	-	2	-	-	-	-	-	-	-	2	2	13	-
Tollington *W,w,H*	33,922	14	8	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Lower Holloway	41,424	22	13	3	4	-	5	-	-	1	-	-	-	-	1	1	-	-
Barnsbury	54,478	22	17	1	5	-	1	-	-	-	-	-	-	-	1	2	-	-
Islington South-east *F*	75,397	47	20	8	2	-	2	-	-	-	-	-	-	-	-	1	-	-
Highbury *2H*	63,797	23	15	3	6	-	-	-	-	2	-	-	-	-	-	1	-	-
Stoke Newington *H*	51,247	22	10	1	3	-	2	-	-	-	-	-	-	-	-	-	-	-
North Hackney	50,398	18	10	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Central Hackney *w,F*	50,536	31	9	-	5	-	-	-	-	-	-	-	-	-	-	1	-	-
South-west Hackney *3H*	59,921	53	22	5	3	-	1	-	-	2	-	-	-	-	-	3	10	-
South-east Hackney *2W,H*	58,255	25	26	6	9	-	1	-	-	-	-	-	-	-	2	5	17	-
Hackney Union Workhouse, Brentwood	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 3rd April, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total Births.	Total Deaths.	The Deaths registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain)	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
St. Giles and Bloomsbury 2*W*,2*H* ..	31,436	15	7	1	3	–	–	–	–	–	–	–	–	–	–	–	6	–
Strand *W*,4*H*	21,674	5	5	1	1	–	–	–	–	–	–	–	–	–	–	–	4	–
Strand Union Workhouse, Edmonton	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Holborn *W*,6*H*	29,612	12	19	3	4	–	–	–	–	–	–	1	–	–	–	–	11	–
Clerkenwell *H*	63,704	39	12	2	6	–	1	–	–	1	–	–	–	–	–	2	–	–
St. Luke 3*H*,*L*	36,116	38	5	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Holborn Union Workhouse, Mitcham	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
St. Botolph *H*	10,299	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Sepulchre and Allhallows *W*,2*H*	16,624	1	19	1	2	–	–	–	–	2	–	–	–	–	2	2	14	–
City of London Asylum, Stone	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
EAST DISTRICTS.																		
Shoreditch South 2*H*	46,362	23	5	2	1	–	1	–	–	1	–	–	–	–	–	–	–	–
Shoreditch North-West *W*,*w*,*H* ..	36,127	22	36	4	15	–	2	–	–	1	–	–	–	–	2	4	25	–
Shoreditch North-East	36,148	37	10	2	3	–	1	–	–	1	–	–	–	–	2	3	–	–
Shoreditch Union Workhouse, Wood Green	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	42	36	7	18	–	1	–	–	1	–	–	–	–	–	2	24	–
Bethnal Green South-West *H* ..	64,542	26	12	3	4	–	–	–	–	1	–	–	–	1	1	1	1	–
Spitalfields..	27,969	14	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Mile End New Town *W*,*H*	28,718	23	47	7	8	–	–	–	–	–	–	–	–	1	4	7	45	–
Goodman's Fields	22,081	4	2	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–
St. George and St. John 2*W* ..	49,068	28	12	5	1	–	2	–	–	–	–	–	–	–	–	3	3	–
Shadwell and Ratcliff *w*,*H* ..	25,568	17	12	3	1	–	–	–	1	1	–	–	–	–	1	1	5	–
Limehouse *W*	32,369	18	8	2	1	–	1	–	–	–	–	–	–	–	–	3	1	–
Mile End Old Town South-Western *H*	63,698	50	12	3	3	–	–	–	–	–	–	–	–	1	–	–	–	–
Mile End Old Town North-Eastern *W*,*w*	49,129	27	18	1	13	–	–	–	–	–	–	–	–	–	–	–	11	–
Bow	41,989	17	16	6	5	–	2	–	–	–	–	–	–	–	1	4	–	–
Bromley 3*w*,*H*	68,319	49	35	6	14	–	3	–	–	2	–	–	–	–	2	7	20	–
Poplar *W*,*w*	58,514	29	18	4	8	–	2	–	–	–	–	–	–	–	1	4	4	–
Workhouse, Forest Gate (Parish of Poplar Borough).	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 3rd April, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch and St. Saviour Southwark *W,2H*	23,319	11	18	3	4	–	1	–	–	–	–	–	–	–	2	2	16	–
Kent-road	21,904	13	9	2	2	–	1	–	1	–	–	–	–	–	–	1	–	–
St. George the Martyr West *W,2H,L*	39,094	27	19	4	4	–	1	–	1	1	–	–	–	1	1	5	7	1
Newington North	49,022	32	10	5	3	–	3	–	–	–	–	–	–	–	–	1	–	–
Newington South *W*	72,841	43	29	3	10	–	2	–	1	–	–	–	–	1	–	5	4	–
St. Olave *2W*	9,817	5	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bermondsey *W*	82,483	49	28	9	7	–	5	–	–	–	–	–	–	–	–	5	–	–
Rotherhithe *W,F*	38,460	23	25	4	7	–	4	–	–	–	–	–	–	–	–	1	14	–
Waterloo *2H*	27,440	27	6	2	2	–	–	–	–	–	–	–	–	–	–	–	2	–
Lambeth Church *H*	27,440	22	18	5	1	–	–	–	–	–	–	–	–	–	–	2	10	–
Kennington *2W*	52,518	33	39	6	20	–	1	–	–	2	–	–	–	1	1	5	20	–
Stockwell *HF*	63,826	25	15	5	6	–		1	1	–	–	–	–	–	–	–	2	–
Brixton *H*	73,673	31	19	2	10	–	–	–	–	1	–	–	–	–	–	–	1	–
Norwood *2WH*	56,998	21	21	1	14	–	–	–	–	–	–	–	–	–	–	1	–	1
East Battersea *H*	72,203	39	10	3	4	–	–	–	–	–	–	–	–	–	–	1	–	–
North-west Battersea	49,656	30	8	3	3	–	–	–	–	3	–	–	–	–	–	–	–	–
South-west Battersea *2W,H*	47,048	19	33	6	8	–	5	–	–	–	–	–	–	–	2	2	19	–
Clapham *2H*	51,361	33	13	–	5	–	–	–	–	–	–	–	–	–	–	1	–	–
Streatham *W,2w,2F,2L*	88,019	71	43	5	21	–	2	1	2	–	–	–	–	–	–	–	14	–
Springfield *2W,L*	27,959	24	11	1	2	–	3	–	–	–	–	–	–	–	1	1	3	–
Southfields *H*	40,144	23	15	2	7	–	2	–	–	–	–	–	–	1	–	5	–	–
Putney	24,139	6	11	1	7	–	–	–	–	–	–	–	–	–	1	2	–	–
Dulwich	13,359	3	2	–	–	–		–	–	–	–	–	–	–	–	–	–	–
Camberwell South *W,w*	40,206	21	45	4	25	–	1	–	–	–	–	–	–	–	–	1	33	–
Camberwell North *W,2L*	65,584	34	32	6	13	–	1	–	–	–	–	–	–	–	–	–	16	–
St. George	47,331	33	7	1	3	–	1	–	–	–	–	–	–	–	–	–	–	–
Peckham North	48,913	33	13	2	1	–	3	–	–	1	–	–	–	1	–	1	–	–
Peckham South *2W,w*	43,946	21	10	2	3	–	1	–	–	–	–	–	–	–	–	–	–	–
Deptford North	37,613	18	7	–	5	–	–	–	–	–	–	–	–	–	–	1	–	–
Deptford Central *F*	45,481	31	15	4	1	–	1	2	2	1	–	–	–	–	–	–	4	–
Deptford South	34,625	15	8	1	7	–	–	–	–	–	–	–	–	–	–	–	–	–
Greenwich West *2H*	23,456	9	7	–	3	–	–	–	–	–	–	–	–	–	1	2	1	–
Greenwich East *2W,H*	43,859	15	26	5	10	–	1	–	–	1	–	–	–	–	2	2	17	–
Eltham *w,H*	7,226	6	3	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Lee *w,H*	25,490	7	4	1	3	–	–	–	–	–	–	–	–	–	–	1	–	–
Lewisham *2W,w,F*	58,352	42	25	4	15	–	–	–	1	1	–	–	–	1	–	1	8	–
Sydenham *H*	43,653	24	13	1	8	–	–	–	–	1	–	–	–	–	–	1	–	–
Charlton *F,2H*	21,134	4	9	–	1	–	1	–	1	–	–	–	–	–	1	1	4	–
Woolwich *5H*	41,625	20	13	1	1	–	2	–	–	–	–	–	–	–	2	2	1	–
Plumstead West *W,H*	39,376	22	14	4	6	–	–	–	–	–	–	–	–	–	–	–	–	–
Plumstead East *2W*	28,951	24	14	3	5	–	–	–	–	–	–	–	–	–	–	–	6	–
Workhouses:—																		
Belmont Workhouse	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
M. A. B. Small-pox Hospitals:—																		
Long Reach	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joyce Green	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
M. A. B. Fever Hospitals:—																		
Gore Farm (temporary)	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
North-Eastern	—	–	2	–	–	–	–	2	–	–	–	–	–	–	–	–	2	–
Northern	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
M. A. B. Children's Hospital:—																		
Children's Infirmary, Carshalton	—	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
M. A. B. Imbecile Asylums:—																		
Caterham	—	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–
Darenth	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Leavesden	—	–	7	–	2	–	–	–	–	–	–	–	–	–	–	–	7	–
London County Lunatic Asylums:—																		
Banstead	—	–	4	–	–	–	–	–	–	–	–	–	–	–	–	–	4	–
Ewell (Epileptic Colony)	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Horton	—	–	6	–	5	–	–	–	–	–	–	–	–	–	–	–	6	–
Manor	—	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Long Grove	—	–	9	–	2	–	–	–	–	–	–	–	–	–	–	–	9	–
Cane Hill	—	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–	2	–
Dartford Heath	—	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	2	–
Hanwell	—	–	9	–	6	–	–	–	–	–	–	–	–	–	–	–	9	–
Colney Hatch	—	–	8	–	3	–	–	–	–	–	–	–	–	–	–	–	8	–
Claybury	—	–	6	–	2	–	–	–	–	–	–	–	–	–	–	–	6	–

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERATED POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 3rd April, 1909.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING ..	368,603	2,045,135	1389	640	112	214	-	28	4	6	13	1	4	27	49	121	-
30 : 1	Carshalton 2F,3H	12,228	32,997	19	3	1	-		-	-	-	-	-	-	-	-	1	-
2	Epsom, *part of** W,w,2F,H..	10,423	15,548	6	5	1	2			-	1	-	-	-	1	1	4	-
37 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	2	2	-	1		-	-	-	-	-	-	-	-	-	-
38 : 1	Coulsdon	11,069	8,166	8	1	-	-	-	-		-	-	-	-	-	-	-	-
2	South Croydon w,H ..	4,200	49,309	18	11	1	6	-	-	-	-	-	-	-	-	-	-	-
3	West Croydon 3W,F,H ..	2,168	42,888	37	26	6	10		-	-	-	2	-	-	-	2	11	-
4	North Croydon H	2,614	41,698	29	13	1	7	-	-	-	-	-	-	-	-	1	-	-
5	Penge w	770	22,465	9	12	1	7	-	-	-	-	-	-	1	-	2	-	-
6	Mitcham w	11,711	30,015	28	13	3	3	-	-	-	-	-	-	-	1	2	1	-
39 : 1	Wimbledon F,3H	3,221	41,652	28	9	1	6	-	1	-	-	-	-	-	-	-	2	-
2	Kingston 2W,H	6,224	42,068	32	15	1	10	-	-	-	-	-	-	-	-	1	9	-
3	Surbiton F,H	3,046	15,017	4	5	-	5	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** H	5,402	13,100	12	5	1	1	-	-	-	-	-	-	-	3	3	-	-
5	Hampton H,F,L	4,564	23,456	15	5	-	4	-	-	-	-	-	-	-	-	-	-	-
40 : 1	Richmond W,H	2,491	31,672	12	6	-	5	-	-	-	-	-	-	-	1	1	-	-
2	Mortlake F	2,518	17,821	17	5	2	2	-	-	-	-	-	-	-	-	-	-	-
41 : 1	Bromley F,3H	4,703	27,354	14	8	-	5	-	-	-	-	-	-	-	-	-	2	-
2	Beckenham H	7,825	28,497	13	3	-	2	-	-	-	-	-	-	-	-	-	-	-
3	Orpington, *part of** W,F ..	10,113	9,857	7	7	-	3	-	-	-	-	-	-	-	-	-	2	-
4	Chislehurst 2H	7,333	16,446	7	6	-	3	-	-	-	-	-	-	-	-	-	-	-
42 : 1	Bexley w,F,H	8,678	21,151	12	2	-	1	-	-	-	-	-	-	-	1	1	-	-
2	Erith F,H	3,854	25,296	10	9	-	3	-	-	-	1	-	-	-	2	2	-	-
3	Dartford W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124 : 1	Sunbury w	11,054	18,683	10	4	-	3	-	-	-	-	-	-	-	-	-	-	-
2	Staines W,H	13,277	15,178	6	8	1	4	-	-	-	-	-	-	-	-	1	2	-
125 : 1	Hillingdon W,F,H	6,035	13,661	10	6	2	2	-	-	-	-	-	-	-	1	2	1	-
2	Uxbridge H	12,757	8,984	10	5	1	3	-	-	-	-	-	-	-	1	1	-	-
3	Hayes w 2F,H	8,066	16,358	14	12	4	3	-	3	-	-	-	-	-	-	-	-	-
126 : 1	Isleworth 3W,3F,H	6,859	30,863	25	8	1	4	-	-	-	-	-	-	-	1	1	6	-
2	Twickenham F,2H	2,421	20,991	18	8	1	3	-	-	-	-	-	-	-	-	1	-	-
3	Brentford 3F,2H	4,319	48,289	24	25	5	6		3	-	2	1	-	-	-	-	2	-
4	Chiswick H	1,249	29,809	27	7	5	1	-	1	-	-	-	-	-	-	-	-	-
5	Acton w,F,3H	6,132	48,914	47	15	2	10	-		-	-	-	-	-	-	-	1	-
127 : 1	Harrow F,H	13,809	25,523	26	11	2	2	-	6	-	-	1	-	-	-	-	-	-
2	Edgware 2F,2H	6,994	4,521	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden W,F,2H	4,384	114,811	84	28	7	7	-	1	1	-	2	-	2	-	-	5	-
4	Hendon W,F	8,382	22,450	17	5	2	1	-	-	-	-	-	-	-	1	1	-	-
128 : 1	South Mimms 2F,H ..	17,755	7,308	3	2	2	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,970	16	6	1	3	-	-	-	-	-	-	-	-	-	1	-
3	Finchley F,3H	4,688	33,692	30	11	-	6	-	-	-	-	1	-	-	-	-	3	-
129 : 1	Hornsey F,H	2,875	72,056	29	10	2	4	-	-	1	-	-	-	-	-	-	1	-
2	Wood Green H	1,625	34,233	29	3	1	-	-	-	-	-	-	-	-	-	-	-	-
3	West Tottenham	995	48,741	28	8	1	5	-	-	-	-	-	-	-	-	-	-	-
4	East Tottenham 2H ..	2,019	53,962	40	15	5	3	-	-	-	-	-	-	-	1	2	4	-
5	Edmonton W,w,2F	7,491	61,892	65	17	1	10	-	1	-	-	-	-	-	-	1	3	-
6	Enfield 2W,F,H	12,601	42,738	25	21	7	6	-	1	-	-	-	-	-	2	3	4	-
7	Waltham Abbey F	11,017	6,549	1	3	1	-	-	-	-	-	-	-	-	-	1	1	-
8	Cheshunt F,H	8,479	12,292	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
135 : 1	Hatfield, *part of** W ..	3,305	661	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey H	9,333	9,173	7	1	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Watford W,2F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
186 : 1	Stratford H	1,091	52,974	37	14	3	4	-	-	-	-	-	-	-	-	1	-	-
2	Forest Gate	787	52,745	22	12	-	5	-	-	-	-	-	-	-	-	-	5	-
3	Plaistow F,2H	1,249	90,921	60	23	7	3	-	7	-	2	1	-	-	2	2	5	-
4	Canning Town H	1,556	70,718	46	27	6	5	-	4	-	-	3	-	-	3	5	2	-
5	South East Ham 2F ..	1,991	37,342	38	9	4	2	-	-	-	-	-	-	-	-	1	-	-
6	North East Ham w,H ..	1,333	58,666	35	23	3	8	-	-	-	-	1	-	-	1	3	1	-
7	Wanstead F	1,679	9,179	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	19	22	2	11	-	-	-	-	-	-	-	-	-	12	-
9	North Leyton 2W,w,F ..	1,963	48,445	39	34	3	10	-	-	-	-	-	1	-	1	1	21	-
10	Walthamstow 2H,L ..	6,504	108,929	90	18	6	5	-	-	-	-	1	-	1	3	4	-	-
187 : 1	Chigwell 2F,3H	11,778	16,397	7	5	-	4	-	-	-	-	-	-	-	1	2	-	-
2	Epping W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189 : 1	Romford, *part of** W,2F ..	6,556	6,091	5	4	1	3	-	-	-	-	-	-	-	-	-	2	-
2	Ilford F,L	8,496	41,244	28	21	2	9	-	-	-	-	-	-	-	-	-	3	-
3	Barking Town F	3,805	21,547	20	7	2	1	-	-	-	-	-	-	-	-	-	-	-
	N.E. Hospital, Tottenham..	—	—	-	2	-	-	-	-	2	-	-	-	-	-	-	2	-
	Surrey County Lunatic Asylum, Brookwood.	—	—	-	3	-	-	-	-	-	-	-	-	-	-	-	3	-
	Kent County Lunatic Asylum, Maidstone.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Middlesex County Lunatic Asylum, Napsbury.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Essex County Lunatic Asylum, Brentwood.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30 : 2, excepting Ashtead parish; 39 : 4, excepting Esher parish; 41 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135 : 1, Northaw parish; 189 : 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42 : 3, 137 : 2 and 187 : 2 and in the Croydon Mental Hospital in 37 : 1 are also included

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths.	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON	4,833,938	April 3	2413	1701	18·3	-	94	8	15	32	3	14
CALCUTTA	1,014 438	February 13	-	606	31·9	171	1	-	-	1	130†	43‡
		" 20	-	639	33·6	146	2	-	-	-	129†	73‡
BOMBAY	982,000	March 16	354	977	51·9	18	1	-	-	-	341†	71‡
MADRAS	548,974	" 5	276	382	38·9	1	4	?	?	?	108	45‡
PARIS	2,747,599	" 27	1001	1056	20·1	-	9	8	2	2	7	14
BRUSSELS	704,975	" 27	244	209	15·4	-	-	1	2	-	5	5
ANTWERP	310,903	" 27	98	77	12·9	-	-	-	-	2	-	4
AMSTERDAM	566,256	" 27	242	188	17·3	-	8	-	2	4	1	4
COPENHAGEN	445,000	" 27	253	164	19·2	-	4	4	1	3	1	8
STOCKHOLM	337,460	" 20	137	102	15·7	-	-	1	1	-	1	1
CHRISTIANIA	231,687	" 27	122	56	12·6	-	-	-	1	2	-	1
ST. PETERSBURG	1,573,000	" 20	685	785	26·0	1	29	14	16	6	11	72‡
MOSCOW	1,452,100	" 20	-	831	29·8	11	29	21	16	5	26	53
BERLIN	2,110,298	" 13	892	712	17·6	-	7	8	23	10	2	19
HAMBURG	872,252	" 27	-	321	19·1	-	2	10	7	4	-	17
BRESLAU	499,437	" 20	-	181	18·9	-	-	-	1	-	-	9
MUNICH	566,000	" 20	-	209	19·2	-	3	1	2	2	-	9
VIENNA	2,042,426	" 20	901	754	19·2	-	18	10	9	4	1	31
PRAGUE	480,856	" 20	247	196	21·2	-	1	2	1	2	5	6
BUDAPEST	823,215	" 20	489	384	24·1	-	6	6	2	1	-	9
TRIESTE	215,250	" 27	170	118	28·5	-	-	-	-	-	2	4
ROME	565,323	January 23	281	280	25·8	-	2	-	5	2	2§	9
VENICE	179,286	March 13	76	90	26·2	-	-	1	4	-	-	4
BUCAREST	296,585	" 20	198	141	21·8	-	-	2	2	-	-	2
NEW YORK	4,564,792	" 20	2185	1581	18·1	-	21	25	52	8	5	52
CHICAGO	2,224,490	" 13	-	654	15·3	-	-	7	18	-	10	35
PHILADELPHIA	1,565,569	February 27	-	569	18·8	-	5	3	8	4	9	17
RIO DE JANEIRO	636,018	March 7	-	-	-	-	-	-	-	-	-	-
CAIRO:— Egyptians	666,587	" 4	561	375	29·3	10	4	-	4	-	9§	66
		" 11	543	333	28·3	7	5	-	4	-	6	57
Foreigners	35,219	" 4	3	23	34·0	1	-	-	-	-	-	2
		" 11	10	10	14·8	-	-	-	-	-	-	1
ALEXANDRIA:— Egyptians	341,965	" 4	311	231	35·1	3	5	2	2	-	1	46
		" 11	303	187	28·4	2	12	2	1	-	2	24
Foreigners	46,118	" 4	12	16	18·0	-	-	-	-	-	-	-
		" 11	8	18	20·3	2	-	-	-	-	-	2

* Excluding deaths from croup in the Indian Cities.
† Including 12 and 26 deaths from plague in Calcutta and 286 in Bombay.
‡ Including 17 and 28 deaths from cholera in Calcutta, 1 in Bombay, 2 in Madras, and 5 in St. Petersburg.
§ Including 1 death from malarial fever in Rome, and 1 in Cairo.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 3rd April, 1909.

Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches
	°	°	°			°	°	°	
LONDON (Greenwich)	62·1	29·0	45·1	0·66	BRADFORD	54·8	30·4	42·1	1·14
BRIGHTON	49·9	31·3	44·8	0·73	YORK	57·0	33·5	44·9	0·82
PORTSMOUTH	52·2	32·0	45·3	0·93	HULL	60·0	34·0	45·4	0·49
NORWICH	59·6	27·2	44·9	0·63	TYNEMOUTH	47·0	33·0	40·0	1·21
PLYMOUTH	53·9	38·5	47·4	0·77	CARDIFF	53·7	31·0	43·8	0·42
BRISTOL	55·0	26·0	43·8	0·32	EDINBURGH	45·6	31·7	37·7	1·55
BIRMINGHAM	56·9	31·0	44·1	0·30	GLASGOW	48·6	30·0	39·1	0·74
NOTTINGHAM	57·6	31·1	45·1	0·73	DUBLIN (Phœnix Park)	52·5	36·8	43·8	2·33
LIVERPOOL OBSERVATORY	55·0	32·0	43·9	0·71	DUBLIN (Fitzwilliam Square.†)	52·3	38·0	44·6	2·72
MANCHESTER	54·2	30·8	44·0	1·17					
BURNLEY	50·0	28·2	41·8	1·10					
HUDDERSFIELD	55·2	30·5	43·4	1·12	BELFAST	48·5	30·8	42·8	1·80

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°·3 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 3rd April, 1909.

[*Under the Superintendence of the Astronomer Royal.*]

1909. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
MARCH.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 28	First Qr. Gr. Dec. N.	29·290	53·2	38·9	14·3	45·9	+ 2·2	45·3	0·6	5·4	0·0	98	68·6	33·6	42·18	SSE., SE. & S.	S. & SSW.	3·6	0·0	0·3	334	+ 2	0·29	7·7
MONDAY - 29	..	29·062	62·1	47·1	15·0	52·7	+ 8·6	46·9	5·8	13·4	1·9	81	117·6	40·5	42·42	S., SSE. & SSW.	S.	4·6	0·0	0·3	320	− 6	0·01	15·3
TUESDAY - 30	..	29·132	50·9	46·0	4·9	47·8	+ 3·3	43·8	4·0	6·3	1·3	86	63·7	41·2	42·85	SSE., S. & W.	WSW.	3·5	0·0	0·3	341	+ 25	0·35	8·0
WEDNESDAY 31	..	29·392	53·1	40·2	12·9	46·7	+ 1·8	42·0	4·7	7·0	2·5	84	100·0	31·5	43·35	SW. & S.	S., SSE. & WSW.	7·6	0·0	0·3	337	+ 28	0·01	12·0
APRIL. THURSDAY - 1	..	29·909	47·3	33·6	13·7	39·9	− 5·4	32·3	7·6	14·9	3·6	74	88·1	24·2	43·60	WSW., NNW. & N.	NNE. & NE.	4·1	0·0	0·4	388	+ 84	0·00	2·0
FRIDAY - 2	..	30·322	49·1	29·0	20·1	38·9	− 6·8	29·6	9·3	17·0	4·6	69	117·0	18·9	43·70	NE. & N.	NE., E. & SE.	1·5	0·0	0·1	167	−136	0·00	4·2
SATURDAY - 3	Apogee	30·310	50·9	30·1	20·8	40·7	− 5·3	31·6	9·1	17·4	4·5	70	107·4	22·0	43·45	SE., ESE. & SSE.	SE. & ESE.	1·2	0·0	0·0	169	−136	0·00	5·3
MEANS - -		29·631	52·4	37·8	14·5	44·7	− 0·2	38·8	5·9	11·6	2·6	80	94·6	30·3	43·08	Variable		..	..	..	Sum 2056	Sum −139	Sum 0·66	7·8
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. MARCH.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY - 28	w. P. generally; occasional w. N.	0·1	12·6	Generally overcast; frequent rain.
MONDAY - 29	w. P. generally; occasional w. N.	4·0	12·7	Generally overcast with frequent small rain in morning; fine and variably cloudy afterwards with shower of rain at 4h. P.M. Lunar halo in evening.
TUESDAY - 30	w. P. generally till noon; s.P. and s.N. till 2h. P.M.; w. P. generally afterwards.	0·0	12·7	Generally overcast; frequent rain; gloomy interval about 11h. A.M.
WEDNESDAY 31	w. P. throughout.	3·4	12·8	Overcast in early morning; very fine between 3h. and 10h. A.M.; overcast till 8h. P.M. with frequent slight rain in afternoon and evening; fine and partially cloudy afterwards. Solar halo observed at 9h. A.M.; gusty wind prevalent at and about 8h. P.M.
APRIL. THURSDAY - 1	w. P. till 10h. A.M.; m. P. afterwards.	1·7	12·9	Cloudy at first; overcast between 4h. A.M. and 1h. 30m. P.M.; fine and variably cloudy afterwards.
FRIDAY - 2	m.P. generally; w.P. between 3h. and 7h. P.M.	6·1	12·9	Nearly cloudless with hoar frost in early morning; fine with large amounts of cloud after 9h. A.M. Lunar halo in evening.
SATURDAY - 3	m. P. till 3h. A.M.; w. P. generally afterwards.	8·5	13·0	Very fine; hoar frost in morning. Brilliant solar halo at intervals between 9h. A.M. and 3h. P.M. Lunar halo at night.
		Sum 23·8	Sum 89·6	
No. of Col. - -	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong: and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·61 in. at the beginning of the week to 29·01 in. by 6h. A.M. on Mar. 30; increased to 29·44 in. by 9h. A.M. on Mar. 31; decreased to 29·31 in. by 6h. P.M. on the same day; increased to 30·36 in. by 9h. P.M. on Apr. 2; decreased to 30·28 in. by 5h. P.M. on Apr. 3; and was 30·31 in. at midnight on the same day.

ERRATA.—Report for week ending 1909, Mar. 13.—Rainfall, Col. 25, Mar. 9, *for* 0·05 in. *read* 0·06 in. Sum for week, *for* 0·46, *read* 0·47.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 27th March, 1909.*

BOROUGHS.	Estimated Population in the middle of 1909.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	151,955	-	8	4	-	-	-	-	-	-	1
Kensington	183,683	-	11	6	-	1	-	-	2	-	-
Hammersmith	125,704	-	5	4	-	-	-	-	-	-	-
Fulham	176,406	-	5	10	-	-	-	-	2	1	1
Chelsea	75,249	-	6	1	-	1	-	-	-	-	-
City of Westminster ..	168,883	-	14	7	-	-	-	-	1	-	-
NORTH.											
St. Marylebone	126,027	-	6	3	-	1	-	-	2	-	-
Hampstead	91,185	-	5	-	-	-	-	-	1	-	1
St. Pancras	237,422	-	16	7	-	1	-	-	4	-	-
Islington	351,202	-	16	14	-	4	-	-	8	-	-
Stoke Newington	54,423	-	5	1	-	-	-	-	-	-	-
Hackney	237,601	-	10	6	-	2	-	-	5	1	-
CENTRAL.											
Holborn	53,802	-	1	-	-	-	-	-	-	-	-
Finsbury	95,289	-	4	3	-	-	-	-	1	-	-
City of London	18,193	-	1	1	-	-	-	-	-	-	-
EAST.											
Shoreditch	114,802	-	15	4	-	1	-	-	2	-	-
Bethnal Green	131,316	-	9	4	-	1	-	-	2	-	-
Stepney	312,525	-	40	18	-	-	-	-	4	-	-
Poplar	171,965	-	9	2	-	2	-	-	4	1	1
SOUTH.											
Southwark	211,125	-	8	8	-	2	-	-	6	-	1
Bermondsey	127,569	-	12	2	-	2	-	-	6	-	-
Lambeth	324,188	-	18	13	-	-	-	-	1	-	1
Battersea	186,036	-	14	5	-	-	-	-	4	1	-
Wandsworth	297,646	-	21	11	-	1	-	-	5	-	-
Camberwell	283,022	-	23	6	-	1	-	-	5	-	1
Deptford	118,583	-	3	5	-	-	-	-	6	-	-
Greenwich	111,014	-	8	2	-	-	-	-	-	-	-
Lewisham	160,749	-	20	6	-	-	-	-	4	-	-
Woolwich	133,374	-	27	3	-	-	-	-	-	-	-
Port of London	—	-	-	-	-	1	1	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,833,938	-	340	156	-	21	1	-	75	4	7
Ages 0-1		-	6	10	-	-	-	-	7	-	2
„ 1-5		-	105	75	-	1	-	-	3	-	3
„ 5-		-	138	38	-	4	-	-	1	-	1
„ 10-		-	43	10	-	2	-	-	7	-	1
„ 15-		-	15	6	-	2	-	-	5	-	-
„ 20-		-	15	9	-	2	1	-	4	1	-
„ 25-		-	11	7	-	7	-	-	7	2	-
„ 35-		-	3	1	-	3	-	-	9	1	-
„ 45-		-	1	-	-	-	-	-	16	-	-
„ 55-		-	2	-	-	-	-	-	7	-	-
„ 65 and upwards		-	1	-	-	-	-	-	9	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY DARLING & SON, LTD., 34-40, BACON STREET, E.

1909.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 14. 1909. VOL. LXX.] WEEK ENDED SATURDAY, APR. 10. [Price 1½*d.*

General Register Office, Somerset House,
April 13th, 1909.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 17·0 per 1000 of their aggregate population, which is estimated† at 16,445,281 persons in the middle of this year. In the preceding three weeks the rates had been 22·1, 19·8, and 17·9. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks : it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were :—from *all causes*, 23·4 in Rhondda, 23·8 in Warrington, 24·5 in Birkenhead, 28·2 in Middlesbrough, 29·0 in Tynemouth, and 31·8 in St. Helens ; from *measles*, 3·0 in Bootle, 3·1 in Reading, 3·2 in Portsmouth, 3·3 in Sheffield, 5·2 in Sunderland, and 8·2 in St. Helens ; from *scarlet fever*, 1·3 in Kings Norton and 2·2 in Wallasey ; from *diphtheria*, 1·0 in Portsmouth and in Wolverhampton, and 1·2 in Rhondda ; from *whooping-cough*, 1·1 in St. Helens, 1·2 in York, 1·3 in Coventry, and 1·5 in Rhondda ; from "*fever*," 1·0 in Middlesbrough and 1·1 in Huddersfield ; and from *diarrhœa*, 1·1 in Swansea, 1·2 in Aston Manor, and 1·5 in Smethwick. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2188 BIRTHS and 1470 DEATHS were registered. Allowing for increase of population, the births were 328 and the deaths 118 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes, which had been 24·0, 21·5, and 18·3 per 1000 in the preceding three weeks, further fell last week to 15·9. The death-rate in the four weeks ended last Saturday averaged 19·9 per 1000, being 2·9 per 1000 above the mean rate in the corresponding periods of the five years 1904–8.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals and Asylums, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6 added to the Outer Ring. The figures relating to the seventy-five other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(13036—41.) Wt. 109—472. 700. 4/09. D & S. G. 31. Sch. 4. O

The 1470 deaths included 95 from measles, 11 from scarlet fever, 16 from diphtheria, 33 from whooping-cough, 2 from enteric fever, and 8 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia: thus, to these diseases in the aggregate 165 deaths were referred, being 9 above the corrected average number in the fourteenth week of the preceding five years.

The deaths from *measles*, which had been 129, 118, and 94 in the preceding three weeks, were 95 last week, and were 34 above the corrected average; 18 deaths belonged to the Borough of Islington, 12 to Bermondsey, 9 to Camberwell, 8 to Woolwich, 7 to Poplar, and 6 each to Shoreditch and Wandsworth. The deaths from *scarlet fever*, which had been 7, 9, and 8 in the preceding three weeks, numbered 11 last week, and were 2 above the corrected average. The deaths from *diphtheria*, which had been 19, 15, and 14 in the preceding three weeks, were 16 last week, and were equal to the corrected average; 3 deaths belonged to Stepney. The deaths from *whooping-cough*, which had been 36, 40, and 32 in the preceding three weeks, numbered 33 last week, and were 19 below the corrected average; 5 deaths belonged to Islington, and 3 each to Hammersmith, Hackney, Finsbury, and Wandsworth. The deaths from *enteric fever*, which had been 5, 5, and 3 in the preceding three weeks, were 2 last week, the corrected average being 3. The deaths from *diarrhœa*, which had been 16, 12, and 14 in the preceding three weeks, fell to 8 last week, and were 5 below the corrected average. Of the 8 deaths from diarrhœa, 7 were those of children under 5 years of age; 5 other deaths at this age were certified as due to *enteritis* and 5 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 62, having been 125, 138, and 107 in the preceding three weeks.

Different forms of violence caused 53 deaths, concerning all but one of which inquests were held. Of these 53 deaths, 9 were cases of suicide, while the remaining 44 were attributed to accident or negligence. Seven of these latter were referred to vehicles in the streets, five to burns or scalds, four to drowning, and six, of infants under one year of age, to suffocation in bed. One death occurred while under an anæsthetic administered for surgical purposes.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 2 cases of small-pox, 2418 of scarlet fever, 1079 of diphtheria, and 77 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 256 cases, against 279, 327, and 273; of diphtheria, 113 cases, against 126, 117, and 125; and of enteric fever, 8 cases, against 5, 9, and 10. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended April 3rd, 1909.

Greater London.

In Greater London 3504 births and 2119 deaths were registered. Allowing for increase of population, these numbers are 463 and 112 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 19 deaths from measles, 1 from diphtheria, 13 from whooping-cough, and 3 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 30·13 inches, and that of the Thermometer 46°·9, the latter being 0°·8 above the week's average in the 65 years ended 1905. The general direction of the wind was Easterly, the horizontal movement of the air being 32 per cent. below the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 83·7 hours; no rain was measured during the week.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 10th April, 1909, and DEATH-RATES in each of the preceding three Weeks

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 20th Mar., 1909.	27th Mar., 1909.	3rd April, 1909.	10th April, 1909.	Rate from Diseases in Cols. 11-17. Week ended 10th April, 1909.	Registered during the Week ended 10th April, 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS	**16,445,281**	**22·1**	**19·8**	**17·9**	**17·0**	**1·9**	**8230**	**5364**	**1050**	**1609**	**-**	**327**	**47**	**53**	**107**	**22**	**37**	**156**	**350**	**1391**	**44**	**76 TOWNS.**
LONDON	4,833,938	24·0	21·5	18·3	15·9	1·8	2188	1470	240	475	-	95	11	16	33	2	8	53	137	616	-	LONDON.
† CROYDON	161,078	21·4	20·7	15·5	14·9	0·6	88	46	9	24	-	-	-	1	1	-	-	1	4	8	-	CROYDON.
† WILLESDEN ..	160,424	14·3	11·7	9·1	13·0	1·3	65	40	4	12	-	-	1	1	2	-	-	1	3	14	-	WILLESDEN.
† HORNSEY	95,628	12·0	12·5	6·0	4·4	-	38	8	-	3	-	-	-	-	-	-	-	-	-	1	-	HORNSEY.
† TOTTENHAM ..	129,464	14·1	16·5	10·9	12·5	0·8	80	31	11	9	-	1	-	-	1	-	-	1	1	2	-	TOTTENHAM.
† WEST HAM ..	321,767	19·3	18·6	15·4	13·0	2·8	194	80	21	19	-	7	5	-	5	-	-	3	6	22	-	WEST HAM.
† EAST HAM.. ..	149,575	15·0	9·4	12·2	11·5	1·7	73	33	6	10	-	3	-	1	1	-	-	1	2	5	-	EAST HAM.
† LEYTON	129,614	13·7	10·9	11·3	8·9	-	70	22	3	7	-	-	-	-	-	-	-	-	-	5	-	LEYTON.
† WALTHAMSTOW	136,602	10·3	13·0	8·0	8·4	0·4	61	22	4	5	-	1	-	-	-	-	-	-	1	3	-	WALTHAMSTOW.
HASTINGS	68,165	16·1	20·7	18·4	20·7	-	17	27	2	15	-	-	-	-	-	-	-	2	4	1	1	HASTINGS.
BRIGHTON	130,926	21·5	31·5	20·7	22·7	0·4	61	57	5	28	-	-	-	-	-	-	1	2	3	11	-	BRIGHTON.
PORTSMOUTH ..	214,726	19·2	14·8	18·2	21·9	4·6	108	90	21	22	-	13	-	4	2	-	-	2	7	20	-	PORTSMOUTH.
BOURNEMOUTH ..	72,368	19·5	15·9	13·7	13·7	-	22	19	5	9	-	-	-	-	-	-	-	-	1	5	-	BOURNEMOUTH.
SOUTHAMPTON ..	124,667	16·7	13·4	16·3	18·4	1·3	54	44	8	16	-	-	-	-	2	1	-	-	1	9	-	SOUTHAMPTON.
READING	82,995	23·2	20·1	19·5	17·0	3·1	29	27	4	6	-	5	-	-	-	-	-	-	1	3	1	READING.
NORTHAMPTON ..	97,752	23·5	17·6	19·7	17·6	1·1	45	33	7	7	-	1	-	-	-	-	1	1	2	8	-	NORTHAMPTON.
IPSWICH	74,889	16·7	14·6	13·9	8·4	-	34	12	3	5	-	-	-	-	-	-	-	-	1	1	-	IPSWICH.
GREAT YARMOUTH	53,430	21·5	36·1	27·3	19·5	-	29	20	2	11	-	-	-	-	-	-	-	1	1	5	-	GREAT YARMOUTH.
NORWICH	124,136	20·2	20·2	17·2	14·7	0·8	71	35	5	22	-	-	-	-	1	1	-	-	2	5	-	NORWICH.
PLYMOUTH	124,180	21·0	20·6	14·3	16·8	0·8	66	40	5	12	-	2	-	-	-	-	-	-	3	8	-	PLYMOUTH.
DEVONPORT	83,103	11·9	10·7	22·0	10·7	1·3	46	17	5	5	-	-	-	1	-	-	1	-	1	1	-	DEVONPORT.
BRISTOL	377,642	20·3	18·8	13·7	20·3	1·1	183	147	33	55	-	8	-	-	-	-	-	5	11	30	-	BRISTOL.
HANLEY	68,831	22·0	14·4	23·5	12·1	1·5	38	16	1	6	-	-	-	1	-	-	1	-	-	5	-	HANLEY.
BURTON-ON-TRENT	54,453	13·4	13·4	12·4	9·6	-	32	10	2	2	-	-	-	-	-	-	-	-	-	4	1	BURTON-ON-TRENT.
WOLVERHAMPTON..	104,633	21·4	15·0	18·4	18·9	4·0	47	38	7	10	-	4	1	2	1	-	-	1	2	12	-	WOLVERHAMPTON.
WALSALL	99,399	19·4	16·3	15·7	19·4	1·0	58	37	7	13	-	-	-	-	2	-	-	-	3	5	-	WALSALL.
HANDSWORTH ..	70,186	20·8	11·1	9·7	8·2	1·5	21	11	2	2	-	-	-	1	1	-	-	1	1	1	1	HANDSWORTH.
WEST BROMWICH..	70,457	20·7	13·3	14·8	17·0	1·5	31	23	9	4	-	1	-	1	-	-	-	1	1	3	-	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 10th April 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 20th Mar., 1909.	27th Mar., 1909.	3rd April, 1909.	10th April, 1909.	Rate from Diseases in Cols. 11–17. Week ended 10th April, 1909.	Registered during the Week ended 10th April, 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
BIRMINGHAM ..	563,629	25·1	21·5	17·1	18·7	3·1	257	202	38	57	-	28	1	-	4	-	1	6	8	43	7	BIRMINGHAM.
KINGS NORTON ..	81,632	16·6	14·1	10·2	14·7	1·9	34	23	1	6	-	1	2	-	-	-	-	-	1	1	-	KINGS NORTON.
SMETHWICK	70,377	23·0	10·4	8·9	20·0	3·7	41	27	8	7	-	3	-	-	-	-	2	-	-	1	-	SMETHWICK.
ASTON MANOR ..	85,257	23·2	19·6	14·7	17·7	3·1	39	29	5	9	-	1	-	1	1	-	2	-	-	6	-	ASTON MANOR.
COVENTRY	80,163	24·1	11·7	21·5	18·9	1·3	59	29	6	9	-	-	-	-	2	-	-	-	-	5	1	COVENTRY.
LEICESTER	244,255	22·8	16·9	16·4	12·2	1·3	111	57	11	14	-	3	-	1	-	1	1	3	4	17	1	LEICESTER.
GRIMSBY	73,036	15·0	18·6	14·3	13·6	-	38	19	7	5	-	-	-	-	-	-	-	-	-	-	2	GRIMSBY.
NOTTINGHAM ..	263,443	24·7	21·8	18·6	17·6	1·8	116	89	25	24	-	3	-	-	4	1	1	2	5	18	-	NOTTINGHAM.
DERBY	129,411	22·6	16·5	18·1	18·1	1·6	66	45	11	13	-	3	-	1	-	-	-	-	1	8	-	DERBY.
STOCKPORT	103,706	22·1	16·6	18·1	19·1	4·0	67	38	5	11	-	5	1	-	2	-	-	1	5	8	1	STOCKPORT.
BIRKENHEAD ..	121,123	17·7	12·9	14·6	24·5	0·4	78	57	13	14	-	-	-	1	-	-	-	3	3	12	-	BIRKENHEAD.
WALLASEY	71,004	12·5	20·6	16·2	19·8	2·2	40	27	5	7	-	-	3	-	-	-	-	-	-	7	-	WALLASEY.
LIVERPOOL	760,357	27·9	25·9	23·3	20·6	2·8	439	301	67	65	-	27	4	-	8	-	2	14	24	92	4	LIVERPOOL.
BOOTLE	69,393	16·5	23·3	16·5	22·5	4·5	33	30	5	4	-	4	-	1	-	1	-	-	1	4	-	BOOTLE.
ST. HELENS	95,161	36·7	38·9	30·7	31·8	10·4	63	58	11	10	-	15	1	-	2	1	-	1	1	9	3	ST. HELENS.
WIGAN	90,678	26·5	31·6	27·0	16·7	4·0	51	29	6	5	-	5	1	-	1	-	-	2	2	4	-	WIGAN.
WARRINGTON ..	72,276	26·7	24·5	28·1	23·8	2·2	49	33	6	4	-	2	-	1	-	-	-	1	2	9	1	WARRINGTON.
BOLTON	187,824	23·3	20·5	17·5	19·2	1·1	91	69	11	24	-	2	1	-	-	1	-	1	2	18	1	BOLTON.
BURY	59,234	22·0	24·6	15·0	20·2	0·9	22	23	2	9	-	1	-	-	-	-	-	1	2	-	-	BURY.
MANCHESTER ..	655,435	24·1	19·3	21·7	18·3	1·7	339	230	55	50	-	8	4	3	3	2	1	6	7	72	3	MANCHESTER.
SALFORD	241,950	22·2	20·5	20·5	18·1	2·6	121	84	18	20	-	5	1	2	3	1	-	3	6	21	-	SALFORD.
OLDHAM	143,301	24·4	18·6	24·4	21·8	1·8	69	60	10	12	-	2	-	1	-	1	1	2	4	6	-	OLDHAM.
ROCHDALE	89,653	20·4	20·9	23·3	16·9	0·6	46	29	4	9	-	1	-	-	-	-	-	1	3	3	2	ROCHDALE.
BURNLEY	106,267	25·5	20·6	18·6	16·2	0·5	46	33	12	10	-	1	-	-	-	-	-	-	-	10	-	BURNLEY.
BLACKBURN	136,959	24·0	22·8	21·3	20·2	0·8	74	53	6	22	-	-	2	-	-	-	-	1	2	5	1	BLACKBURN.
PRESTON	118,519	25·1	16·7	23·8	21·1	1·3	57	48	13	18	-	-	1	-	2	-	-	-	1	4	-	PRESTON.
BARROW-IN-FURNESS.	62,996	13·2	18·2	8·3	14·9	-	36	18	5	5	-	-	-	-	-	-	-	-	-	2	-	BARROW-IN-FURNESS

* See note † on first page of this return.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday. 10th April, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 20th Mar., 1909.	27th Mar., 1909.	3rd April, 1909.	10th April, 1909.	Rate from Diseases in Cols. 11-17. Week ended 10th April, 1909.	Registered during the Week ended 10th April, 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,739	22·0	13·8	23·7	13·8	2·2	47	25	8	5	-	-	-	1	-	2	1	-	1	3	-	HUDDERSFIELD.
HALIFAX	111,911	18·6	22·4	15·8	11·6	-	43	25	4	10	-	-	-	-	-	-	-	-	1	4	-	HALIFAX.
BRADFORD	293,983	16·5	19·3	16·5	16·5	1·1	97	93	11	43	-	-	1	1	2	1	1	3	8	22	1	BRADFORD.
LEEDS	484,012	18·7	20·1	16·5	13·7	0·9	234	127	35	44	-	1	-	3	2	-	2	1	9	21	-	LEEDS.
SHEFFIELD	470,958	28·2	21·5	21·4	21·1	3·9	295	191	49	46	-	30	1	-	3	1	-	3	5	29	4	SHEFFIELD.
ROTHERHAM.. ..	65,070	16·0	15·2	10·4	8·8	0·8	48	11	2	4	-	-	-	1	-	-	-	-	-	2	-	ROTHERHAM.
YORK	87,004	13·8	16·2	16·2	11·4	1·8	40	19	-	8	-	-	1	-	2	-	-	-	-	3	-	YORK.
HULL	275,552	21·6	18·4	18·4	16·1	0·6	146	85	13	27	-	1	-	1	1	-	-	2	7	19	2	HULL.
MIDDLESBROUGH ..	105,255	24·3	24·8	19·8	28·2	3·0	71	57	13	8	-	3	-	-	-	2	1	4	5	8	-	MIDDLESBROUGH.
STOCKTON-ON-TEES	53,417	19·5	17·6	16·6	7·8	1·0	29	8	2	2	-	-	-	-	1	-	-	-	-	-	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL	79,686	16·4	17·7	16·4	11·8	2·0	43	18	4	6	-	3	-	-	-	-	-	-	-	5	-	WEST HARTLEPOOL.
SUNDERLAND ..	159,378	21·3	22·6	16·0	22·9	6·5	75	70	23	18	-	16	-	-	1	1	2	2	3	13	1	SUNDERLAND.
SOUTH SHIELDS ..	117,627	17·7	19·1	16·4	17·7	3·1	76	40	10	12	-	3	-	1	2	-	1	2	2	2	-	SOUTH SHIELDS.
GATESHEAD	131,024	12·7	14·7	13·5	19·5	1·6	70	49	14	12	-	-	2	1	-	-	1	2	3	5	5	GATESHEAD.
NEWCASTLE-ON-TYNE.	281,584	20·0	16·9	14·8	17·4	2·2	142	94	15	37	-	7	1	-	2	1	1	1	3	12	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH ..	55,808	20·6	22·4	20·6	29·0	0·9	48	31	7	5	-	-	-	-	1	-	-	1	2	4	-	TYNEMOUTH.
NEWPORT (MON.) ..	78,336	22·0	18·0	20·0	16·0	-	51	24	3	7	-	-	-	-	-	-	-	2	2	7	-	NEWPORT (MON.).
CARDIFF	195,303	20·6	13·6	15·5	17·9	0·5	94	67	9	19	-	-	-	-	1	1	-	1	5	21	-	CARDIFF.
RHONDDA	135,894	24·9	13·4	16·5	23·4	3·5	133	61	16	11	-	1	-	3	4	-	1	4	5	-	-	RHONDDA.
MERTHYR TYDFIL..	78,365	26·0	16·0	20·0	20·6	1·3	58	31	6	9	-	-	1	-	-	-	1	1	1	7	-	MERTHYR TYDFIL.
SWANSEA	98,308	24·9	26·5	23·3	22·8	2·1	59	43	9	19	-	1	-	-	1	-	2	3	5	6	-	SWANSEA.
GREATER LONDON	7,429,740	21·5	19·5	16·4	14·9	1·6	3504	2119	338	704	-	126	17	20	56	2	11	71	181	734	2	GREATER LONDON.
OUTER RING ..	2,595,802	17·0	15·8	12·9	13·0	1·3	1316	649	98	229	-	31	6	4	23	-	3	18	44	118	2	OUTER RING.
8 TOWNS IN OUTER RING.	1,284,152	15·8	14·9	11·9	11·5	1·3	669	282	58	89	-	12	6	3	10	-	-	7	17	60	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,311,650	18·1	16·7	13·8	14·6	1·4	647	367	40	140	-	19	-	1	13	-	3	11	27	58	2	REMAINDER OF OUTER RING.
EDINBURGH	355,366	17·2	17·2	18·3	15·4	0·6	140	105	10	39	-	-	-	1	3	-	-	7	?	43	3	EDINBURGH.
GLASGOW	872,021	21·9	22·3	21·5	19·6	3·6	456	327‡	75	80	-	-	3	4	42	4	8	15	?	82	12	GLASGOW.
DUBLIN (Registration Area).†	398,356	29·3	27·2	25·9	25·5	2·2	197	195	39	52	-	6	-	1	7	1	2	4	7	89	6	DUBLIN (Registration Area).†
BELFAST†	386,576	21·0	26·7	21·6	27·0	0·7	216	200	42	57	-	-	-	1	1	-	3	1	8	51	1	BELFAST.†

* See note † on first page of this return

† Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast respectively.
‡ Including 2 deaths from Cerebro-spinal meningitis in Glasgow.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FOURTEENTH Week of each of the Eleven Years, 1899–1909.

	1899	1900	1901	1902	1903	1904	1905	1906	1907	1908	Corrected Weekly Average in 5 Years 1904–1908.*	1909
TOTAL **Births** -	2554	2580	2538	2611	2439	2539	2310	2594	2387	2460	2516·4	2188
Males - - -	1289	1289	1307	1334	1240	1304	1151	1321	1240	1263	1285·6	1091
Females - -	1265	1291	1231	1277	1199	1235	1159	1273	1147	1197	1230·8	1097
TOTAL **Deaths** -	1816	1932	1573	1571	1345	1659	1419	1525	1627	1527	1588·2	1470
Males - - -	908	1006	836	852	710	845	730	719	850	796	806·7	751
Females - -	908	926	737	719	635	814	689	806	777	731	781·5	719

* The numbers in this column are the average weekly numbers in the Fourteenth week of the five years 1904-1908, raised by 2·375 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	Mar. 6.	Mar. 13.	Mar. 20.	Mar. 27.	Apr. 3.	Apr. 10.	13 Weeks.
TOTAL **Births** -	2434	2162	2110	2444	2335	2461	2173	2075	2585	2169	2356	2413	2188	30205
TOTAL **Deaths** -	1563	1414	1653	1878	1646	1731	1849	2116	2221	2225	1989	1700	1470	23455
Ages at Death: Under 1 year -	273	221	256	254	258	256	273	309	297	309	273	275	240	3494
1—5 years -	181	175	215	185	193	250	224	251	273	271	246	197	209	2860
5—20 " -	71	51	65	77	69	89	79	97	85	106	87	77	78	1031
20—40 " -	175	171	214	199	190	192	183	211	214	230	187	182	168	2516
40—60 " -	330	292	358	416	345	373	398	437	453	449	383	341	300	4875
60 yrs. & upwds.	533	504	555	747	591	571	692	811	899	860	813	628	475	8679
Deaths from—														
Small-pox† - -	–	–	–	–	–	–	–	–	–	1	–	–	–	1
Measles - - -	79	76	82	52	69	93	94	92	105	129	118	94	95	1178
Scarlet Fever - -	11	11	7	11	9	8	8	7	9	7	9	8	11	116
Diphtheria - -	14	20	16	24	15	19	18	18	22	19	15	14	16	230
Whooping-cough -	8	11	29	29	15	25	35	55	35	36	40	32	33	383
Typhus - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever - -	8	6	3	7	4	4	2	1	4	5	5	3	2	54
Pyrexia (origin uncertain).	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa, Dysentery	22	15	10	12	19	9	14	10	10	16	12	14	8	171
All above diseases -	142	139	147	135	131	158	171	183	185	213	199	165	165	2133
Dis. of Resp. System	181	156	214	354	219	235	309	389	411	360	317	194	158	3497
Pneumonia - -	188	161	163	202	222	252	237	314	347	291	250	205	152	2984
Phthisis - - -	121	127	198	171	145	153	161	183	161	204	127	142	126	2019
Dis. of Circ. System -	211	185	252	270	249	214	257	260	280	266	250	197	163	3054
Violence - - -	72	51	65	63	54	55	42	63	56	66	56	52	53	748
Inquest Cases - -	162	140	154	198	150	142	140	188	182	190	169	153	137	2105
Deaths in Institutions	631	611	662	749	639	680	676	783	777	870	786	657	616	9137
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	42·2	38·7	31·8	42·7	34·8	37·4	33·4	30·1	36·5	38·8	44·8	44·7	46·9	38·7
Mean of Highest -	47·4	42·8	37·1	47·7	40·0	45·8	40·9	37·1	41·3	45·3	51·3	52·4	59·3	45·3
Mean of Lowest -	37·6	34·1	25·3	37·1	30·0	29·3	27·1	23·4	33·2	33·3	39·1	37·3	33·3	32·4
Mean Humidity of the Air.	80	81	88	79	81	75	79	85	84	81	81	80	58	79
Rain-fall (in inches) -	0·49	0·12	0·02	0·04	0·29	0·01	0·08	1·23	0·46	0·41	0·51	0·66	0·00	4·32
Registered Sunshine (in hours).	22·7	10·9	18·9	7·7	21·1	36·3	22·4	16·2	17·0	17·7	20·7	23·8	33·7	319·1
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	–	–	–	1	1	1	1	1	2	3	2	2	2	1
Scarlet Fever - -	3261	3211	3201	3117	3002	2910	2826	2873	2670	2596	2571	2462	2418	2855
Diphtheria - - -	1205	1191	1187	1181	1177	1188	1157	1167	1150	1143	1120	1106	1079	1158
Typhus - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever - -	145	137	130	124	128	133	124	116	115	106	96	87	77	117

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lander, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq. F.R Met.Soc., Hull; the Meteorological Committee, Tynemouth; and T. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the FOURTEENTH Week of the Year 1909.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 14th week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages: All Ages.	Under 20: 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1588·2	1470	240	209	78	168	300	475
Small-pox*	0·8	-	-	-	-	-	-	-
Cowpox	-	-	-	-	-	-	-	-
Measles (Morbilli)	61·4	95	16	71	7	-	-	1
Scarlet Fever	9·2	11	-	5	6	-	-	-
Typhus	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-
Influenza	29·9	62	1	-	2	5	19	35
Whooping-cough	52·2	33	13	16	4	-	-	-
Diphtheria	15·6	16	1	12	3	-	-	-
Cerebro-spinal Fever ..	-	-	-	-	-	-	-	-
Pyrexia† (origin uncertain)	0·2	-	-	-	-	-	-	-
Enteric Fever	3·3	2	-	-	-	2	-	-
Asiatic Cholera	-	-	-	-	-	-	-	-
Epidemic Diarrhœa, Infective Enteritis	4·7	2	1	-	-	1	-	-
Diarrhœa, Dysentery ..	8·6	6	6	-	-	-	-	-
Tetanus	1·0	-	-	-	-	-	-	-
Rabies, Hydrophobia ..	-	-	-	-	-	-	-	-
Glanders	0·2	-	-	-	-	-	-	-
Anthrax (Splenic Fever)..	-	-	-	-	-	-	-	-
Venereal Dis.	5·5	9	3	2	-	2	1	1
Puerperal Septicæmia ..	4·1	-	-	-	-	-	-	-
Puerperal Pyæmia.. .	0·2	-	-	-	-	-	-	-
Puerperal Fever	0·4	-	-	-	-	-	-	-
Infective Endocarditis ..	3·1	3	-	-	-	2	-	1
Pneumonia: Lobar ..	24·0	24	-	3	1	4	7	9
Pneumonia: Broncho ..	81·5	70	20	30	2	2	9	7
Pneumonia: Epidemic ..	-	-	-	-	-	-	-	-
Pneumonia: Not defined	74·9	58	7	12	2	10	9	18
Erysipelas	4·7	3	1	-	-	1	-	1
Septicæmia (not Puerperal)	2·0	-	-	-	-	-	-	-
Pyæmia (not Puerperal)	0·6	-	-	-	-	-	-	-
Other Infective Processes	4·7	6	2	-	-	3	-	1
Tuberculous Phthisis ..	88·2	86	-	8	8	39	27	4
"*Phthisis*	57·7	40	-	-	5	17	15	3
Tuberculous Meningitis ..	25·4	20	7	8	4	1	-	-
Tuberculous Peritonitis ..	10·4	8	2	3	2	1	-	-
Tabes Mesenterica	2·3	1	1	-	-	-	-	-
Tuberculous Dis., Other ..	24·4	17	2	4	6	1	4	-
Scrofula..	0·2	-	-	-	-	-	-	-
Alcoholism	9·6	6	-	-	-	-	5	1
Rheumatic Fever	5·5	4	-	-	1	2	1	-
Gout	3·5	2	-	-	-	-	1	1
Carcinoma	56·9	66	-	-	1	5	28	32
Sarcoma	6·1	8	-	-	2	1	3	2
Cancer (undefined) ..	35·0	29	-	-	-	2	16	11
Diabetes Mellitus	8·6	5	-	-	-	3	1	1
Premature Birth	45·2	31	31	-	-	-	-	-

CAUSES OF DEATH	Corrected Average for the 14th week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages: All Ages.	Under 20: 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)..	15·6	13	3	6	2	2	-	-
Gen. Par. of Insane, Insanity	16·6	13	-	-	1	4	3	5
Epilepsy	6·1	4	-	-	-	1	2	1
Convulsions	20·3	18	16	2	-	-	-	-
Locomotor Ataxy.. ..	1·8	4	-	-	-	1	1	2
Paraplegia, Dis. of Cord.	6·1	11	1	-	-	1	7	2
Nervous Sys., Other Dis.	19·7	11	-	-	-	3	4	4
Valv. Dis., Endocarditis..	46·5	43	-	-	2	9	10	22
Cereb. Hæm. Cereb. Emb.	38·1	38	-	-	-	3	7	28
Apoplexy, Hemiplegia ..	16·6	14	-	-	-	-	4	10
Aneurysm	5·5	6	-	-	-	2	2	2
Embolism, Thrombosis (not Cerebral) ..	2·0	-	-	-	-	-	-	-
Heart & Blood Ves., Other Dis... ..	95·4	62	-	-	3	5	18	36
Croup (not Spasm: nor Memb.)	0·6	-	-	-	-	-	-	-
Bronchitis	153·6	141	22	14	1	4	21	79
Emphysema, Asthma ..	5·5	6	-	-	-	-	5	1
Pleurisy	4·1	2	-	-	-	1	1	-
Respiratory Dis., Other..	11·3	9	2	-	-	-	2	5
Tonsillitis, Quinsy.. ..	0·2	-	-	-	-	-	-	-
Enteritis (not Epid.) ..	10·6	10	5	-	1	2	-	2
Gastro-enteritis	4·5	5	5	-	-	-	-	-
Peritonitis (not Puerp.) ..	2·5	-	-	-	-	-	-	-
Cirrhosis of Liver.. ..	12·7	19	-	-	-	1	10	8
Liver Dis., Other	5·3	5	-	-	-	1	-	4
Digestive Sys., Other Dis.	35·6	34	3	-	2	4	15	10
Acute Nephritis	7·2	10	-	-	1	2	5	2
Bright's Dis., Albuminuria	40·3	40	-	-	1	4	15	20
Urinary Sys., Other Dis.	10·0	10	-	-	-	1	2	7
Generative Organs Dis...	3·7	3	-	-	1	2	-	-
Childbirth (Accid. of) ..	2·9	3	-	-	-	2	1	-
Old Age	59·4	71	-	-	-	-	-	71
Other Diseases	95·5	89	61	9	3	1	4	11
ACCIDENT.								
By Railways	1·6	3	-	-	-	2	1	-
By Vehicles and Horses..	5·5	7	-	2	1	1	1	2
In Ships, Boats, Docks, (exclusive of Drowning)	0·8	-	-	-	-	-	-	-
In Building Operations..	1·2	-	-	-	-	-	-	-
In Conflagrations	0·6	-	-	-	-	-	-	-
By Burns, Scalds, Explosions	6·8	5	1	1	2	-	-	1
By Drowning	2·9	4	1	-	-	-	2	1
By Suffocation in Bed ..	13·7	6	6	-	-	-	-	-
By Poisons or Poisonous Vapours	2·7	3	-	-	1	1	1	-
Other Deaths by Accident..	15·4	16	-	1	-	1	4	10
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	0·4	-	-	-	-	-	-	-
Suicide	9·0	9	-	-	-	3	6	-
Execution	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c. registered in each SUB-DISTRICT during the Week ended Saturday, 10th April, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexiæ (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified causes of Death.
LONDON	4,536,267	2188	1470	240	475	-	95	11	16	33	-	2	-	8	53	137	616	-
WEST DISTRICTS	805,311	317	224	31	91	-	7	1	3	6	-	-	-	-	16	22	94	-
NORTH DISTRICTS	1,055,908	420	319	57	118	-	20	-	5	9	-	-	-	1	9	29	135	-
CENTRAL DISTRICTS	209,465	95	68	19	11	-	1	-	-	4	-	-	-	-	2	6	37	-
EAST DISTRICTS	715,739	435	208	48	50	-	15	-	3	4	-	-	-	2	9	30	96	-
SOUTH DISTRICTS	1,749,844	921	554	84	187	-	47	7	5	10	-	1	-	5	17	50	187	-
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	67	1	18	-	5	3	-	-	-	1	-	-	-	-	67	-
WEST DISTRICTS.																		
North Paddington *H*	63,603	26	14	1	8	-	-	-	-	-	-	-	-	-	-	-	-	-
Central Paddington *W,3H*	50,053	23	25	4	9	-	1	-	-	1	-	-	-	-	3	4	10	-
South Paddington	30,320	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town *2W,w,2H* ..	128,037	44	42	6	19	-	2	-	-	1	-	-	-	-	3	5	23	-
Brompton *2H*	48,591	8	4	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-
North Hammersmith *2W,w,H* ..	49,192	34	14	2	6	-	1	-	-	1	-	-	-	-	-	-	5	-
South Hammersmith *w,2H* ..	63,047	27	18	4	7	-	-	-	-	2	-	-	-	-	2	2	6	-
North-west Fulham *W*	45,180	32	20	4	8	-	-	-	-	-	-	-	-	-	1	1	7	-
North-east Fulham *F*	46,405	18	11	1	4	-	-	1	2	1	-	-	-	-	-	1	4	-
South Fulham *W*	45,704	33	6	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Chelsea North *W,w,3H*	42,514	9	20	-	9	-	1	-	-	-	-	-	-	-	2	2	16	-
Chelsea South *W,2H*	31,328	10	7	2	3	-	-	-	1	-	-	-	-	-	1	1	4	-
Mayfair and Knightsbridge	28,743	4	4	-	4	-	-	-	-	-	-	-	-	-	1	1	-	-
Belgrave *W,2H*	55,815	19	20	2	7	-	1	-	-	-	-	-	-	-	2	3	9	-
St. Margaret & St. John *6H*	43,698	18	14	4	-	-	-	-	-	-	-	-	-	-	-	-	9	-
St. James and St. Anne *W,6H* ..	33,081	7	3	-	1	-	-	-	-	-	-	-	-	-	1	1	1	-
NORTH DISTRICTS.																		
All Souls Marylebone *9H*	35,391	9	18	-	5	-	-	-	-	-	-	-	-	-	-	-	10	-
St. Mary Marylebone *W,4H* ..	37,948	35	11	-	7	-	-	-	-	-	-	-	-	-	-	-	-	-
Christchurch Marylebone	39,536	13	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. John Marylebone *2H*	20,426	8	4	1	-	-	-	-	-	1	-	-	-	-	-	1	1	-
Hampstead *W,F,6H*	81,942	12	19	2	6	-	1	-	1	-	-	-	-	-	1	1	8	-
West St. Pancras *2H*	60,562	19	11	2	4	-	-	-	-	-	-	-	-	-	1	2	3	-
South St. Pancras *w,12H*	55,707	18	19	3	2	-	-	-	-	-	-	-	-	-	1	2	10	-
East St. Pancras *W,H*	60,320	29	28	3	11	-	-	-	-	-	-	-	-	-	-	1	22	-
North St. Pancras *2W*	58,728	17	17	4	4	-	1	-	-	-	-	-	-	-	-	2	6	-
Tufnell *W*	31,995	12	29	8	13	-	6	-	-	1	-	-	-	-	-	1	19	-
Upper Holloway *2W,w,H*	33,978	22	28	3	13	-	-	-	-	-	-	-	-	-	2	3	17	-
Tollington *W,w,H*	33,922	10	12	3	5	-	-	-	-	1	-	-	-	-	-	1	-	-
Lower Holloway	41,424	16	12	2	2	-	4	-	-	-	-	-	-	-	1	2	-	-
Barnsbury	54,478	20	10	1	5	-	-	-	-	1	-	-	-	-	-	-	-	-
Islington South-east *F*	75,397	31	19	5	5	-	4	-	-	2	-	-	-	-	-	-	-	-
Highbury *2H*	63,797	22	5	-	3	-	-	-	-	-	-	-	-	-	-	1	-	-
Stoke Newington *H*	51,247	14	13	2	5	-	1	-	-	-	-	-	-	-	-	-	-	-
North Hackney	50,398	20	12	2	4	-	1	-	-	1	-	-	-	-	-	1	-	-
Central Hackney *w,F*	50,536	27	15	4	3	-	-	-	4	-	-	-	-	1	1	4	4	-
South-west Hackney *3H*	59,921	37	25	3	8	-	1	-	-	-	-	-	-	-	1	5	12	-
South-east Hackney *2W,H*	58,255	20	37	8	13	-	1	-	-	2	-	-	-	-	1	2	23	-
Hackney Union Workhouse, Brentwood	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 10th April, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
St. Giles and Bloomsbury 2*W*,2*H*..	31,436	16	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Strand *W*,4*H*	21,674	2	16	1	4	-	-	-	-	-	-	-	-	-	-	-	12	-
Strand Union Workhouse, Edmonton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn *W*,6*H*	29,612	7	15	9	2	-	-	-	-	2	-	-	-	-	-	-	11	-
Clerkenwell *H*	63,704	36	9	3	2	-	-	-	-	1	-	-	-	-	-	1	-	-
St. Luke 3*H*,*L*	36,116	24	11	3	1	-	1	-	-	1	-	-	-	-	-	2	2	-
Holborn Union Workhouse, Mitcham	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph *H*	10,299	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	6	15	2	1	-	-	-	-	-	-	-	-	-	2	3	12	-
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
Shoreditch South 2*H*..	46,362	29	10	3	4	-	3	-	-	-	-	-	-	-	-	-	-	-
Shoreditch North-West *W*,*w*,*H* ..	36,127	23	23	3	8	-	3	-	-	1	-	-	-	1	1	4	13	-
Shoreditch North-East	36,148	36	5	2	3	-	-	-	-	-	-	-	-	-	-	2	-	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	38	32	6	12	-	-	-	-	-	-	-	-	-	1	2	21	-
Bethnal Green South-West *H* ..	64,542	47	5	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Spitalfields..	27,969	13	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Mile End New Town *W*,*H*	28,718	25	28	7	2	-	-	-	1	-	-	-	-	1	2	7	25	-
Goodman's Fields	22,081	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George and St. John 2*W* ..	49,068	29	12	3	4	-	1	-	-	-	-	-	-	-	1	2	3	-
Shadwell and Ratcliff *w*,*H* ..	25,568	12	6	1	1	-	1	-	1	1	-	-	-	-	-	-	4	-
Limehouse *W*	32,369	15	6	-	2	-	-	-	-	1	-	-	-	-	-	4	-	-
Mile End Old Town South-Western *H*	63,698	43	8	4	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Mile End Old Town North-Eastern *W*,*w*	49,129	18	12	2	1	-	-	-	-	-	-	-	-	-	1	2	7	-
Bow	41,989	24	14	6	1	-	4	-	-	-	-	-	-	-	1	1	-	-
Bromley 3*w*,*H*	68,319	41	25	3	3	-	3	-	-	1	-	-	-	-	-	-	17	-
Poplar *W*,*w*	58,514	33	19	4	6	-	-	-	1	-	-	-	-	-	1	5	4	-
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 10th April, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch and St. Saviour Southwark *W,2H*	23,319	16	15	2	2	-	-	-	-	-	-	-	-	-	2	2	13	-
Kent-road	21,904	18	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
St. George the Martyr West *W,2H,L*	39,094	16	10	3	1	-	1	-	-	-	-	-	-	1	1	1	5	-
Newington North	49,022	22	9	-	3	-	2	-	-	-	-	-	-	-	-	2	-	-
Newington South *W*	72,841	39	17	3	7	-	-	-	-	-	-	-	-	-	1	4	4	-
St. Olave *2W*	9,817	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bermondsey *W*	82,483	50	19	7	3	-	5	-	-	-	-	-	-	-	-	2	-	-
Rotherhithe *W,F*	38,460	16	30	3	13	-	7	-	-	-	-	-	-	1	-	-	19	-
Waterloo *2H*	27,440	32	10	3	3	-	1	-	-	-	-	-	-	-	1	1	2	-
Lambeth Church *H*	27,440	10	20	1	4	-	1	-	1	-	-	-	-	-	3	5	14	-
Kennington *2W*	52,518	24	25	4	7	-	2	-	-	1	-	-	-	-	-	1	11	-
Stockwell *HF*	63,826	37	18	1	6	-	2	3	1	-	-	-	-	-	-	-	5	-
Brixton *H*	73,673	27	20	2	6	-	-	-	-	-	-	-	-	-	2	4	1	-
Norwood *2WH*	56,998	21	19	4	11	-	-	-	-	1	-	-	-	-	-	-	-	-
East Battersea *H*	72,203	35	11	3	2	-	1	-	-	2	-	-	-	1	-	3	-	-
North-west Battersea	49,656	27	6	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-
South-west Battersea *2W,H* ..	47,048	15	20	2	7	-	2	-	-	3	-	-	-	-	-	2	13	-
Clapham *2H*	51,361	27	6	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Streatham *W,2w,2F,2L*	88,019	39	25	2	15	-	1	-	-	-	-	-	-	1	-	4	7	-
Springfield *2W,L*	27,959	20	10	4	2	-	3	-	-	-	-	-	-	-	-	-	4	-
Southfields *H*	40,444	29	10	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Putney	24,139	14	8	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich	13,359	8	5	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Camberwell South *W,w*	40,206	23	31	1	16	-	-	-	-	-	-	-	-	-	1	2	22	-
Camberwell North *W,2L*	65,584	40	29	4	6	-	2	-	-	1	-	-	-	1	-	1	18	-
St. George	47,331	32	8	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-
Peckham North	48,913	17	8	3	2	-	-	-	-	-	-	-	-	-	1	3	-	-
Peckham South *2W,w*	43,946	30	12	1	2	-	6	-	-	-	-	-	-	-	-	-	-	-
Deptford North	37,613	21	7	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Deptford Central *F*	45,481	27	11	1	2	-	1	1	-	-	-	-	-	-	-	-	3	-
Deptford South	34,625	10	8	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *2H*	23,456	8	3	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-
Greenwich East *2W,H*	43,859	27	23	3	9	-	1	-	-	-	-	-	-	-	2	2	16	-
Eltham *w,H*	7,226	7	5	2	3	-	-	-	-	-	-	-	-	-	-	2	-	-
Lee *w,H*	25,490	8	6	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham *2W,w,F*	58,352	37	32	2	15	-	-	1	2	-	-	-	-	-	-	1	14	-
Sydenham *H*	43,653	24	7	2	3	-	-	-	-	1	-	-	-	-	-	-	-	-
Charlton *F,2H*	21,134	6	12	1	3	-	-	2	1	-	-	1	-	-	-	-	5	-
Woolwich *5H*	41,625	26	8	2	2	-	-	-	-	-	-	-	-	-	1	3	-	-
Plumstead West *W,H*	39,376	13	11	1	4	-	1	-	-	-	-	-	-	-	-	1	-	-
Plumstead East *2W*	28,951	14	17	2	5	-	7	-	-	-	-	-	-	-	-	-	10	-
Workhouses:—																		
Belmont Workhouse	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asylum .. (Westminster, St. Giles, and Strand Unions.)	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
M. A. B. Small-pox Hospitals:—																		
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																		
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	6	-	-	-	2	3	-	-	-	1	-	-	-	-	6	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																		
Children's Infirmary, Carshalton..	—	-	6	1	-	-	3	-	-	-	-	-	-	-	-	-	6	-
M. A. B. Imbecile Asylums:—																		
Caterham	—	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-
Darenth	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4	-
London County Lunatic Asylums:—																		
Banstead	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	5	-
Manor	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Long Grove	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-
Cane Hill	—	-	5	-	3	-	-	-	-	-	-	-	-	-	-	-	5	-
Dartford Heath	—	-	6	-	3	-	-	-	-	-	-	-	-	-	-	-	6	-
Hanwell	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Colney Hatch	—	-	7	-	-	-	-	-	-	-	-	-	-	-	-	-	7	-
Claybury	—	-	14	-	6	-	-	-	-	-	-	-	-	-	-	-	14	-

BLE **6.** LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERATED POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 10th April, 1909.

Registration District and Sub-District Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING ..	368,603	2,045,135	1316	649	98	229	-	31	6	4	23	-	3	18	44	118	2
0 : 1	Carshalton 2F,3H	12,228	32,997	20	7	2	1	-	2	-	-	2	-	-	-	1	-	-
2	Epsom, *part of** W,w,2F,H..	10,423	15,548	9	3	-	1	-	-	-	-	-	-	-	-	-	2	-
7 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-
8 : 1	Coulsdon	11,069	8,166	6	2	-	2	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w,H ..	4,200	49,309	20	11	1	7	-	-	-	-	-	-	-	-	1	-	-
3	West Croydon 3W,F,H ..	2,168	42,888	36	32	6	16	-	-	-	1	1	-	-	-	2	11	-
4	North Croydon H	2,614	41,698	32	6	2	2	-	-	-	-	-	-	-	1	1	-	-
5	Penge w	770	22,465	3	4	-	3	-	-	-	-	-	-	-	-	-	-	-
6	Mitcham w	11,711	30,015	27	17	3	5	-	-	-	-	1	-	-	-	-	-	-
9 : 1	Wimbledon F,3H	3,221	41,652	29	8	-	1	-	1	-	-	-	-	-	-	-	1	-
2	Kingston 2W,H	6,224	42,068	25	16	-	10	-	-	-	-	-	-	-	-	2	4	-
3	Surbiton F,H	3,046	15,017	6	2	-	-	-	2	-	-	-	-	-	-	-	1	-
4	Esher, *part of** H	5,402	13,100	8	3	-	-	-	-	-	1	-	-	-	1	1	-	-
5	Hampton H,F,L	4,564	23,456	9	13	2	7	-	-	-	-	-	-	-	-	1	1	-
0 : 1	Richmond W,H	2,491	31,672	16	11	1	3	-	-	-	-	-	-	-	1	4	-	-
2	Mortlake F	2,518	17,821	8	7	1	3	-	-	-	-	-	-	-	1	2	1	-
1 : 1	Bromley F,3H	4,703	27,354	13	7	-	4	-	-	-	-	1	-	-	-	1	-	-
2	Beckenham H	7,825	28,497	9	11	3	3	-	-	-	-	-	-	-	-	1	-	-
3	Orpington, *part of** W,F ..	10,113	9,857	4	6	-	6	-	-	-	-	-	-	-	-	-	3	1
4	Chislehurst 2H	7,333	16,446	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-
2 : 1	Bexley w,F,H	8,678	21,151	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Erith F,H	3,854	25,296	11	6	1	2	-	-	-	-	-	-	-	-	-	-	-
3	Dartford W,F, *part of** ..	—	—	-	3	-	1	-	-	-	-	-	-	-	-	-	3	-
4 : 1	Sunbury w	11,054	18,683	5	8	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Staines W,H	13,277	15,178	11	5	-	4	-	-	-	-	-	-	-	-	-	2	-
5 : 1	Hillingdon W,F,H	6,035	13,661	9	7	-	3	-	-	-	-	-	1	-	-	-	2	-
2	Uxbridge H	12,757	8,984	4	5	-	2	-	-	-	-	-	-	-	1	1	-	-
3	Hayes w 2F,H	8,066	16,358	21	5	1	1	-	3	-	-	-	-	-	-	-	-	-
6 : 1	Isleworth 3W,3F,H	6,859	30,863	29	13	-	8	-	-	-	-	-	-	-	-	-	8	-
2	Twickenham F,2H	2,421	20,991	18	8	-	5	-	-	-	-	-	-	-	-	-	-	-
3	Brentford 3F,2H	4,319	48,289	28	21	3	6	-	4	-	-	2	-	-	1	2	1	1
4	Chiswick H	1,249	29,809	15	11	2	2	-	-	-	-	-	-	-	-	1	-	-
5	Acton w,F,3H	6,132	48,914	36	13	2	7	-	1	-	-	-	-	-	-	-	-	-
7 : 1	Harrow F,H	13,809	25,523	15	18	2	3	-	6	-	-	1	-	-	1	1	-	-
2	Edgware 2F,2H	6,994	4,521	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Willesden W,F,2H	4,384	114,811	65	38	4	12	-	-	1	1	2	-	-	1	2	12	-
4	Hendon W,F	8,382	22,450	14	12	2	7	-	-	-	-	1	-	-	1	2	2	-
3 : 1	South Mimms 2F,H ..	17,755	7,308	8	2	-	2	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,970	7	3	1	1	-	-	-	-	-	-	-	-	1	-	-
3	Finchley F,3H	4,688	33,692	13	8	-	2	-	-	-	-	-	-	-	1	1	1	-
9 : 1	Hornsey F,H	2,875	72,056	38	7	-	3	-	-	-	-	-	-	-	-	-	-	-
2	Wood Green H	1,625	34,233	21	12	3	2	-	-	-	-	1	-	-	1	2	1	-
3	West Tottenham	995	48,741	40	10	6	3	-	1	-	-	-	-	-	1	1	-	-
4	East Tottenham 2H ..	2,019	53,962	40	23	5	6	-	-	-	-	1	-	-	1	1	4	-
5	Edmonton W,w,2F	7,491	61,892	59	22	3	10	-	-	-	-	2	-	1	-	-	7	-
6	Enfield 2W,F,H	12,601	42,738	21	9	1	3	-	-	-	-	1	-	-	-	1	-	-
7	Waltham Abbey F	11,017	6,549	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	3	6	-	5	-	-	-	-	-	-	-	1	1	-	-
5 : 1	Hatfield, *part of** W ..	3,305	664	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7 : 1	Bushey H	9,333	9,173	9	2	1	1	-	-	-	-	-	-	1	-	-	-	-
2	Watford W,2F, *part of** ..	—	—	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-
3 : 1	Stratford H	1,091	52,974	29	9	-	4	-	-	-	-	-	-	-	1	1	1	-
2	Forest Gate	787	52,745	16	2	1	-	-	-	-	-	-	-	-	-	-	-	-
3	Plaistow F,2H	1,249	90,921	76	27	9	2	-	2	5	-	1	-	-	2	2	7	-
4	Canning Town H	1,556	70,718	73	28	11	4	-	5	-	-	3	-	-	-	3	-	-
5	South East Ham 2F ..	1,991	37,342	36	17	4	4	-	-	-	1	1	-	-	-	-	1	-
6	North East Ham w,H ..	1,333	58,666	37	13	2	3	-	3	-	-	-	-	-	1	1	1	-
7	Wanstead F	1,679	9,179	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	34	15	1	12	-	-	-	-	-	-	-	-	1	10	-
9	North Leyton 2W,w,F ..	1,963	48,445	36	25	2	9	-	-	-	-	1	-	-	-	-	13	-
10	Walthamstow 2H,L ..	6,504	108,929	68	25	5	6	-	1	-	-	1	-	-	-	1	-	-
7 : 1	Chigwell 2F,3H	11,778	16,397	13	3	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Epping W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9 : 1	Romford, *part of** W,2F ..	6,556	6,091	2	2	-	-	-	-	-	-	-	-	-	-	-	1	-
2	Ilford F,L	8,496	41,244	42	12	2	4	-	-	-	-	-	-	-	-	-	2	-
3	Barking Town F	3,805	21,547	17	5	2	1	-	-	-	-	-	-	-	-	-	-	-
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	London County Lunatic Asylum, Long Grove, Epsom.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	London County Lunatic Asylum, Colney Hatch.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-
	London County Lunatic Asylum, Claybury.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Surrey County Lunatic Asylum, Brookwood.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Kent County Lunatic Asylum, Maidstone.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Middlesex County Lunatic Asylum, Napsbury.	—	—	-	4	-	-	-	-	-	-	-	-	-	-	-	4	-
	Essex County Lunatic Asylum, Brentwood.	—	—	-	3	-	-	-	-	-	-	-	-	-	-	-	3	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30 : 2, excepting Ashtead parish; 37 : 1, Warlingham and Farley parishes; 39 : 4, excepting Esher parish; 41 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135 : 1, Northaw parish; 189 : 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42 : 3, 137 : 2 and 187 : 2 and in the Croydon Mental Hospital in 37 : 1 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths.	Annual Death-rate per 1000 living.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON - -	4,833,938	April 10	2188	1470	15·9	-	95	11	16	33	2	8
CALCUTTA - -	1,014 438	February 27	-	837	44·0	332	2	-	2	-	157†	71‡
BOMBAY - -	982,000	March 23	347	1091	58·0	15	3	-	-	-	497†	65‡
MADRAS - -	548,974	„ 12	296	364	37·1	1	5	?	?	?	105	54
PARIS - - -	2,760,000	April 3	958	1011	19·3	1	22	-	5	2	7	15
BRUSSELS - -	704,975	„ 3	245	188	13·9	-	-	2	1	-	-	9
ANTWERP - -	310,903	„ 3	124	95	15·9	-	-	1	-	-	-	7
AMSTERDAM -	566,256	„ 3	260	175	16·1	-	5	-	-	5	1	5
COPENHAGEN -	445,000	„ 3	257	154	18·0	-	7	2	1	2	-	2
STOCKHOLM -	337,460	March 27	150	115	17·7	-	-	3	-	1	-	2
CHRISTIANIA -	231,687	April 3	126	59	13·2	-	-	-	-	1	-	1
ST. PETERSBURG	1,573,000	March 27	841	729	24·2	4	27	13	11	3	9	72‡
MOSCOW - -	1,452,100	„ 27	-	803	28·8	11	32	20	9	7	12	70
BERLIN - -	2,109,642	„ 20	815	684	16·9	-	11	13	12	8	1	23
HAMBURG - -	872,252	April 3	-	279	16·6	-	1	3	9	4	-	13
BRESLAU - -	499,437	March 27	-	198	20·7	-	-	3	-	1	-	10
MUNICH - -	566,000	„ 27	-	238	21·9	-	7	6	2	3	-	15
VIENNA - -	2,042,426	„ 27	862	825	21·0	-	19	10	4	6	-	21
PRAGUE - -	480,856	„ 27	189	244	26·4	-	3	11	3	2	-	17
BUDAPEST - -	823,215	„ 27	468	333	21·0	-	4	6	6	1	-	13
TRIESTE - -	217,706	April 3	117	123	29·4	-	2	-	-	-	-	4
ROME - - -	565,323	January 30	-	-	-	-	-	-	-	-	-	-
VENICE - -	179,286	March 20	69	84	24·4	-	1	-	2	1	-	5
BUCAREST - -	296,585	„ 27	190	169	29·7	-	-	2	1	-	-	-
NEW YORK -	4,564,792	„ 27	-	-	-	-	-	-	-	-	-	-
CHICAGO - -	2,224,490	„ 20	-	711	16·7	-	1	11	19	2	8	37
PHILADELPHIA -	1,565,569	„ 6	-	500	16·6	-	4	4	12	1	7	15
		„ 13	-	555	18·4	-	7	2	14	3	5	14
RIO DE JANEIRO	636,018	„ 7	-	-	-	-	-	-	-	-	-	-
CAIRO:—												
Egyptians -	666,587	„ 18	542	363	28·3	6	5	-	-	?	8§	66
Foreigners -	35,219	„ 18	7	16	23·6	4	-	-	-	?	1	2
ALEXANDRIA:—												
Egyptians -	341,965	„ 18	264	215	32·7	-	7	3	1	?	2	46
Foreigners -	46,118	„ 18	7	11	12·4	-	-	-	1	?	-	2

* Excluding deaths from croup in the Indian Cities.
† Including 36 deaths from plague in Calcutta and 436 in Bombay.
‡ Including 40 deaths from cholera in Calcutta, 1 in Bombay, and 3 in St. Petersburg.
§ Including 2 deaths from malarial fever in Cairo.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 10th April, 1909.

Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	69·0	30·1	46·6	0·00	BRADFORD - -	67·4	29·2	46·0	0·00
BRIGHTON - -	65·2	35·3	48·9	0·00	YORK - - -	68·6	29·8	46·9	0·00
PORTSMOUTH - -	-	-	-	-	HULL - - -	68·0	28·0	45·2	0·00
NORWICH - -	69·6	29·4	45·4	0·00	TYNEMOUTH - -	67·0	29·0	44·0	0·00
PLYMOUTH -	71·8	38·5	51·1	0·00	CARDIFF - - -	69·7	33·0	48·4	0·00
BRISTOL - - -	70·3	30·0	48·1	0·00	EDINBURGH - -	64·6	29·6	46·4	0·00
BIRMINGHAM - -	69 7	32·1	48·8	0·00	GLASGOW - -	64·8	30·0	46·6	0·00
NOTTINGHAM - -	68·5	30·2	46·6	0·00	DUBLIN Phœnix Park.	68·6	25·9	44·5	0·28
LIVERPOOL OBSERVATORY.	64 0	34·0	48·7	0 00	DUBLIN Fitz-william Square.†	68·0	34·4	46·3	0·03
MANCHESTER -	67·9	32·8	48·0	0·00					
BURNLEY - -	64·8	27 5	45·4	0·00					
HUDDERSFIELD -	66·8	27·3	46·1	0·00	BELFAST - - -	60·0	30·5	43·2	1·53

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°·3 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

1909. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est.	Daily Range.	Mean daily value.	Departure from Average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
APRIL.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 4	..	30·276	53·3	31·4	21·9	41·9	− 4·3	29·9	12·0	22·2	3·5	62	114·5	20·1	43·22	SE.	SE. & E.	4·6	0·0	0·2	283	− 28	0·00	5·7
MONDAY - 5	In Equator. Full.	30·109	51·2	33·5	17·7	41·8	− 4·5	31·5	10·3	16·8	4·9	67	114·6	24·5	43·14	E. & ENE.	ENE. & E.	11·8	0·0	0·5	367	+ 52	0·00	3·8
TUESDAY - 6	..	30·169	57·2	33·9	23·3	46·1	− 0·2	33·7	12·4	21·8	2·8	62	115·5	20·6	43·06	NE., ENE. & E.	E. & ENE.	3·1	0·0	0·2	247	− 73	0·00	0·0
WEDNESDAY 7	..	30·235	61·0	33·0	28·0	47·2	+ 0·9	33·4	13·8	24·9	3·0	59	118·0	17·1	43·08	NE. & ENE.	E. & ESE.	2·5	0·0	0·1	213	−108	0·00	0·0
THURSDAY - 8	..	30·172	64·0	33·1	30·9	48·8	+ 2·7	32·6	16·2	24·5	8·7	54	121·2	19·5	43·21	NE.	ENE., ESE. & E.	1·0	0·0	0·1	163	−155	0·00	0·0
FRIDAY - 9	..	30·034	69·0	30·1	38·9	52·2	+ 6·2	28·6	23·6	34·2	2·0	40	129·7	17·3	43·42	E. & calm	Variable	0·1	0·0	0·0	96	−217	0·00	0·0
SATURDAY - 10	..	29·919	63·0	38·1	24·9	50·5	+ 4·6	38·2	12·3	22·1	6·0	63	109·0	22·0	43·68	Variable & calm.	E. & SSW.	0·3	0·0	0·0	119	−186	0·00	2·0
MEANS - -		30·131	59·8	33·3	26·5	46·9	+ 0·8	32·6	14·4	23·8	4·4	58	117·5	20·2	43·26	ENE.		..	..	..	Sum 1488	Sum −715	Sum 0·00	1·6
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. APRIL.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	General Remarks.
SUNDAY - 4	w. P. throughout.	12·2	13·1	Generally cloudless; very fine; hoar frost in morning. Partial solar halo observed at and about 10h. A M. Brisk wind between 3h. and 5h. 30m. P.M.
MONDAY - 5	w. P. till 6h. P.M.; m. P. generally afterwards.	12·0	13·1	Cloudless, with very slight exceptions. Hoar frost in morning. Gusty wind prevalent between 8h. A.M and 5h. P.M.
TUESDAY - 6	m. P. generally.	12·1	13·2	Cloudless; very fine. Hoar frost in morning.
WEDNESDAY 7	m. P. till noon; w. P. till 4h. P.M.; m. P. afterwards.	12·1	13·2	Cloudless; very fine. Hoar frost in morning.
THURSDAY - 8	s. P. generally till 11h. A M.; m. P. till 6h. P.M.; s. P. afterwards.	12·7	13·3	Cloudless; very fine. Hoar frost in morning.
FRIDAY - 9	s. P. till 4h. P.M.; m. P. till 9h. P.M.; s. P. afterwards.	11·7	13·4	Cloudless with hoar frost in early morning; very fine, warm, and hazy afterwards.
SATURDAY - 10	m. P. till 8h. A.M.; w. P. generally till 2h. P.M.; Loss of Register afterwards.	10·9	13·4	Very fine. Slight hoar frost in morning.
		Sum 83·7	Sum 92·7	
No. of Col. - -	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·31 in. at the beginning of the week to 30·07 in. by 4h. P.M. on the 5th, increased to 30·25 in. by 9h. A.M. on the 7th; and decreased to 29·83 in. by midnight on the 10th.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 3rd April, 1909.*

BOROUGHS.	Estimated Population in the middle of 1909.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	151,955	-	14	3	-	-	-	-	4	-	-
Kensington	183,683	-	2	3	-	3	-	-	3	-	-
Hammersmith	125,704	-	7	2	-	-	-	-	1	-	-
Fulham	176,406	-	10	7	-	1	-	-	4	-	-
Chelsea	75,249	-	8	2	-	-	-	-	1	-	-
City of Westminster ..	168,883	-	5	2	-	1	-	-	-	-	-
NORTH.											
St. Marylebone	126,027	-	9	2	-	1	-	-	4	-	2
Hampstead	94,185	-	3	2	-	-	-	-	1	-	-
St. Pancras	237,422	-	18	4	-	1	-	-	3	1	-
Islington	351,202	-	18	9	-	1	-	-	1	-	-
Stoke Newington	54,423	-	2	-	-	1	-	-	-	-	-
Hackney	237,601	-	13	5	-	1	-	-	6	-	-
CENTRAL.											
Holborn	53,802	-	2	1	-	1	-	-	-	-	-
Finsbury	95,289	-	7	3	-	-	-	-	2	-	-
City of London	18,193	-	2	1	-	-	-	-	-	-	-
EAST.											
Shoreditch	114,802	-	5	2	-	-	-	-	-	-	-
Bethnal Green	131,316	-	8	4	-	-	1	-	6	-	-
Stepney	312,525	-	23	10	-	1	-	-	4	-	-
Poplar	171,965	-	19	9	-	1	-	-	2	-	1
SOUTH.											
Southwark	211,125	-	8	7	-	1	-	-	9	-	3
Bermondsey	127,569	-	5	2	-	-	-	-	3	-	-
Lambeth	324,188	-	12	12	-	1	-	-	2	1	-
Battersea	186,036	-	17	6	-	-	-	-	2	-	-
Wandsworth	297,646	-	20	4	-	1	-	-	8	-	-
Camberwell	283,022	-	14	17	-	-	-	-	5	1	-
Deptford	118,583	-	12	3	-	-	-	-	4	-	-
Greenwich	111,014	-	11	3	-	-	-	-	2	-	-
Lewisham	160,749	-	18	4	-	-	-	-	2	-	-
Woolwich	133,374	-	24	8	-	-	-	-	2	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,833,938	-	316	137	-	16	1	-	81	3	6
Ages 0-1		-	9	6	-	1	-	-	2	-	2
„ 1-5		-	88	43	-	-	1	-	2	-	1
„ 5-		-	115	47	-	-	-	-	2	-	1
„ 10-		-	51	22	-	3	-	-	5	-	-
„ 15-		-	18	8	-	-	-	-	1	-	2
„ 20-		-	16	5	-	2	-	-	3	1	-
„ 25-		-	13	4	-	9	-	-	13	2	-
„ 35-		-	5	1	-	-	-	-	13	-	-
„ 45-		-	1	1	-	1	-	-	19	-	-
„ 55-		-	-	-	-	-	-	-	10	-	-
„ 65 and upwards		-	-	-	-	-	-	-	11	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY DARLING & SON, LTD., 34-40, BACON STREET, E.

1909.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 15. 1909. VOL. LXX.] WEEK ENDED SATURDAY, APR. 17. [Price 1½*d.*

General Register Office, Somerset House,
April 19th, 1909.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 17·1 per 1000 of their aggregate population, which is estimated† at 16,445,281 persons in the middle of this year. In the preceding three weeks the rates had been 19·8, 17·9, and 17·0. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 22·3 in Swansea, 22·4 in Salford and in Preston, 23·0 in St. Helens, 23·3 in Oldham, 24·8 in Bootle, 27·1 in Tynemouth, and 28·3 in Great Yarmouth; from *measles*, 3·0 in Sheffield, 3·6 in Warrington, 3·7 in Smethwick, 5·3 in Bootle, and 6·0 in St. Helens; from *scarlet fever*, 1·4 in Warrington; from *diphtheria*, 1·0 in Stockport and 1·2 in Rhondda; from *whooping-cough*, 1·3 in Croydon, 2·6 in Preston, and 2·9 in Grimsby; and from *diarrhœa*, 1·2 in Aston Manor and 1·5 in Burnley. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2447 BIRTHS and 1606 DEATHS were registered. Allowing for increase of population, the births were 42 below and the deaths 100 above the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes, which had been 21·5, 18·3, and 15·9 per 1000 in the preceding three weeks, was 17·3 last week. The death-rate in the four weeks ended last Saturday averaged 18·3 per 1000, being 1·5 per 1000 above the mean rate in the corresponding periods of the five years 1904–8.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals and Asylums, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6 added to the Outer Ring. The figures relating to the seventy-five other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(13135—41.) Wt. 109—472. 700. 4/09. D & S. G. 31. Sch. 4. P

The 1606 deaths included 112 from measles, 9 from scarlet fever, 13 from diphtheria, 53 from whooping-cough, 3 from enteric fever, and 9 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia: thus, to these diseases in the aggregate 199 deaths were referred, being 49 above the corrected average number in the fifteenth week of the preceding five years.

The deaths from *measles*, which had been 118, 94, and 95 in the preceding three weeks, numbered 112 last week, and were 53 above the corrected average; 18 deaths belonged to the Borough of Islington, 13 to Bermondsey, 10 to Poplar, 8 to Shoreditch, and 7 each to Stepney and Lambeth. The deaths from *scarlet fever*, which had been 9, 8, and 11 in the preceding three weeks, were 9 last week, and were equal to the corrected average. The deaths from *diphtheria*, which had been 15, 14, and 16 in the preceding three weeks, numbered 13 last week, and were equal to the corrected average. The deaths from *whooping-cough*, which had been 40, 32, and 33 in the preceding three weeks, rose to 53 last week, the corrected average being 52; 7 deaths belonged to Islington, 5 each to Shoreditch and Battersea, and 4 each to Kensington, Bethnal Green, and Lambeth. The deaths from *enteric fever*, which had been 5, 3, and 2 in the preceding three weeks, were 3 last week, the corrected average being 4. The deaths from *diarrhœa*, which had been 12, 14, and 8 in the preceding three weeks, numbered 9 last week, and were 4 below the corrected average; 3 deaths belonged to Stepney. Of the 9 deaths from diarrhœa, 6 were those of children under 5 years of age; 5 other deaths at this age were certified as due to *enteritis* and 8 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 43, having been 138, 107, and 62 in the preceding three weeks. The death of a general labourer, aged 33 years, was certified as due to *lead-poisoning*.

Different forms of violence caused 58 deaths, concerning all of which inquests were held. Of these 58 deaths, 11 were cases of suicide, while the remaining 47 were attributed to accident or negligence. Eight of these latter were referred to vehicles in the streets, ten to burns or scalds, three to drowning, and five, of infants under one year of age, to suffocation in bed. One death occurred while under an anæsthetic administered for surgical purposes.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1 case of small-pox, 2294 cases of scarlet fever, 1036 of diphtheria, and 75 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 244 cases, against 327, 273, and 256; of diphtheria, 87 cases, against 117, 125, and 113; and of enteric fever, 5 cases, against 9, 10, and 8. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended April 10th, 1909.

Greater London.

In Greater London 3824 births and 2224 deaths were registered. Allowing for increase of population, these numbers are 101 below and 93 above the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 12 deaths from measles, 4 from scarlet fever, 8 from diphtheria, 1 from whooping-cough, 2 from "fever," and 5 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·64 inches, and that of the Thermometer 51°·5, the latter being 4°·9 above the week's average in the 65 years ended 1905. The general direction of the wind was South-Westerly, the horizontal movement of the air being 28 per cent. above the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 42·2 hours; the measured rainfall amounted to 0·22 of an inch.

---

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

ended Saturday, 17th April, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 27th Mar., 1909.	3rd April, 1909.	10th April, 1909.	17th April, 1909.	Rate from Diseases in Cols. 11-17. Week ended 17th April, 1909.	Registered during the Week ended 17th April, 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS	**16,445,281**	**19·8**	**17·9**	**17·0**	**17·1**	**1·9**	**8524**	**5397**	**1008**	**1687**	**-**	**321**	**31**	**47**	**130**	**15**	**40**	**209**	**441**	**1496**	**52**	**76 TOWNS.**
LONDON	4,833,938	21·5	18·3	15·9	17·3	2·1	2447	1606	286	546	-	112	9	13	53	3	9	58	141	688	2	LONDON.
† CROYDON	161,078	20·7	15·5	14·9	14·6	1·9	74	45	11	15	-	1	-	-	4	-	1	3	5	7	-	CROYDON.
† WILLESDEN ..	160,424	11·7	9·1	13·0	10·7	1·0	73	33	8	12	-	3	-	-	-	-	-	2	2	3	-	WILLESDEN.
† HORNSEY	95,628	12·5	6·0	4·4	10·4	0·5	39	19	4	9	-	-	-	-	1	-	-	1	1	1	-	HORNSEY.
† TOTTENHAM ..	129,464	16·5	10·9	12·5	12·9	0·4	79	32	8	12	-	-	-	-	1	-	-	-	2	5	-	TOTTENHAM.
† WEST HAM ..	321,767	18·5	15·2	13·0	13·1	2·6	175	81	20	23	-	10	-	1	5	-	-	2	8	10	-	WEST HAM.
† EAST HAM.. ..	149,575	9·4	12·2	11·5	11·5	2·8	63	33	6	7	-	6	-	1	-	-	1	-	2	2	1	EAST HAM.
† LEYTON	129,614	10·9	11·3	8·9	8·9	0·4	65	22	1	5	-	-	-	1	-	-	-	1	2	8	-	LEYTON.
† WALTHAMSTOW	136,602	13·0	8·0	8·4	12·6	1·1	79	33	5	8	-	2	1	-	-	-	-	2	2	14	-	WALTHAMSTOW.
HASTINGS	68,165	20·7	18·4	20·7	15·3	-	22	20	4	11	-	-	-	-	-	-	-	-	1	3	-	HASTINGS.
BRIGHTON	130,926	31·5	20·7	22·7	17·5	0·4	59	44	9	11	-	1	-	-	-	-	-	1	4	7	-	BRIGHTON.
PORTSMOUTH ..	214,726	14·8	18·2	21·9	18·5	1·7	140	76	15	24	-	4	-	1	1	-	1	2	3	20	2	PORTSMOUTH.
BOURNEMOUTH ..	72,368	15·9	13·7	13·7	18·0	0·7	31	25	3	15	-	1	-	-	-	-	-	-	1	3	-	BOURNEMOUTH.
SOUTHAMPTON ..	124,667	13·4	16·3	18·4	16·3	1·7	54	39	6	13	-	-	-	2	-	2	-	2	4	15	-	SOUTHAMPTON.
READING	82,995	20·1	19·5	17·0	17·0	-	44	27	4	13	-	-	-	-	-	-	-	1	1	12	-	READING.
NORTHAMPTON ..	97,752	17·6	19·7	17·6	17·1	-	42	32	4	12	-	-	-	-	-	-	-	1	2	5	2	NORTHAMPTON.
IPSWICH	74,889	14·6	13·9	8·4	15·3	1·4	32	22	6	11	-	1	-	-	-	-	1	4	8	4	-	IPSWICH.
GREAT YARMOUTH	53,430	36·1	27·3	19·5	28·3	2·0	20	29	5	17	-	-	-	-	1	-	1	-	-	3	-	GREAT YARMOUTH.
NORWICH	124,136	20·2	17·2	14·7	13·4	0·8	60	32	7	17	-	-	-	-	1	1	-	1	3	6	1	NORWICH.
PLYMOUTH	124,180	20·6	14·3	16·8	17·2	1·7	48	41	4	16	-	4	-	-	-	-	-	-	-	5	-	PLYMOUTH.
DEVONPORT	83,103	10·7	22·0	10·7	15·7	2·5	51	25	1	9	-	4	-	-	-	-	-	-	1	1	-	DEVONPORT.
BRISTOL	377,642	18·8	13·7	20·3	15·2	1·2	182	110	24	41	-	5	-	1	3	-	-	2	6	20	-	BRISTOL.
HANLEY	68,831	14·4	23·5	12·1	19·7	0·8	42	26	6	7	-	-	-	1	-	-	-	-	3	3	-	HANLEY.
BURTON-ON-TRENT	54,453	13·4	12·4	9·6	12·4	-	28	13	1	5	-	-	-	-	-	-	-	1	1	2	-	BURTON-ON-TRENT.
WOLVERHAMPTON..	104,633	15·0	18·4	18·9	18·4	3·0	54	37	6	12	-	3	-	1	1	-	1	1	7	12	-	WOLVERHAMPTON.
WALSALL	99,399	16·3	15·7	19·4	14·2	3·1	48	27	5	8	-	4	1	1	-	-	-	2	4	3	-	WALSALL.
HANDSWORTH ..	70,186	11·1	9·7	8·2	13·4	0·7	31	18	5	8	-	1	-	-	-	-	-	-	-	-	-	HANDSWORTH.
WEST BROMWICH..	70,457	13·3	14·8	17·0	11·1	0·7	44	15	3	3	-	-	-	-	1	-	-	-	1	2	-	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 17th April 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1909.*	Death-Rates from all Causes. Week ended 27th Mar., 1909.	3rd April, 1909.	10th April, 1909.	17th April, 1909.	Rate from Diseases in Cols. 11–17. Week ended 17th April, 1909.	Registered during the Week ended 17th April, 1909. Births.	Deaths.	The Deaths registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
BIRMINGHAM ..	563,629	21·5	17·1	18·7	18·4	2·7	299	199	43	51	–	14	3	1	9	–	2	6	9	48	11	BIRMINGHAM.
KINGS NORTON ..	81,632	14·1	10·2	14·7	8·3	0·6	34	13	2	2	–	1	–	–	–	–	–	1	1	1	–	KINGS NORTON.
SMETHWICK	70,377	10·4	8·9	20·0	18·5	3·7	35	25	8	6	–	5	–	–	–	–	–	–	–	1	–	SMETHWICK.
ASTON MANOR ..	85,257	19·6	14·7	17·7	11·6	1·2	36	19	3	7	–	–	–	–	–	–	2	–	–	6	–	ASTON MANOR.
COVENTRY	80,163	11·7	21·5	18·9	20·8	2·0	48	32	4	8	–	–	1	1	1	–	–	4	4	7	–	COVENTRY.
LEICESTER	244,255	16·9	16·4	12·2	13·7	0·2	102	64	10	24	–	–	–	1	–	–	–	2	3	12	–	LEICESTER.
GRIMSBY	73,036	18·6	14·3	13·6	17·1	2·9	46	24	5	6	–	–	–	–	4	–	–	1	1	3	–	GRIMSBY.
NOTTINGHAM ..	263,443	21·8	18·6	17·6	20·2	2·2	123	102	25	35	–	11	–	–	–	–	–	6	10	21	–	NOTTINGHAM.
DERBY	129,411	16·5	18·1	18·1	11·3	0·8	58	28	5	14	–	–	1	1	–	–	–	–	3	8	–	DERBY.
STOCKPORT	103,706	16·6	18·1	19·1	15·1	1·5	64	30	4	9	–	1	–	2	–	–	–	1	3	3	–	STOCKPORT.
BIRKENHEAD ..	121,123	12·9	14·6	21·5	15·1	–	64	35	3	17	–	–	–	–	–	–	–	4	5	10	2	BIRKENHEAD.
WALLASEY	71,004	20·6	16·2	19·8	13·2	0·7	38	18	3	5	–	–	–	–	–	–	1	–	–	1	–	WALLASEY.
LIVERPOOL	760,357	25·9	23·3	20·6	22·0	3·3	429	321	67	92	–	29	6	1	6	3	3	17	30	128	11	LIVERPOOL.
BOOTLE	69,393	23·3	16·5	22·5	24·8	5·3	37	33	11	4	–	7	–	–	–	–	–	2	2	5	1	BOOTLE.
ST. HELENS	95,161	38·9	30·7	31·8	23·0	6·6	50	42	9	4	–	11	–	–	1	–	–	–	–	9	1	ST. HELENS.
WIGAN	90,678	31·6	27·0	16·7	20·1	2·3	65	35	9	4	–	4	–	–	–	–	–	2	3	3	–	WIGAN.
WARRINGTON ..	72,276	24·5	28·1	23·8	20·9	6·5	50	29	5	9	–	5	2	–	1	–	1	–	–	3	2	WARRINGTON.
BOLTON	187,824	20·5	17·5	19·2	13·6	1·9	88	49	7	12	–	4	–	–	2	1	–	2	6	10	–	BOLTON.
BURY	59,234	24·6	15·0	20·2	17·6	–	24	20	1	11	–	–	–	–	–	–	–	1	1	2	–	BURY.
MANCHESTER ..	655,435	19·3	21·7	18·3	21·1	2·5	373	265	51	64	–	15	1	5	2	2	7	17	26	79	4	MANCHESTER.
SALFORD	241,950	20·5	20·5	18·1	22·4	2·8	141	104	21	19	–	7	2	1	1	–	2	5	12	21	–	SALFORD.
OLDHAM	143,301	18·6	24·4	21·8	23·3	1·5	78	64	9	19	–	1	–	1	2	–	–	2	4	19	–	OLDHAM.
ROCHDALE	89,653	20·9	23·3	16·9	16·3	1·2	51	28	4	9	–	1	–	–	–	–	1	–	3	3	–	ROCHDALE.
BURNLEY	106,267	20·6	18·6	16·2	15·2	1·5	64	31	11	8	–	–	–	–	–	–	3	3	3	3	1	BURNLEY.
BLACKBURN	136,959	22·8	21·3	20·2	20·9	2·3	66	55	5	16	–	2	1	–	1	1	1	2	4	14	–	BLACKBURN.
PRESTON	118,519	16·7	23·8	21·1	22·4	3·5	53	51	14	11	–	2	–	–	6	–	–	4	4	6	–	PRESTON.
BARROW-IN-FURNESS.	62,996	18·2	8·3	14·9	17·4	–	22	21	1	6	–	–	–	–	–	–	–	–	–	2	–	BARROW-IN-FURNESS.

TOWNS.	Population estimated to the middle of the Year 1909.*	Death-Rates from all Causes. Week ended 27th Mar., 1909.	3rd April, 1909.	10th April, 1909.	17th April, 1909.	Rate from Diseases in Cols. 11-17. Week ended 17th April, 1909.	Registered during the Week ended 17th April, 1909. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,739	13·8	23·7	13·8	14·9	–	38	27	5	10	–	–	–	–	–	–	–	–	3	7	–	HUDDERSFIELD.
HALIFAX	111,911	22·4	15·8	11·6	13·0	–	35	28	2	11	–	–	–	–	–	–	–	–	2	9	1	HALIFAX.
BRADFORD	293,983	19·3	16·5	16·5	17·9	0·9	115	101	12	46	–	–	2	1	1	1	–	3	12	25	1	BRADFORD.
LEEDS	484,012	20·1	16·5	13·7	17·6	0·5	207	163	27	45	–	1	–	1	3	–	–	7	16	22	–	LEEDS.
SHEFFIELD	470,958	21·5	21·4	21·1	16·7	3·5	271	151	28	38	–	27	–	–	5	–	–	4	6	38	2	SHEFFIELD.
ROTHERHAM.. ..	65,070	15·2	10·4	8·8	16·0	–	40	20	5	2	–	–	–	–	–	–	–	2	2	3	1	ROTHERHAM.
YORK	37,004	16·2	16·2	11·4	13·2	1·2	34	22	6	7	–	–	–	1	1	–	–	–	1	3	–	YORK.
HULL	275,552	18·4	18·4	16·1	12·5	0·6	168	66	14	13	–	2	–	1	–	–	–	2	8	11	–	HULL.
MIDDLESBROUGH ..	105,255	24·8	19·8	28·2	19·8	2·0	82	40	9	8	–	1	–	1	2	–	–	–	–	1	–	MIDDLESBROUGH.
STOCKTON-ON-TEES	53,417	17·6	16·6	7·8	18·5	1·0	34	19	3	5	–	1	–	–	–	–	–	–	–	5	–	STOCKTON-ON-TEES.
WEST HARTLEPOOL	79,686	17·7	16·4	11·8	11·1	–	54	17	3	7	–	–	–	–	–	–	–	–	1	2	–	WEST HARTLEPOOL.
SUNDERLAND ..	159,378	22·6	16·0	22·9	20·6	2·6	102	63	12	16	–	5	–	–	2	–	1	2	5	14	1	SUNDERLAND.
SOUTH SHIELDS ..	117,627	19·1	16·4	17·7	12·9	0·4	68	29	4	11	–	–	–	1	–	–	–	1	1	2	2	SOUTH SHIELDS.
GATESHEAD	131,024	14·7	13·5	19·5	13·1	–	79	33	3	12	–	–	–	–	–	–	–	3	3	5	2	GATESHEAD.
NEWCASTLE-ON-TYNE.	281,584	16·9	14·8	17·4	17·6	0·6	159	95	19	30	–	1	–	1	1	–	–	4	7	20	–	NEWCASTLE-ON-TYNE.
TYNEMOUTH ..	55,808	22·4	20·6	29·0	27·1	0·9	41	29	7	9	–	–	–	–	1	–	–	6	7	7	1	TYNEMOUTH.
NEWPORT (MON.) ..	78,336	18·0	20·0	16·0	15·3	–	37	23	4	9	–	–	–	–	–	–	–	–	2	7	–	NEWPORT (MON.).
CARDIFF	195,303	13·6	15·5	17·9	13·6	1·6	76	51	12	13	–	1	–	–	3	1	1	2	7	10	–	CARDIFF.
RHONDDA	135,894	13·4	16·5	23·4	19·6	1·5	98	51	13	12	–	–	–	3	1	–	–	2	3	1	–	RHONDDA.
MERTHYR TYDFIL..	78,365	16·0	20·0	20·6	18·6	1·3	54	28	8	8	–	–	1	–	1	–	–	1	1	3	–	MERTHYR TYDFIL.
SWANSEA	98,308	26·5	23·3	22·8	22·3	0·5	68	42	5	13	–	–	–	–	1	–	–	1	2	9	–	SWANSEA.
GREATER LONDON	7,429,740	19·5	16·4	14·9	15·6	1·9	3824	2224	403	774	–	146	14	24	65	5	16	83	193	783	3	GREATER LONDON.
OUTER RING ..	2,595,802	15·8	12·9	13·0	12·4	1·4	1377	618	117	228	–	34	5	11	12	2	7	25	52	95	1	OUTER RING.
8 TOWNS IN OUTER RING.	1,284,152	14·9	11·9	11·5	12·1	1·6	647	298	63	91	–	22	1	3	11	–	2	11	24	50	1	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,311,650	16·7	13·8	14·6	12·7	1·3	730	320	54	137	–	12	4	8	1	2	5	14	28	45	–	REMAINDER OF OUTER RING.
EDINBURGH	355,366	17·2	18·3	15·4	17·9	0·9	162	122	18	45	–	–	1	–	5	–	–	3	?	35	3	EDINBURGH.
GLASGOW	872,021	22·3	21·5	19·6	19·3	4·1	493	322	58	80	–	1	4	4	44	4	11	9	?	85	9	GLASGOW.
DUBLIN (Registration Area).†	398,356	27·2	25·9	25·5	27·7	2·7	217	212‡	37	60	–	5	1	1	11	1	2	4	6	72	5	DUBLIN (Registration Area).†
BELFAST†	386,576	26·7	21·6	27·0	27·8	0·7	242	206‡	38	63	–	–	–	–	2	–	3	5	14	51	2	BELFAST.†

* See note † on first page of this return.

† Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast respectively.

‡ Including 1 death from Cerebro-spinal fever in Dublin, and 1 from Cerebro-spinal meningitis in Belfast.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FIFTEENTH Week of each of the Eleven Years, 1899–1909.

	1899	1900	1901	1902	1903	1904	1905	1906	1907	1908	Corrected Weekly Average in 5 Years 1904–1908.*	1909
TOTAL **Births** -	2875	2292	2358	2624	2468	2676	2469	2087	2532	2391	2488·7	2447
Males - - -	1526	1131	1223	1322	1252	1405	1252	1081	1284	1243	1282·7	1251
Females - -	1349	1161	1135	1302	1216	1271	1217	1006	1248	1148	1206·0	1196
TOTAL **Deaths** -	1624	1844	1633	1523	1422	1490	1443	1578	1495	1351	1506·3	1606
Males - - -	865	932	847	782	749	746	733	793	761	704	765·7	794
Females - -	759	912	786	741	673	744	707	785	734	647	740·6	812

* The numbers in this column are the average weekly numbers in the Fifteenth week of the five years 1904-1908, raised by 2·375 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	Mar. 6.	Mar. 13.	Mar. 20.	Mar. 27.	Apr. 3.	Apr. 10.	Apr. 17.	13 Weeks.
TOTAL **Births** -	2162	2110	2444	2335	2461	2173	2075	2585	2169	2356	2413	2188	2447	30218
TOTAL **Deaths** -	1414	1653	1878	1646	1731	1849	2116	2221	2225	1989	1700	1470	1606	23498
Ages at Death: Under 1 year -	221	256	254	258	256	273	309	297	309	273	275	240	286	3507
1—5 years -	175	215	185	193	250	224	251	273	271	246	197	209	226	2905
5—20 " -	51	65	77	69	89	79	97	85	106	87	77	78	77	1037
20—40 " -	171	214	199	190	192	183	211	214	230	187	182	168	175	2516
40—60 " -	292	358	416	345	373	398	437	453	449	383	341	300	296	4841
60 yrs. & upwds.	504	555	747	591	571	692	811	899	860	813	628	475	546	8692
Deaths from—														
Small-pox† - -	–	–	–	–	–	–	–	–	1	–	–	–	–	1
Measles - - -	76	82	52	69	93	94	92	105	129	118	94	95	112	1211
Scarlet Fever - -	11	7	11	9	8	8	7	9	7	9	8	11	9	114
Diphtheria - -	20	16	24	15	19	18	18	22	19	15	14	16	13	229
Whooping-cough -	11	29	29	15	25	35	55	35	36	40	32	33	53	423
Typhus - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever - -	6	3	7	4	4	2	1	4	5	5	3	2	3	49
Pyrexia (origin uncertain).	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa, Dysentery	15	10	12	19	9	14	10	10	16	12	14	8	9	158
All above diseases -	139	147	135	131	158	171	183	185	213	199	165	165	199	2190
Dis. of Resp. System	153	214	354	219	235	309	389	411	360	317	194	158	157	3473
Pneumonia - -	161	163	202	222	252	237	314	347	291	250	205	152	184	2930
Phthisis - - -	127	198	171	145	153	161	183	161	204	127	144	126	146	2044
Dis. of Circ. System -	185	252	270	249	214	257	260	280	266	250	197	163	192	3035
Violence - - -	51	65	63	54	55	42	63	56	66	56	52	53	58	734
Inquest Cases - -	140	154	198	150	142	140	188	182	190	169	153	137	141	2084
Deaths in Institutions	611	662	749	639	680	676	783	777	870	786	657	616	688	9194
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	38·7	31·8	42·7	34·8	37·4	33·4	30·1	36·5	38·8	44·8	44·7	46·9	51·5	39·4
Mean of Highest -	42·8	37·1	47·7	40·0	45·8	40·9	37·1	41·3	45·3	51·3	52·4	59·8	63·0	46·5
Mean of Lowest -	34·1	25·3	37·1	30·0	29·3	27·1	23·4	33·2	33·3	39·1	37·8	33·3	41·1	32·6
Mean Humidity of the Air.	81	88	79	81	75	79	85	84	81	81	80	58	70	79
Rain-fall (in inches) -	0·12	0·02	0·01	0·29	0·01	0·08	1·23	0·46	0·41	0·51	0·66	0·00	0·22	4·05
Registered Sunshine (in hours).	10·9	18·9	7·7	21·1	36·3	22·4	16·2	17·0	17·7	20·7	23·8	83·7	42·2	338·6
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	–	–	1	1	1	1	1	2	3	2	2	2	1	1
Scarlet Fever - -	3211	3201	3117	3002	2910	2826	2873	2670	2596	2571	2462	2418	2294	2781
Diphtheria - - -	1191	1187	1181	1177	1188	1157	1167	1150	1143	1120	1106	1079	1036	1145
Typhus - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever - -	137	130	124	128	133	124	116	115	106	96	87	77	75	111

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **3.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lander, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq. F.R.Met.Soc., Hull; the Meteorological Committee, Tynemouth; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the FIFTEENTH Week of the Year 1909.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable, should be used in Medical Certificates only when precise invalid is wanting.

CAUSES OF DEATH.	Corrected Average for the 15th week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1506·3	1606	286	226	77	175	296	546
Small-pox*	–	–	–	–	–	–	–	–
Cowpox	–	–	–	–	–	–	–	–
Measles (Morbilli)	58·8	112	28	78	6	–	–	–
Scarlet Fever	9·2	9	–	6	2	1	–	–
Typhus	–	–	–	–	–	–	–	–
Plague	–	–	–	–	–	–	–	–
Influenza	26·6	43	1	–	–	7	5	30
Whooping-cough	51·6	53	24	28	1	–	–	–
Diphtheria	13·1	13	3	8	2	–	–	–
Cerebro-spinal Fever ..	0·2	2	–	1	–	1	–	–
Pyrexia† (origin uncertain)	–	–	–	–	–	–	–	–
Enteric Fever	3·9	3	–	–	1	1	1	–
Asiatic Cholera	–	–	–	–	–	–	–	–
Epidemic Diarrhœa, Infective Enteritis	3·9	3	1	2	–	–	–	–
Diarrhœa, Dysentery ..	9·4	6	3	–	–	1	–	2
Tetanus	0·8	2	1	–	–	1	–	–
Rabies, Hydrophobia ..	–	–	–	–	–	–	–	–
Glanders	–	–	–	–	–	–	–	–
Anthrax (Splenic Fever)..	–	–	–	–	–	–	–	–
Venereal Dis.	8·0	6	2	2	–	–	2	–
Puerperal Septicæmia ..	2·3	5	–	–	–	5	–	–
Puerperal Pyæmia.. .	–	–	–	–	–	–	–	–
Puerperal Fever	0·2	1	–	–	–	1	–	–
Infective Endocarditis ..	2·5	5	–	–	1	3	1	–
Pneumonia: Lobar ..	19·2	24	–	1	1	7	9	6
Pneumonia: Broncho ..	77·0	86	26	31	3	1	8	17
Pneumonia: Epidemic ..	–	–	–	–	–	–	–	–
Pneumonia: Not defined	74·3	74	4	8	3	13	18	28
Erysipelas	2·5	4	1	–	–	1	1	1
Septicæmia (not Puerperal)	1·0	1	–	–	1	–	–	–
Pyæmia (not Puerperal)	0·8	1	–	–	–	1	–	–
Other Infective Processes	5·5	3	1	–	–	1	1	–
Tuberculous Phthisis ..	94·0	101	–	8	5	40	36	12
"*Phthisis*	59·2	42	1	–	4	15	14	8
Tuberculous Meningitis ..	21·5	21	8	7	5	1	–	–
Tuberculous Peritonitis ..	9·4	12	6	2	1	2	–	1
Tabes Mesenterica	2·0	5	1	3	1	–	–	–
Tuberculous Dis., Other ..	22·3	12	2	3	4	2	–	1
Scrofula..	–	–	–	–	–	–	–	–
Alcoholism	8·8	8	–	–	–	–	8	–
Rheumatic Fever	5·5	2	–	–	–	1	1	–
Gout	1·8	3	–	–	–	–	–	3
Carcinoma	54·3	54	–	–	–	2	29	23
Sarcoma	4·1	9	–	2	1	2	3	1
Cancer (undefined) ..	30·3	28	–	–	–	2	9	17
Diabetes Mellitus	6·8	10	–	–	–	–	2	8
Premature Birth	45·0	48	48	–	–	–	–	–

CAUSES OF DEATH.	Corrected Average for the 15th week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)..	16·8	10	4	3	1	1	1	–
Gen. Par. of Insane, Insanity	13·1	12	–	–	–	3	5	4
Epilepsy	7·8	6	–	–	–	2	1	3
Convulsions	19·0	12	12	–	–	–	–	–
Locomotor Ataxy.. ..	1·8	7	–	–	–	1	4	2
Paraplegia, Dis. of Cord.	7·4	10	–	–	–	3	2	5
Nervous Sys., Other Dis.	17·4	15	1	1	1	3	1	8
Valv. Dis., Endocarditis..	45·7	51	–	–	7	3	17	24
Cereb. Hæm. Cereb. Emb.	33·6	39	–	–	–	–	9	30
Apoplexy, Hemiplegia ..	14·9	18	–	–	–	1	2	15
Aneurysm	4·9	5	–	–	–	1	3	1
Embolism, Thrombosis (not Cerebral) ..	–	2	–	–	–	–	–	2
Heart & Blood Ves., Other Dis... ..	85·0	77	–	1	5	8	19	44
Croup (not Spasm: nor Memb.)	0·6	–	–	–	–	–	–	–
Bronchitis	129·8	136	18	5	1	1	25	86
Emphysema, Asthma ..	5·5	9	–	–	–	1	3	5
Pleurisy	4·9	4	–	–	–	2	1	1
Respiratory Dis., Other..	13·5	8	–	2	–	2	–	4
Tonsillitis, Quinsy.. ..	0·2	1	–	1	–	–	–	–
Enteritis (not Epid.) ..	9·4	13	4	1	1	1	4	2
Gastro-enteritis	5·1	9	2	5	–	1	–	–
Peritonitis (not Puerp.) ..	2·5	3	–	–	2	1	–	–
Cirrhosis of Liver.. ..	12·3	13	–	–	–	–	8	5
Liver Dis., Other	5·1	4	–	–	–	–	2	2
Digestive Sys., Other Dis.	33·4	27	2	2	3	4	4	12
Acute Nephritis	5·9	13	–	–	2	3	5	3
Bright's Dis., Albuminuria	42·0	32	–	–	–	3	9	20
Urinary Sys, Other Dis.	8·6	6	–	–	–	–	1	5
Generative Organs Dis...	3·5	2	–	–	–	1	–	1
Childbirth (Accid. of) ..	4·1	2	–	–	–	2	–	–
Old Age	65·5	86	–	–	–	–	–	86
Other Diseases	92·6	102	73	9	3	6	5	6
ACCIDENT.								
By Railways	1·4	2	–	–	–	1	1	–
By Vehicles and Horses..	4·7	8	–	–	1	3	4	–
In Ships, Boats, Docks, (exclusive of Drowning)	0·6	1	–	–	–	–	1	–
In Building Operations..	1·4	1	–	–	–	–	1	–
In Conflagrations	0·8	–	–	–	–	–	–	–
By Burns, Scalds, Explosions	5·5	10	–	3	1	1	2	3
By Drowning	4·3	3	–	–	1	1	1	–
By Suffocation in Bed ..	7·6	5	5	–	–	–	–	–
By Poisons or Poisonous Vapours	2·0	3	1	1	1	–	–	–
Other Deaths by Accident..	17·2	14	2	2	1	1	1	7
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	1·4	–	–	–	–	–	–	–
Suicide	11·7	11	–	–	1	2	6	2
Execution	–	–	–	–	–	–	–	–

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 17th April, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia† (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified causes of Death.
LONDON	4,536,267	2447	1606	286	546	–	112	9	13	53	–	3	–	9	58	141	688	2
WEST DISTRICTS	805,311	352	262	44	93	–	7	2	3	11	–	–	–	–	13	32	111	1
NORTH DISTRICTS	1,055,908	516	321	54	109	–	29	–	3	10	–	1	–	1	16	31	123	–
CENTRAL DISTRICTS	209,465	114	88	18	22	–	4	–	2	2	–	–	–	–	4	10	46	–
EAST DISTRICTS	715,739	505	302	68	85	–	25	–	1	14	–	1	–	5	8	36	153	–
SOUTH DISTRICTS	1,749,844	960	583	101	219	–	47	5	3	16	–	1	–	1	15	30	205	1
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	–	50	1	18	–	–	2	1	–	–	–	–	2	2	2	50	–
WEST DISTRICTS.																		
North Paddington *H*	63,603	33	16	5	8	–	1	–	–	–	–	–	–	–	–	3	–	1
Central Paddington *W,3H*	50,053	20	31	5	7	–	1	–	–	–	–	–	–	–	1	4	17	–
South Paddington	30,320	10	5	–	3	–	–	–	–	–	–	–	–	–	–	1	–	–
Kensington Town *2W,w,2H* ..	128,037	61	47	4	20	–	2	–	–	4	–	–	–	–	2	3	24	–
Brompton *2H*	48,591	13	8	–	5	–	–	–	–	–	–	–	–	–	–	–	1	–
North Hammersmith *2W,w,H* ..	49,192	35	23	4	9	–	1	–	–	–	–	–	–	–	2	3	9	–
South Hammersmith *w,2H* ..	63,047	30	22	4	8	–	–	–	–	2	–	–	–	–	3	5	5	–
North-west Fulham *W*	45,180	27	12	4	3	–	–	–	–	–	–	–	–	–	–	1	8	–
North-east Fulham *F*	46,405	24	12	3	6	–	–	2	1	–	–	–	–	–	–	–	5	–
South Fulham *W*	45,704	15	14	6	1	–	1	–	–	1	–	–	–	–	–	2	–	–
Chelsea North *W,w,3H*	42,514	7	20	–	6	–	–	–	–	–	–	–	–	–	–	–	17	–
Chelsea South *W,2H*	31,328	18	14	4	3	–	1	–	2	2	–	–	–	–	1	3	6	–
Mayfair and Knightsbridge	28,743	4	8	1	5	–	–	–	–	1	–	–	–	–	1	1	–	–
Belgrave *W,2H*	55,815	23	19	1	6	–	–	–	–	–	–	–	–	–	3	4	13	–
St. Margaret & St. John *6H*	43,693	20	9	2	2	–	–	–	–	1	–	–	–	–	–	1	5	–
St. James and St. Anne *W,6H* ..	33,081	12	2	1	1	–	–	–	–	–	–	–	–	–	–	1	1	–
NORTH DISTRICTS.																		
All Souls Marylebone *9H*	35,391	17	15	2	3	–	1	–	–	–	–	–	–	–	1	1	9	–
St. Mary Marylebone *W,4H* ..	37,918	51	7	–	5	–	–	–	–	–	–	–	–	–	1	1	–	–
Christchurch Marylebone	39,536	19	7	2	3	–	1	–	–	1	–	–	–	–	–	2	–	–
St. John Marylebone *2H*	20,426	8	3	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–
Hampstead *W,F,6H*	81,942	34	22	1	7	–	–	–	–	1	–	–	–	–	–	1	10	–
West St. Pancras *2H*	60,562	31	14	4	3	–	1	–	–	–	–	–	–	–	1	4	3	–
South St. Pancras *w,12H*	55,707	14	17	1	4	–	–	–	1	–	–	–	–	–	1	1	14	–
East St. Pancras *W,H*	60,320	24	28	1	16	–	–	–	–	–	–	–	–	–	–	–	16	–
North St. Pancras *2W*	58,728	32	18	3	6	–	3	–	–	–	–	–	–	–	1	2	6	–
Tufnell *W*	31,995	13	26	3	11	–	4	–	–	2	–	–	–	–	–	–	17	–
Upper Holloway *2W,w,H*	33,978	32	31	5	10	–	5	–	–	1	–	–	–	–	–	3	22	–
Tollington *W,w,H*	33,922	14	4	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Lower Holloway	41,424	23	9	4	1	–	5	–	–	–	–	–	–	–	1	1	–	–
Barnsbury	54,478	27	4	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Islington South-east *F*	75,397	28	21	7	6	–	2	–	–	2	–	–	–	–	–	–	–	–
Highbury *2H*	63,797	21	13	2	3	–	1	–	–	1	–	–	–	–	–	–	–	–
Stoke Newington *H*	51,247	23	14	2	7	–	2	–	–	–	–	–	–	–	1	2	–	–
North Hackney	50,398	19	9	2	5	–	–	–	–	–	–	–	–	1	–	–	–	–
Central Hackney *w,F*	50,536	30	17	2	4	–	1	–	2	1	–	1	–	–	3	4	4	–
South west Hackney *3H*	59,921	21	17	6	3	–	–	–	–	–	–	–	–	–	2	2	4	–
South-east Hackney *2W,H*	58,255	35	25	4	10	–	2	–	–	1	–	–	–	–	4	6	17	–
Hackney Union Workhouse, Brentwood	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c. registered in each SUB-DISTRICT during the Week ended Saturday, 17th April, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
St. Giles and Bloomsbury 2*W*,2*H*..	31,436	22	7	1	4	-	1	-	-	-	-	-	-	-	-	-	1	-
Strand *W*,4*H*	21,674	1	10	-	2	-	-	-	-	-	-	-	-	-	-	-	8	-
Strand Union Workhouse, Edmonton	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	3	-
Holborn *W*,6*H*	29,612	15	22	6	2	-	-	-	-	1	-	-	-	-	-	-	16	-
Clerkenwell *H*	63,704	28	11	4	4	-	2	-	-	-	-	-	-	-	1	2	-	-
St. Luke 3*H*,*L*	36,116	41	7	3	-	-	1	-	-	-	-	-	-	-	-	2	-	-
Holborn Union Workhouse, Mitcham	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
St. Botolph *H*	10,299	1	4	-	3	-	-	-	-	-	-	-	-	-	-	1	-	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	6	22	4	3	-	-	-	2	1	-	-	-	-	3	5	16	-
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
Shoreditch South 2*H*	46,362	29	11	6	2	-	4	-	-	1	-	-	-	-	-	1	-	-
Shoreditch North-West *W*,*w*,*H* ..	36,127	16	37	6	11	-	2	-	-	2	-	-	-	1	-	4	26	-
Shoreditch North-East	36,148	22	11	2	2	-	1	-	-	2	-	-	-	-	-	1	-	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	35	32	6	9	-	1	-	-	-	-	-	-	-	-	2	19	-
Bethnal Green South-West *H* ..	64,542	53	15	8	1	-	1	-	-	4	-	-	-	1	-	1	-	-
Spitalfields..	27,969	8	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Mile End New Town *W*,*H*	28,718	38	41	4	6	-	-	-	-	1	-	1	-	1	5	7	38	-
Goodman's Fields	22,081	13	8	2	3	-	2	-	-	-	-	-	-	-	-	-	-	-
St. George and St. John 2*W* ..	49,068	46	17	5	7	-	1	-	-	-	-	-	-	-	1	5	9	-
Shadwell and Ratcliff *w*,*H* ..	25,568	20	14	4	2	-	1	-	1	1	-	-	-	-	-	-	9	-
Limehouse *W*	32,369	18	7	2	1	-	1	-	-	-	-	-	-	-	-	4	-	-
Mile End Old Town South-Western *H*	63,698	65	11	4	3	-	1	-	-	1	-	-	-	-	-	1	-	-
Mile End Old Town North-Eastern *W*,*w*	49,129	35	25	2	13	-	1	-	-	-	-	-	-	-	2	5	16	-
Bow	41,989	28	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Bromley 3*w*,*H*	68,319	40	50	5	21	-	7	-	-	1	-	-	-	2	-	2	33	-
Poplar *W*,*w*	58,514	39	16	9	3	-	2	-	-	1	-	-	-	-	-	2	2	-
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 17th April, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch and St. Saviour Southwark *W,2H*	23,319	16	18	2	2	-	1	-	-	-	-	-	-	-	5	5	13	-
Kent-road	21,904	11	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George the Martyr West *W,2H,L*	39,094	21	10	4	3	-	-	-	-	-	-	-	-	-	-	1	3	-
Newington North	49,022	33	8	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-
Newington South *W*	72,841	41	11	2	2	-	1	-	-	-	-	-	-	-	-	-	2	-
St. Olave *2W*	9,817	2	3	-	2	-	1	-	-	-	-	-	-	-	-	-	1	-
Bermondsey *W*	82,483	51	23	8	6	-	4	-	-	1	-	-	-	-	-	-	-	-
Rotherhithe *W,F*	38,460	23	24	7	5	-	6	-	-	-	-	-	-	-	-	1	17	-
Waterloo *2H*	27,440	22	8	2	3	-	1	1	-	-	-	-	-	-	2	2	1	-
Lambeth Church *H*	27,440	17	19	2	5	-	-	-	-	-	-	-	-	-	1	1	12	-
Kennington *2W*	52,518	25	38	7	17	-	3	-	-	1	-	1	-	-	-	2	24	-
Stockwell *HF*	63,826	34	17	2	9	-	1	1	-	-	-	-	-	-	-	-	2	-
Brixton *H*	73,673	33	17	7	6	-	2	-	-	2	-	-	-	-	-	-	-	-
Norwood *2WH*	56,993	29	6	1	4	-	-	-	-	1	-	-	-	-	-	-	-	-
East Battersea *H*	72,203	38	15	4	4	-	2	-	-	2	-	-	-	-	1	1	-	-
North-west Battersea	49,656	34	6	-	2	-	-	-	-	1	-	-	-	-	-		-	-
South-west Battersea *2W,H*	47,048	16	41	4	18	-	5	-	-	3	-	-	-	-	-	-	31	-
Clapham *2H*	51,361	22	12	2	5	-	1	-	-	-	-	-	-	-	-	-	-	-
Streatham *W,2w,2F,2L*	88,019	53	31	5	18	-	1	-	-	-	-	-	-	-	-	-	10	-
Springfield *2W,L*	27,959	20	13	2	7	-	2	-	-	-	-	-	-	-	-	-	6	-
Southfields *H*	40,144	27	10	3	3	-	-	-	-	-	-	-	-	-	1	2	-	1
Putney	24,139	9	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich	13,359	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	19	28	3	17	-	1	-	-	-	-	-	-	-	-	-	21	-
Camberwell North *W,2L*	65,584	34	27	6	10	-	-	-	-	1	-	-	-	-	-	1	16	-
St. George	47,331	27	10	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Peckham North	48,913	21	15	4	5	-	2	-	-	-	-	-	-	-	-	-	-	-
Peckham South *2W,w*	43,946	19	12	2	1	-	3	-	-	1	-	-	-	-	1	1	-	-
Deptford North	37,613	23	14	1	4	-	1	-	-	-	-	-	-	-	1	5	-	-
Deptford Central *F*	45,481	29	8	1	2	-	1	-	-	-	-	-	-	-	-	-	2	-
Deptford South	34,625	16	10	2	4	-	-	-	-	-	-	-	-	-	-	1	-	-
Greenwich West *2H*	23,456	13	6	1	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Greenwich East *2W,H*	43,859	26	15	1	6	-	1	-	-	1	-	-	-	-	1	1	9	-
Eltham *w,H*	7,226	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *w,H*	25,490	13	5	-	3	-	-	-	-	-	-	-	-	-	-	-	1	-
Lewisham *2W,w,F*	58,352	55	28	4	13	-	-	1	1	1	-	-	-	1	1	3	19	-
Sydenham *H*	43,653	24	8	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Charlton *F,2H*	21,134	6	11	1	2	-	2	2	2	-	-	-	-	-	-	-	7	-
Woolwich *5H*	41,625	25	12	1	3	-	-	-	-	1	-	-	-	-	1	2	1	-
Plumstead West *W,H*	39,376	13	17	2	5	-	2	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *2W*	28,951	12	15	3	5	-	2	-	-	-	-	-	-	-	-	1	5	-
Workhouses:—																		
Belmont Workhouse	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
M. A. B. Small-pox Hospitals:—																		
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																		
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	4	1	-	-	-	2	1	-	-	-	-	-	-	-	4	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																		
Children's Infirmary, Carshalton	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums:—																		
Caterham	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-
Darenth	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-
Leavesden	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	1	1	-
London County Lunatic Asylums:—																		
Banstead	—	-	6	-	1	-	-	-	-	-	-	-	-	-	-	-	6	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	2	-	1	-	-	-	-	-	-	-	-	1	-	-	2	-
Manor	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Long Grove	—	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-
Cane Hill	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Dartford Heath	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4	-
Hanwell	—	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	4	-
Colney Hatch	—	-	9	-	3	-	-	-	-	-	-	-	-	1	1	1	9	-
Claybury	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERATED POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 17th April, 1909.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING ..	363,603	2,045,135	1377	618	117	228	-	34	5	11	12	2	7	25	52	95	1
30 : 1	Carshalton 2F,3H	12,228	32,997	19	8	1	5	-	-	-	-	-	-	-	-	-	-	-
2	Epsom, *part of** W,w,2F,H ..	10,423	15,548	11	5	1	2	-	-	-	-	-	-	-	-	-	3	-
37 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38 : 1	Coulsdon	11,069	8,166	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w,H ..	4,200	49,309	20	11	2	4	-	-	-	-	3	-	-	1	1	-	-
3	West Croydon 3W,F,H ..	2,168	42,888	28	20	4	6	-	-	-	-	-	-	-	-	2	8	-
4	North Croydon H	2,614	41,698	26	16	5	7	-	1	-	-	1	-	1	2	2	1	-
5	Penge w	770	22,465	9	4	1	1	-	-	-	-	-	-	-	-	1	-	-
6	Mitcham w	11,711	30,015	37	3	1	1	-	-	-	-	-	-	-	-	-	-	-
39 : 1	Wimbledon F,3H	3,221	41,652	21	3	-	2	-	-	-	-	-	-	-	-	1	-	-
2	Kingston 2W,H	6,224	42,068	24	19	4	12	-	-	-	1	-	-	-	3	4	8	-
3	Surbiton F,H	3,046	15,017	7	4	-	-	-	-	-	1	-	-	-	-	-	1	-
4	Esher, *part of** H	5,402	13,100	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-
5	Hampton H,F,L	4,564	23,456	14	4	1	2	-	-	-	-	-	-	-	-	-	-	-
40 : 1	Richmond W,H	2,491	31,672	11	6	1	3	-	-	-	-	-	-	-	-	-	-	-
2	Mortlake F	2,518	17,821	16	8	1	4	-	-	-	1	-	-	-	1	2	-	-
41 : 1	Bromley F,3H	4,703	27,354	16	9	-	5	-	-	-	-	-	-	-	1	1	1	-
2	Beckenham H	7,825	28,497	8	5	1	3	-	-	-	-	-	-	-	-	-	-	-
3	Orpington, *part of** W,F ..	10,113	9,857	5	5	-	4	-	-	-	-	-	-	-	-	-	4	-
4	Chislehurst 2H	7,333	16,446	12	3	-	1	-	-	-	-	-	-	-	-	-	-	-
42 : 1	Bexley w,F,H	8,678	21,151	12	6	2	-	-	-	-	1	-	-	-	-	1	-	-
2	Erith F,H	3,854	25,296	28	8	3	4	-	-	1	-	-	-	-	-	1	1	-
3	Dartford W,F, *part of** ..	—	—	-	3	-	2	-	-	-	-	-	1	-	-	-	3	-
124 : 1	Sunbury w	11,054	18,683	14	4	1	1	-	-	1	-	-	-	-	-	-	-	-
2	Staines W,H	13,277	15,178	14	6	-	4	-	-	-	-	-	-	-	-	1	-	-
125 : 1	Hillingdon W,F,H	6,035	13,661	8	3	1	2	-	-	-	-	-	-	-	-	-	-	-
2	Uxbridge H	12,757	8,984	7	3	-	-	-	1	-	-	-	-	-	-	-	-	-
3	Hayes w 2F,H	8,066	16,358	24	7	1	2	-	3	-	-	-	-	-	-	-	-	-
126 : 1	Isleworth 3W,3F,H	6,859	30,863	26	15	1	7	-	-	-	-	-	-	-	1	3	5	-
2	Twickenham F,2H	2,421	20,991	11	4	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Brentford 3F,2H	4,319	48,239	34	22	4	13	-	4	-	-	-	-	-	1	2	-	-
4	Chiswick H	1,249	29,809	20	6	2	1	-	-	-	-	-	-	-	-	-	-	-
5	Acton w,F,3H	6,132	48,914	40	23	3	6	-	1	-	2	-	-	-	1	1	-	-
127 : 1	Harrow F,H	13,809	25,523	15	10	2	4	-	1	-	-	1	-	1	1	2	-	-
2	Edgware 2F,2H	6,994	4,521	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden W,F,2H	4,384	114,811	73	33	8	12	-	3	-	-	-	-	-	2	2	3	-
4	Hendon W,F	8,382	22,450	16	6	-	4	-	1	-	-	-	-	1	-	-	2	-
128 : 1	South Mimms 2F,H ..	17,755	7,308	4	1	-	-	-	-	-	-	-	-	-	1	1	1	-
2	Barnet W,2H	3,324	17,970	19	6	1	3	-	-	-	-	-	-	-	1	-	-	-
3	Finchley F,3H	4,688	33,692	16	10	1	5	-	-	-	-	-	-	-	-	-	-	-
129 : 1	Hornsey F,H	2,875	72,056	39	19	4	9	-	-	-	1	1	-	-	1	1	1	-
2	Wood Green H	1,625	34,233	19	14	4	5	-	-	-	-	-	-	-	-	2	-	-
3	West Tottenham	995	48,741	34	14	2	6	-	-	-	-	1	-	-	-	1	-	-
4	East Tottenham 2H ..	2,019	53,962	45	17	6	5	-	-	-	-	-	-	-	1	2	4	-
5	Edmonton W,w,2F	7,491	61,892	51	14	4	4	-	-	-	-	-	-	-	-	2	4	-
6	Enfield 2W,F,H	12,601	42,738	27	13	3	5	-	-	2	1	-	1	1	2	2	4	-
7	Waltham Abbey F	11,017	6,549	3	3	-	1	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	6	4	3	1	-	-	-	-	-	-	2	-	-	-	-
135 : 1	Hatfield, *part of** W ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey H	9,333	9,173	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Watford W,2F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
186 : 1	Stratford H	1,091	52,974	25	12	1	5	-	-	-	-	-	-	-	-	1	-	-
2	Forest Gate	787	52,745	23	8	2	4	-	1	-	-	-	-	-	-	-	-	-
3	Plaistow F,2H	1,249	90,921	73	27	10	4	-	3	-	1	4	-	-	-	1	2	-
4	Canning Town H	1,556	70,718	54	27	7	6	-	6	-	-	1	-	-	2	5	1	-
5	South East Ham 2F ..	1,991	37,342	23	13	3	3	-	-	-	-	-	-	-	-	-	-	-
6	North East Ham w,H ..	1,333	58,666	40	13	3	2	-	6	-	1	-	-	1	-	3	-	1
7	Wanstead F	1,679	9,179	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	31	10	2	7	-	-	-	-	-	-	-	-	-	6	-
9	North Leyton 2W,w,F ..	1,963	48,445	34	33	1	10	-	-	-	1	-	-	-	3	5	23	-
10	Walthamstow 2H,L ..	6,504	108,929	93	21	4	2	-	2	-	-	-	-	-	-	-	-	-
187 : 1	Chigwell 2F,3H	11,778	16,397	11	6	1	4	-	-	1	-	-	-	-	-	-	1	-
2	Epping W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189 : 1	Romford, *part of** W,2F ..	6,556	6,091	5	3	1	1	-	-	-	-	-	-	-	-	-	2	-
2	Ilford F,L	8,496	41,244	40	10	1	6	-	1	-	-	-	-	-	-	-	1	-
3	Barking Town F	3,805	21,547	14	7	1	2	-	-	-	-	-	-	-	-	-	-	-
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	3	1	1	-	-	-	-	-	-	-	-	-	3	-
	London County Lunatic Asylum, Banstead.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Essex County Lunatic Asylum, Brentwood.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30 : 2, excepting Ashtead parish; 37 : 1, Warlingham and Farley parishes; 39 : 4, excepting Esher parish; 41 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 125 : 1, Northaw parish; 189 : 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42 : 3, 137 : 2 and 187 : 2 and in the Croydon Mental Hospital in 37 : 1 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox	Measles.	Scarlet Fever	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON - -	4,833,938	April 17	2447	1606	17·3	-	112	9	13	53	3	9
CALCUTTA - -	1,014,438	March 6	-	889	46·8	345	?	?	?	?	173†	105‡
BOMBAY - -	982,000	" 30	-	-	-	-	-	-	-	-	-	-
MADRAS - -	548,974	" 19	295	361	36·8	1	6	?	?	?	106	57‡
PARIS - - -	2,760,000	April 10	1024	1107	21·1	-	16	10	7	4	7	34
BRUSSELS - -	704,975	" 10	251	183	13·5	-	2	3	3	-	-	6
ANTWERP - -	310,903	" 10	105	85	14·2	?	?	?	?	?	?	?
AMSTERDAM -	566,256	" 10	261	191	17·6	-	2	-	1	4	-	3
COPENHAGEN -	445,000	" 10	222	136	15·9	-	3	2	1	2	-	4
STOCKHOLM -	337,460	" 3	168	89	13·6	-	-	3	3	3	-	1
CHRISTIANIA -	231,687	" 10	135	42	9·4	-	-	-	2	-	1	-
ST. PETERSBURG	1,573,000	" 3	-	-	-	-	-	-	-	-	-	-
MOSCOW - -	1,452,100	" 3	-	-	-	-	-	-	-	-	-	-
BERLIN - -	2,107,961	March 27	872	706	17·5	-	14	12	6	7	1	31
HAMBURG - -	872,252	April 10	-	294	17·5	-	1	5	3	4	-	25
BRESLAU - -	499,437	" 3	-	235	24·4	-	1	2	1	1	-	17
MUNICH - -	566,000	" 3	-	238	21·9	-	5	-	-	2	-	14
VIENNA - -	2,042,426	" 10	815	816	20·5	-	14	7	8	6	1	35
PRAGUE - -	480,856	" 3	193	188	20·3	-	3	3	4	-	-	10
BUDAPEST - -	823,215	" 3	437	283	17·8	-	2	3	4	-	-	9
TRIESTE - -	217,706	" 10	-	-	-	-	-	-	-	-	-	-
ROME - - -	565,323	January 30	-	-	-	-	-	-	-	-	-	-
VENICE - -	179,286	March 27	76	75	21·8	-	-	-	3	-	-	4
BUCAREST - -	296,585	April 3	184	148	26·0	-	-	2	2	1	-	-
NEW YORK -	4,564,792	March 27	2264	1619	18·5	-	27	17	41	10	5	45
CHICAGO - -	2,224,490	" 27	-	722	16·9	-	1	8	21	1	7	41
PHILADELPHIA -	1,565,569	" 20	-	545	18·1	-	9	1	13	3	4	21
RIO DE JANEIRO	636,018	" 7	-	288	23·6	14	2	-	1	1	5†	?
		" 14	-	276	22·6	9	-	-	-	1	2	-
CAIRO:—												
Egyptians -	666,587	" 25	-	-	-	-	-	-	-	-	-	-
Foreigners -	35,219	" 25	-	-	-	-	-	-	-	-	-	-
ALEXANDRIA:—												
Egyptians -	341,965	" 25	-	-	-	-	-	-	-	-	-	-
Foreigners -	46,118	" 25	-	-	-	-	-	-	-	-	-	-

* Excluding deaths from croup in the Indian Cities.
† Including 71 deaths from plague in Calcutta and 1 in Rio de Janeiro.
‡ Including 67 deaths from cholera in Calcutta and 1 in Madras.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 17th April, 1909.

TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches
	°	°	°			°	°	°	
LONDON (Greenwich)	71·3	35·2	52·0	0·22	BRADFORD - -	60·0	32·0	46·5	0·91
BRIGHTON - -	54·7	35·9	47·1	0·13	YORK - - -	63·0	35·0	48·8	0·54
PORTSMOUTH - -	65·0	38·0	50·6	0·03	HULL - - -	68·0	35·0	49·5	0·30
NORWICH - -	70·0	33·4	50·1	0·35	TYNEMOUTH - -	61·0	35·0	46·9	0·72
PLYMOUTH -	63·0	36·4	50·5	0·21	CARDIFF - - -	68·5	38·0	48·8	0·50
BRISTOL - - -	60·7	38·0	48·7	0·23	EDINBURGH - -	55·9	33·4	45·1	0·57
BIRMINGHAM - -	65·9	38·2	50·1	0·29	GLASGOW - -	57·1	39·1	46·9	1·09
NOTTINGHAM - -	65·9	39·0	49·4	0·29	DUBLIN Phœnix Park.	59·1	33·9	48·6	1·10
LIVERPOOL OBSERVATORY.	57·0	41·0	48·6	0·74	DUBLIN Fitzwilliam Square.†	59·4	41·9	49·9	1·14
MANCHESTER -	61·3	33·8	47·2	1·39					
BURNLEY - -	58·0	30·0	44·9	1·29					
HUDDERSFIELD -	61·3	36·5	47·4	0·86	BELFAST - - -	60·8	32·2	47·1	1·01

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°·5 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 17th April, 1909.

[*Under the Superintendence of the Astronomer Royal.*]

1909. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
APRIL.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 11	..	29·615	71·3	39·1	32·2	56·1	+10·3	37·9	18·2	30·4	5·7	51	130·7	23·9	44·10	SW. & WSW.	WSW., W. & WNW.	6·0	0·0	0·3	377	+ 81	0·00	0·0
MONDAY - 12	Greatest Dec. S.	29·530	56·8	41·7	15·1	48·9	+ 3·0	39·7	9·2	16·4	3·4	71	113·2	34·0	44·30	WNW. & W.	SW. & WSW.	7·3	0·0	0·5	493	+204	0·03	0·5
TUESDAY - 13	Last Qr.	29·464	57·2	43·7	13·5	49·6	+ 3·5	45·9	3·7	10·1	2·4	87	85·0	37·9	44·80	SW. & WSW.	SW. & WSW.	4·6	0·0	0·3	414	+129	0·14	1·7
WEDNESDAY 14	..	29·553	61·0	43·9	17·1	50·5	+ 4·1	42·7	7·8	19·2	1·7	75	115·2	30·0	45·11	WSW., W. & NW.	W. & WNW.	4·8	0·0	0·4	419	+136	0·04	0·8
THURSDAY - 15	..	29·844	65·4	35·2	30·2	50·2	+ 3·4	37·6	12·6	23·9	1·3	62	135·1	23·6	45·50	WSW. & SW.	SW. & SSW.	1·0	0·0	0·0	206	− 77	0·00	0·0
FRIDAY - 16	..	29·711	65·0	40·0	25·0	51·8	+ 4·6	42·1	9·7	18·2	2·4	70	106·0	30·1	45·72	SSW. & S.	SW. & WSW.	4·8	0·0	0·2	320	+ 37	0·01	9·7
SATURDAY - 17	..	29·727	64·1	44·1	20·0	53·2	+ 5·6	45·8	7·4	16·6	2·2	76	118·3	29·0	46·08	SW. & SSW.	SW. & SSW.	4·3	0·0	0·3	344	+ 60	0·00	12·8
MEANS - -		29·635	63·0	41·1	21·9	51·5	+ 4·9	41·7	9·8	19·3	2·7	70	114·8	29·8	45·09	SW.		..	..	..	Sum 2573	Sum +570	Sum 0·22	3·6
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. APRIL.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY - 11	Loss of Register till noon; w. P. till 6h. P.M.; m.P. afterwards.	11·7	13·5	Very fine till 5h. P.M.; fine and partially cloudy afterwards. Slight hoar frost in early morning.
MONDAY - 12	m.P. till 2h. P.M.; w. P. generally till 6h. P.M.; m. P. afterwards.	5·2	13·6	Very fine generally till 11h. A.M.; overcast, with occasional showers till 5h. P.M.; fine, with variable amounts of cloud afterwards. Brisk wind prevalent between 3h. and 8h. P.M.
TUESDAY - 13	w. P. till 1h. P.M.; v. N. and w. P. till 4h. P.M.; w. P. generally afterwards.	0·0	13·6	Overcast, with slight exceptions. Rain in afternoon.
WEDNESDAY 14	w. P. till 9h. A.M.; m. P. till 4h. P.M.; s. P. generally afterwards.	5·4	13·7	Generally overcast, with occasional rain till noon; very fine afterwards, and cloudless at night.
THURSDAY - 15	m. P. till 11h. A.M.; w. P. till 5h. P.M.; m. P. afterwards.	11·0	13·8	Cloudless, with slight hoar frost in early morning; very fine afterwards, with variable amounts of light cloud.
FRIDAY - 16	w. P. generally till 4h. P.M.; v. P. and s. N. till 6h. P.M.; m. P. afterwards.	3·2	13·8	Fine, with variable amounts of cloud till evening; cloudless at night. Sharp shower at and about 4h. 30m. P.M. Solar halo observed in afternoon.
SATURDAY - 17	w. P. generally till 5h. P.M.; m. P. afterwards.	5·7	13·9	Fine, partially cloudy.
		Sum 42·2	Sum 95·9	
No. of Col. - -	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·83 in. at the beginning of the week to 29·41 in. by 5h. P.M. on the 12th; increased to 29·86 in. by 9h. P.M. on the 15th; decreased to 29·67 in. by 4h. P.M. on the 16th; increased to 29·76 in. by 11h. P.M. on the same day; and decreased to 29·69 in. by midnight on the 17th.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 10th April, 1909.*

BOROUGHS.	Estimated Population in the middle of 1909.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	151,955	-	3	1	-	2	-	-	-	-	1
Kensington	183,683	-	3	1	-	2	-	-	2	-	1
Hammersmith	125,704	-	4	2	-	-	-	-	-	-	-
Fulham	176,406	-	6	3	-	-	-	-	-	-	-
Chelsea	75,249	-	4	1	-	-	1	-	-	-	-
City of Westminster ..	168,883	-	5	2	-	-	-	-	2	-	-
NORTH.											
St. Marylebone	126,027	-	3	1	-	-	-	-	1	-	-
Hampstead	94,185	-	4	2	-	-	-	-	-	-	-
St. Pancras	237,422	-	12	5	-	-	-	-	1	-	2
Islington	351,202	-	13	5	-	1	-	-	2	-	-
Stoke Newington	54,423	-	-	-	-	-	-	-	-	-	-
Hackney	237,601	-	9	6	-	4	-	-	3	-	1
CENTRAL.											
Holborn	53,802	-	2	1	-	-	-	-	1	1	-
Finsbury	95,289	-	3	4	-	-	-	-	4	-	-
City of London	18,193	-	3	-	-	-	-	-	-	-	-
EAST.											
Shoreditch	114,802	-	2	4	-	1	-	-	2	-	-
Bethnal Green	131,316	-	2	-	-	-	-	-	1	-	-
Stepney	312,525	-	24	15	-	1	-	-	9	-	-
Poplar	171,965	-	5	8	-	1	-	-	3	1	2
SOUTH.											
Southwark	211,125	-	10	9	-	-	-	-	5	-	1
Bermondsey	127,569	-	4	5	-	-	-	-	1	-	-
Lambeth	324,188	-	16	7	-	2	-	-	4	-	-
Battersea	186 036	-	12	5	-	-	-	-	4	1	-
Wandsworth	297,646	-	20	12	-	-	-	-	3	1	-
Camberwell	283,022	-	12	12	-	1	-	-	3	-	-
Deptford	118,583	-	7	1	-	1	-	-	5	-	-
Greenwich	111,014	-	5	3	-	-	-	-	1	-	-
Lewisham	160,749	-	16	4	-	-	-	-	2	-	-
Woolwich	133,374	-	20	5	-	-	-	-	1	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,833,938	-	229	124	-	16	1	-	60	4	8
Ages 0-1		-	2	6	-	-	-	-	2	-	3
" 1-5		-	57	61	-	-	-	-	6	-	3
" 5-		-	83	38	-	3	-	-	5	-	-
" 10-		-	48	11	-	4	-	-	1	-	-
" 15-		-	22	-	-	-	-	-	2	1	1
" 20-		-	5	3	-	3	-	-	1	1	-
" 25-		-	9	2	-	4	1	-	6	2	1
" 35-		-	2	2	-	1	-	-	8	-	-
" 45-		-	1	1	-	-	-	-	11	-	-
" 55-		-	-	-	-	-	-	-	8	-	-
" 65 and upwards		-	-	-	-	1	-	-	10	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

TABLE 11.—DEATHS of PERSONS BELONGING to the COUNTY of LONDON and the METROPOLITAN BOROUGHS, REGISTERED in the 13 WEEKS ENDED 3rd APRIL, 1909.

BOROUGHS.	Deaths from											Deaths of Infants under 1 Year of Age.	Deaths under 1 Year to 1000 Births registered.†
	ALL CAUSES.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric Fever.	*Pyrexia**(origin uncertain).	Diarrhœa.	Phthisis.		
COUNTY OF LONDON -	22,873	1	1,147	109	230	364	-	59	-	174	1,992	3,416	112
West.													
PADDINGTON - - -	662	-	9	4	1	16	-	-	-	6	44	93	121
KENSINGTON - - -	888	-	23	2	9	11	-	7	-	6	67	96	115
HAMMERSMITH - -	599	-	9	2	7	14	-	2	-	4	37	83	111
FULHAM - - -	691	-	19	1	20	21	-	-	-	7	61	112	103
CHELSEA - - -	395	-	16	3	6	4	-	1	-	3	37	50	137
CITY OF WESTMINSTER -	746	1	13	4	4	9	-	2	-	4	78	67	101
North.													
ST. MARYLEBONE - -	646	-	22	3	3	7	-	-	-	3	57	76	72
HAMPSTEAD - - -	289	-	3	1	1	7	-	1	-	1	17	29	88
ST. PANCRAS - - -	1,212	-	75	8	12	11	-	2	-	9	112	160	118
ISLINGTON - - -	1,676	-	89	9	12	31	-	5	-	6	119	237	111
STOKE NEWINGTON - -	223	-	5	2	-	5	-	1	-	1	14	20	79
HACKNEY - - -	989	-	31	3	8	15	-	4	-	12	98	152	105
Central.													
HOLBORN - - -	262	-	4	2	-	2	-	1	-	-	35	22	58
FINSBURY - - -	618	-	22	4	3	17	-	-	-	4	77	107	121
CITY OF LONDON - -	113	-	2	-	-	1	-	-	-	-	11	5	85
East.													
SHOREDITCH - - -	728	-	45	4	6	27	-	4	-	6	66	124	133
BETHNAL GREEN - -	730	-	49	8	6	10	-	1	-	6	71	137	134
STEPNEY - - -	1,483	-	99	8	21	8	-	1	-	16	154	275	111
POPLAR - - -	862	-	48	8	7	11	-	7	-	15	71	173	135
South.													
SOUTHWARK - - -	1,212	-	87	3	12	11	-	2	-	16	120	194	130
BERMONDSEY - - -	835	-	150	3	2	14	-	2	-	3	72	159	155
LAMBETH - - -	1,595	-	50	4	20	31	-	3	-	11	144	241	108
BATTERSEA - - -	823	-	42	3	10	29	-	2	-	4	65	138	126
WANDSWORTH - -	1,237	-	59	6	13	28	-	1	-	8	87	188	105
CAMBERWELL - -	1,340	-	65	3	18	11	-	4	-	7	103	179	107
DEPTFORD - - -	546	-	52	2	8	4	-	2	-	1	45	89	109
GREENWICH - - -	450	-	30	1	-	4	-	-	-	3	42	69	107
LEWISHAM - - -	524	-	5	3	6	5	-	2	-	8	36	71	82
WOOLWICH - - -	499	-	24	5	15	-	-	2	-	4	52	70	90

In the above Table, all deaths of persons in, or on the way to, Hospitals and other Public Institutions as well as those of persons under treatment in surgical homes, or dying by accident or otherwise in the streets, have been distributed, as far as practicable, to the Boroughs in which the deceased had previously resided. The deaths of 793 London residents who died outside London in Metropolitan Workhouses, Hospitals, and Lunatic and Imbecile Asylums, have been similarly distributed. Of the deaths shown in Table 5 during the 13 weeks the previous residence was outside London in 784 cases and these have been excluded from this Table.

* Called "Simple Continued Fever" previous to 1901.

† The number of births used in this calculation is the number registered in the several Boroughs, no correction being made for births occurring in Public Institutions.

Returns of London Water Districts.

(Furnished by the Metropolitan Water Board.)

The following is an account of the number of services and the average daily amount of water supplied during the month of March, 1909, inclusive of supply to the Borough of Croydon and to the Urban Districts of Tottenham and Enfield. The supply was in the ratio of 197 gallons to one service.

Districts.	Number of Services		Average Daily Supply of Water in Gallons.	
	March, 1908.	March, 1909.	March, 1908.	March, 1909.
Total Supply - - -	1,076,111	1,088,601	207,147,170	214,988,767
New River - - - - - - -	212,592	214,737	39,478,331	41,459,962
Eastern - - - - - - -	241,683	244,215	39,066,677	43,199,000
Western { Chelsea, Grand Junction, West Middlesex } - -	220,452	222,849	50,503,283	53,790,287
Southern { Lambeth - - - Southwark and Vauxhall }	283,207	287,334	59,407,521	57,341,650
Kent - - - - - - - -	118,177	119,466	18,691,358	19,197,868

Note.—The Return for March, 1909, as compared with that for the corresponding month of 1908, shows an increase of 12,490 services, and of 7,841,597 gallons of water supplied daily.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 16. 1909. VOL. LXX.] WEEK ENDED SATURDAY, APR. 24. [Price 1½*d.*

General Register Office, Somerset House,
April 26th, 1909.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 15·8 per 1000 of their aggregate population, which is estimated † at 16,445,281 persons in the middle of this year. In the preceding three weeks the rates had been 17·9, 17·0, and 17·1. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were :—from *all causes*, 20·2 in Bury, 20·3 in Liverpool, 20·9 in Huddersfield, 21·1 in Preston, 21·4 in Plymouth, 22·4 in Wigan, 24·3 in Middlesbrough, and 26·5 in Swansea; from *measles*, 2·4 in Derby, 2·5 in Devonport and in Wolverhampton, 2·9 in Plymouth, 3·8 in St. Helens, and 4·0 in Wigan; from *diphtheria*, 1·0 in Stockport and 1·3 in West Hartlepool; and from *whooping-cough*, 1·2 in Wigan, 1·8 in Preston, 2·7 in St. Helens, and 3·2 in Swansea. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2569 BIRTHS and 1393 DEATHS were registered. Allowing for increase of population, the births were 166 above and

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals and Asylums, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-five other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(13188—41.) Wt. 109—472. 700. 4/09. D & S. G. 31. Sch. 4. Q

the deaths 108 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes, which had been 18·3, 15·9, and 17·3 per 1000 in the preceding three weeks, fell last week to 15·0. The death-rate in the four weeks ended last Saturday averaged 16·6 per 1000, being 0·1 per 1000 below the mean rate in the corresponding periods of the five years 1904–8.

The 1393 deaths included 72 from measles, 8 from scarlet fever, 11 from diphtheria, 49 from whooping-cough, 2 from enteric fever, and 7 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia: thus, to these diseases in the aggregate 149 deaths were referred, being 6 above the corrected average number in the sixteenth week of the preceding five years.

The deaths from *measles*, which had been 94, 95, and 112 in the preceding three weeks, fell to 72 last week, but were 13 above the corrected average; 10 deaths belonged to the Borough of Shoreditch, 8 to Wandsworth, 8 to Islington, and 6 to Hammersmith. The deaths from *scarlet fever*, which had been 8, 11, and 9 in the preceding three weeks, numbered 8 last week, and were 5 below the corrected average. The deaths from *diphtheria*, which had been 14, 16, and 13 in the preceding three weeks, were 11 last week, and were equal to the corrected average. The deaths from *whooping-cough*, which had been 32, 33, and 53 in the preceding three weeks, numbered 49 last week, and were 8 above the corrected average; 7 deaths belonged to Hackney, 6 to Islington, 5 to Lambeth, and 4 to Paddington. The deaths from *enteric fever*, which had been 3, 2, and 3 in the preceding three weeks, were 2 last week, the corrected average being 3. The deaths from *diarrhœa*, which had been 14, 8, and 9 in the preceding three weeks, fell to 7 last week, and were 8 below the corrected average. Of the 7 deaths from diarrhœa, 5 were those of children under 5 years of age; 5 other deaths at this age were certified as due to *enteritis* and 4 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 45, having been 107, 62, and 43 in the preceding three weeks.

Different forms of violence caused 50 deaths, concerning all of which inquests were held. Of these 50 deaths, 10 were cases of suicide, while the remaining 40 were attributed to accident or negligence. Seven of these latter were referred to vehicles in the streets, seven to drowning, two to building operations, and four, of infants under one year of age, to suffocation in bed. Two deaths occurred while under anæsthetics administered for surgical purposes.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1 case of small-pox, 2219 cases of scarlet fever, 1019 of diphtheria, 1 of typhus, and 67 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 265 cases, against 273, 256, and 244; of diphtheria, 122 cases, against 125, 113, and 87; of typhus, 1 case, against 0, 0, and 0; and of enteric fever, 11 cases, against 10, 8, and 5. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended April 17th, 1909.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 3995 births and 2005 deaths were registered. Allowing for increase of population, these numbers are 218 above and 88 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 15 deaths from measles, 3 from scarlet fever, 6 from diphtheria, 9 from whooping-cough, and 2 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·66 inches, and that of the Thermometer 52°·2, the latter being 3°·8 above the week's average in the 65 years ended 1905. The general direction of the wind was South-Westerly, the horizontal movement of the air being 15 per cent. above the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 53·4 hours; the measured rainfall amounted to 0·72 of an inch.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 24th April, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 3rd April, 1909.	10th April, 1909.	17th April, 1909.	24th April, 1909.	Rate from Diseases in Cols. 11–17. Week ended 24th April, 1909.	Registered during the Week ended 24th April, 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include. Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS	**16,445,281**	**17·9**	**17·0**	**17·1**	**15·8**	**1·6**	**9203**	**4983**	**1006**	**1495**	**-**	**265**	**28**	**48**	**131**	**13**	**33**	**180**	**380**	**1296**	**43**	**76 TOWNS.**
LONDON	4,833,938	18·3	15·9	17·3	15·0	1·6	2569	1393‡	245	468	-	72	8	11	49	2	7	50	131	564	-	LONDON.
† CROYDON	161,078	15·5	14·9	14·6	15·2	1·3	97	47	11	23	-	-	-	1	3	-	-	-	4	8	-	CROYDON.
WILLESDEN ..	160,424	9·1	13·0	10·7	8·5	1·0	75	26	7	9	-	-	-	1	2	-	-	1	3	6	-	WILLESDEN.
HORNSEY	95,628	6·0	4·4	10·4	7·1	0·5	38	13	1	5	-	-	-	-	1	-	-	-	-	-	-	HORNSEY.
TOTTENHAM ..	129,464	10·9	12·5	12·9	12·1	2·0	93	30	7	9	-	1	1	1	1	-	1	-	2	9	-	TOTTENHAM.
WEST HAM ..	321,767	15·2	13·0	13·1	16·0	2·3	201	99	25	19	-	5	1	-	7	-	1	3	7	19	-	WEST HAM.
EAST HAM.. ..	149,575	12·2	11·5	11·5	11·5	3·5	65	33	6	9	-	6	-	1	2	-	1	-	-	4	-	EAST HAM.
LEYTON	129,614	11·3	8·9	8·9	11·3	0·4	70	28	6	8	-	-	-	-	1	-	-	-	3	6	-	LEYTON.
WALTHAMSTOW	136,602	8·0	8·4	12·6	9·5	0·4	63	25	3	5	-	-	-	1	-	-	-	1	1	3	-	WALTHAMSTOW.
HASTINGS	68,165	18·4	20·7	15·3	18·4	-	28	24	1	17	-	-	-	-	-	-	-	2	3	4	-	HASTINGS.
BRIGHTON	130,926	20·7	22·7	17·5	17·1	0·4	51	43	3	18	-	-	-	1	-	-	-	1	3	14	-	BRIGHTON.
PORTSMOUTH ..	214,726	18·2	21·9	18·5	15·1	1·7	85	62	14	21	-	4	-	2	1	-	-	2	7	12	1	PORTSMOUTH.
BOURNEMOUTH ..	72,368	13·7	13·7	18·0	19·5	0·7	25	27	3	12	-	-	-	1	-	-	-	4	6	6	-	BOURNEMOUTH.
SOUTHAMPTON ..	124,667	16·3	18·4	16·3	17·1	0·4	61	41	7	11	-	-	-	-	1	-	-	2	2	10	-	SOUTHAMPTON.
READING	82,995	19·5	17·0	17·0	7·5	0·6	45	12	2	4	-	1	-	-	-	-	-	2	2	-	-	READING.
NORTHAMPTON ..	97,752	19·7	17·6	17·1	12·3	0·5	42	23	5	9	-	-	-	-	-	-	1	-	-	3	-	NORTHAMPTON.
IPSWICH	74,889	13·9	8·4	15·3	7·7	1·4	33	11	3	1	-	1	-	1	-	-	-	1	1	2	-	IPSWICH.
GREAT YARMOUTH	53,430	27·3	19·5	28·3	10·7	-	41	11	-	5	-	-	-	-	-	-	-	2	3	2	-	GREAT YARMOUTH.
NORWICH	124,136	17·2	14·7	13·4	12·6	0·8	67	30	9	7	-	-	-	-	1	1	-	-	-	3	-	NORWICH.
PLYMOUTH	124,180	14·3	16·8	17·2	21·4	3·4	61	51	9	14	-	7	-	-	-	1	-	3	5	9	-	PLYMOUTH.
DEVONPORT	83,103	22·0	10·7	15·7	11·3	3·1	47	18	1	10	-	4	-	1	-	-	-	1	2	1	-	DEVONPORT.
BRISTOL	377,642	13·7	20·3	15·2	12·8	1·2	195	93	20	30	-	6	-	1	2	-	-	2	8	13	-	BRISTOL.
HANLEY	68,831	23·5	12·1	19·7	12·1	0·8	55	16	6	2	-	-	-	1	-	-	-	1	1	1	-	HANLEY.
BURTON-ON-TRENT	54,453	12·4	9·6	12·4	15·3	-	25	16	2	4	-	-	-	-	-	-	-	1	1	6	1	BURTON-ON-TRENT.
WOLVERHAMPTON..	104,633	18·4	18·9	18·4	14·5	3·5	60	29	8	7	-	5	-	-	2	-	-	1	3	5	-	WOLVERHAMPTON.
WALSALL	99,399	15·7	19·4	14·2	12·6	0·5	67	24	6	8	-	-	-	1	-	-	-	1	1	6	-	WALSALL.
HANDSWORTH ..	70,186	9·7	8·2	13·4	11·9	0·7	21	16	2	6	-	1	-	-	-	-	-	-	-	-	-	HANDSWORTH.
WEST BROMWICH..	70,457	14·8	17·0	11·1	10·4	0·7	37	14	3	4	-	-	-	-	-	-	1	-	-	3	-	WEST BROMWICH.

* See note † on first page of this return.

‡ These towns are included within the area of Greater Lon[illegible]

TOWNS.	Population estimated to the middle of the Year 1909.*	Death-Rates from all Causes. Week ended 3rd April, 1909.	10th April, 1909.	17th April, 1909.	24th April, 1909.	Rate from Diseases in Cols. 11-17. Week ended 24th April, 1909.	Registered during the Week ended 24th April, 1909. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
Birmingham ..	563,629	17·1	18·7	18·4	16·8	2·5	328	182	40	50	-	17	1	2	6	-	1	11	11	47	5	Birmingham.
Kings Norton ..	81,632	10·2	14·7	8·3	12·8	1·9	32	20	2	8	-	3	-	-	-	-	-	-	-	3	1	Kings Norton.
Smethwick	70,377	8·9	20·0	18·5	16·3	2·2	51	22	7	4	-	3	-	-	-	-	-	-	-	1	2	Smethwick.
Aston Manor ..	85,257	14·7	17·7	11·6	11·0	2·4	47	18	1	9	-	1	-	1	1	-	1	-	-	2	-	Aston Manor.
Coventry	80,163	21·5	18·9	20·8	11·7	0·7	54	18	2	9	-	1	-	-	-	-	-	1	2	4	-	Coventry.
Leicester	244,255	16·4	12·2	13·7	10·7	0·4	106	50	12	17	-	-	-	-	1	1	-	1	7	7	-	Leicester.
Grimsby	73,036	14·3	13·6	17·1	12·9	0·7	41	18	6	4	-	-	-	-	1	-	-	1	2	3	1	Grimsby.
Nottingham ..	263,443	18·6	17·6	20·2	17·8	2·0	136	90	21	28	-	8	-	-	1	-	1	1	3	19	-	Nottingham.
Derby	129,411	18·1	18·1	11·3	18·1	3·2	80	45	14	11	-	6	-	1	-	-	1	-	2	7	-	Derby.
Stockport	103,706	18·1	19·1	15·1	19·6	3·5	69	39	5	11	-	3	-	2	2	-	-	-	4	5	-	Stockport.
Birkenhead ..	121,123	14·6	21·5	15·1	17·7	0·9	84	41	7	10	-	-	1	-	1	-	-	1	2	9	-	Birkenhead.
Wallasey	71,004	16·2	19·8	13·2	8·8	-	32	12	3	1	-	-	-	-	-	-	-	-	-	-	-	Wallasey.
Liverpool	760,357	23·3	20·6	22·0	20·3	2·3	560	296	74	59	-	24	4	1	5	-	-	7	12	92	6	Liverpool.
Bootle	69,393	16·5	22·5	24·8	18·0	1·5	42	24	3	6	-	2	-	-	-	-	-	1	2	7	-	Bootle.
St. Helens	95,161	30·7	31·8	23·0	16·4	7·1	61	30	7	4	-	7	1	-	5	-	-	1	1	5	2	St. Helens.
Wigan	90,678	27·0	16·7	20·1	22·4	5·8	49	39	10	6	-	7	-	-	2	1	-	-	1	4	-	Wigan.
Warrington ..	72,276	23·1	23·8	20·9	18·8	2·2	50	26	6	2	-	2	-	1	-	-	-	-	-	4	1	Warrington.
Bolton	187,824	17·5	19·2	13·6	17·5	1·4	118	63	18	15	-	1	1	1	2	-	-	1	5	7	1	Bolton.
Bury	59,234	15·0	20·2	17·6	20·2	1·8	26	23	3	8	-	1	-	-	1	-	-	-	-	2	3	Bury.
Manchester ..	655,435	21·7	18·3	21·1	18·8	2·3	417	236	52	50	-	14	4	1	4	1	5	11	18	70	-	Manchester.
Salford	241,950	20·5	18·1	22·4	18·3	2·6	155	85	26	19	-	6	-	3	2	1	-	4	6	15	1	Salford.
Oldham	143,301	24·4	21·8	23·3	18·2	1·1	91	50	6	17	-	2	1	-	-	-	-	1	3	11	-	Oldham.
Rochdale	89,653	23·3	16·9	16·3	16·9	0·6	43	29	3	10	-	-	1	-	-	-	-	1	2	8	-	Rochdale.
Burnley	106,267	18·6	16·2	15·2	17·2	0·5	59	35	6	6	-	-	-	-	-	-	1	2	2	13	-	Burnley.
Blackburn	136,959	21·3	20·2	20·9	17·1	2·7	48	45	7	13	-	2	1	1	2	-	1	3	5	6	3	Blackburn.
Preston	118,519	23·8	21·1	22·4	21·1	2·6	72	48	11	14	-	-	-	-	4	-	2	-	2	9	2	Preston.
Barrow-in-Furness.	62,996	8·3	14·9	17·4	16·6	-	43	20	5	6	-	-	-	-	-	-	-	-	-	3	-	Barrow-in-Furness.

* See note † on first page of this return.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS DEATHS, and DEATH-RATES in the Week ended Saturday, 24th April, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 3rd April, 1909.	10th April, 1909.	17th April, 1909.	24th April, 1909.	Rate from Diseases in Cols. 11-17. Week ended 24th April, 1909.	Registered during the Week ended 24th April, 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD	94,739	23·7	13·8	14·9	20·9	1·1	58	38	4	16	-	-	-	-	1	1	-	3	4	5	-	HUDDERSFIELD.
HALIFAX	111,911	15·8	11·6	13·0	12·6	1·4	43	27	2	9	-	-	-	2	-	-	1	-	1	9	-	HALIFAX.
BRADFORD	293,983	16·5	16·5	17·9	18·1	0·5	122	102	16	41	-	-	-	2	1	-	-	4	6	14	-	BRADFORD.
LEEDS	484,012	16·5	13·7	17·6	15·6	0·9	228	145	32	44	-	2	-	1	3	1	1	10	18	28	-	LEEDS.
SHEFFIELD	470,958	21·4	21·1	16·7	18·8	2·3	267	170	35	55	-	17	2	1	1	-	-	4	9	56	6	SHEFFIELD.
ROTHERHAM.. ..	65,070	10·4	8·8	16·0	13·6	-	46	17	4	7	-	-	-	-	-	-	-	1	1	2	-	ROTHERHAM.
YORK	87,004	16·2	11·4	13·2	15·6	0·6	49	26	5	10	-	-	-	-	-	-	1	-	1	4	-	YORK.
HULL	275,552	18·4	16·1	12·5	16·8	0·9	169	89	23	34	-	2	1	1	-	-	1	4	9	21	-	HULL.
MIDDLESBROUGH ..	105,255	19·8	28·2	19·8	24·3	2·0	81	49	18	9	-	-	-	-	2	1	1	3	4	8	1	MIDDLESBROUGH.
STOCKTON-ON-TEES	53,417	16·6	7·8	18·5	10·7	-	28	11	1	2	-	-	-	-	-	-	-	-	1	3	1	STOCKTON-ON-TEES.
WEST HARTLEPOOL	79,686	16·4	11·8	11·1	11·1	2·6	50	17	4	3	-	1	-	2	-	-	1	1	3	2	-	WEST HARTLEPOOL.
SUNDERLAND ..	159,378	16·0	22·9	20·6	19·6	2·6	97	60	12	13	-	7	-	-	1	-	-	3	3	10	-	SUNDERLAND.
SOUTH SHIELDS ..	117,627	16·4	17·7	12·9	13·7	2·7	80	31	8	8	-	1	-	-	2	1	2	1	1	4	2	SOUTH SHIELDS.
GATESHEAD	131,024	13·5	19·5	13·1	14·7	0·8	85	37	9	12	-	2	-	-	-	-	-	-	-	4	3	GATESHEAD.
NEWCASTLE-ON-TYNE.	281,584	14·8	17·4	17·6	16·7	1·3	142	90	24	23	-	6	-	-	1	-	-	4	8	12	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH ..	55,808	20·6	29·0	27·1	14·9	-	35	16	3	8	-	-	-	-	-	-	-	2	2	3	-	TYNEMOUTH.
NEWPORT (MON.) ..	78,336	20·0	16·0	15·3	14·6	-	55	22	1	9	-	-	-	-	-	-	-	-	1	4	-	NEWPORT (MON.).
CARDIFF	195,303	15·5	17·9	13·6	15·8	-	100	59	8	19	-	-	-	-	-	-	-	-	5	11	-	CARDIFF.
RHONDDA	135,894	16·5	23·4	19·6	18·8	0·8	119	49	10	12	-	2	-	-	-	-	-	7	7	2	-	RHONDDA.
MERTHYR TYDFIL..	78,365	20·0	20·6	18·6	12·6	1·3	64	19	2	8	-	1	-	-	-	1	-	1	1	4	-	MERTHYR TYDFIL.
SWANSEA	98,308	23·3	22·8	22·3	26·5	3·7	74	50	13	11	-	1	-	-	6	-	-	3	4	8	-	SWANSEA.
GREATER LONDON	7,429,740	16·4	14·9	15·6	14·1	1·6	3995	2005	351	675	-	99	13	22	75	2	12	68	175	674	-	GREATER LONDON.
OUTER RING ..	2,595,802	12·9	13·0	12·4	12·3	1·5	1426	612	106	207	-	27	5	11	26	-	5	18	44	110	-	OUTER RING.
8 TOWNS IN OUTER RING.	1,284,152	11·9	11·5	12·1	12·2	1·6	702	301	66	87	-	12	2	5	17	-	3	5	20	55	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,311,650	13·8	14·6	12·7	12·4	1·4	724	311	40	120	-	15	3	6	9	-	2	13	24	55	-	REMAINDER OF OUTER RING.
EDINBURGH	355,366	18·3	15·4	17·9	18·5	1·8	155	126‡	19	48	-	-	-	-	9	-	3	8	?	46	4	EDINBURGH.
GLASGOW	872,021	21·5	19·6	19·3	17·3	2·2	526	290	50	86	-	-	2	3	22	4	6	10	?	82	5	GLASGOW.
DUBLIN (Registration Area).†	398,356	25·9	25·5	27·7	24·5	1·6	289	187‡	28	59	-	2	-	-	6	3	1	-	2	84	1	DUBLIN (Registration Area).†
BELFAST†	386,576	21·6	27·0	27·8	23·2	0·9	284	172	34	48	-	-	-	-	7	-	-	2	5	32	3	BELFAST.†

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the SIXTEENTH Week of each of the Eleven Years, 1899–1909.

	1899	1900	1901	1902	1903	1904	1905	1906	1907	1908	Corrected Weekly Average in 5 Years 1904–1908.*	1909
TOTAL **Births** -	2759	2610	2835	2557	2753	2489	2129	2459	2577	2083	2403·2	2569
Males - - -	1388	1298	1415	1277	1425	1229	1027	1284	1296	1071	1209·5	1295
Females - -	1371	1312	1420	1280	1328	1260	1102	1175	1281	1012	1193·7	1274
TOTAL **Deaths** -	1499	1811	1564	1587	1483	1429	1342	1743	1469	1348	1501·0	1393
Males - - -	789	985	812	841	766	752	697	895	743	702	775·8	708
Females - -	710	826	752	746	717	677	645	848	726	646	725·2	685

* The numbers in this column are the average weekly numbers in the Sixteenth week of the five years 1904-1908, raised by 2·375 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	Mar. 6.	Mar. 13.	Mar. 20.	Mar. 27.	Apr. 3.	Apr. 10.	Apr. 17.	Apr. 24.	13 Weeks.
TOTAL **Births** -	2110	2444	2335	2461	2173	2075	2585	2469	2356	2413	2188	2447	2569	30625
TOTAL **Deaths** -	1653	1878	1646	1731	1849	2116	2221	2225	1989	1700	1470	1606	1393	23477
Ages at Death: Under 1 year -	256	254	258	256	273	309	297	309	273	275	240	286	245	3531
1—5 years -	205	185	193	250	224	251	273	271	246	197	209	226	179	2909
5—20 " -	65	77	69	89	79	97	85	106	87	77	78	77	72	1058
20—40 " -	214	199	190	192	183	211	214	230	187	182	168	175	147	2492
40—60 " -	358	416	345	373	398	437	453	449	383	341	300	296	282	4831
60 yrs. & upwds.	555	747	591	571	692	811	899	860	813	628	475	546	468	8656
Deaths from—														
Small-pox† - -	–	–	–	–	–	–	–	1	–	–	–	–	–	1
Measles - - -	82	52	69	93	94	92	105	129	118	94	95	112	72	1207
Scarlet Fever - -	7	11	9	8	8	7	9	7	9	8	11	9	8	111
Diphtheria - -	16	24	15	19	18	18	22	19	15	14	16	13	11	220
Whooping-cough -	29	29	15	25	35	55	35	36	40	32	33	53	49	466
Typhus - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever - -	3	7	4	4	2	1	4	5	5	3	2	3	2	45
Pyrexia (origin uncertain).	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa, Dysentery	10	12	19	9	14	10	10	16	12	14	8	9	7	150
All above diseases -	147	135	131	158	171	183	185	213	199	165	165	199	149	2200
Dis. of Resp. System	214	354	219	235	309	389	411	360	317	194	158	157	128	3445
Pneumonia - -	163	202	222	252	237	314	347	291	250	205	152	184	166	2985
Phthisis - - -	198	171	145	153	161	183	161	204	127	142	126	146	98	2015
Dis. of Circ. System -	252	270	249	214	257	260	280	266	250	197	163	192	181	3031
Violence - - -	65	63	54	55	42	63	56	66	56	52	53	58	50	733
Inquest Cases - -	154	198	150	142	140	188	182	190	169	153	137	141	131	2075
Deaths in Institutions	662	749	639	680	676	783	777	870	786	657	616	688	564	9147
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	31·8	42·7	34·8	37·4	33·4	30·1	36·5	38·8	44·8	44·7	46·9	51·5	52·2	40·4
Mean of Highest -	37·1	47·7	40·0	45·8	40·9	37·1	41·3	45·3	51·3	52·4	59·8	63·0	61·0	48·1
Mean of Lowest -	25·3	37·1	30·0	29·3	27·1	23·4	33·2	33·3	39·1	37·8	33·3	41·1	42·1	33·2
Mean Humidity of the Air.	88	79	81	75	79	85	84	81	81	80	58	70	69	78
Rain-fall (in inches) -	0·02	0·04	0·29	0·01	0·08	1·23	0·46	0·41	0·51	0·66	0·00	0·22	0·72	4·65
Registered Sunshine (in hours).	18·9	7·7	21·1	36·3	22·4	16·2	17·0	17·7	20·7	23·8	83·7	42·2	53·4	331·1
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	–	1	1	1	1	1	2	3	2	2	2	1	1	1
Scarlet Fever - -	3201	3117	3002	2910	2826	2873	2670	2596	2571	2462	2418	2294	2219	2705
Diphtheria - - -	1187	1181	1177	1188	1157	1167	1150	1143	1120	1106	1079	1036	1019	1132
Typhus - - -	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Enteric Fever - -	130	124	128	133	124	116	115	106	96	87	77	75	67	106

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lander, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq. F.R.Met.Soc., Hull; the Meteorological Committee, Tynemouth; and E. Walford, Esq., M.D. Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the SIXTEENTH Week of the Year 1909.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 16th week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1501·0	1393	245	179	72	147	282	468
Small-pox*	0·2	–	–	–	–	–	–	–
Cowpox	–	–	–	–	–	–	–	–
Measles (Morbilli)	59·0	72	17	52	2	–	1	–
Scarlet Fever	13·3	8	–	1	6	1	–	–
Typhus	–	–	–	–	–	–	–	–
Plague	–	–	–	–	–	–	–	–
Influenza	25·2	45	1	–	2	7	11	24
Whooping-cough	41·0	49	20	27	2	–	–	–
Diphtheria	11·5	11	3	5	3	–	–	–
Cerebro-spinal Fever ..	–	3	3	–	–	–	–	–
Pyrexia† (origin uncertain)	–	–	–	–	–	–	–	–
Enteric Fever	3·3	2	–	–	–	2	–	–
Asiatic Cholera	–	–	–	–	–	–	–	–
Epidemic Diarrhœa, Infective Enteritis	3·5	2	2	–	–	–	–	–
Diarrhœa, Dysentery ..	11·1	5	3	–	–	1	1	–
Tetanus	0·8	–	–	–	–	–	–	–
Rabies, Hydrophobia ..	–	–	–	–	–	–	–	–
Glanders	–	–	–	–	–	–	–	–
Anthrax (Splenic Fever)..	–	–	–	–	–	–	–	–
Venereal Dis.	8·2	5	3	–	1	–	1	–
Puerperal Septicæmia ..	1·8	2	–	–	–	2	–	–
Puerperal Pyæmia.. .	0·4	–	–	–	–	–	–	–
Puerperal Fever	0·2	2	–	–	–	2	–	–
Infective Endocarditis ..	3·1	1	–	–	–	1	–	–
Pneumonia: Lobar ..	20·5	27	1	–	–	7	11	8
Pneumonia: Broncho ..	71·0	75	25	31	2	2	4	11
Pneumonia: Epidemic ..	–	–	–	–	–	–	–	–
Pneumonia: Not defined	78·8	64	9	3	2	11	20	19
Erysipelas	5·9	5	2	–	–	–	–	3
Septicæmia (not Puerperal)	1·0	1	–	–	–	1	–	–
Pyæmia (not Puerperal)	0·6	–	–	–	–	–	–	–
Other Infective Processes	3·9	–	–	–	–	–	–	–
Tuberculous Phthisis ..	93·0	63	1	3	7	26	21	5
"*Phthisis*"	51·8	35	–	1	3	14	15	2
Tuberculous Meningitis ..	30·3	25	7	10	6	2	–	–
Tuberculous Peritonitis ..	9·2	9	5	–	2	–	2	–
Tabes Mesenterica	1·6	1	–	1	–	–	–	–
Tuberculous Dis., Other ..	19·2	12	–	2	4	3	3	–
Scrofula..	–	–	–	–	–	–	–	–
Alcoholism	12·1	6	–	–	–	1	4	1
Rheumatic Fever	5·3	1	–	–	1	–	–	–
Gout	2·9	4	–	–	–	–	1	3
Carcinoma	59·6	63	–	–	–	3	28	32
Sarcoma	5·1	9	1	–	–	1	2	5
Cancer (undefined) ..	33·8	29	–	–	–	–	12	17
Diabetes Mellitus	9·0	13	–	–	2	1	4	6
Premature Birth	41·0	41	41	–	–	–	–	–

CAUSES OF DEATH.	Corrected Average for the 16th week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)..	14·3	11	1	4	4	1	1	–
Gen. Par. of Insane, Insanity	15·2	18	–	–	1	5	4	8
Epilepsy	9·2	3	1	–	–	–	1	1
Convulsions	18·2	15	10	5	–	–	–	–
Locomotor Ataxy.. ..	2·0	2	–	–	–	–	2	–
Paraplegia, Dis. of Cord.	5·1	3	–	–	–	1	–	2
Nervous Sys., Other Dis.	16·2	15	–	1	–	2	5	7
Valv. Dis., Endocarditis..	44·2	49	–	–	3	5	15	26
Cereb. Hæm. Cereb. Emb.	39·7	38	–	–	–	1	12	25
Apoplexy, Hemiplegia ..	14·9	13	–	–	–	1	3	9
Aneurysm	5·7	6	–	–	–	1	2	3
Embolism, Thrombosis (not Cerebral) ..	0·8	2	–	–	–	–	2	–
Heart & Blood Ves., Other Dis... ..	81·7	73	–	1	4	8	15	45
Croup (not Spasm: nor Memb.)	–	–	–	–	–	–	–	–
Bronchitis	121·2	102	10	11	1	2	12	66
Emphysema, Asthma ..	4·7	7	–	–	–	–	2	5
Pleurisy	5·5	7	1	1	–	2	1	2
Respiratory Dis., Other..	10·4	12	4	1	–	1	2	4
Tonsillitis, Quinsy.. ..	1·2	2	–	1	1	–	–	–
Enteritis (not Epid.) ..	7·2	7	5	–	–	1	1	–
Gastro-enteritis	4·5	5	4	–	–	–	1	–
Peritonitis (not Puerp.) ..	3·9	–	–	–	–	–	–	–
Cirrhosis of Liver.. ..	11·9	13	–	1	1	3	5	3
Liver Dis., Other	5·3	7	–	2	–	–	1	4
Digestive Sys., Other Dis.	39·1	40	4	3	5	7	7	14
Acute Nephritis	5·7	3	–	–	–	–	3	–
Bright's Dis., Albuminuria	39·5	39	1	–	1	4	9	24
Urinary Sys., Other Dis.	12·9	9	–	–	–	2	1	6
Generative Organs Dis...	4·5	3	–	–	1	–	2	–
Childbirth (Accid. of) ..	4·9	3	–	–	–	3	–	–
Old Age	57·7	64	–	–	–	–	–	64
Other Diseases	98·5	82	53	6	2	2	9	10
ACCIDENT.								
By Railways	1·2	4	–	–	1	1	2	–
By Vehicles and Horses..	8·0	7	–	2	1	–	3	1
In Ships, Boats, Docks, (exclusive of Drowning)	0·8	1	–	–	–	–	1	–
In Building Operations..	1·6	2	–	–	–	1	1	–
In Conflagrations	1·0	–	–	–	–	–	–	–
By Burns, Scalds, Explosions	3·1	1	1	–	–	–	–	–
By Drowning	5·1	7	–	1	–	2	4	–
By Suffocation in Bed ..	5·7	4	4	–	–	–	–	–
By Poisons or Poisonous Vapours	1·8	4	–	–	1	–	1	2
Other Deaths by Accident..	15·2	10	2	3	–	1	3	1
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	1·0	–	–	–	–	–	–	–
Suicide	12·5	10	–	–	–	2	8	–
Execution	–	–	–	–	–	–	–	–

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.
† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 24th April, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia† (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified causes of Death.
LONDON	4,536,267	2569	1393	245	468	-	72	8	11	49	-	2	-	7	50	131	564	-
WEST DISTRICTS	805,311	357	259	36	107	-	9	1	-	8	-	-	-	1	8	23	100	-
NORTH DISTRICTS	1,055,908	549	313	59	116	-	12	-	1	14	-	-	-	-	12	34	110	-
CENTRAL DISTRICTS	209,465	112	74	16	11	-	2	-	-	9	-	-	-	-	5	9	33	-
EAST DISTRICTS	715,739	406	229	41	55	-	18	-	2	6	-	1	-	2	11	23	110	-
SOUTH DISTRICTS	1,749,844	1055	465	93	155	-	30	6	8	12	-	1	-	3	14	42	155	-
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	53	-	24	-	1	1	-	-	-	-	-	1	-	-	53	-
WEST DISTRICTS.																		
North Paddington *H*	63,603	28	14	-	7	-	-	-	-	1	-	-	-	-	-	1	-	-
Central Paddington *W,3H*	50,053	34	30	10	7	-	1	-	-	3	-	-	-	-	1	2	12	-
South Paddington	30,320	5	10	1	5	-	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town *2W,w,2H* ..	128,037	51	48	4	28	-	1	-	-	-	-	-	-	-	2	2	24	-
Brompton *2H*	48,591	18	6	-	3	-	-	-	-	-	-	-	-	-	-	1	1	-
North Hammersmith *2W,w,H* ..	49,192	28	19	2	5	-	3	-	-	-	-	-	-	-	1	1	5	-
South Hammersmith *w,2H* ..	63,047	27	14	2	7	-	3	-	-	1	-	-	-	-	-	-	3	-
North-west Fulham *W*	45,180	36	15	3	6	-	-	-	-	-	-	-	-	1	1	3	9	-
North-east Fulham *F*	46,405	18	9	2	5	-	-	1	-	1	-	-	-	-	-	-	1	-
South Fulham *W*	45,704	19	6	2	3	-	-	-	-	-	-	-	-	-	-	1	-	-
Chelsea North *W,w,3H*	42,514	26	30	2	16	-	-	-	-	1	-	-	-	-	-	3	20	-
Chelsea South *W,2H*	31,328	14	10	2	1	-	1	-	-	1	-	-	-	-	1	1	6	-
Mayfair and Knightsbridge	28,743	2	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Belgrave *W,2H*	55,815	21	20	2	5	-	-	-	-	-	-	-	-	-	-	2	7	-
St. Margaret & St. John *6H*	43,698	21	23	4	6	-	-	-	-	-	-	-	-	-	2	5	11	-
St. James and St. Anne *W,6H* ..	33,081	6	3	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-
NORTH DISTRICTS.																		
All Souls Marylebone *9H*	35,391	15	10	1	4	-	1	-	-	-	-	-	-	-	-	1	6	-
St. Mary Marylebone *W,4H* ..	37,948	55	7	4	-	-	-	-	-	1	-	-	-	-	-	1	4	-
Christchurch Marylebone	39,536	16	7	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
St. John Marylebone *2H*	20,426	5	7	-	6	-	-	-	-	-	-	-	-	-	-	-	1	-
Hampstead *W,F,6H*	81,942	31	19	1	3	-	-	-	-	1	-	-	-	-	-	-	8	-
West St. Pancras *2H*	60,562	35	17	5	5	-	-	-	-	-	-	-	-	-	-	4	1	-
South St. Pancras *w,12H*	55,707	33	18	3	4	-	-	-	-	-	-	-	-	-	2	4	10	-
East St. Pancras *W,H*	60,320	38	22	1	13	-	1	-	-	-	-	-	-	-	1	3	16	-
North St. Pancras *2W*	58,728	23	19	3	9	-	-	-	-	1	-	-	-	-	-	1	10	-
Tufnell *W*	31,995	25	20	6	8	-	2	-	-	1	-	-	-	-	1	1	9	-
Upper Holloway *2W,w,H*	33,978	21	29	3	9	-	1	-	-	1	-	-	-	-	1	2	19	-
Tollington *W,w,H*	33,922	16	4	-	3	-	-	-	-	-	-	-	-	-	-	1	-	-
Lower Holloway	41,424	21	10	2	2	-	1	-	-	-	-	-	-	-	2	2	-	-
Barnsbury	54,478	24	7	3	3	-	-	-	-	1	-	-	-	-	-	-	-	-
Islington South-east *F*	75,397	40	20	7	6	-	3	-	-	1	-	-	-	-	1	3	-	-
Highbury *2H*	63,797	23	10	2	5	-	-	-	-	-	-	-	-	-	-	-	-	-
Stoke Newington *H*	51,247	23	11	1	5	-	-	-	-	1	-	-	-	-	-	1	-	-
North Hackney	50,398	19	16	2	7	-	2	-	-	1	-	-	-	-	1	1	-	-
Central Hackney *w,F*	50,536	25	10	-	3	-	1	-	1	-	-	-	-	-	1	3	2	-
South-west Hackney *3H*	59,921	31	22	8	8	-	-	-	-	3	-	-	-	-	1	5	6	-
South-east Hackney *2W,H*	58,255	30	26	6	10	-	-	-	-	2	-	-	-	-	1	1	16	-
Hackney Union Workhouse, Brentwood	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 24th April, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
St. Giles and Bloomsbury 2*W*,2*H* ..	31,436	18	5	2	-	-	1	-	-	-	-	-	-	-	1	1	1	-
Strand *W*,4*H*	21,674	3	12	1	3	-	-	-	-	-	-	-	-	-	1	1	12	-
Strand Union Workhouse, Edmonton	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Holborn *W*,6*H*	29,612	15	17	5	2	-	1	-	-	5	-	-	-	-	-	1	8	-
Clerkenwell *H*	63,704	34	12	2	2	-	-	-	-	2	-	-	-	-	-	2	-	-
St. Luke 3*H*,*L*	36,116	36	7	1	1	-	-	-	-	1	-	-	-	-	1	1	1	-
Holborn Union Workhouse, Mitcham	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph *H*	10,299	4	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	2	16	4	1	-	-	-	-	1	-	-	-	-	2	3	12	-
City of London Asylum, Stone	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
EAST DISTRICTS.																		
Shoreditch South 2*H*	46,362	24	14	2	2	-	5	-	-	-	-	-	-	-	1	3	-	-
Shoreditch North-West *W*,*w*,*H* ..	36,127	25	23	3	9	-	3	-	1	-	-	1	-	-	-	1	17	-
Shoreditch North-East	36,148	17	3	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	41	33	7	8	-	-	-	-	-	-	-	-	2	-	-	22	-
Bethnal Green South-West *H* ..	64,542	55	14	6	1	-	-	-	-	1	-	-	-	-	-	2	2	-
Spitalfields..	27,969	14	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mile End New Town *W*,*H*	28,718	34	38	4	7	-	1	-	1	1	-	-	-	-	4	5	37	-
Goodman's Fields	22,081	15	2	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-
St. George and St. John 2*W* ..	49,068	32	11	2	3	-	-	-	-	-	-	-	-	-	1	2	4	-
Shadwell and Ratcliff *w*,*H* ..	25,568	18	11	4	-	-	-	-	-	3	-	-	-	-	1	1	5	-
Limehouse *W*	32,369	26	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Mile End Old Town South-Western *H*	63,698	58	11	2	3	-	-	-	-	-	-	-	-	-	1	2	-	-
Mile End Old Town North-Eastern *W*,*w*	49,129	31	15	1	6	-	1	-	-	1	-	-	-	-	-	2	4	-
Bow	41,989	18	5	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Bromley 3*w*,*H*	68,319	45	25	2	7	-	4	-	-	-	-	-	-	-	2	3	17	-
Poplar *W*,*w*	58,514	43	17	2	7	-	1	-	-	-	-	-	-	-	1	2	2	-
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 24th April, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch and St. Saviour Southwark *W,2H*	23,319	17	27	9	4	-	3	-	-	-	-	-	-	-	4	6	20	-
Kent-road	21,904	11	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George the Martyr West *W,2H,L*	39,094	17	9	4	2	-	1	-	1	-	-	-	-	1	-	2	3	-
Newington North	49,022	28	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Newington South *W*	72,841	42	15	2	5	-	-	-	-	1	-	-	-	-	1	3	2	-
St. Olave *2W*	9,817	5	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Bermondsey *W*	82,483	67	16	5	5	-	2	-	-	1	-	-	-	-	-	3	-	-
Rotherhithe *W,F*	38,460	24	12	3	1	-	2	-	-	-	-	-	-	-	-	-	8	-
Waterloo *2H*	27,440	37	7	3	1	-	-	-	-	-	-	-	-	-	2	4	1	-
Lambeth Church *H*	27,440	18	22	2	1	-	-	-	-	1	-	-	-	-	2	4	16	-
Kennington *2W*	52,518	40	20	6	8	-	2	-	-	1	-	-	-	-	-	-	12	-
Stockwell *HF*	63,826	45	20	4	6	-	-	1	2	-	-	-	-	1	-	-	3	-
Brixton *H*	73,673	41	9	2	6	-	-	-	-	1	-	-	-	-	-	-	-	-
Norwood *2WH*	56,998	21	12	5	4	-	-	-	-	1	-	-	-	1	-	1	-	-
East Battersea *H*	72,203	35	18	3	8	-	-	-	-	-	-	-	-	-	-	2	-	-
North-west Battersea	49,656	35	10	2	1	-	1	-	-	1	-	-	-	-	-	-	-	-
South-west Battersea *2W,H* ..	47,048	13	24	4	10	-	5	-	-	1	-	-	-	-	-	-	16	-
Clapham *2H*	51,361	28	7	1	1	-	1	-	-	-	-	-	-	-	1	1	-	-
Streatham *W,2w,2F,2L*	88,019	44	36	2	17	-	3	-	2	-	-	1	-	-	1	3	15	-
Springfield *2W,L*	27,959	20	12	2	4	-	3	-	-	-	-	-	-	-	-	1	3	-
Southfields *H*	40,444	37	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Putney	24,139	12	5	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich	13,359	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	26	18	3	10	-	1	-	-	-	-	-	-	-	-	-	11	-
Camberwell North *W,2L*	65,584	37	36	2	11	-	-	-	-	1	-	-	-	-	-	3	14	-
St. George	47,331	29	12	4	3	-	-	-	-	-	-	-	-	-	-	1	-	-
Peckham North	48,913	31	6	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-
Peckham South *2W,w*	43,946	26	5	2	1	-	2	-	-	1	-	-	-	-	-	1	-	-
Deptford North	37,613	28	4	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Deptford Central *F*	45,481	29	9	4	1	-	1	2	1	1	-	-	-	-	-	-	3	-
Deptford South	34,625	16	9	4	1	-	-	-	-	-	-	-	-	-	1	2	-	-
Greenwich West *2H*	23,456	19	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich East *2W,H*	43,859	27	20	2	11	-	-	-	-	-	-	-	-	-	1	2	12	-
Eltham *w,H*	7,226	5	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *w,H*	25,490	4	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham *2W,w,F*	58,352	48	19	3	10	-	-	2	1	-	-	-	-	-	-	-	8	-
Sydenham *H*	43,653	30	5	-	3	-	-	1	-	-	-	-	-	-	-	-	-	-
Charlton *F,2H*	21,134	13	4	2	-	-	-	-	1	1	-	-	-	-	-	-	1	-
Woolwich *5H*	41,625	22	7	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Plumstead West *W,H*	39,376	14	6	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *2W*	28,951	12	11	1	3	-	-	-	-	-	-	-	-	-	1	2	6	-
Workhouses:—																		
Belmont Workhouse	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.) ..	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
M. A. B. Small-pox Hospitals:—																		
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																		
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-	2	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																		
Children's Infirmary, Carshalton..	—	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	2	-
M. A. B. Imbecile Asylums:—																		
Caterham	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-
Darenth	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
London County Lunatic Asylums:—																		
Banstead	—	-	6	-	2	-	-	-	-	-	-	-	-	-	-	-	6	-
Ewell (Epileptic Colony)	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Horton	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
Manor	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Grove	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
Cane Hill	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
Dartford Heath	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-
Hanwell	—	-	2	-	1	-	-	-	-	-	-	-	-	1	-	-	2	-
Colney Hatch	—	-	7	-	4	-	-	-	-	-	-	-	-	-	-	-	7	-
Claybury	—	-	11	-	6	-	-	-	-	-	-	-	-	-	-	-	11	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERATED POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 24th April, 1909.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING ..	363,603	2,045,135	1426	612	106	207	-	27	5	11	26	-	5	18	44	110	-
30 : 1	Carshalton 2F,3H	12,228	32,997	16	12	4	2	-	-	1	-	-	-	-	-	2	1	-
2	Epsom, *part of** W,w,2F,H..	10,423	15,548	8	6	..	4	-	-	-	-	-	-	-	-	-	4	-
37 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	2	2	-	2	-	-	-	-	-	-	-	-	-	2	-
38 : 1	Coulsdon	11,069	8,166	9	2	-	1	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w,H ..	4,200	49,309	26	14	3	8	-	-	-	-	1	-	-	-	1	-	-
3	West Croydon 3W,F,H ..	2,168	42,888	42	20	4	5	-	-	-	1	1	-	-	-	1	9	-
4	North Croydon H	2,614	41,698	29	15	4	9	-	-	-	-	1	-	-	-	2	1	-
5	Penge w	770	22,465	8	3	-	2	-	-	-	-	-	-	-	1	1	-	-
6	Mitcham w	11,711	30,015	36	10	1	3	-	-	-	-	-	-	-	1	1	-	-
39 : 1	Wimbledon F,3H	3,221	41,652	28	8	2	3	-	-	-	-	1	-	-	-	-	-	-
2	Kingston 2W,H	6,224	42,068	23	15	-	10	-	-	-	-	-	-	-	-	1	6	-
3	Surbiton F,H	3,046	15,017	3	5	-	3	-	1	-	-	-	-	-	-	-	-	-
4	Esher, *part of** H	5,402	13,100	5	3	-	1	-	-	-	-	-	-	-	-	-	-	-
5	Hampton H,F,L	4,564	23,456	13	3	-	1	-	-	-	-	1	-	-	1	1	-	-
40 : 1	Richmond W,H	2,491	31,672	21	13	3	3	-	-	-	-	-	-	1	-	1	3	-
2	Mortlake F	2,518	17,821	18	6	-	3	-	-	-	1	1	-	-	1	1	1	-
41 : 1	Bromley F,3H	4,703	27,354	18	6	-	3	-	-	-	-	1	-	-	-	-	-	-
2	Beckenham H	7,825	28,497	12	3	-	2	-	-	-	-	-	-	-	-	-	-	-
3	Orpington, *part of** W,F ..	10,113	9,857	7	3	1	1	-	-	-	-	-	-	-	-	-	1	-
4	Chislehurst 2H	7,333	16,446	8	5	-	2	-	-	-	-	1	-	-	-	-	-	-
42 : 1	Bexley w,F,H	8,678	21,151	12	5	-	3	-	-	-	-	-	-	-	-	-	-	-
2	Erith F,H	3,854	25,296	12	12	1	7	-	-	-	-	-	-	-	-	1	-	-
3	Dartford W,F, *part of** ..	—	—	-	3	-	1	-	-	-	-	-	-	-	-	1	3	-
124 : 1	Sunbury w	11,054	18,683	7	3	-	1	-	-	-	-	-	-	-	1	1	-	-
2	Staines W,H	13,277	15,178	12	5	-	2	-	1	-	-	-	-	-	-	-	1	-
125 : 1	Hillingdon W,F,H	6,035	13,661	8	9	2	5	-	-	-	-	-	-	-	2	2	3	-
2	Uxbridge H	12,757	8,984	1	7	-	3	-	1	-	-	1	-	-	-	1	-	-
3	Hayes w 2F,H	8,066	16,358	15	8	1	1	-	3	-	-	-	-	-	-	-	-	-
126 : 1	Isleworth 3W,3F,H	6,859	30,863	22	18	4	8	-	1	-	-	-	-	-	1	1	8	-
2	Twickenham F,2H	2,421	20,991	18	5	1	2	-	-	-	1	-	-	-	-	-	-	-
3	Brentford 3F,2H	4,319	48,289	36	11	2	2	-	-	-	-	2	-	-	-	-	-	-
4	Chiswick H	1,249	29,809	17	7	3	2	-	2	-	-	-	-	-	-	-	-	-
5	Acton w,F,3H	6,132	48,914	49	14	2	3	-	-	1	-	-	-	-	1	2	-	-
127 : 1	Harrow F,H	13,809	25,523	24	6	2	3	-	1	-	-	-	-	-	-	-	-	-
2	Edgware 2F,2H	6,994	4,521	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden W,F,2H	4,384	114,811	75	26	7	9	-	-	-	1	2	-	-	1	3	6	-
4	Hendon W,F	8,382	22,450	25	1	-	1	-	-	-	-	-	-	-	-	-	-	-
128 : 1	South Mimms 2F,H ..	17,755	7,308	2	1	1	-	-	-	-	-	-	-	-	-	1	-	-
2	Barnet W,2H	3,324	17,970	8	9	-	5	-	1	-	1	-	-	-	-	-	1	-
3	Finchley F,3H	4,688	33,692	18	8	1	4	-	-	-	-	-	-	-	-	-	-	-
129 : 1	Hornsey F,H	2,875	72,056	38	14	1	5	-	-	-	1	1	-	-	-	-	1	-
2	Wood Green H	1,625	34,233	28	9	1	3	-	-	-	-	-	-	-	2	2	1	-
3	West Tottenham	995	48,741	43	7	2	1	-	1	-	-	-	-	1	-	-	-	-
4	East Tottenham 2H ..	2,019	53,962	50	18	4	6	-	-	-	-	2	-	-	-	1	4	-
5	Edmonton W,w,2F	7,491	61,892	44	16	4	4	-	1	-	-	-	-	-	1	3	6	-
6	Enfield 2W,F,H	12,601	42,738	29	14	1	4	-	1	1	2	-	-	1	-	1	2	-
7	Waltham Abbey F	11,017	6,549	3	-	-	..	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-
135 : 1	Hatfield, *part of** W ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey H	9,333	9,173	7	2	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Watford W,2F, *part of** ..	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
186 : 1	Stratford H	1,091	52,974	41	18	7	4	-	-	-	-	1	-	1	1	5	1	-
2	Forest Gate	787	52,745	21	8	1	1	-	-	-	-	-	-	-	1	1	-	-
3	Plaistow F,2H	1,249	90,921	72	23	6	4	-	-	1	-	3	-	-	-	-	1	-
4	Canning Town H	1,556	70,718	67	33	9	7	-	5	-	-	3	-	-	1	1	-	-
5	South East Ham 2F ..	1,991	37,342	28	12	3	5	-	-	-	-	2	-	1	-	-	-	-
6	North East Ham w,H ..	1,333	58,666	37	17	3	4	-	6	-	-	-	-	-	-	-	-	-
7	Wanstead F	1,679	9,179	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	42	13	4	4	-	-	-	-	1	-	-	-	-	3	-
9	North Leyton 2W,w,F ..	1,963	48,445	28	35	4	8	-	-	-	-	-	-	-	1	4	23	-
10	Walthamstow 2H,L ..	6,504	108,929	67	24	3	6	-	-	-	1	-	-	-	1	1	1	-
187 : 1	Chigwell 2F,3H	11,778	16,397	14	3	-	2	-	-	-	-	-	-	-	-	-	-	-
2	Epping W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189 : 1	Romford, *part of** W,2F ..	6,556	6,091	6	5	-	3	-	-	-	-	-	-	-	-	-	2	-
2	Ilford F,L	8,496	41,244	34	9	2	3	-	1	-	-	-	-	-	-	-	1	-
3	Barking Town F	3,805	21,547	21	3	-	-	-	1	-	-	-	-	-	-	-	-	-
	S.E. Hosp., Deptford	—	—	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-
	N.E. Hospital, Tottenham ..	—	—	-	2	1	-	-	-	1	1	-	-	-	-	-	2	-
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	4	-	1	-	-	-	-	-	-	-	-	-	4	-
	Surrey County Lunatic Asylum, Brookwood.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Surrey County Lunatic Asylum, Betchworth.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Kent County Lunatic Asylum, Chartham.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Middlesex County Lunatic Asylum, Napsbury.	—	—	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
	Essex County Lunatic Asylum, Brentwood.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30 : 2, excepting Ashtead parish; 37 : 1, Warlingham and Farley parishes; 39 : 4, excepting Esher parish; 41 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135 : 1, Northaw parish; 189 : 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42 : 3, 137 : 2 and 187 : 2 and in the Croydon Mental Hospital in 37 : 1 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended		Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Small-pox	Measles.	Scarlet Fever	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON - -	4,833,938	April	24	2569	1393	15·0	-	72	8	11	49	2	7
CALCUTTA - -	1,014,438	March	13	-	865	45·5	264	6	-	1	-	167†	135‡
BOMBAY - -	982,000	"	30	395	1152	61·3	31	6	-	-	-	509†	75‡
MADRAS - -	548,974	"	26	345	407	41·5	-	3	?	?	?	129†	63
PARIS - - -	2,760,000	April	17	1019	1016	19·4	-	8	6	7	5	4	22
BRUSSELS - -	704,975	"	17	252	161	11·9	-	3	1	-	-	-	7
ANTWERP - -	310,903	"	17	98	64	10·7	-	1	-	3	-	-	6
AMSTERDAM -	566,256	"	17	260	180	16·6	-	4	-	2	4	-	5
COPENHAGEN -	445,000	"	17	271	195	22·8	-	5	2	1	6	-	6
STOCKHOLM -	337,460	"	10	129	111	17·0	-	-	5	1	1	-	1
CHRISTIANIA -	231,687	"	17	103	74	16·6	-	-	1	2	1	-	2
ST. PETERSBURG	1,573,000	"	3	551	767	25·4	7	27	22	14	5	7	61‡
MOSCOW - -	1,452,100	"	3	-	812	29·2	13	37	30	5	3	13	63
BERLIN - -	2,105,164	"	3	814	680	16·8	-	10	7	14	11	1	29
HAMBURG - -	872,252	"	17	-	252	15·0	-	2	3	2	2	-	13
BRESLAU - -	499,437	"	10	289	202	21·0	-	-	-	2	-	-	14
MUNICH - -	566,000	"	10	250	235	21·6	-	3	3	1	3	-	21
VIENNA - -	2,042,426	"	17	939	767	19·3	-	13	6	11	5	-	39
PRAGUE - -	480,856	"	10	199	230	24·9	-	2	6	2	1	-	13
BUDAPEST - -	823,215	"	10	434	340	21·4	-	2	3	2	-	3	12
TRIESTE - -	217,706	"	10	131	95	22·7	-	1	1	-	-	-	2
		"	17	157	95	22·7	-	1	-	-	-	1	3
ROME - - -	565,323	January	30	294	320	29·5	-	9	1	3	-	4§	16
VENICE - -	179,286	April	3	73	65	18·9	-	-	-	-	1	-	2
BUCAREST - -	296,585	"	10	175	179	31·5	-	-	1	1	-	-	7
NEW YORK -	4,564,792	"	3	2436	1710	19·5	-	34	19	32	8	5	52
CHICAGO - -	2,224,490	"	3	-	699	16·4	-	2	12	17	-	11	53
PHILADELPHIA -	1,565,569	March	27	-	571	18·9	-	14	3	16	2	7	18
RIO DE JANEIRO	636,018	"	21	-	269	22·0	9	2	-	-	-	1	?
CAIRO:—													
Egyptians -	666,587	"	25	521	418	32·6	10	8	-	3	?	12§	75
Foreigners -	35,219	"	25	6	21	31·0	1	-	-	-	?	-	3
ALEXANDRIA:—													
Egyptians -	341,965	"	25	273	199	30·3	2	10	8	4	?	4	31
Foreigners -	46,118	"	25	8	14	15·8	-	-	-	-	?	-	-

* Excluding deaths from croup in the Indian Cities.
† Including 85 deaths from plague in Calcutta, 450 in Bombay, and 1 in Madras.
‡ Including 98 deaths from cholera in Calcutta, 1 in Bombay, and 2 in St. Petersburg.
§ Including 2 deaths from malarial fever in Rome and 1 in Cairo.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 24th April, 1909.

Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	68·7	34·4	53·0	0·72	BRADFORD - -	61·0	34·0	48·6	1·58
BRIGHTON - -	63·0	37·7	49·9	0·65	YORK - - -	63·0	35·0	50·5	1·19
PORTSMOUTH - -	59·3	40·0	51·5	0·74	HULL - - -	63·0	35·0	50·7	0·95
NORWICH - -	-	-	-	-	TYNEMOUTH - -	60·0	36·0	47·1	0·93
PLYMOUTH -	59·0	41·2	51·1	1·17	CARDIFF - - -	61·1	35·2	50·0	1·33
BRISTOL - - -	63·0	32·2	50·0	1·72	EDINBURGH - -	60·1	39·0	49·2	0·34
BIRMINGHAM - -	64·2	38·6	50·6	0·79	GLASGOW - -	60·4	37·2	49·9	0·59
NOTTINGHAM - -	63·3	36·2	50·6	0·72	DUBLIN Phœnix Park.	58·5	37·3	48·9	0·38
LIVERPOOL OBSERVATORY.	61·0	39·0	50·4	0·98	DUBLIN Fitz-william Square.†	60·1	43·2	50·8	0·48
MANCHESTER -	61·6	34·8	49·6	1·38					
BURNLEY - -	60·8	32·0	48·1	1·73					
HUDDERSFIELD -	61·3	34·0	48·8	1·24	BELFAST - - -	60·0	39·0	49·4	0·78

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°·6 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 24th April, 1909.

[*Under the Superintendence of the Astronomer Royal.*]

1909. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
APRIL.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 18	Perigee. In Equator.	29·680	65·5	45·6	19·9	53·4	+ 5·4	43·6	9·8	20·9	1·5	69	117·2	38·8	46·40	SSW. & SW.	SW. & SSW.	1·2	0·0	0·1	242	− 43	0·01	4·5
MONDAY - 19	..	29·603	68·7	37·6	31·1	54·0	+ 5·7	41·7	9·3	21·4	0·4	71	133·7	26·0	46·89	SW., S. & SE.	SE., E. & ESE.	1·8	0·0	0·1	176	−110	0·41	6·0
TUESDAY - 20	New	29·847	61·7	43·6	18·1	51·7	+ 3·2	35·9	15·8	21·8	0·4	55	125·0	31·6	47·25	W. & WSW.	W. & WSW.	7·0	0·0	0·6	522	+235	0·06	3·0
WEDNESDAY 21	..	29·744	60·8	34·4	26·4	47·9	− 0·8	38·7	9·2	20·1	2·0	70	114·5	22·9	47·50	SW., variable & E.	E.	4·0	0·0	0·2	269	− 28	0·00	10·0
THURSDAY - 22	..	29·672	64·0	40·1	23·9	52·2	+ 3·5	43·3	8·9	19·6	1·6	72	131·5	29·0	47·71	E., SW. & S.	S. & SSW.	5·2	0·0	0·4	355	+ 68	0·11	13·8
FRIDAY - 23	..	29·622	63·0	46·2	16·8	52·8	+ 4·2	43·8	9·0	17·8	1·7	71	117·8	39·3	47·80	SSW. & SW.	SW., SSW. & S.	3·5	0·0	0·3	361	+ 75	0·02	13·2
SATURDAY - 24	..	29·422	64·0	47·0	17·0	53·7	+ 5·1	46·5	7·2	13·0	3·2	77	127·0	39·1	48·02	S. & SW.	SW.	5·4	0·0	0·5	393	+109	0·11	16·2
MEANS - -		29·656	64·0	42·1	21·9	52·2	+ 3·8	42·4	9·9	19·2	1·5	69	123·8	32·4	47·37	SW.		..	..	..	Sum 2309	Sum +306	Sum 0·72	9·5
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. APRIL.	Electricity. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.
SUNDAY - 18	w. P. till 10h. P.M.; m. P. afterwards.	3·5	14·0
MONDAY - 19	m. P. generally till 8h. A.M.; w. P. till 9h. P.M.; v. P. and v. N. afterwards.	9·3	14·0
TUESDAY - 20	v. N. till 1h. A.M.; w. P. till 7h. A.M.; m. P. generally till 4h. P.M.; s. P. afterwards.	10·9	14·1
WEDNESDAY 21	m. P. till 3h. A.M.; w. P. afterwards.	10·4	14·1
THURSDAY - 22	w. P. till 6h. A.M.; m. P. till 10h. A.M.; w. P. till 5h. P.M.; w. P. with occasional w. N. afterwards.	6·4	14·2
FRIDAY - 23	w. P. generally till 6h. P.M.; m. P. afterwards.	8·2	14·3
SATURDAY - 24	w. P. till 3h. A.M.; s. P. & v. N. till 7h. A.M.; w. P. till 2h. P.M.; m. P. afterwards.	4·7	14·3
		Sum 53·4	Sum 99·0
No. of Col. - -	27	28	29

GENERAL REMARKS.

Overcast with occasional slight rain in morning; fine with large amounts of cloud generally till evening; very fine and cloudless at night.

Very fine and bright in early morning with thick mist prevalent at and about 5h. A.M.; small amounts of cloud till evening; overcast after 6h. 30m. P.M. with continuous rain after 8h. P.M. falling heavily at 11h. 30m. P.M.

Cloudy in early morning with rain till 1h. A.M.; very fine after 5h. A.M. and cloudless at night; brisk wind at times till afternoon.

Very fine with variable amounts of thin cloud. Bright solar halo observed between 9h. 30m. A.M. and 3h. 0m. P.M.

Generally cloudy in morning; very fine generally between 8h. 30m. A.M. and 3h. 0m. P.M.; overcast with frequent rain till 10h. 30m. P.M.; variably cloudy afterwards. Solar halo observed at noon.

Very fine generally till noon; variable afterwards with slight rain between 4h. 30m. and 5h. 30m. P.M.

Generally overcast till 9h. 30m. A.M., with frequent rain till 7h. A.M.; fine but cloudy afterwards. Solar halo observed at intervals between 10h. A.M. and 5h. P.M., and bright parhelion at 4h. 45m. P.M. Brisk wind in afternoon.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·69 in. at the beginning of the week to 29·45 in. by midnight on the 19th; increased to 29·96 in. by 10h. P.M. on the same day; decreased to 29·50 in. by 10h. P.M. on the 22nd; increased to 29·64 in. by 8h. P.M. on the 23rd; decreased to 29·39 in. by 7h. P.M. on the 24th and increased to 29·46 in. by midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 17th April, 1909.*

BOROUGHS.	Estimated Population in the middle of 1909.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	151,955	-	5	2	-	-	-	-	1	-	-
Kensington	183,683	-	11	5	-	-	-	-	4	-	-
Hammersmith	125,704	-	12	1	-	1	-	-	1	-	-
Fulham	176,406	-	8	3	-	-	-	-	2	-	-
Chelsea	75,249	-	8	2	-	-	-	-	1	-	-
City of Westminster ..	168,883	-	10	1	-	-	-	-	2	-	-
NORTH.											
St. Marylebone	126,027	-	3	3	-	-	-	-	1	-	1
Hampstead	94,185	-	3	-	-	-	-	-	-	1	-
St. Pancras	237,422	-	15	6	-	2	-	-	3	-	-
Islington	351,202	-	22	7	-	3	-	-	6	-	3
Stoke Newington	54,423	-	-	-	-	-	-	-	-	-	-
Hackney	237,601	-	18	5	-	-	-	-	1	-	-
CENTRAL.											
Holborn	53,802	-	2	-	-	-	-	-	1	-	-
Finsbury	95,289	-	5	-	-	-	-	-	4	-	1
City of London	18,193	-	2	-	-	-	-	-	-	-	-
EAST.											
Shoreditch	114,802	-	2	6	-	2	-	-	1	-	-
Bethnal Green	131,316	-	4	5	-	-	-	-	-	-	-
Stepney	312,525	-	12	13	-	-	-	-	14	-	-
Poplar	171,965	-	8	4	-	-	-	-	4	-	-
SOUTH.											
Southwark	211,125	-	10	9	-	-	-	-	4	-	-
Bermondsey	127,569	-	10	7	-	1	-	-	3	-	1
Lambeth	324,188	-	14	6	-	1	-	-	4	-	1
Battersea	186,036	-	6	2	-	-	-	-	3	-	-
Wandsworth	297,646	-	18	7	-	1	-	-	6	-	-
Camberwell	283,022	-	18	6	-	-	-	-	3	-	2
Deptford	118,583	-	11	4	-	-	-	-	10	-	-
Greenwich	111,014	-	5	1	-	-	1	-	2	-	-
Lewisham	160,749	-	21	1	-	-	-	-	5	-	-
Woolwich	133,374	-	16	2	-	-	-	-	-	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,833,938	-	279	108	-	11	1	-	86	1	9
Ages 0-1		-	4	6	-	-	-	-	1	-	3
" 1-5		-	87	54	-	-	-	-	3	-	3
" 5-		-	100	25	-	-	-	-	3	-	1
" 10-		-	50	3	-	-	-	-	5	-	-
" 15-		-	14	4	-	-	-	-	4	-	-
" 20-		-	10	5	-	6	-	-	8	1	-
" 25-		-	11	7	-	-	1	-	7	-	1
" 35-		-	2	3	-	1	-	-	15	-	1
" 45-		-	-	1	-	2	-	-	8	-	-
" 55-		-	1	-	-	2	-	-	11	-	-
" 65 and upwards		-	-	-	-	-	-	-	21	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY DARLING & SON, LTD., 34-40, BACON STREET, E.

1909.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 17. 1909. VOL. LXX.] WEEK ENDED SATURDAY, MAY 1. [Price 1½*d.*

General Register Office, Somerset House,
May 3rd, 1909.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 14·5 per 1000 of their aggregate population, which is estimated † at 16,445,281 persons in the middle of this year. In the preceding three weeks the rates had been 17·0, 17·1, and 15·8. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 19·7 in Hanley, 19·8 in Wallasey, 20·2 in Preston, 20·6 in Sunderland, 23·3 in Middlesbrough, and 24·0 in Bootle; from *measles*, 1·7 in Salford, 1·9 in Tynemouth, 2·3 in Bootle, 2·9 in Wigan, and 3·3 in West Hartlepool; from *diphtheria*, 1·5 in Wallasey and in Burnley; from *whooping-cough*, 1·4 in East Ham, 1·5 in Smethwick, 2·0 in Stockport, and 3·5 in Preston; from "*fever*," 1·5 in Wallasey; and from *diarrhœa*, 1·1 in St. Helens. One death from *small-pox* was registered in Cardiff, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2367 BIRTHS and 1300 DEATHS were registered. Allowing for increase of population, the births were 235 and

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, in the Metropolitan Asylums Board Hospitals and Asylums, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-five other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(13253—41.) Wt. 109—472. 700. 5/09. D & S. G. 31. Sch. 4. R

the deaths 179 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes, which had been 15·9, 17·3, and 15·0 per 1000 in the preceding three weeks, fell last week to 14·0. The death-rate in the four weeks ended last Saturday averaged 15·6 per 1000, being 0·8 per 1000 below the mean rate in the corresponding periods of the five years 1904–8.

The 1300 deaths included 81 from measles, 10 from scarlet fever, 8 from diphtheria, 41 from whooping-cough, 1 from enteric fever, 1 from ill-defined pyrexia, and 12 from diarrhœa; but not one death from small-pox or from typhus: thus, to these diseases in the aggregate 154 deaths were referred, being 8 above the corrected average number in the seventeenth week of the preceding five years.

The deaths from *measles*, which had been 95, 112, and 72 in the preceding three weeks, numbered 81 last week, and were 25 above the corrected average; 12 deaths belonged to the Borough of Stepney, 9 to Poplar, and 8 each to Hammersmith, Shoreditch, and Bermondsey. The deaths from *scarlet fever*, which had been 11, 9, and 8 in the preceding three weeks, were 10 last week, and were 2 above the corrected average. The deaths from *diphtheria*, which had been 16, 13, and 11 in the preceding three weeks, further fell to 8 last week, and were 7 below the corrected average. The deaths from *whooping-cough*, which had been 33, 53, and 49 in the preceding three weeks, were 41 last week, and were 6 below the corrected average; 5 deaths belonged to Islington, and 3 each to Paddington, Kensington, Shoreditch, and Wandsworth. One death from *enteric fever* was registered during the week, the corrected average being 4; the deaths in the preceding three weeks had been 2, 3, and 2. The deaths from *diarrhœa*, which had been 8, 9, and 7 in the preceding three weeks, rose to 12 last week, but were 3 below the corrected average. Of the 12 deaths from diarrhœa, 9 were those of children under 5 years of age; 6 other deaths at this age were certified as due to *enteritis* and 6 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 32, having been 62, 43 and 45 in the preceding three weeks.

Different forms of violence caused 62 deaths, concerning all of which inquests were held. Of these 62 deaths, 17 were cases of suicide, while the remaining 45 were attributed to accident or negligence. Seven of these latter were referred to vehicles in the streets, six to burns or scalds, four to drowning, and seven of infants under one year of age, to suffocation in bed. Two deaths occurred while under anæsthetics administered for surgical purposes.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 2181 cases of scarlet fever, 1016 of diphtheria, and 58 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 305 cases, against 256, 244, and 265; of diphtheria, 117 cases, against 113, 87, and 122; and of enteric fever, 6 cases, against 8, 5, and 11. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended April 24th, 1909.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 3676 births and 1879 deaths were registered. Allowing for increase of population, these numbers are 346 and 223 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 11 deaths from measles, 3 from scarlet fever, 3 from diphtheria, 5 from whooping-cough, and 4 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·70 inches, and that of the Thermometer 48°·6, the latter being 0°·2 below the week's average in the 65 years ended 1905. The direction of the wind was variable, the horizontal movement of the air being 27 per cent. above the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 64·0 hours; the measured rainfall amounted to 0·77 of an inch.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 1st May, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1909.*	Death-Rates from all Causes. Week ended 10th April, 1909.	17th April, 1909.	24th April, 1909.	1st May, 1909.	Rate from Diseases in Cols. 11-17. Week ended 1st May, 1909.	Registered during the Week ended 1st May, 1909. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS	**16,445,281**	**17·0**	**17·1**	**15·8**	**14·5**	**1·5**	**8423**	**4569**	**863**	**1310**	**1**	**225**	**34**	**37**	**113**	**13**	**39**	**171**	**343**	**1381**	**38**	**76 TOWNS.**
LONDON	4,833,938	15·9	17·3	15·0	14·0	1·7	2367	1300‡	223	380	–	81	10	8	41	2	12	62	146	608	–	LONDON.
† CROYDON	161,078	14·9	14·6	15·2	11·3	0·3	101	35	6	14	–	1	–	–	–	–	–	2	2	10	–	CROYDON.
† WILLESDEN ..	160,424	13·0	10·7	8·5	10·1	0·7	76	31	6	5	–	–	–	–	2	–	–	–	2	7	–	WILLESDEN.
† HORNSEY	95,628	4·4	10·4	7·1	8·2	1·6	31	15	1	8	–	1	–	–	2	–	–	1	1	1	–	HORNSEY.
† TOTTENHAM ..	129,464	12·5	12·9	12·1	10·5	–	78	26	6	8	–	–	–	–	–	–	–	–	2	8	–	TOTTENHAM.
† WEST HAM ..	321,767	13·0	13·1	16·0	13·6	1·3	183	84	15	25	–	3	–	–	4	–	1	3	7	26	–	WEST HAM.
† EAST HAM.. ..	149,575	11·5	11·5	11·5	11·5	2·8	69	33	11	5	–	3	1	–	4	–	–	1	4	1	–	EAST HAM.
† LEYTON	129,614	8·9	8·9	11·3	7·6	0·8	65	19	3	7	–	–	1	1	–	–	–	–	–	9	–	LEYTON.
† WALTHAMSTOW	136,602	8·4	12·6	9·5	7·6	0·4	63	20	4	7	–	1	–	–	–	–	–	2	3	2	–	WALTHAMSTOW.
HASTINGS	68,165	20·7	15·3	18·4	15·3	–	23	20	–	15	–	–	–	–	–	–	–	–	–	–	–	HASTINGS.
BRIGHTON	130,926	22·7	17·5	17·1	14·7	–	50	37	1	20	–	–	–	–	–	–	–	–	1	17	–	BRIGHTON.
PORTSMOUTH ..	214,726	21·9	18·5	15·1	17·2	2·2	94	71	12	22	–	5	–	3	–	–	1	1	5	17	–	PORTSMOUTH.
BOURNEMOUTH ..	72,368	13·7	18·0	19·5	10·1	–	28	14	–	8	–	–	–	–	–	–	–	–	–	6	–	BOURNEMOUTH.
SOUTHAMPTON ..	124,667	18·4	16·3	17·1	8·8	1·3	64	21	3	7	–	–	–	1	2	–	–	–	1	9	–	SOUTHAMPTON.
READING	82,995	17·0	17·0	7·5	10·1	–	33	16	3	5	–	–	–	–	–	–	–	2	2	6	–	READING.
NORTHAMPTON ..	97,752	17·6	17·1	12·3	10·1	–	34	19	2	7	–	–	–	–	–	–	–	2	2	4	–	NORTHAMPTON.
IPSWICH	74,889	8·4	15·3	7·7	10·4	–	31	15	2	4	–	–	–	–	–	–	–	1	2	4	–	IPSWICH.
GREAT YARMOUTH	53,430	19·5	28·3	10·7	19·5	2·0	25	20	3	9	–	1	–	1	–	–	–	–	1	4	–	GREAT YARMOUTH.
NORWICH	124,136	14·7	13·4	12·6	11·8	–	79	28	7	18	–	–	–	–	–	–	–	2	2	6	–	NORWICH.
PLYMOUTH	124,180	16·8	17·2	21·4	18·1	0·8	62	43	12	15	–	1	–	1	–	–	–	1	9	5	–	PLYMOUTH.
DEVONPORT	83,103	10·7	15·7	11·3	13·8	1·3	34	22	2	9	–	1	–	1	–	–	–	1	1	3	–	DEVONPORT.
BRISTOL	377,042	20·3	15·2	12·8	13·3	1·1	174	96	16	32	–	6	–	–	1	–	1	4	9	24	–	BRISTOL.
HANLEY	68,831	12·1	19·7	12·1	19·7	–	47	26	5	9	–	–	–	–	–	–	–	–	2	6	–	HANLEY.
BURTON-ON-TRENT	54,453	9·6	12·4	15·3	7·7	–	27	8	1	3	–	–	–	–	–	–	–	–	–	2	1	BURTON-ON-TRENT.
WOLVERHAMPTON..	104,633	18·9	18·4	14·5	18·9	2·5	49	38	6	12	–	3	1	–	1	–	–	3	4	9	2	WOLVERHAMPTON.
WALSALL	99,399	19·4	14·2	12·6	16·3	1·0	48	31	12	6	–	2	–	–	–	–	–	–	1	3	1	WALSALL.
HANDSWORTH ..	70,186	8·2	13·4	11·9	8·2	2·2	20	11	1	1	–	2	–	1	–	–	–	–	–	–	1	HANDSWORTH.
WEST BROMWICH..	70,457	17·0	11·1	10·4	14·8	1·5	40	20	7	4	–	1	–	–	–	–	1	–	–	1	–	WEST BROMWICH.

* See note † on first page of this return.

‡ Including 1 death from Meningitis (meningococcal), and 1 death from Cerebro-spinal Meningitis (meningococcus isolated from C.S. fluid).

† These towns are included within the area of Greater London.

ended Saturday, 1st May, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 10th April, 1909.	17th April, 1909.	24th April, 1909.	1st May, 1909.	Rate from Diseases in Cols. 11-17. Week ended 1st May, 1909.	Registered during the Week ended 1st May, 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
BIRMINGHAM ..	563,629	18·7	18·4	16·8	15·1	2·4	296	163	32	34	-	16	1	-	7	-	2	7	8	44	6	BIRMINGHAM.
KINGS NORTON ..	81,632	14·7	8·3	12·8	9·6	1·3	57	15	4	1	-	2	-	-	-	-	-	1	1	3	-	KINGS NORTON.
SMETHWICK	70,377	20·0	18·5	16·3	13·3	3·0	30	18	2	5	-	1	-	-	2	-	1	1	1	2	-	SMETHWICK.
ASTON MANOR ..	85,257	17·7	11·6	11·0	11·0	-	43	18	-	8	-	-	-	-	-	-	-	-	-	5	1	ASTON MANOR.
COVENTRY	80,163	18·9	20·8	11·7	18·9	0·7	44	29	6	10	-	1	-	-	-	-	-	2	2	8	1	COVENTRY.
LEICESTER	244,255	12·2	13·7	10·7	10·9	0·4	108	51	7	15	-	1	-	1	-	-	-	2	3	14	1	LEICESTER.
GRIMSBY	73,036	13·6	17·1	12·9	12·1	0·7	35	17	4	4	-	-	-	-	-	1	-	-	2	3	-	GRIMSBY.
NOTTINGHAM ..	263,443	17·6	20·2	17·8	15·0	1·0	118	76	15	27	-	3	1	-	-	-	1	1	1	17	-	NOTTINGHAM.
DERBY	129,411	18·1	11·3	18·1	12·5	0·4	65	31	5	8	-	1	-	-	-	-	-	4	4	11	-	DERBY.
STOCKPORT	103,706	19·1	15·1	19·6	15·6	3·5	51	31	7	6	-	3	-	-	4	-	-	-	1	6	-	STOCKPORT.
BIRKENHEAD ..	121,123	21·5	15·1	17·7	11·2	0·4	72	26	9	6	-	-	-	-	-	-	1	-	1	6	1	BIRKENHEAD.
WALLASEY	71,004	19·8	13·2	8·8	19·8	3·7	40	27	3	9	-	-	1	2	-	2	-	2	2	4	-	WALLASEY.
LIVERPOOL	760,357	20·6	22·0	20·3	18·4	1·9	435	269	50	63	-	11	6	1	7	1	2	10	18	97	6	LIVERPOOL.
BOOTLE	69,393	22·5	24·8	18·0	24·0	3·8	43	32	9	3	-	3	1	1	-	-	-	1	1	3	-	BOOTLE.
ST. HELENS	95,161	31·8	23·0	16·4	18·1	2·7	62	33	7	6	-	3	-	-	-	-	2	2	2	10	2	ST. HELENS.
WIGAN	90,678	16·7	20·1	22·4	19·0	4·0	50	33	10	6	-	5	-	-	2	-	-	-	-	7	-	WIGAN.
WARRINGTON ..	72,276	23·8	20·9	18·8	19·5	2·2	41	27	5	4	-	1	1	-	-	1	-	1	1	6	2	WARRINGTON.
BOLTON	187,824	19·2	13·6	17·5	16·1	2·2	87	58	15	13	-	4	-	-	2	-	2	4	4	8	-	BOLTON.
BURY	59,234	20·2	17·6	20·2	17·6	-	23	20	2	10	-	-	-	-	-	-	-	-	-	1	1	BURY.
MANCHESTER ..	655,435	18·3	21·1	18·8	17·3	2·2	375	217	44	51	-	14	2	2	6	1	3	7	12	67	2	MANCHESTER.
SALFORD	241,950	18·1	22·4	18·3	19·2	3·0	146	89	21	19	-	8	2	-	1	1	2	2	5	26	-	SALFORD.
OLDHAM	143,301	21·8	23·3	18·2	19·6	1·8	72	54	5	14	-	3	2	-	-	-	-	1	5	11	-	OLDHAM.
ROCHDALE	89,653	16·9	16·3	16·9	15·1	-	49	26	6	8	-	-	-	-	-	-	-	-	2	5	1	ROCHDALE.
BURNLEY	106,267	16·2	15·2	17·2	15·2	2·0	60	31	7	7	-	-	-	3	1	-	-	1	1	6	-	BURNLEY.
BLACKBURN	136,959	20·2	20·9	17·1	17·1	1·1	66	45	7	12	-	1	1	-	1	-	-	-	1	8	-	BLACKBURN.
PRESTON	118,519	21·1	22·4	21·1	20·2	4·4	55	46	13	13	-	-	-	1	8	-	1	1	1	8	3	PRESTON.
BARROW-IN-FURNESS.	62,996	14·9	17·4	16·6	12·4	-	26	15	-	4	-	-	-	-	-	-	-	-	-	5	-	BARROW-IN-FURNESS.

* See note † on first page of this return.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 1st May, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 10th April, 1909.	17th April, 1909.	24th April, 1909.	1st May, 1909.	Rate from Diseases in Cols. 11-17. Week ended 1st May, 1909.	Registered during the Week ended 1st May, 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,739	13·8	14·9	20·9	17·6	–	57	32	6	6	–	–	–	–	–	–	–	1	1	4	–	HUDDERSFIELD.
HALIFAX	111,911	11·6	13·0	12·6	12·1	0·9	37	26	3	13	–	–	–	2	–	–	–	1	2	7	1	HALIFAX.
BRADFORD	293,983	16·5	17·9	18·1	13·8	0·5	125	78	14	32	–	1	–	–	2	–	–	1	2	15	–	BRADFORD.
LEEDS	484,012	13·7	17·6	15·6	12·2	0·8	232	113	20	28	–	2	–	1	3	1	–	2	5	35	–	LEEDS.
SHEFFIELD	470,958	21·1	16·7	18·8	14·1	1·0	256	127	18	44	–	5	–	1	2	–	1	6	7	29	1	SHEFFIELD.
ROTHERHAM.. ..	65,070	8·8	16·0	13·6	12·0	–	49	15	6	2	–	–	–	–	–	–	–	1	1	2	–	ROTHERHAM.
YORK	37,004	11·4	13·2	15·6	7·8	0·6	43	13	1	5	–	–	–	1	–	–	–	–	–	2	–	YORK.
HULL	275,552	16·1	12·5	16·8	14·9	1·1	160	79	17	30	–	3	1	1	1	–	–	2	7	19	1	HULL.
MIDDLESBROUGH ..	105,255	28·2	19·8	24·3	23·3	3·5	84	47	15	8	–	2	–	–	2	2	1	2	2	3	–	MIDDLESBROUGH.
STOCKTON-ON-TEES	53,417	7·8	18·5	10·7	13·7	1·0	24	14	4	3	–	–	–	1	–	–	–	–	1	4	–	STOCKTON-ON-TEES.
WEST HARTLEPOOL	79,686	11·8	11·1	11·1	10·5	3·3	40	16	3	3	–	5	–	–	–	–	–	1	1	–	–	WEST HARTLEPOOL.
SUNDERLAND ..	159,378	22·9	20·6	19·6	20·6	1·3	85	63	19	15	–	3	–	–	1	–	–	4	4	15	–	SUNDERLAND.
SOUTH SHIELDS ..	117,627	17·7	12·9	13·7	16·0	2·2	65	36	10	13	–	1	–	–	3	1	–	–	–	6	1	SOUTH SHIELDS.
GATESHEAD	131,024	19·5	13·1	14·7	12·7	1·2	73	32	7	8	–	2	–	–	–	–	1	–	–	5	1	GATESHEAD.
NEWCASTLE-ON-TYNE.	281,584	17·4	17·6	16·7	16·9	1·3	149	91	16	27	–	5	–	1	1	–	–	3	7	14	–	NEWCASTLE-ON-TYNE.
TYNEMOUTH ..	55,808	29·0	27·1	14·9	19·6	1·9	41	21	6	6	–	2	–	–	–	–	–	–	1	5	–	TYNEMOUTH.
NEWPORT (MON.) ..	78,336	16·0	15·3	14·6	12·6	–	47	19	2	4	–	–	–	–	–	–	–	–	–	9	–	NEWPORT (MON.).
CARDIFF	195,303	17·9	13·6	15·8	8·8	0·5	94	33	7	12	1	–	–	–	–	–	1	2	7	8	–	CARDIFF.
RHONDDA	135,894	23·4	19·6	18·8	18·4	1·5	102	48	13	7	–	–	2	–	–	–	2	6	6	3	–	RHONDDA.
MERTHYR TYDFIL..	78,365	20·6	18·6	12·6	18·0	0·7	49	27	5	5	–	–	–	1	–	–	–	1	1	2	–	MERTHYR TYDFIL.
SWANSEA	98,308	22·8	22·3	26·5	12·2	0·5	67	23	6	5	–	1	–	–	–	–	–	–	–	5	1	SWANSEA.
GREATER LONDON	7,429,740	14·9	15·6	14·1	13·2	1·4	3676	1879	325	575	–	101	15	12	53	2	17	86	196	741	–	GREATER LONDON.
OUTER RING ..	2,595,802	13·0	12·4	12·3	11·6	1·0	1309	579	102	195	–	20	5	4	17	–	5	24	50	133	–	OUTER RING.
8 TOWNS IN OUTER RING.	1,284,152	11·5	12·1	12·2	10·7	1·0	666	263	52	79	–	9	2	1	12	–	1	9	21	64	–	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,311,650	14·6	12·7	12·4	12·6	1·0	643	316	50	116	–	11	3	3	5	–	4	15	29	69	–	REMAINDER OF OUTER RING.
EDINBURGH	355,366	15·4	17·9	18·5	17·2	2·6	180	117	22	36	–	–	1	1	11	–	5	2	?	27	4	EDINBURGH.
GLASGOW	872,021	19·6	19·3	17·3	18·1	3·1	505	303‡	67	63	–	–	3	4	34	3	8	9	?	92	13	GLASGOW.
DUBLIN (Registration Area).†	398,356	25 5	27·7	24·5	22·0	2·1	165	168‡	31	53	–	2	1	–	13	–	–	4	8	61	4	DUBLIN (Registration Area).†
BELFAST†	386,576	27·0	27·8	23·2	19·0	0·8	241	141	22	34	–	–	–	–	3	–	3	5	8	38	1	BELFAST.†

* See note † on first page of this return

† Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast respectively.

‡ Including 2 deaths from Cerebro-spinal meningitis in Glasgow, and 1 from Cerebro-spinal fever in Dublin.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the SEVENTEENTH Week of each of the Eleven Years, 1899–1909.

	1899	1900	1901	1902	1903	1904	1905	1906	1907	1908	Corrected Weekly Average in 5 Years 1904–1908.*	1909
TOTAL **Births** -	2693	2697	2585	2443	2611	2733	2568	2717	2452	2237	2601·8	2367
Males - - -	1402	1361	1320	1273	1312	1341	1320	1391	1268	1165	1327·8	1171
Females - -	1291	1336	1265	1170	1299	1392	1248	1326	1184	1072	1274·0	1196
TOTAL **Deaths** -	1478	1721	1552	1528	1533	1392	1426	1563	1423	1420	1479·1	1300
Males - - -	733	927	788	809	807	754	749	807	688	737	764·7	687
Females - -	745	794	764	719	726	638	677	756	735	683	714·4	613

* The numbers in this column are the average weekly numbers in the Seventeenth week of the five years 1904-1908, raised by 2·375 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	Mar. 6.	Mar. 13.	Mar. 20.	Mar. 27.	Apr. 3.	Apr. 10.	Apr. 17.	Apr. 24.	May 1.	13 Weeks.
TOTAL **Births** -	2444	2335	2461	2173	2075	2585	2469	2356	2413	2188	2447	2569	2367	30882
TOTAL **Deaths** -	1878	1646	1731	1849	2116	2221	2225	1989	1700	1470	1406	1393	1300	23124
Ages at Death: Under 1 year -	254	258	256	273	309	297	309	273	275	240	286	245	223	3498
1—5 years -	185	193	250	224	251	273	271	246	197	209	226	179	166	2870
5—20 " -	77	69	89	79	97	85	106	87	77	78	77	72	60	1053
20—40 " -	199	190	192	183	211	214	230	187	182	168	175	147	174	2452
40—60 " -	416	345	373	398	437	453	449	383	341	300	296	282	297	4770
60 yrs. & upwds.	747	591	571	692	811	899	860	813	628	475	546	468	380	8481
Deaths from—														
Small-pox† - -	–	–	–	–	–	–	1	–	–	–	–	–	–	1
Measles - - -	52	69	93	94	92	105	129	118	94	95	112	72	81	1206
Scarlet Fever - -	11	9	8	8	7	9	7	9	8	11	9	8	10	114
Diphtheria - -	24	15	19	18	18	22	19	15	14	16	13	11	8	212
Whooping-cough -	29	15	25	35	55	35	36	40	32	33	53	49	41	478
Typhus - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever - -	7	4	4	2	1	4	5	5	3	2	3	2	1	43
Pyrexia (origin uncertain).	–	–	–	–	–	–	–	–	–	–	–	–	1	1
Diarrhœa, Dysentery	12	19	9	14	10	10	16	12	14	8	9	7	12	152
All above diseases -	135	131	158	171	183	185	213	199	165	165	199	149	154	2207
Dis. of Resp. System	354	219	235	309	389	411	360	317	194	158	157	128	85	3316
Pneumonia - -	202	222	252	237	314	347	291	250	205	152	184	166	147	2969
Phthisis - - -	171	145	153	161	183	161	204	127	142	126	146	98	116	1933
Dis. of Circ. System -	270	249	214	257	260	280	266	250	197	163	192	181	155	2934
Violence - - -	63	54	55	42	63	56	66	56	52	53	58	50	62	730
Inquest Cases - -	198	150	142	140	188	182	190	169	153	137	141	131	146	2067
Deaths in Institutions	749	639	680	676	783	777	870	786	657	616	688	564	608	9093
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	42·7	34·8	37·4	33·4	30·1	36·5	38·8	44·8	44·7	46·9	51·5	52·2	48·6	41·7
Mean of Highest -	47·7	40·0	45·8	40·9	37·1	41·3	45·3	51·3	52·4	59·8	63·0	64·0	58·9	49·8
Mean of Lowest -	37·1	30·0	29·3	27·1	23·4	33·2	33·3	39·1	37·8	33·3	41·1	42·1	40·6	34·4
Mean Humidity of the Air.	79	81	75	79	85	84	81	81	80	58	70	69	69	76
Rain-fall (in inches) -	0·04	0·29	0·01	0·08	1·23	0·46	0·41	0·51	0·66	0·00	0·22	0·72	0·77	5·40
Registered Sunshine (in hours).	7·7	21·1	36·3	22·4	16·2	17·0	17·7	20·7	23·8	83·7	42·2	53·4	64·0	426·2
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	1	1	1	1	1	2	3	2	2	2	1	1	–	1
Scarlet Fever - -	3117	3002	2910	2826	2873	2670	2596	2571	2462	2418	2294	2219	2181	2626
Diphtheria - - -	1181	1177	1188	1157	1167	1150	1143	1120	1106	1079	1036	1019	1016	1118
Typhus - - -	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Enteric Fever - -	124	128	133	124	116	115	106	96	87	77	75	67	58	100

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **3.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lander, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq. F.R.Met.Soc., Hull; the Meteorological Committee, Tynemouth; and F. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the SEVENTEENTH Week of the Year 1909.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 17th week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.			
ALL CAUSES	1479·1	1300	223	166	60	174	297	380
Small-pox*	0·8	-	-	-	-	-	-	-
Cowpox	-	-	-	-	-	-	-	-
Measles (Morbilli)	55·9	81	20	61	-	-	-	-
Scarlet Fever	8·4	10	1	4	4	1	-	-
Typhus	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-
Influenza	22·7	32	1	-	1	-	4	26
Whooping-cough	47·5	41	19	21	1	-	-	-
Diphtheria	14·5	8	-	6	2	-	-	-
Cerebro-spinal Fever ..	-	2	1	1	-	-	-	-
Pyrexia† (origin uncertain)	0·2	1	1	-	-	-	-	-
Enteric Fever	4·1	1	-	-	-	1	-	-
Asiatic Cholera	-	-	-	-	-	-	-	-
Epidemic Diarrhœa, Infective Enteritis	3·5	4	3	1	-	-	-	-
Diarrhœa, Dysentery ..	11·3	8	5	-	-	-	1	2
Tetanus	1·0	-	-	-	-	-	-	-
Rabies, Hydrophobia ..	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever)..	0·2	-	-	-	-	-	-	-
Venereal Dis.	5·1	7	7	-	-	-	-	-
Puerperal Septicæmia ..	1·8	3	-	-	-	3	-	-
Puerperal Pyæmia.. .	-	-	-	-	-	-	-	-
Puerperal Fever	0·8	2	-	-	-	2	-	-
Infective Endocarditis ..	2·7	3	-	-	-	2	1	-
Pneumonia — Lobar ..	24·2	30	2	-	1	9	12	6
Pneumonia — Broncho ..	71·3	54	13	21	2	2	5	11
Pneumonia — Epidemic ..	-	-	-	-	-	-	-	-
Pneumonia — Not defined	76·0	63	3	6	2	19	18	15
Erysipelas	2·3	-	-	-	-	-	-	-
Septicæmia (not Puerperal)	1·0	1	-	-	-	1	-	-
Pyæmia (not Puerperal)	0·6	-	-	-	-	-	-	-
Other Infective Processes	4·3	4	-	-	-	2	2	2
Tuberculous Phthisis ..	86·2	91	1	2	4	36	38	10
"*Phthisis*	52·2	25	-	-	1	13	10	1
Tuberculous Meningitis ..	25·0	20	6	7	6	1	-	-
Tuberculous Peritonitis ..	9·0	8	3	2	2	1	-	-
Tabes Mesenterica	1·8	-	-	-	-	-	-	-
Tuberculous Dis., Other ..	19·5	18	3	7	2	4	1	1
Scrofula..	0·2	-	-	-	-	-	-	-
Alcoholism	10·0	5	-	-	-	2	2	1
Rheumatic Fever	5·9	7	-	-	4	1	-	2
Gout	2·0	-	-	-	-	-	-	-
Carcinoma	56·7	66	-	-	-	6	21	39
Sarcoma	5·1	9	-	2	1	1	4	1
Cancer (undefined) ..	35·2	31	-	-	1	4	10	16
Diabetes Mellitus	6·6	12	-	-	-	1	6	5
Premature Birth	50·0	36	36	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 17th week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.			
Meningitis (not tuberc.)..	17·8	8	2	5	-	-	1	-
Gen. Par. of Insane, Insanity	17·6	19	1	-	2	3	6	7
Epilepsy	10·4	6	-	-	-	2	3	1
Convulsions	19·7	14	13	1	-	-	-	-
Locomotor Ataxy.. ..	2·3	4	-	-	-	-	4	-
Paraplegia, Dis. of Cord.	4·5	4	-	1	-	1	1	1
Nervous Sys., Other Dis.	15·4	7	-	-	-	-	5	2
Valv. Dis., Endocarditis..	47·7	55	-	-	4	7	17	27
Cereb. Hæm. Cereb. Emb.	34·6	25	-	-	-	-	6	19
Apoplexy, Hemiplegia ..	17·0	13	-	-	-	-	3	10
Aneurysm	4·9	10	-	-	-	3	7	-
Embolism, Thrombosis (not Cerebral) ..	1·2	2	-	-	-	1	-	1
Heart & Blood Ves., Other Dis... ..	89·1	50	-	-	1	3	12	32
Croup (not Spasm: nor Memb.)	0·8	-	-	-	-	-	-	-
Bronchitis	112·8	62	6	1	-	2	16	37
Emphysema, Asthma ..	3·9	6	-	-	-	1	4	1
Pleurisy	4·9	5	-	1	-	2	2	-
Respiratory Dis., Other..	10·6	12	4	1	-	1	3	3
Tonsillitis, Quinsy.. ..	0·4	-	-	-	-	-	-	-
Enteritis (not Epid.) ..	6·6	11	5	1	-	3	1	1
Gastro-enteritis	5·9	6	4	2	-	-	-	-
Peritonitis (not Puerp.) ..	2·5	2	1	-	1	-	-	-
Cirrhosis of Liver.. ..	12·1	13	-	-	-	2	8	3
Liver Dis., Other	4·7	4	-	-	-	-	4	-
Digestive Sys., Other Dis.	37·5	33	3	4	1	6	8	11
Acute Nephritis	5·1	5	-	-	-	2	2	1
Bright's Dis., Albuminuria	35·2	53	-	1	2	7	26	17
Urinary Sys., Other Dis.	11·5	7	-	-	-	1	1	5
Generative Organs Dis...	3·7	3	1	-	-	-	1	1
Childbirth (Accid. of) ..	4·5	1	-	-	-	1	-	-
Old Age	56·9	41	-	-	-	-	-	41
Other Diseases	92·4	74	46	4	4	5	5	10
ACCIDENT.								
By Railways	1·0	1	-	-	1	-	-	-
By Vehicles and Horses..	7·8	7	-	1	2	-	3	1
In Ships, Boats, Docks, (exclusive of Drowning)	0·2	-	-	-	-	-	-	-
In Building Operations..	1·4	-	-	-	-	-	-	-
In Conflagrations	1·0	-	-	-	-	-	-	-
By Burns, Scalds, Explosions	6·3	6	1	1	1	1	1	1
By Drowning	2·9	4	1	-	2	-	1	-
By Suffocation in Bed ..	10·4	7	7	-	-	-	-	-
By Poisons or Poisonous Vapours	2·7	2	1	-	-	-	1	-
Other Deaths by Accident..	12·3	18	2	1	3	-	4	8
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	0·6	-	-	-	-	-	-	-
Suicide	12·5	17	-	-	-	10	6	1
Execution	0·2	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.
† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 1st May, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia† (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified causes of Death.
LONDON	4,536,267	2367	1300	223	380	-	81	10	8	41	-	1	1	12	62	146	608	-
WEST DISTRICTS	805,311	356	232	39	68	-	13	2	1	10	-	-	-	1	10	19	105	-
NORTH DISTRICTS	1,055,908	499	234	45	86	-	14	2	1	5	-	-	-	3	15	28	113	-
CENTRAL DISTRICTS	209,465	111	61	13	14	-	2	-	-	8	-	-	-	1	4	8	43	-
EAST DISTRICTS	715,739	478	238	43	57	-	29	-	-	7	-	-	-	2	12	32	136	-
SOUTH DISTRICTS	1,749,844	923	457	83	142	-	23	6	6	11	-	1	1	4	21	58	1[illegible]3	-
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	48	-	13	-	-	-	-	-	-	-	-	1	-	1	48	-
WEST DISTRICTS.																		
North Paddington *H*	63,603	25	7	1	2	-	-	-	-	1	-	-	-	-	2	2	-	-
Central Paddington *W,3H*	50,053	25	23	4	8	-	-	-	-	2	-	-	-	-	1	3	13	-
South Paddington	30,320	5	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town *2W,w,2H* ..	128,037	60	47	7	19	-	2	-	-	3	-	-	-	-	2	2	28	-
Brompton *2H*	48,591	15	5	1	3	-	-	-	-	-	-	-	-	-		-	-	-
North Hammersmith *2W,w,H* ..	49,192	30	18	2	5	-	4	1	-	1	-	-	-	1	-	-	10	-
South Hammersmith *w,2H* ..	63,047	29	22	4	1	-	4	-	-	-	-	-	-	-	1	3	4	-
North-west Fulham *W*	45,180	41	26	5	13	-	2	-	-	1	-	-	-	-	-	1	16	-
North-east Fulham *F*	46,405	16	6	-	3	-	-	1	1	-	-	-	-	-	-	1	2	-
South Fulham *W*	45,704	28	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Chelsea North *W,w,3H*	42,514	19	15	1	6	-	1	-	-	-	-	-	-	-	-	2	9	-
Chelsea South *W,2H*	31,328	18	8	2	4	-	-	-	-	-	-	-	-	-	2	2	3	-
Mayfair and Knightsbridge	28,743	3	3	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Belgrave *W,2H*	55,815	20	14	4	-	-	-	-	-	1	-	-	-	-	-	-	5	-
St. Margaret & St. John *6H*	43,698	12	14	3	-	-	-	-	-	1	-	-	-	-	2	2	7	-
St. James and St. Anne *W,6H* ..	33,081	10	6	1	1	-	-	-	-	-	-	-	-	-	-	-	3	-
NORTH DISTRICTS.																		
All Souls Marylebone *9H*	35,391	15	23	3	6	-	-	-	-	-	-	-	-	1	-	-	17	-
St. Mary Marylebone *W,4H* ..	37,948	36	5	-	3	-	-	-	-	-	-	-	-	-	1	1	1	-
Christchurch Marylebone	39,536	19	5	1	2	-	-	-	-	-	-	-	-	-	1	1	-	-
St. John Marylebone *2H*	20,426	13	3	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Hampstead *W,F,6H*	81,942	22	18	6	4	-	-	-	-	1	-	-	-	-	-	-	3	-
West St. Pancras *2H*	60,562	21	12	-	3	-	-	-	-	-	-	-	-	-	2	4	2	-
South St. Pancras *w,12H*	55,707	22	19	-	4	-	-	-	-	-	-	-	-	-	2	3	16	-
East St. Pancras *W,H*	60,320	24	15	-	7	-	-	-	-	-	-	-	-	-	3	4	11	-
North St. Pancras *2W*	58,728	20	16	2	7	-	2	-	-	-	-	-	-	-	-	-	9	-
Tufnell *W*	31,995	11	15	3	5	-	2	-	-	-	-	-	-	-	1	1	11	-
Upper Holloway *2W,w,H*	33,978	19	21	1	11	-	1	-	-	1	-	-	-	-	1	2	15	-
Tollington *W,w,H*	33,922	14	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lower Holloway	41,424	20	10	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-
Barnsbury	54,478	26	7	2	2	-	-	-	-	-	-	-	-	-	-	2	-	-
Islington South-east *F*	75,397	43	18	4	4	-	3	1	-	1	-	-	-	-	-	-	1	-
Highbury *2H*	63,797	33	11	2	4	-	1	-	-	1	-	-	-	-	-	1	1	-
Stoke Newington *H*	51,247	14	8	1	6	-	-	-	-	-	-	-	-	-	-	-	-	-
North Hackney	50,398	13	5	1	2	-	-	-	-	-	-	-	-	1	-	-	-	-
Central Hackney *w,F*	50,536	36	11	6	1	-	-	1	1	1	-	-	-	-	-	2	2	-
South-west Hackney *3H*	59,921	41	17	4	4	-	2	-	-	-	-	-	-	-	1	1	10	-
South-east Hackney *2W,H*	58,255	37	23	5	8	-	1	-	-	-	-	-	-	1	3	6	12	-
Hackney Union Workhouse, Brentwood	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 1st May, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
St. Giles and Bloomsbury 2*W*,2*H* ..	31,436	23	5	1	1	-	-	-	-	1	-	-	-	-	-	1	-	-
Strand *W*,4*H*	21,674	6	12	2	2	-	-	-	-	1	-	-	-	-	1	1	11	-
Strand Union Workhouse, Edmonton	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Holborn *W*,6*H*	29,612	10	14	4	3	-	-	-	-	3	-	-	-	-	1	1	12	-
Clerkenwell *H*	63,704	28	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
St. Luke 3*H*,*L*	36,116	39	6	4	2	-	1	-	-	1	-	-	-	1	-	1	1	-
Holborn Union Workhouse, Mitcham	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
St. Botolph *H*	10,299	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	2	20	1	4	-	-	-	-	2	-	-	-	-	2	4	17	-
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
Shoreditch South 2*H*	46,362	20	11	3	1	-	5	-	-	1	-	-	-	-	1	1	-	-
Shoreditch North-West *W*,*w*,*H* ..	36,127	29	24	1	8	-	1	-	-	-	-	-	-	-	-	1	18	-
Shoreditch North-East	36,148	21	9	4	2	-	1	-	-	1	-	-	-	-	-	2	-	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	48	30	7	9	-	1	-	-	2	-	-	-	1	2	5	24	-
Bethnal Green South-West *H* ..	64,542	42	5	1	1	-	-	-	-	-	-	-	-	-	1	2	2	-
Spitalfields..	27,969	16	4	-	2	-	-	-	-	-	-	-	-	-	-	2	-	-
Mile End New Town *W*,*H*	28,718	31	38	3	6	-	-	-	-	-	-	-	-	-	3	5	35	-
Goodman's Fields	22,081	9	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George and St. John 2*W* ..	49,068	44	13	4	2	-	1	-	-	-	-	-	-	-	-	1	7	-
Shadwell and Ratcliff *w*,*H* ..	25,568	10	10	3	-	-	4	-	-	-	-	-	-	1	3	5	7	-
Limehouse *W*	32,369	16	5	-	2	-	2	-	-	-	-	-	-	-	-	1	-	-
Mile End Old Town South-Western *H*	63,698	67	8	3	-	-	2	-	-	-	-	-	-	-	-	-	1	-
Mile End Old Town North-Eastern *W*,*w*	49,129	26	14	1	5	-	-	-	-	1	-	-	-	-	1	3	8	-
Bow	41,989	20	6	2	3	-	-	-	-	-	-	-	-	-	-	1	-	-
Bromley 3*w*,*H*	68,319	40	42	8	10	-	8	-	-	2	-	-	-	-	1	3	30	-
Poplar *W*,*w*	58,514	39	16	3	5	-	4	-	-	-	-	-	-	-	-	-	4	-
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 1st May, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch and St. Saviour Southwark *W,2H*	23,319	9	24	7	3	-	1	-	1	-	-	-	-	-	1	5	20	-
Kent-road	21,904	21	3	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-
St. George the Martyr West *W,2H,L*	39,094	15	10	4	1	-	1	-	-	1	-	-	-	-	-	-	6	-
Newington North	49,022	36	11	4	5	-	-	-	-	-	-	-	-	-	-	3	-	-
Newington South *W*	72,841	26	7	3	1	-	-	-	-	-	-	-	-	-	1	1	-	-
St. Olave *2W*	9,817	8	6	2	-	-	-	-	-	-	-	-	-	-	1	2	1	-
Bermondsey *W*	82,483	59	12	1	1	-	1	-	-	1	-	-	-	-	-	2	-	-
Rotherhithe *W,F*	38,460	26	23	5	5	-	7	-	-	1	-	-	-	-	1	3	12	-
Waterloo *2H*	27,440	28	3	1	1	-	-	-	-	-	-	-	-	-	-	-	2	-
Lambeth Church *H*	27,440	13	19	2	3	-	1	-	1	-	-	-	-	1	2	3	13	-
Kennington *2W*	52,518	23	30	4	11	-	2	-	-	-	-	-	-	-	-	1	18	-
Stockwell *HF*	63,826	45	8	-	2	-	1	2	-	1	-	-	-	-	-	1	3	-
Brixton *H*	73,673	25	23	2	7	-	-	-	-	-	-	-	-	-	1	4	4	-
Norwood *2WH*	56,998	30	16	3	9	-	-	-	-	-	-	-	-	-	-	1	1	-
East Battersea *H*	73,203	40	13	1	6	-	1	-	-	1	-	-	-	-	1	2	-	-
North-west Battersea	49,656	32	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
South-west Battersea *2W,H*	47,048	16	23	3	11	-	1	-	-	1	-	-	-	-	1	3	17	-
Clapham *2H*	51,361	34	9	4	2	-	1	-	-	-	-	-	-	-	1	1	-	-
Streatham *W,2w,2F,2L*	88,019	45	22	3	9	-	2	2	-	-	-	-	1	1	-	-	7	-
Springfield *2W,L*	27,959	15	6	-	2	-	1	-	-	-	-	-	-	-	1	2	-	-
Southfields *H*	40,444	18	10	1	3	-	-	-	-	2	-	-	-	-	2	2	-	-
Putney	24,139	2	3	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Dulwich	13,359	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	23	11	-	6	-	-	-	-	-	-	-	-	-	-	-	11	-
Camberwell North *W,2L*	65,584	29	22	6	4	-	1	-	-	1	-	-	-	-	-	2	12	-
St. George	47,331	22	5	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Peckham North	48,913	28	6	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Peckham South *2W,w*	43,946	14	10	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-
Deptford North	37,613	22	6	2	1	-	-	-	-	-	-	-	-	-	1	2	-	-
Deptford Central *F*	45,481	29	4	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Deptford South	34,625	11	5	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-
Greenwich West *2H*	23,458	15	4	1	2	-	-	-	-	-	-	-	-	-	-	2	-	-
Greenwich East *2W,H*	43,859	26	20	3	9	-	-	-	-	-	-	-	-	1	-	-	13	-
Eltham *w,H*	7,226	4	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *w,H*	25,490	7	6	1	3	-	-	-	-	-	-	-	-	-	2	2	1	-
Lewisham *2W,w,F*	58,352	41	21	3	7	-	-	-	2	1	-	-	-	-	2	3	9	-
Sydenham *H*	43,653	21	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Charlton *F,2H*	21,134	4	9	1	-	-	-	2	2	-	-	1	-	-	1	1	7	-
Woolwich *5H*	41,625	21	8	3	-	-	1	-	-	-	-	-	-	-	1	3	2	-
Plumstead West *W,H*	39,376	19	8	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *2W*	28,951	16	9	-	5	-	1	-	-	-	-	-	-	-	-	2	4	-
Workhouses:—																		
Belmont Workhouse	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Small-pox Hospitals:—																		
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																		
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																		
Children's Infirmary, Carshalton	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
M. A. B. Imbecile Asylums:—																		
Caterham	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Leavesden	—	-	9	-	3	-	-	-	-	-	-	-	-	-	-	-	9	-
London County Lunatic Asylums:—																		
Banstead	—	-	12	-	2	-	-	-	-	-	-	-	-	-	-	-	12	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
Manor	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Grove	—	-	6	-	1	-	-	-	-	-	-	-	-	-	-	-	6	-
Cane Hill	—	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	5	-
Dartford Heath	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
Hanwell	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-
Colney Hatch	—	-	4	-	3	-	-	-	-	-	-	-	-	1	-	-	4	-
Claybury	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-

TABLE **6.** LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERATED POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 1st May, 1909.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING ..	368,603	2,045,135	1309	579	102	195	–	20	5	4	17	–	5	24	50	133	–
30 : 1	Carshalton 2F,3H	12,228	32,997	12	6	2	1	–	1	1	–	–	–	–	–	–	1	–
2	Epsom, *part of** W,w,2F,H ..	10,423	15,548	5	4	–	2	–	–	–	–	–	–	–	–	1	1	–
37 : 1	Godstone, *part of** W,F,L ..	2,751	2,692	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
38 : 1	Coulsdon	11,069	8,166	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2	South Croydon w,H ..	4,200	49,309	34	8	–	4	–	–	–	–	–	–	–	–	–	–	–
3	West Croydon 3W,F,H ..	2,168	42,888	46	23	2	9	–	–	–	–	–	–	–	2	2	12	–
4	North Croydon H	2,614	41,698	21	7	4	1	–	1	–	–	–	–	–	–	–	1	–
5	Penge w	770	22,465	9	5	2	3	–	–	–	–	–	–	–	1	1	–	–
6	Mitcham w	11,711	30,015	24	7	2	3	–	1	–	–	–	–	–	–	1	–	–
39 : 1	Wimbledon F,3H	3,221	41,652	11	10	2	5	–	–	–	1	–	–	–	2	4	1	–
2	Kingston 2W,H	6,224	42,068	25	18	3	6	–	–	–	–	–	–	–	2	2	7	–
3	Surbiton F,H	3,046	15,017	9	3	–	1	–	1	–	–	1	–	–	–	–	–	–
4	Esher, *part of** H	5,402	13,100	5	4	1	1	–	1	–	–	–	–	–	–	–	–	–
5	Hampton H,F,L	4,561	23,456	11	4	–	2	–	–	–	–	–	–	–	–	–	2	–
40 : 1	Richmond W,H	2,491	31,672	11	8	–	3	–	–	–	–	–	–	–	–	1	–	–
2	Mortlake F	2,518	17,821	16	9	2	2	–	–	–	1	1	–	–	1	1	1	–
41 : 1	Bromley F,3H	4,703	27,354	10	5	1	1	–	–	–	–	–	–	–	–	–	1	–
2	Beckenham H	7,825	28,497	15	5	1	1	–	–	–	–	1	–	–	–	–	–	–
3	Orpington, *part of** W,F ..	10,113	9,857	7	6	2	1	–	–	–	–	–	–	–	–	–	6	–
4	Chislehurst 2H	7,333	16,446	10	3	–	–	–	–	–	–	–	–	–	–	–	–	–
42 : 1	Bexley w,F,H	8,678	21,151	11	8	1	3	–	–	–	–	1	–	–	–	–	–	–
2	Erith F,H	3,854	25,296	10	6	1	1	–	–	–	–	–	–	–	1	1	–	–
3	Dartford W,F, *part of** ..	—	—	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–
124 : 1	Sunbury w	11,054	18,683	11	4	2	2	–	–	–	–	–	–	–	1	1	–	–
2	Staines W,H	13,277	15,178	5	4	–	2	–	1	–	–	–	–	–	–	–	1	–
125 : 1	Hillingdon W,F,H	6,035	13,661	9	1	–	1	–	–	–	–	–	–	–	–	–	–	–
2	Uxbridge H	12,757	8,984	6	2	–	–	–	–	–	–	–	–	–	–	–	–	–
3	Hayes w 2F,H	8,066	16,358	14	2	1	–	–	–	–	–	–	–	–	–	–	–	–
126 : 1	Isleworth 3W,3F,H	6,859	30,863	21	19	1	8	–	–	–	–	–	–	–	1	1	12	–
2	Twickenham F,2H	2,421	20,991	21	5	–	3	–	–	–	–	–	–	–	1	1	1	–
3	Brentford 3F,2H	4,319	48,289	36	18	2	5	–	1	–	–	–	–	–	–	1	1	–
4	Chiswick H	1,219	29,809	18	9	2	6	–	–	–	–	–	–	–	–	1	–	–
5	Acton w,F,3H	6,132	48,914	35	17	4	6	–	2	1	1	–	–	–	1	2	1	–
127 : 1	Harrow F,H	13,809	25,523	21	10	1	3	–	1	–	–	1	–	1	–	–	–	–
2	Edgware 2F,2H	6,994	4,521	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3	Willesden W,F,2H	4,384	114,811	76	30	6	5	–	–	–	–	2	–	–	–	2	6	–
4	Hendon W,F	8,382	22,450	22	8	1	4	–	–	1	–	–	–	–	–	1	2	–
128 : 1	South Mimms 2F,H ..	17,755	7,308	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
2	Barnet W,2H	3,324	17,970	13	5	3	–	–	1	–	–	–	–	–	–	–	1	–
3	Finchley F,3H	4,688	33,692	26	9	3	3	–	–	–	–	–	–	–	–	2	–	–
129 : 1	Hornsey F,H	2,875	72,056	31	14	1	7	–	1	–	–	2	–	–	1	1	–	–
2	Wood Green H	1,625	34,233	19	11	2	2	–	–	–	–	–	–	–	–	1	–	–
3	West Tottenham	995	48,741	42	6	1	3	–	–	–	–	–	–	–	–	–	–	–
4	East Tottenham 2H ..	2,019	53,962	36	18	4	5	–	–	–	–	–	–	–	–	2	6	–
5	Edmonton W,w,2F	7,491	61,892	45	18	2	11	–	1	–	–	–	–	–	–	–	8	–
6	Enfield 2W,F,H	12,601	42,738	35	7	2	2	–	–	–	–	–	–	–	–	–	–	–
7	Waltham Abbey F	11,017	6,549	6	2	1	–	–	–	–	–	–	–	–	–	–	–	–
8	Cheshunt F,H	8,479	12,292	4	2	–	2	–	–	–	–	–	–	–	–	–	–	–
135 : 1	Hatfield, *part of** W ..	3,305	664	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
137 : 1	Bushey H	9,333	9,173	8	4	–	3	–	–	–	–	–	–	–	1	1	–	–
2	Watford W,2F, *part of** ..	—	—	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
186 : 1	Stratford H	1,091	52,974	29	13	3	4	–	–	–	–	2	–	–	2	2	2	–
2	Forest Gate	787	52,745	26	12	3	5	–	–	–	–	–	–	–	–	–	–	–
3	Plaistow F,2H	1,249	90,921	59	23	4	7	–	2	–	–	1	–	1	–	–	1	–
4	Canning Town H	1,556	70,718	69	13	2	3	–	1	–	–	1	–	–	2	5	–	–
5	South East Ham 2F ..	1,991	37,342	26	16	8	1	–	1	–	–	3	–	–	1	3	–	–
6	North East Ham w,H ..	1,333	58,666	43	16	3	4	–	2	1	–	1	–	–	–	1	–	–
7	Wanstead F	1,679	9,179	8	1	–	–	–	–	–	–	–	–	–	–	–	–	–
8	South Leyton 2W	631	50,467	36	9	2	4	–	–	–	–	–	–	–	1	1	7	–
9	North Leyton 2W,w,F ..	1,963	48,445	29	37	5	11	–	–	1	1	–	–	–	1	2	29	–
10	Walthamstow 2H,L ..	6,504	108,929	65	20	3	7	–	1	–	–	–	–	–	2	3	–	–
187 : 1	Chigwell 2F,3H	11,778	16,397	6	6	–	3	–	–	–	–	–	–	–	–	1	1	–
2	Epping W,F, *part of** ..	—	—	–	2	–	1	–	–	–	–	–	–	–	–	–	2	–
189 : 1	Romford, *part of** W,2F ..	6,556	6,091	1	3	–	2	–	–	–	–	–	–	–	–	–	3	–
2	Ilford F,L	8,496	41,244	20	8	4	3	–	–	–	–	–	–	–	–	–	–	–
3	Barking Town F	3,805	21,547	16	8	–	–	–	–	–	–	–	–	–	–	1	–	–
	N.W. Hosp., Hampstead ..	—	—	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
	London County Lunatic Asylum (Horton Asylum), Epsom.	—	—	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	–	5	–	3	–	–	–	–	–	–	–	–	–	5	–
	Surrey County Lunatic Asylum, Betchworth.	—	—	–	1	–	–	–	–	–	–	–	–	1	–	–	1	–
	Kent County Lunatic Asylum, Maidstone.	—	—	–	3	–	2	–	–	–	–	–	–	1	–	–	3	–
	Middlesex County Lunatic Asylum, Napsbury.	—	—	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–
	Herts County Lunatic Asylum, Hill End.	—	—	–	1	–	–	–	–	–	–	–	–	1	–	–	1	–
	Essex County Lunatic Asylum, Brentwood.	—	—	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30 : 2, excepting Ashtead parish; 37 : 1, Warlingham and Farley parishes; 39 : 4, excepting Esher parish; 41 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135 : 1, Northaw parish; 189 : 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42 : 3, 137 : 2 and 187 : 2 and in the Croydon Mental Hospital in 37 : 1 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths.	Annual Death-rate per 1000 living.	Deaths from Small-pox	Measles.	Scarlet Fever	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON	4,833,938	May 1	2367	1300	14·0	-	81	10	8	41	2	12
CALCUTTA	1,014,438	March 20	-	881	46·4	305	6	-	5	-	148†	146‡
		" 27	-	1110	58·4	116	2	-	-	3	216†	167‡
BOMBAY	982,000	April 6	377	1039	55·2	17	4	?	?	?	461†	95‡
MADRAS	548,974	" 2	328	335	34·2	3	2	-	-	-	108	47‡
PARIS	2,760,000	" 24	969	1065	20·3	-	6	2	10	3	5	17
BRUSSELS	704,975	" 24	-	-	-	-	-	-	-	-	-	-
ANTWERP	310,903	" 24	-	-	-	-	-	-	-	-	-	-
AMSTERDAM	566,218	" 24	280	172	15·8	-	6	2	1	2	-	6
COPENHAGEN	448,000	" 24	225	136	15·8	-	3	1	3	2	-	9
STOCKHOLM	339,582	" 17	152	122	18·7	-	-	2	1	1	-	1
CHRISTIANIA	231,687	" 24	122	63	14·1	-	1	-	-	4	-	-
ST. PETERSBURG	1,573,000	" 10	704	787	26·1	2	25	16	10	9	11	81
		" 17	1194	895	29·7	2	24	13	9	13	8	81‡
MOSCOW	1,452,100	" 10	-	820	29·4	10	22	21	12	10	11	72
		" 17	-	862	31·0	13	31	27	12	5	15	87
BERLIN	2,098,024	" 10	908	686	17·0	-	10	12	11	5	1	27
HAMBURG	872,252	" 24	-	313	18·7	-	2	6	4	2	-	20
BRESLAU	501,283	" 17	-	191	19·9	-	3	2	1	5	-	16
MUNICH	566,000	" 17	259	240	22·1	-	6	-	4	3	-	23
VIENNA	2,064,037	" 24	853	873	22·0	-	28	8	4	5	3	33
PRAGUE	480,856	" 17	216	213	23·0	-	1	4	1	1	1	8
BUDAPEST	823,215	" 17	401	335	21·1	-	3	2	9	-	1	6
TRIESTE	217,706	" 24	137	110	26·3	-	-	1	-	1	-	4
ROME	565,323	February 6	276	305	28·1	-	6	1	4	-	1	10
VENICE	179,286	April 10	78	74	21·5	-	1	-	2	-	-	5
BUCAREST	296,585	" 17	130	146	25·7	-	-	1	3	-	1	6
NEW YORK	4,564,792	" 10	2193	1690	19·3	-	32	23	49	6	-	42
CHICAGO	2,224,490	" 10	-	667	15·6	-	2	3	20	3	8	46
PHILADELPHIA	1,565,569	" 3	-	-	-	-	-	-	-	-	-	-
RIO DE JANEIRO	637,089	March 28	-	229	18·7	7	-	1	-	-	-	?
CAIRO:—												
Egyptians	666,587	April 1	568	439	34·2	2	14	-	4	?	8	96
Foreigners	35,219	" 1	7	15	22·1	-	1	-	-	?	-	1
ALEXANDRIA:—												
Egyptians	341,965	" 1	260	190	28·9	-	9	5	7	?	3	37
Foreigners	46,118	" 1	2	23	25·9	-	-	2	-	?	1	2

* Excluding deaths from croup in the Indian Cities.
† Including 77 and 61 deaths from plague in Calcutta and 407 in Bombay.
‡ Including 101 and 143 deaths from cholera in Calcutta, 14 in Bombay, 3 in Madras, and 5 in St. Petersburg.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 1st May, 1909.

Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	68·1	35·1	49·7	0·77	BRADFORD	56·4	30·8	45·0	0·72
BRIGHTON	55·9	35·7	48·4	0·22	YORK	62·0	31·5	47·7	0·35
PORTSMOUTH	60·8	39·0	50·1	0·54	HULL	63·0	31·0	48·0	0·51
NORWICH	-	-	-	-	TYNEMOUTH	60·0	29·0	45·0	1·00
PLYMOUTH	61·8	41·2	50·2	0·60	CARDIFF	58·9	33·0	47·1	0·91
BRISTOL	60·8	34·8	48·2	0·66	EDINBURGH	56·5	30·9	43·3	1·09
BIRMINGHAM	60·1	32·2	46·8	0·91	GLASGOW	59·0	33·5	46·0	1·17
NOTTINGHAM	61·1	32·4	47·6	0·32	DUBLIN Phœnix Park.	59·1	33·0	45·6	0·49
LIVERPOOL OBSERVATORY.	58·0	36·0	47·1	0·37	DUBLIN Fitz-william Square.†	60·1	35·1	47·2	0·48
MANCHESTER	56·8	30·7	46·4	0·94					
BURNLEY	55·0	28·0	45·1	0·79					
HUDDERSFIELD	57·8	31·0	46·5	0·95	BELFAST	57·0	35·0	46·4	0·83

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to the seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°·6 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 1st May, 1909.

[*Under the Superintendence of the Astronomer Royal.*]

1909. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Temperature. Of the Air. Low-est.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Great-est.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Great-est.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
APRIL.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 25	Greatest Dec. N.	29·607	60·8	42·3	18·5	51·1	+ 2·5	41·7	9·4	15·2	1·8	70	126·2	32·0	48·28	SW.	SW. & S.	5·0	0·0	0·3	334	+ 50	0·07	12·8
MONDAY - 26	..	29·541	68·1	41·1	27·0	54·4	+ 5·8	40·8	13·6	26·3	0·8	60	125·2	28·5	48·50	S., SSW. & SW.	SW., SSW. & SE.	2·2	0·0	0·1	260	− 23	0·08	14·2
TUESDAY - 27	First Qr.	29·547	59·0	45·0	14·0	50·1	+ 1·4	46·2	3·9	9·7	1·8	86	118·9	34·8	48·61	SSW. & SW.	SSW., WSW. & W.	5·0	0·0	0·2	296	+ 11	0·30	11·5
WEDNESDAY 28	..	29·837	62·2	42·3	19·9	51·3	+ 2·5	39·5	11·8	21·6	2·6	64	123·7	35·0	48·80	WSW. & SW.	WSW. & SW.	6·2	0·0	0·6	481	+195	0·01	10·3
THURSDAY - 29	..	29·591	59·0	39·4	19·6	47·8	− 1·2	39·0	8·8	17·8	0·7	71	132·1	34·3	48·88	SW. & WSW.	SW., S. & NNW.	5·3	0·0	0·3	393	+106	0·19	15·2
FRIDAY - 30	Apogee	29·844	53·1	38·9	14·2	44·3	− 4·8	34·1	10·2	18·9	0·0	67	105·8	36·0	48·80	NNW. & NW.	NW, WNW. & WSW.	14·7	0·0	0·4	388	+102	0·06	2·8
MAY. SATURDAY - 1	..	29·926	50·1	35·1	15·0	41·5	− 7·8	30·9	10·6	19·3	2·6	66	116·0	29·0	48·65	W., WNW. & NNW.	NNW. & NW.	7·8	0·0	0·4	374	+ 91	0·06	0·0
MEANS - -		29·699	58·9	40·6	18·3	48·6	− 0·2	38·9	9·8	18·4	1·5	69	121·1	32·8	48·65	SW. & NW.		..	..	..	Sum 2526	Sum +532	Sum 0·77	9·5
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. APRIL.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.
SUNDAY - 25	w.P. till 10h. A.M.; w.P. generally with occasional s. P. and s. N. afterwards.	11·7	14·4
MONDAY - 26	w. P. till 6h. P.M.; v. P. and v. N. afterwards.	12·0	14·4
TUESDAY - 27	w. P. generally with occasional v. N. till 9h. A.M.; v.P. and v.N. till 9h.P.M.; m. P. afterwards.	4·4	14·5
WEDNESDAY 28	m. P. generally till 1h. P.M.; w. P. till 4h. P.M.; v. P. generally afterwards.	11·1	14·6
THURSDAY - 29	v. P. and v. N. till 3h. A.M.; m. P. till 1h. P.M.; v. P. and v. N. afterwards.	7·3	14·6
FRIDAY - 30	v.P. generally till 9h. A.M.; s. P. with occasional s.N. afterwards.	7·4	14·7
MAY. SATURDAY - 1	s. P. generally; occasional s. N.	10·1	14·8
		Sum 64·0	Sum 102·0
No. of Col. - -	27	28	29

GENERAL REMARKS.

Very fine generally; occasional sharp showers between 10h. A.M. and 3h. P.M. Lunar halo observed at night.

Partially cloudy in early morning with light shower at 0h. 30m. A.M.; very fine between 3h. A.M. and 5h. P.M.; cloudy and showery afterwards. Lunar halo observed shortly before midnight.

Generally cloudy; frequent showers; lightning at 9h. 40m. A.M. and occasional thunder till noon; sharp shower of rain and hail at 11h. 50m. A.M.

Very fine generally with variable amounts of cloud till 9h. P.M.; overcast afterwards; brisk wind prevalent between 9h. A.M. and 6h. P.M. Solar halo with parhelia observed at and about 6h. P.M.; occasional slight rain after 8h. P.M.

Generally overcast with occasional rain in early morning; fine and variably cloudy between 5h. A.M. and 1h. P.M.; generally overcast afterwards with frequent rain; sharp shower of rain and hail accompanied by lightning and thunder at 1h. 40m. P.M. Solar halo observed at intervals between 2h. & 3h. P.M.

Generally cloudy and showery in morning; fine with large amounts of cloud after 8h. A.M. and occasional showers till the afternoon; gusty wind between 9h. A.M. and 7h. P.M.

Overcast with rain in early morning; fine with variable amounts of cloud and occasional threatening intervals afterwards.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·46 in. at the beginning of the week to 29·64 in. by 9h. P.M. on April 25th; decreased to 29·49 in. by 11h. P.M. on April 26th; increased to 29·84 in. by 9h. A.M. on April 28th; decreased to 29·43 in. by 9h. P.M. on April 29th; and increased to 30·07 in. by midnight on May 1st.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 24th April, 1909.*

BOROUGHS.	Estimated Population in the middle of 1909.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	151,955	-	6	3	-	1	-	-	2	-	-
Kensington	183,683	-	8	7	-	1	-	-	2	-	-
Hammersmith	125,704	-	13	3	-	-	-	-	3	-	-
Fulham	176,406	-	11	6	-	2	-	-	3	-	-
Chelsea	75,249	-	3	2	-	-	-	-	-	-	-
City of Westminster ..	168,883	-	12	2	-	1	-	-	-	1	-
NORTH.											
St. Marylebone	126,027	-	9	5	-	-	-	-	1	1	-
Hampstead	94,185	-	5	1	-	2	-	-	-	-	-
St. Pancras	237,422	-	16	7	-	1	-	-	5	1	1
Islington	351,202	-	19	9	-	3	-	-	5	-	-
Stoke Newington	54,423	-	3	-	-	-	-	-	-	-	-
Hackney	237,601	-	7	7	-	-	-	-	1	1	1
CENTRAL.											
Holborn	53,802	-	2	2	-	-	-	-	-	-	-
Finsbury	95,289	-	5	6	1	-	-	-	6	-	-
City of London	18,193	-	-	-	-	-	-	-	-	1	-
EAST.											
Shoreditch	114,802	-	5	6	-	-	-	-	1	-	-
Bethnal Green	131,316	-	8	4	-	-	-	-	-	1	-
Stepney	312,525	-	15	9	-	1	-	-	8	-	1
Poplar	171,965	-	15	5	-	-	-	-	6	-	-
SOUTH.											
Southwark	211,125	-	6	6	-	-	-	-	4	1	-
Bermondsey	127,569	-	8	12	-	-	-	-	1	-	-
Lambeth	324,188	-	18	9	-	1	-	-	1	-	1
Battersea	186,036	-	12	2	-	3	-	-	4	-	1
Wandsworth	297,646	-	18	16	-	-	-	-	2	1	-
Camberwell	283,022	-	16	9	-	1	-	-	2	-	-
Deptford	118,583	-	6	4	-	2	-	-	5	-	-
Greenwich	111,014	-	3	3	-	-	-	-	4	-	-
Lewisham	160,749	-	6	6	-	1	-	-	2	-	-
Woolwich	133,374	-	16	3	-	-	-	-	1	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,833,933	-	271	154	1	20	-	-	69	8	5
Ages 0–1		-	7	6	-	-	-	-	3	-	3
" 1–5		-	81	58	-	2	-	-	4	-	2
" 5–		-	100	49	-	3	-	-	5	-	-
" 10–		-	43	19	1	1	-	-	2	-	-
" 15–		-	20	6	-	4	-	-	4	-	-
" 20–		-	7	5	-	2	-	-	6	1	-
" 25–		-	10	6	-	5	-	-	8	7	-
" 35–		-	2	4	-	2	-	-	12	-	-
" 45–		-	1	1	-	-	-	-	9	-	-
" 55–		-	-	-	-	-	-	-	7	-	-
" 65 and upwards		-	-	-	-	1	-	-	9	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY DARLING & SON, LTD., 34-40, BACON STREET, E.

1909.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 18. 1909. VOL. LXX.] WEEK ENDED SATURDAY, MAY 8. [Price 1½*d.*

General Register Office, Somerset House,
May 10th, 1909.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 14·1 per 1000 of their aggregate population, which is estimated † at 16,445,281 persons in the middle of this year. In the preceding three weeks the rates had been 17·1, 15·8, and 14·5. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 19·2 in Rochdale, 19·3 in Manchester and in Oldham, 19·5 in Bootle, 20·6 in Stockport, 20·8 in St. Helens, 21·2 in Hanley, and 22·4 in Wolverhampton; from *measles*, 2·0 in Wolverhampton and in Stockton on Tees, 2·2 in St. Helens and in Warrington, and 4·6 in Wigan; from *scarlet fever*, 1·0 in Stockport and 1·1 in St. Helens; from *diphtheria*, 1·3 in West Hartlepool; and from *whooping-cough*, 1·1 in St. Helens, 1·9 in Tynemouth, 2·1 in Swansea, and 3·5 in Middlesbrough. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2537 BIRTHS and 1304 DEATHS were registered. Allowing for increase of population, the births were 37 and

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-five other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(13321—41.) Wt. 109—472. 700. 5/09. D & S. G. 31. Sch. 4.

the deaths 111 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes, which had been 17·3, 15·0, and 14·0 per 1000 in the preceding three weeks, was 14·1 last week. The death-rate in the four weeks ended last Saturday averaged 15·1 per 1000, being 0·8 per 1000 below the mean rate in the corresponding periods of the five years 1904–8.

The 1304 deaths included 73 from measles, 10 from scarlet fever, 13 from diphtheria, 35 from whooping-cough, and 13 from diarrhœa; but not one death from small-pox, from enteric fever, from typhus or from ill-defined pyrexia: thus, to these diseases in the aggregate 144 deaths were referred, being 2 below the corrected average number in the eighteenth week of the preceding five years.

The deaths from *measles*, which had been 112, 72, and 81 in the preceding three weeks, numbered 73 last week, and were 21 above the corrected average; 10 deaths belonged to the Borough of Shoreditch, 8 to Stepney, and 6 each to Hammersmith and Poplar. The deaths from *scarlet fever*, which had been 9, 8, and 10 in the preceding three weeks, were again 10 last week, the corrected average being 9. The deaths from *diphtheria*, which had been 13, 11, and 8 in the preceding three weeks, were 13 last week, and were equal to the corrected average; 3 deaths belonged to Lambeth. The deaths from *whooping-cough*, which had been 53, 49, and 41 in the preceding three weeks, further fell to 35 last week, and were 16 below the corrected average; 5 deaths belonged to Poplar, and 3 each to Bethnal Green, Southwark, and Lambeth. No death from *enteric fever* was registered last week; the deaths in the preceding three weeks had been 3, 2, and 1. The deaths from *diarrhœa*, which had been 9, 7, and 12 in the preceding three weeks, were 13 last week, and were 5 below the corrected average. Of the 13 deaths from diarrhœa, 11 were those of children under 5 years of age; 4 other deaths at this age were certified as due to *enteritis* and 2 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 16, having been 43, 45, and 32 in the preceding three weeks.

Different forms of violence caused 59 deaths, concerning all of which inquests were held. Of these 59 deaths, 9 were cases of suicide, and 1 of homicide, while the remaining 49 were attributed to accident or negligence. Ten of these latter were referred to vehicles in the streets, six to burns or scalds, five to drowning, and seven, of infants under one year of age, to suffocation in bed. One death occurred while under an anæsthetic administered for surgical purposes.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 2175 cases of scarlet fever, 993 of diphtheria, and 56 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 309 cases, against 244, 265, and 305; of diphtheria, 104 cases, against 87, 122, and 117; and of enteric fever, 3 cases, against 5, 11, and 6. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended May 1st, 1909.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 4009 births and 1833 deaths were registered. Allowing for increase of population, these numbers are 21 and 146 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 11 deaths from measles, 2 from scarlet fever, 2 from diphtheria, 3 from whooping-cough, 1 from "fever," and 2 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 30·11 inches, and that of the Thermometer 50°·6, the latter being 0°·3 above the week's average in the 65 years ended 1905. The general direction of the wind was Easterly, the horizontal movement of the air being 34 per cent. above the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 92·4 hours; no rain was measured during the week.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 8th May, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 17th April, 1909.	24th April, 1909.	1st May, 1909.	8th May, 1909.	Rate from Diseases in Cols. 11-17. Week ended 8th May, 1909.	Registered during the Week ended 8th May, 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS	**16,445,281**	**17·1**	**15·8**	**14·5**	**14·1**	**1·4**	**8995**	**4462**	**934**	**1314**	**-**	**198**	**43**	**46**	**109**	**7**	**42**	**170**	**338**	**1227**	**40**	**76 TOWNS.**
LONDON	4,833,938	17·3	15·0	14·0	14·1	1·6	2537	1304	260	411	-	73	10	13	35	-	13	59	128	561	-	LONDON.
† CROYDON	161,078	14·6	15·2	11·3	10·4	0·6	77	32	7	11	-	-	1	-	1	-	-	4	6	7	-	† CROYDON.
† WILLESDEN ..	160,424	10·7	8·5	10·1	7·2	1·0	87	22	7	6	-	-	-	-	2	-	1	-	-	4	-	† WILLESDEN.
† HORNSEY	95,628	10·4	7·1	8·2	6·5	-	29	12	-	7	-	-	-	-	-	-	-	-	-	2	-	† HORNSEY.
† TOTTENHAM ..	129,464	12·9	12·1	10·5	9·3	0·8	93	23	4	9	-	-	-	1	1	-	-	-	-	7	-	† TOTTENHAM.
† WEST HAM ..	321,767	13·1	16·0	13·6	13·0	2·4	189	80	10	20	-	8	2	-	5	-	-	8	10	18	-	† WEST HAM.
† EAST HAM.. ..	149,575	11·5	11·5	11·5	8·7	2·1	71	25	6	5	-	4	-	1	1	-	-	-	-	2	-	† EAST HAM.
† LEYTON	129,614	8·9	11·3	7·6	12·5	0·4	68	31	11	9	-	-	-	-	1	-	-	3	5	7	-	† LEYTON.
† WALTHAMSTOW	136,602	12·6	9·5	7·6	9·2	1·1	77	24	7	3	-	1	1	-	-	-	1	3	5	5	-	† WALTHAMSTOW.
HASTINGS	68,165	15·3	18·4	15·3	14·5	-	21	19	-	12	-	-	-	-	-	-	-	-	-	4	-	HASTINGS.
BRIGHTON	130,926	17·5	17·1	14·7	9·6	-	51	24	3	13	-	-	-	-	-	-	-	-	2	7	-	BRIGHTON.
PORTSMOUTH ..	214,726	18·5	15·1	17·2	16·8	1·9	116	69	16	19	-	3	-	3	2	-	-	2	5	16	-	PORTSMOUTH.
BOURNEMOUTH ..	72,368	18·0	19·5	10·1	14·4	0·7	31	20	-	10	-	1	-	-	-	-	-	1	3	2	-	BOURNEMOUTH.
SOUTHAMPTON ..	124,667	16·3	17·1	8·8	13·8	1·3	47	33	7	10	-	-	1	-	1	-	1	-	-	12	-	SOUTHAMPTON.
READING	82,995	17·0	7·5	10·1	6·9	-	34	11	2	3	-	-	-	-	-	-	-	-	1	1	1	READING.
NORTHAMPTON ..	97,752	17·1	12·3	10·1	10·7	-	41	20	5	3	-	-	-	-	-	-	-	1	1	3	-	NORTHAMPTON.
IPSWICH	74,889	15·3	7·7	10·4	14·6	-	49	21	6	6	-	-	-	-	-	-	-	-	-	4	-	IPSWICH.
GREAT YARMOUTH	53,430	28·3	10·7	19·5	18·5	1·0	24	19	2	9	-	-	-	-	1	-	-	-	-	3	-	GREAT YARMOUTH.
NORWICH	124,136	13·4	12·6	11·8	18·9	-	66	45	6	24	-	-	-	-	-	-	-	1	6	6	-	NORWICH.
PLYMOUTH	124,180	17·2	21·4	18·1	11·3	1·3	45	27	5	9	-	1	1	1	-	-	-	-	3	6	-	PLYMOUTH.
DEVONPORT	83,103	15·7	11·3	13·8	12·5	0·6	49	20	4	7	-	1	-	-	-	-	-	-	1	3	-	DEVONPORT.
BRISTOL	377,642	15·2	12·8	13·3	11·6	0·1	193	84	8	35	-	-	-	1	-	-	-	4	4	20	-	BRISTOL.
HANLEY	68,831	19·7	12·1	19·7	21·2	1·5	37	28	7	8	-	-	-	-	-	1	1	-	1	5	1	HANLEY.
BURTON-ON-TRENT	54,453	12·4	15·3	7·7	11·5	-	30	12	2	7	-	-	-	-	-	-	-	-	-	-	-	BURTON-ON-TRENT.
WOLVERHAMPTON..	104,633	18·4	14·5	18·9	22·4	2·0	49	45	6	12	-	4	-	-	-	-	-	1	3	10	-	WOLVERHAMPTON.
WALSALL	99,399	14·2	12·6	16·3	13·6	1·0	63	26	8	7	-	1	-	-	1	-	-	-	2	2	-	WALSALL.
HANDSWORTH ..	70,186	13·4	11·9	8·2	8·2	-	26	11	-	6	-	-	-	-	-	-	-	-	-	1	-	HANDSWORTH.
WEST BROMWICH ..	70,457	11·1	10·4	14·8	14·8	1·5	36	20	5	5	-	-	1	-	1	-	-	-	-	5	1	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

ended Saturday, 8th May, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 17th April, 1909.	24th April, 1909.	1st May, 1909.	8th May, 1909.	Rate from Diseases in Cols. 11-17. Week ended 8th May, 1909.	Registered during the Week ended 8th May, 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
BIRMINGHAM ..	563,629	18·4	16·8	15·1	14·1	1·9	329	152	36	45	-	15	1	2	1	-	1	6	8	35	4	BIRMINGHAM.
KINGS NORTON ..	81,632	8·3	12·8	9·6	8·9	1·3	31	14	3	3	-	2	-	-	-	-	-	2	2	1	1	KINGS NORTON.
SMETHWICK	70,377	18·5	16·3	13·3	9·6	2·2	50	13	1	3	-	2	-	-	1	-	-	-	-	1	-	SMETHWICK.
ASTON MANOR ..	85,257	11·6	11·0	11·0	11·6	0·6	51	19	8	3	-	1	-	-	-	-	-	-	-	4	-	ASTON MANOR.
COVENTRY	80,163	20·8	11·7	18·9	16·9	2·6	55	26	8	6	-	2	1	-	-	-	1	1	1	4	1	COVENTRY.
LEICESTER	244,255	13·7	10·7	10·9	9·0	0·2	105	42	7	23	-	-	1	-	-	-	-	-	2	8	2	LEICESTER.
GRIMSBY	73,036	17·1	12·9	12·1	15·7	1·4	60	22	9	7	-	-	-	-	1	-	1	1	1	2	-	GRIMSBY.
NOTTINGHAM ..	263,443	20·2	17·8	15·0	15·0	2·0	163	76	24	23	-	6	-	-	2	-	2	3	5	14	1	NOTTINGHAM.
DERBY	129,411	11·3	18·1	12·5	13·3	0·8	74	33	4	15	-	-	-	2	-	-	-	2	5	8	-	DERBY.
STOCKPORT	103,706	15·1	19·6	15·6	20·6	2·5	62	41	3	16	-	1	2	-	1	-	1	1	3	13	-	STOCKPORT.
BIRKENHEAD ..	121,123	15·1	17·7	11·2	13·3	-	80	31	7	10	-	-	-	-	-	-	-	3	4	8	-	BIRKENHEAD.
WALLASEY	71,004	13·2	8·8	19·8	13·2	0·7	34	18	4	5	-	-	1	-	-	-	-	1	1	4	-	WALLASEY.
LIVERPOOL	760,357	22·0	20·3	18·4	16·1	1·6	463	235	57	51	-	8	4	2	7	-	2	10	14	76	9	LIVERPOOL.
BOOTLE	69,393	24·8	18·0	24·0	19·5	1·5	52	26	4	9	-	2	-	-	-	-	-	1	1	4	-	BOOTLE.
ST. HELENS	95,161	23·0	16·4	18·1	20·8	4·4	73	38	10	4	-	4	2	-	2	-	-	2	4	6	1	ST. HELENS.
WIGAN	90,678	20·1	22·4	19·0	15·0	5·2	55	23	10	2	-	8	-	-	1	-	-	1	2	-	-	WIGAN.
WARRINGTON ..	72,276	20·9	18·8	19·5	13·7	3·6	57	19	2	2	-	3	-	-	1	1	-	-	-	6	-	WARRINGTON.
BOLTON	187,824	13·6	17·5	16·1	14·4	1·1	110	52	12	16	-	1	-	-	2	-	1	1	4	11	2	BOLTON.
BURY	59,234	17·6	20·2	17·6	15·8	2·6	28	18	5	3	-	1	-	-	1	-	1	-	-	2	-	BURY.
MANCHESTER ..	655,435	21·1	18·8	17·3	19·3	2·1	381	243	46	67	-	10	4	4	5	2	2	11	19	71	-	MANCHESTER.
SALFORD	241,950	22·4	18·3	19·2	17·2	3·7	122	80	14	18	-	9	3	2	2	-	1	4	8	17	1	SALFORD.
OLDHAM	143,301	23·3	18·2	19·6	19·3	2·2	112	53	13	10	-	1	2	1	-	-	2	2	2	8	-	OLDHAM.
ROCHDALE	89,653	16·3	16·9	15·1	19·2	0·6	42	33	9	11	-	1	-	-	-	-	-	2	4	4	2	ROCHDALE.
BURNLEY	106,267	15·2	17·2	15·2	10·8	1·0	45	22	4	6	-	-	-	-	-	-	2	-	1	3	1	BURNLEY.
BLACKBURN	136,959	20·9	17·1	17·1	15·6	2·3	67	41	8	8	-	1	1	2	-	1	1	1	2	8	-	BLACKBURN.
PRESTON	118,519	22·4	21·1	20·2	16·7	0·9	71	38	11	14	-	-	-	-	1	-	1	2	2	4	2	PRESTON.
BARROW-IN-FURNESS.	62,996	17·4	16·6	12·4	11·6	-	36	14	4	4	-	-	-	-	-	-	-	-	-	2	1	BARROW-IN-FURNESS.

* See note † on first page of this return.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 8th May, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 17th April, 1909.	24th April, 1909.	1st May, 1909.	8th May, 1909.	Rate from Diseases in Cols. 11-17. Week ended 8th May, 1909.	Registered during the Week ended 8th May, 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,739	14·9	20·9	17·6	18·7	1·1	54	34	5	8	-	-	-	1	-	1	-	2	4	4	-	HUDDERSFIELD.
HALIFAX	111,911	13·0	12·6	12·1	9·8	0·5	51	21	6	7	-	-	-	-	1	-	-	-	-	3	-	HALIFAX.
BRADFORD	293,983	17·9	18·1	13·8	11·7	0·4	114	66	7	28	-	-	-	1	1	-	-	5	5	22	-	BRADFORD.
LEEDS	484,012	17·6	15·6	12·2	14·9	0·5	244	138	31	39	-	2	-	-	3	-	-	4	11	35	-	LEEDS.
SHEFFIELD	470,958	16·7	18·8	14·1	14·3	1·0	279	129	31	27	-	5	-	1	2	1	-	1	5	33	2	SHEFFIELD.
ROTHERHAM.. ..	65,070	16·0	13·6	12·0	8·0	0·8	57	10	3	1	-	-	-	-	-	-	1	1	2	-	-	ROTHERHAM.
YORK	87,004	13·2	15·6	7·8	11·4	0·6	48	19	1	4	-	-	-	-	-	-	1	1	1	3	-	YORK.
HULL	275,552	12·5	16·8	14·9	11·9	0·4	172	63	9	23	-	1	-	-	-	-	1	3	5	16	-	HULL.
MIDDLESBROUGH ..	105,255	19·8	24·3	23·3	18·8	4·5	69	38	15	4	-	-	-	1	7	-	1	-	1	4	1	MIDDLESBROUGH.
STOCKTON-ON-TEES	53,417	18·5	10·7	13·7	11·7	2·0	34	12	4	5	-	2	-	-	-	-	-	-	-	-	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL	79,686	11·1	11·1	10·5	14·4	2·0	35	22	3	5	-	1	-	2	-	-	-	1	1	3	-	WEST HARTLEPOOL.
SUNDERLAND ..	159,378	20·6	19·6	20·6	16·7	2·6	71	51	11	16	-	3	2	2	-	-	1	3	4	11	2	SUNDERLAND.
SOUTH SHIELDS ..	117,627	12·9	13·7	16·0	16·0	2·2	83	36	7	9	-	2	-	2	1	-	-	1	3	7	1	SOUTH SHIELDS.
GATESHEAD	131,024	13·1	14·7	12·7	10·7	0·4	76	27	6	11	-	1	-	-	-	-	-	-	-	4	3	GATESHEAD.
NEWCASTLE-ON-TYNE.	281,584	17·6	16·7	16·9	14·4	2·0	164	78	23	15	-	5	1	-	5	-	-	1	6	8	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH ..	55,808	27·1	14·9	19·6	16·8	2·8	34	18	5	1	-	1	-	-	2	-	-	-	1	3	-	TYNEMOUTH.
NEWPORT (MON.) ..	78,336	15·3	14·6	12·6	10·7	-	50	16	3	7	-	-	-	-	-	-	-	1	2	2	-	NEWPORT (MON.).
CARDIFF	195,503	13·6	15·8	8·8	16·0	0·8	95	60	13	14	-	-	-	-	2	-	1	-	2	11	-	CARDIFF.
RHONDDA	135,894	19·6	18·8	18·4	16·5	0·4	128	43	11	9	-	-	-	-	1	-	-	1	2	3	-	RHONDDA.
MERTHYR TYDFIL..	78,365	18·6	12·6	18·0	13·3	-	41	20	4	3	-	-	-	-	-	-	-	1	2	3	-	MERTHYR TYDFIL.
SWANSEA	98,308	22·3	26·5	12·2	15·4	3·2	52	29	9	8	-	-	1	1	4	-	-	-	-	5	-	SWANSEA.
GREATER LONDON	7,429,740	15·6	14·1	13·2	12·9	1·4	4009	1833	363	583	-	97	16	17	49	1	17	95	185	658	2	GREATER LONDON.
OUTER RING ..	2,595,802	12·4	12·3	11·6	10·6	1·1	1472	529	103	172	-	24	6	4	14	1	4	36	57	97	2	OUTER RING.
8 TOWNS IN OUTER RING.	1,284,152	12·1	12·2	10·7	10·1	1·3	691	249	52	70	-	13	4	2	11	-	2	18	26	52	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,311,650	12·7	12·4	12·6	11·1	0·8	781	280	51	102	-	11	2	2	3	1	2	18	31	45	2	REMAINDER OF OUTER RING.
EDINBURGH	355,366	17·9	18·5	17·2	16·3	1·6	160	111	21	37	-	-	1	-	8	-	2	2	-	44	5	EDINBURGH.
GLASGOW	872,021	19·3	17·3	18·1	16·3	2·4	475	273‡	60	49	-	-	6	-	23	-	8	8	-	91	8	GLASGOW.
DUBLIN (Registration Area).†	398,356	27·7	24·5	22·0	18·8	1·0	301	144	26	34	-	2	-	-	4	-	2	3	6	49	3	DUBLIN (Registration Area).†
BELFAST†	386,576	27·8	23·2	19·0	18·3	0·5	250	136	21	49	-	-	-	-	4	-	-	6	8	42	2	BELFAST.†

* See note † on first page of this return.

† Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the EIGHTEENTH Week of each of the Eleven Years, 1899–1909.

	1899	1900	1901	1902	1903	1904	1905	1906	1907	1908	Corrected Weekly Average in 5 Years 1904–1908.*	1909
TOTAL **Births** -	2623	2737	2562	2474	2537	2403	2722	2547	2352	2546	2573·7	2537
Males - - -	1314	1364	1278	1271	1332	1175	1362	1334	1182	1312	1303·2	1299
Females - -	1309	1373	1284	1203	1205	1228	1360	1213	1170	1234	1270·5	1238
TOTAL **Deaths** -	1397	1675	1454	1381	1387	1325	1304	1446	1364	1474	1415·4	1304
Males - - -	705	889	777	738	708	681	683	735	720	787	738·3	703
Females - -	692	786	677	643	679	644	621	711	644	687	677·1	601

* The numbers in this column are the average weekly numbers in the Eighteenth week of the five years 1904-1908, raised by 2·375 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Feb. 13.	Feb. 20.	Feb. 27.	Mar. 6.	Mar 13.	Mar. 20.	Mar. 27.	Apr. 3.	Apr. 10.	Apr. 17.	Apr. 24.	May 1.	May 8.	13 Weeks.
TOTAL **Births** -	2335	2461	2173	2075	2585	2469	2356	2413	2188	2447	2569	2367	2537	30975
TOTAL **Deaths** -	1646	1731	1849	2116	2221	2225	1989	1700	1470	1606	1393	1300	1304	22550
Ages at Death: Under 1 year -	258	256	273	309	297	309	273	275	240	286	245	223	230	3504
1—5 years -	193	250	224	251	273	271	246	197	209	226	179	166	169	2854
5—20 " -	69	89	79	97	85	106	87	77	78	77	72	60	68	1044
20—40 " -	190	192	183	211	214	230	187	182	168	175	147	174	143	2396
40—60 " -	345	373	398	437	453	449	383	341	300	296	282	297	253	4607
60 yrs. & upwds.	591	571	692	811	899	860	813	628	475	546	468	380	411	8145
Deaths from—														
Small-pox† - -	-	-	-	-	-	1	-	-	-	-	-	-	-	1
Measles - - -	69	93	94	92	105	129	118	94	95	112	72	81	73	1227
Scarlet Fever - -	9	8	8	7	9	7	9	8	11	9	8	10	10	113
Diphtheria - -	15	19	18	18	22	19	15	14	16	13	11	8	13	201
Whooping-cough -	15	25	35	55	35	36	40	32	33	53	49	41	35	484
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	4	4	2	1	4	5	5	3	2	3	2	1	-	36
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Diarrhœa, Dysentery	19	9	14	10	10	16	12	14	8	9	7	12	13	153
All above diseases -	131	158	171	183	185	213	199	165	165	199	149	154	144	2216
Dis. of Resp. System	219	235	309	389	411	360	317	194	158	157	128	85	76	3038
Pneumonia - -	222	252	237	314	347	291	250	205	152	184	166	147	136	2903
Phthisis - - -	145	153	161	183	161	204	127	142	126	146	98	116	130	1892
Dis. of Circ. System -	249	214	257	260	280	266	250	197	163	192	181	155	156	2820
Violence - - -	54	55	42	63	56	66	56	52	53	58	50	62	59	726
Inquest Cases - -	150	142	140	188	182	190	169	153	137	141	131	146	128	1997
Deaths in Institutions	639	680	676	783	777	870	786	657	616	688	564	608	561	8905
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	34·8	37·4	33·4	30·1	36·5	38·8	44·8	44·7	46·9	51·5	52·2	48·6	50·6	42·3
Mean of Highest -	40·0	45·8	40·9	37·1	41·3	45·3	51·3	52·4	59·8	63·0	64·0	58·9	61·0	50·8
Mean of Lowest -	30·0	29·3	27·1	23·4	33·2	33·3	39·1	37·8	33·3	41·1	42·1	40·6	40·2	34·7
Mean Humidity of the Air.	81	75	79	85	84	81	81	80	58	70	69	69	60	75
Rain-fall (in inches) -	0·29	0·01	0·08	1·23	0·46	0·41	0·51	0·66	0·00	0·22	0·72	0·77	0·00	5·36
Registered Sunshine (in hours).	21·1	36·3	22·4	16·2	17·0	17·7	20·7	23·8	83·7	42·2	53·4	64·0	92·4	510·9
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	1	1	1	1	2	3	2	2	2	1	1	-	-	1
Scarlet Fever - -	3002	2910	2826	2873	2670	2596	2571	2462	2418	2294	2219	2181	2175	2554
Diphtheria - - -	1177	1188	1157	1167	1150	1143	1120	1106	1079	1036	1019	1016	993	1104
Typhus - - -	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Enteric Fever - -	128	133	124	116	115	106	96	87	77	75	67	58	56	95

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **3.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lander, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq. F.R Met.Soc., Hull; the Meteorological Committee, Tynemouth; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the EIGHTEENTH Week of the Year 1909.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 18th week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.			
ALL CAUSES	1415·4	1304	260	169	68	143	253	411
Small-pox*	0·4	-	-	-	-	-	-	-
Cowpox	-	-	-	-	-	-	-	-
Measles (Morbilli)	52·2	73	26	46	1	-	-	-
Scarlet Fever	9·2	10	1	4	5	-	-	-
Typhus	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-
Influenza	15·6	16	-	-	-	3	4	9
Whooping-cough	51·2	35	19	15	1	-	-	-
Diphtheria	12·7	13	1	11	1	-	-	-
Cerebro-spinal Fever ..	0·2	-	-	-	-	-	-	-
Pyrexia† (origin uncertain)	0·2	-	-	-	-	-	-	-
Enteric Fever	2·3	-	-	-	-	-	-	-
Asiatic Cholera	-	-	-	-	-	-	-	-
Epidemic Diarrhœa, Infective Enteritis	6·1	6	3	2	1	-	-	-
Diarrhœa, Dysentery ..	11·9	7	6	-	-	-	1	-
Tetanus	0·4	-	-	-	-	-	-	-
Rabies, Hydrophobia ..	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever)..	-	-	-	-	-	-	-	-
Venereal Dis.	10·2	8	7	1	-	-	-	-
Puerperal Septicæmia ..	1·0	1	-	-	-	1	-	-
Puerperal Pyæmia.. .	0·2	-	-	-	-	-	-	-
Puerperal Fever	0·6	-	-	-	-	-	-	-
Infective Endocarditis ..	2·0	-	-	-	-	-	-	-
Pneumonia — Lobar ..	19·7	27	1	1	1	5	7	12
Pneumonia — Broncho ..	59·8	51	19	19	1	2	-	10
Pneumonia — Epidemic ..	-	-	-	-	-	-	-	-
Pneumonia — Not defined	65·9	58	5	11	-	10	15	17
Erysipelas	3·3	4	1	1	-	-	-	2
Septicæmia (not Puerperal)	1·0	1	-	-	1	-	-	-
Pyæmia (not Puerperal)	0·2	-	-	-	-	-	-	-
Other Infective Processes	4·3	6	1	1	-	2	-	2
Tuberculous Phthisis ..	97·1	94	-	3	4	41	32	14
"*Phthisis*	46·3	36	-	1	6	9	14	6
Tuberculous Meningitis ..	22·9	21	4	13	4	-	-	-
Tuberculous Peritonitis ..	9·8	10	6	1	-	2	1	-
Tabes Mesenterica	1·0	3	1	1	1	-	-	-
Tuberculous Dis., Other ..	18·6	20	1	8	5	3	-	3
Scrofula..	-	-	-	-	-	-	-	-
Alcoholism	8·4	6	-	-	-	1	4	1
Rheumatic Fever	5·5	6	-	-	4	1	-	1
Gout	2·0	2	-	-	-	-	1	1
Carcinoma	60·8	62	-	-	-	1	25	36
Sarcoma	6·6	4	-	1	1	-	1	1
Cancer (undefined) ..	33·4	32	-	-	-	1	11	20
Diabetes Mellitus	8·6	13	-	-	1	2	5	5
Premature Birth	43·8	49	49	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 18th week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.			
Meningitis (not tuberc.)..	17·0	9	2	3	1	1	1	1
Gen. Par. of Insane, Insanity	15·6	11	-	-	-	1	7	3
Epilepsy	7·6	2	-	-	1	-	1	-
Convulsions	15·8	18	16	2	-	-	-	-
Locomotor Ataxy.. ..	1·6	1	-	-	-	-	1	-
Paraplegia, Dis of Cord.	5·3	1	-	-	1	-	-	-
Nervous Sys., Other Dis.	18·2	21	1	-	-	4	8	8
Valv. Dis., Endocarditis..	41·8	40	-	-	7	9	11	13
Cereb. Hæm. Cereb. Emb.	35·6	39	-	-	-	1	10	28
Apoplexy, Hemiplegia ..	14·7	8	-	-	-	-	4	4
Aneurysm	4·1	4	-	-	-	-	2	2
Embolism, Thrombosis (not Cerebral) ..	1·0	1	-	1	-	-	-	-
Heart & Blood Ves., Other Dis... ..	85·2	64	-	-	4	6	12	42
Croup (not Spasm: nor Memb.)	-	-	-	-	-	-	-	-
Bronchitis	105·9	57	8	3	-	-	9	37
Emphysema, Asthma ..	5·3	5	-	-	-	-	3	2
Pleurisy	3·5	6	-	-	1	1	1	3
Respiratory Dis., Other..	10·2	8	3	-	-	2	1	2
Tonsillitis, Quinsy.. ..	0·6	1	-	-	1	-	-	-
Enteritis (not Epid.) ..	9·0	8	3	1	-	2	-	2
Gastro-enteritis	5·5	2	2	-	-	-	-	-
Peritonitis (not Puerp.) ..	2·7	2	-	1	-	1	-	-
Cirrhosis of Liver.. ..	12·9	13	-	-	1	1	8	3
Liver Dis., Other	4·1	6	-	1	-	2	2	1
Digestive Sys., Other Dis.	33·8	29	2	2	5	5	11	4
Acute Nephritis	7·0	12	-	-	-	3	6	3
Bright's Dis., Albuminuria	34·0	41	-	-	-	2	14	25
Urinary Sys., Other Dis.	9·0	12	-	-	-	1	2	9
Generative Organs Dis...	3·9	2	-	-	-	-	2	-
Childbirth (Accid. of) ..	3·5	2	-	-	-	2	-	-
Old Age	55·1	62	-	-	-	-	-	62
Other Diseases	87·7	84	59	8	3	3	4	7
ACCIDENT.								
By Railways	1·2	-	-	-	-	-	-	-
By Vehicles and Horses..	6·3	10	-	2	2	2	3	1
In Ships, Boats, Docks, (exclusive of Drowning)	0·4	-	-	-	-	-	-	-
In Building Operations..	0·6	2	-	-	-	-	1	1
In Conflagrations	0·8	-	-	-	-	-	-	-
By Burns, Scalds, Explosions	7·4	6	1	2	1	2	-	-
By Drowning	4·3	5	-	1	-	2	1	1
By Suffocation in Bed ..	7·4	7	7	-	-	-	-	-
By Poisons or Poisonous Vapours	2·5	2	-	-	1	-	1	-
Other Deaths by Accident..	16·4	17	4	2	1	3	3	4
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	1·2	1	1	-	-	-	-	-
Suicide	14·3	9	-	-	-	3	3	3
Execution	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.
† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 8th May, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia† (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified causes of Death.
LONDON	4,536,267	2537	1304	260	411	–	73	10	13	35	–	–	–	13	59	128	561	–
WEST DISTRICTS	805,311	398	216	34	67	–	10	5	5	5	–	–	–	2	15	23	94	–
NORTH DISTRICTS	1,055,908	534	287	58	93	–	12	1	2	5	–	–	–	2	11	25	90	–
CENTRAL DISTRICTS	209,465	128	67	18	12	–	4	–	–	1	–	–	–	2	5	8	40	–
EAST DISTRICTS	715,739	493	258	58	71	–	22	–	–	11	–	–	–	3	10	29	144	–
SOUTH DISTRICTS	1,749,844	984	429	90	149	–	25	3	5	13	–	–	–	3	17	42	146	–
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	–	47	1	19	–	–	1	1	–	–	–	–	1	1	1	47	–
WEST DISTRICTS.																		
North Paddington *H*	63,603	29	13	–	7	–	1	–	–	–	–	–	–	–	–	–	–	–
Central Paddington *W,3H*	50,053	25	21	1	7	–	–	–	–	–	–	–	–	–	2	5	12	–
South Paddington	30,320	8	3	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Kensington Town *2W,w,2H* ..	128,037	61	44	9	15	–	1	–	–	2	–	–	–	–	1	2	20	–
Brompton *2H*	48,591	7	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
North Hammersmith *2W,w,H* ..	49,192	52	16	5	5	–	3	–	–	–	–	–	–	1	2	2	6	–
South Hammersmith *w,2H* ..	63,047	36	20	5	4	–	3	–	–	1	–	–	–	–	2	3	3	–
North-west Fulham *W*	45,180	47	13	4	2	–	2	–	–	1	–	–	–	–	–	–	6	–
North-east Fulham *F*	46,405	28	14	1	1	–	–	5	4	1	–	–	–	–	–	–	10	–
South Fulham *W*	45,704	26	4	1	2	–	–	–	–	–	–	–	–	1	–	–	–	–
Chelsea North *W,w,3H*	42,514	9	25	1	9	–		–	–	–	–	–	–	–	3	5	18	–
Chelsea South *W,2H*	31,328	13	7	1	4	–	–	–	–	–	–	–	–	–	–	1	1	–
Mayfair and Knightsbridge	28,743	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Belgrave *W,2H*	55,815	23	17	2	4	–	–	–	1	–	–	–	–	–	2	2	11	–
St. Margaret & St. John *6H*	43,698	21	11	4	1	–	–	–	–	–	–	–	–	–	3	3	5	–
St. James and St. Anne *W,6H* ..	33,081	8	6	–	1	–	–	–	–	–	–	–	–	–	–	–	2	–
NORTH DISTRICTS.																		
All Souls Marylebone *9H*	35,391	18	14	–	4	–	–	–	–	–	–	–	–	–	–	1	8	–
St. Mary Marylebone *W,4H* ..	37,948	42	13	4	5	–	1	–	–	–	–	–	–	–	1	1	5	–
Christchurch Marylebone	39,536	12	8	4	–	–	2	–	–	1	–	–	–	1	–	–	–	–
St. John Marylebone *2H*	20,426	4	4	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Hampstead *W,F,6H*	81,942	29	18	2	9	–	–	–	1	1	–	–	–	–	–	1	3	–
West St. Pancras *2H*	60,562	23	11	2	4	–	–	–	–	–	–	–	–	–	–	–	2	–
South St. Pancras *w,12H*	55,707	25	25	4	8	–	–	–	–	–	–	–	–	–	–	2	13	–
East St. Pancras *W,H*	60,320	41	20	3	8	–	–	–	–	–	–	–	–	–	–	1	5	–
North St. Pancras *2W*	58,728	39	23	7	7	–	1	–	–	–	–	–	–	–	2	5	7	–
Tufnell *W*	31,995	19	13	1	6	–	–	–	–	–	–	–	–	–	2	2	7	–
Upper Holloway *2W,w,H*	33,978	19	20	3	3	–	1	–	–	–	–	–	–	–	–	1	16	–
Tollington *W,w,H*	33,922	16	4	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Lower Holloway	41,424	17	3	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Barnsbury	54,478	33	19	7	3	–	–	–	1	1	–	–	–	–	2	2	–	–
Islington South-east *F*	75,397	40	18	6	2	–	3	1	–	–	–	–	–	–	2	3	1	–
Highbury *2H*	63,797	22	8	2	1	–	1	–	–	1	–	–	–	–	1	1	–	–
Stoke Newington *H*	51,247	22	9	1	6	–	–	–	–	1	–	–	–	–	1	1	–	–
North Hackney	50,398	18	10	2	4	–	1	–	–	–	–	–	–	–	–	–	–	–
Central Hackney *w,F*	50,536	29	10	2	5	–	2	–	–	–	–	–	–	–	–	1	2	–
South-west Hackney *3H*	59,921	41	17	4	4	–	–	–	–	–	–	–	–	1	–	–	11	–
South-east Hackney *2W,H*	58,255	25	20	2	7	–	–	–	–	–	–	–	–	–	–	3	10	–
Hackney Union Workhouse, Brentwood	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 8th May, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
St. Giles and Bloomsbury 2*W*,2*H* ..	31,436	26	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Strand *W*,4*H*	21,674	2	11	1	4	-	-	-	-	-	-	-	-	-	1	1	11	-
Strand Union Workhouse, Edmonton	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Holborn *W*,6*H*	29,612	25	19	6	3	-	-	-	-	1	-	-	-	-	-	-	16	-
Clerkenwell *H*	63,704	35	15	7	2	-	2	-	-	-	-	-	-	1	1	3	-	-
St. Luke 3*H*,*L*	36,116	36	5	1	1	-	-	-	-	-	-	-	-	1	-	1	1	-
Holborn Union Workhouse, Mitcham	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph *H*	10,299	2	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	2	11	2	1	-	1	-	-	-	-	-	-	-	3	3	10	-
City of London Asylum, Stone	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
EAST DISTRICTS.																		
Shoreditch South 2*H*	46,362	21	7	2	1	-	2	-	-	1	-	-	-	-	1	1	-	-
Shoreditch North-West *W*,*w*,*H* ..	36,127	34	28	3	12	-	3	-	-	-	-	-	-	-	1	2	20	-
Shoreditch North-East	36,148	14	9	4	-	-	4	-	-	-	-	-	-	-	-	1	-	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	41	35	7	11	-	-	-	-	3	-	-	-	1	-	1	27	-
Bethnal Green South-West *H* ..	64,542	31	5	-	1	-	-	-	-	-	-	-	-	-	1	2	1	-
Spitalfields..	27,969	13	2	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Mile End New Town *W*,*H*	28,718	37	35	6	2	-	-	-	-	1	-	-	-	-	2	4	33	-
Goodman's Fields	22,081	8	3	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
St. George and St. John 2*W* ..	49,068	42	17	3	4	-	3	-	-	-	-	-	-	-	2	4	11	-
Shadwell and Ratcliff *w*,*H* ..	25,568	23	16	4	3	-	-	-	-	2	-	-	-	-	1	2	11	-
Limehouse *W*	32,369	21	10	4	2	-	-	-	-	1	-	-	-	-	-	1	-	-
Mile End Old Town South-Western *H*	63,698	63	8	-	4	-	-	-	-	-	-	-	-	-	-	2	-	-
Mile End Old Town North-Eastern *W*,*w*	49,129	22	15	4	5	-	1	-	-	-	-	-	-	-	-	2	9	-
Bow	41,989	30	6	-	2	-	-	-	-	-	-	-	-	-	1	2	-	-
Bromley 3*w*,*H*	68,319	51	45	15	15	-	8	-	-	1	-	-	-	2	-	3	29	-
Poplar *W*,*w*	58,514	42	17	5	6	-	-	-	-	2	-	-	-	-	1	1	3	-
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 8th May, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch and St. Saviour Southwark *W,2H*	23,319	13	24	4	3	-	-	-	-	-	-	-	-	-	3	5	19	-
Kent-road	21,904	13	6	4	-	-	-	-	-	1	-	-	-	-	-	-	-	-
St. George the Martyr West *W,2H,L*	39,094	22	9	1	3	-	-	-	-	-	-	-	-	1	-	-	4	-
Newington North	49,022	23	6	3	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Newington South *W*	72,841	33	11	2	4	-	1	-	-	1	-	-	-	-	-	-	-	-
St. Olave *2W*	9,817	4	3	1	2	-	-	-	-	-	-	-	-	-	-	1	1	-
Bermondsey *W*	82,483	64	12	2	4	-	1	-	-	-	-	-	-	-	-	1	-	-
Rotherhithe *W,F*	38,460	24	10	4	-	-	3	-	-	1	-	-	-	-	-	-	7	-
Waterloo *2H*	27,440	33	5	3	-	-	-	-	-	-	-	-	-	-	1	3	-	-
Lambeth Church *H*	27,440	16	12	1	1	-	1	-	1	-	-	-	-	-	1	1	8	-
Kennington *2W*	52,518	38	25	1	14	-	-	-	-	1	-	-	-	-	1	2	17	-
Stockwell *HF*	63,826	36	10	4	2	-	1	-	2	-	-	-	-	-	1	1	3	-
Brixton *H*	73,673	26	19	5	11	-	-	-	-	1	-	-	-	-	-	1	1	-
Norwood *2WH*	56,998	19	7	2	2	-	-	-	-	1	-	-	-	-	-	1	-	-
East Battersea *H*	72,203	29	14	4	4	-	2	-	-	-	-	-	-	-	1	2	-	-
North-west Battersea	49,656	32	8	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-
South-west Battersea *2W,H*	47,048	16	32	4	14	-	-	-	-	2	-	-	-	-	1	4	21	-
Clapham *2H*	51,361	27	11	2	6	-	2	-	-	1	-	-	-	-	-	-	1	-
Streatham *W,2w,2F,2L*	88,019	50	20	2	10	-	-	1	1	-	-	-	-	-	-	-	11	-
Springfield *2W,L*	27,959	35	2	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Southfields *H*	40,444	28	3	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Putney	24,139	10	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich	13,359	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	24	25	1	10	-	-	-	-	-	-	-	-	-	-	1	17	-
Camberwell North *W,2L*	65,584	35	38	4	12	-	1	-	-	-	-	-	-	1	-	1	10	-
St. George	47,331	33	6	2	2	-	1	-	-	1	-	-	-	-	-	1	-	-
Peckham North	48,913	27	17	9	2	-	3	-	-	1	-	-	-	-	2	4	-	-
Peckham South *2W,w*	43,946	23	5	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Deptford North	37,613	27	6	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-
Deptford Central *F*	45,481	23	6	2	1	-	1	-	1	-	-	-	-	-	-	-	1	-
Deptford South	34,625	18	12	3	4	-	1	-	-	-	-	-	-	-	2	3	-	-
Greenwich West *2H*	23,456	13	9	3	4	-	-	-	-	-	-	-	-	-	1	1	-	-
Greenwich East *2W,H*	43,859	26	14	1	5	-	-	-	-	-	-	-	-	-	1	2	9	-
Eltham *w,H*	7,226	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *w,H*	25,490	12	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham *2W,w,F*	58,352	46	18	4	7	-	-	-	-	1	-	-	-	1	1	1	9	-
Sydenham *H*	43,653	18	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Charlton *F,2H*	21,134	8	5	-	-	-	2	2	-	-	-	-	-	-	-	-	4	-
Woolwich *5H*	41,625	23	5	1	3	-	1	-	-	-	-	-	-	-	-	1	-	-
Plumstead West *W,H*	39,376	17	6	-	3	-	1	-	-	-	-	-	-	-	1	1	-	-
Plumstead East *2W*	28,951	14	7	1	4	-	1	-	-	-	-	-	-	-	-	-	2	-
Workhouses:—																		
Belmont Workhouse	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
M. A. B. Small-pox Hospitals:—																		
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																		
Gore Farm (temporary)	—	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
North-Eastern	—	-	3	1	-	-	-	-	1	-	-	-	-	-	-	-	3	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																		
Children's Infirmary, Carshalton	—	-	5	-	-	-	-	-	-	-	-	-	-	-	1	1	5	-
M. A. B. Imbecile Asylums:—																		
Caterham	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Darenth	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Leavesden	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Lunatic Asylums:—																		
Banstead	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Manor	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-
Long Grove	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Cane Hill	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
Dartford Heath	—	-	5	-	3	-	-	-	-	-	-	-	-	-	-	-	5	-
Hanwell	—	-	5	-	4	-	-	-	-	-	-	-	-	-	-	-	5	-
Colney Hatch	—	-	6	-	3	-	-	-	-	-	-	-	-	1	-	-	6	-
Claybury	—	-	7	-	5	-	-	-	-	-	-	-	-	-	-	-	7	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERATED POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 8th May, 1909.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING ..	368,603	2,045,135	1472	529	103	172	-	24	6	4	14	1	4	36	57	97	2
30 : 1	Carshalton 2F,3H	12,228	22,997	16	8	3	3	-	-	-	-	-	-	-	1	1	-	1
2	Epsom, *part of** W,w,2F,H..	10,423	15,548	12	10	2	5	-	-	-	-	-	-	-	-	1	6	-
37 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	1	1	-	1	-	-	-	-	-	-	-	-	-	1	-
38 : 1	Coulsdon	11,069	8,166	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w,H ..	4,200	49,309	21	7	2	3	-	-	-	-	-	-	-	2	2	-	-
3	West Croydon 3W,F,H ..	2,168	42,888	32	19	4	5	-	-	1	-	-	-	-	2	4	8	-
4	North Croydon H	2,644	41,698	24	7	1	2	-	-	-	-	1	-	-	1	1	-	-
5	Penge w	770	22,465	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Mitcham w	11,711	30,015	36	12	5	1	-	-	-	-	-	-	-	1	3	-	1
39 : 1	Wimbledon F,3H	3,221	41,652	26	9	2	3	-	1	-	-	1	-	-	-	1	-	-
2	Kingston 2W,H	6,224	42,068	28	14	2	6	-	-	-	1	-	-	-	-	-	5	-
3	Surbiton F,H	3,046	15,017	9	4	1	2	-	-	-	-	-	-	-	-	-	1	-
4	Esher, *part of** H	5,402	13,100	9	2	1	-	-	-	-	-	-	-	-	-	-	-	-
5	Hampton H,F,L	4,564	23,456	15	2	-	-	-	-	-	-	-	-	-	-	-	-	-
40 : 1	Richmond W,H	2,491	31,672	11	8	-	5	-	-	-	-	-	-	-	1	2	1	-
2	Mortlake F	2,518	17,821	9	9	3	3	-	-	-	-	-	-	1	1	2	-	-
41 : 1	Bromley F,3H	4,703	27,354	14	3	-	1	-	-	1	-	-	-	-	-	-	2	-
2	Beckenham H	7,825	28,497	19	7	2	3	-	-	-	-	-	-	-	1	1	-	-
3	Orpington, *part of** W,F ..	10,113	9,857	11	7	1	6	-	-	-	-	-	-	-	-	-	6	-
4	Chislehurst 2H	7,333	16,446	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-
42 : 1	Bexley w,F,H	8,678	21,151	13	5	1	1	-	-	-	-	-	-	-	1	1	-	-
2	Erith F,H	3,854	25,296	16	3	1	-	-	-	-	-	-	-	-	1	2	-	-
3	Dartford W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124 : 1	Sunbury w	11,054	18,683	11	6	2	1	-	-	-	1	-	-	-	-	-	-	-
2	Staines W,H	13,277	15,178	2	2	1	-	-	-	-	-	1	-	-	-	-	-	-
125 : 1	Hillingdon W,F,H	6,035	13,661	14	6	-	5	-	-	-	-	-	-	-	1	1	3	-
2	Uxbridge H	12,757	8,984	8	3	-	1	-	-	-	-	-	-	-	-	1	-	-
3	Hayes w 2F,H	8,066	16,358	16	9	2	2	-	1	-	-	-	-	-	-	-	-	-
126 : 1	Isleworth 3W,3F,H	6,859	30,863	29	17	1	9	-	1	-	-	-	-	-	-	-	6	-
2	Twickenham F,2H	2,421	20,991	18	8	1	3	-	-	-	-	-	-	-	1	1	1	-
3	Brentford 3F,2H	4,319	48,289	25	5	-	4	-	-	-	-	-	-	-	-	-	1	-
4	Chiswick H	1,249	29,809	21	9	-	2	-	3	-	-	-	-	-	-	-	-	-
5	Acton w,F,3H	6,132	48,914	48	14	3	4	-	3	-	-	-	-	-	-	-	1	-
127 : 1	Harrow F,H	13,809	25,523	28	4	-	2	-	1	-	-	-	-	-	-	-	-	-
2	Edgware 2F,2H	6,994	4,521	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden W,F,2H	4,384	114,811	87	21	7	6	-	-	-	-	2	-	1	-	-	3	-
4	Hendon W,F	8,382	22,450	18	6	1	1	-	-	1	-	-	-	-	1	1	-	-
128 : 1	South Mimms 2F,H	17,755	7,308	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,970	10	4	2	1	-	-	-	-	-	-	-	-	-	-	-
3	Finchley F,3H	4,688	33,692	29	6	-	2	-	-	-	-	-	-	-	1	1	-	-
129 : 1	Hornsey F,H	2,875	72,056	29	10	-	6	-	-	-	-	-	-	-	-	-	-	-
2	Wood Green H	1,625	34,233	24	8	3	1	-	-	-	-	-	-	-	-	-	-	-
3	West Tottenham	995	48,741	39	4	-	2	-	-	-	1	-	-	-	-	-	-	-
4	East Tottenham 2H ..	2,019	53,962	54	13	4	2	-	-	-	-	1	-	-	-	-	1	-
5	Edmonton W,w,2F	7,491	61,892	65	21	3	12	-	-	-	-	-	-	-	-	4	11	-
6	Enfield 2W,F,H	12,601	42,738	22	8	2	4	-	-	-	-	-	-	-	1	2	-	-
7	Waltham Abbey F	11,017	6,548	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	7	2	-	1	-	-	-	-	-	-	-	1	1	1	-
135 : 1	Hatfield, *part of** W ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey H	9,333	9,173	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Watford W,2F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
186 : 1	Stratford H	1,091	52,974	26	15	3	5	-	1	-	-	-	-	-	2	3	1	-
2	Forest Gate	787	52,745	17	8	-	3	-	-	-	-	-	-	-	-	-	-	-
3	Plaistow F,2H	1,249	90,921	91	29	5	9	-	1	2	-	2	-	-	3	4	5	-
4	Canning Town H	1,556	70,718	55	16	2	1	-	6	-	-	3	-	-	1	1	-	-
5	South East Ham 2F ..	1,991	37,342	42	8	3	-	-	-	-	1	-	-	-	-	-	1	-
6	North East Ham w,H ..	1,333	58,666	29	16	3	4	-	4	-	-	1	-	-	-	-	-	-
7	Wanstead F	1,679	9,179	6	2	1	-	-	-	-	-	-	-	-	2	2	-	-
8	South Leyton 2W	631	50,467	32	14	1	7	-	-	-	-	-	-	-	2	3	8	-
9	North Leyton 2W,w,F ..	1,963	48,445	36	30	11	5	-	-	-	-	1	-	-	3	4	12	-
10	Walthamstow 2H,L ..	6,504	108,929	86	22	6	3	-	1	-	-	-	-	1	3	5	1	-
187 : 1	Chigwell 2F,3H	11,778	16,397	12	5	1	3	-	-	1	-	-	-	-	-	-	1	-
2	Epping W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189 : 1	Romford, *part of** W,2F ..	6,556	6,091	7	3	-	2	-	-	-	-	-	-	-	-	-	2	-
2	Ilford F,L	8,496	41,244	42	15	3	3	-	1	-	-	1	-	-	1	1	1	-
3	Barking Town F	3,805	21,547	26	8	1	-	-	-	-	-	-	-	-	-	-	-	-
	Eastern Hospital, Hackney	—	—	-	1	-	-	-	-	-	-	-	-	-	1	1	1	-
	London County Lunatic Asylum, Long Grove, Epsom.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
	Surrey County Lunatic Asylum, Brookwood.	—	—	-	1	-	1	-	-	-	-	-	-	1	-	-	1	-
	Middlesex County Lunatic Asylum, Napsbury.	—	—	-	3	-	1	-	-	-	-	-	1	-	-	-	3	-
	Essex County Lunatic Asylum, Brentwood.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—20 : 2, excepting Ashtead parish; 37 : 1, Warlingham and Farley parishes; 39 : 4, excepting Esher parish; 41 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135 : 1, Northaw parish; 189 : 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42 : 3, 137 : 2 and 187 : 2 and in the Croydon Mental Hospital in 37 : 1 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths.	Annual Death-rate per 1000 living.	Deaths from Small-pox	Measles.	Scarlet Fever	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON - -	4,833,938	May 8	2537	1304	14·1	-	73	10	13	35	-	13
CALCUTTA - -	1,014,438	April 3	-	895	47·1	281	-	-	-	-	197†	154‡
BOMBAY - -	982,000	" 13	379	1089	57·9	15	6	-	-	1	421†	170‡
MADRAS - -	548,974	" 9	336	345	35·2	3	5	?	?	?	105	50‡
PARIS - - -	2,760,000	May 1	1010	1005	19·1	-	14	2	7	6	7	13
BRUSSELS - -	704,975	April 24	242	181	13·4	-	3	-	1	-	-	9
		May 1	242	167	12·3	-	2	1	-	1	-	11
ANTWERP - -	310,903	April 24	123	68	11·4	-	-	2	-	1	1	3
		May 1	119	60	10·0	-	2	1	-	-	-	4
AMSTERDAM -	566,218	" 1	239	185	17·0	-	3	1	-	4	1	4
COPENHAGEN -	448,000	" 1	245	139	16·2	-	6	2	2	2	-	3
STOCKHOLM -	339,582	April 24	146	115	17·6	-	-	1	-	2	-	5
CHRISTIANIA -	231,687	May 1	114	70	15·7	-	-	1	1	5	-	-
ST. PETERSBURG	1,573,000	April 24	817	798	26·5	5	26	18	13	8	7	82
MOSCOW - -	1,452,100	" 24	-	741	26·6	8	29	25	15	4	7	76
BERLIN - -	2,098,264	" 17	860	696	17·3	-	11	5	16	8	1	26
HAMBURG - -	872,252	May 1	-	247	14·7	-	-	11	2	4	1	13
BRESLAU - -	501,283	April 24	-	192	20·0	-	-	1	-	1	-	15
MUNICH - -	566,000	" 24	-	212	19·5	-	7	-	2	2	-	18
VIENNA - -	2,064,037	May 1	881	782	19·7	-	13	8	4	2	1	38
PRAGUE - -	480,856	April 24	187	223	23·9	-	5	2	2	-	2	11
BUDAPEST - -	823,215	" 24	488	336	21·2	-	6	9	4	1	1	12
TRIESTE - -	217,706	May 1	109	90	21·5	-	-	-	1	1	-	-
ROME - - -	565,323	February 13	-	-	-	-	-	-	-	-	-	-
VENICE - -	179,286	April 17	86	82	23·9	-	-	-	-	2	-	4
		" 24	81	70	20·4	-	-	1	-	2	-	4
BUCAREST - -	296,585	" 24	177	168	29·5	-	-	1	2	1	2	3
NEW YORK -	4,564,792	" 17	2250	1705	19·5	-	45	23	41	8	3	49
CHICAGO - -	2,224,490	" 17	-	735	17·2	-	5	6	11	2	6	50
PHILADELPHIA -	1,565,569	" 3	-	-	-	-	-	-	-	-	-	-
RIO DE JANEIRO	637,089	" 4	-	272	22·3	8	1	-	-	2	2	?
CAIRO:— Egyptians -	666,587	" 8	551	488	38·1	9	22	-	1	?	9§	103
		" 15	568	540	42·1	8	25	-	1	?	9	117
Foreigners -	35,219	" 8	3	17	25·1	-	-	-	-	-	-	2
		" 15	9	8	11·8	1	-	-	-	-	-	1
ALEXANDRIA:— Egyptians -	341,965	" 8	292	207	31·5	-	4	23	5	?	1	35
		" 15	248	233	35·4	-	14	8	5	?	3	37
Foreigners -	46,118	" 8	4	14	15·8	-	-	1	-	-	-	2
		" 15	9	24	27·1	-	4	1	-	-	-	5

* Excluding deaths from croup in the Indian Cities.
† Including 94 deaths from plague in Calcutta and 370 in Bombay.
‡ Including 129 deaths from cholera in Calcutta, 97 in Bombay, and 1 in Madras.
§ Including 1 death from malarial fever in Cairo.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 8th May, 1909.

Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	64·0	34·5	50·6	0·00	BRADFORD - -	61·8	34·0	48·6	0·00
BRIGHTON - -	69·8	34·9	53·0	0·00	YORK - - -	65·0	34·5	50·4	0·00
PORTSMOUTH - -	70·3	35·4	54·3	0·00	HULL - - -	62·0	35·0	49·0	0·02
NORWICH - -	62·0	33·4	49·5	0·02	TYNEMOUTH - -	61·0	32·0	45·6	0·00
PLYMOUTH -	69·0	33·0	53·7	0·00	CARDIFF - - -	67·5	35·0	50·8	0·00
BRISTOL - - -	69·0	32·0	50·0	0·00	EDINBURGH - -	67·6	32·0	49·1	0·00
BIRMINGHAM - -	67·3	34·8	50·4	0·00	GLASGOW - -	74·0	31·0	51·6	0·00
NOTTINGHAM - -	62·9	35·0	50·4	0·00	DUBLIN Phœnix Park.	62·3	26·7	50·4	0·01
LIVERPOOL OBSERVATORY.	67·0	38·0	52·4	0·00	DUBLIN Fitzwilliam Square.†	62·2	33·1	51·3	0·04
MANCHESTER -	66·3	30·8	50·5	0·00					
BURNLEY - -	64·0	28·0	49·1	0·00					
HUDDERSFIELD -	63·0	33·3	48·2	0·00	BELFAST - - -	60·8	32·2	48·5	0·08

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to the seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°·7 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 8th May, 1909.

[*Under the Superintendence of the Astronomer Royal.*]

1909. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est.	Daily Range.	Mean daily value.	Departure from Average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
MAY.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 2	In Equator	30·183	54·3	34·5	19·8	44·0	− 5·5	34·0	10·0	19·6	1·1	63	126·2	24·5	48·43	NW., W. & NNW.	N., variable & SE.	1·5	0·0	0·1	203	− 76	0·00	2·0
MONDAY - 3	..	30·253	60·5	35·2	25·3	47·6	− 2·2	38·1	9·5	20·7	2·3	70	126·1	23·5	48·20	SSE., S. & SSW.	SE. & ESE.	1·5	0·0	0·0	187	− 87	0·00	11·0
TUESDAY - 4	..	30·205	64·0	35·2	28·8	51·1	+ 1·1	34·6	16·5	24·8	2·9	53	133·9	20·1	48·21	ESE. & SE.	E.	6·2	0·0	0·4	279	+ 10	0·00	11·0
WEDNESDAY 5	Full	30·059	61·0	41·9	19·1	52·1	+ 1·8	38·2	13·9	24·6	2·4	59	130·6	26·7	48·37	E. & ENE.	ENE. & E.	9·4	0·0	0·8	431	+167	0·00	4·5
THURSDAY - 6	..	30·037	64·0	47·6	16·4	55·0	+ 4·5	42·8	12·2	19·4	4·6	64	129·0	39·2	48·67	ENE. & E.	E. & ENE.	12·5	0·0	1·0	476	+216	0·00	5·7
FRIDAY - 7	..	30·034	61·1	44·9	16·2	52·5	+ 1·8	37·2	15·3	23·1	6·3	56	130·2	35·0	49·00	ENE. & E.	E. & ENE.	19·0	0·0	1·0	505	+248	0·00	4·8
SATURDAY - 8	..	29·967	62·2	42·1	20·1	51·9	+ 0·9	33·3	18·6	24·7	6·6	49	129·2	28·1	49·32	ENE. & E.	E. & ENE.	9·8	0·0	0·6	405	+152	0·00	13·2
MEANS - -		30·105	61·0	40·2	20·8	50·6	+ 0·3	36·9	13·7	22·4	3·7	60	129·3	28·2	48·60	Variable & E.		..	..	..	Sum 2486	Sum +630	Sum 0·00	7·5
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. MAY.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY - 2	v. P. and m. N. till 2h. A.M.; m. P. till 7h. P.M.; w.P. afterwards.	10·7	14·8	Very fine generally; partially cloudy.
MONDAY - 3	w. P. generally.	10·9	14·9	Very fine; occasional cloudy intervals.
TUESDAY - 4	w.P. till 5h. A.M.; m. P. till 9h. A.M.; w. P. till noon; w.P. and w. N. till 3h. P.M.; m.P. generally afterwards.	14·1	14·9	Very fine with small amounts of cloud; slight hoar frost in early morning. Solar halo observed between 7h. 30m. A.M. and 1h. P.M.; gusty wind prevalent between noon and 7h. P.M.
WEDNESDAY 5	w. P. generally; occasional w. N. between 10h. A.M. and 5h. P.M.	14·2	15·0	Cloudless; very fine; slight hoar frost in early morning; gusty wind prevalent between 9h. A.M. and 8h. P.M.
THURSDAY - 6	w.P. till 1h. P.M.; w.P. and w.N. till 4h. P.M.; w. P. afterwards.	14·0	15·0	Cloudless with slight exceptions; very fine; strong gusty wind prevalent in afternoon.
FRIDAY - 7	w. P. till 10h. A.M.; loss of Register till 5h. P.M.; w.P. afterwards.	14·1	15·1	Very fine and nearly cloudless; gusty wind prevalent between 7h. A.M. and 7h. P.M.
SATURDAY - 8	w. P. till 6h. P.M.; m. P. afterwards.	14·4	15·1	Cloudless with very slight exceptions; a very fine day; brisk wind from 7h. A.M. to 5h. 30m. P.M.
		Sum 92·4	Sum 104·8	
No. of Col. - -	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 30·07 in. at the beginning of the week to 30·29 in. by 10h. A.M. on the 3rd; decreased to 30·00 in. by 7h. P.M. on the 5th; increased to 30·05 in. by 10h. A.M. on the 6th; and decreased to 29·93 in. by midnight on the 8th.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 1st May, 1909.*

BOROUGHS.	Estimated Population in the middle of 1909.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	151,955	-	10	1	-	-	-	-	2	-	-
Kensington	183,683	-	10	1	-	-	-	-	3	-	1
Hammersmith	125,704	-	10	3	-	-	-	-	1	-	-
Fulham	176,406	-	12	11	-	-	-	-	2	1	-
Chelsea	75,249	-	12	1	-	-	-	-	1	-	-
City of Westminster ..	168,883	-	16	4	-	-	-	-	1	-	-
NORTH.											
St. Marylebone	126,027	-	5	1	-	-	-	-	1	-	1
Hampstead	94,185	-	4	-	-	-	-	-	3	-	-
St. Pancras	237,422	-	14	8	-	-	-	-	6	-	-
Islington	351,202	-	32	3	-	2	-	-	5	1	1
Stoke Newington	54,423	-	2	-	-	-	-	-	-	-	-
Hackney	237,601	-	16	6	-	2	-	-	-	-	-
CENTRAL.											
Holborn	53,802	-	2	1	-	-	-	-	-	-	-
Finsbury	95,289	-	6	1	-	-	-	-	1	-	-
City of London	18,193	-	2	1	-	-	-	-	-	-	-
EAST.											
Shoreditch	114,802	-	3	4	-	-	-	-	4	1	-
Bethnal Green	131,316	-	6	4	-	2	-	-	4	-	-
Stepney	312,525	-	17	18	-	1	-	-	5	-	1
Poplar	171,965	-	14	7	-	-	-	-	3	-	-
SOUTH.											
Southwark	211,125	-	9	3	-	-	-	-	4	1	-
Bermondsey	127,569	-	4	4	-	-	-	-	-	-	1
Lambeth	324,188	-	25	7	-	1	-	-	-	-	-
Battersea	186,036	-	17	5	-	-	-	-	3	-	-
Wandsworth	297,646	-	23	8	-	1	-	-	4	-	-
Camberwell	283,022	-	19	8	-	-	-	-	1	-	1
Deptford	118,583	-	9	3	-	-	1	-	5	-	-
Greenwich	111,014	-	8	2	-	-	-	-	4	-	-
Lewisham	160,749	-	9	10	-	1	-	-	2	-	-
Woolwich	133,374	-	15	3	-	-	-	-	1	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,833,938	-	331	128	-	10	1	-	66	4	6
Ages 0–1		-	1	4	-	-	-	-	2	-	2
" 1–5		-	78	51	-	-	-	-	4	-	1
" 5–		-	113	47	-	2	-	-	2	-	1
" 10–		-	73	12	-	2	-	-	-	-	1
" 15–		-	23	2	-	1	-	-	1	-	1
" 20–		-	21	6	-	1	-	-	4	1	-
" 25–		-	18	6	-	2	1	-	9	2	-
" 35–		-	3	-	-	2	-	-	14	1	-
" 45–		-	1	-	-	-	-	-	10	-	-
" 55–		-	-	-	-	-	-	-	8	-	-
" 65 and upwards		-	-	-	-	-	-	-	12	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY DARLING & SON, LTD., 34-40, BACON STREET, E.

1909.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 19. 1909. VOL. LXX.] WEEK ENDED SATURDAY, MAY 15. [Price 1½*d.*

General Register Office, Somerset House,
May 17th, 1909.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 13·7 per 1000 of their aggregate population, which is estimated † at 16,445,281 persons in the middle of this year. In the preceding three weeks the rates had been 15·8, 14·5, and 14·1. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 19·4 in Salford, 19·9 in Wolverhampton, 22·4 in Birkenhead, 22·9 in Oldham, 23·3 in Bootle, 24·1 in Coventry, and 24·7 in Wigan; from *measles*, 1·9 in Salford, 2·2 in Warrington, 3·0 in Bootle, 3·5 in Wigan, and 7·5 in Wolverhampton; from *scarlet fever*, 1·1 in Blackburn and 1·3 in Merthyr Tydfil; from *whooping-cough*, 1·3 in Willesden and in Coventry, 1·5 in Middlesbrough, and 1·6 in St. Helens and in Swansea; from "*fever*," 2·3 in Hanley; and from *diarrhœa*, 1·2 in Aston Manor and in Wigan. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2339 BIRTHS and 1216 DEATHS were registered. Allowing for increase of population, the births were 267 and

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-five other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(13385—41.) Wt. 109—472. 700. 5/09. D & S. G. 31. Sch. 4. T

the deaths 198 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes, which had been 15·0, 14·0, and 14·1 per 1000 in the preceding three weeks, fell last week to 13·1. The death-rate in the four weeks ended last Saturday averaged 14·1 per 1000, being 1·6 per 1000 below the mean rate in the corresponding periods of the five years 1904–8.

The 1216 deaths included 53 from measles, 12 from scarlet fever, 7 from diphtheria, 30 from whooping-cough, and 8 from diarrhœa; but not one death from small-pox, from enteric fever, from typhus, or from ill-defined pyrexia: thus, to these diseases in the aggregate 110 deaths were referred, being 24 below the corrected average number in the nineteenth week of the preceding five years.

The deaths from *measles*, which had been 72, 81, and 73 in the preceding three weeks, fell last week to 53, and were 4 below the corrected average; 7 deaths belonged to the Borough of Poplar, 6 to Southwark, and 5 each to Hammersmith, Islington, Finsbury, and Shoreditch. The deaths from *scarlet fever*, which had been 8, 10, and 10 in the preceding three weeks, rose last week to 12, and were 3 above the corrected average. The deaths from *diphtheria*, which had been 11, 8, and 13 in the preceding three weeks, fell last week to 7, and were 5 below the corrected average. The deaths from *whooping-cough*, which had been 49, 41, and 35 in the preceding three weeks, further fell to 30 last week, and were 9 below the corrected average; 5 deaths belonged to Camberwell, and 4 to Bermondsey. No death from *enteric fever* was registered last week; the deaths in the preceding three weeks had been 2, 1, and 0. The deaths from *diarrhœa*, which had been 7, 12, and 13 in the preceding three weeks, numbered 8 last week, and were 5 below the corrected average. Of the 8 deaths from diarrhœa, 3 were those of children under 5 years of age; 4 other deaths at this age were certified as due to *enteritis* and 2 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 20, having been 45, 32, and 16 in the preceding three weeks.

Different forms of violence caused 49 deaths, concerning all of which inquests were held. Of these 49 deaths, 9 were cases of suicide, while the remaining 40 were attributed to accident or negligence. Nine of these latter were referred to vehicles in the streets, four to drowning, two to building operations, two to burns or scalds, and seven, of infants under one year of age, to suffocation in bed. One death occurred while under an anæsthetic administered for surgical purposes.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 2173 cases of scarlet fever, 990 of diphtheria, and 52 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 313 cases, against 265, 305, and 309; of diphtheria, 122 cases, against 122, 117, and 104; and of enteric fever, 9 cases, against 11, 6, and 3. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended May 8th, 1909.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 3637 births and 1728 deaths were registered. Allowing for increase of population, these numbers are 397 and 258 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 9 deaths from measles, 3 from scarlet fever, 3 from diphtheria, 11 from whooping-cough, 1 from "fever," and 1 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·95 inches, and that of the Thermometer 48°·5, the latter being 3°·5 below the week's average in the 65 years ended 1905. The direction of the wind was variable, the horizontal movement of the air being 9 per cent. below the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 62·7 hours; the measured rainfall amounted to 0·11 of an inch.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 15th May, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 24th April, 1909.	1st May, 1909.	8th May, 1909.	15th May, 1909.	Rate from Diseases in Cols. 11-17. Week ended 15th May, 1909.	Registered during the Week ended 15th May, 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS	**16,445,281**	**15·8**	**14·5**	**14·1**	**13·7**	**1·2**	**8240**	**4322**	**809**	**1281**	**-**	**170**	**44**	**29**	**95**	**19**	**37**	**171**	**337**	**1260**	**26**	**76 TOWNS.**
LONDON	4,833,938	15·0	14·0	14·1	13·1	1·2	2339	1216	209	366	-	53	12	7	30	-	8	49	113	561	1	LONDON.
† CROYDON	161,078	15·2	11·3	10·4	9·4	0·6	73	29	3	12	-	-	-	1	1	-	-	-	2	11	-	CROYDON.
† WILLESDEN ..	160,424	8·5	10·1	7·2	10·4	2·0	71	32	5	8	-	2	-	-	4	-	-	1	3	4	-	WILLESDEN.
† HORNSEY	95,628	7·1	8·2	6·5	8·2	1·1	31	15	4	7	-	-	-	-	2	-	-	-	-	1	-	HORNSEY.
† TOTTENHAM ..	129,464	12·1	10·5	9·3	10·5	0·8	74	26	6	11	-	-	-	-	2	-	-	4	5	8	-	TOTTENHAM.
† WEST HAM ..	321,767	16·0	13·6	13·0	10·9	2·1	174	67	15	15	-	7	1	-	4	-	1	1	3	15	-	WEST HAM.
† EAST HAM.. ..	149,575	11·5	11·5	8·7	7·3	1·0	79	21	9	3	-	2	-	-	-	-	1	1	1	4	-*	EAST HAM.
† LEYTON	129,614	11·3	7·6	12·5	9·7	0·4	73	24	6	7	-	-	-	-	1	-	-	-	-	3	-	LEYTON.
† WALTHAMSTOW	136,602	9·5	7·6	9·2	9·2	1·5	62	24	2	10	-	1	1	1	1	-	-	-	-	7	-	WALTHAMSTOW.
HASTINGS	68,165	18·4	15·3	14·5	11·5	-	21	15	2	6	-	-	-	-	-	-	-	-	-	2	-	HASTINGS.
BRIGHTON	130,926	17·1	14·7	9·6	13·1	0·8	53	33	7	13	-	-	-	-	1	-	1	-	3	4	-	BRIGHTON.
PORTSMOUTH ..	214,726	15·1	17·2	16·8	9·5	1·0	112	39	3	15	-	2	-	2	-	-	-	-	4	7	-	PORTSMOUTH.
BOURNEMOUTH ..	72,368	19·5	10·1	14·4	7·2	-	26	10	-	4	-	-	-	-	-	-	-	-	-	2	-	BOURNEMOUTH.
SOUTHAMPTON ..	124,667	17·1	8·8	13·8	12·1	1·7	68	29	1	7	-	-	-	2	1	1	-	2	5	10	-	SOUTHAMPTON.
READING	82,995	7·5	10·1	6·9	15·7	1·3	28	25	2	10	-	-	-	1	-	1	-	1	1	4	-	READING.
NORTHAMPTON ..	97,752	12·3	10·1	10·7	8·0	-	47	15	3	6	-	-	-	-	-	-	-	-	-	6	-	NORTHAMPTON.
IPSWICH	74,889	7·7	10·4	14·6	9·7	0·7	47	14	2	6	-	-	1	-	-	-	-	-	-	4	-	IPSWICH.
GREAT YARMOUTH	53,430	10·7	19·5	18·5	15·6	-	25	16	1	5	-	-	-	-	-	-	-	1	1	4	-	GREAT YARMOUTH.
NORWICH	124,136	12·6	11·8	18·9	12·6	0·8	57	30	5	17	-	2	-	-	-	-	-	-	2	6	-	NORWICH.
PLYMOUTH	124,180	21·4	18·1	11·3	10·5	-	57	25	3	11	-	-	-	-	-	-	-	2	2	5	-	PLYMOUTH.
DEVONPORT	83,103	11·3	13·8	12·5	11·3	1·3	35	18	7	7	-	1	-	-	-	1	-	-	-	1	-	DEVONPORT.
BRISTOL	377,642	12·8	13·3	11·6	11·3	0·6	153	82	18	31	-	2	1	-	1	-	-	2	6	17	-	BRISTOL.
HANLEY	68,831	12·1	19·7	21·2	15·2	2·3	37	20	8	5	-	-	-	-	-	3	-	-	-	4	-	HANLEY.
BURTON-ON-TRENT	54,453	15·3	7·7	11·5	12·4	-	24	13	2	6	-	-	-	-	-	-	-	-	-	2	-	BURTON-ON-TRENT.
WOLVERHAMPTON..	104,633	14·5	18·9	22·4	19·9	7·5	47	40	6	8	-	15	-	-	-	-	-	-	-	9	-	WOLVERHAMPTON.
WALSALL	99,399	12·6	16·3	13·6	16·3	2·1	54	31	5	4	-	2	-	-	-	-	2	1	2	5	-	WALSALL.
HANDSWORTH ..	70,186	11·9	8·2	8·2	5·9	-	28	8	3	3	-	-	-	-	-	-	-	-	-	-	-	HANDSWORTH.
WEST BROMWICH..	70,457	10·4	14·8	14·8	11·8	1·5	43	16	2	1	-	-	1	-	1	-	-	1	2	4	-	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, ended Saturday, 15th May, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 24th April, 1909.	1st May, 1909.	8th May, 1909.	15th May, 1909.	Rate from Diseases in Cols. 11-17. Week ended 15th May, 1909.	Registered during the Week ended 15th May, 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
BIRMINGHAM ..	563,629	16·8	15·1	14·1	13·0	0·8	270	141	27	43	–	5	1	–	1	–	2	6	7	28	3	BIRMINGHAM.
KINGS NORTON ..	81,632	12·8	9·6	8·9	10·9	2·6	35	17	3	4	–	2	1	1	–	–	–	–	–	1	–	KINGS NORTON.
SMETHWICK	70,377	16·3	13·3	9·6	17·0	0·7	42	23	8	4	–	1	–	–	–	–	–	–	–	3	–	SMETHWICK.
ASTON MANOR ..	85,257	11·0	11·0	11·6	14·1	2·4	31	23	4	8	–	–	1	–	–	1	2	1	2	6	–	ASTON MANOR.
COVENTRY	80,163	11·7	18·9	16·9	24·1	2·6	46	37	3	15	–	2	–	–	2	–	–	1	1	9	–	COVENTRY.
LEICESTER	244,255	10·7	10·9	9·0	10·0	0·4	120	47	8	19	–	–	1	–	1	–	–	2	2	12	–	LEICESTER.
GRIMSBY	73,036	12·9	12·1	15·7	12·1	0·7	35	17	4	7	–	–	–	–	–	–	1	–	–	2	–	GRIMSBY.
NOTTINGHAM ..	263,443	17·8	15·0	15·0	16·4	0·6	134	83	13	24	–	2	–	1	–	–	–	2	2	21	–	NOTTINGHAM.
DERBY	129,411	18·1	12·5	13·3	10·5	0·4	74	26	7	10	–	–	–	–	1	–	–	1	6	3	–	DERBY.
STOCKPORT	103,706	19·6	15·6	20·6	10·6	1·0	43	21	5	5	–	–	–	–	–	1	1	–	2	5	–	STOCKPORT.
BIRKENHEAD ..	121,123	17·7	11·2	13·3	22·4	0·4	78	52	10	14	–	–	1	–	–	–	–	15†	15†	6	–	BIRKENHEAD.
WALLASEY	71,004	8·8	19·8	13·2	12·5	1·5	41	17	–	6	–	–	1	–	–	–	1	–	1	5	–	WALLASEY.
LIVERPOOL	760,357	20·3	18·4	16·1	16·3	2·3	429	238	38	55	–	9	6	2	6	3	7	7	13	88	2	LIVERPOOL.
BOOTLE	69,393	18·0	24·0	19·5	23·3	4·5	42	31	5	10	–	4	–	1	–	–	1	2	2	12	1	BOOTLE.
ST. HELENS	95,161	16·4	18·1	20·8	17·5	2·7	50	32	6	9	–	1	–	–	3	1	–	3	3	9	–	ST. HELENS.
WIGAN	90,678	22·4	19·0	15·0	24·7	5·2	68	43	7	8	–	6	1	–	–	–	2	1	2	3	–	WIGAN.
WARRINGTON ..	72,276	18·8	19·5	13·7	18·0	2·9	39	25	6	4	–	3	–	–	1	–	–	1	2	2	1	WARRINGTON.
BOLTON	187,824	17·5	16·1	14·4	15·5	0·3	88	56	14	20	–	1	–	–	–	–	–	3	7	11	1	BOLTON.
BURY	59,234	20·2	17·6	15·8	12·3	–	28	14	3	8	–	–	–	–	–	–	–	–	–	–	–	BURY.
MANCHESTER ..	655,435	18·8	17·3	19·3	17·5	1·5	374	220	41	57	–	11	4	1	2	–	1	16	21	61	1	MANCHESTER.
SALFORD	241,950	18·3	19·2	17·2	19·4	3·2	156	90	23	18	–	9	1	–	4	–	1	3	5	23	–	SALFORD.
OLDHAM	143,301	18·2	19·6	19·3	22·9	0·7	83	63	11	17	–	–	–	–	1	–	1	–	3	10	–	OLDHAM.
ROCHDALE	89,653	16·9	15·1	19·2	15·1	–	33	26	6	4	–	–	–	–	–	–	–	2	4	3	–	ROCHDALE.
BURNLEY	106,267	17·2	15·2	10·8	18·6	1·5	57	38	17	8	–	–	–	1	1	–	1	1	1	7	1	BURNLEY.
BLACKBURN	136,959	17·1	17·1	15·6	10·3	1·9	60	27	2	10	–	–	3	–	2	–	–	1	4	6	–	BLACKBURN.
PRESTON	118,519	21·1	20·2	16·7	12·3	0·9	53	28	6	13	–	–	–	–	2	–	–	1	1	4	–	PRESTON.
BARROW-IN-FURNESS.	62,996	16·6	12·4	11·6	12·4	0·8	36	15	3	3	–	–	–	–	–	1	–	–	–	3	1	BARROW-IN-FURNESS.

* See note † on first page of this return.

† Including 14 deaths caused by the accidental collapse of a dam at the Victoria Dock on 6th March.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 15th May, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 24th April, 1909.	1st May, 1909.	8th May, 1909.	15th May, 1909.	Rate from Diseases in Cols. 11–17. Week ended 15th May, 1909.	Registered during the Week ended 15th May, 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,739	20·9	17·6	18·7	16·5	1·7	44	30	4	10	–	–	1	1	1	–	–	3	3	7	–	HUDDERSFIELD.
HALIFAX	111,911	12·6	12·1	9·8	16·3	0·9	40	35	5	16	–	–	1	1	–	–	–	1	1	9	–	HALIFAX.
BRADFORD	293,983	18·1	13·8	11·7	14·4	0·5	96	81	13	26	–	1	–	1	1	–	–	1	5	14	–	BRADFORD.
LEEDS	484,012	15·6	12·2	14·9	12·7	0·3	189	118	20	39	–	–	–	–	1	2	–	1	9	28	–	LEEDS.
SHEFFIELD	470,958	18·8	14·1	14·3	16·2	1·2	255	146	31	38	–	8	–	1	–	2	–	5	9	52	2	SHEFFIELD.
ROTHERHAM.. ..	65,070	13·6	12·0	8·0	11·2	–	20	14	3	2	–	–	–	–	–	–	–	1	1	3	1	ROTHERHAM.
YORK	87,004	15·6	7·8	11·4	11·4	–	33	19	3	7	–	–	–	–	–	–	–	2	1	1	1	YORK.
HULL	275,552	16·8	14·9	11·9	12·9	0·6	164	68	19	26	–	1	–	–	1	1	–	2	9	16	1	HULL.
MIDDLESBROUGH ..	105,255	24·3	23·3	18·8	16·3	2·5	62	33	8	8	–	1	–	–	3	–	1	2	2	7	–	MIDDLESBROUGH.
STOCKTON-ON-TEES	53,417	10·7	13·7	11·7	18·5	2·0	32	19	6	5	–	1	–	–	1	–	–	1	3	1	–	STOCKTON-ON-TEES.
WEST HARTLEPOOL	79,686	11·1	10·5	14·4	10·5	2·0	32	16	2	4	–	1	–	1	1	–	–	2	2	5	–	WEST HARTLEPOOL.
SUNDERLAND ..	159,378	19·6	20·6	16·7	17·3	1·3	100	53	10	14	–	2	1	–	–	–	1	3	8	9	3	SUNDERLAND.
SOUTH SHIELDS ..	117,627	13·7	16·0	16·0	14·6	0·9	74	33	4	7	–	–	–	–	2	–	–	2	2	5	2	SOUTH SHIELDS.
GATESHEAD	131,024	14·7	12·7	10·7	9·6	–	75	24	6	7	–	–	–	–	–	–	–	–	–	2	3	GATESHEAD.
NEWCASTLE-ON-TYNE.	281,584	16·7	16·9	14·4	15·9	1·9	149	86	16	23	–	5	–	2	2	1	–	1	7	15	–	NEWCASTLE-ON-TYNE.
TYNEMOUTH ..	55,808	14·9	19·6	16·8	9·3	2·8	35	10	3	2	–	1	1	–	1	–	–	1	1	2	–	TYNEMOUTH.
NEWPORT (MON.) ..	78,336	14·6	12·6	10·7	11·3	–	48	17	2	6	–	–	–	–	–	–	–	1	1	6	–	NEWPORT (MON.).
CARDIFF	195,303	15·8	8·8	16·0	14·4	1·3	94	54	11	15	–	3	–	–	2	–	–	5	7	11	–	CARDIFF.
RHONDDA	135,894	18·8	18·4	16·5	12·7	0·8	83	33	9	4	–	1	–	1	–	–	–	2	3	3	1	RHONDDA.
MERTHYR TYDFIL..	78,365	12·6	18·0	13·3	16·6	1·3	63	25	7	8	–	–	2	–	–	–	–	–	1	4	–	MERTHYR TYDFIL.
SWANSEA	98,308	26·5	12·2	15·4	13·3	2·1	69	25	8	7	–	–	–	–	3	–	1	–	1	7	–	SWANSEA.
GREATER LONDON	7,429,740	14·1	13·2	12·9	12·1	1·2	3637	1728	308	531	–	74	17	12	56	1	11	70	151	672	2	GREATER LONDON.
OUTER RING ..	2,595,802	12·3	11·6	10·6	10·3	1·2	1298	512	99	165	–	21	5	5	26	1	3	21	38	111	1	OUTER RING.
8 TOWNS IN OUTER RING.	1,284,152	12·2	10·7	10·1	9·7	1·3	637	238	50	73	–	12	2	2	15	–	2	7	14	53	–	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,311,650	12·4	12·6	11·1	10·9	1·1	661	274	49	92	–	9	3	3	11	1	1	14	24	58	1	REMAINDER OF OUTER RING.
EDINBURGH	355,366	18·5	17·2	16·3	14·2	0·6	154	97	13	34	–	–	–	–	4	–	–	5	?	37	7	EDINBURGH.
GLASGOW	872,021	17·3	18·1	16·3	15·2	1·3	465	254‡	52	60	–	–	3	3	8	–	8	9	?	78	8	GLASGOW.
DUBLIN (Registration Area).†	398,356	24·5	22·0	18·8	18·5	1·4	231	141	21	51	–	3	–	–	5	2	1	2	6	53	4	DUBLIN (Registration Area).†
BELFAST†	386,576	23·2	19·0	18·3	19·6	0·9	216	145‡	38	28	–	1	–	–	5	–	1	1	8	37	3	BELFAST.†

* See note † on first page of this return

† Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast respectively.

‡ Including 1 death from Cerebro-spinal meningitis in Glasgow, and 1 from Cerebro-spinal meningitis in Belfast.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the NINETEENTH Week of each of the Eleven Years, 1899–1909.

	1899	1900	1901	1902	1903	1904	1905	1906	1907	1908	Corrected Weekly Average in 5 Years 1904–1908.*	1909
TOTAL **Births** -	2574	2581	2510	2560	2615	2551	2645	2497	2537	2496	2605·7	2339
Males - - -	1320	1318	1284	1308	1316	1283	1367	1294	1335	1315	1351·2	1202
Females - -	1254	1263	1226	1252	1299	1263	1278	1203	1202	1181	1254·5	1137
TOTAL **Deaths** -	1428	1446	1386	1456	1278	1454	1324	1423	1431	1273	1413·8	1216
Males - - -	772	767	715	785	663	762	704	731	726	649	731·4	677
Females - -	656	679	671	671	615	692	620	692	705	624	682·4	539

* The numbers in this column are the average weekly numbers in the Nineteenth week of the five years 1904-1908, raised by 2·375 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Feb. 20.	Feb. 27.	Mar. 6.	Mar 13.	Mar. 20.	Mar. 27.	Apr. 3.	Apr. 10.	Apr. 17.	Apr. 24.	May 1.	May 8.	May 15.	13 Weeks.
TOTAL **Births** -	2461	2173	2075	2585	2169	2356	2413	2188	2447	2569	2367	2537	2339	30979
TOTAL **Deaths** -	1731	1849	2116	2221	2225	1989	1700	1470	1606	1393	1300	1304	1216	22120
Ages at Death: Under 1 year -	256	273	309	297	309	273	275	240	286	245	223	260	209	3455
1—5 years -	250	224	251	273	271	246	197	209	226	179	166	169	130	2791
5—20 " -	89	79	97	85	106	87	77	78	77	72	60	68	74	1049
20—40 " -	192	183	211	214	230	187	182	168	175	147	174	143	177	2383
40—60 " -	373	398	437	453	449	383	341	300	296	282	297	253	260	4522
60 yrs. & upwds.	571	692	811	899	860	813	628	475	546	468	380	411	336	7920
Deaths from—														
Small-pox† - -	–	–	–	–	1	–	–	–	–	–	–	–	–	1
Measles - - -	93	94	92	105	129	118	94	95	112	72	81	73	53	1211
Scarlet Fever - -	8	8	7	9	7	9	8	11	9	8	10	10	12	116
Diphtheria - -	19	18	18	22	19	15	14	16	13	11	8	13	7	193
Whooping-cough -	25	35	55	35	36	40	32	33	53	49	41	35	30	499
Typhus - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever - -	4	2	1	4	5	5	3	2	3	2	1	–	–	32
Pyrexia (origin uncertain).	–	–	–	–	–	–	–	–	–	–	1	–	–	1
Diarrhœa, Dysentery	9	14	10	10	16	12	14	8	9	7	12	13	8	142
All above diseases -	158	171	183	185	213	199	165	165	199	149	154	144	110	2195
Dis. of Resp. System	235	309	389	411	360	317	194	158	157	128	85	76	78	2897
Pneumonia - -	252	237	314	347	291	250	205	152	184	166	147	136	135	2816
Phthisis - - -	153	161	183	161	204	127	142	126	146	98	116	130	131	1878
Dis. of Circ. System -	214	257	250	280	266	250	197	163	192	181	155	156	163	2734
Violence - - -	55	42	63	56	66	56	52	53	58	50	62	59	49	721
Inquest Cases - -	142	140	188	182	190	169	153	137	141	131	146	128	113	1960
Deaths in Institutions	680	676	783	777	870	786	657	616	688	564	608	561	561	8827
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	37·4	33·4	30·1	36·5	38·8	44·8	44·7	46·9	51·5	52·2	48·6	50·6	48·5	43·4
Mean of Highest -	45·8	40·9	37·1	41·3	45·3	51·3	52·4	59·3	63·0	64·0	58·9	61·0	60·1	52·4
Mean of Lowest -	29·3	27·1	23·4	33·2	33·3	39·1	37·8	33·3	41·1	42·1	40·6	40·2	37·8	35·3
Mean Humidity of the Air.	75	79	85	84	81	81	80	58	70	69	69	60	67	74
Rain-fall (in inches) -	0·01	0·08	1·23	0·46	0·41	0·51	0·66	0·00	0·22	0·72	0·77	0·00	0·11	5·18
Registered Sunshine (in hours).	36·3	22·4	16·2	17·0	17·7	20·7	23·8	83·7	42·2	53·4	64·0	92·4	62·7	552·5
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	1	1	1	2	3	2	2	2	1	1	–	–	–	1
Scarlet Fever - -	2910	2826	2873	2670	2596	2571	2462	2418	2294	2219	2181	2175	2173	2490
Diphtheria - - -	1188	1157	1167	1150	1143	1120	1106	1079	1036	1019	1016	993	990	1099
Typhus - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever - -	133	124	116	115	106	96	87	77	75	67	58	56	52	89

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lander, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq. F.R Met.Soc., Hull; the Meteorological Committee, Tynemouth; and F. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the NINETEENTH Week of the Year 1909.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 19th week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1413·8	1216	209	130	74	177	260	366
Small-pox*	-	-	-	-	-	-	-	-
Cowpox	-	-	-	-	-	-	-	-
Measles (Morbilli)	57·3	53	15	36	2	-	-	-
Scarlet Fever	9·4	12	-	7	5	-	-	-
Typhus	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-
Influenza	17·4	20	-	-	-	4	2	14
Whooping-cough	39·3	30	16	14	-	-	-	-
Diphtheria	11·9	7	-	6	1	-	-	-
Cerebro-spinal Fever ..	0·6	-	-	-	-	-	-	-
Pyrexia† (origin uncertain)	-	-	-	-	-	-	-	-
Enteric Fever	2·9	-	-	-	-	-	-	-
Asiatic Cholera	-	-	-	-	-	-	-	-
Epidemic Diarrhœa, Infective Enteritis	5·1	4	2	-	1	1	-	-
Diarrhœa, Dysentery ..	7·6	4	1	-	-	-	-	3
Tetanus	0·6	2	-	-	-	1	1	-
Rabies, Hydrophobia ..	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever)..	-	-	-	-	-	-	-	-
Venereal Dis.	6·6	7	5	1	-	-	1	-
Puerperal Septicæmia ..	1·8	6	-	-	-	6	-	-
Puerperal Pyæmia.. .	-	-	-	-	-	-	-	-
Puerperal Fever	0·4	-	-	-	-	-	-	-
Infective Endocarditis ..	2·7	5	-	-	2	2	1	-
Pneumonia: Lobar ..	17·6	24	1	3	-	2	6	12
Pneumonia: Broncho ..	57·9	60	28	15	1	3	5	8
Pneumonia: Epidemic ..	-	-	-	-	-	-	-	-
Pneumonia: Not defined	65·3	51	4	6	2	16	12	11
Erysipelas	4·9	2	-	-	-	1	-	1
Septicæmia (not Puerperal)	2·5	2	1	-	-	-	1	-
Pyæmia (not Puerperal)	1·0	-	-	-	-	-	-	-
Other Infective Processes	6·1	2	1	-	-	-	-	1
Tuberculous Phthisis ..	91·7	96	1	3	10	44	31	7
"*Phthisis*	46·1	35	-	-	3	15	13	4
Tuberculous Meningitis ..	26·8	16	4	8	4	-	-	-
Tuberculous Peritonitis ..	7·4	5	1	1	2	1	-	-
Tabes Mesenterica	2·7	1	1	-	-	-	-	-
Tuberculous Dis., Other ..	20·1	29	9	3	7	5	4	1
Scrofula..	-	-	-	-	-	-	-	-
Alcoholism	9·4	9	-	-	-	3	4	2
Rheumatic Fever	5·3	2	-	-	-	-	2	-
Gout	2·5	2	-	-	-	-	-	2
Carcinoma	59·0	45	-	-	-	4	22	19
Sarcoma	4·5	11	-	-	1	5	4	1
Cancer (undefined) ..	35·0	30	-	-	-	1	12	17
Diabetes Mellitus	6·3	8	-	-	-	1	2	5
Premature Birth	45·1	35	35	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 19th week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)..	18·0	14	6	4	2	1	1	-
Gen. Par. of Insane, Insanity	13·7	12	-	-	-	3	5	4
Epilepsy	8·2	6	-	-	-	3	2	1
Convulsions	13·7	10	10	-	-	-	-	-
Locomotor Ataxy.. ..	1·2	1	-	-	-	-	1	-
Paraplegia, Dis. of Cord.	7·2	4	-	-	-	-	2	2
Nervous Sys., Other Dis.	19·2	16	-	1	1	-	6	8
Valv. Dis., Endocarditis..	51·2	45	-	-	5	5	12	23
Cereb. Hæm. Cereb. Emb.	35·6	25	-	-	-	3	7	15
Apoplexy, Hemiplegia ..	13·5	12	-	-	-	1	2	9
Aneurysm	4·7	6	-	-	-	1	3	2
Embolism, Thrombosis (not Cerebral) ..	1·2	2	-	-	-	-	1	1
Heart & Blood Ves., Other Dis... ..	84·8	73	-	-	1	12	16	44
Croup (not Spasm: nor Memb.)	0·2	-	-	-	-	-	-	-
Bronchitis	100·1	65	10	1	-	-	15	39
Emphysema, Asthma ..	1·8	2	-	-	-	-	-	2
Pleurisy	3·7	3	-	-	-	-	2	1
Respiratory Dis., Other..	8·4	8	1	-	-	-	-	7
Tonsillitis, Quinsy.. ..	0·4	-	-	-	-	-	-	-
Enteritis (not Epid.) ..	7·6	7	3	1	-	2	1	-
Gastro-enteritis	4·7	2	2	-	-	-	-	-
Peritonitis (not Puerp.) ..	2·3	2	-	-	1	1	-	-
Cirrhosis of Liver.. ..	12·7	18	-	-	-	-	11	7
Liver Dis., Other	4·1	2	-	-	-	-	1	1
Digestive Sys., Other Dis.	37·5	35	4	4	8	5	4	10
Acute Nephritis	10·2	7	-	-	1	2	1	3
Bright's Dis., Albuminuria	41·6	32	-	-	2	1	13	16
Urinary Sys., Other Dis.	12·1	8	-	-	-	1	3	4
Generative Organs Dis...	4·1	4	-	-	-	-	3	1
Childbirth (Accid. of) ..	1·8	4	-	-	-	4	-	-
Old Age	57·7	46	-	-	-	-	-	46
Other Diseases	87·0	81	39	10	8	9	9	6
ACCIDENT.								
By Railways	2·3	2	-	-	-	1	1	-
By Vehicles and Horses..	7·4	9	-	2	3	3	1	-
In Ships, Boats, Docks, (exclusive of Drowning)	0·2	-	-	-	-	-	-	-
In Building Operations..	1·6	2	-	-	-	-	2	-
In Conflagrations	0·6	-	-	-	-	-	-	-
By Burns, Scalds, Explosions	4·5	2	-	1	-	-	1	-
By Drowning	3·5	4	-	-	1	1	2	-
By Suffocation in Bed ..	7·6	7	7	-	-	-	-	-
By Poisons or Poisonous Vapours	1·4	2	-	-	-	-	2	-
Other Deaths by Accident..	19·2	12	2	3	-	3	-	4
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	0·8	-	-	-	-	-	-	-
Suicide	12·7	9	-	-	-	-	7	2
Execution	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5.—LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 15th May, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexiæ* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified causes of Death.
LONDON	4,536,267	2339	1216	209	366	-	53	12	7	30	-	-	-	8	49	113	561	1
WEST DISTRICTS	805,311	354	214	34	72	-	5	1	1	5	-	-	-	1	13	22	102	-
NORTH DISTRICTS	1,055,908	496	212	33	74	-	15	2	2	3	-	-	-	1	18	26	114	-
CENTRAL DISTRICTS	209,465	112	64	16	15	-	2	-	-	2	-	-	-	-	2	5	30	-
EAST DISTRICTS	715,739	461	212	48	44	-	17	-	-	5	-	-	-	3	4	27	114	-
SOUTH DISTRICTS	1,749,844	916	434	78	144	-	14	8	4	15	-	-	-	3	12	33	151	1
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	50	-	17	-	-	1	-	-	-	-	-	-	-	-	50	-
WEST DISTRICTS.																		
North Paddington *H*	63,603	27	7	2	2	-	-	-	-	1	-	-	-	1	1	2	-	-
Central Paddington *W,3H*	50,053	26	24	1	10	-	-	-	-	1	-	-	-	-	-	2	17	-
South Paddington	30,320	4	5	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town *2W,w,2H* ..	128,037	41	50	9	15	-	-	-	-	1	-	-	-	-	4	5	29	-
Brompton *2H*	48,591	12	7	-	3	-	-	-	-	-	-	-	-	-	-	-	3	-
North Hammersmith *2W,w,H* ..	49,192	32	15	5	1	-	3	-	-	2	-	-	-	-	2	3	5	-
South Hammersmith *w,2H* ..	63,047	24	19	3	5	-	2	-	-	-	-	-	-	-	2	2	5	-
North-west Fulham *W*	45,180	56	13	3	6	-	-	-	1	-	-	-	-	-	-	-	8	-
North-east Fulham *F*	46,405	32	8	-	2	-	-	1	-	-	-	-	-	-	-	2	1	-
South Fulham *W*	45,704	21	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Chelsea North *W,w,3H*	42,514	13	20	2	10	-	-	-	-	-	-	-	-	-	1	1	16	-
Chelsea South *W,2H*	31,328	20	10	2	4	-	-	-	-	-	-	-	-	-	-	-	4	-
Mayfair and Knightsbridge	28,743	3	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave *W,2H*	55,815	12	15	2	3	-	-	-	-	-	-	-	-	-	3	3	7	-
St. Margaret & St. John *6H*	43,698	20	12	3	2	-	-	-	-	-	-	-	-	-	-	1	6	-
St. James and St. Anne *W,6H* ..	33,081	11	4	1	2	-	-	-	-	-	-	-	-	-	-	1	1	-
NORTH DISTRICTS.																		
All Souls Marylebone *9H*	35,391	15	13	1	4	-	-	-	-	-	-	-	-	-	1	1	8	-
St. Mary Marylebone *W,4H* ..	37,948	48	5	1	4	-	-	-	-	-	-	-	-	-	-	-	1	-
Christchurch Marylebone	39,536	13	5	-	1	-	1	-	-	-	-	-	-	-	1	1	-	-
St. John Marylebone *2H*	20,426	2	4	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-
Hampstead *W,F,6H*	81,942	23	11	-	4	-	2	-	-	-	-	-	-	-	2	2	4	-
West St. Pancras *2H*	60,562	30	11	-	2	-	-	-	-	-	-	-	-	-	2	3	4	-
South St. Pancras *w,12H*	55,707	17	15	2	3	-	-	-	-	-	-	-	-	-	1	1	13	-
East St. Pancras *W,H*	60,320	35	17	2	9	-	-	-	-	-	-	-	-	-	2	4	11	-
North St. Pancras *2W*	58,728	33	17	2	5	-	-	-	-	1	-	-	-	-	-	1	6	-
Tufnell *W*	31,995	11	21	3	9	-	1	-	-	-	-	-	-	-	1	1	15	-
Upper Holloway *2W,w,H*	33,978	15	26	3	5	-	4	-	-	-	-	-	-	-	2	2	21	-
Tollington *W,w,H*	33,922	13	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Lower Holloway	41,424	15	6	4	-	-	1	-	-	1	-	-	-	-	1	1	-	-
Barnsbury	54,478	37	3	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-
Islington South-east *F*	75,397	35	15	6	2	-	4	-	-	-	-	-	-	-	-	-	1	-
Highbury *2H*	63,797	34	9	1	5	-	-	-	-	-	-	-	-	-	-	-	-	-
Stoke Newington *H*	51,247	21	6	-	1	-	1	-	-	-	-	-	-	-	1	1	-	-
North Hackney	50,398	14	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Central Hackney *w,F*	50,536	27	10	-	2	-	1	2	-	-	-	-	-	-	-	1	3	-
South-west Hackney *3H*	59,921	25	14	4	2	-	-	-	1	-	-	-	-	-	2	4	9	-
South-east Hackney *2W,H*	58,255	33	27	3	12	-	-	-	-	1	-	-	-	-	2	2	17	-
Hackney Union Workhouse, Brentwood	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 15th May, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
St. Giles and Bloomsbury 2*W*,2*H* ..	31,436	18	5	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Strand *W*,4*H*	21,674	4	7	2	3	-	-	-	-	-	-	-	-	-	-	-	4	-
Strand Union Workhouse, Edmonton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn *W*,6*H*	29,612	12	15	3	1	-	-	-	-	2	-	-	-	-	-	-	11	-
Clerkenwell *H*	63,704	42	10	2	7	-	-	-	-	-	-	-	-	-	-	1	-	-
St. Luke 3*H*,*L*	36,116	31	8	3	2	-	2	-	-	-	-	-	-	-	-	1	-	-
Holborn Union Workhouse, Mitcham	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph *H*	10,299	3	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	2	17	2	1	-	-	-	-	-	-	-	-	-	2	3	14	-
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
Shoreditch South 2*H*	46,362	29	8	5	-	-	2	-	-	-	-	-	-	1	-	2	-	-
Shoreditch North-West *W*,*w*,*H* ..	36,127	19	20	2	7	-	1	-	-	1	-	-	-	1	-	4	13	-
Shoreditch North-East	36,148	23	6	3	1	-	2	-	-	1	-	-	-	-	-	-	-	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	50	25	6	7	-	1	-	-	-	-	-	-	-	-	-	17	-
Bethnal Green South-West *H* ..	64,542	29	9	1	1	-	-	-	-	-	-	-	-	-	-	2	2	-
Spitalfields..	27,969	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mile End New Town *W*,*H*	28,718	28	35	6	6	-	-	-	-	-	-	-	-	-	-	2	32	-
Goodman's Fields	22,081	6	5	-	2	-	-	-	-	-	-	-	-	-	1	1	-	-
St. George and St. John 2*W* ..	49,068	37	7	-	1	-	2	-	-	-	-	-	-	-	-	-	5	-
Shadwell and Ratcliff *w*,*H* ..	25,568	14	21	10	1	-	1	-	-	2	-	-	-	-	1	1	13	-
Limehouse *W*	32,369	17	3	-	-	-	1	-	-	-	-	-	-	-	-	2	-	-
Mile End Old Town South-Western *H*	63,698	56	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mile End Old Town North-Eastern *W*,*w*	49,129	25	18	1	5	-	-	-	-	-	-	-	-	-	-	1	11	-
Bow	41,989	36	5	1	2	-	-	-	-	-	-	-	-	-	1	1	-	-
Bromley 3*w*,*H*	68,319	32	33	8	8	-	5	-	-	-	-	-	-	1	-	6	20	-
Poplar *W*,*w*	58,514	41	16	4	3	-	2	-	-	1	-	-	-	-	1	5	1	-
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 15th May, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch and St. Saviour Southwark *W,2H*	23,319	8	20	3	3	-	-	-	-	-	-	-	-	-	1	2	17	-
Kent-road	21,904	16	7	3	-	-	2	-	-	-	-	-	-	-	-	1	-	-
St. George the Martyr West *W,2H,L*	39,094	7	7	1	3	-	1	-	-	-	-	-	-	-	-	-	2	-
Newington North	49,022	24	9	1	3	-	3	-	-	-	-	-	-	-	-	1	-	-
Newington South *W*	72,841	43	8	-	4	-	-	-	-	-	-	-	-	-	-	1	1	-
St. Olave *2W*	9,817	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Bermondsey *W*	82,483	48	17	8	3	-	-	-	-	4	-	-	-	-	2	4	-	-
Rotherhithe *W,F*	38,460	25	16	2	5	-	-	-	-	-	-	-	-	-	-	1	10	-
Waterloo *2H*	27,440	27	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Lambeth Church *H*	27,440	12	16	2	3	-	-	-	-	-	-	-	-	-	1	2	11	-
Kennington *2W*	52,518	20	24	4	8	-	-	-	1	1	-	-	-	-	-	-	15	-
Stockwell *HF*	63,826	45	11	2	-	-	2	1	-	-	-	-	-	-	-	3	1	-
Brixton *H*	73,673	29	13	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Norwood *2WH*	56,998	32	5	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-
East Battersea *H*	72,203	49	12	3	3	-	1	-	-	1	-	-	-	-	1	2	-	-
North-west Battersea	49,656	42	8	2	5	-	-	-	-	-	-	-	-	-	-	1	-	-
South-west Battersea *2W,H* ..	47,048	13	18	2	5	-	1	-	-	1	-	-	-	-	2	2	10	-
Clapham *2H*	51,361	19	13	-	7	-	-	-	-	-	-	-	-	-	-	-	3	-
Streatham *W,2w,2F,2L*	88,019	54	32	1	13	-	-	4	-	-	-	-	-	-	-	1	12	1
Springfield *2W,L*	27,959	25	6	1	2	-	1	-	-	-	-	-	-	-	-	1	3	-
Southfields *H*	40,444	24	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Putney	24,139	9	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich	13,359	6	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	13	21	-	12	-	-	-	-	-	-	-	-	-	1	3	20	-
Camberwell North *W,2L*	65,584	33	23	9	8	-	-	-	-	3	-	-	-	-	1	1	12	-
St. George	47,331	32	13	8	2	-	-	-	-	2	-	-	-	-	-	-	-	-
Peckham North	48,913	27	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Peckham South *2W,w*	43,946	18	8	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-
Deptford North	37,613	14	3	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Deptford Central *F*	45,481	26	6	3	1	-	-	-	1	1	-	-	-	-	1	1	1	-
Deptford South	34,625	10	5	1	3	-	-	-	-	-	-	-	-	1	-	-	-	-
Greenwich West *2H*	23,456	14	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich East *2W,H*	43,859	22	14	3	3	-	-	-	-	1	-	-	-	-	-	1	9	-
Eltham *w,H*	7,226	7	3	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-
Lee *w,H*	25,490	10	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham *2W,w,F*	58,352	38	23	2	11	-	1	2	2	-	-	-	-	-	1	2	13	-
Sydenham *H*	43,653	22	9	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Charlton *F,2H*	21,134	6	9	1	3	-	-	-	-	-	-	-	-	-	-	1	2	-
Woolwich *5H*	41,625	20	7	1	2	-	1	1	-	-	-	-	-	-	-	-	-	-
Plumstead West *W,H*	39,376	14	8	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Plumstead East *2W*	28,951	10	13	1	10	-	-	-	-	-	-	-	-	2	-	-	7	-
Workhouses:—																		
Belmont Workhouse	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asylum .. (Westminster, St. Giles, and Strand Unions.)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Small-pox Hospitals:—																		
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																		
Gore Farm (temporary)	—	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
North-Eastern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																		
Children's Infirmary, Carshalton..	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums:—																		
Caterham	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Darenth	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Leavesden	—	-	12	-	6	-	-	-	-	-	-	-	-	-	-	-	12	-
London County Lunatic Asylums:—																		
Banstead	—	-	7	-	1	-	-	-	-	-	-	-	-	-	-	-	7	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4	-
Manor	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
Long Grove	—	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-	6	-
Cane Hill	—	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	4	-
Dartford Heath	—	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	5	-
Hanwell	—	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	4	-
Colney Hatch	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
Claybury	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERATED POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 15th May, 1909.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING ..	368,603	2,045,135	1298	512	99	165	–	21	5	5	26	1	3	21	38	111	1
30 : 1	Carshalton 2F,3H	12,228	32,997	16	6	2	–	–	–	–	–	1	–	–	–	1	–	–
2	Epsom, *part of** W,w,2F,H ..	10,423	15,548	8	5	2	1	–	–	2	–	–	–	–	–	–	2	–
37 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–
38 : 1	Coulsdon	11,069	8,166	11	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2	South Croydon w,H ..	4,200	49,309	15	7	2	2	–	–	–	–	1	–	–	–	–	–	–
3	West Croydon 3W,F,H ..	2,168	42,888	32	19	1	10	–	–	–	1	–	–	–	–	2	13	–
4	North Croydon H	2,614	41,698	26	5	–	1	–	–	–	–	–	–	–	–	–	–	–
5	Penge w	770	22,465	2	3	–	1	–	–	–	–	–	–	–	–	–	–	–
6	Mitcham w	11,711	30,015	34	7	–	1	–	–	–	–	–	1	–	–	–	–	–
39 : 1	Wimbledon F,3H	3,221	41,652	20	12	2	4	–	1	–	–	–	–	–	2	2	2	–
2	Kingston 2W,H	6,224	42,068	21	10	4	2	–	–	–	–	–	–	–	–	–	4	–
3	Surbiton F,H	3,046	15,017	6	4	1	3	–	–	–	–	–	–	–	–	1	–	–
4	Esher, *part of** H	5,402	13,100	6	5	1	4	–	–	–	–	–	–	–	–	–	–	–
5	Hampton H,F,L	4,564	23,456	12	2	–	1	–	–	–	–	–	–	–	–	–	–	–
40 : 1	Richmond W,H	2,491	31,672	16	9	1	6	–	–	–	–	–	–	–	1	1	2	–
2	Mortlake F	2,518	17,821	13	3	2	–	–	–	–	–	–	–	–	–	–	–	–
41 : 1	Bromley F,3H	4,703	27,354	16	7	–	2	–	–	–	–	–	–	–	1	1	2	–
2	Beckenham H	7,825	28,497	11	3	–	1	–	–	–	–	–	–	–	–	–	–	–
3	Orpington, *part of** W,F ..	10,113	9,857	4	4	–	4	–	–	–	–	–	–	–	–	–	4	–
4	Chislehurst 2H	7,333	16,446	11	2	–	1	–	–	–	–	–	–	–	–	–	–	–
42 : 1	Bexley w,F,H	8,678	21,151	13	2	–	1	–	1	–	–	–	–	–	–	–	–	–
2	Erith F,H	3,854	25,296	12	6	1	1	–	–	–	–	–	–	–	1	1	1	–
3	Dartford W,F, *part of** ..	—	—	–	3	–	3	–	–	–	–	–	–	–	–	–	3	–
124 : 1	Sunbury w	11,054	18,683	10	8	1	1	–	–	–	1	1	–	–	–	–	–	–
2	Staines W,H	13,277	15,178	8	4	1	1	–	–	–	–	–	–	–	–	–	4	–
125 : 1	Hillingdon W,F,H	6,035	13,661	7	2	–	1	–	–	–	–	–	–	–	–	–	–	–
2	Uxbridge H	12,757	8,984	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3	Hayes w 2F,H	8,066	16,358	25	6	2	1	–	2	–	–	–	–	–	–	–	–	–
126 : 1	Isleworth 3W,3F,H	6,859	30,863	20	11	1	3	–	–	–	–	–	–	–	1	2	8	–
2	Twickenham F,2H	2,421	20,991	14	10	5	4	–	–	–	–	–	–	–	1	1	1	–
3	Brentford 3F,2H	4,319	48,289	17	22	4	9	–	–	–	–	5	–	–	2	2	–	–
4	Chiswick H	1,249	29,809	17	7	1	3	–	–	–	–	–	–	–	–	–	–	–
5	Acton w,F,3H	6,132	48,914	35	18	2	4	–	4	–	–	1	–	–	–	4	2	–
127 : 1	Harrow F,H	13,809	25,523	22	4	2	1	–	–	–	–	–	–	–	1	1	–	1
2	Edgware 2F,2H	6,994	4,521	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3	Willesden W,F,2H	4,384	114,811	71	33	5	8	–	2	–	–	4	–	–	2	4	5	–
4	Hendon W,F	8,382	22,450	14	6	–	2	–	1	1	–	–	–	–	–	–	2	–
128 : 1	South Mimms 2F,H ..	17,755	7,308	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2	Barnet W,2H	3,324	17,970	12	3	–	2	–	–	–	–	–	–	–	–	–	–	–
3	Finchley F,3H	4,683	33,692	25	9	4	2	–	–	–	–	2	–	–	–	–	–	–
129 : 1	Hornsey F,H	2,875	72,056	31	14	4	7	–	–	–	–	2	–	–	–	–	–	–
2	Wood Green H	1,625	34,233	25	6	1	3	–	–	–	–	1	–	–	–	–	1	–
3	West Tottenham	995	48,741	35	9	2	3	–	–	–	–	1	–	–	1	1	–	–
4	East Tottenham 2H ..	2,019	53,962	39	13	4	5	–	–	–	–	1	–	–	3	4	4	–
5	Edmonton W,w,2F	7,491	61,892	49	18	1	6	–	–	–	–	–	–	1	1	2	7	–
6	Enfield 2W,F,H	12,601	42,738	27	7	2	2	–	–	–	–	–	–	–	–	–	–	–
7	Waltham Abbey F	11,017	6,549	–	1	–	–	–	–	–	1	–	–	–	–	–	1	–
8	Cheshunt F,H	8,479	12,292	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
135 : 1	Hatfield, *part of** W ..	3,305	664	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
137 : 1	Bushey H	9,333	9,173	7	2	–	1	–	–	–	–	–	–	–	–	–	–	–
2	Watford W,2F, *part of** ..	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
186 : 1	Stratford H	1,091	52,974	30	7	2	1	–	–	–	–	1	–	–	1	1	1	–
2	Forest Gate	787	52,745	19	9	–	1	–	–	–	–	–	–	–	–	–	–	–
3	Plaistow F,2H	1,249	90,921	67	17	3	2	–	2	1	–	–	–	–	–	–	–	–
4	Canning Town H	1,556	70,718	58	20	9	2	–	5	–	–	2	–	1	1	3	–	–
5	South East Ham 2F ..	1,991	37,342	41	11	7	1	–	–	–	–	–	–	–	1	1	–	–
6	North East Ham w,H ..	1,333	58,666	38	6	2	–	–	2	–	–	–	–	1	–	–	–	–
7	Wanstead F	1,679	9,179	5	2	–	–	–	–	–	–	–	–	–	–	–	–	–
8	South Leyton 2W	631	50,467	31	13	3	5	–	–	–	–	–	–	–	–	–	5	–
9	North Leyton 2W,w,F ..	1,963	48,445	42	31	4	13	–	–	–	–	2	–	–	–	–	18	–
10	Walthamstow 2H,L ..	6,504	108,929	74	20	4	8	–	1	–	–	1	–	–	–	–	–	–
187 : 1	Chigwell 2F,3H	11,778	16,397	11	6	1	1	–	–	1	1	–	–	–	–	–	2	–
2	Epping W,F, *part of** ..	—	—	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–
189 : 1	Romford, *part of** W,2F ..	6,556	6,091	6	5	–	4	–	–	–	–	–	–	–	–	–	4	–
2	Ilford F,L	8,496	41,244	25	13	2	3	–	–	–	–	–	–	–	1	3	2	–
3	Barking Town F	3,805	21,547	18	4	1	–	–	–	–	1	–	–	–	–	–	1	–
	Eastern Hospital, Hackney	—	—	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–
	Surrey County Lunatic Asylum, Brookwood.	—	—	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
	Middlesex County Lunatic Asylum. Napsbury.	—	—	–	4	–	3	–	–	–	–	–	–	–	–	–	4	–
	Essex County Lunatic Asylum, Brentwood.	—	—	–	2	–	–	–	–	–	–	–	–	–	–	–	2	–

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30 : 2, excepting Ashtead parish; 37 : 1, Warlingham and Farley parishes; 39 : 4, excepting Esher parish; 41 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135 : 1, Northaw parish; 189 : 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42 : 3, 137 : 2 and 187 : 2 and in the Croydon Mental Hospital in 37 : 1 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths.	Annual Death-rate per 1000 living.	Deaths from Small-pox	Measles.	Scarlet Fever	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON - -	4,833,938	May 15	2339	1216	13·1	-	53	12	7	30	-	8
CALCUTTA - -	1,014,438	April 10	-	789	41·5	197	2	-	-	1	184†	142‡
BOMBAY - -	982,000	" 20	314	1050	55·8	18	4	-	-	-	440†	99‡
MADRAS - -	548,974	" 16	380	350	35·7	3	4	?	?	?	108	36
PARIS - - -	2,760,000	May 8	961	1027	19·6	-	11	11	6	5	10	25
BRUSSELS - -	704,975	" 8	237	175	12·9	-	2	1	3	-	3	7
ANTWERP - -	310,903	" 8	134	79	13·2	-	2	-	-	1	-	4
AMSTERDAM -	566,304	" 8	267	168	15·5	-	5	1	2	6	-	4
COPENHAGEN -	448,000	" 8	197	116	13·5	-	1	1	-	4	-	3
STOCKHOLM -	339,582	" 1	155	112	17·1	-	-	3	1	1	-	2
CHRISTIANIA -	231,687	" 8	102	46	10·3	-	2	-	1	1	-	3
ST. PETERSBURG	1,573,000	" 1	782	788	26·1	4	31	15	11	11	7	85‡
MOSCOW - -	1,452,100	" 1	-	761	27·3	14	22	19	15	6	15	69
BERLIN - -	2,098,912	April 24	872	668	16·6	-	11	17	15	7	1	30
HAMBURG - -	872,252	May 8	-	234	14·0	-	1	2	3	3	-	15
BRESLAU - -	501,283	" 1	-	205	21·3	-	1	-	1	-	-	27
MUNICH - -	566,000	" 1	265	215	19·8	-	6	-	1	3	-	22
VIENNA - -	2,064,037	" 8	824	673	17·0	-	25	3	10	4	2	24
PRAGUE - -	485,057	" 1	190	201	21·6	-	3	1	3	-	-	16
BUDAPEST - -	823,215	" 1	443	329	20·7	-	5	5	1	-	-	9
TRIESTE - -	217,706	" 8	118	89	21·3	-	1	-	-	-	-	4
ROME - - -	565,323	February 13	-	-	-	-	-	-	-	-	-	-
VENICE - -	179,286	May 1	109	62	18·0	-	-	-	-	-	1	7
BUCAREST - -	296,585	" 1	179	175	30·8	-	-	1	2	-	-	5
NEW YORK -	4,564,792	April 24	2228	1594	18·2	-	47	17	44	4	4	68
CHICAGO - -	2,224,490	" 24	-	630	14·8	-	6	8	11	3	-	41
PHILADELPHIA -	1,565,569	" 3	-	523	17·3	-	10	2	17	5	10	16
		" 10	-	553	18·4	-	19	3	16	4	3	28
RIO DE JANEIRO	637,089	" 11	-	254	20·8	5	1	-	1	1	-	?
		" 18	-	257	21·0	5	-	-	1	-	-	-
CAIRO:— Egyptians -	666,587	April 22	543	516	40·3	5	36	-	3	?	13§	108
Foreigners -	35,219	" 22	7	26	38·4	-	-	-	-	?	2	7
ALEXANDRIA:— Egyptians -	341,965	" 22	262	226	34·4	-	15	16	2	?	4	38
Foreigners -	46,118	" 22	10	19	21·4	-	2	-	1	?	-	2

* Excluding deaths from croup in the Indian Cities.
† Including 85 deaths from plague in Calcutta and 382 in Bombay.
‡ Including 111 deaths from Asiatic cholera in Calcutta, 44 in Bombay, and 5 in St. Petersburg.
§ Including 1 death from malarial fever in Cairo.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 15th May, 1909.

Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	73·9	33·8	49·0	0·11	BRADFORD - -	65·8	30·8	45·1	0·33
BRIGHTON - -	64·0	37·3	48·9	0·05	YORK - - -	71·0	34·0	47·7	0·23
PORTSMOUTH - -	72·0	39·0	50·9	0·01	HULL - - -	72·0	33·0	45·7	0·16
NORWICH - -	70·4	31·4	45·9	0·13	TYNEMOUTH - -	63·0	30·0	44·0	0·19
PLYMOUTH -	72·8	40·0	52·2	0·00	CARDIFF - - -	65·2	34·0	49·0	0·01
BRISTOL - - -	66·0	33·2	49·0	0·02	EDINBURGH - -	59·4	29·3	45·1	0·21
BIRMINGHAM - -	72·6	34·4	47·9	0·05	GLASGOW - -	63·9	30·8	47·7	0·21
NOTTINGHAM - -	71·5	31·8	46·9	0·06	DUBLIN Phœnix Park.	67·8	28·2	45·8	0·03
LIVERPOOL OBSERVATORY.	60·0	36·0	47·6	0·07	DUBLIN Fitzwilliam Square.†	68·3	33·9	48·4	0·08
MANCHESTER -	66·2	32·3	45·8	0·14					
BURNLEY - -	63·0	27·0	43·1	0·22					
HUDDERSFIELD -	67·3	32·3	45·6	0·27	BELFAST - - -	64·5	35·0	48·7	0·01

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to the seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°·7 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 15th May, 1909.

[*Under the Superintendence of the Astronomer Royal.*]

1909. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est.	Daily Range.	Mean daily value.	Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
MAY.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 9	Greatest Dec. S.	29·846	59·3	37·1	22·2	48·9	− 2·3	37·3	11·6	20·4	5·6	64	122·0	21·9	49·55	E., NE. & N.	N. & NNE.	3·5	0·0	0·3	296	+ 46	0·00	10·0
MONDAY - 10	..	29·902	58·1	39·9	18·2	48·5	− 3·0	39·1	9·4	16·0	3·7	70	128·9	27·0	49·76	NE., NNE. & N.	N., NNE. & NE.	1·9	0·0	0·1	236	− 13	0·00	3·8
TUESDAY - 11	..	30·017	71·0	33·8	37·2	53·0	+ 1·2	41·2	11·8	23·3	2·2	64	124·1	21·5	49·92	Calm & SW.	SW. & SSW.	1·9	0·0	0·1	180	− 70	0·00	6·2
WEDNESDAY 12	Last Qr.	29·944	73·9	43·8	30·1	57·8	+ 5·7	42·4	15·4	28·7	1·8	57	131·5	36·0	50·11	SW. & WSW.	W., NNW. & N.	8·0	0·0	0·4	361	+106	0·01	0·8
THURSDAY - 13	..	30·088	54·4	37·1	17·3	46·0	− 6·4	33·2	12·8	19·8	4·3	61	133·6	26·2	50·48	NNE. & N.	NNE., NE. & E.	3·2	0·0	0·2	273	+ 9	0·00	6·0
FRIDAY - 14	..	29·942	51·2	36·5	14·7	42·3	−10·3	37·9	4·4	8·6	1·7	84	100·9	32·4	50·60	NE. & variable.	SSW. & SW.	0·6	0·0	0·0	150	−124	0·10	3·0
SATURDAY - 15	..	29·919	53·0	36·2	16·8	43·3	− 9·5	34·5	8·8	14·9	0·7	71	134·0	23·6	50·50	NNW., N & NE.	NE. & E.	2·2	0·0	0·1	175	−110	0·00	7·0
MEANS - -		29·951	60·1	37·8	22·4	48·5	− 3·5	37·9	10·6	18·8	2·9	67	125·0	26·9	50·13	NNE. & SW.		..	..	..	Sum 1671	Sum −156	Sum 0·11	5·3
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. MAY.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY - 9	s.P. generally till 9h. A.M.; m.P. till 11h. A.M.; w. P. till 2h. P.M.; m. P. afterwards.	11·3	15·2	Very fine till 4h. P.M.; nearly overcast afterwards.
MONDAY - 10	w. P. till 6h. A.M.; m.P. generally till 11h. A.M.; Loss of Register till 4h. P.M.; s.P. generally afterwards.	10·5	15·2	Generally overcast till shortly before 8h. A.M.; very fine afterwards.
TUESDAY - 11	w. P. till noon; m. P. principally afterwards.	13·6	15·3	A very fine day.
WEDNESDAY 12	w. P. till 5h. A.M.; m.P. till 9h. A.M.; v.P. afterwards.	9·1	15·4	Nearly cloudless till 5h. A.M.; very fine with variable amounts of cloud till 5h. P.M.; generally overcast afterwards with occasional light rain; gusty wind prevalent between 8h. & 9h. P.M. Partial solar halo observed at intervals during the afternoon.
THURSDAY - 13	m.P. till 6h. A.M.; s.P. generally till 8h. P.M.; v. P. afterwards.	9·7	15·4	Fine and partially cloudy till evening; overcast after 7h. P.M.
FRIDAY - 14	v. P. generally.	3·1	15·5	Generally overcast till 2h. 30m. P.M.; fine till 8h. P.M.; cloudy at night; continuous rain with a little snow between midnight and 7h. A.M.; and occasional light showers after 1h. 30m. P.M.
SATURDAY - 15	m.P. generally till 6h. A.M.; s.P. till noon; w. P. generally till 8h. P.M.; m.P. afterwards.	5·4	15·5	Fine with variable amounts of cloud till evening; nearly cloudless at night.
		Sum 62·7	Sum 107·5	
No. of Col. - -	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·93 in. at the beginning of the week to 29·84 in. by 11h. A.M. on the 9th; increased to 30·03 in. by 1h. A.M. on the 12th; decreased to 29·87 in. by 4h. P.M. on the same day; increased to 30·12 in. by 9h. A.M. on the 13th; decreased to 29·88 in. by 4h. A.M. on the 15th; and increased to 29·95 in. by midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 8th May, 1909.*

BOROUGHS.	Estimated Population in the middle of 1909.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	151,955	-	10	4	-	-	-	-	1	-	-
Kensington	183,683	-	7	2	-	-	-	-	2	-	-
Hammersmith	125,704	-	7	4	-	-	-	-	1	1	-
Fulham	176,406	-	11	4	-	-	-	-	2	-	-
Chelsea	75,249	-	10	4	-	-	-	-	-	-	-
City of Westminster ..	168,883	-	12	2	-	-	-	-	1	-	-
NORTH.											
St. Marylebone	126,027	-	6	5	-	-	-	-	-	-	-
Hampstead	94,185	-	6	1	-	-	-	-	2	1	-
St. Pancras	237,422	-	11	4	-	1	-	-	4	-	-
Islington	351,202	-	33	10	-	2	-	-	1	-	-
Stoke Newington	54,423	-	3	3	-	1	-	-	1	-	-
Hackney	237,601	-	22	6	-	1	-	-	10	1	-
CENTRAL.											
Holborn	53,802	-	2	-	-	-	-	-	1	-	-
Finsbury	95,289	-	7	5	-	1	-	-	3	-	-
City of London	18,193	-	-	-	-	-	-	-	-	-	-
EAST.											
Shoreditch	114,802	-	4	3	-	1	-	-	3	-	-
Bethnal Green	131,316	-	6	4	-	1	-	-	3	1	-
Stepney	312,525	-	14	11	-	-	-	-	9	-	-
Poplar	171,965	-	14	4	-	1	-	-	5	1	-
SOUTH.											
Southwark	211,125	-	9	3	-	-	-	-	1	-	-
Bermondsey	127,569	-	4	3	-	-	-	-	5	-	-
Lambeth	324,188	-	23	8	-	-	-	-	2	-	-
Battersea	186,036	-	9	7	-	-	-	-	3	-	-
Wandsworth	297,646	-	13	7	-	1	-	-	4	-	-
Camberwell	283,022	-	22	6	-	2	-	-	6	-	-
Deptford	118,583	-	5	3	-	1	-	-	2	2	-
Greenwich	111,014	-	15	4	-	1	-	-	2	1	-
Lewisham	160,749	-	9	7	-	-	-	-	2	-	-
Woolwich	133,374	-	19	4	-	-	-	-	2	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,833,938	-	313	128	-	14	-	-	78	8	-
Ages 0-1		-	2	6	-	-	-	-	3	-	-
" 1-5		-	94	56	-	3	-	-	7	-	-
" 5-		-	115	40	-	3	-	-	3	-	-
" 10-		-	60	7	-	1	-	-	3	-	-
" 15-		-	14	9	-	-	-	-	5	2	-
" 20-		-	12	4	-	2	-	-	5	1	-
" 25-		-	11	4	-	1	-	-	9	3	-
" 35-		-	5	-	-	3	-	-	17	1	-
" 45-		-	-	-	-	1	-	-	10	1	-
" 55-		-	-	-	-	-	-	-	7	-	-
" 65 and upwards		-	-	2	-	-	-	-	9	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY DARLING & SON, LTD., 34-40 BACON STREET, E.

1909.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 20. 1909. VOL. LXX.] WEEK ENDED SATURDAY, MAY 22. [Price 1½*d.*

General Register Office, Somerset House,
May 24th, 1909.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 14·7 per 1000 of their aggregate population, which is estimated † at 16,445,281 persons in the middle of this year. In the preceding three weeks the rates had been 14·5, 14·1, and 13·7. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 20·0 in Merthyr Tydfil, 20·5 in Stockton on Tees, 21·1 in Oldham, 21·5 in West Bromwich, 22·4 in Tynemouth, 23·4 in Coventry, and 28·9 in Wolverhampton; from *measles*, 1·4 in Nottingham, 1·5 in Bootle, 2·3 in Wigan, 2·5 in Norwich, 2·6 in Coventry, 3·1 in Reading, and 6·5 in Wolverhampton; from *scarlet fever*, 1·5 in West Bromwich; from *diphtheria*, 1·5 in Handsworth (Staffs.); and from *whooping-cough*, 1·2 in Tottenham, 1·3 in Preston, 1·5 in Smethwick, and 1·6 in Leyton. Two deaths from *small-pox* were registered in Bristol, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2250 BIRTHS and 1295 DEATHS were registered. Allowing for increase of population, the births were 248 and

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-five other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(13439—41.) Wt. 109—472. 700. 5/09. D & S. G. 31. Sch. 4. U

the deaths 29 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes, which had been 14·0, 14·1, and 13·1 per 1000 in the preceding three weeks, was 14·0 last week. The death-rate in the four weeks ended last Saturday averaged 13·8 per 1000, being 1·4 per 1000 below the mean rate in the corresponding periods of the five years 1904–8.

The 1295 deaths included 53 from measles, 6 from scarlet fever, 16 from diphtheria, 42 from whooping-cough, 6 from enteric fever, and 10 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia: thus, to these diseases in the aggregate 133 deaths were referred, being 1 above the corrected average number in the twentieth week of the preceding five years.

The deaths from *measles*, which had been 81, 73, and 53 in the preceding three weeks, were again 53 last week, and were 2 above the corrected average; 6 deaths belonged to the Borough of Poplar, and 4 apiece to Hammersmith, Islington, Finsbury, Stepney, Lambeth, Battersea, and Camberwell. The deaths from *scarlet fever*, which had been 10, 10, and 11 in the preceding three weeks, fell last week to 6, and were 3 below the corrected average. The deaths from *diphtheria*, which had been 8, 13, and 8 in the preceding three weeks, rose last week to 16, and were 6 above the corrected average. The deaths from *whooping-cough*, which had been 41, 35, and 30 in the preceding three weeks, rose last week to 42, the corrected average being 41; 4 deaths belonged to Hammersmith, and 4 each to Hackney, Southwark, and Wandsworth. The deaths from *enteric fever*, which had been 1, 0, and 0 in the preceding three weeks, rose last week to 6, and were 3 above the corrected average. The deaths from *diarrhœa*, which had been 12, 13, and 8 in the preceding three weeks, were 10 last week, and were 7 below the corrected average. Of the 10 deaths from diarrhœa, 8 were those of children under 5 years of age; 3 other deaths at this age were certified as due to *enteritis* and 4 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 17, having been 32, 16, and 20 in the preceding three weeks. The death of a lead cutter, aged 55 years, was certified as due to *lead-poisoning*.

Different forms of violence caused 39 deaths, concerning all of which inquests were held. Of these 39 deaths 3 were cases of suicide, and 2 of execution, while the remaining 34 were attributed to accident or negligence. Four of these latter were referred to vehicles in the streets, two to building operations, eight to burns or scalds, two to drowning, and three, of infants under one year of age, to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 2234 cases of scarlet fever, 957 of diphtheria, and 48 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 348 cases, against 305, 309, and 313; of diphtheria, 115 cases, against 117, 104, and 122; and of enteric fever, 7 cases, against 6, 3, and 9. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended May 15th, 1909.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 3524 births and 1834 deaths were registered. Allowing for increase of population, these numbers are 407 and 15 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 14 deaths from measles, 5 from scarlet fever, 3 from diphtheria, 9 from whooping-cough, 1 from "fever," and 1 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·92 inches, and that of the Thermometer 54°·9, the latter being 1°·2 above the week's average in the 65 years ended 1905. The direction of the wind was variable, the horizontal movement of the air being 23 per cent. below the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 75·9 hours; the measured rainfall amounted to 0·13 of an inch.

TABLE 1 —76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 22nd May, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 1st May, 1909.	8th May, 1909.	15th May, 1909.	22nd May, 1909.	Rate from Diseases in Cols. 11-17. Week ended 22nd May, 1909.	Registered during the Week ended 22nd May, 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS	**16,445,281**	**14·5**	**14·1**	**13·7**	**14·7**	**1·3**	**8368**	**4651**	**891**	**1378**	**2**	**168**	**35**	**51**	**98**	**20**	**42**	**148**	**341**	**1309**	**35**	**76 TOWNS.**
LONDON	4,833,938	14·0	14·1	13·1	14·0	1·4	2250	1295	238	386	–	53	6	16	42	6	10	39	118	579	–	LONDON.
CROYDON	161,078	11·3	10·4	9·4	10·7	0·6	78	33	6	15	–	–	1	–	1	–	–	–	–	7	–	CROYDON.
WILLESDEN ..	160,424	10·1	7·2	10·4	12·7	0·3	69	39	12	9	–	1	–	–	–	–	–	–	3	3	–	WILLESDEN.
HORNSEY	95,628	8·2	6·5	8·2	3·8		29	7	–	3	–	–	–	–	–	–	–	–	–	–	–	HORNSEY.
TOTTENHAM ..	129,464	10·5	9·3	10·5	7·2	1·6	63	18	5	3	–	–	–	1	3	–	–	2	2	3	–	TOTTENHAM.
WEST HAM ..	321,767	13·6	13·0	10·9	14·6	1·1	164	90	17	23	–	1	1	–	4	–	1	6	13	23	–	WEST HAM.
EAST HAM.. ..	149,575	11·5	8·7	7·3	10·8	1·7	73	31	4	10	–	3	–	–	2	–	–	–	1	2	–	EAST HAM.
LEYTON	129,614	7·6	12·5	9·7	8·9	2·0	53	22	7	12	–	–	1	–	4	–	–	2	3	3	–	LEYTON.
WALTHAMSTOW	136,602	7·6	9·2	9·2	6·1	1·1	56	16	2	6	–	2	1	–	–	–	–	–	–	3	–	WALTHAMSTOW.
HASTINGS	68,165	15·3	14·5	11·5	6·9	0·8	18	9	–	5	–	–	–	1	–	–	–	1	2	2	–	HASTINGS.
BRIGHTON	130,926	14·7	9·6	13·1	13·9	0·4	54	35	2	13	–	–	–	1	–	–	–	1	2	9	–	BRIGHTON.
PORTSMOUTH ..	214,726	17·2	16·8	9·5	16·5	1·0	117	68	8	28	–	1	1	1	–	1	–	1	3	18	–	PORTSMOUTH.
BOURNEMOUTH ..	72,368	10·1	14·4	7·2	8·6	–	30	12	3	6	–	–	–	–	–	–	–	–	–	1	–	BOURNEMOUTH.
SOUTHAMPTON ..	124,667	8·8	13·8	12·1	10·9	–	68	26	6	9	–	–	–	–	–	–	–	–	2	7	–	SOUTHAMPTON.
READING	82,995	10·1	6·9	15·7	10·7	3·1	29	17	2	2	–	5	–	–	–	–	–	1	1	4	–	READING.
NORTHAMPTON ..	97,752	10·1	10·7	8·0	14·9	–	35	28	5	13	–	–	–	–	–	–	–	–	–	5	–	NORTHAMPTON.
IPSWICH	74,889	10·4	14·6	9·7	13·9	–	30	20	3	9	–	–	–	–	–	–	–	–	3	2	–	IPSWICH.
GREAT YARMOUTH	53,430	19·5	18·5	15·6	18·5	1·0	30	19	6	3	–	–	–	–	–	–	1	1	2	2	–	GREAT YARMOUTH.
NORWICH	124,136	11·8	18·9	12·6	13·9	2·9	52	33	3	14	–	6	–	1	–	–	–	2	3	4	–	NORWICH.
PLYMOUTH	124,180	18·1	11·3	10·5	13·0	0·4	44	31	2	16	–	–	–	1	–	–	–	–	2	5	–	PLYMOUTH.
DEVONPORT	83,103	13·8	12·5	11·3	7·5	1·3	31	12	2	4	–	2	–	–	–	–	–	–	–	2	–	DEVONPORT.
BRISTOL	377,642	13·3	11·6	11·3	13·5	0·7	216	98	17	39	2	1	–	–	2	–	–	2	7	20	–	BRISTOL.
HANLEY	68,831	19·7	21·2	15·2	15·9	1·5	43	21	9	3	–	–	–	–	1	1	–	1	1	2	–	HANLEY.
BURTON-ON-TRENT	54,453	7·7	11·5	12·4	12·4	1·9	33	13	4	2	–	–	–	1	1	–	–	–	–	5	–	BURTON-ON-TRENT.
WOLVERHAMPTON..	104,633	18·9	22·4	19·9	28·9	7·5	49	58	8	17	–	13	–	1	1	–	–	1	1	10	–	WOLVERHAMPTON.
WALSALL	99,399	16·3	13·6	16·3	14·2	1·0	53	27	5	12	–	–	1	–	–	–	1	1	1	5	–	WALSALL.
HANDSWORTH ..	70,186	8·2	8·2	5·9	11·1	3·7	29	15	2	5	–	1	1	2	–	–	1	–	–	2	–	HANDSWORTH.
WEST BROMWICH..	70,457	14·8	14·8	11·8	21·5	3·0	38	29	6	11	–	–	2	–	1	–	1	1	2	8	1	WEST BROMWICH.

ended Saturday, 22nd May, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 1st May, 1909.	8th May, 1909.	15th May, 1909.	22nd May, 1909.	Rate from Diseases in Cols. 11-17. Week ended 22nd May, 1909.	Registered during the Week ended 22nd May, 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
BIRMINGHAM ..	563,629	15·1	14·1	13·0	15·6	1·1	300	169	27	48	-	4	1	3	3	1	-	7	9	62	5	BIRMINGHAM.
KINGS NORTON ..	81,632	9·6	8·9	10·9	10·9	0·6	30	17	5	2	-	1	-	-	-	-	-	1	1	1	-	KINGS NORTON.
SMETHWICK	70,377	13·3	9·6	17·0	17·0	2·2	45	23	11	4	-	-	-	1	2	-	-	-	1	1	-	SMETHWICK.
ASTON MANOR ..	85,257	11·0	11·6	14·1	14·7	-	35	24	7	8	-	-	-	-	-	-	-	-	1	4	1	ASTON MANOR.
COVENTRY	80,163	18·9	16·9	24·1	23·4	4·6	56	26	5	10	-	4	1	-	1	-	1	-	-	4	1	COVENTRY.
LEICESTER	244,255	10·9	9·0	10·0	13·0	-	117	61	14	22	-	-	-	-	-	-	-	4	6	17	-	LEICESTER.
GRIMSBY	73,036	12·1	15·7	12·1	15·7	0·7	43	22	3	6	-	-	1	-	-	-	-	-	-	4	-	GRIMSBY.
NOTTINGHAM ..	263,443	15·0	15·0	16·4	17·4	2·0	146	88	16	29	-	7	-	-	-	-	3	2	5	19	-	NOTTINGHAM.
DERBY	129,411	12·5	13·3	10·5	13·7	1·2	68	34	11	11	-	-	-	-	1	-	2	1	4	6	-	DERBY.
STOCKPORT	103,706	15·6	20·6	10·6	18·6	2·0	46	37	5	9	-	1	1	1	-	-	1	1	2	4	-	STOCKPORT.
BIRKENHEAD ..	121,123	11·2	13·3	22·4	16·4	0·9	86	38	5	12	-	-	-	1	-	1	-	2	5	8	-	BIRKENHEAD.
WALLASEY	71,004	19·8	13·2	12·5	9·5	0·7	37	13	2	3	-	-	1	-	-	-	-	1	2	1	-	WALLASEY.
LIVERPOOL	760,357	18·4	16·1	16·3	19·3	2·0	506	282	65	67	-	12	3	3	6	3	2	12	20	95	9	LIVERPOOL.
BOOTLE	69,393	24·0	19·5	23·3	9·0	1·5	43	12	4	2	-	2	-	-	-	-	-	-	-	3	1	BOOTLE.
ST. HELENS	95,161	18·1	20·8	17·5	14·2	1·1	65	26	8	6	-	-	1	-	1	-	-	-	-	6	1	ST. HELENS.
WIGAN	90,678	19·0	15·0	24·7	19·6	2·3	56	34	6	4	-	4	-	-	-	-	-	1	1	4	-	WIGAN.
WARRINGTON ..	72,276	19·5	13·7	18·0	18·8	2·2	50	26	6	3	-	1	-	1	-	-	1	-	-	5	3	WARRINGTON.
BOLTON	187,824	16·1	14·4	15·5	15·8	2·2	76	57	18	14	-	4	1	-	2	1	-	-	1	6	-	BOLTON.
BURY	59,234	17·6	15·8	12·3	15·8	1·8	17	18	3	6	-	-	-	1	1	-	-	-	-	2	2	BURY.
MANCHESTER ..	655,435	17·3	19·4	17·6	18·3	2·3	350	230	50	54	-	13	4	4	4	3	1	13	17	71	4	MANCHESTER.
SALFORD	241,950	19·2	17·2	19·4	18·5	2·6	138	86	19	16	-	6	1	2	-	-	3	3	7	17	-	SALFORD.
OLDHAM	143,301	19·6	19·3	22·9	21·1	1·5	84	58	8	15	-	1	2	-	-	-	1	1	5	11	-	OLDHAM.
ROCHDALE	89,653	15·1	19·2	15·7	16·3	-	39	28	4	12	-	-	-	-	-	-	-	-	-	-	-	ROCHDALE.
BURNLEY	106,267	15·2	10·8	18·6	17·7	0·5	47	36	8	9	-	-	-	-	-	-	1	-	4	8	-	BURNLEY.
BLACKBURN	136,959	17·1	15·6	10·3	13·7	1·1	60	36	7	9	-	2	-	-	1	-	-	3	6	5	-	BLACKBURN.
PRESTON	118,519	20·2	16·7	12·3	18·0	2·6	64	41	14	10	-	1	-	-	3	-	2	2	4	5	-	PRESTON.
BARROW-IN-FURNESS.	62,996	12·4	11·6	12·4	11·6	-	25	14	-	4	-	-	-	-	-	-	-	-	-	1	-	BARROW-IN-FURNESS.

* See note † on first page of this return.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 22nd May, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1909.*	Death-Rates from all Causes. Week ended 1st May, 1909.	8th May, 1909.	15th May, 1909.	22nd May, 1909.	Rate from Diseases in Cols. 11–17. Week ended 22nd May, 1909.	Registered during the Week ended 22nd May, 1909. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,739	17·6	18·7	16·5	13·2	–	45	24	4	7	–	–	–	–	–	–	–	–	1	2	2	HUDDERSFIELD.
HALIFAX	111,911	12·1	9·8	16·3	14·9	0·5	39	32	2	15	–	–	–	1	–	–	–	–	2	11	1	HALIFAX.
BRADFORD	293,983	13·8	11·7	14·4	17·2	0·7	103	97	15	40	–	2	–	–	1	1	–	5	9	18	1	BRADFORD.
LEEDS	484,012	12·2	14·9	12·7	12·3	0·3	226	114	21	41	–	–	–	–	1	1	1	4	10	30	–	LEEDS.
SHEFFIELD	470,958	14·1	14·3	16·2	14·3	0·9	291	129	22	36	–	3	1	–	1	–	3	–	7	30	–	SHEFFIELD.
ROTHERHAM.. ..	65,070	12·0	8·0	11·2	6·4	–	40	8	2	3	–	–	–	–	–	–	–	1	1	1	–	ROTHERHAM.
YORK	87,004	7·8	11·4	11·4	8·4	–	37	14	2	6	–	–	–	–	–	–	–	–	–	5	–	YORK.
HULL	275,552	14·9	11·9	12·9	13·2	0·6	158	70	7	21	–	1	–	–	1	–	1	5	7	14	–	HULL.
MIDDLESBROUGH ..	105,255	23·3	18·8	16·3	19·8	1·0	64	40	11	8	–	1	–	–	1	–	–	–	1	–	1	MIDDLESBROUGH.
STOCKTON-ON-TEES	53,417	13·7	11·7	18·5	20·5	1·0	36	21	4	8	–	–	–	–	1	–	–	–	–	4	–	STOCKTON-ON-TEES.
WEST HARTLEPOOL	79,686	10·5	14·4	10·5	9·8	–	49	15	6	3	–	–	–	–	–	–	–	–	–	5	–	WEST HARTLEPOOL.
SUNDERLAND ..	159,378	20·6	16·7	17·3	17·7	1·3	100	54	14	13	–	3	–	–	1	–	–	4	4	14	–	SUNDERLAND.
SOUTH SHIELDS ..	117,627	16·0	16·0	14·6	18·2	1·8	81	41	9	15	–	2	1	1	–	–	–	1	2	8	1	SOUTH SHIELDS.
GATESHEAD	131,024	12·7	10·7	9·6	14·7	0·4	72	37	7	11	–	–	–	–	–	–	1	1	1	3	–	GATESHEAD.
NEWCASTLE-ON-TYNE.	281,584	16·9	14·4	15·9	16·5	1·1	158	89	16	26	–	–	–	4	1	1	–	–	3	19	–	NEWCASTLE-ON-TYNE.
TYNEMOUTH ..	55,808	19·6	16·8	9·3	22·4	0·9	39	24	4	10	–	–	–	–	1	–	–	1	2	4	1	TYNEMOUTH.
NEWPORT (MON.) ..	78,336	12·6	10·7	11·3	12·0	–	49	18	2	6	–	–	–	–	–	–	–	1	2	6	–	NEWPORT (MON.).
CARDIFF	195,303	8·8	16·0	14·4	15·5	1·1	102	58	9	18	–	–	–	–	1	–	3	5	10	19	–	CARDIFF.
RHONDDA	135,894	18·4	16·5	12·7	15·3	1·2	102	40	8	6	–	1	–	2	–	–	–	2	3	2	–	RHONDDA.
MERTHYR TYDFIL..	78,365	18·0	13·3	16·6	20·0	0·7	55	30	2	5	–	1	–	–	–	–	–	2	2	4	–	MERTHYR TYDFIL.
SWANSEA	98,308	12·2	15·4	13·3	14·9	2·1	59	28	9	7	–	2	1	–	1	–	–	–	1	4	–	SWANSEA.
GREATER LONDON	7,429,740	13·2	12·9	12·1	12·9	1·4	3524	1834	343	574	–	74	15	20	65	7	12	62	158	674	1	GREATER LONDON.
OUTER RING ..	2,595,802	11·6	10·6	10·3	10·8	1·2	1274	539	105	188	–	21	9	4	23	1	2	23	40	95	1	OUTER RING.
8 TOWNS IN OUTER RING.	1,284,152	10·7	10·1	9·7	10·4	1·1	585	256	53	81	–	7	4	1	14	–	1	10	22	44	–	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,311,650	12·6	11·1	10·9	11·3	1·3	689	283	52	107	–	14	5	3	9	1	1	13	18	51	1	REMAINDER OF OUTER RING.
EDINBURGH	355,366	17·2	16·3	14·2	17·2	2·1	140	117‡	17	35	–	–	–	2	10	–	2	5	?	45	5	EDINBURGH.
GLASGOW	872,021	18·1	16·3	15·2	17·1	2·3	443	286‡	50	76	–	2	3	4	22	–	8	9	?	101	5	GLASGOW.
DUBLIN (Registration Area).†	398,356	22·0	18·8	18·5	22·3	1·2	248	170	34	50	–	–	–	1	4	4	–	5	8	65	3	DUBLIN (Registration Area).†
BELFAST†	386,576	19·0	18·3	19·6	24·3	1·6	213	180‡	35	38	–	–	–	1	9	–	2	4	9	61	3	BELFAST.†

* See note † on first page of this return

† Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast respectively.

‡ Including 2 deaths from Cerebro-spinal meningitis in Edinburgh, and 1 in Glasgow, and 1 from Cerebro-spinal fever in Belfast.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the TWENTIETH Week of each of the Eleven Years, 1899–1909.

	1899	1900	1901	1902	1903	1904	1905	1906	1907	1908	Corrected Weekly Average in 5 Years 1904–1908.*	1909
TOTAL **Births** -	2598	2512	2302	2495	2625	2376	2426	2480	2499	2418	2497·7	2250
Males - - -	1318	1282	1285	1198	1345	1194	1237	1263	1252	1218	1262·0	1146
Females - -	1280	1230	1317	1297	1280	1182	1189	1217	1247	1200	1235·7	1104
TOTAL **Deaths** -	1419	1437	1375	1423	1313	1349	1268	1270	1383	1196	1323·9	1235
Males - - -	730	781	704	712	684	730	673	613	701	654	697·0	683
Females - -	689	656	671	711	629	619	595	627	679	542	626·9	612

* The numbers in this column are the average weekly numbers in the Twentieth week of the five years 1904–1908, raised by 2·375 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Feb. 27.	Mar. 6.	Mar 13.	Mar. 20.	Mar. 27.	Apr. 3.	Apr. 10.	Apr. 17.	Apr. 24.	May 1.	May 8.	May 15.	May 22.	13 Weeks.
TOTAL **Births** -	2173	2075	2585	2169	2356	2413	2188	2447	2569	2367	2537	2339	2250	30768
TOTAL **Deaths** -	1849	2116	2221	2225	1989	1700	1470	1606	1393	1300	1304	1216	1295	21684
Ages at Death: Under 1 year -	273	309	297	309	273	275	240	286	245	223	260	209	238	3437
1—5 years -	224	251	273	271	246	197	209	226	179	166	169	130	162	2703
5—20 " -	79	97	85	106	87	77	78	77	72	60	68	74	72	1132
20—40 " -	183	211	214	230	187	182	168	175	147	174	143	177	153	2344
40—60 " -	398	437	453	449	353	341	300	296	282	297	253	260	284	4433
60 yrs. & upwds.	692	811	899	860	813	628	475	546	468	380	411	356	386	7735
Deaths from—														
Small-pox† - -	–	–	–	1	–	–	–	–	–	–	–	–	–	1
Measles - - -	94	92	105	129	118	94	95	112	72	81	73	53	53	1171
Scarlet Fever - -	8	7	9	7	9	8	11	9	8	10	10	11	6	113
Diphtheria - -	18	18	22	19	15	14	16	13	11	8	13	8	16	191
Whooping-cough -	35	55	35	36	40	32	33	53	49	41	35	30	42	516
Typhus - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever - -	2	1	4	5	5	3	2	3	2	1	–	–	6	34
Pyrexia (origin uncertain).	–	–	–	–	–	–	–	–	–	1	–	–	–	1
Diarrhœa, Dysentery	14	10	10	16	12	14	8	9	7	12	13	8	10	143
All above diseases -	171	183	185	213	199	165	165	199	149	154	144	110	133	2170
Dis. of Resp. System	309	383	411	360	317	194	158	157	128	85	76	78	83	2745
Pneumonia - -	237	314	347	291	250	205	152	184	166	147	136	135	131	2695
Phthisis - - -	161	183	161	204	127	142	126	146	98	116	130	131	126	1851
Dis. of Circ. System -	257	280	280	266	250	197	163	192	181	155	156	163	168	2688
Violence - - -	42	63	56	66	56	52	53	53	50	62	59	49	39	705
Inquest Cases - -	140	188	182	190	169	153	137	141	131	146	128	113	118	1936
Deaths in Institutions	676	783	777	870	786	657	616	688	534	608	561	561	579	8726
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	33·4	30·1	36·5	38·8	44·8	44·7	46·9	51·5	52·2	48·6	50·6	48·5	54·9	44·7
Mean of Highest -	40·9	37·1	41·3	45·3	51·3	52·4	59·3	63·0	64·0	58·9	61·0	60·1	68·8	54·1
Mean of Lowest -	27·1	23·4	33·2	33·3	39·1	37·8	33·3	41·1	42·1	40·6	40·2	37·8	39·5	35·0
Mean Humidity of the Air.	79	85	84	81	81	86	58	70	69	69	60	67	66	73
Rain-fall (in inches) -	0·08	1·23	0·46	0·41	0·51	0·63	0·00	0·22	0·72	0·77	0·00	0·11	0·13	5·30
Registered Sunshine (in hours).	22·4	16·2	17·0	17·7	20·7	23·8	83·7	42·2	53·4	64·0	92·4	62·7	75·9	592·1
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	1	1	2	3	2	2	2	1	1	–	–	–	–	1
Scarlet Fever - -	2826	2873	2670	2596	2571	2462	2418	2294	2219	2181	2175	2173	2234	2438
Diphtheria - - -	1157	1167	1150	1143	1120	1106	1079	1036	1019	1016	993	990	957	1072
Typhus - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever - -	124	116	115	106	96	87	77	75	67	53	53	52	48	83

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **3.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lander, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq. F.R Met.Soc., Hull; the Meteorological Committee, Tynemouth; and F. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the TWENTIETH Week of the Year 1909.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 20th week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1323·9	1295	238	162	72	153	284	386
Small-pox*	0·2	-	-	-	-	-	-	-
Cowpox	0·4	-	-	-	-	-	-	-
Measles (Morbilli)	51·2	53	15	36	2	-	-	-
Scarlet Fever	9·2	6	-	4	2	-	-	-
Typhus	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-
Influenza	14·5	17	-	1	-	1	6	9
Whooping-cough	41·2	42	21	20	1	-	-	-
Diphtheria	9·6	16	2	7	6	-	-	1
Cerebro-spinal Fever ..	0·4	-	-	-	-	-	-	-
Pyrexia† (origin uncertain)	-	-	-	-	-	-	-	-
Enteric Fever	2·7	6	-	1	1	3	1	-
Asiatic Cholera	-	-	-	-	-	-	-	-
Epidemic Diarrhœa, Infective Enteritis	6·1	6	4	1	-	-	1	-
Diarrhœa, Dysentery ..	11·3	4	3	-	-	-	-	1
Tetanus	0·4	-	-	-	-	-	-	-
Rabies, Hydrophobia ..	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever)..	0·2	-	-	-	-	-	-	-
Venereal Dis.	7·8	4	2	-	-	2	-	-
Puerperal Septicæmia ..	3·1	1	-	-	-	1	-	-
Puerperal Pyæmia.. .	0·2	-	-	-	-	-	-	-
Puerperal Fever	-	-	-	-	-	-	-	-
Infective Endocarditis ..	2·7	2	-	-	1	-	1	-
Pneumonia: Lobar ..	20·1	22	-	-	-	3	14	5
Pneumonia: Broncho ..	52·2	60	15	20	6	1	7	11
Pneumonia: Epidemic ..	-	-	-	-	-	-	-	-
Pneumonia: Not defined	60·6	49	5	3	3	9	16	13
Erysipelas	3·3	4	-	-	1	-	-	3
Septicæmia (not Puerperal)	0·8	3	-	-	1	2	-	-
Pyæmia (not Puerperal)	0·4	2	1	-	-	-	-	1
Other Infective Processes	5·1	6	2	1	1	-	1	1
Tuberculous Phthisis ..	87·4	95	2	6	5	33	35	14
"*Phthisis*	45·5	31	-	1	1	16	11	2
Tuberculous Meningitis ..	21·3	28	5	17	4	2	-	-
Tuberculous Peritonitis ..	9·2	5	2	2	-	1	-	-
Tabes Mesenterica	1·0	4	3	1	-	-	-	-
Tuberculous Dis., Other ..	20·9	22	4	4	6	5	2	1
Scrofula..	-	-	-	-	-	-	-	-
Alcoholism	9·2	6	-	-	-	1	5	-
Rheumatic Fever	4·1	5	-	1	4	-	-	-
Gout	0·8	2	-	-	-	-	1	1
Carcinoma	50·8	53	-	-	-	4	23	26
Sarcoma	3·7	7	-	1	2	-	3	1
Cancer (undefined) ..	33·8	42	-	-	-	1	18	23
Diabetes Mellitus	8·2	8	-	-	-	3	2	3
Premature Birth	44·4	37	37	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 20th week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)..	14·5	18	5	5	5	1	2	-
Gen. Par. of Insane, Insanity	13·7	14	-	-	-	5	5	4
Epilepsy	5·3	8	-	-	-	2	3	3
Convulsions	17·6	11	11	-	-	-	-	-
Locomotor Ataxy.. ..	2·9	3	-	-	-	-	1	2
Paraplegia, Dis. of Cord.	5·5	2	-	-	-	-	1	1
Nervous Sys., Other Dis.	20·9	15	-	4	-	1	3	7
Valv. Dis., Endocarditis..	44·0	42	-	-	1	6	14	21
Cereb. Hæm. Cereb. Emb.	32·6	37	-	-	1	-	16	20
Apoplexy, Hemiplegia ..	13·1	11	-	-	-	-	3	8
Aneurysm	5·3	4	-	-	-	-	1	3
Embolism, Thrombosis (not Cerebral) ..	0·6	-	-	-	-	-	-	-
Heart & Blood Ves., Other Dis... ..	75·8	74	-	-	1	6	18	49
Croup (not Spasm: nor Memb.)	0·2	-	-	-	-	-	-	-
Bronchitis	79·0	68	15	3	-	2	10	38
Emphysema, Asthma ..	2·7	4	-	-	-	-	2	2
Pleurisy	2·9	6	-	2	1	1	1	1
Respiratory Dis., Other..	10·2	5	-	-	-	1	1	3
Tonsillitis, Quinsy.. ..	0·6	1	-	1	-	-	-	-
Enteritis (not Epid.) ..	10·6	6	3	-	-	-	1	2
Gastro-enteritis	4·9	5	4	-	-	-	-	1
Peritonitis (not Puerp.) ..	2·5	4	-	-	1	1	1	1
Cirrhosis of Liver.. ..	14·5	13	-	-	-	-	7	6
Liver Dis., Other	5·9	6	-	-	-	1	2	3
Digestive Sys., Other Dis.	37·5	42	3	3	5	7	14	10
Acute Nephritis	6·3	4	-	-	1	1	1	1
Bright's Dis., Albuminuria	31·1	32	-	-	-	5	14	13
Urinary Sys., Other Dis.	12·1	11	-	-	-	2	3	6
Generative Organs Dis...	4·1	6	-	-	-	2	3	1
Childbirth (Accid. of) ..	4·3	4	-	-	-	3	1	-
Old Age	51·2	54	-	-	-	-	-	54
Other Diseases	85·8	98	67	12	4	7	4	4
ACCIDENT.								
By Railways	1·6	-	-	-	-	-	-	-
By Vehicles and Horses..	6·3	4	-	1	1	1	-	1
In Ships, Boats, Docks, (exclusive of Drowning)	0·2	-	-	-	-	-	-	-
In Building Operations..	1·6	2	-	-	-	1	1	-
In Conflagrations	-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions	4·3	8	-	3	1	3	-	1
By Drowning	7·2	2	1	-	-	-	1	-
By Suffocation in Bed ..	8·4	3	3	-	-	-	-	-
By Poisons or Poisonous Vapours	2·0	1	-	-	-	1	-	-
Other Deaths by Accident..	13·7	14	3	1	3	2	1	4
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	1·2	-	-	-	-	-	-	-
Suicide	15·2	3	-	-	-	1	2	-
Execution	-	2	-	-	-	2	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday 22nd May, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia†* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified causes of Death.
LONDON	4,536,267	2250	1295	238	386	-	53	6	16	42	-	6	-	10	39	118	579	-
WEST DISTRICTS	805,311	327	216	42	83	-	8	1	1	9	-	-	-	2	6	16	91	-
NORTH DISTRICTS	1,055,908	490	279	47	94	-	8	-	3	11	-	-	-	4	12	25	110	-
CENTRAL DISTRICTS	209,165	91	61	13	3	-	3	-	2	-	-	-	-	-	2	7	39	-
EAST DISTRICTS	715,739	413	220	47	44	-	15	-	3	6	-	2	-	1	7	26	126	-
SOUTH DISTRICTS	1,749,844	929	460	86	147	-	19	4	7	16	-	2	-	3	12	44	157	-
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	56	3	15	-	-	1	-	-	-	2	-	-	-	-	56	-
WEST DISTRICTS.																		
North Paddington *H*	63,603	41	9	1	6	-	-	-	-	-	-	-	-	-	-	1	-	-
Central Paddington *W,3H*	50,053	20	21	6	7	-	-	-	-	3	-	-	-	1	3	4	13	-
South Paddington	30,320	5	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town *2W,w,2H* ..	128,037	56	33	2	18	-	1	-	-	-	-	-	-	-	-	2	16	-
Brompton *2H*	48,591	12	14	1	9	-	-	-	-	-	-	-	-	1	1	1	1	-
North Hammersmith *2W,w,H* ..	49,192	27	19	6	4	-	3	-	-	1	-	-	-	-	-	3	4	-
South Hammersmith *w,2H* ..	63,047	27	15	7	1	-	1	-	-	3	-	-	-	-	-	-	5	-
North-west Fulham *W*	45,180	25	10	3	3	-	-	-	-	2	-	-	-	-	1	1	5	-
North-east Fulham *F*	48,405	24	8	2	2	-	1	1	1	-	-	-	-	-	-	-	3	-
South Fulham *W*	45,704	20	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Chelsea North *W,w,3H*	42,514	14	35	3	20	-	-	-	-	-	-	-	-	-	-	1	26	-
Chelsea South *W,2H*	31,328	14	5	2	-	-	-	-	-	-	-	-	-	-	-	-	3	-
Mayfair and Knightsbridge	28,743	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave *W,2H*	55,815	15	16	2	5	-	1	-	-	-	-	-	-	-	-	1	5	-
St. Margaret & St. John *6H*	43,693	18	19	6	4	-	-	-	-	-	-	-	-	-	1	2	10	-
St. James and St. Anne *W,6H* ..	33,031	6	4	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																		
All Souls Marylebone *9H*	35,391	14	15	-	7	-	-	-	-	-	-	-	-	-	-	1	6	-
St. Mary Marylebone *W,4H* ..	37,948	52	9	1	5	-	-	-	-	-	-	-	-	-	-	-	-	-
Christchurch Marylebone	39,536	17	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. John Marylebone *2H*	20,436	4	6	2	1	-	-	-	-	-	-	-	-	1	-	-	2	-
Hampstead *W,F,6H*	81,942	37	21	5	5	-	-	-	1	1	-	-	-	-	1	2	7	-
West St. Pancras *2H*	60,562	19	10	1	3	-	-	-	-	-	-	-	-	-	-	-	3	-
South St. Pancras *w,12H*	55,707	17	21	2	5	-	-	-	-	-	-	-	-	-	1	1	16	-
East St. Pancras *W,H*	60,320	33	14	3	4	-	-	-	-	1	-	-	-	-	1	1	10	-
North St. Pancras *2W*	58,728	17	20	3	7	-	3	-	1	1	-	-	-	-	-	1	11	-
Tufnell *W*	31,995	21	19	2	9	-	-	-	-	-	-	-	-	-	-	1	15	-
Upper Holloway *2W,w,H*	33,978	24	28	-	11	-	2	-	-	-	-	-	-	-	3	5	20	-
Tollington *W,w,H*	33,922	11	8	4	1	-	1	-	-	-	-	-	-	1	-	1	-	-
Lower Holloway	41,424	15	7	3	-	-	-	-	-	-	-	-	-	1	3	3	-	-
Barnsbury	54,478	33	12	3	3	-	-	-	-	1	-	-	-	-	-	-	-	-
Islington South-east *F*	75,397	34	10	1	5	-	1	-	-	1	-	-	-	-	-	1	-	-
Highbury *2H*	63,797	29	9	1	6	-	1	-	-	-	-	-	-	-	-	-	-	-
Stoke Newington *H*	51,247	18	8	1	3	-	-	-	-	2	-	-	-	-	-	-	-	-
North Hackney	50,398	21	7	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Central Hackney *w,F*	50,536	22	12	3	3	-	-	-	-	1	-	-	-	-	2	4	2	-
South-west Hackney *3H*	59,921	24	15	3	5	-	-	-	1	2	-	-	-	-	-	1	6	-
South-east Hackney *2W,H*	58,255	28	22	3	9	-	-	-	-	1	-	-	-	1	1	3	12	-
Hackney Union Workhouse, Brentwood	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 22nd May, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
St. Giles and Bloomsbury 2*W*,2*H* ..	31,436	16	3	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Strand *W*,4*H*	21,674	4	10	2	-	-	-	-	-	-	-	-	-	-	-	-	10	-
Strand Union Workhouse, Edmonton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn *W*,6*H*	29,612	10	13	2	-	-	-	-	1	-	-	-	-	-	-	-	11	-
Clerkenwell *H*	63,704	31	16	7	-	-	2	-	-	-	-	-	-	-	1	3	-	-
St. Luke 3*H*,*L*	36,116	26	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Holborn Union Workhouse, Mitcham	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
St. Botolph *H*	10,299	3	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	1	17	1	1	-	-	-	1	-	-	-	-	-	1	3	16	-
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
Shoreditch South 2*H*	46,062	27	11	1	-	-	2	-	-	1	-	-	-	-	1	1	-	-
Shoreditch North-West *W*,*w*,*H* ..	36,127	24	20	2	4	-	-	-	-	1	-	-	-	-	-	4	14	-
Shoreditch North-East	36,148	19	4	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	33	30	6	8	-	1	-	-	-	-	-	-	-	1	4	19	-
Bethnal Green South-West *H* ..	64,542	35	10	4	2	-	-	-	-	1	-	-	-	-	-	1	2	-
Spitalfields..	27,969	17	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mile End New Town *W*,*H*	28,718	28	38	7	1	-	1	-	2	-	-	-	-	-	2	3	37	-
Goodman's Fields	22,081	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George and St. John 2*W* ..	49,068	30	5	2	1	-	2	-	-	-	-	-	-	-	1	1	2	-
Shadwell and Ratcliff *w*,*H* ..	25,568	10	16	4	1	-	-	-	1	2	-	-	-	-	-	-	12	-
Limehouse *W*	32,369	21	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Mile End Old Town South-Western *H*	63,698	51	9	4	2	-	1	-	-	-	-	-	-	1	-	3	-	-
Mile End Old Town North-Eastern *W*,*w*	49,129	27	15	-	5	-	-	-	-	-	-	-	-	-	-	4	9	-
Bow	41,989	15	9	4	2	-	-	-	-	-	-	-	-	-	1	1	-	-
Bromley 3*w*,*H*	68,319	36	37	8	13	-	5	-	-	1	-	2	-	-	1	3	30	-
Poplar *W*,*w*	58,514	27	12	3	5	-	2	-	-	-	-	-	-	-	-	-	1	-
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 22nd May, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch and St. Saviour Southwark *W,2H*	23,319	12	14	4	2	-	-	-	-	-	-	-	-	-	-	-	10	-
Kent-road	21,904	16	7	2	1	-	-	-	-	3	-	-	-	-	-	2	-	-
St. George the Martyr West *W,2H,L*	39,094	23	5	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Newington North	49,022	28	10	5	2	-	1	-	-	1	-	-	-	-	-	2	-	-
Newington South *W*	72,841	43	11	5	2	-	-	-	-	-	-	-	-	-	-	1	1	-
St. Olave *2W*	9,817	5	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Bermondsey *W*	82,483	57	20	3	7	-	1	-	-	-	-	-	-	-	2	3	-	-
Rotherhithe *W,F*	38,460	22	23	3	11	-	-	-	-	-	-	-	-	1	-	3	16	-
Waterloo *2H*	27,440	36	5	3	1	-	-	-	-	-	-	-	-	1	-	-	1	-
Lambeth Church *H*	27,440	20	24	3	3	-	3	-	-	-	-	-	-	-	2	2	17	-
Kennington *2W*	52,518	20	25	2	11	-	-	-	-	-	-	1	-	-	-	1	13	-
Stockwell *HF*	63,826	27	16	4	3	-	1	3	3	-	-	1	-	-	-	-	7	-
Brixton *H*	73,673	31	12	4	2	-	-	-	-	2	-	-	-	-	-	1	1	-
Norwood *2WH*	56,998	22	8	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
East Battersea *H*	72,203	32	9	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
North-west Battersea	49,656	34	13	3	2	-	4	-	-	-	-	-	-	-	-	3	-	-
South-west Battersea *2W,H*	47,048	19	22	3	10	-	-	-	-	4	-	-	-	-	1	1	16	-
Clapham *2H*	51,361	34	11	2	4	-	1	-	1	-	-	-	-	-	-	3	2	-
Streatham *W,2w,2F,2L*	88,019	48	24	2	10	-	-	-	1	2	-	-	-	-	-	-	5	-
Springfield *2W,L*	27,959	21	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Southfields *H*	40,444	11	3	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Putney	24,139	14	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich	13,359	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Camberwell South *W,w*	40,206	15	25	1	12	-	1	-	-	-	-	-	-	-	-	-	21	-
Camberwell North *W,2L*	65,584	33	27	5	9	-	-	-	-	1	-	-	-	-	1	2	18	-
St. George	47,331	22	12	3	1	-	2	-	-	2	-	-	-	-	1	6	-	-
Peckham North	48,913	24	6	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Peckham South *2W,w*	43,946	21	9	-	4	-	-	-	-	-	-	-	-	-	-	1	-	-
Deptford North	37,613	16	3	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Deptford Central *F*	45,481	32	15	3	3	-	2	1	1	1	-	-	-	1	-	1	3	-
Deptford South	34,625	15	8	-	5	-	-	-	-	-	-	-	-	-	1	1	-	-
Greenwich West *2H*	23,456	15	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich East *2W,H*	43,859	24	15	2	7	-	-	-	-	-	-	-	-	-	-	-	10	-
Eltham *w,H*	7,226	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *w,H*	25,490	9	9	-	6	-	-	-	-	-	-	-	-	-	-	1	-	-
Lewisham *2W,w,F*	53,352	34	22	4	7	-	-	-	1	-	-	-	-	-	3	4	10	-
Sydenham *H*	43,653	20	9	1	2	-	-	-	-	-	-	-	-	-	1	2	-	-
Charlton *F,2H*	21,134	10	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woolwich *5H*	41,625	24	9	3	1	-	-	-	-	-	-	-	-	-	-	-	2	-
Plumstead West *W,H*	39,376	17	7	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *2W*	28,951	16	6	-	2	-	1	-	-	-	-	-	-	-	-	-	4	-
Workhouses:—																		
Belmont Workhouse	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
M. A. B. Small-pox Hospitals:—																		
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																		
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	2	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																		
Children's Infirmary, Carshalton	—	-	4	3	-	-	-	-	-	-	-	-	-	-	-	-	4	-
M. A. B. Imbecile Asylums:—																		
Caterham	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Darenth	—	-	5	-	-	-	-	1	-	-	-	-	-	-	-	-	5	-
Leavesden	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Lunatic Asylums:—																		
Banstead	—	-	12	-	4	-	-	-	-	-	-	-	-	-	-	-	12	-
Ewell (Epileptic Colony)	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Horton	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Manor	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
Long Grove	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
Cane Hill	—	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-
Dartford Heath	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-
Hanwell	—	-	7	-	4	-	-	-	-	-	-	-	-	-	-	-	7	-
Colney Hatch	—	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	5	-
Claybury	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-

TABLE **6.** LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERATED POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 22nd May, 1909.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING ..	368,603	2,045,135	1274	539	105	188	-	21	9	4	23	1	2	23	40	95	1
30 : 1	Carshalton 2F,3H	12,228	32,997	12	10	3	1	-	-	-	-	-	-	-	3	3	1	-
2	Epsom, *part of** W,w,2F,H..	10,423	15,548	6	4	-	1	-	-	-	1	-	-	-	-	-	3	
37 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	3	4	-	2	-	-	-	-	-	-	-	-	-	4	-
38 : 1	Coulsdon	11,069	8,166	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w,H ..	4,200	49,309	20	11	2	7	-	-	-	-	-	-	-	-	-	-	-
3	West Croydon 3W,F,H ..	2,168	42,888	38	18	2	6	-	-	1	-	1	-	-	-	-	8	-
4	North Croydon H	2,614	41,698	20	5	2	2	-	-	-	-	-	-	-	-	-	-	-
5	Penge w	770	22,465	12	6	1	1	-	-	-	-	-	-	-	1	1	-	-
6	Mitcham w	11,711	30,015	33	18	3	6	-	2	-	-	-	-	-	-	-	-	-
39 : 1	Wimbledon F,3H	3,221	41,652	22	4	-	-	-	2	-	-	-	-	-	-	-	-	-
2	Kingston 2W,H	6,224	42,068	14	8	-	5	-	-	-	-	-	-	-	-	-	5	-
3	Surbiton F,H	3,046	15,017	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** H	5,402	13,100	14	1	-	1	-	-	-	-	-	-	-	-	-	-	-
5	Hampton H,F,L	4,564	23,456	10	7	1	3	-	-	-	-	1	-	-	1	1	1	-
40 : 1	Richmond W,H	2,491	31,672	8	11	1	5	-	-	-	-	-	-	-	1	2	4	-
2	Mortlake F	2,518	17,821	19	6	4	-	-	-	-	-	2	-	-	2	3	-	-
41 : 1	Bromley F,3H	4,703	27,354	13	4	3	1	-	-	-	-	-	-	-	-	-	-	-
2	Beckenham H	7,825	28,497	14	6	-	4	-	-	-	-	-	-	-	-	-	-	-
3	Orpington, *part of** W,F ..	10,113	9,857	9	4	-	4	-	-	-	-	-	-	-	-	-	2	-
4	Chislehurst 2H	7,333	16,446	5	2	-	2	-	-	-	-	-	-	-	-	-	-	-
42 : 1	Bexley w,F,H	8,678	21,151	8	2	-	1	-	-	-	-	-	-	-	-	-	1	-
2	Erith F,H	3,854	25,296	16	8	1	1	-	-	-	-	1	-	1	-	-	-	-
3	Dartford W,F, *part of** ..	—	—	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-
124 : 1	Sunbury w	11,054	18,683	10	3	1	1	-	-	-	-	-	-	-	-	-	-	-
2	Staines W,H	13,277	15,178	6	3	-	2	-	-	-	-	-	-	-	-	-	1	-
125 : 1	Hillingdon W,F,H	6,035	13,661	13	6	1	1	-	-	-	-	-	-	-	-	-	2	-
2	Uxbridge H	12,757	8,984	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w 2F,H	8,066	16,358	20	10	2	11	-	1	-	-	-	-	-	-	-	-	-
126 : 1	Isleworth 3W,3F,H	6,859	30,863	31	10	1	4	-	2	-	-	-	-	-	1	2	6	-
2	Twickenham F,2H	2,421	20,991	13	3	1	1	-	-	-	-	1	-	-	-	-	-	-
3	Brentford 3F,2H	4,319	48,239	30	13	5	4	-	1	1	-	2	-	-	-	-	1	-
4	Chiswick H	1,219	29,809	13	8	1	5	-	-	-	-	-	-	-	-	1	-	-
5	Acton w,F,3H	6,132	43,914	44	10	3	2	-	6	-	-	-	-	-	-	1	-	-
127 : 1	Harrow F,H	13,809	25,523	14	6	1	-	-	-	-	-	-	-	-	-	-	1	
2	Edgware 2F,2H	6,994	4,521	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden W,F,2H	4,384	114,811	69	38	12	9	-	1	-	-	-	-	-	-	3	2	-
4	Hendon W,F	8,382	22,450	10	10	5	2	-	-	1	-	1	-	-	1	1	1	-
128 : 1	South Mimms 2F,H ..	17,755	7,308	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,970	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-
3	Finchley F,3H	4,683	33,692	24	6	1	3	-	-	-	-	-	-	-	-	-	-	-
129 : 1	Hornsey F,H	2,875	72,056	29	7	-	3	-	-	-	-	-	-	-	-	-	-	-
2	Wood Green H	1,626	34,233	23	7	1	4	-	-	-	-	-	-	-	1	1	-	-
3	West Tottenham	995	48,741	26	3	2	-	-	-	-	-	-	-	-	1	1	-	-
4	East Tottenham 2H ..	2,019	53,962	37	14	3	1	-	-	-	-	3	-	-	1	1	2	-
5	Edmonton W,w,2F	7,491	61,892	55	14	4	5	-	-	-	1	1	-	-	-	-	2	-
6	Enfield 2W,F,H	12,601	42,738	25	8	2	2	-	-	-	1	-	1	-	-	-	1	-
7	Waltham Abbey F	11,017	6,549	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	11	8	2	4	-	-	-	-	-	-	-	-	-	-	1
135 : 1	Hatfield, *part of** W ..	3,305	664	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey H	9,333	9,173	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-
2	Watford W,2F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
186 : 1	Stratford H	1,091	52,974	20	6	3	1	-	-	-	-	-	-	1	1	2	1	-
2	Forest Gate	787	52,745	22	12	6	2	-	-	-	-	-	-	-	-	-	-	-
3	Plaistow F,2H	1,249	90,921	59	24	2	6	-	1	1	-	2	-	-	1	4	1	-
4	Canning Town H	1,556	70,718	63	27	5	6	-	-	-	-	2	-	-	3	6	-	-
5	South East Ham 2F ..	1,991	37,342	39	9	2	3	-	2	-	-	1	-	-	-	-	-	-
6	North East Ham w,H ..	1,333	58,666	34	20	2	6	-	1	-	-	1	-	-	-	1	-	-
7	Wanstead F	1,679	9,179	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	21	9	3	5	-	-	-	-	2	-	-	-	-	4	-
9	North Leyton 2W,w,F ..	1,963	48,445	32	36	6	16	-	-	1	-	2	-	-	3	4	22	-
10	Walthamstow 2H,L ..	6,504	108,929	64	20	1	6	-	2	1	-	-	-	-	1	1	-	-
187 : 1	Chigwell 2F,3H	11,778	16,397	14	3	-	2	-	-	1	-	-	-	-	-	-	1	-
2	Epping W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189 : 1	Romford, *part of** W,2F ..	6,556	6,091	6	4	-	2	-	-	2	-	-	-	-	-	-	1	-
2	Ilford F,L	8,496	41,244	41	14	2	7	-	-	-	-	-	-	-	-	-	3	-
3	Barking Town F	3,805	21,547	21	3	1	1	-	-	-	-	-	-	-	1	1	-	-
	N.E. Hospital, Tottenham..	—	—	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	6	-	-	-	-	-	-	-	-	-	-	-	6	-
	Surrey County Lunatic Asylum, Brookwood.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Kent County Lunatic Asylum, Maidstone.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Essex County Lunatic Asylum, Brentwood	—	—	-	3	-	3	-	-	-	-	-	-	-	-	-	3	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30 : 2, excepting Ashtead parish; 37 : 1, Warlingham and Farley parishes; 39 : 4, excepting Esher parish; 41 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135 : 1, Northaw parish; 189 : 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42 : 3, 137 : 2 and 187 : 2 and in the Croydon Mental Hospital in 37 : 1 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Small-pox	Measles.	Scarlet Fever	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON	4,833,938	May 22	2250	1295	14·0	-	53	6	16	42	6	10
CALCUTTA	1,014,438	April 17	-	725	38·1	171	1	-	-	-	195†	149‡
BOMBAY	982,000	" 27	328	1131	60·1	20	2	-	-	-	564†	76‡
MADRAS	548,974	" 23	337	330	33·6	2	3	?	?	?	83	43
		" 30	339	316	32·2	5	3	-	-	-	97	36
PARIS	2,760,000	May 15	1034	996	19·0	-	7	4	4	7	4	17
BRUSSELS	704,975	" 15	248	204	15·0	-	3	2	1	-	1	7
ANTWERP	310,903	" 15	118	68	11·4	-	1	-	1	-	-	6
AMSTERDAM	566,304	" 15	256	139	12·8	-	3	1	-	6	-	8
COPENHAGEN	448,000	" 15	212	153	17·8	-	5	-	1	2	-	5
STOCKHOLM	339,582	" 8	163	112	17·1	-	-	1	3	1	-	1
CHRISTIANIA	231,687	" 15	102	63	14·8	-	2	-	3	3	-	1
ST. PETERSBURG	1,573,000	" 8	892	785	26·0	6	35	10	11	10	9	78‡
MOSCOW	1,452,100	" 8	-	742	26·6	15	23	25	15	3	5	64
BERLIN	2,099,964	" 1	834	655	16·3	-	9	10	8	1	-	35
HAMBURG	872,252	" 15	-	263	15·7	-	-	2	4	4	1	21
BRESLAU	501,283	" 8	258	178	18·5	-	-	-	-	2	-	13
		" 15	-	195	20·3	-	-	-	3	5	1	16
MUNICH	566,000	" 8	285	177	16·3	-	4	1	1	-	-	21
		" 15	-	213	19·6	-	4	6	3	2	-	16
VIENNA	2,064,037	" 15	851	789	19·9	-	15	8	3	8	1	32
PRAGUE	485,057	" 8	207	225	24·1	-	4	4	2	-	-	13
BUDAPEST	823,215	" 8	378	340	21·4	-	13	1	4	2	1	16
TRIESTE	217,706	" 15	125	87	20·8	-	1	-	-	2	-	3
ROME	565,323	February 13	314	327	30·2	-	8	-	3	1	2§	6
VENICE	179,286	May 8	85	76	22·1	-	-	-	-	2	3	2
BUCAREST	296,585	" 8	168	127	22·3	-	-	-	1	1	1	5
NEW YORK	4,564,792	" 1	2156	1521	17·4	-	37	11	56	13	11	53
CHICAGO	2,224,490	" 1	-	596	14·0	-	9	6	21	4	2	28
PHILADELPHIA	1,565,569	April 17	-	538	17·9	-	13	2	14	5	7	16
		" 24	-	524	17·4	-	11	3	18	-	9	13
RIO DE JANEIRO	637,089	" 25	-	255	20·9	8	-	-	2	2	2	?
CAIRO:—												
Egyptians	666,587	" 29	574	528	41·2	4	38	-	4	-	6	125
Foreigners	35,219	" 29	13	20	29·5	1	-	-	-	-	1	4
ALEXANDRIA:—												
Egyptians	341,965	" 29	259	223	33·9	1	14	14	3	-	5	41
Foreigners	46,118	" 29	10	16	18·0	-	1	1	-	-	-	2

* Excluding deaths from croup in the Indian Cities.
† Including 90 deaths from plague in Calcutta and 508 in Bombay.
‡ Including 108 deaths from cholera in Calcutta, 25 in Bombay, and 4 in St. Petersburg.
§ Including 1 death from malarial fever in Rome and 1 in Cairo.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 22nd May, 1909.

Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°				°	°	°	
LONDON (Greenwich)	84·0	33·1	54·2	0·13	BRADFORD	76·2	32·0	51·2	0·67
BRIGHTON	66·6	37·1	52·3	0·19	YORK	78·0	35·0	52·9	0·09
PORTSMOUTH	-	-	-	-	HULL	79·0	33·0	52·2	0·02
NORWICH	80·4	29·2	53·8	0·21	TYNEMOUTH	71·0	33·0	49·7	0·17
PLYMOUTH	73·0	37·0	54·2	0·02	CARDIFF	77·7	37·2	53·1	0·06
BRISTOL	78·7	33·7	52·9	0·00	EDINBURGH	70·4	31·9	49·2	0·29
BIRMINGHAM	78·6	37·0	53·8	0·09	GLASGOW	72·0	29·0	52·7	0·37
NOTTINGHAM	78·2	33·0	53·2	0·08	DUBLIN Phœnix Park.	72·1	27·9	50·2	0·04
LIVERPOOL OBSERVATORY.	76·0	37·0	52·9	0·03	DUBLIN Fitzwilliam Square.†	72·7	33·7	53·0	0·41
MANCHESTER	79·0	32·6	52·4	0·08					
BURNLEY	76·5	33·0	49·6	0·08					
HUDDERSFIELD	77·5	35·2	51·3	0·73	BELFAST	69·0	30·0	48·1	0·18

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to the seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°·7 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 22nd May, 1909.

[*Under the Superintendence of the Astronomer Royal.*]

1909. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure on the Square Foot. Least.	Osler's. Pressure on the Square Foot. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day	Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
MAY.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 16	In Equator. Perigee.	29·762	56·0	33·1	22·9	46·3	− 6·7	34·6	11·7	17·8	3·3	63	127·5	20·1	50·15	E., NE. & ENE.	ENE. NE., & NNE.	5·5	0·0	0·4	343	+ 50	0·00	6·0
MONDAY - 17	..	29·702	53·5	37·6	15·9	44·3	− 8·8	41·3	3·0	11·6	0·2	89	94·8	26·2	49·99	N., NNW. & NW.	W., NW. & variable.	2·4	0·0	0·1	236	− 60	0·10	0·5
TUESDAY - 18	..	29·993	62·5	35·2	27·3	49·0	− 4·3	42·8	6·2	15·7	0·2	79	135·5	23·9	50·00	SW.	SW.	3·0	0·0	0·2	283	− 12	0·03	6·5
WEDNESDAY 19	New	30·119	69·2	38·9	30·3	54·6	+ 1·1	41·2	13·4	23·6	1·2	61	135·1	24·8	49·94	WSW. & calm.	SW. & SSW.	1·0	0·0	0·0	146	−145	0·00	0·0
THURSDAY - 20	..	30·070	74·5	36·6	37·9	57·9	+ 4·1	43·6	14·3	26·2	3·5	59	142·0	19·9	50·15	Variable, NE. & SE.	SE. & E.	3·0	0·0	0·1	190	− 95	0·00	6·0
FRIDAY - 21	..	29·898	81·8	45·2	36·6	64·7	+10·5	49·2	15·5	28·4	1·1	57	140·3	30·1	50·60	E. & ENE.	E., SSW. & SW.	1·3	0·0	0·0	156	−122	0·00	7·0
SATURDAY - 22	Greatest Dec. N.	29·927	84·0	50·2	33·8	67·3	+12·7	50·7	16·6	30·4	2·9	55	144·2	35·2	51·20	SW. & WSW.	WSW. & SW.	1·0	0·0	0·0	200	− 72	0·00	1·2
MEANS - -		29·924	68·8	39·5	29·2	54·9	+ 1·2	43·3	11·5	22·0	1·8	66	131·3	25·7	50·29	ENE. & SW.		..	..	..	Sum 1554	Sum −456	Sum 0·13	3·9
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. MAY.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY - 16	m. P. till 4h. A.M.; w. P. afterwards.	10·5	15·6	Very fine till 4h. 30m. P.M.; generally overcast afterwards. Solar halo observed in afternoon.
MONDAY - 17	v.P. and v.N. till 4h. A.M.; v. P. till 7h. A.M.; s. P. till 9h. P.M.; v. P. afterwards.	3·2	15·6	Overcast with occasional rain till 3h. P.M.; fine and partially cloudy afterwards.
TUESDAY - 18	m. P. till noon; v. P. and v. N. till 6h. P.M.; m. P. afterwards.	9·4	15·7	Fine generally; variably cloudy with occasional showers in afternoon.
WEDNESDAY 19	m. P. till noon; w. P. till 8h. P.M.; s. P. afterwards.	13·7	15·7	Very fine throughout.
THURSDAY - 20	s. P. till 2h. A.M.; m. P. till 4h. A.M.; w. P. afterwards.	13·1	15·7	Very fine and nearly cloudless
FRIDAY - 21	w. P. till 6h. P.M.; m. P. afterwards.	12·6	15·8	Very fine and warm; variably cloudy with solar halo in afternoon.
SATURDAY - 22	m. P. till noon; w. P. till 8h. P.M.; m. P. afterwards.	13·4	15·8	Very fine till evening; variably cloudy at night; very warm.
		Sum 75·9	Sum 109·9	
No. of Col. - -	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·95 in. at the beginning of the week to 29·55 in. by 4h. A.M. on the 17th; increased to 30·13 in. by 9h. A.M. on the 19th; decreased to 29·86 in. by 6h. P.M. on the 21st; increased to 29·95 in. by 9h. A.M. on the 22nd; and was 29·94 in. at midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 15th May, 1909.*

BOROUGHS.	Estimated Population in the middle of 1909.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	151,955	-	23	1	-	2	-	-	2	-	-
Kensington	183,683	-	5	3	-	1	-	-	2	1	-
Hammersmith	125,704	-	7	2	-	-	-	-	1	1	-
Fulham	176,406	-	8	10	-	1	-	-	2	-	-
Chelsea	75,249	-	5	2	-	2	-	-	3	-	-
City of Westminster ..	168,883	-	5	2	-	-	-	-	-	-	-
NORTH.											
St. Marylebone	126,027	-	10	1	-	-	-	-	1	1	-
Hampstead	94,185	-	6	-	-	-	-	-	1	-	-
St. Pancras	237,422	-	17	3	-	1	-	-	1	-	-
Islington	351,202	-	27	7	-	2	-	-	2	-	-
Stoke Newington	54,423	-	5	-	-	1	-	-	3	-	-
Hackney	237,601	-	16	3	-	-	-	-	4	-	-
CENTRAL.											
Holborn	53,802	-	2	2	-	1	-	-	2	-	-
Finsbury	95,289	-	3	2	-	-	-	-	-	-	-
City of London	18,193	-	3	1	-	-	-	-	-	-	-
EAST.											
Shoreditch	114,802	-	6	8	-	-	-	-	3	1	-
Bethnal Green	131,316	-	10	7	-	3	-	-	-	-	-
Stepney	312,525	-	25	10	-	-	-	-	8	-	-
Poplar	171,965	-	18	5	-	-	-	-	4	-	-
SOUTH.											
Southwark	211,125	-	10	3	-	-	1	-	1	1	-
Bermondsey	127,569	-	6	5	-	-	-	-	1	1	-
Lambeth	324,188	-	12	10	-	1	-	-	4	-	-
Battersea	186 036	-	17	2	-	-	-	-	3	-	-
Wandsworth	297,646	-	20	6	-	-	-	-	3	1	1
Camberwell	283,022	-	22	7	-	1	-	-	2	1	-
Deptford	118,583	-	1	2	-	-	-	-	3	-	-
Greenwich	111,014	-	7	7	-	-	-	-	4	-	-
Lewisham	160,749	-	18	7	-	-	-	-	2	-	-
Woolwich	133,374	-	15	3	-	-	-	-	1	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,833,938	-	329	121	-	16	1	-	63	8	1
Ages 0-1		-	6	7	-	-	-	-	2	-	1
" 1-5		-	85	52	-	-	-	-	-	-	-
" 5-		-	145	27	-	4	-	-	1	-	-
" 10-		-	50	11	-	2	-	-	3	-	-
" 15-		-	21	4	-	1	-	-	4	-	-
" 20-		-	11	6	-	2	-	-	3	1	-
" 25-		-	9	12	-	3	1	-	11	6	-
" 35-		-	1	2	-	2	-	-	11	1	-
" 45-		-	1	-	-	2	-	-	10	-	-
" 55-		-	-	-	-	-	-	-	9	-	-
" 65 and upwards		-	-	-	-	-	-	-	9	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

Returns of London Water Districts.

(Furnished by the Metropolitan Water Board.)

The following is an account of the number of services and the average daily amount of water supplied during the month of April, 1909, inclusive of supply to the Borough of Croydon and to the Urban Districts of Tottenham and Enfield. The supply was in the ratio of 203 gallons to one service.

Districts.	Number of Services.		Average Daily Supply of Water in Gallons.	
	April, 1908.	April, 1909.	April, 1908.	April, 1909.
Total Supply - - -	1,077,345	1,089,377	205,608,806	221,441,674
New River - - - - - -	212,814	214,926	39,853,728	43,279,235
Eastern - - - - - -	241,909	244,411	39,094,100	43,282,866
Western { Chelsea, Grand Junction, West Middlesex } - -	220,678	223,003	50,921,227	54,453,564
Southern { Lambeth - - - Southwark and Vauxhall }	283,672	287,473	56,779,968	60,465,463
Kent - - - - - - - -	118,272	119,561	18,959,783	19,960,546

Note.—The Return for April, 1909, as compared with that for the corresponding month of 1908 shows an increase of 12,032 services, and of 15,832,868 gallons of water supplied daily.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 21. 1909. VOL. LXX.] WEEK ENDED SATURDAY, MAY 29. [Price $1\frac{1}{2}d$.

General Register Office, Somerset House,
June 1st, 1909.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 13·9 per 1000 of their aggregate population, which is estimated † at 16,445,281 persons in the middle of this year. In the preceding three weeks the rates had been 14·1, 13·7, and 14·7. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 19·5 in Ipswich, 19·6 in Salford, 19·8 in Manchester, 20·2 in Coventry, 20·4 in Wolverhampton, 20·7 in Rhondda, 21·1 in Oldham, 21·8 in Middlesbrough, and 23·1 in Warrington; from *measles*, 1·5 in West Bromwich, in Bootle, and in Manchester, 2·2 in Salford, 3·4 in Norwich, and 6·5 in Wolverhampton; from *diphtheria*, 1·3 in Kings Norton; from *whooping-cough*, 1·2 in Wigan, 1·5 in Middlesbrough, and 2·1 in Swansea; and from *diarrhœa*, 1·2 in Aston Manor. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2131 BIRTHS and 1240 DEATHS were registered. Allowing for increase of population, the births were 322 and

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-five other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(13502—41.) Wt. 109—472. 700. 6/09. D & S. G. 31. Sch. 4. X

the deaths 32 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes, which had been 14·1, 13·1, and 14·0 per 1000 in the preceding three weeks, fell last week to 13·4. The death-rate in the four weeks ended last Saturday averaged 13·7 per 1000, being 0·9 per 1000 below the mean rate in the corresponding periods of the five years 1904–8.

The 1240 deaths included 63 from measles, 6 from scarlet fever, 17 from diphtheria, 35 from whooping-cough, 3 from enteric fever, and 16 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia: thus, to these diseases in the aggregate 140 deaths were referred, being 15 above the corrected average number in the twenty-first week of the preceding five years.

The deaths from *measles*, which had been 73, 53, and 53 in the preceding three weeks, were 63 last week, and were 11 above the corrected average; 9 deaths belonged to the Borough of Islington, 7 to Finsbury, 6 apiece to Shoreditch, Stepney, and Poplar, and 4 each to Paddington and Hammersmith. The deaths from *scarlet fever*, which had been 10, 11, and 6 in the preceding three weeks, were again 6 last week, and were 3 below the corrected average. The deaths from *diphtheria*, which had been 13, 8, and 16 in the preceding three weeks, were 17 last week, and were 7 above the corrected average. The deaths from *whooping-cough*, which had been 35, 30, and 42 in the preceding three weeks, were 35 last week, the corrected average being 36; 8 deaths belonged to Lambeth, and 5 each to Poplar and Southwark. The deaths from *enteric fever*, which had been 0, 0, and 6 in the preceding three weeks, were 3 last week, and were 1 below the corrected average. The deaths from *diarrhœa*, which had been 13, 8, and 10 in the preceding three weeks, rose to 16 last week, and were 3 above the corrected average; 3 deaths belonged to Wandsworth. Of the 16 deaths from diarrhœa, 13 were those of children under 5 years of age; 3 other deaths at this age were certified as due to *enteritis* and 4 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 17, having been 16, 20, and 17 in the preceding three weeks.

Different forms of violence caused 44 deaths, concerning all but one of which inquests were held. Of these 44 deaths 10 were cases of suicide, while the remaining 34 were attributed to accident or negligence. Four of these latter were referred to vehicles in the streets, three to burns or scalds, three to drowning, and four, of infants under one year of age, to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 2254 cases of scarlet fever, 925 of diphtheria, 1 of typhus, and 50 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 335 cases, against 309, 313, and 348; of diphtheria, 97 cases, against 104, 122, and 115; of typhus, 1 case, against 0, 0, and 0; and of enteric fever, 11 cases, against 3, 9, and 7. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended May 22nd, 1909.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 3380 births and 1754 deaths were registered. Allowing for increase of population, these numbers are 432 and 27 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 4 deaths from measles, 1 from scarlet fever, 4 from diphtheria, 8 from whooping-cough, and 2 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·72 inches, and that of the Thermometer 57°·5, the latter being 1°·8 above the week's average in the 65 years ended 1905. The general direction of the wind was South-Westerly, the horizontal movement of the air being 11 per cent. above the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 55·9 hours; the measured rainfall amounted to 0·95 of an inch.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 29th May, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 8th May, 1909.	15th May, 1909.	22nd May, 1909.	29th May, 1909.	Rate from Diseases in Cols. 11-17. Week ended 29th May, 1909.	Registered during the Week ended 29th May, 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS	**16,445,281**	**14·1**	**13·7**	**14·7**	**13·9**	**1·3**	**8048**	**4375**	**798**	**1372**	**-**	**178**	**33**	**39**	**102**	**16**	**49**	**151**	**329**	**1277**	**33**	**76 TOWNS.**
LONDON	4,833,938	14·1	13·1	14·0	13·4	1·5	2131	1240	200	405	-	63	6	17	35	3	16	44	111	578	1	LONDON.
† CROYDON	161,078	10·4	9·4	10·7	12·3	0·6	77	38	6	23	-	1	-	1	-	-	-	1	2	11	-	CROYDON.
† WILLESDEN ..	160,424	7·2	10·4	12·7	8·5	0·3	79	26	8	10	-	-	-	-	1	-	-	-	-	7	-	WILLESDEN.
† HORNSEY	95,628	6·5	8·2	3·8	7·6	0·5	30	14	2	10	-	1	-	-	-	-	-	-	-	1	-	HORNSEY.
† TOTTENHAM ..	129,464	9·3	10·5	7·2	8·5	0·4	72	21	5	7	-	-	-	-	-	-	1	1	2	4	-	TOTTENHAM.
† WEST HAM ..	321,767	13·0	10·9	14·6	12·6	2·6	177	78	18	18	-	6	1	1	6	-	2	-	8	15	-	WEST HAM.
† EAST HAM.. ..	149,575	8·7	7·3	10·8	7·7	1·4	67	22	9	5	-	3	-	-	1	-	-	-	1	1	-	EAST HAM.
† LEYTON	129,614	12·5	9·7	8·9	6·0		47	15	1	8	-	-	-	-	-	-	-	1	3	4	-	LEYTON.
† WALTHAMSTOW	136,602	9·2	9·2	6·1	6·5	-	45	17	2	6	-	-	-	-	-	-	-	-	-	5	-	WALTHAMSTOW.
HASTINGS	68,165	14·5	11·5	6·9	7·6	-	20	10	-	6	-	-	-	-	-	-	-	1	1	1	-	HASTINGS.
BRIGHTON	130,926	9·6	13·1	13·9	8·4	0·4	54	21	1	6	-	-	-	-	1	-	-	1	2	6	-	BRIGHTON.
PORTSMOUTH ..	214,726	16·8	9·5	16·5	11·2	0·2	125	46	12	14	-	-	1	-	-	-	-	3	4	13	-	PORTSMOUTH.
BOURNEMOUTH ..	72,368	14·4	7·2	8·6	11·5	-	30	16	2	6	-	-	-	-	-	-	-	1	1	3	-	BOURNEMOUTH.
SOUTHAMPTON ..	124,667	13·8	12·1	10·9	12·5	0·8	52	30	6	8	-	-	1	-	1	-	-	2	5	9	-	SOUTHAMPTON.
READING	82,995	6·9	15·7	10·7	9·4	0·6	28	15	1	8	-	1	-	-	-	-	-	1	2	3	-	READING.
NORTHAMPTON ..	97,752	10·7	8·0	14·9	13·9	-	46	26	1	10	-	-	-	-	-	-	-	4	4	2	-	NORTHAMPTON.
IPSWICH	74,889	14·6	9·7	13·9	19·5	0·7	30	28	4	12	-	-	-	1	-	-	-	-	2	4	-	IPSWICH.
GREAT YARMOUTH	53,430	18·5	15·6	18·5	11·7	1·0	30	12	3	2	-	-	-	-	1	-	-	1	1	3	-	GREAT YARMOUTH.
NORWICH	124,136	18·9	12·6	13·9	13·4	3·4	65	32	8	8	-	8	-	-	-	-	-	-	-	2	-	NORWICH.
PLYMOUTH	124,180	11·3	10·5	13·0	18·9	0·8	52	45	7	15	-	-	-	1	1	-	-	1	3	9	-	PLYMOUTH.
DEVONPORT	83,103	12·5	11·3	7·5	8·8	0·6	42	14	3	3	-	-	-	-	-	1	-	2	3	1	-	DEVONPORT.
BRISTOL	377,642	11·6	11·3	13·5	12·0	0·4	164	87	12	39	-	1	-	-	1	1	-	5	10	19	1	BRISTOL.
HANLEY	68,831	21·2	15·2	15·9	13·6	0·8	43	18	2	4	-	-	-	-	-	-	1	-	3	3	-	HANLEY.
BURTON-ON-TRENT	54,453	11·5	12·4	12·4	10·5	1·9	20	11	3	4	-	-	-	-	1	-	1	-	-	-	-	BURTON-ON-TRENT.
WOLVERHAMPTON..	104,633	22·4	19·9	28·9	20·4	9·5	44	41	9	8	-	13	-	-	6	-	-	-	1	6	-	WOLVERHAMPTON.
WALSALL	99,399	13·6	16·3	14·2	15·7	2·1	53	30	6	12	-	1	-	-	1	-	2	2	2	3	-	WALSALL.
HANDSWORTH ..	70,186	8·2	5·9	11·1	9·7	1·5	30	13	1	6	-	1	-	-	-	1	-	-	-	2	-	HANDSWORTH.
WEST BROMWICH ..	70,457	14·8	11·8	21·5	13·3	2·2	38	18	1	4	-	2	-	-	1	-	-	-	-	3	1	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE I (*cont.*).—78 GREAT TOWNS, GREATER LONDON, and FOUR ECOTION OF THESE TOWNS: BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 29th May, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1909.*	Death-Rates from all Causes. Week ended 8th May, 1909.	15th May, 1909.	22nd May, 1909.	29th May, 1909.	Rate from Diseases in Cols. 11–17. Week ended 29th May, 1909.	Registered during the Week ended 29th May, 1909. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
Birmingham ..	563,629	14·1	13·0	15·6	12·0	1·4	296	130	36	32	–	5	4	2	3	–	1	8	8	37	8	Birmingham.
Kings Norton ..	81,632	8·9	10·9	10·9	8·9	1·3	32	14	1	5	–	–	–	2	–	–	–	–	–	4	–	Kings Norton.
Smethwick	70,377	9·6	17·0	17·0	6·7	1·5	34	9	2	4	–	–	1	–	–	–	1	–	1	1	–	Smethwick.
Aston Manor ..	85,257	11·6	14·1	14·7	12·2	1·2	42	20	6	8	–	–	–	–	–	–	2	–	3	1	–	Aston Manor.
Coventry	80,163	16·9	24·1	23·4	20·2	1·3	57	31	7	8	–	1	–	–	1	–	–	–	1	8	–	Coventry.
Leicester	244,255	9·0	10·0	13·0	9·2	1·1	108	43	9	12	–	–	1	1	–	–	3	1	2	13	1	Leicester.
Grimsby	73,036	15·7	12·1	15·7	10·7	0·7	45	15	5	4	–	–	–	–	–	–	1	1	2	2	–	Grimsby.
Nottingham ..	263,443	15·0	16·4	17·4	16·4	0·4	149	83	12	28	–	1	–	–	–	–	1	2	4	16	–	Nottingham.
Derby	129,411	13·3	10·5	13·7	10·1	0·4	62	25	4	13	–	1	–	–	–	–	–	–	2	6	–	Derby.
Stockport	103,706	20·6	10·6	18·6	17·1	0·5	55	34	6	14	–	–	1	–	–	–	–	–	2	10	–	Stockport.
Birkenhead ..	121,123	13·3	22·4	16·4	15·9	0·4	78	37	4	14	–	–	–	–	–	–	1	1	2	9	–	Birkenhead.
Wallasey	71,004	13·2	12·5	9·5	11·7	0·7	43	16	2	10	–	–	–	1	–	–	–	–	1	3	–	Wallasey.
Liverpool	760,357	16·1	16·3	19·3	18·0	1·7	430	263	43	75	–	14	3	1	2	2	3	11	19	113	3	Liverpool.
Bootle	69,393	19·5	23·3	9·0	17·3	1·5	47	23	5	4	–	2	–	–	–	–	–	1	1	4	–	Bootle.
St. Helens	95,161	20·8	17·5	14·2	15·3	1·1	63	28	4	7	–	1	–	–	1	–	–	1	1	6	–	St. Helens.
Wigan	90,678	15·0	24·7	19·6	16·7	2·3	45	29	8	5	–	1	–	–	2	1	–	–	1	5	–	Wigan.
Warrington ..	72,276	13·7	18·0	18·8	23·1	1·4	38	32	7	4	–	–	–	–	–	1	1	1	1	3	1	Warrington.
Bolton	187,824	14·4	15·5	15·8	15·0	0·8	67	51	12	17	–	–	–	–	1	1	1	2	4	6	–	Bolton.
Bury	59,234	15·8	12·3	15·8	14·1	1·8	29	16	3	3	–	–	–	–	1	–	1	2	2	3	–	Bury.
Manchester ..	655,435	19·4	17·6	18·3	19·8	2·3	346	249	39	75	–	19	3	–	4	1	2	6	10	66	6	Manchester.
Salford	241,950	17·2	19·4	18·5	19·6	4·1	129	91	13	20	–	10	4	2	2	–	1	1	6	31	–	Salford.
Oldham	143,301	19·3	22·9	21·1	21·1	0·7	74	58	11	18	–	–	1	–	–	1	–	1	2	12	–	Oldham.
Rochdale	89,653	19·2	15·7	16·3	9·3	0·6	36	16	1	5	–	1	–	–	–	–	–	–	–	2	–	Rochdale.
Burnley	106,267	10·8	18·6	17·7	12·8	1·0	51	26	4	8	–	–	1	1	–	–	–	3	3	4	–	Burnley.
Blackburn	136,959	15·6	10·3	13·7	13·3	–	50	35	2	13	–	–	–	–	–	–	–	4	5	8	–	Blackburn.
Preston	118,519	16·7	12·3	18·0	17·6	0·9	60	40	11	13	–	–	–	–	1	–	1	–	–	10	1	Preston.
Barrow-in-Furness.	62,996	11·6	12·4	11·6	10·8	–	38	13	2	5	–	–	–	–	–	–	–	–	–	4	–	Barrow-in-Furness.

* See note † on first page of this return.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 29th May, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 8th May, 1909.	15th May, 1909.	22nd May, 1909.	29th May, 1909.	Rate from Diseases in Cols. 11-17. Week ended 29th May, 1909.	Registered during the Week ended 29th May, 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,739	18·7	16·5	13·2	11·0	0·6	57	20	2	7	–	–	–	1	–	–	–	1	2	3	–	HUDDERSFIELD.
HALIFAX	111,911	9·8	16·3	14·9	12·6	0·5	34	27	2	6	–	–	1	–	–	–	–	1	1	7	1	HALIFAX.
BRADFORD	293,983	11·7	14·4	17·2	13·3	0·9	127	75	14	22	–	–	–	1	3	–	1	2	4	15	–	BRADFORD.
LEEDS	484,012	14·9	12·7	12·3	13·9	0·3	197	129	32	47	–	1	–	1	–	1	–	5	14	23	–	LEEDS.
SHEFFIELD	470,958	14·3	16·2	14·3	14·1	1·3	282	127	27	42	–	6	2	1	1	1	1	6	8	32	3	SHEFFIELD.
ROTHERHAM.. ..	65,070	8·0	11·2	6·4	15·2	–	34	19	6	6	–	–	–	–	–	–	–	1	1	3	–	ROTHERHAM.
YORK	87,004	11·4	11·4	8·4	9·6	0·6	33	16	4	3	–	–	–	–	1	–	–	–	1	2	–	YORK.
HULL	275,552	11·9	12·9	13·2	16·5	1·5	159	87	21	27	–	–	–	2	4	1	1	3	10	20	–	HULL.
MIDDLESBROUGH ..	105,255	18·8	16·3	19·8	21·8	2·0	67	44	12	7	–	–	–	–	3	–	1	2	4	7	–	MIDDLESBROUGH.
STOCKTON-ON-TEES	53,417	11·7	18·5	20·5	15·6	1·0	21	16	3	4	–	–	–	1	–	–	–	1	1	5	–	STOCKTON-ON-TEES.
WEST HARTLEPOOL	79,686	14·4	10·5	9·8	11·8	1·3	40	18	4	6	–	2	–	–	–	–	–	–	–	3	–	WEST HARTLEPOOL.
SUNDERLAND ..	159,378	16·7	17·3	17·7	14·7	1·3	93	45	5	17	–	2	2	–	–	–	–	–	1	14	2	SUNDERLAND.
SOUTH SHIELDS ..	117,627	16·0	14·6	18·2	17·3	2·2	67	39	7	7	–	3	–	–	2	–	–	–	2	4	2	SOUTH SHIELDS.
GATESHEAD	131,024	10·7	9·6	14·7	14·3	0·4	73	36	7	10	–	–	–	–	1	–	–	–	–	4	1	GATESHEAD.
NEWCASTLE-ON-TYNE.	281,584	14·4	15·9	16·5	15·6	1·9	149	84	20	24	–	4	–	–	5	–	1	3	7	11	–	NEWCASTLE-ON-TYNE.
TYNEMOUTH ..	55,808	16·8	9·3	22·4	16·8	0·9	48	18	7	3	–	–	–	–	1	–	–	–	–	3	1	TYNEMOUTH.
NEWPORT (MON.) ..	78,336	10·7	11·3	12·0	11·3	–	41	17	4	5	–	–	–	–	–	–	–	1	4	1	–	NEWPORT (MON.).
CARDIFF	195,303	16·0	14·4	15·5	9·3	0·8	113	35	7	10	–	1	–	–	2	–	–	2	5	5	–	CARDIFF.
RHONDDA	135,894	16·5	12·7	15·3	20·7	1·5	105	54	13	14	–	2	–	1	–	–	1	3	5	4	–	RHONDDA.
MERTHYR TYDFIL..	78,365	13·3	16·6	20·0	14·0	–	55	21	1	8	–	–	–	–	–	–	–	–	2	3	–	MERTHYR TYDFIL.
SWANSEA	98,308	15·4	13·3	14·9	18·0	2·1	58	34	8	6	–	–	–	–	4	–	–	3	3	3	–	SWANSEA.
GREATER LONDON	7,429,740	12·9	12·1	12·9	12·3	1·3	3380	1754	292	603	–	78	8	23	51	3	21	60	152	679	4	GREATER LONDON.
OUTER RING ..	2,595,802	10·6	10·3	10·8	10·3	0·9	1249	514	92	198	–	15	2	6	16	–	5	16	41	101	3	OUTER RING.
8 TOWNS IN OUTER RING.	1,284,152	10·1	9·7	10·4	9·4	1·0	594	231	51	87	–	11	1	2	8	–	3	3	16	48	–	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,311,650	11·1	10·9	11·3	11·3	0·8	655	283	41	111	–	4	1	4	8	–	2	13	25	53	3	REMAINDER OF OUTER RING.
EDINBURGH	355,366	16·3	14·2	17·2	16·1	1·3	158	110‡	20	36	–	–	–	–	7	–	2	–	?	32	4	EDINBURGH.
GLASGOW	872,021	16·3	15·2	17·1	17·2	2·1	451	287	55	74	–	–	4	2	24	–	5	5	?	101	3	GLASGOW.
DUBLIN (Registration Area).†	398,356	18·8	18·5	22·3	21·7	1·7	220	166‡	32	47	–	–	–	4	6	2	1	6	4	77	1	DUBLIN (Registration Area).†
BELFAST†	386,576	18·3	19·6	24·3	18·7	1·3	213	139	19	32	–	–	–	–	6	1	3	6	7	32	1	BELFAST.†

* See note † on first page of this return.

† Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast respectively.

‡ Including deaths from [illegible] in Edinburgh and 1 from Cerebro-spinal fever in Dublin.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the TWENTY-FIRST Week of each of the Eleven Years, 1899–1909.

	1899	1900	1901	1902	1903	1904	1905	1906	1907	1908	Corrected Weekly Average in 5 Years 1904–1908.*	1909
TOTAL **Births** -	2306	2435	2559	2174	2514	2122	2544	2518	2258	2540	2453·3	2131
Males - - -	1185	1270	1313	1122	1291	1073	1278	1283	1198	1296	1254·7	1088
Females - -	1121	1165	1246	1052	1220	1049	1266	1235	1060	1244	1198·6	1043
TOTAL **Deaths** -	1366	1440	1363	1439	1232	1274	1311	1159	1316	1153	1272·1	1240
Males - - -	736	764	714	815	642	687	688	638	684	600	675·0	626
Females - -	630	676	649	624	590	587	623	521	632	553	597·1	614

* The numbers in this column are the average weekly numbers in the Twenty-First week of the five years 1904-1908, raised by 2·375 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Mar. 6.	Mar. 13.	Mar. 20.	Mar. 27.	Apr. 3.	Apr. 10.	Apr. 17.	Apr. 24.	May 1.	May 8.	May 15.	May 22.	May 29.	13 Weeks.
TOTAL **Births** -	2075	2585	2469	2356	2413	2188	2447	2569	2367	2537	2339	2250	2131	30723
TOTAL **Deaths** -	2116	2221	2225	1989	1700	1470	1606	1393	1300	1304	1216	1295	1240	21075
Ages at Death: Under 1 year -	309	297	309	273	275	240	286	245	223	260	209	238	200	3364
1—5 years -	251	273	271	246	197	209	226	179	166	169	130	162	141	2620
5—20 " -	97	85	106	87	77	78	77	72	60	68	74	72	76	1029
20—40 " -	211	214	230	187	182	168	175	147	174	143	177	153	161	2322
40—60 " -	437	453	449	383	341	300	296	282	297	253	260	284	257	4292
60 yrs. & upwds.	811	899	860	813	628	475	546	468	380	411	366	386	405	7448
Deaths from—														
Small-pox† - -	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Measles - - -	92	105	129	118	94	95	112	72	81	73	53	53	63	1140
Scarlet Fever - -	7	9	7	9	8	11	9	8	10	10	11	6	6	111
Diphtheria - -	18	22	19	15	14	16	13	11	8	13	8	16	17	190
Whooping-cough -	55	35	36	40	32	33	53	49	41	35	30	42	35	516
Typhus - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever - -	1	4	5	5	3	2	3	2	1	–	–	6	3	35
Pyrexia (origin uncertain).	–	–	–	–	–	–	–	–	1	–	–	–	–	1
Diarrhœa, Dysentery	10	10	16	12	14	8	9	7	12	13	8	10	16	145
All above diseases -	183	185	213	199	165	165	199	149	154	144	110	133	140	2139
Dis. of Resp. System	389	411	360	317	194	158	157	128	85	76	78	83	82	2518
Pneumonia - -	314	347	291	250	205	152	184	166	147	136	135	131	143	2601
Phthisis - - -	183	161	204	127	142	126	146	98	116	130	131	126	113	1803
Dis. of Circ. System -	260	280	266	250	197	163	192	181	155	156	163	168	168	2599
Violence - - -	63	56	66	56	52	53	58	50	62	59	49	39	44	707
Inquest Cases - -	188	182	190	169	153	137	141	131	146	128	113	118	111	1907
Deaths in Institutions	783	777	870	786	657	616	688	564	608	561	561	579	578	8628
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	30·1	36·5	38·8	44·8	44·7	46·9	51·5	52·2	48·6	50·6	48·5	54·9	57·5	46·6
Mean of Highest -	37·1	41·3	45·3	51·3	52·4	59·8	63·0	64·0	58·9	61·0	60·1	68·8	68·6	56·3
Mean of Lowest -	23·4	33·2	33·3	39·1	37·8	33·3	41·1	42·1	40·6	40·2	37·8	39·5	45·4	37·7
Mean Humidity of the Air.	85	84	81	81	80	58	70	69	69	60	67	66	72	72
Rain-fall (in inches) -	1·23	0·46	0·41	0·51	0·66	0·00	0·22	0·72	0·77	0·00	0·11	0·13	0·95	6·17
Registered Sunshine (in hours).	16·2	17·0	17·7	20·7	23·8	83·7	42·2	53·4	64·0	92·4	62·7	75·9	55·9	625·6
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	1	2	3	2	2	2	1	1	–	–	–	–	–	1
Scarlet Fever - -	2873	2670	2596	2571	2462	2418	2294	2219	2181	2175	2173	2234	2254	2394
Diphtheria - - -	1167	1150	1143	1120	1106	1079	1036	1019	1016	993	990	957	925	1054
Typhus - - -	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Enteric Fever - -	116	115	106	96	87	77	75	67	58	56	52	48	50	77

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lander, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq. F.R.Met.Soc., Hull; the Meteorological Committee, Tynemouth; and F. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the TWENTY-FIRST Week of the Year 1909.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 21st week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1272·1	1240	200	141	76	161	257	405
Small-pox*	0·4	-	-	-	-	-	-	-
Cowpox	-	-	-	-	-	-	-	-
Measles (Morbilli)	52·4	63	11	46	6	-	-	-
Scarlet Fever	9·0	6	1	3	2	-	-	-
Typhus	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-
Influenza	13·7	17	-	-	3	2	3	9
Whooping-cough	35·5	35	13	22	-	-	-	-
Diphtheria	10·4	17	1	11	4	-	1	-
Cerebro-spinal Fever ..	0·2	-	-	-	-	-	-	-
Pyrexia† (origin uncertain)	-	-	-	-	-	-	-	-
Enteric Fever	4·1	3	-	-	1	2	-	-
Asiatic Cholera	-	-	-	-	-	-	-	-
Epidemic Diarrhœa, Infective Enteritis	3·7	5	4	-	1	-	-	-
Diarrhœa, Dysentery ..	9·4	11	7	2	-	-	1	1
Tetanus	1·0	-	-	-	-	-	-	-
Rabies, Hydrophobia ..	-	-	-	-	-	-	-	-
Glanders	0·2	-	-	-	-	-	-	-
Anthrax (Splenic Fever)..	0·2	-	-	-	-	-	-	-
Venereal Dis.	9·2	8	6	-	-	1	-	1
Puerperal Septicæmia ..	2·5	1	-	-	-	1	-	-
Puerperal Pyæmia.. .	0·2	-	-	-	-	-	-	-
Puerperal Fever	0·6	1	-	-	-	1	-	-
Infective Endocarditis ..	2·3	4	-	-	-	4	-	-
Pneumonia: Lobar ..	17·2	34	-	-	4	4	16	10
Pneumonia: Broncho ..	47·5	38	12	15	1	2	4	4
Pneumonia: Epidemic ..	-	-	-	-	-	-	-	-
Pneumonia: Not defined	59·4	71	8	2	4	10	20	27
Erysipelas	4·9	3	1	-	-	-	-	2
Septicæmia (not Puerperal)	1·2	2	1	-	-	-	-	1
Pyæmia (not Puerperal)	-	-	-	-	-	-	-	-
Other Infective Processes	5·5	6	-	-	1	1	3	1
Tuberculous Phthisis ..	77·6	81	1	2	10	35	25	8
"*Phthisis*	50·0	32	-	-	4	17	8	3
Tuberculous Meningitis ..	22·9	19	2	11	4	2	-	-
Tuberculous Peritonitis ..	7·4	11	3	2	5	1	-	-
Tabes Mesenterica	2·7	2	1	-	1	-	-	-
Tuberculous Dis., Other ..	21·7	12	1	5	2	2	1	1
Scrofula..	-	-	-	-	-	-	-	-
Alcoholism	11·3	6	-	-	-	3	1	2
Rheumatic Fever	6·8	5	-	-	2	1	1	1
Gout	3·1	-	-	-	-	-	-	-
Carcinoma	55·1	55	-	-	-	4	24	27
Sarcoma	5·5	9	1	-	2	1	4	1
Cancer (undefined) ..	29·9	28	-	-	-	1	10	17
Diabetes Mellitus	8·0	4	-	-	-	1	-	3
Premature Birth	43·0	33	33	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 21st week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)..	14·1	9	5	2	1	1	-	-
Gen. Par. of Insane, Insanity	10·4	23	-	-	1	8	9	5
Epilepsy	5·1	8	-	-	-	2	3	3
Convulsions	17·6	9	8	1	-	-	-	-
Locomotor Ataxy.. ..	1·6	3	-	-	-	1	2	-
Paraplegia, Dis of Cord.	4·5	7	-	-	1	2	3	1
Nervous Sys., Other Dis.	17·4	18	1	1	1	2	2	11
Valv. Dis, Endocarditis..	38·1	45	-	-	3	5	11	26
Cereb. Hæm. Cereb. Emb.	29·1	33	1	-	-	2	9	21
Apoplexy, Hemiplegia ..	14·3	8	-	-	-	-	2	6
Aneurysm	5·5	2	-	-	-	-	1	1
Embolism, Thrombosis (not Cerebral) ..	1·0	2	-	-	-	1	1	-
Heart & Blood Ves., Other Dis... ..	76·0	78	-	-	4	4	25	45
Croup (not Spasm: nor Memb.)	0·2	1	-	1	-	-	-	-
Bronchitis	74·5	56	10	3	-	1	4	38
Emphysema, Asthma ..	1·8	3	-	-	-	-	1	2
Pleurisy	3·3	6	1	1	-	1	1	2
Respiratory Dis., Other..	9·4	16	2	2	1	1	2	8
Tonsillitis, Quinsy.. ..	0·8	-	-	-	-	-	-	-
Enteritis (not Epid.) ..	8·2	6	1	2	-	2	1	-
Gastro-enteritis	5·1	4	4	-	-	-	-	-
Peritonitis (not Puerp.) ..	2·0	3	1	1	-	1	-	-
Cirrhosis of Liver.. ..	13·7	13	-	-	-	-	9	4
Liver Dis., Other	5·1	2	-	-	-	-	-	2
Digestive Sys., Other Dis.	36·0	30	5	-	2	3	8	12
Acute Nephritis	7·2	7	1	-	2	1	-	3
Bright's Dis., Albuminuria	34·0	33	-	-	-	1	19	13
Urinary Sys, Other Dis.	8·2	8	1	-	-	2	2	3
Generative Organs Dis...	4·9	6	-	-	-	5	-	1
Childbirth (Accid. of) ..	4·5	7	-	-	-	7	-	-
Old Age	47·3	66	-	-	-	-	1	65
Other Diseases	83·4	62	45	4	2	3	3	5
ACCIDENT.								
By Railways	1·4	1	-	-	-	1	-	-
By Vehicles and Horses..	4·5	4	1	-	-	1	2	-
In Ships, Boats, Docks, (exclusive of Drowning)	0·6	1	-	-	-	1	-	-
In Building Operations..	1·2	-	-	-	-	-	-	-
In Conflagrations	-	-	-	-	-	-	-	-
By Burns, Scalds, Explosions	3·5	3	-	1	-	-	-	2
By Drowning	5·1	3	-	-	-	2	1	-
By Suffocation in Bed ..	8·6	4	4	-	-	-	-	-
By Poisons or Poisonous Vapours	1·6	1	-	-	-	1	-	-
Other Deaths by Accident..	14·9	17	2	1	1	2	6	5
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	0·8	-	-	-	-	-	-	-
Suicide	9·4	10	-	-	-	1	7	2
Execution	0·4	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday 29th May, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia† (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified causes of Death.
LONDON	4,536,267	2131	1210	200	405	-	63	6	17	35	-	3	-	16	44	111	578	1
WEST DISTRICTS	805,311	314	215	34	76	-	11	-	4	3	-	1	-	5	12	19	91	-
NORTH DISTRICTS	1,055,908	428	264	41	89	-	19	2	3	5	-	1	-	2	3	17	105	-
CENTRAL DISTRICTS	209,465	93	65	11	14	-	6	-	-	1	-	-	-	1	4	6	35	1
EAST DISTRICTS	715,739	414	218	43	62	-	17	1	-	8	-	1	-	2	11	30	109	-
SOUTH DISTRICTS	1,749,844	882	413	71	143	-	9	3	10	18	-	-	-	6	13	38	173	-
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	65	-	21	-	1	-	-	-	-	-	-	-	1	1	65	-
WEST DISTRICTS.																		
North Paddington *H*	63,603	25	13	2	6	-	2	-	-	-	-	-	-	-	-	-	-	-
Central Paddington *W,3H*	50,053	24	33	6	10	-	2	-	-	1	-	-	-	-	3	3	15	-
South Paddington	30,320	4	5	1	3	-	-	-	-	-	-	-	-	-	-	2	-	-
Kensington Town *2W,w,2H* ..	128,037	52	38	5	17	-	3	-	-	1	-	-	-	1	2	3	19	-
Brompton *2H*	48,591	6	6	1	2	-	-	-	-	-	-	-	-	-	1	2	1	-
North Hammersmith *2W,w,H* ..	49,192	24	8	1	2	-	1	-	-	-	-	-	-	-	2	2	4	-
South Hammersmith *w,2H* ..	63,047	25	15	3	6	-	3	-	-	-	-	-	-	1	1	2	5	-
North-west Fulham *W*	45,180	45	15	3	5	-	-	-	-	-	-	-	-	-	1	1	10	-
North-east Fulham *F*	46,405	20	13	2	2	-	-	-	4	1	-	1	-	-	-	-	5	-
South Fulham *W*	45,704	23	8	2	3	-	-	-	-	-	-	-	-	1	1	1	-	-
Chelsea North *W,w,3H*	42,514	12	15	-	8	-	-	-	-	-	-	-	-	-	-	-	14	-
Chelsea South *W,2H*	31,328	15	9	2	3	-	-	-	-	-	-	-	-	-	-	-	4	-
Mayfair and Knightsbridge	28,743	3	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave *W,2H*	55,815	19	16	3	5	-	-	-	-	-	-	-	-	1	-	2	7	-
St. Margaret & St. John *6H*	43,698	13	12	2	1	-	-	-	-	-	-	-	-	1	1	1	7	-
St. James and St. Anne *W,6H* ..	33,081	4	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																		
All Souls Marylebone *9H*	35,391	17	22	5	8	-	-	-	-	-	-	-	-	1	-	1	11	-
St. Mary Marylebone *W,4H* ..	37,948	26	8	1	2	-	-	-	-	-	-	-	-	-	-	3	2	-
Christchurch Marylebone	39,536	14	4	-	2	-	1	-	-	-	-	-	-	-	-	1	-	-
St. John Marylebone *2H*	20,426	6	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead *W,F,6H*	81,942	27	25	2	7	-	5	2	-	-	-	-	-	-	-	1	9	-
West St. Pancras *2H*	60,562	22	9	2	3	-	-	-	-	-	-	-	-	-	-	-	2	-
South St. Pancras *w,12H*	55,707	22	19	2	5	-	-	-	-	-	-	1	-	-	-	1	14	-
East St. Pancras *W,H*	60,320	26	15	1	7	-	-	-	-	-	-	-	-	-	-	1	7	-
North St. Pancras *2W*	58,728	25	17	1	6	-	-	-	-	-	-	-	-	-	-	1	9	-
Tufnell *W*	31,995	13	15	3	6	-	1	-	-	-	-	-	-	-	-	1	11	-
Upper Holloway *2W,w,H*	33,978	25	28	4	7	-	3	-	-	2	-	-	-	-	1	1	17	-
Tollington *W,w,H*	33,922	10	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Lower Holloway	41,424	13	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Barnsbury	54,478	28	10	2	2	-	1	-	-	1	-	-	-	-	-	-	-	-
Islington South-east *F*	75,397	26	12	4	2	-	5	-	-	-	-	-	-	1	-	-	1	-
Highbury *2H*	63,797	23	14	1	4	-	2	-	1	-	-	-	-	-	-	-	-	-
Stoke Newington *H*	51,247	12	11	1	8	-	-	-	-	-	-	-	-	-	-	1	-	-
North Hackney	50,398	17	7	3	3	-	-	-	1	-	-	-	-	-	1	1	-	-
Central Hackney *w,F*	50,536	20	8	3	2	-	1	-	1	-	-	-	-	-	-	-	2	-
South-west Hackney *3H*	59,921	36	12	2	5	-	-	-	-	-	-	-	-	-	1	2	8	-
South-east Hackney *2W,H*	58,255	20	19	3	8	-	-	-	-	1	-	-	-	-	-	2	12	-
Hackney Union Workhouse, Brentwood	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 29th May, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total Births.	Total Deaths.	The Deaths registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
St. Giles and Bloomsbury 2*W*,2*H* ..	31,436	16	4	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-
Strand *W*,4*H*	21,674	7	7	-	-	-	-	-	-	-	-	-	-	-	1	1	6	-
Strand Union Workhouse, Edmonton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn *W*,6*H*	29,612	6	15	6	4	-	1	-	-	-	-	-	-	1	-	-	10	1
Clerkenwell *H*	63,704	33	17	5	5	-	4	-	-	1	-	-	-	-	1	2	-	-
St. Luke 3*H*,*L*	36,116	27	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn Union Workhouse, Mitcham	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
St. Botolph *H*	10,299	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	2	18	-	1	-	1	-	-	-	-	-	-	-	2	3	15	-
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
Shoreditch South 2*H*	46,362	30	3	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Shoreditch North-West *W*,*w*,*H* ..	36,127	23	26	4	9	-	3	-	-	-	-	-	-	-	2	7	16	-
Shoreditch North-East	36,148	24	6	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	36	31	10	3	-	-	-	-	-	-	1	-	2	1	2	20	-
Bethnal Green South-West *H* ..	64,542	42	9	3	1	-	-	-	-	1	-	-	-	-	-	1	-	-
Spitalfields..	27,969	16	6	-	5	-	-	-	-	-	-	-	-	-	-	2	-	-
Mile End New Town *W*,*H*	28,718	25	22	2	7	-	-	-	-	-	-	-	-	-	1	2	21	-
Goodman's Fields	22,081	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George and St. John 2*W* ..	49,068	27	12	3	4	-	1	1	-	-	-	-	-	-	-	1	6	-
Shadwell and Ratcliff *w*,*H* ..	25,568	10	13	8	-	-	1	-	-	2	-	-	-	-	-	1	11	-
Limehouse *W*	32,369	16	6	1	-	-	1	-	-	-	-	-	-	-	1	1	-	-
Mile End Old Town South-Western *H*	63,698	57	11	3	3	-	1	-	-	-	-	-	-	-	-	-	-	-
Mile End Old Town North-Eastern *W*,*w*	49,129	16	11	-	9	-	1	-	-	-	-	-	-	-	-	1	9	-
Bow	41,989	21	11	1	1	-	-	-	-	3	-	-	-	-	2	2	-	-
Bromley 3*w*,*H*	68,319	30	36	5	13	-	5	-	-	1	-	-	-	-	4	6	22	-
Poplar *W*,*w*	58,514	31	15	2	5	-	2	-	-	1	-	-	-	-	-	3	4	-
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 29th May, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch and St. Saviour Southwark *W,2H*	23,319	7	15	2	1	-	-	-	-	2	-	-	-	-	1	2	13	-
Kent-road	21,904	10	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
St. George the Martyr West *W,2H,L*	39,094	15	5	2	2	-	-	-	-	-	-	-	-	-	1	1	-	-
Newington North	49,022	28	12	5	2	-	-	-	1	5	-	-	-	-	-	-	-	-
Newington South *W*	72,841	42	8	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-
St. Olave *2W*	9,817	4	5	-	3	-	-	-	-	-	-	-	-	-	-	1	4	-
Bermondsey *W*	82,483	55	11	4	2	-	2	-	-	1	-	-	-	-	-	2	-	-
Rotherhithe *W,F*	38,460	16	14	3	4	-	1	-	-	-	-	-	-	1	-	1	8	-
Waterloo *2H*	27,440	21	4	1	-	-	-	-	-	-	-	-	-	-	1	1	2	-
Lambeth Church *H*	27,440	9	26	2	4	-	2	-	1	2	-	-	-	-	2	2	20	-
Kennington *2W*	5[illegible],518	27	37	3	17	-	-	-	-	2	-	-	-	-	2	4	25	-
Stockwell *HF*	63,826	38	14	4	3	-	-	1	-	2	-	-	-	-	-	1	1	-
Brixton *H*	73,673	29	15	5	5	-	1	-	-	2	-	-	-	-	-	-	2	-
Norwood *2WH*	56,998	21	9	2	5	-	-	-	-	-	-	-	-	-	-	-	1	-
East Battersea *H*	72,203	28	11	1	7	-	2	-	-	-	-	-	-	-	-	-	-	-
North-west Battersea	49,656	26	8	3	2	-	-	-	-	-	-	-	-	1	-	1	-	-
South-west Battersea *2W,H* ..	47,048	17	17	1	10	-	-	-	-	-	-	-	-	-	-	1	12	-
Clapham *2H*	51,361	25	11	2	6	-	-	-	-	-	-	-	-	-	1	2	-	-
Streatham *W,2w,2F,2L*	88,019	57	26	3	13	-	-	-	3	-	-	-	-	2	1	3	13	-
Springfield *2W,L*	27,958	25	8	4	2	-	-	-	-	-	-	-	-	-	-	3	2	-
Southfields *H*	40,444	31	9	3	2	-	-	-	-	-	-	-	-	1	-	2	-	-
Putney	24,139	7	5	-	1	-	-	-	-	-	-	-	-	-	-	3	-	-
Dulwich	13,359	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	24	24	-	11	-	-	-	-	-	-	-	-	-	1	1	14	-
Camberwell North *W,2L*	65,584	27	19	1	7	-	-	-	-	-	-	-	-	-	1	1	17	-
St. George	47,331	39	8	4	2	-	-	-	-	1	-	-	-	-	-	1	-	-
Peckham North	48,913	21	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peckham South *2W,w*	43,946	17	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Deptford North	37,613	17	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Deptford Central *F*	45,481	20	7	1	1	-	-	-	2	-	-	-	-	1	-	1	3	-
Deptford South	34,625	16	6	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *2H*	23,456	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich East *2W,H*	43,859	20	17	3	7	-	-	-	-	-	-	-	-	-	-	-	14	-
Eltham *w,H*	7,226	7	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Lee *w,H*	25,490	14	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Lewisham *2W,w,F*	58,352	30	16	4	5	-	-	-	1	1	-	-	-	-	-	-	9	-
Sydenham *H*	43,653	18	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Charlton *F,2H*	21,134	9	8	1	2	-	-	2	2	-	-	-	-	-	1	1	5	-
Woolwich *5H*	41,625	20	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead West *W,H*	39,376	16	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *2W*	28,951	13	9	1	3	-	1	-	-	-	-	-	-	-	-	1	5	-
Workhouses:—																		
Belmont Workhouse	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.) ..	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
M. A. B. Small-pox Hospitals:—																		
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																		
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:— Children's Infirmary, Darshalton..	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
M. A. B. Imbecile Asylums:—																		
Caterham	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Darenth	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Leavesden	—	-	7	-	4	-	-	-	-	-	-	-	-	-	-	-	7	-
London County Lunatic Asylums:—																		
Banstead	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
Manor	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Grove	—	-	8	-	3	-	-	-	-	-	-	-	-	-	-	-	8	-
Cane Hill	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4	-
Dartford Heath	—	-	8	-	3	-	-	-	-	-	-	-	-	-	-	-	8	-
Hanwell	—	-	8	-	5	-	-	-	-	-	-	-	-	-	-	-	8	-
Colney Hatch	—	-	10	-	2	-	-	-	-	-	-	-	-	-	1	1	10	-
Claybury	—	-	6	-	2	-	-	-	-	-	-	-	-	-	-	-	6	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERATED POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 29th May, 1909.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING ..	368,603	2,045,135	1249	514	92	198	-	15	2	6	16	-	5	16	41	101	3
30 : 1	Carshalton 2F,3H	12,228	32,997	13	10	1	4	-	-	-	-	1	-	-	1	2	-	-
2	Epsom, *part of** W,w,2F,H..	10,423	15,548	8	2	-	-	-	-	-	-	-	-	-	-	-	-	1
37 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	6	5	-	4	-	-	-	-	-	-	-	-	-	3	-
38 : 1	Coulsdon	11,069	8,166	8	3	1	2	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w,H ..	4,200	49,309	19	11	2	6	-	-	-	-	-	-	-	-	1	-	-
3	West Croydon 3W,F,H ..	2,168	42,888	31	21	4	11	-	1	-	1	-	-	-	1	1	11	-
4	North Croydon H	2,644	41,698	27	7	-	5	-	-	-	-	-	-	-	1	1	1	-
5	Penge w	770	22,465	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-
6	Mitcham w	11,711	30,015	22	9	1	3	-	-	-	-	-	-	-	1	1	-	-
39 : 1	Wimbledon F,3H	3,221	41,652	18	6	3	-	-	-	-	-	3	-	-	-	-	-	-
2	Kingston 2W,H	6,224	42,068	22	17	2	9	-	-	-	-	-	-	-	1	4	4	-
3	Surbiton F,H	3,046	15,017	11	4	3	1	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** H	5,402	13,100	10	6	1	1	-	-	-	-	-	-	-	1	1	1	-
5	Hampton H,F,L	4,564	23,456	12	3	-	2	-	-	-	-	-	-	-	-	-	1	-
40 : 1	Richmond W,H	2,491	31,672	11	5	1	1	-	-	-	-	-	-	-	1	2	1	-
2	Mortlake F	2,518	17,821	9	3	-	1	-	1	-	-	-	-	-	-	-	-	-
41 : 1	Bromley F,3H	4,703	27,354	10	6	1	3	-	-	-	-	-	-	-	-	1	-	-
2	Beckenham H	7,825	28,497	8	9	-	5	-	-	-	-	-	-	-	1	1	1	-
3	Orpington, *part of** W,F ..	10,113	9,857	6	3	1	2	-	-	-	-	-	-	-	-	-	1	-
4	Chislehurst 2H	7,333	16,446	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-
42 : 1	Bexley w,F,H	8,678	21,151	9	11	1	3	-	-	-	-	-	-	-	-	2	-	-
2	Erith F,H	3,854	25,296	12	4	-	2	-	-	-	2	-	-	-	-	-	2	-
3	Dartford W,F, *part of** ..	—	—	-	3	-	2	-	-	-	-	-	-	-	-	-	3	-
124 : 1	Sunbury w	11,054	18,683	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Staines W,H	13,277	15,178	7	5	-	4	-	-	-	-	-	-	-	-	-	1	-
125 : 1	Hillingdon W,F,H	6,035	13,661	19	1	-	1	-	-	-	-	-	-	-	-	-	1	-
2	Uxbridge H	12,757	8,984	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w 2F,H	8,066	16,358	17	4	1	2	-	-	-	-	-	-	-	-	-	-	-
126 : 1	Isleworth 3W,3F,H	6,859	30,863	22	16	3	6	-	1	-	-	-	-	1	3	3	8	-
2	Twickenham F,2H	2,421	20,991	21	4	-	2	-	-	-	-	-	-	-	1	1	1	-
3	Brentford 3F,2H	4,319	48,289	34	9	1	5	-	-	-	-	3	-	-	-	-	-	-
4	Chiswick H	1,249	29,809	16	7	1	2	-	1	-	-	-	-	-	-	1	-	-
5	Acton w,F,3H	6,132	48,914	36	13	1	4	-	-	1	1	-	-	-	-	-	-	-
127 : 1	Harrow F,H	13,809	25,523	21	15	4	2	-	1	-	-	-	-	-	-	-	-	-
2	Edgware 2F,2H	6,994	4,521	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden W,F,2H	4,384	114,811	79	26	8	10	-	-	-	-	1	-	-	-	-	7	-
4	Hendon W,F	8,382	22,450	17	6	1	3	-	-	-	-	-	-	-	1	1	1	-
128 : 1	South Mimms 2F,H ..	17,755	7,308	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,970	11	3	-	1	-	-	-	-	-	-	-	-	-	1	-
3	Finchley F,3H	4,683	33,692	34	13	1	7	-	-	-	1	-	-	-	-	-	1	-
129 : 1	Hornsey F,H	2,875	72,056	30	13	2	10	-	1	-	-	-	-	-	-	-	-	-
2	Wood Green H	1,625	34,233	20	10	4	4	-	-	-	-	-	-	-	-	1	-	-
3	West Tottenham	995	48,741	36	7	2	2	-	-	-	-	-	-	-	-	-	-	-
4	East Tottenham 2H ..	2,019	53,962	36	14	3	4	-	-	-	-	-	-	1	-	1	4	-
5	Edmonton W,w,2F	7,491	61,892	52	18	-	6	-	-	-	-	-	-	-	1	2	7	-
6	Enfield 2W,F,H	12,601	42,738	23	12	2	4	-	-	-	-	-	-	-	-	1	3	-
7	Waltham Abbey F	11,017	6,549	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	2	1	1	-	-	-	-	-	-	-	-	-	-	-	1
135 : 1	Hatfield, *part of** W ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey H	9,333	9,173	-	3	-	-	-	-	-	-	-	-	1	-	-	1	-
2	Watford W,2F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
186 : 1	Stratford H	1,091	52,974	33	13	6	2	-	2	-	-	2	-	-	1	2	1	-
2	Forest Gate	787	52,745	18	11	2	4	-	-	-	-	1	-	-	-	-	-	-
3	Plaistow F,2H	1,249	90,921	68	16	4	1	-	3	1	1	1	-	-	-	2	3	-
4	Canning Town H	1,556	70,718	58	27	4	8	-	1	-	-	2	-	1	-	4	-	-
5	South East Ham 2F ..	1,991	37,342	35	11	7	2	-	1	-	-	-	-	-	-	-	-	-
6	North East Ham w,H ..	1,333	58,666	32	10	2	2	-	2	-	-	1	-	-	-	1	-	-
7	Wanstead F	1,679	9,179	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	19	14	3	7	-	-	-	-	-	-	1	-	1	9	-
9	North Leyton 2W,w,F ..	1,963	48,445	28	19	2	5	-	-	-	-	-	-	-	1	3	13	-
10	Walthamstow 2H,L ..	6,504	108,929	55	14	-	6	-	-	-	-	-	-	-	-	-	-	-
187 : 1	Chigwell 2F,3H	11,778	16,397	6	3	-	2	-	-	-	-	-	-	-	-	-	-	-
2	Epping W,F, *part of** ..	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
189 : 1	Romford, *part of** W,2F ..	6,556	6,091	8	3	1	2	-	-	-	-	-	-	-	-	-	2	-
2	Ilford F,L	8,496	41,244	35	8	2	5	-	-	-	-	1	-	-	-	-	1	-
3	Barking Town F	3,805	21,547	17	3	1	-	-	-	-	-	-	-	-	-	-	-	1
	London County Lunatic Asylum, Claybury.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
	Kent County Lunatic Asylum, Maidstone.	—	—	-	3	-	1	-	-	-	-	-	-	-	-	-	3	-
	Essex County Lunatic Asylum, Brentwood	—	—	-	2	-	2	-	-	-	-	-	-	-	-	-	2	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30 : 2, excepting Ashtead parish; 37 : 1, Warlingham and Farley parishes; 39 : 4, excepting Esher parish; 41 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135 : 1, Northaw parish; 189 : 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42 : 3, 137 : 2 and 187 : 2 and in the Croydon Mental Hospital in 37 : 1 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox	Measles.	Scarlet Fever	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON - -	4,833,938	May 29	2131	1240	13·4	-	63	6	18	35	3	16
CALCUTTA - -	1,014,438	April 24	-	641	33·7	131	1	1	-	2	166†	132‡
BOMBAY - -	982,000	May 4	304	1053	56·0	17	3	-	-	-	504†	63‡
MADRAS - -	548,974	" 7	338	338	34·5	4	7	?	?	?	89	35
PARIS - - -	2,760,000	" 22	927	1009	19·2	-	21	4	9	9	7	14
BRUSSELS - -	704,975	" 22	211	195	14·4	-	4	1	1	-	-	8
ANTWERP - -	310,903	" 22	134	76	12·7	-	1	2	-	-	-	6
AMSTERDAM -	566,304	" 22	254	170	15·6	-	2	-	1	11	-	4
COPENHAGEN -	448,000	" 22	235	137	15·9	-	4	-	5	6	-	5
STOCKHOLM -	339,582	" 15	162	105	16·1	-	-	3	-	-	-	2
CHRISTIANIA -	231,687	" 22	112	65	14·6	-	1	-	-	3	-	1
ST. PETERSBURG	1,573,000	" 15	810	758	25·1	4	26	20	8	6	8	70‡
MOSCOW - -	1,452,100	" 15	-	761	27·3	6	45	16	14	6	7	69
BERLIN - -	2,099,907	" 8	846	606	15·0	-	7	9	12	6	-	31
HAMBURG - -	872,252	" 22	-	294	17·5	-	-	1	6	2	-	19
BRESLAU - -	501,578	" 22	-	230	23·9	-	-	-	-	-	-	16
MUNICH - -	566,000	" 22	-	247	22·7	-	7	3	2	7	-	18
VIENNA - -	2,064,037	" 22	969	734	18·5	-	17	12	13	5	1	48
PRAGUE - -	485,057	" 15	199	198	21·2	-	1	4	1	-	1	11
BUDAPEST - -	823,215	" 15	450	306	19·3	-	10	8	1	2	-	11
TRIESTE - -	217,706	" 22	116	89	21·3	-	2	-	-	-	-	5
ROME - - -	565,323	February 20	290	335	30·9	-	13	-	2	3	3§	12
VENICE - -	179,286	May 15	-	-	-	-	-	-	-	-	-	-
BUCAREST - -	296,585	" 15	182	135	23·7	-	-	1	3	-	-	4
NEW YORK -	4,564,792	" 8	2100	1560	17·8	-	36	29	35	5	4	48
CHICAGO - -	2,224,490	" 8	-	675	15·8	-	5	7	13	3	2	43
PHILADELPHIA -	1,565,569	" 1	-	512	17·0	-	17	1	14	1	6	9
RIO DE JANEIRO	637,089	" 2	-	236	19·3	3	-	-	1	-	2	?
CAIRO:—												
Egyptians -	666,587	" 6	-	-	-	-	-	-	-	-	-	-
Foreigners -	35,219	" 6	-	-	-	-	-	-	-	-	-	-
ALEXANDRIA:—												
Egyptians -	341,965	" 6	-	-	-	-	-	-	-	-	-	-
Foreigners -	46,118	" 6	-	-	-	-	-	-	-	-	-	-

* Excluding deaths from croup in the Indian Cities.
† Including 117 deaths from plague in Calcutta and 430 in Bombay.
‡ Including 98 deaths from cholera in Calcutta, 18 in Bombay, and 2 in St. Petersburg.
§ Including 2 deaths from malarial fever in Rome.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 29th May, 1909.

TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°				°	°	°	
LONDON (Greenwich)	81·2	46·1	58·5	0·95	BRADFORD - -	67·2	39·0	52·6	1·21
BRIGHTON - -	68·4	47·0	55·1	0·77	YORK - - -	72·0	45·0	56·3	1·09
PORTSMOUTH - -	-	-	-	-	HULL - - -	76·0	46·0	57·0	1·01
NORWICH - -	79·0	42·8	57·1	0·82	TYNEMOUTH - -	69·0	45·0	54·3	1·45
PLYMOUTH -	68·6	44·0	55·0	0·95	CARDIFF - - -	69·1	44·0	54·1	1·72
BRISTOL - - -	71·2	43·0	55·2	1·24	EDINBURGH - -	63·6	43·3	54·0	0·87
BIRMINGHAM - -	70·5	43·2	55·1	1·40	GLASGOW - -	66·2	45·0	55·3	0·99
NOTTINGHAM - -	71·6	43·2	55·4	0·88	DUBLIN Phœnix Park.	64·6	39·4	53·8	0·74
LIVERPOOL OBSERVATORY	67·0	41·0	55·4	0·85	DUBLIN Fitz-william Square.†	65·6	48·4	55·5	0·69
MANCHESTER -	69·0	44·6	54·4	1·54					
BURNLEY - -	66·0	41·0	52·3	1·29					
HUDDERSFIELD -	68·2	44·5	54·2	1·09	BELFAST - - -	66·0	42·0	54·1	0·67

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to the seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°·7 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir John W. Moore, M.A. M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 29th May, 1909.

[*Under the Superintendence of the Astronomer Royal.*]

1909. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est.	Daily Range.	Mean daily value.	Departure from Average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
MAY.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 23	..	29·984	81·2	52·9	28·3	66·7	+11·8	51·8	14·9	25·3	3·6	59	151·3	39·0	52·00	SW. & WSW.	SW., WNW. & W.	3·0	0·0	0·2	291	+ 24	0·00	3·8
MONDAY - 24	..	30·082	74·6	46·2	28·4	61·0	+ 5·7	44·0	17·0	24·5	1·3	54	139·5	30·5	52·90	Variable & calm.	SE., ESE. & E.	2·3	0·0	0·1	164	− 99	0·00	0·0
TUESDAY - 25	..	29·481	61·8	48·8	13·0	53·7	− 1·8	53·1	0·6	5·1	0·2	98	93·1	43·7	53·35	E., variable & ESE.	SW. & SSW.	3·3	0·0	0·1	244	− 15	0·66	1·5
WEDNESDAY 26	..	29·347	61·4	46·1	15·3	51·8	− 4·0	47·8	4·0	9·3	1·1	86	123·7	40·2	53·61	SSW., S. & SSE.	SSW. & SW.	7·7	0·0	0·6	431	+174	0·11	23·7
THURSDAY - 27	First Qr.	29·512	62·0	49·6	12·4	53·9	− 2·1	47·8	6·1	12·8	1·5	80	130·1	46·0	53·60	SSW.	SW. & SSW.	3·2	0·0	0·3	312	+ 57	0·11	12·8
FRIDAY - 28	Apogee	29·733	70·9	46·3	24·6	57·7	+ 1·5	45·7	12·0	22·0	1·1	64	137·1	39·3	53·45	SW. & WSW.	SW. & SSW.	2·5	0·0	0·2	255	− 0	0·04	13·0
SATURDAY - 29	..	29·864	68·0	48·8	19·2	57·9	+ 1·5	46·5	11·4	19·8	1·4	66	130·7	42·5	53·45	SSW. & WSW.	WNW. & WSW.	2·9	0·0	0·2	317	+ 63	0·03	7·5
MEANS - -		29·715	68·6	48·4	20·2	57·5	+ 1·8	48·1	9·4	17·0	1·5	72	129·4	40·2	53·19	SW.		..	..	..	Sum 2014	Sum +204	Sum 0·95	8·9
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. MAY.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY - 23	m. P. till 2h. A.M.; w. P. afterwards.	13·0	15·9	Very fine and warm; cloudy intervals occasionally.
MONDAY - 24	w. P. generally.	13·2	15·9	Very fine and warm with small amounts of cloud till 6h. P.M.; cloudy afterwards.
TUESDAY - 25	w. P. till 5h. A.M.; s. P. and s.N. till 9h. A.M.; w. P. generally till 6h. P.M.; v. P. and v. N. till 9h. P.M.; w. P. afterwards.	0·0	16·0	Overcast with frequent rain till evening; fine with little cloud after 9h. 30m. P.M.
WEDNESDAY 26	w. P. generally; occasional s.N. between 10h. A.M. and 3h. P.M.	5·6	16·0	Fine and partially cloudy till 8h. 30m. A.M.; fine intervals in afternoon, otherwise overcast with occasional rain; brisk wind at times after 7h. A.M.
THURSDAY - 27	w.P. with occasional v. N. till 9h. P.M.; s. P. and s. N. afterwards.	3·6	16·1	Generally overcast with occasional showers and fine intervals. Solar halo observed between 10h. A.M. and noon.
FRIDAY - 28	w. P. generally; v. P. and v. N. after 9h. P.M.	11·5	16·1	Cloudy till 4h. A.M.; very fine till 6h. P.M.; generally overcast afterwards with continuous rain after 10h. P.M.
SATURDAY - 29	m. P. generally.	9·0	16·1	Slight rain very early; clearing after 5h. A.M.; fine with variable masses of cloud throughout day; becoming nearly cloudless after 7h. P.M.
		Sum 55·9	Sum 112·1	
No. of Col. - -	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·94 in. at the beginning of the week to 30·18 in. by 9h. A.M. on the 24th; decreased to 29·30 in. by 3h. P.M. on the 26th; and increased to 30·01 in. by midnight on the 29th.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 22nd May, 1909.*

BOROUGHS.	Estimated Population in the middle of 1909.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	151,955	-	20	2	-	1	-	-	2	-	-
Kensington	183,683	-	6	5	-	-	-	-	1	-	-
Hammersmith	125,704	-	13	4	-	1	-	-	1	-	-
Fulham	176,406	-	4	2	-	-	-	-	3	-	-
Chelsea	75,249	-	6	6	-	-	-	-	-	-	-
City of Westminster ..	168,883	-	15	2	-	-	-	-	2	-	-
NORTH.											
St. Marylebone	126,027	-	6	1	-	-	-	-	3	-	-
Hampstead	94,185	-	1	-	-	2	-	-	1	-	1
St. Pancras	237,422	-	15	5	-	-	-	-	6	1	-
Islington	351,202	-	21	8	-	1	-	-	7	-	-
Stoke Newington	54,423	-	3	-	-	-	-	-	1	-	-
Hackney	237,601	-	10	3	-	-	-	-	8	-	-
CENTRAL.											
Holborn	53,802	-	5	3	-	-	-	-	-	-	-
Finsbury	95,289	-	7	3	-	1	-	-	3	-	-
City of London	18,193	-	1	-	-	-	-	-	-	-	-
EAST.											
Shoreditch	114,802	-	7	5	-	2	-	-	5	1	-
Bethnal Green	131,316	-	19	5	-	1	-	-	2	-	-
Stepney	312,525	-	24	6	-	-	-	-	5	-	-
Poplar	171,965	-	11	2	-	-	-	-	-	-	-
SOUTH.											
Southwark	211,125	-	11	8	-	-	-	-	5	-	-
Bermondsey	127,569	-	8	1	-	-	-	-	4	-	-
Lambeth	324,188	-	25	4	-	-	-	-	6	-	1
Battersea	186,036	-	16	9	-	-	-	-	3	-	-
Wandsworth	297,646	-	24	6	-	1	-	-	5	1	-
Camberwell	283,022	-	20	8	-	1	-	-	3	-	-
Deptford	118,583	-	11	5	-	-	-	-	6	-	-
Greenwich	111,014	-	17	4	-	-	-	-	3	-	-
Lewisham	160,749	-	19	3	-	-	-	-	1	-	-
Woolwich	133,374	-	27	4	-	-	-	-	3	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,833,938	-	372	114	-	11	-	-	89	3	2
Ages 0-1		-	5	6	-	-	-	-	2	-	1
" 1-5		-	94	47	-	1	-	-	1	-	-
" 5-		-	145	31	-	2	-	-	2	-	-
" 10-		-	67	11	-	3	-	-	2	-	1
" 15-		-	23	3	-	1	-	-	5	1	-
" 20-		-	17	6	-	1	-	-	5	-	-
" 25-		-	19	5	-	1	-	-	10	2	-
" 35-		-	2	2	-	-	-	-	17	-	-
" 45-		-	-	1	-	1	-	-	17	-	-
" 55-		-	-	2	-	1	-	-	13	-	-
" 65 and upwards		-	-	-	-	-	-	-	15	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY DARLING & SON, LTD., 34-40, BACON STREET, E.

1909

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 22. 1909. VOL. LXX.] WEEK ENDED SATURDAY, JUNE 5. [Price $1\frac{1}{2}d$.

General Register Office, Somerset House,
June 7th, 1909.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 12·3 per 1000 of their aggregate population, which is estimated † at 16,445,281 persons in the middle of this year. In the preceding three weeks the rates had been 13·7, 14·7, and 13·9. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 18·6 in Oldham, 18·9 in Walsall, 19·1 in Stockport, 19·4 in Wolverhampton, 20·1 in Wigan, and 24·0 in Merthyr Tydfil; from *measles*, 1·7 in Wigan, 1·8 in South Shields, 2·2 in Salford, 2·3 in Bootle, 3·4 in Norwich, and 4·0 in Wolverhampton; from *scarlet fever*, 1·0 in Burnley and 1·9 in Tynemouth; from *whooping-cough*, 1·6 in St. Helens, 2·0 in Great Yarmouth, and 2·8 in Tynemouth; and from *diarrhœa*, 2·1 in Walsall. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 1918 BIRTHS and 1072 DEATHS were registered. Allowing for increase of population, the births were 565 and

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-five other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(13577—41.) Wt. 109—472. 700. 6/09. D & S. G. 31. Sch. 4. Y

the deaths 157 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes, which had been 13·1, 14·0, and 13·4 per 1000 in the preceding three weeks, fell last week to 11·6. The death-rate in the four weeks ended last Saturday averaged 13·0 per 1000, being 1·1 per 1000 below the mean rate in the corresponding periods of the five years 1904–8.

The 1072 deaths included 47 from measles, 8 from scarlet fever, 7 from diphtheria, 35 from whooping-cough, 3 from enteric fever, and 17 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia: thus, to these diseases in the aggregate 117 deaths were referred, being 8 below the corrected average number in the twenty-second week of the preceding five years.

The deaths from *measles*, which had been 53, 53, and 63 in the preceding three weeks, fell to 47 last week, and were 6 below the corrected average; 5 deaths belonged to the Borough of Hammersmith, 5 each to Shoreditch and Stepney, and 4 to Poplar. The deaths from *scarlet fever*, which had been 11, 6, and 6 in the preceding three weeks, numbered 8 last week, and were 2 below the corrected average. The deaths from *diphtheria*, which had been 8, 16, and 17 in the preceding three weeks, fell to 7 last week, and were 3 below the corrected average. The deaths from *whooping-cough*, which had been 30, 42, and 35 in the preceding three weeks, were again 35 last week, and were 4 above the corrected average; 4 deaths belonged to Finsbury, 4 to Shoreditch, and 3 each to Fulham, Stepney, Lambeth, and Wandsworth. The deaths from *enteric fever*, which had been 0, 6, and 3 in the preceding three weeks, were again 3 last week, the corrected average being 2. The deaths from *diarrhœa*, which had been 8, 10, and 16 in the preceding three weeks, numbered 17 last week, and were 3 below the corrected average; 4 deaths belonged to Southwark. Of the 17 deaths from diarrhœa, 11 were those of children under 5 years of age; 1 other death at this age was certified as due to *enteritis* and 3 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 10, having been 20, 17, and 17 in the preceding three weeks.

Different forms of violence caused 46 deaths, concerning all of which inquests were held. Of these 46 deaths 11 were cases of suicide, and 1 of homicide, while the remaining 34 were attributed to accident or negligence. Four of these latter were referred to vehicles in the streets, five to burns or scalds, and five, of infants under one year of age, to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 2223 cases of scarlet fever, 905 of diphtheria, 1 of typhus, and 43 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 275 cases, against 313, 348, and 335; of diphtheria, 87 cases, against 122, 115, and 97; and of enteric fever, 4 cases, against 9, 7, and 11. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended May 29th, 1909.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 3087 births and 1514 deaths were registered. Allowing for increase of population, these numbers are 817 and 190 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 11 deaths from measles, 2 from scarlet fever, 3 from diphtheria, 4 from whooping-cough, and 4 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·75 inches, and that of the Thermometer 54°·2, the latter being 3°·5 below the week's average in the 65 years ended 1905. The direction of the wind was variable, the horizontal movement of the air being 20 per cent. above the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 31·2 hours; the measured rainfall amounted to 0·94 of an inch.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 5th June, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 15th May, 1909.	22nd May, 1909.	29th May, 1909.	5th June, 1909.	Rate from Diseases in Cols. 11-17. Week ended 5th June, 1909.	Registered during the Week ended 5th June, 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS	**16,445,281**	**13·7**	**14·7**	**13·9**	**12·3**	**1·1**	**7115**	**3893**	**735**	**1132**	**–**	**140**	**45**	**33**	**75**	**11**	**55**	**137**	**294**	**1094**	**24**	**76 TOWNS.**
LONDON	4,833,938	13·1	14·0	13·4	11·6	1·3	1918	1072	185	336	–	47	8	7	35	3	17	46	105	449	–	LONDON.
CROYDON	161,078	9·4	10·7	12·3	11·0	–	69	34	2	12	–	–	–	–	–	–	–	1	5	4	–	CROYDON.
WILLESDEN ..	160,424	10·4	12·7	8·5	7·8	1·3	71	24	6	3	–	1	1	–	2	–	–	–	1	3	–	WILLESDEN.
HORNSEY	95,628	8·2	3·8	7·6	11·5	1·1	33	21	1	13	–	–	–	1	1	–	–	–	2	2	–	HORNSEY.
TOTTENHAM ..	129,464	10·5	7·2	8·5	8·9	0·8	60	22	6	9	–	–	–	–	2	–	–	–	2	5	–	TOTTENHAM.
WEST HAM ..	321,767	10·9	14·6	12·6	10·7	1·8	136	66	14	18	–	4	1	1	4	–	1	7	8	10	–	WEST HAM.
EAST HAM.. ..	149,575	7·3	10·8	8·0	3·1	0·3	52	9	–	2	–	1	–	–	–	–	–	1	1	3	–	EAST HAM.
LEYTON	129,614	9·7	8·9	6·0	4·0	1·2	53	10	–	5	–	–	1	1	–	–	1	–	1	4	–	LEYTON.
WALTHAMSTOW	136,602	9·2	6·1	6·5	8·4	0·4	58	22	7	1	–	–	–	–	1	–	–	2	4	5	–	WALTHAMSTOW.
HASTINGS	68,165	11·5	6·9	7·6	13·0	–	19	17	1	8	–	–	–	–	–	–	–	–	–	4	–	HASTINGS.
BRIGHTON	130,926	13·1	13·9	8·4	12·7	0·4	40	32	5	12	–	–	1	–	–	–	–	2	3	10	–	BRIGHTON.
PORTSMOUTH ..	214,726	9·5	16·5	11·2	11·9	1·5	113	49	9	16	–	–	1	3	–	–	2	3	8	12	–	PORTSMOUTH.
BOURNEMOUTH ..	72,368	7·2	8·6	11·5	10·1	–	22	14	1	8	–	–	–	–	–	–	–	–	–	1	–	BOURNEMOUTH.
SOUTHAMPTON ..	124,667	12·1	10·9	12·5	11·3	–	34	27	4	8	–	–	–	–	–	–	–	2	4	5	–	SOUTHAMPTON.
READING	82,995	15·7	10·7	9·4	7·5	–	35	12	2	4	–	–	–	–	–	–	–	1	1	3	–	READING.
NORTHAMPTON ..	97,752	8·0	14·9	13·9	11·2	0·5	39	21	5	6	–	1	–	–	–	–	–	–	–	7	–	NORTHAMPTON.
IPSWICH	74,889	9·7	13·9	19·5	10·4	0·7	45	15	2	6	–	–	1	–	–	–	–	–	–	3	–	IPSWICH.
GREAT YARMOUTH	53,430	15·6	18·5	11·7	12·7	2·9	22	13	2	6	–	–	–	–	2	–	1	2	2	2	–	GREAT YARMOUTH.
NORWICH	124,136	12·6	13·9	13·4	12·6	3·4	46	30	3	9	–	8	–	–	–	–	–	–	1	4	–	NORWICH.
PLYMOUTH	124,180	10·5	13·0	18·9	9·2	0·4	42	22	5	6	–	–	–	1	–	–	–	2	4	3	–	PLYMOUTH.
DEVONPORT	83,103	11·3	7·5	8·8	10·7	–	48	17	3	5	–	–	–	–	–	–	–	–	–	2	–	DEVONPORT.
BRISTOL	377,642	11·3	13·5	12·0	9·5	0·4	112	69	12	23	–	–	–	1	1	–	1	2	6	26	–	BRISTOL.
HANLEY	68,831	15·2	15·9	13·6	12·1	0·8	35	16	2	3	–	–	–	–	–	–	1	2	2	–	–	HANLEY.
BURTON-ON-TRENT	54,453	12·4	12·4	10·5	13·4	–	18	14	4	3	–	–	–	–	–	–	–	2	2	–	–	BURTON-ON-TRENT.
WOLVERHAMPTON..	104,633	19·9	28·9	20·4	19·4	5·0	53	39	9	10	–	8	1	–	1	–	–	–	3	10	–	WOLVERHAMPTON.
WALSALL	99,399	16·3	14·2	15·7	18·9	2·6	64	36	7	12	–	–	–	–	1	–	4	1	2	4	–	WALSALL.
HANDSWORTH ..	70,186	5·9	11·1	9·7	5·9	0·7	25	8	2	2	–	–	–	–	–	–	1	–	–	1	–	HANDSWORTH.
WEST BROMWICH..	70,457	11·8	21·5	13·3	14·1	2·2	33	19	5	4	–	2	–	–	1	–	–	–	–	5	1	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 5th June, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1909.*	Death-Rates from all Causes. Week ended 15th May, 1909.	22nd May, 1909.	29th May, 1909.	5th June, 1909.	Rate from Diseases in Cols. 11-17. Week ended 5th June, 1909.	Registered during the Week ended 5th June, 1909. Births.	Deaths.	The Deaths registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
BIRMINGHAM ..	563,629	13·0	15·6	12·0	12·3	1·0	249	133	29	34	–	7	2	–	2	–	–	6	7	34	5	BIRMINGHAM.
KINGS NORTON ..	81,632	10·9	10·9	8·9	11·5	1·3	33	18	2	9	–	2	–	–	–	–	–	1	1	5	–	KINGS NORTON.
SMETHWICK	70,377	17·0	17·0	6·7	9·6	0·7	31	13	2	5	–	–	–	–	–	–	1	–	1	2	–	SMETHWICK.
ASTON MANOR ..	85,257	14·1	14·7	12·2	11·6	1·2	29	19	3	8	–	2	–	–	–	–	–	–	1	2	–	ASTON MANOR.
COVENTRY	80,163	24·1	23·4	20·2	13·7	1·3	54	21	6	6	–	–	–	–	–	1	1	1	2	1	2	COVENTRY.
LEICESTER	244,255	10·0	13·0	9·2	7·7	0·4	83	36	6	14	–	–	–	1	–	–	1	1	2	8	–	LEICESTER.
GRIMSBY	73,036	12·1	15·7	10·7	10·0	–	38	14	5	5	–	–	–	–	–	–	–	–	–	1	–	GRIMSBY.
NOTTINGHAM ..	263,443	16·4	17·4	16·4	14·4	1·0	134	73	16	23	–	3	1	–	–	–	1	1	2	19	–	NOTTINGHAM.
DERBY	129,411	10·5	13·7	10·1	12·5	0·8	61	31	7	7	–	1	–	–	1	–	–	1	3	8	–	DERBY.
STOCKPORT	103,706	10·6	18·6	17·1	19·1	–	47	38	6	16	–	–	–	–	–	–	–	–	1	2	–	STOCKPORT.
BIRKENHEAD ..	121,123	22·4	16·4	15·9	15·9	0·9	57	37	6	7	–	1	–	1	–	–	–	1	3	13	–	BIRKENHEAD.
WALLASEY	71,004	12·5	9·5	11·7	5·1	1·5	40	7	1	2	–	–	–	1	–	–	1	–	–	1	–	WALLASEY.
LIVERPOOL	760,357	16·3	19·3	18·0	17·1	2·2	437	249	55	59	–	12	7	2	3	2	6	10	16	102	5	LIVERPOOL.
BOOTLE	69,393	23·3	9·0	17·3	10·5	2·3	38	14	3	2	–	3	–	–	–	–	–	1	1	3	–	BOOTLE.
ST. HELENS	95,161	17·5	14·2	15·3	15·3	2·7	56	28	8	5	–	1	1	–	3	–	–	1	1	8	–	ST. HELENS.
WIGAN	90,678	24·7	19·6	16·7	20·1	3·5	67	35	11	7	–	3	1	–	1	–	1	–	4	2	–	WIGAN.
WARRINGTON ..	72,276	18·0	18·8	23·1	10·8	0·7	37	15	3	1	–	–	–	1	–	–	–	–	1	4	2	WARRINGTON.
BOLTON	187,824	15·5	15·8	15·0	10·0	0·3	92	36	5	9	–	1	–	–	–	–	–	1	1	4	–	BOLTON.
BURY	59,234	12·3	15·8	14·1	11·4	–	18	13	3	5	–	–	–	–	–	–	–	–	–	2	–	BURY.
MANCHESTER ..	655,435	17·6	18·3	19·8	16·9	2·1	220	212	47	52	–	8	6	4	2	2	4	9	15	66	1	MANCHESTER.
SALFORD	241,950	19·4	18·5	19·6	15·7	3·0	100	73	13	11	–	10	3	–	1	–	–	–	–	14	–	SALFORD.
OLDHAM	143,301	22·9	21·1	21·1	18·6	0·4	70	51	12	15	–	–	–	–	–	–	1	2	3	10	–	OLDHAM.
ROCHDALE	89,653	15·7	16·3	9·3	12·2	–	21	21	2	4	–	–	–	–	–	–	–	1	2	4	1	ROCHDALE.
BURNLEY	106,267	18·6	17·7	12·8	12·8	1·5	45	26	2	9	–	–	2	1	–	–	–	–	–	6	1	BURNLEY.
BLACKBURN	136,959	10·3	13·7	13·3	13·3	0·8	43	35	5	7	–	1	–	–	–	–	1	1	2	7	1	BLACKBURN.
PRESTON	118,519	12·3	18·0	17·6	12·8	0·4	47	29	3	10	–	–	–	–	1	–	–	–	–	7	–	PRESTON.
BARROW-IN-FURNESS.	62,996	12·4	11·6	10·8	13·2	0·8	27	16	3	3	–	–	–	–	–	–	1	–	–	3	1	BARROW-IN-FURNESS.

* See note † on first page of this return.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 5th June, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 15th May, 1909.	22nd May, 1909.	29th May, 1909.	5th June, 1909.	Rate from Diseases in Cols. 11-17. Week ended 5th June, 1909.	Registered during the Week ended 5th June, 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,739	16·5	13·2	11·0	12·7	0·6	35	23	2	10	–	–	1	–	–	–	–	2	2	4	–	HUDDERSFIELD.
HALIFAX	111,911	16·3	14·9	12·6	10·3	–	21	22	2	12	–	–	–	–	–	–	–	–	–	7	–	HALIFAX.
BRADFORD	293,983	14·4	17·2	13·3	14·0	0·7	101	79	11	23	–	1	1	1	–	–	1	1	1	22	–	BRADFORD.
LEEDS	484,012	12·7	12·3	13·9	14·1	0·6	178	131	33	51	–	1	–	3	–	1	1	5	13	35	–	LEEDS.
SHEFFIELD	470,958	16·2	14·3	14·1	11·6	0·7	250	105	25	27	–	2	1	–	–	1	2	2	7	20	1	SHEFFIELD.
ROTHERHAM.. ..	65,070	11·2	6·4	15·2	11·2	–	29	14	3	7	–	–	–	–	–	–	–	1	1	3	–	ROTHERHAM.
YORK	87,004	11·4	8·4	9·6	7·8	–	33	13	1	6	–	–	–	–	–	–	–	–	1	3	–	YORK.
HULL	275,552	12·9	13·2	16·5	11·9	0·6	159	63	14	18	–	1	–	1	–	1	–	3	5	15	1	HULL.
MIDDLESBROUGH ..	105,255	16·3	19·8	21·8	15·9	0·5	71	32	7	4	–	–	–	–	–	–	1	–	1	6	–	MIDDLESBROUGH.
STOCKTON-ON-TEES	53,417	18·5	20·5	15·6	9·8	–	28	10	1	6	–	–	–	–	–	–	–	–	–	–	–	STOCKTON-ON-TEES.
WEST HARTLEPOOL	79,686	10·5	9·8	11·8	15·7	–	37	24	9	4	–	–	–	–	–	–	–	1	1	5	–	WEST HARTLEPOOL.
SUNDERLAND ..	159,378	17·3	17·7	14·7	11·5	–	88	35	5	12	–	–	–	–	–	–	–	1	1	16	–	SUNDERLAND.
SOUTH SHIELDS ..	117,627	14·6	18·2	17·3	13·7	3·1	55	31	6	8	–	4	–	–	2	–	1	–	1	3	–	SOUTH SHIELDS.
GATESHEAD	131,024	9·6	14·7	14·3	7·2	0·8	67	18	4	2	–	–	1	–	–	–	1	–	–	1	1	GATESHEAD.
NEWCASTLE-ON-TYNE.	281,584	15·9	16·5	15·6	15·4	0·9	153	83	12	20	–	1	1	2	1	–	–	2	7	11	–	NEWCASTLE-ON-TYNE.
TYNEMOUTH ..	55,808	9·3	22·4	16·8	15·9	5·6	31	17	1	6	–	1	2	–	3	–	–	1	1	3	–	TYNEMOUTH.
NEWPORT (MON.) ..	78,336	11·3	12·0	11·3	11·3	0·7	37	17	7	2	–	1	–	–	–	–	–	–	2	2	–	NEWPORT (MON.).
CARDIFF	195,303	14·4	15·5	9·3	10·1	0·5	95	38	4	8	–	–	–	–	2	–	–	3	6	6	–	CARDIFF.
RHONDDA	135,894	12·7	15·3	20·7	13·4	0·8	78	35	6	4	–	1	–	–	1	–	–	1	1	–	–	RHONDDA.
MERTHYR TYDFIL..	78,365	16·6	20·0	14·0	24·0	–	48	36	9	8	–	–	–	–	–	–	–	–	4	2	1	MERTHYR TYDFIL.
SWANSEA	98,308	13·3	14·9	18·0	12·7	0·5	52	24	5	9	–	–	–	–	1	–	–	–	3	5	–	SWANSEA.
GREATER LONDON	7,429,740	12·1	12·9	12·3	10·6	1·2	3087	1514	260	475	–	64	13	13	49	3	23	72	145	524	–	GREATER LONDON.
OUTER RING ..	2,595,802	10·3	10·8	10·3	8·9	1·0	1169	442	75	139	–	17	5	6	14	–	6	26	40	75	–	OUTER RING.
8 TOWNS IN OUTER RING.	1,284,152	9·7	10·4	9·4	8·4	1·0	532	208	36	63	–	6	3	3	10	–	2	11	24	36	–	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,311,650	10·9	11·3	11·2	9·3	1·0	637	234	39	76	–	11	2	3	4	–	4	15	16	39	–	REMAINDER OF OUTER RING.
EDINBURGH	355,366	14·2	17·2	16·1	17·5	2·1	169	119	18	43	–	–	2	–	9	–	3	9	?	38	5	EDINBURGH.
GLASGOW	872,021	15·2	17·1	17·2	15·4	1·7	458	258‡	44	69	–	–	3	5	13	2	5	3	?	81	4	GLASGOW.
DUBLIN (Registration Area).†	398,356	18·5	22·3	21·7	18·2	1·4	200	139	17	44	–	2	1	–	4	3	1	3	5	52	3	DUBLIN (Registration Area).†
BELFAST†	386,576	19·6	24·3	18·7	15·9	0·8	220	118	19	22	–	–	–	1	3	–	2	4	6	31	1	BELFAST†

* See note † on first page of this return.

† Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast respectively.

‡ Including 2 deaths from Cerebro-spinal meningitis in Glasgow.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the TWENTY-SECOND Week of each of the Eleven Years, 1899–1909.

	1899	1900	1901	1902	1903	1904	1905	1906	1907	1908	Corrected Weekly Average in 5 Years 1904–1908.*	1909
TOTAL **Births** -	2678	2579	2148	2501	2416	2507	2249	2384	2464	2522	2482·8	1918
Males - - -	1346	1298	1082	1309	1203	1292	1150	1204	1237	1281	1262·1	958
Females - -	1332	1281	1066	1192	1213	1215	1099	1180	1227	1241	1220·7	960
TOTAL **Deaths** -	1483	1497	1345	1454	1220	1179	1319	1240	1190	1073	1228·7	1072
Males - - -	781	793	720	775	619	649	694	663	595	563	647·8	562
Females - -	702	704	625	679	601	530	625	577	595	510	580·9	510

* The numbers in this column are the average weekly numbers in the Twenty-Second week of the five years 1904-1908, raised by 2·375 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Mar. 13.	Mar. 20.	Mar. 27.	Apr. 3.	Apr. 10.	Apr. 17.	Apr. 24.	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.	13 Weeks.
TOTAL **Births** -	2585	2469	2356	2413	2188	2447	2569	2367	2537	2339	2250	2131	1918	30569
TOTAL **Deaths** -	2221	2225	1989	1700	1470	1606	1393	1300	1304	1216	1295	1240	1072	20031
Ages at Death: Under 1 year -	297	309	273	275	240	286	245	223	260	209	238	200	185	3240
1—5 years -	273	271	246	197	209	226	179	166	169	130	162	141	129	2498
5—20 " -	85	106	87	77	78	77	72	60	68	74	72	76	54	986
20—40 " -	214	230	187	182	168	175	147	174	143	177	153	161	143	2254
40—60 " -	453	449	383	341	300	296	282	297	253	260	284	257	225	4080
60 yrs. & upwds.	899	860	813	628	475	546	468	380	411	366	386	405	336	6973
Deaths from—														
Small-pox† - -	-	1	-	-	-	-	-	-	-	-	-	-	-	1
Measles - - -	105	129	118	94	95	112	72	81	73	53	53	63	47	1095
Scarlet Fever - -	9	7	9	8	11	9	8	10	10	11	6	6	8	112
Diphtheria - -	22	19	15	14	16	13	11	8	13	8	16	17	7	179
Whooping-cough -	35	36	40	32	33	53	49	41	35	30	42	35	35	496
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	4	5	5	3	2	3	2	1	-	-	6	3	3	37
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	1	-	-	-	-	-	1
Diarrhœa, Dysentery	10	16	12	14	8	9	7	12	13	8	10	16	17	152
All above diseases -	185	213	199	165	165	199	149	154	144	110	133	140	117	2073
Dis. of Resp. System	411	360	317	194	158	157	128	85	76	78	83	82	65	2194
Pneumonia - -	347	291	250	205	152	184	166	147	136	135	131	143	107	2394
Phthisis - - -	161	204	127	142	126	146	98	116	130	131	126	113	107	1727
Dis. of Circ. System -	280	266	250	197	163	192	181	155	156	163	168	168	138	2477
Violence - - -	56	66	56	52	53	58	50	62	59	49	39	44	46	690
Inquest Cases - -	182	190	169	153	137	141	131	146	128	113	118	111	105	1824
Deaths in Institutions	777	870	786	657	616	688	564	608	561	561	579	578	449	8294
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	36·5	38·8	44·8	44·7	46·9	51·5	52·2	48·6	50·6	48·5	54·9	57·5	54·2	48·4
Mean of Highest -	41·3	45·3	51·3	52·4	59·8	63·0	64·0	58·9	61·0	60·1	68·8	68·6	61·3	58·1
Mean of Lowest -	33·2	33·3	39·1	37·8	33·3	41·1	42·1	40·6	40·2	37·8	39·5	48·4	47·4	39·5
Mean Humidity of the Air.	84	81	81	80	58	70	69	69	60	67	66	72	81	72
Rain-fall (in inches) -	0·46	0·41	0·51	0·66	0·00	0·22	0·72	0·77	0·00	0·11	0·13	0·95	0·94	5·88
Registered Sunshine (in hours).	17·0	17·7	20·7	23·8	83·7	42·2	53·4	64·0	92·4	62·7	75·9	55·9	31·2	640·6
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	2	3	2	2	2	1	1	-	-	-	-	-	-	1
Scarlet Fever - -	2670	2596	2571	2462	2418	2294	2219	2181	2175	2173	2234	2254	2223	2344
Diphtheria - - -	1150	1143	1120	1106	1079	1036	1019	1016	993	990	957	925	905	1034
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Enteric Fever - -	115	106	96	87	77	75	67	58	56	52	48	50	43	72

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office :—The Astronomer Royal, Greenwich ; D. Forbes, Esq., M.D., Brighton ; A. Mearns Fraser, Esq., M.D., Portsmouth ; A. W. Preston, Esq., F.R.Met.Soc., Norwich ; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth ; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol ; A. Cresswell, Esq., Edgbaston, Birmingham ; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham ; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool ; F. Gore, Esq., Prestwich, Manchester ; Thos. Holt, Esq., M.D., Burnley ; J. Firth, Esq., Huddersfield ; H. Lander, Esq., Bradford ; Oxley Grabham, Esq., M.A., York ; H. B. Witty, Esq. F.R.Met.Soc., Hull ; the Meteorological Committee, Tynemouth ; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the TWENTY-SECOND Week of the Year 1909.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 22nd week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages: ALL AGES.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1228·7	1072	185	129	54	143	225	336
Small-pox*	-	-	-	-	-	-	-	-
Cowpox	-	-	-	-	-	-	-	-
Measles (Morbilli)	53·0	47	9	37	-	1	-	-
Scarlet Fever	10·4	8	-	3	5	-	-	-
Typhus	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-
Influenza	8·2	10	-	-	-	2	4	4
Whooping-cough	30·5	35	17	16	2	-	-	-
Diphtheria	9·8	7	1	4	2	-	-	-
Cerebro-spinal Fever ..	0·2	-	-	-	-	-	-	-
Pyrexia† (origin uncertain)	-	-	-	-	-	-	-	-
Enteric Fever	1·6	3	-	-	-	2	-	1
Asiatic Cholera	-	-	-	-	-	-	-	-
Epidemic Diarrhœa, Infective Enteritis	6·8	7	6	-	-	-	1	-
Diarrhœa, Dysentery ..	12·7	10	5	-	-	1	2	2
Tetanus	1·0	1	-	-	-	-	1	-
Rabies, Hydrophobia ..	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever)..	-	-	-	-	-	-	-	-
Venereal Dis.	5·7	3	1	1	-	-	-	1
Puerperal Septicæmia ..	2·3	3	-	-	-	2	1	-
Puerperal Pyæmia.. .	-	2	-	-	-	2	-	-
Puerperal Fever	0·2	-	-	-	-	-	-	-
Infective Endocarditis ..	2·9	2	-	-	1	1	-	-
Pneumonia: Lobar ..	15·4	19	-	1	-	6	7	5
Pneumonia: Broncho ..	48·1	37	15	15	2	-	1	4
Pneumonia: Epidemic ..	-	-	-	-	-	-	-	-
Pneumonia: Not defined	50·6	51	4	9	2	8	7	21
Erysipelas	1·4	4	-	-	-	-	-	4
Septicæmia (not Puerperal)	1·8	3	2	-	-	1	-	-
Pyæmia (not Puerperal)	0·6	1	-	-	-	1	-	-
Other Infective Processes	5·3	6	-	1	1	-	1	3
Tuberculous Phthisis ..	84·8	85	-	3	5	35	34	8
"*Phthisis*	45·5	22	-	-	4	8	8	2
Tuberculous Meningitis ..	22·3	22	3	13	5	1	-	-
Tuberculous Peritonitis ..	7·0	7	3	-	2	1	1	-
Tabes Mesenterica	0·8	-	-	-	-	-	-	-
Tuberculous Dis., Other ..	23·1	16	4	4	2	4	2	-
Scrofula..	0·2	-	-	-	-	-	-	-
Alcoholism	9·6	10	-	-	-	5	4	1
Rheumatic Fever	4·7	4	-	-	2	1	-	1
Gout	1·4	3	-	-	-	-	1	2
Carcinoma	52·2	41	-	-	-	3	23	15
Sarcoma	5·9	5	-	1	-	2	1	1
Cancer (undefined) ..	32·6	29	-	-	-	-	13	16
Diabetes Mellitus	5·9	4	-	-	-	2	-	2
Premature Birth	42·0	32	32	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 22nd week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages: ALL AGES.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)..	16·6	11	5	4	1	1	-	-
Gen. Par. of Insane, Insanity	13·5	10	-	-	-	1	2	7
Epilepsy	5·3	6	1	1	-	1	2	1
Convulsions	15·2	9	9	-	-	-	-	-
Locomotor Ataxy.. ..	1·8	2	-	-	-	-	1	1
Paraplegia, Dis. of Cord.	3·1	5	-	-	-	-	2	3
Nervous Sys., Other Dis.	14·5	10	1	1	-	2	4	2
Valv. Dis., Endocarditis..	40·1	49	-	-	4	11	13	21
Cereb. Hæm. Cereb. Emb.	34·4	23	-	-	-	-	7	16
Apoplexy, Hemiplegia ..	15·6	5	-	-	-	1	-	4
Aneurysm	4·1	3	-	-	-	1	1	1
Embolism, Thrombosis (not Cerebral) ..	1·0	1	-	-	-	-	1	-
Heart & Blood Ves., Other Dis... ..	67·4	57	-	1	-	2	19	35
Croup (not Spasm: nor Memb.)	0·4	-	-	-	-	-	-	-
Bronchitis	62·7	52	10	2	-	1	7	32
Emphysema, Asthma ..	2·0	1	-	-	-	-	1	-
Pleurisy	3·7	5	-	2	-	-	1	2
Respiratory Dis., Other..	9·8	7	1	2	-	-	1	3
Tonsillitis, Quinsy.. ..	0·4	1	-	-	-	-	-	1
Enteritis (not Epid.) ..	9·2	5	-	1	-	-	3	1
Gastro-enteritis	5·1	4	3	-	-	-	-	1
Peritonitis (not Puerp.) ..	3·1	2	-	-	2	-	-	-
Cirrhosis of Liver.. ..	10·4	9	-	-	-	1	6	2
Liver Dis., Other	6·1	7	-	-	-	2	3	2
Digestive Sys., Other Dis.	35·8	19	1	-	2	3	7	6
Acute Nephritis	4·9	5	-	1	1	1	-	2
Bright's Dis., Albuminuria	35·0	29	-	-	-	5	7	17
Urinary Sys., Other Dis.	10·0	11	-	-	-	-	1	10
Generative Organs Dis...	3·1	3	-	-	-	2	-	1
Childbirth (Accid. of) ..	2·7	3	-	-	-	3	-	-
Old Age	49·1	52	-	-	-	-	-	52
Other Diseases	77·6	81	44	3	6	6	11	11
ACCIDENT.								
By Railways	1·0	1	-	-	-	1	-	-
By Vehicles and Horses..	8·0	4	-	1	-	2	1	-
In Ships, Boats, Docks, (exclusive of Drowning)	-	2	-	-	-	-	2	-
In Building Operations..	1·8	1	-	-	-	1	-	-
In Conflagrations	0·2	-	-	-	-	-	-	-
By Burns, Scalds, Explosions	3·9	5	-	2	1	-	1	1
By Drowning	5·3	1	-	-	-	-	1	-
By Suffocation in Bed ..	6·6	5	5	-	-	-	-	-
By Poisons or Poisonous Vapours	2·0	-	-	-	-	-	-	-
Other Deaths by Accident..	15·2	15	2	-	2	2	3	6
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	1·0	1	1	-	-	-	-	-
Suicide	13·5	11	-	-	-	4	5	2
Execution	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 5th June, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia† (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified causes of Death.
LONDON	4,536,267	1918	1072	185	336	-	47	8	7	35	-	3	-	17	46	105	449	-
WEST DISTRICTS	805,311	280	193	25	69	-	11	2	2	5	-	1	-	3	3	9	78	-
NORTH DISTRICTS	1,055,908	412	230	32	83	-	7	2	2	3	-	1	-	2	11	20	90	-
CENTRAL DISTRICTS	209,465	91	53	10	11	-	2	-	-	3	-	-	-	1	5	9	33	-
EAST DISTRICTS	715,739	373	203	49	44	-	17	-	-	10	-	-	-	2	14	33	101	-
SOUTH DISTRICTS	1,749,844	762	367	69	126	-	10	3	3	13	-	1	-	7	13	33	121	-
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	26	-	3	-	-	1	-	1	-	-	-	2	-	1	26	-
WEST DISTRICTS.																		
North Paddington *H*	63,603	14	4	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Central Paddington *W,3H*	50,053	22	22	2	5	-	-	-	1	-	-	-	-	1	1	1	15	-
South Paddington	30,320	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town *2W,w,2H* ..	128,037	39	33	1	20	-	2	-	-	1	-	-	-	-	-	1	10	-
Brompton *2H*	48,591	9	6	2	3	-	-	-	-	-	-	-	-	1	-	-	-	-
North Hammersmith *2W,w,H* ..	49,192	30	11	2	4	-	2	-	-	-	-	-	-	-	-	-	5	-
South Hammersmith *w,2H* ..	63,047	24	21	1	6	-	3	-	-	1	-	-	-	-	-	2	3	-
North-west Fulham *W*	45,180	30	14	7	3	-	1	-	-	2	-	-	-	-	1	1	7	-
North-east Fulham *F*	46,405	19	11	1	2	-	3	2	1	-	-	-	-	-	-	1	5	-
South Fulham *W*	45,704	25	8	3	1	-	-	-	-	1	-	1	-	-		-	-	-
Chelsea North *W,w,3H*	42,514	7	19	2	11	-	-	-	-	-	-	-	-	1	-	-	15	-
Chelsea South *W,2H*	31,328	11	12	1	4	-	-	-	-	-	-	-	-	-	-	1	5	-
Mayfair and Knightsbridge	28,743	3	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave *W,2H*	55,815	17	10	2	1	-	-	-	-	-	-	-	-	-	1	1	6	-
St. Margaret & St. John *6H*	43,698	15	12	-	4	-	-	-	-	-	-	-	-	-	-	-	6	-
St. James and St. Anne *W,6H* ..	33,081	10	5	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-
NORTH DISTRICTS.																		
All Souls Marylebone *9H*	35,391	13	19	1	3	-	-	-	-	-	-	-	-	-	1	2	9	-
St. Mary Marylebone *W,4H* ..	37,948	61	4	2	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Christchurch Marylebone	39,536	16	7	2	3	-	-	-	-	-	-	-	-	-	1	2	-	-
St. John Marylebone *2H*	20,426	1	3	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Hampstead *W,F,6H*	81,942	22	18	-	5	-	-	-	-	1	-	-	-	-	-	-	9	-
West St. Pancras *2H*	60,562	22	5	-	4	-	-	-	-	-	-	-	-	-	-	1	-	-
South St. Pancras *w,12H*	55,707	16	16	1	4	-	-	-	-	-	-	-	-	-	1	1	11	-
East St. Pancras *W,H*	60,320	22	9	1	3	-	-	-	-	-	-	-	-	-	3	4	2	-
North St. Pancras *2W*	58,728	20	14	3	6	-	-	-	-	-	-	-	-	-	-	-	4	-
Tufnell *W*	31,995	13	20	-	12	-	-	-	-	-	-	-	-	-	-	1	18	-
Upper Holloway *2W,w,H*	33,978	18	15	-	8	-	2	-	-	1	-	-	-	-	1	1	12	-
Tollington *W,w,H*	33,922	7	5	3	-	-	-	-	-	-	-	-	-	-	1	2	-	-
Lower Holloway	41,424	19	4	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Barnsbury	54,478	18	6	1	2	-	-	-	-	-	-	-	-	-	2	2	1	-
Islington South-east *F*	75,397	24	16	5	5	-	4	-	-	1	-	-	-	-	-	-	1	-
Highbury *2H*	63,797	12	15	2	5	-	-	-	-	-	-	1	-	-	-	-	-	-
Stoke Newington *H*	51,247	16	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
North Hackney	50,398	14	9	2	5	-	1	-	-	-	-	-	-	-	-	-	-	-
Central Hackney *w,F*	50,536	28	10	3	3	-	-	1	2	-	-	-	-	1	-	-	3	-
South-west Hackney *3H*	59,921	31	13	3	2	-	-	-	-	-	-	-	-	-	1	1	8	-
South-east Hackney *2W,H*	58,255	19	18	1	6	-	-	1	-	-	-	-	-	1	-	2	9	-
Hackney Union Workhouse, Brentwood	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 5th June, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases	Deaths in Public Institutions.	Uncertified Causes of Death
CENTRAL DISTRICTS.																		
St. Giles and Bloomsbury 2*W*,2*H* ..	31,436	17	2	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-
Strand *W*,4*H*	21,674	1	4	-	1	-	-	-	-	-	-	-	-	-	1	2	3	-
Strand Union Workhouse, Edmonton	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Holborn *W*,6*H*	29,612	12	15	5	2	-	1	-	-	2	-	-	-	1	-	-	13	-
Clerkenwell *H*	63,704	34	11	4	1	-	-	-	-	1	-	-	-	-	1	2	-	-
St. Luke 3*H*,*L*	36,116	25	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Holborn Union Workhouse, Mitcham	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
St. Botolph *H*	10,299	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	-	16	-	3	-	1	-	-	-	-	-	-	-	3	4	13	-
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
Shoreditch South 2*H*	46,262	20	7	3	1	-	4	-	-	-	-	-	-	-	1	2	-	-
Shoreditch North-West *W*,*w*,*H* ..	36,127	21	18	5	6	-	2	-	-	4	-	-	-	-	1	4	10	-
Shoreditch North-East	36,148	11	4	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	32	32	8	8	-	2	-	-	-	-	-	-	1	1	2	14	-
Bethnal Green South-West *H* ..	64,542	31	4	-	3	-	-	-	-	-	-	-	-	-	-	1	1	-
Spitalfields..	27,969	13	3	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Mile End New Town *W*,*H*	28,718	23	37	8	4	-	-	-	-	-	-	-	-	-	2	5	36	-
Goodman's Fields	22,081	9	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George and St. John 2*W* ..	49,068	31	16	5	3	-	4	-	-	-	-	-	-	1	1	3	7	-
Shadwell and Ratcliff *w*,*H* ..	25,568	11	11	4	-	-	1	-	-	3	-	-	-	-	2	2	7	-
Limehouse *W*	32,369	12	3	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Mile End Old Town South-Western *H*	63,698	53	5	1	1	-	-	-	-	-	-	-	-	-	1	2	-	-
Mile End Old Town North-Eastern *W*,*w*	49,129	26	11	4	3	-	-	-	-	-	-	-	-	-	-	1	4	-
Bow	41,989	15	7	4	-	-	-	-	-	-	-	-	-	-	1	2	-	-
Bromley 3*w*,*H*	68,319	33	34	3	8	-	4	-	-	2	-	-	-	-	2	5	22	-
Poplar *W*,*w*	58,514	32	9	3	1	-	-	-	-	-	-	-	-	-	1	2	-	-
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 5th June, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch and St. Saviour Southwark *W,2H*	23,319	12	14	3	1	-	-	-	-	-	-	-	-	-	2	3	8	-
Kent-road	21,904	12	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
St. George the Martyr West *W,2H,L*	39,094	14	7	1	2	-	-	-	-	-	-	-	-	1	-	1	2	-
Newington North	49,022	27	7	1	2	-	-	-	-	1	-	-	-	-	1	2	-	-
Newington South *W*	72,841	30	11	2	4	-	2	-	-	-	-	-	-	1	-	2	-	-
St. Olave *2W*	9,817	7	2	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Bermondsey *W*	82,483	39	8	5	2	-	-	-	-	1	-	-	-	-	-	1	-	-
Rotherhithe *W,F*	38,460	14	19	7	6	-	-	-	-	-	-	-	-	1	1	1	10	-
Waterloo *2H*	27,410	16	8	2	1	-	-	-	-	-	-	-	-	-	-	1	4	-
Lambeth Church *H*	27,440	6	11	1	-	-	-	-	-	-	-	-	-	-	1	1	11	-
Kennington *2W*	52,518	19	24	4	11	-	-	-	-	-	-	-	-	2	1	2	19	-
Stockwell *HF*	63,826	33	11	2	4	-	-	1	-	-	-	1	-	-	1	1	1	-
Brixton *H*	73,678	29	9	4	2	-	1	-	-	2	-	-	-	-	-	-	-	-
Norwood *2WH*	56,998	18	6	1	3	-	-	-	-	1	-	-	-	-	1	2	-	-
East Battersea *H*	72,203	45	13	2	7	-	-	-	-	-	-	-	-	-	-	3	-	-
North-west Battersea	49,656	24	6	2	-	-	1	-	-	-	-	-	-	-	1	1	-	-
South-west Battersea *2W,H* ..	47,048	14	18	1	4	-	2	-	-	1	-	-	-	-	-	1	11	-
Clapham *2H*	51,361	25	6	-	3	-	-	-	-	-	-	-	-	-	-	1	-	-
Streatham *W,2w,2F,2L*	88,019	39	22	3	11	-	-	-	-	1	-	-	-	1	-	-	12	-
Springfield *2W,L*	27,959	13	6	-	2	-	1	-	-	-	-	-	-	-	-	-	1	-
Southfields *H*	40,444	19	10	-	5	-	1	-	-	1	-	-	-	-	-	-	-	-
Putney	24,139	3	3	2	1	-	-	-	-	-	-	-	-	-	1	1	-	-
Dulwich	13,359	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	14	13	-	5	-	-	-	-	-	-	-	-	1	-	-	9	-
Camberwell North *W,2L*	65,584	31	19	3	7	-	2	-	-	-	-	-	-	-	-	1	9	-
St. George	47,331	20	7	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Peckham North	48,913	16	6	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Peckham South *2W,w*	43,946	10	5	1	1	-	-	-	-	1	-	-	-	-	-	1	-	-
Deptford North	37,613	18	5	2	2	-	-	-	-	1	-	-	-	-	1	1	-	-
Deptford Central *F*	45,481	14	15	7	2	-	-	1	1	1	-	-	-	-	1	1	3	-
Deptford South	34,625	13	9	1	7	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *2H*	23,456	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich East *2W,H*	43,859	25	11	2	5	-	-	-	-	-	-	-	-	-	1	2	6	-
Eltham *w,H*	7,226	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *w,H*	25,490	14	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham *2W,w,F*	58,352	40	17	2	9	-	-	1	-	1	-	-	-	-	-	-	10	-
Sydenham *H*	43,653	19	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Charlton *F,2H*	21,134	9	2	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-
Woolwich *5H*	41,625	15	10	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead West *W,H*	39,376	15	7	1	1	-	-	-	-	-	-	-	-	-	-	2	-	-
Plumstead East *2W*	28,951	17	9	-	5	-	-	-	-	-	-	-	-	-	-	-	4	-
Workhouses:—																		
Belmont Workhouse	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asylum .. (Westminster, St. Giles, and Strand Unions.)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Small-pox Hospitals:—																		
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																		
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																		
Children's Infirmary, Carshalton..	—	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-
M. A. B. Imbecile Asylums:—																		
Caterham	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
Darenth	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Leavesden	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Lunatic Asylums:—																		
Banstead	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Manor	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Long Grove	—	-	6	-	1	-	-	-	-	-	-	-	-	1	-	-	6	-
Cane Hill	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dartford Heath	—	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-
Hanwell	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Colney Hatch	—	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-
Claybury	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERATED POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 5th June, 1909.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years & upwds.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING ..	368,603	2,045,135	1169	442	75	139	–	17	5	6	14	–	6	26	40	75	–
30 : 1	Carshalton 2F,3H	12,228	32,997	13	4	–	2	–	–	1	–	–	–	–	–	–	1	–
2	Epsom, *part of** W,w,2F,H ..	10,423	15,548	8	5	1	3	–	–	–	–	–	–	–	1	1	1	–
37 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
38 : 1	Coulsdon	11,069	8,166	6	1	–	1	–	–	–	–	–	–	–	–	–	–	–
2	South Croydon w,H ..	4,200	49,309	15	10	–	5	–	–	–	–	–	–	–	–	2	–	–
3	West Croydon 3W,F,H ..	2,168	42,888	24	10	1	2	–	–	–	–	–	–	–	1	3	4	–
4	North Croydon H	2,614	41,698	30	14	1	5	–	–	–	–	–	–	–	–	–	–	–
5	Penge w	770	22,465	4	2	–	1	–	–	–	–	–	–	–	–	–	–	–
6	Mitcham w	11,711	30,015	20	5	–	1	–	–	–	–	–	–	1	–	–	–	–
39 : 1	Wimbledon F,3H	3,221	41,652	22	12	1	5	–	2	–	–	–	–	–	–	–	–	–
2	Kingston 2W,H	6,224	42,068	22	4	–	1	–	–	–	–	–	–	–	–	–	1	–
3	Surbiton F,H	3,046	15,017	6	3	–	1	–	–	–	–	–	–	–	1	1	1	–
4	Esher, *part of** H	5,402	13,100	9	5	2	2	–	–	–	–	–	–	–	–	–	–	–
5	Hampton H,F,L	4,564	23,456	13	3	–	1	–	–	–	–	–	–	–	–	–	–	–
40 : 1	Richmond W,H	2,491	31,672	10	9	–	5	–	–	–	–	–	–	–	1	1	4	–
2	Mortlake F	2,518	17,821	15	5	3	1	–	–	–	–	–	–	1	1	2	–	–
41 : 1	Bromley F,3H	4,703	27,354	15	5	–	3	–	–	–	–	–	–	–	–	–	–	–
2	Beckenham H	7,825	28,497	9	4	1	1	–	–	–	–	–	–	–	–	–	1	–
3	Orpington, *part of** W,F ..	10,113	9,857	3	4	1	2	–	–	–	–	–	–	–	–	–	1	–
4	Chislehurst 2H	7,333	16,446	8	4	3	1	–	–	–	–	–	–	–	–	–	–	–
42 : 1	Bexley w,F,H	8,678	21,151	10	3	1	2	–	–	–	–	–	–	–	1	1	–	–
2	Erith F,H	3,854	25,296	8	7	1	1	–	–	1	–	–	–	–	1	1	2	–
3	Dartford W,F, *part of** ..	—	—	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–
124 : 1	Sunbury w	11,054	18,683	6	2	–	2	–	–	–	–	–	–	–	–	–	–	–
2	Staines W,H	13,277	15,178	10	8	1	3	–	–	–	–	–	–	–	–	–	1	–
125 : 1	Hillingdon W,F,H	6,035	13,661	10	6	1	1	–	–	–	–	1	–	–	–	–	1	–
2	Uxbridge H	12,757	8,984	1	3	1	–	–		–	–	–	–	–	–	–	1	–
3	Hayes w 2F,H	8,066	16,358	14	–	–	–	–	–	–	–	–	–	–	–	–	–	–
126 : 1	Isleworth 3W,3F,H	6,859	30,863	16	14	1	4	–	–	–	–	–	–	–	1	1	8	–
2	Twickenham F,2H	2,421	20,991	17	5	2	1	–	–	–	–	–	–	–	1	1	–	–
3	Brentford 3F,2H	4,319	48,289	34	10	3	–	1	–	–	1	–	1	–	–	–	1	–
4	Chiswick H	1,249	29,809	18	8	1	1	–	3	–	–	–	–	–	1	1	–	–
5	Acton w,F,3H	6,132	48,914	34	12	2	3	–	4	–	1	1	–	–	–	–	–	–
127 : 1	Harrow F,H	13,809	25,523	31	9	2	4	–	–	–	–	–	–	–	–	–	–	–
2	Edgware 2F,2H	6,994	4,521	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–
3	Willesden W,F,2H	4,384	114,811	71	23	6	3	–	1	–	–	2	–	–	–	1	2	–
4	Hendon W,F	8,382	22,450	21	2	–	2	–	–	–	–	–	–	–	–	–	1	–
128 : 1	South Mimms 2F,H ..	17,755	7,308	1	3	–	2	–	–	–	–	–	–	–	–	–	–	–
2	Barnet W,2H	3,324	17,970	7	3	–	–	–	1	–	–	–	–	–	1	–	–	–
3	Finchley F,3H	4,683	33,692	16	5	1	1	–	–	–	–	–	–	–	–	–	–	–
129 : 1	Hornsey F,H	2,875	72,056	33	20	1	13	–	–	–	1	1	–	–	–	3	1	–
2	Wood Green H	1,625	34,233	23	6	1	4	–	–	–	–	–	–	–	1	1	–	–
3	West Tottenham	995	48,741	26	8	2	4	–	–	–	–	–	–	–	–	–	–	–
*4	East Tottenham 2H ..	2,019	53,962	34	13	4	4	–	–	–	–	2	–	–	–	2	4	–
5	Edmonton W,w,2F	7,491	61,892	59	15	4	3	–	–	–	–	–	–	1	1	1	6	–
6	Enfield 2W,F,H	12,601	42,738	37	8	2	1	–	–	–	2	1	–	–	1	1	2	–
7	Waltham Abbey F	11,017	6,549	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8	Cheshunt F,H	8,479	12,292	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–
135 : 1	Hatfield, *part of** W ..	3,305	664	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
137 : 1	Bushey H	9,333	9,175	8	3	1	1	–	–	–	–	–	–	–	1	1	–	–
2	Watford W,2F, *part of** ..	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
186 : 1	Stratford H	1,091	52,974	31	10	1	3	–	–	–	–	–	–	–	1	1	–	–
2	Forest Gate	787	52,745	15	11	2	5	–	–	–	–	1	–	1	1	2	–	–
3	Plaistow F,2H	1,249	90,921	45	18	5	4	–	–	–	1	1	–	–	1	1	2	–
4	Canning Town H	1,556	70,718	45	19	6	4	–	4	1	–	2	–	–	4	4	–	–
5	South East Ham 2F ..	1,991	37,342	20	3	–	1	–	1	–	–	–	–	–	–	–	–	–
6	North East Ham w,H ..	1,333	58,666	32	4	–	1	–	–	–	–	–	–	–	1	1	1	–
7	Wanstead F	1,679	9,179	1	3	–	1	–	–	–	–	–	–	–	–	–	–	–
8	South Leyton 2W	631	50,467	24	5	–	4	–	–	–	–	–	–	1	1	2	3	–
9	North Leyton 2W,w,F ..	1,963	48,445	29	19	–	4	–	–	1	1	–	–	–	–	–	15	–
10	Walthamstow 2H,L ..	6,504	108,929	61	18	7	–	–	–	–	–	1	–	–	1	3	–	–
187 : 1	Chigwell 2F,3H	11,778	16,397	2	3	–	1	–	–	–	–	–	–	–	1	1	–	–
2	Epping W,F, *part of** ..	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
189 : 1	Romford, *part of** W,2F ..	6,556	6,091	6	2	–	–	–	–	–	–	–	–	–	–	1	–	–
2	Ilford F,L	8,496	41,244	27	6	–	3	–	–	–	–	–	–	–	–	–	1	–
3	Barking Town F	3,805	21,547	20	5	2	1	–	–	–	–	–	–	–	–	–	–	–
	Park Hospital, Lewisham ..	—	—	–	1	–	–	–	–	1	–	–	–	–	–	–	1	–
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	–	3	–	1	–	–	–	–	–	–	–	–	–	3	–
	Surrey County Lunatic Asylum, Brookwood.	—	—	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
	Middlesex County Lunatic Asylum, Napsbury.	—	—	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–
	Essex County Lunatic Asylum, Brentwood	—	—	–	2	–	1	–	–	–	–	–	–	–	–	–	2	–

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30 : 2, excepting Ashtead parish; 37 : 1, Warlingham and Farley parishes; 39 : 4, excepting Esher parish; 41 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135 : 1, Northaw parish; 189 : 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42 : 3, 137 : 2 and 187 : 2 and in the Croydon Mental Hospital in 37 : 1 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Small-pox	Measles.	Scarlet Fever	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON - -	4,833,938	June 5	1918	1072	11·6	-	47	8	7	35	3	17
CALCUTTA - -	1,014,438	May 1	-	718	37·8	100	-	-	-	2	239†	130‡
BOMBAY - -	982,000	„ 11	357	895	47·6	24	3	-	-	-	376†	54‡
MADRAS - -	548,974	„ 14	-	-	-	-	-	-	-	-	-	-
PARIS - - -	2,760,000	„ 29	1036	950	18·1	-	12	7	7	3	4	25
BRUSSELS - -	704,975	„ 29	229	184	13·6	-	4	1	-	-	-	12
ANTWERP - -	310,903	„ 29	103	65	10·9	-	3	1	-	2	-	8
AMSTERDAM -	566,304	„ 29	298	174	16·0	-	2	2	1	3	-	6
COPENHAGEN -	448,000	„ 29	233	156	18·2	-	2	1	3	5	-	4
STOCKHOLM -	339,582	„ 22	153	106	16·2	-	-	3	-	2	-	-
CHRISTIANIA -	231,687	„ 29	103	68	15·3	-	1	-	1	3	-	1
ST. PETERSBURG	1,573,000	„ 22	708	708	23·5	6	37	13	6	6	14	45‡
MOSCOW - -	1,452,100	„ 22	-	749	26·9	7	37	21	15	7	8	75
BERLIN - -	2,101,043	„ 15	841	605	15·0	-	9	8	11	6	-	31
HAMBURG - -	872,252	„ 29	-	275	16·4	-	1	3	5	5	-	22
BRESLAU - -	501,578	„ 29	-	-	-	-	-	-	-	-	-	-
MUNICH - -	566,000	„ 29	-	-	-	-	-	-	-	-	-	-
VIENNA - -	2,064,037	„ 29	792	702	17·7	-	21	3	9	4	-	36
PRAGUE - -	485,057	„ 22	210	218	23·4	-	2	3	3	1	-	12
BUDAPEST - -	823,215	„ 22	421	300	18·9	-	12	-	3	3	1	13
TRIESTE - -	217,706	„ 29	116	93	22·2	-	3	-	-	1	-	3
ROME - - -	565,323	February 27	349	400	36·9	-	14	2	4	6	-	9
VENICE - -	179,286	May 15	-	-	-	-	-	-	-	-	-	-
BUCAREST - -	296,585	„ 22	-	-	-	-	-	-	-	-	-	-
NEW YORK -	4,564,792	„ 15	2198	1484	17·0	-	32	31	32	14	4	57
CHICAGO - -	2,224,490	„ 15	-	569	13·3	-	6	4	8	1	3	38
PHILADELPHIA -	1,565,569	„ 8	-	510	16·9	-	7	3	9	1	5	9
RIO DE JANEIRO	637,089	„ 9	-	278	22·7	2	-	-	4	1	-	?
CAIRO:—												
Egyptians -	666,587	„ 6	526	652	50·9	8	67	-	4	-	14	169
Foreigners -	35,219	„ 6	6	31	45·8	1	-	-	-	-	2	7
ALEXANDRIA:—												
Egyptians -	341,965	„ 6	243	222	33·8	-	16	13	3	-	5	45
Foreigners -	46,118	„ 6	7	28	31·6	-	1	1	1	-	2	7

* Excluding deaths from croup in the Indian Cities.
† Including 127 deaths from plague in Calcutta and 313 in Bombay.
‡ Including 105 deaths from cholera in Calcutta, 10 in Bombay, and 1 in St. Petersburg.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 5th June, 1909.

Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°				°	°	°	
LONDON (Greenwich)	76·0	45·2	54·4	0·94	BRADFORD - -	64·4	38·6	52·4	0·30
BRIGHTON - -	72·4	47·8	55·9	1·34	YORK - - -	66·0	38·0	53·4	0·16
PORTSMOUTH - -	65·5	46·0	54·1	1·50	HULL - - -	73·0	40·0	54·2	0·27
NORWICH - -	74·4	45·2	54·3	1·04	TYNEMOUTH - -	66·0	40·0	51·3	0·23
PLYMOUTH -	69·0	45·6	54·7	1·65	CARDIFF - - -	70·0	42·8	51·4	0·14
BRISTOL - - -	71·6	40·0	53·8	0·79	EDINBURGH - -	60·4	41·8	51·7	0·37
BIRMINGHAM - -	69·7	43·2	54·4	0·57	GLASGOW - -	65·0	43·0	53·6	0·88
NOTTINGHAM - -	70·7	44·0	54·8	0·34	DUBLIN Phœnix Park.	65·8	35·9	53·2	0·49
LIVERPOOL OBSERVATORY.	62·0	42·0	53·2	0·60	DUBLIN Fitz-william Square.†	66·5	44·3	55·0	0·36
MANCHESTER -	64·3	39·0	52·5	0·53					
BURNLEY - -	63·0	34·5	51·4	0·63					
HUDDERSFIELD -	64·3	38·0	52·2	0·27	BELFAST - - -	65·8	38·5	53·3	0·65

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to the seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1·8 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 5th June, 1909.

[*Under the Superintendence of the Astronomer Royal.*]

1909. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est.	Daily Range.	Mean daily value.	Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
MAY.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 30	In Equator	30·063	73·7	46·1	27·6	60·6	+ 3·9	49·2	11·4	20·8	1·9	66	139·2	38·2	53·80	SW.	SW. & SSW.	1·2	0·0	0·0	215	− 39	0·00	5·3
MONDAY - 31	..	29·838	76·0	49·1	26·9	62·7	+ 5·6	52·2	10·5	21·9	0·8	69	147·0	36·6	54·04	SSW.	SSW. & S.	1·3	0·0	0·1	197	− 56	0·00	12·2
JUNE. TUESDAY - 1	..	29·658	65·5	49·7	15·8	57·8	+ 0·4	52·5	5·3	10·0	0·8	83	106·0	36·8	54·48	Calm, NNW. & N.	NNE. & N.	4·1	0·0	0·2	263	+ 9	0·34	1·0
WEDNESDAY 2	..	29·824	52·2	47·9	4·3	49·4	− 8·4	46·9	2·5	5·3	0·6	91	68·0	45·8	54·85	NNE.	NNE. & NE.	5·1	0·0	0·5	405	+152	0·10	0·8
THURSDAY - 3	..	29·660	54·0	46·9	7·1	49·8	− 8·3	42·0	7·8	10·6	5·0	75	83·0	44·9	54·86	NNE. & NE.	NE.	7·0	0·0	1·0	503	+250	0·00	5·2
FRIDAY - 4	Full	29·585	50·8	45·2	5·6	47·4	−10·9	46·3	1·1	5·0	0·0	96	59·0	44·4	54·43	NE. & NNE.	NNE., N. & NE.	5·9	0·0	0·5	391	+136	0·50	0·0
SATURDAY - 5	..	29·615	57·1	47·2	9·9	51·6	− 6·8	46·9	4·7	7·8	0·2	84	109·9	47·3	54·05	NNE. & N.	N., NE. & E.	1·9	0·0	0·0	170	− 89	0·00	1·5
MEANS - -		29·749	61·3	47·4	13·9	54·2	− 3·5	48·0	6·2	11·6	1·3	81	101·7	42·0	54·36	SSW. & NE.		..	..	..	Sum 2144	Sum +363	Sum 0·94	3·7
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. MAY.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY - 30	w. P. throughout.	14·0	16·2	Very fine generally; nearly cloudless in morning and cloudy with bright intervals at night.
MONDAY - 31	w. P. throughout.	14·9	16·2	Cloudy with bright intervals till 4h. A.M.; very fine with small amounts of cloud generally afterwards. Solar halo observed at times between 9h. A.M. and noon.
JUNE. TUESDAY - 1	w. P. generally till 7h. P.M.; s. P. and s. N. till 11h. P.M.; w. P. afterwards.	1·2	16·2	Very fine in early morning; generally overcast after sunrise; bright flash of lightning followed by distant thunder at 8h. 22m. P.M. and heavy rain till 10h. 30m. P.M.
WEDNESDAY 2	w. P. generally.	0·0	16·3	Overcast; frequent rain; cold with small range of temperature.
THURSDAY - 3	w. P. till 9h. A.M.; m. P. till noon; w. P. till 5h. P.M.; m. P. generally afterwards.	0·0	16·3	Overcast with slight exceptions; light shower in early morning; brisk wind prevalent after 6h. A.M.; very cool.
FRIDAY - 4	w. P. generally till 4h. A.M.; v. P. and v. N. till 10h. A.M.; m. P. till 2h. P.M.; w. P. afterwards.	0·0	16·3	A cold overcast day with frequent rain; brisk wind in early morning.
SATURDAY - 5	w. P. generally.	1·1	16·4	Generally overcast and cool; a little misty rain occasionally.
		Sum 31·2	Sum 113·9	
No. of Col. - -	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 30·01 in. at the beginning of the week to 30·09 in. by 10h. A.M. on May 30th; decreased to 29·63 in. by 6h. P.M. on June 1st; increased to 29·92 in. by midnight on June 2nd; decreased to 29·57 in. by 4h. P.M. on June 4th; and increased to 29·66 in. by midnight on June 5th.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 29th May, 1909.*

BOROUGHS.	Estimated Population in the middle of 1909.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	151,955	-	16	1	-	3	-	-	1	-	-
Kensington	183,683	-	6	-	-	-	-	-	3	-	-
Hammersmith	125,704	-	16	4	-	1	-	-	3	-	-
Fulham	176,406	-	7	3	-	3	-	-	1	-	-
Chelsea	75,249	-	5	2	-	1	-	-	3	-	-
City of Westminster ..	168,883	-	28	5	-	-	-	-	3	-	-
NORTH.											
St. Marylebone	126,027	-	10	-	-	1	-	-	2	-	-
Hampstead	94,185	-	2	-	-	-	-	-	-	-	-
St. Pancras	237,422	-	20	3	-	-	-	-	3	-	-
Islington	351,202	-	24	9	-	3	-	-	3	2	-
Stoke Newington	54,423	-	4	1	-	-	-	-	-	-	-
Hackney	237,601	-	9	5	-	1	-	-	6	-	-
CENTRAL.											
Holborn	53,802	-	2	1	-	-	1	-	1	-	-
Finsbury	95,289	-	3	5	-	-	-	-	3	-	-
City of London	18,193	-	1	1	-	-	-	-	-	-	-
EAST.											
Shoreditch	114,802	-	3	2	-	-	-	-	1	-	-
Bethnal Green	131,316	-	14	6	-	-	-	-	3	-	-
Stepney	312,525	-	23	10	-	-	-	-	11	-	-
Poplar	171,965	-	11	6	-	1	-	-	5	-	-
SOUTH.											
Southwark	211,125	-	12	7	-	-	-	-	2	-	-
Bermondsey	127,569	-	11	6	-	-	-	-	1	-	-
Lambeth	324,188	-	19	6	-	1	-	-	8	-	1
Battersea	186,036	-	10	6	-	-	-	-	3	-	-
Wandsworth	297,646	-	13	10	-	1	-	-	5	-	-
Camberwell	283,022	-	17	6	-	1	-	-	3	-	-
Deptford	118,583	-	13	3	1	-	-	-	2	-	-
Greenwich	111,014	-	5	5	-	1	-	-	-	-	-
Lewisham	160,749	-	16	8	-	-	-	-	2	-	-
Woolwich	133,374	-	28	6	-	1	-	-	1	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,833,938	-	348	127	1	19	1	-	79	2	1
Ages 0–1		-	4	5	-	-	-	-	7	-	1
" 1–5		-	94	50	-	1	-	-	1	-	-
" 5–		-	126	46	-	-	-	-	3	-	-
" 10–		-	60	10	-	4	1	-	2	-	-
" 15–		-	33	5	-	-	-	-	3	-	-
" 20–		-	13	4	1	3	-	-	3	2	-
" 25–		-	12	4	-	6	-	-	8	-	-
" 35–		-	5	2	-	3	-	-	15	-	-
" 45–		-	-	1	-	1	-	-	14	-	-
" 55–		-	1	-	-	1	-	-	16	-	-
" 65 and upwards		-	-	-	-	-	-	-	7	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY DARLING & SON, LTD., 34-40, BACON STREET, E.

1909

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 23. 1909. VOL. LXX.] WEEK ENDED SATURDAY, JUNE 12. [Price 1½*d.*

General Register Office, Somerset House,
June 14th, 1909.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 12·6 per 1000 of their aggregate population, which is estimated † at 16,445,281 persons in the middle of this year. In the preceding three weeks the rates had been 14·7, 13·9, and 12·3. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 19·4 in Salford, 19·7 in Hanley, 19·8 in Middlesbrough, 20·7 in Oldham, 21·1 in Stockport, 23·1 in Warrington, and 23·6 in St. Helens; from *measles*, 1·4 in East Ham and in Liverpool, 1·5 in Wallasey, 1·6 in Walsall, 3·0 in Salford, 3·7 in West Bromwich, 4·0 in Wolverhampton, and 4·2 in Norwich; from *diphtheria*, 1·3 in Merthyr Tydfil; from *whooping-cough*, 1·5 in Middlesbrough; and from *diarrhœa*, 1·5 in Hanley and in Rhondda. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2421 BIRTHS and 1135 DEATHS were registered. Allowing for increase of population, the births were 15 above, and the deaths 63 below, the average numbers in the corresponding

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-five other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(13635—41.) Wt. 109—471. 700. 6/09. D & S. G. 31. Sch. 4. Z

weeks of the previous five years. The annual death-rate from all causes, which had been 14·0, 13·4, and 11·6 per 1000 in the preceding three weeks, was 12·2 last week. The death-rate in the four weeks ended last Saturday averaged 12·8 per 1000, being 0·8 per 1000 below the mean rate in the corresponding periods of the five years 1904–8.

The 1135 deaths included 62 from measles, 10 from scarlet fever, 7 from diphtheria, 21 from whooping-cough, 2 from enteric fever, and 16 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia: thus, to these diseases in the aggregate 118 deaths were referred, being 8 below the corrected average number in the twenty-third week of the preceding five years.

The deaths from *measles*, which had been 53, 63, and 47 in the preceding three weeks, were 62 last week, and were 12 above the corrected average; 8 deaths belonged to the Borough of Paddington, 7 to Hammersmith, 5 apiece to Islington, Stepney, and Lambeth, and 4 apiece to Finsbury, Poplar, Southwark, and Battersea. The deaths from *scarlet fever*, which had been 6, 6, and 8 in the preceding three weeks, rose to 10 last week, the corrected average being 9. The deaths from *diphtheria*, which had been 16, 17, and 7 in the preceding three weeks, were again 7 last week, and were 3 below the corrected average. The deaths from *whooping-cough*, which had been 42, 35, and 35 in the preceding three weeks, fell to 21 last week, and were 13 below the corrected average. The deaths from *enteric fever*, which had been 6, 3, and 3 in the preceding three weeks, fell to 2 last week, and were 2 below the corrected average. The deaths from *diarrhœa*, which had been 10, 16, and 17 in the preceding three weeks, were 16 last week, and were 5 below the corrected average; 3 deaths belonged to Stepney. Of the 16 deaths from diarrhœa, 13 were those of children under 5 years of age; 4 other deaths at this age were certified as due to *enteritis* and 7 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 13, having been 17, 17, and 10 in the preceding three weeks.

Different forms of violence caused 41 deaths, concerning all but one of which inquests were held. Of these 41 deaths, 14 were cases of suicide, while the remaining 27 were attributed to accident or negligence. Six of these latter were referred to vehicles in the streets, five to drowning, and four, of infants under one year of age, to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 2263 cases of scarlet fever, 876 of diphtheria, 1 of typhus, and 46 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 305 cases, against 348, 335, and 275; of diphtheria, 97 cases, against 115, 97, and 87; and of enteric fever, 8 cases, against 7, 11, and 4. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended June 5th, 1909.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 3849 births and 1562 deaths were registered. Allowing for increase of population, these numbers are 56 above and 139 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 11 deaths from measles, 1 from scarlet fever, 1 from diphtheria, 5 from whooping-cough, 1 from "fever," and 2 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·84 inches, and that of the Thermometer 50°·2, the latter being 8°·0 below the week's average in the 65 years ended 1905. The general direction of the wind was Northerly, the horizontal movement of the air being 25 per cent. below the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 25·4 hours; the measured rainfall amounted to 0·79 of an inch.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 12th June, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1909.*	Death-Rates from all Causes. Week ended 22nd May, 1909.	29th May, 1909.	5th June, 1909.	12th June, 1909.	Rate from Diseases in Cols. 11–17. Week ended 12th June, 1909.	Registered during the Week ended 12th June, 1909. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS	**16,445,281**	**14·7**	**13·9**	**12·3**	**12·6**	**1·2**	**8972**	**3962**	**792**	**1087**	**–**	**185**	**42**	**40**	**55**	**13**	**56**	**141**	**314**	**1093**	**25**	**76 TOWNS.**
LONDON	4,833,938	14·0	13·4	11·6	12·2	1·3	2421	1135‡	232	332	–	62	10	7	21	2	16	41	109	489	–	LONDON.
† CROYDON	161,078	10·7	12·3	11·0	7·1	0·3	87	22	3	9	–	–	–	–	–	–	1	2	3	3	–	CROYDON.
† WILLESDEN ..	160,424	12·7	8·5	7·8	7·2	1·0	81	22	6	8	–	–	–	–	2	1	–	2	3	6	2	WILLESDEN.
† HORNSEY	95,628	3·8	7·6	11·5	6·5	0·5	25	12	1	3	–	–	–	–	1	–	–	–	1	2	–	HORNSEY.
† TOTTENHAM ..	129,464	7·2	8·5	8·9	6·4	0·4	79	16	2	7	–	–	–	–	–	–	1	–	1	2	–	TOTTENHAM.
† WEST HAM ..	321,767	14·6	12·6	10·7	9·1	1·8	190	56	13	15	–	3	2	–	4	–	2	2	3	18	–	WEST HAM.
† EAST HAM.. ..	149,575	10·8	8·0	3·1	9·1	1·7	75	26	5	9	–	4	–	1	–	–	–	2	3	5	–	EAST HAM.
† LEYTON	129,614	8·9	6·0	4·0	8·0	1·6	57	20	1	10	–	2	–	1	1	–	–	–	1	6	–	LEYTON.
† WALTHAMSTOW	136,602	6·1	6·5	8·4	7·6	0·4	70	20	6	4	–	–	–	–	–	–	1	1	1	6	–	WALTHAMSTOW.
HASTINGS	68,165	6·9	7·6	13·0	6·1	0·8	23	8	1	2	–	–	–	1	–	–	–	–	–	–	–	HASTINGS.
BRIGHTON	130,926	13·9	8·4	12·7	10·4	–	61	26	5	11	–	–	–	–	–	–	–	1	4	5	–	BRIGHTON.
PORTSMOUTH ..	214,726	16 5	11·2	11·9	10·2	0·7	140	42	4	14	–	–	1	–	–	1	1	3	6	10	1	PORTSMOUTH.
BOURNEMOUTH ..	72,368	8·6	11·5	10·1	10·1	0·7	28	14	1	7	–	–	–	1	–	–	–	–	–	3	–	BOURNEMOUTH.
SOUTHAMPTON ..	124,667	10·9	12·5	11·3	13·8	–	65	33	5	12	–	–	–	–	–	–	–	3	5	7	–	SOUTHAMPTON.
READING	82,995	10·7	9·4	7·5	8·8	–	32	14	2	6	–	–	–	–	–	–	–	–	–	3	–	READING.
NORTHAMPTON ..	97,752	14·9	13·9	11·2	11·7	0·5	37	22	2	8	–	–	–	–	–	–	1	2	2	7	–	NORTHAMPTON.
IPSWICH	74,889	13·9	19·5	10·4	11·8	–	28	17	–	9	–	–	–	–	–	–	–	–	1	1	–	IPSWICH.
GREAT YARMOUTH	53,430	18·5	11·7	12·7	8·8	1·0	28	9	4	2	–	–	–	–	–	–	1	–	–	1	–	GREAT YARMOUTH.
NORWICH	124,136	13·9	13·4	12·6	13·9	4·6	72	33	8	9	–	10	–	–	1	–	–	–	2	3	–	NORWICH.
PLYMOUTH	124,180	13·0	18·9	9·2	10·1	0·4	56	24	3	7	–	–	1	–	–	–	–	1	1	6	–	PLYMOUTH.
DEVONPORT	83,103	7·5	8·8	10·7	8·8	0·6	49	14	1	8	–	1	–	–	–	–	–	–	1	–	–	DEVONPORT.
BRISTOL	377,642	13·5	12·0	9·5	9·4	0·7	189	68	8	18	–	1	–	–	1	–	3	4	11	23	–	BRISTOL.
HANLEY	68,831	15·9	13·6	12·1	19·7	2·3	53	26	9	6	–	–	–	–	–	1	2	2	4	1	–	HANLEY.
BURTON-ON-TRENT	54,453	12·4	10·5	13·4	9·6	1·0	26	10	6	–	–	–	–	–	1	–	–	1	1	2	–	BURTON-ON-TRENT.
WOLVERHAMPTON..	104,633	28·9	20·4	19·4	16·4	4·0	57	33	3	10	–	8	–	–	–	–	–	1	2	9	–	WOLVERHAMPTON.
WALSALL	99,399	14·2	15·7	18·9	13·1	1·6	56	25	6	7	–	3	–	–	–	–	–	–	–	5	–	WALSALL.
HANDSWORTH ..	70,186	11·1	9·7	5·9	11·1	–	31	15	2	10	–	–	–	–	–	–	–	–	1	–	–	HANDSWORTH.
WEST BROMWICH..	70,457	21·5	13·3	14·1	14·8	5·2	42	20	4	3	–	5	–	1	1	–	–	1	2	3	1	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

‡ Including 1 death from Epidemic Cerebro-spinal meningitis.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 12th June, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 22nd May, 1909.	29th May, 1909.	5th June, 1909.	12th June, 1909.	Rate from Diseases in Cols. 11-17. Week ended 12th June, 1909.	Registered during the Week ended 12th June, 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
BIRMINGHAM ..	563,629	15·6	12·0	12·4	13·2	1·3	300	143	21	42	-	8	2	2	1	-	1	3	3	34	5	BIRMINGHAM.
KINGS NORTON ..	81,632	10·9	8·9	11·5	3·2	-	49	5	-	1	-	-	-	-	-	-	-	-	1	-	-	KINGS NORTON.
SMETHWICK	70,377	17·0	6·7	9·6	10·4	1·5	31	14	2	2	-	1	-	1	-	-	-	-	2	-	-	SMETHWICK.
ASTON MANOR ..	85,257	14·7	12·2	11·6	9·2	1·2	50	15	3	7	-	-	1	-	-	1	-	1	2	2	-	ASTON MANOR.
COVENTRY	80,163	23·4	20·2	13·7	17·6	2·6	54	27	6	7	-	2	-	1	-	-	1	1	2	9	2	COVENTRY.
LEICESTER	244,255	13·0	9·2	7·7	7·7	0·6	115	36	5	11	-	-	1	1	1	-	-	2	4	11	-	LEICESTER.
GRIMSBY	73,036	15·7	10·7	10·0	10·0	-	60	14	5	4	-	-	-	-	-	-	-	-	2	2	-	GRIMSBY.
NOTTINGHAM ..	263,443	17·4	16·4	14·4	13·3	0·8	156	67	12	21	-	1	-	1	1	-	1	1	4	17	-	NOTTINGHAM.
DERBY	129,411	13·7	10·1	12·5	8·9	0·4	60	22	4	6	-	1	-	-	-	-	-	1	2	3	-	DERBY.
STOCKPORT	103,706	18·6	17·1	19·1	21·1	0·5	51	42	4	7	-	-	1	-	-	-	-	1	2	3	-	STOCKPORT.
BIRKENHEAD ..	121,123	16·4	15·9	15·9	11·6	0·9	61	27	5	7	-	-	1	1	-	-	-	2	2	8	1	BIRKENHEAD.
WALLASEY	71,004	9·5	11·7	5·1	16·2	2·2	37	22	5	5	-	2	-	1	-	-	-	1	1	4	-	WALLASEY.
LIVERPOOL	760,357	19·3	18·0	17·0	16·2	2·3	522	236	45	53	-	21	3	2	2	2	4	9	13	86	5	LIVERPOOL.
BOOTLE	69,393	9·0	17·3	10·5	6·8	0·8	36	9	2	3	-	1	-	-	-	-	-	-	1	1	-	BOOTLE.
ST. HELENS	95,161	14·2	15·3	15·3	23·6	1·6	70	43	15	9	-	1	1	-	1	-	-	1	1	9	2	ST. HELENS.
WIGAN	90,678	19·6	16·7	20·1	18·4	0·6	65	32	5	10	-	-	-	-	-	-	1	1	1	6	-	WIGAN.
WARRINGTON ..	72,276	18·8	23·1	10·8	23·1	1·4	27	32	9	5	-	1	1	-	-	-	-	1	1	5	-	WARRINGTON.
BOLTON	187,824	15·8	15·0	10·0	11·1	0·6	84	40	3	9	-	1	-	1	-	-	-	2	3	4	-	BOLTON.
BURY	59,234	15·8	14·1	11·4	10·6	-	23	12	4	3	-	-	-	-	-	-	-	1	1	-	-	BURY.
MANCHESTER ..	655,435	18·3	19·8	16·9	18·5	1·8	472	233	53	52	-	11	5	4	1	-	2	6	17	69	1	MANCHESTER.
SALFORD	241,950	18·5	19·6	15·7	19·4	4·5	152	90	18	15	-	14	3	3	-	-	1	3	7	21	-	SALFORD.
OLDHAM	143,301	21·1	21·1	18·6	20·7	1·1	83	57	9	15	-	-	2	-	-	-	1	1	8	10	-	OLDHAM.
ROCHDALE	89,653	16·3	9·3	12·2	11·6	0·6	50	20	2	6	-	-	-	-	1	-	-	2	2	5	-	ROCHDALE.
BURNLEY	106,267	17·7	12·8	12·8	9·8	1·0	71	20	4	2	-	-	1	-	1	-	-	-	-	2	-	BURNLEY.
BLACKBURN	136,959	13·7	13·3	13·3	14·1	1·5	76	37	5	10	-	1	1	-	-	1	1	2	2	4	1	BLACKBURN.
PRESTON	118,519	18·0	17·6	12·8	16·3	-	63	37	8	10	-	-	-	-	-	-	-	-	-	1	1	PRESTON.
BARROW-IN-FURNESS.	62,996	11·6	10·8	13·2	12·4	-	39	15	3	4	-	-	-	-	-	-	-	-	-	1	-	BARROW-IN-FURNESS.

* See note † on first page of this return.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 12th June, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 22nd May, 1909.	29th May, 1909.	5th June, 1909.	12th June, 1909.	Rate from Diseases in Cols. 11–17. Week ended 12th June, 1909.	Registered during the Week ended 12th June, 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,739	13·2	11·0	12·7	12·1	0·6	53	22	2	8	–	–	–	1	–	–	–	1	2	4	–	HUDDERSFIELD.
HALIFAX	111,911	14·9	12·6	10·3	14·0	0·5	46	30	5	10	–	–	1	–	–	–	–	–	2	6	–	HALIFAX.
BRADFORD	293,983	17·2	13·3	14·0	11·2	0·9	138	63	11	24	–	1	–	2	1	–	1	2	5	14	–	BRADFORD.
LEEDS	484,012	12·3	13·9	14·1	10·2	0·4	235	95	22	22	–	1	1	1	1	–	–	4	8	13	–	LEEDS.
SHEFFIELD	470,958	14·3	14·1	11·6	14·5	1·2	270	131	25	41	–	5	1	–	2	1	2	2	5	26	1	SHEFFIELD.
ROTHERHAM.. ..	65,070	6·4	15·2	11·2	10·4	1·6	38	13	7	1	–	–	–	1	–	1	–	–	1	3	–	ROTHERHAM.
YORK	87,004	8·4	9·6	7·8	10·8	–	42	18	1	4	–	–	–	–	–	–	–	2	2	3	–	YORK.
HULL	275,552	13·2	16·5	11·9	11·2	0·9	155	59	19	16	–	1	–	1	–	–	3	5	6	10	–	HULL.
MIDDLESBROUGH ..	105,255	19·8	21·8	15·9	19·8	2·0	67	40	10	7	–	–	–	–	3	–	1	1	2	7	–	MIDDLESBROUGH.
STOCKTON-ON-TEES	53,417	20·5	15·6	9·8	14·6	2·0	35	15	3	2	–	1	–	–	–	1	–	1	1	2	–	STOCKTON-ON-TEES.
WEST HARTLEPOOL	79,686	9·8	11·8	15·7	8·5	0·7	32	13	7	2	–	–	1	–	–	–	–	2	3	1	–	WEST HARTLEPOOL.
SUNDERLAND ..	159,378	17·7	14·7	11·5	15·0	1·0	122	46	9	11	–	2	–	–	1	–	–	1	4	13	1	SUNDERLAND.
SOUTH SHIELDS ..	117,627	18·2	17·3	13·7	14·2	1·8	59	32	8	6	–	3	1	–	–	–	–	3	3	4	1	SOUTH SHIELDS.
GATESHEAD	131,024	14·7	14·3	7·2	9·9	1·6	70	25	3	6	–	2	–	–	–	–	2	1	3	2	–	GATESHEAD.
NEWCASTLE-ON-TYNE.	281,584	16·5	15·6	15·4	11·7	0·4	172	63	9	21	–	1	–	–	1	–	–	1	4	16	–	NEWCASTLE-ON-TYNE.
TYNEMOUTH ..	55,808	22·4	16·8	15·9	12·1	–	40	13	3	5	–	–	–	–	–	–	–	–	–	3	–	TYNEMOUTH.
NEWPORT (MON.) ..	78,336	12·0	11·3	11·3	11·3	0·7	54	17	6	6	–	1	–	–	–	–	–	–	2	5	–	NEWPORT (MON.).
CARDIFF	195,303	15·5	9·3	10·1	11·7	1·1	118	44	12	8	–	1	–	–	3	–	–	–	2	8	–	CARDIFF.
RHONDDA	135,894	15·0	20·7	13·4	18·4	2·7	104	48	17	6	–	–	–	1	1	1	4	1	2	2	–	RHONDDA.
MERTHYR TYDFIL..	78,365	20·0	14·0	24·0	12·0	2·0	44	18	5	3	–	1	–	2	–	–	–	2	2	1	–	MERTHYR TYDFIL.
SWANSEA	98,308	14·9	18·0	12·7	14·9	1·1	63	28	8	6	–	–	–	1	–	–	1	–	3	7	–	SWANSEA.
GREATER LONDON	7,429,740	12·9	12·3	10·6	11·0	1·2	3849	1562	310	486	–	82	13	10	34	4	23	61	148	575	3	GREATER LONDON.
OUTER RING ..	2,595,802	10·8	10·3	8·9	8·6	1·0	1428	427	78	154	–	20	3	3	13	2	7	20	39	86	3	OUTER RING.
8 TOWNS IN OUTER RING.	1,284,152	10·4	9·4	8·4	7·9	1·1	664	194	37	65	–	9	2	2	8	1	5	9	16	48	2	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,311,650	11·3	11·2	9·3	9·3	0·8	764	233	41	89	–	11	1	1	5	1	2	11	23	38	1	REMAINDER OF OUTER RING.
EDINBURGH	355,366	17·2	16·1	17·5	12·6	1·2	138	86	18	29	–	–	–	–	8	–	–	4	?	28	3	EDINBURGH.
GLASGOW	872,021	17·1	17·2	15·4	15·9	1·7	452	266‡	37	68	–	–	5	2	13	3	5	13	?	112	2	GLASGOW.
DUBLIN (Registration Area).†	398,356	22·3	21·7	18·2	18·7	1·2	236	143	23	39	–	1	1	–	4	2	1	2	3	65	4	DUBLIN (Registration Area).†
BELFAST†	386,576	24·3	18·7	15·9	16·1	1·3	203	119‡	12	30	–	–	–	2	6	–	2	4	5	38	1	BELFAST†

* See note † on first page of this return.

† Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast respectively.
‡ Including 2 deaths from Cerebro-spinal meningitis in Glasgow, and 1 in Belfast.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the TWENTY-THIRD Week of each of the Eleven Years, 1899–1909.

	1899	1900	1901	1902	1903	1904	1905	1906	1907	1908	Corrected Weekly Average in 5 Years 1904–1908.*	1909
TOTAL **Births** -	2445	2276	2624	2308	2584	2578	2233	2145	2474	2321	2406·0	2421
Males - - -	1206	1185	1376	1176	1319	1313	1138	1108	1279	1185	1233·2	1236
Females - -	1239	1091	1248	1132	1265	1265	1095	1037	1195	1136	1172·8	1185
TOTAL **Deaths** -	1365	1398	1236	1305	1095	1187	1236	1150	1299	1068	1197·8	1135
Males - - -	710	769	651	719	609	637	653	620	618	595	639·4	611
Females - -	655	629	585	586	486	550	583	530	591	473	558·4	524

* The numbers in this column are the average weekly numbers in the Twenty-Third week of the five years 1904-1908, raised by 2·375 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Mar. 20.	Mar. 27.	Apr. 3.	Apr. 10.	Apr. 17.	Apr. 24.	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.	13 Weeks.
TOTAL **Births** -	2169	2356	2413	2188	2447	2569	2367	2537	2339	2260	2131	1918	2421	30415
TOTAL **Deaths** -	2225	1989	1700	1470	1606	1393	1300	1304	1216	1295	1240	1072	1135	18945
Ages at Death: Under 1 year -	309	273	275	240	286	245	223	260	209	238	200	185	232	3175
1—5 years -	271	246	197	209	226	179	166	169	130	162	141	129	122	2347
5—20 " -	106	87	77	78	77	72	60	68	74	72	76	54	65	966
20—40 " -	230	187	182	168	175	147	174	143	177	153	161	143	138	2178
40—60 " -	449	383	341	300	296	282	297	253	260	284	257	225	243	3873
60 yrs. & upwds.	860	813	628	475	546	468	380	411	366	386	405	336	332	6406
Deaths from—														
Small-pox† - -	1	–	–	–	–	–	–	–	–	–	–	–	–	1
Measles - - -	129	118	94	95	112	72	81	73	53	53	63	47	62	1052
Scarlet Fever - -	7	9	8	11	9	8	10	10	11	6	6	8	10	113
Diphtheria - -	19	15	14	16	13	11	8	13	8	16	17	7	7	164
Whooping-cough -	36	40	32	33	53	49	41	35	30	42	35	35	21	482
Typhus - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever - -	5	5	3	2	3	2	1	–	–	6	3	3	2	35
Pyrexia (origin uncertain).	–	–	–	–	–	–	1	–	–	–	–	–	–	1
Diarrhœa, Dysentery	16	12	14	8	9	7	12	13	8	10	16	17	16	158
All above diseases -	213	199	165	165	199	149	154	144	110	133	140	117	118	2006
Dis. of Resp. System	360	317	194	158	157	128	85	76	78	83	82	65	54	1837
Pneumonia - -	291	250	205	152	184	166	147	136	135	131	113	107	98	2145
Phthisis - - -	204	127	142	126	146	98	116	130	131	126	113	107	96	1662
Dis. of Circ. System -	266	250	197	163	192	181	155	156	163	168	168	138	171	2368
Violence - - -	66	56	52	53	58	50	62	59	49	39	44	46	41	675
Inquest Cases - -	190	169	153	137	141	131	146	128	113	118	111	105	109	1751
Deaths in Institutions	870	786	657	616	688	564	608	561	561	579	578	449	489	8006
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	38·8	44·8	44·7	46·9	51·5	52·2	48·6	50·6	48·5	54·9	57·5	51·2	50·2	49·5
Mean of Highest -	45·3	51·3	52·4	59·8	63·0	61·0	58·9	61·0	60·1	68·8	68·6	61·3	58·7	59·5
Mean of Lowest -	33·3	39·1	37·8	33·3	41·1	42·1	40·6	40·2	37·8	39·5	48·4	47·4	42·7	40·3
Mean Humidity of the Air.	81	81	80	58	70	69	69	60	67	66	72	81	84	72
Rain-fall (in inches) -	0·41	0·51	0·66	0·00	0·22	0·72	0·77	0·00	0·11	0·13	0·95	0·94	0·79	6·21
Registered Sunshine (in hours).	17·7	20·7	23·8	83·7	42·2	53·4	64·0	92·4	62·7	75·9	55·9	31·2	25·4	649·0
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	3	2	2	2	1	1	–	–	–	–	–	–	–	1
Scarlet Fever - -	2596	2571	2462	2118	2204	2219	2181	2175	2173	2234	2254	2223	2203	2313
Diphtheria - - -	1143	1120	1106	1079	1036	1019	1016	993	990	957	925	905	876	1013
Typhus - - -	–	–	–	–	–	–	–	–	–	–	1	1	1	–
Enteric Fever - -	106	96	87	77	75	67	58	56	52	48	50	43	46	66

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **3.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lander, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq. F.R.Met.Soc., Hull; the Meteorological Committee, Tynemouth; and E. Walford, Esq., M.D., Cardiff.

Table 4. LONDON.—Deaths Registered in the Twenty-Third Week of the Year 1909.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

Causes of Death.	Corrected Average for the 23rd week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1197·8	1135	232	122	65	138	246	332
Small-pox*	-	-	-	-	-	-	-	-
Cowpox	0·2	-	-	-	-	-	-	-
Measles (Morbilli)	49·5	62	15	45	2		-	-
Scarlet Fever	8·6	10	2	5	3	-	-	-
Typhus	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-
Influenza	8·8	13	-	-	1	4	4	4
Whooping-cough	33·8	21	7	13	1	-	-	-
Diphtheria	9·8	7	1	6	-	-	-	-
Cerebro-spinal Fever	0·2	1	-	1	-		-	-
Pyrexia† (origin uncertain)	0·2	-	-	-	-	-	-	-
Enteric Fever	3·7	2	-	-	-	2	-	-
Asiatic Cholera	-	-	-	-	-	-	-	-
Epidemic Diarrhœa, Infective Enteritis	10·2	7	5	2	-	-	-	-
Diarrhœa, Dysentery	10·4	9	6	-	-	-	1	2
Tetanus	0·6	-	-	-	-	-	-	-
Rabies, Hydrophobia	-	-	-	-	-	-	-	-
Glanders	0·2	-	-	-	-	-	-	-
Anthrax (Splenic Fever)	-	-	-	-	-	-	-	-
Venereal Dis.	4·9	9	6	-	-	2	1	-
Puerperal Septicæmia	2·3	3	-	-	-	3	-	-
Puerperal Pyæmia	-	-	-	-	-	-	-	-
Puerperal Fever	0·2	-	-	-	-	-	-	-
Infective Endocarditis	2·7	4	-	-	2	1	-	1
Pneumonia: Lobar	15·2	12	1	-	-	2	6	3
Pneumonia: Broncho	38·5	33	12	10	3	2	2	4
Pneumonia: Epidemic	-	-	-	-	-	-	-	-
Pneumonia: Not defined	47·5	53	6	4	2	7	23	11
Erysipelas	3·5	6	2	1	-	-	2	1
Septicæmia (not Puerperal)	1·4	1	1	-	-	-	-	-
Pyæmia (not Puerperal)	0·2	-	-	-	-	-	-	-
Other Infective Processes	4·3	2	-	-	-	1	1	-
Tuberculous Phthisis	83·5	76	-	3	2	31	32	8
"*Phthisis*"	45·7	20	-	-	-	10	10	-
Tuberculous Meningitis	26·2	12	2	7	3	-	-	-
Tuberculous Peritonitis	7·4	7	2	2	1	1	1	-
Tabes Mesenterica	1·2	1	1	-	-	-	-	-
Tuberculous Dis., Other	18·6	14	3	5	4	-	2	-
Scrofula	-	-	-	-	-	-	-	-
Alcoholism	10·4	5	-	-	-	3	1	1
Rheumatic Fever	4·7	4	-	-	-	2	2	-
Gout	1·2	-	-	-	-	-	-	-
Carcinoma	48·9	53	-	-	-	5	26	22
Sarcoma	8·0	10	-	1	1	3	1	4
Cancer (undefined)	33·8	27	-	-	-	3	6	18
Diabetes Mellitus	7·4	8	-	-	-	3	4	1
Premature Birth	46·3	56	56	-	-	-	-	-

Causes of Death.	Corrected Average for the 23rd week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)	13·9	18	7	7	2	1	-	1
Gen. Par. of Insane, Insanity	11·1	7	-	-	-	2	1	4
Epilepsy	7·0	3	-	-	2	-	-	1
Convulsions	14·5	5	5	-	-	-	-	-
Locomotor Ataxy	1·8	2	-	-	-	-	2	-
Paraplegia, Dis of Cord.	4·9	2	-	-	-	1	1	-
Nervous Sys., Other Dis.	13·5	12	1	1	1	-	4	5
Valv. Dis., Endocarditis	39·9	45	-	-	5	8	19	13
Cereb. Hæm. Cereb. Emb.	32·4	34	-	-	-	-	10	24
Apoplexy, Hemiplegia	11·5	16	-	-	-	-	7	9
Aneurysm	5·1	4	-	-	-	1	2	1
Embolism, Thrombosis (not Cerebral)	1·4	1	-	-	-	1	-	-
Heart & Blood Ves., Other Dis.	79·0	71	-	-	2	5	12	52
Croup (not Spasm: nor Memb.)	0·2	1	-	1	-	-	-	-
Bronchitis	53·4	40	5	2	1	1	6	25
Emphysema, Asthma	1·8	2	-	-	-	1	-	1
Pleurisy	5·5	4	-	-	-	1		3
Respiratory Dis., Other	5·3	7	2	-	-	-	-	5
Tonsillitis, Quinsy	0·8	-	-	-	-	-	-	-
Enteritis (not Epid.)	7·4	7	4	-	1	-	-	2
Gastro-enteritis	4·1	7	7	-	-	-	-	-
Peritonitis (not Puerp.)	3·3	3	-	-	-	-	2	1
Cirrhosis of Liver	11·1	11	-	-	-	1	6	4
Liver Dis., Other	3·9	3	-	-	-	-	1	2
Digestive Sys., Other Dis.	33·4	37	5	1	8	5	8	10
Acute Nephritis	5·7	5	-	-	-	1	-	4
Bright's Dis., Albuminuria	34·4	45	-	-	1	6	17	21
Urinary Sys., Other Dis.	10·2	9	-	-	-	-	3	6
Generative Organs Dis.	3·7	3	-	-	1	1	1	-
Childbirth (Accid. of)	1·8	4	-	-	1	3	-	-
Old Age	44·2	43	-	-	-	-	-	43
Other Diseases	70·3	95	62	4	8	6	9	6
ACCIDENT.								
By Railways	2·5	-	-	-	-	-	-	-
By Vehicles and Horses	7·8	6	-	-	2	1	1	2
In Ships, Boats, Docks, (exclusive of Drowning)	0·6	1	-	-	-	-	-	1
In Building Operations	1·0	2	-	-	-	1	1	-
In Conflagrations	0·2	-	-	-	-	-	-	-
By Burns, Scalds, Explosions	5·1	1	-	-	-	1	-	-
By Drowning	5·9	5	1	-	3	-	-	1
By Suffocation in Bed	7·2	4	4		-	-	-	-
By Poisons or Poisonous Vapours	2·5	-	-	-	-	-	-	-
Other Deaths by Accident	13·7	8	1	1	2	1	-	3
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	2·3	-	-	-	-	-	-	-
Suicide	12·3	14	-	-	-	4	8	2
Execution	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 12th June, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia†* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified causes of Death.
LONDON	4,536,267	2421	1135	232	332	-	62	10	7	21	-	2	-	16	41	109	489	-
WEST DISTRICTS	805,311	344	214	44	52	-	19	3	1	3	-	-	-	4	10	21	83	-
NORTH DISTRICTS	1,055,908	528	234	40	74	-	9	1	2	7	-	2	-	3	7	20	104	-
CENTRAL DISTRICTS	209,465	89	57	19	13	-	3	-	-	2	-	-	-	-	3	11	28	-
EAST DISTRICTS	715,739	490	184	49	49	-	11	1	-	4	-	-	-	2	5	21	93	-
SOUTH DISTRICTS	1,749,844	970	404	80	128	-	20	5	4	5	-	-	-	6	15	34	139	-
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	42	-	16	-	-	-	-	-	-	-	-	1	1	2	42	-
WEST DISTRICTS.																		
North Paddington *H*	63,603	23	12	2	3	-	4	-	-	-	-	-	-	-	-	1	-	-
Central Paddington *W,3H*	50,053	21	28	6	5	-	4	-	-	-	-	-	-	-	2	2	14	-
South Paddington	30,320	3	12	1	4	-	-	-	-	-	-	-	-	1	2	3	-	-
Kensington Town *2W,w,2H* ..	128,037	56	30	7	9	-	-	-	-	2	-	-	-	1	-	3	15	-
Brompton *2H*	48,591	13	7	1	3	-	-	-	-	-	-	-	-	-	1	2	1	-
North Hammersmith *2W,w,H* ..	49,192	34	11	2	1	-	3	-	-	-	-	-	-	1	-	1	3	-
South Hammersmith *w,2H* ..	63,047	21	22	3	5	-	4	-	-	-	-	-	-	-	2	4	4	-
North-west Fulham *W*	45,180	41	22	5	3	-	3	-	-	1	-	-	-	-	1	2	8	-
North-east Fulham *F*	46,405	31	12	4	2	-	1	3	1	-	-	-	-	-	-	-	5	-
South Fulham *W*	45,704	26	5	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Chelsea North *W,w,3H*	42,514	8	10	-	5	-	-	-	-	-	-	-	-	-	1	1	8	-
Chelsea South *W,2H*	31,328	11	8	4	2	-	-	-	-	-	-	-	-	-	-	-	4	-
Mayfair and Knightsbridge	28,743	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave *W,2H*	55,815	20	12	2	4	-	-	-	-	-	-	-	-	1	-	-	9	-
St. Margaret & St. John *6H*	43,698	18	19	5	3	-	-	-	-	-	-	-	-	-	-	-	11	-
St. James and St. Anne *W,6H* ..	33,081	13	4	1	-	-	-	-	-	-	-	-	-	-	1	2	1	-
NORTH DISTRICTS.																		
All Souls Marylebone *9H*	35,391	14	18	1	8	-	-	-	-	-	-	-	-	-	-	-	12	-
St. Mary Marylebone *W,4H* ..	37,948	49	9	3	5	-	-	-	-	-	-	-	-	-	-	-	3	-
Christchurch Marylebone	39,536	10	4	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-
St. John Marylebone *2H*	20,426	6	3	-	1	-	-	-	-	1	-	-	-	-	1	3	-	-
Hampstead *W,F,6H*	81,942	33	21	2	4	-	-	-	2	1	-	1	-	-	2	3	11	-
West St. Pancras *2H*	60,562	24	8	1	1	-	-	-	-	-	-	-	-	-	-	2	4	-
South St. Pancras *w,10H*	55,707	19	17	2	4	-	-	-	-	-	-	-	-	-	2	2	14	-
East St. Pancras *W,H*	60,320	34	14	3	4	-	1	-	-	-	-	-	-	-	-	1	7	-
North St. Pancras *2W*	58,728	30	10	2	4	-	-	-	-	1	-	-	-	-	-	-	2	-
Tufnell *W*	31,995	18	23	2	11	-	1	-	-	-	-	-	-	-	-	2	16	-
Upper Holloway *2W,w,H*	33,978	19	19	4	1	-	1	-	-	-	-	-	-	1	-	-	14	-
Tollington *W,w,H*	33,922	11	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Lower Holloway	41,424	26	4	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Barnsbury	54,478	29	7	2	-	-	-	-	-	-	-	-	-	1	-	2	-	-
Islington South-east *F*	75,397	42	14	2	4	-	3	-	-	1	-	-	-	-	1	1	1	-
Highbury *2H*	63,797	21	11	4	4	-	-	-	-	1	-	-	-	1	-	1	1	-
Stoke Newington *H*	51,247	22	7	2	2	-	-	-	-	1	-	-	-	-	-	-	-	-
North Hackney	50,398	21	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Central Hackney *w,F*	50,536	26	9	3	3	-	1	1	-	-	-	-	-	-	-	-	2	-
South-west Hackney *3H*	59,921	48	10	2	2	-	-	-	-	1	-	1	-	-	-	-	5	-
South-east Hackney *2W,H*	58,255	26	15	2	10	-	-	-	-	-	-	-	-	-	1	2	12	-
Hackney Union Workhouse, Brentwood	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 12th June, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
St. Giles and Bloomsbury 2*W*,2*H* ..	31,436	15	4	-	1	-	-	-	-	-	-	-	-	-	-	2	1	-
Strand *W*,4*H*	21,674	3	7	1	2	-	-	-	-	-	-	-	-	-	1	2	5	-
Strand Union Workhouse, Edmonton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn *W*,5*H*	29,612	8	17	9	3	-	1	-	-	2	-	-	-	-	-	1	11	-
Clerkenwell *H*	63,704	38	10	5	2	-	1	-	-	-	-	-	-	-	1	1	-	-
St. Luke 3*H*,*L*	36,116	16	2	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Holborn Union Workhouse, Mitcham	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
St. Botolph *H*	10,299	7	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	2	12	1	2	-	-	-	-	-	-	-	-	-	1	3	9	-
City of London Asylum, Stone	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-
EAST DISTRICTS.																		
Shoreditch South 2*H*	46,362	24	2	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
Shoreditch North-West *W*,*w*,*H* ..	36,127	27	13	-	6	-	-	-	-	-	-	-	-	-	-	-	13	-
Shoreditch North-East	36,148	24	6	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	42	23	5	7	-	2	-	-	-	-	-	-	-	1	1	14	-
Bethnal Green South-West *H* ..	64,542	48	10	9	-	-	-	-	-	-	-	-	-	-	-	2	-	-
Spitalfields..	27,969	12	5	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Mile End New Town *W*,*H*	28,718	22	37	4	6	-	1	1	-	-	-	-	-	-	2	6	33	-
Goodman's Fields	22,081	13	2	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
St. George and St. John 2*W* ..	49,068	37	9	3	2	-	1	-	-	-	-	-	-	-	-	2	2	-
Shadwell and Ratcliff *w*,*H* ..	25,568	12	10	7	2	-	-	-	-	-	-	-	-	-	-	1	6	-
Limehouse *W*	32,369	31	7	4	1	-	1	-	-	-	-	-	-	-	1	1	-	-
Mile End Old Town South-Western *H*	63,698	57	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mile End Old Town North-Eastern *W*,*w*	49,129	27	13	5	5	-	2	-	-	1	-	-	-	1	-	-	5	-
Bow	41,989	24	4	-	3	-	-	-	-	-	-	-	-	-	-	1	-	-
Bromley 3*w*,*H*	68,319	50	32	6	11	-	2	-	-	2	-	-	-	-	-	2	20	-
Poplar *W*,*w*	58,514	40	10	3	3	-	1	-	-	-	-	-	-	-	1	2	-	-
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 12th June, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus	Enteric (or Typhoid) Fever.	*Pyrexia.* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch and St. Saviour Southwark *W,2H*	23,319	8	7	2	1	-	-	-	-	-	-	-	-	-	-	-	7	-
Kent-road	21,904	21	3	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
St. George the Martyr West *W,2H,L*	39,094	20	8	3	2	-	1	-	-	-	-	-	-	-	-	1	-	-
Newington North	49,022	28	5	2	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Newington South *W*	72,841	34	7	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-
St. Olave *2W*	9,817	7	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Bermondsey *W*	82,483	62	19	7	5	-	-	-	-	-	-	-	-	1	-	-	-	-
Rotherhithe *W,F*	38,460	21	19	6	3	-	-	-	-	2	-	-	-	1	2	2	10	-
Waterloo *2H*	27,440	29	8	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-
Lambeth Church *H*	27,440	12	17	2	2	-	1	-	-	-	-	-	-	1	1	1	12	-
Kennington *2W*	52,518	32	29	6	8	-	-	-	-	1	-	-	-	2	-	1	16	-
Stockwell *HF*	63,826	38	10	3	5	-	1	-	1	-	-	-	-	-	-	-	1	-
Brixton *H*	73,673	28	8	-	2	-	-	-	-	-	-	-	-	-	-	1	1	-
Norwood *2WH*	56,998	25	14	3	7	-	2	-	-	-	-	-	-	-	-	2	-	-
East Battersea *H*	72,203	43	12	5	3	-	3	-	-	-	-	-	-	-	-	2	-	-
North-west Battersea	49,656	29	7	2	2	-	1	-	-	-	-	-	-	-	1	1	-	-
South-west Battersea *2W,H* ..	47,048	26	20	2	8	-	1	-	-	-	-	-	-	-	-	-	13	-
Clapham *2H*	51,361	28	8	1	6	-	-	-	-	-	-	-	-	-	-	1	1	-
Streatham *W,2w,2F,2L*	88,019	53	27	5	10	-	1	2	1	-	-	-	-	-	3	4	8	-
Springfield *2W,L*	27,959	13	9	1	3	-	-	-	-	-	-	-	-	-	1	1	1	-
Southfields *H*	40,444	34	5	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-
Putney	24,139	8	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Dulwich	13,359	5	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	18	20	1	10	-	-	-	-	-	-	-	-	-	-	2	16	-
Camberwell North *W,2L*	65,584	34	26	2	11	-	-	-	-	-	-	-	-	-	3	3	16	-
St. George	47,331	26	8	4	2	-	2	-	-	-	-	-	-	-	-	-	-	-
Peckham North	48,913	32	4	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Peckham South *2W,w*	43,946	23	8	-	5	-	1	-	-	-	-	-	-	-	-	3	1	-
Deptford North	37,613	21	4	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Deptford Central *F*	45,481	27	5	2	2	-	-	-	1	-	-	-	-	-	-	-	1	-
Deptford South	34,625	18	5	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Greenwich West *2H*	23,456	9	3	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Greenwich East *2W,H*	43,859	29	20	3	4	-	-	-	-	-	-	-	-	-	1	2	13	-
Eltham *w,H*	7,226	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Lee *w,H*	25,490	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Lewisham *2W,w,F*	58,352	40	14	2	6	-	-	1	-	1	-	-	-	-	-	-	8	-
Sydenham *H*	43,653	20	4	1	1	-	-	-	-	-	-	-	-	1	1	1	-	-
Charlton *F,2H*	21,134	5	8	1	4	-	1	2	1	-	-	-	-	-	-	-	4	-
Woolwich *5H*	41,625	26	4	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Plumstead West *W,H*	39,376	13	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *2W*	28,951	14	11	-	3	-	-	-	-	-	-	-	-	-	-	-	5	-
Workhouses:—																		
Belmont Workhouse	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	1	2	-
Central London Sick Asylum .. (Westminster, St. Giles, and Strand Unions.)	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
M. A. B. Small-pox Hospitals:—																		
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																		
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																		
Children's Infirmary, Carshalton..	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums:—																		
Caterham	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
Darenth	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-
Leavesden	—	-	5	-	3	-	-	-	-	-	-	-	-	-	1	-	5	-
London County Lunatic Asylums:—																		
Banstead	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-
Manor	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Long Grove	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4	-
Cane Hill	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Dartford Heath	—	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	5	-
Hanwell	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
Colney Hatch	—	-	3	-	1	-	-	-	-	-	-	-	-	1	-	-	3	-
Claybury	—	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	4	-

TABLE **6.** LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERATED POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 12th June, 1909.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING ..	368,603	2,045,135	1428	427	78	154	-	20	3	3	13	2	7	20	39	86	3
30 : 1	Carshalton *2F,3H*	12,228	32,997	22	6	1	2	-	-		-	-	-	-	-	1	-	-
2	Epsom, *part of* W,w,2F,H* ..	10,423	15,548	11	5	1	1			-	-		-	-	1	1	4	-
37 : 1	Godstone, *part of* W,F,L* ..	2,754	2,692	5	-	-	-	-	-	-	-		-	-	-	-	-	-
38 : 1	Coulsdon	11,069	8,166	6	3	-	3	-		-	-	-	-	-	-	1	-	-
2	South Croydon *w,H* ..	4,200	49,309	29	4	-	1	-	-	-	-	-	-	-	-	-	-	-
3	West Croydon *3W,F,H* ..	2,168	42,888	32	13	3	6	-	-	-	-	-	-	-	2	3	3	-
4	North Croydon *H*	2,614	41,698	25	6	-	2	-	-	-	-	-	-	1		-	1	-
5	Penge *w*	770	22,465	5	4	2	1	-	-	-	-	-	-	1	-	-	-	-
6	Mitcham *w*	11,711	30,015	25	3	-	2	-	-	-	-	-	-	-	-	1	-	-
39 : 1	Wimbledon *F,3H*	3,221	41,652	36	7	1	3	-	-	-	-	-	-	-	-	-	1	-
2	Kingston *2W,H*	6,224	42,068	26	12	-	7	-	-	1	-	-	-	-	1	1	9	-
3	Surbiton *F,H*	3,046	15,017	5	2	-	1	-	-	-		-	-	-	-	-	-	-
4	Esher, *part of* H*	5,402	13,100	13	2	-	1	-	1	-	-	-	-	-	-	1	-	-
5	Hampton *H,F,L*	4,564	23,456	18	7	3	-	-	1	-	-	-	-	-	1	1	-	-
40 : 1	Richmond *W,H*	2,491	31,672	12	6	-	5	-	-	-	-	-	-	-	-	-	-	-
2	Mortlake *F*	2,518	17,821	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41 : 1	Bromley *F,3H*	4,703	27,354	10	5	-	1	-	-	-	-	-	-	-	1	2	-	-
2	Beckenham *H*	7,825	28,497	9	3	-	2	-	-	-	-	-	-	-	-	-	-	-
3	Orpington, *part of* W,F* ..	10,113	9,857	4	1	-	-	-	-	-	-	-	-	-	-	-	1	-
4	Chislehurst *2H*	7,333	16,446	8	1	-	1	-	-	-	-	-	-	-	-	-	-	-
42 : 1	Bexley *w,F,H*	8,678	21,151	21	3	1	1	-	-	-	-	-	-	-	1	1	-	-
2	Erith *F,H*	3,854	25,296	19	2	-	2	-	-	-	-	-	-	-	-	1	-	-
3	Dartford *W,F, part of** ..	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
124 : 1	Sunbury *w*	11,054	18,683	16	5	2	2	-	-	-	-	1	-	-	-	-	-	-
2	Staines *W,H*	13,277	15,178	7	3	1	2	-	-	-	-	-	-	-	-	-	-	-
125 : 1	Hillingdon *W,F,H*	6,035	13,661	11	6	1	3	-	1	-	-	-	-	-	1	1	2	-
2	Uxbridge *H*	12,757	8,984	8	2	-	1	-	-	-	-	-	-	-	1	1	-	-
3	Hayes *w 2F,H*	8,066	16,358	17	5	1	2	-	-	-	-	-	-	-	-	-	-	-
126 : 1	Isleworth *3W,3F,H*	6,859	30,863	26	12	1	7	-	-	-	-	-	-	1	1	2	3	-
2	Twickenham *F,2H*	2,421	20,991	13	2	-	-	-	-	-	-	-	-	-	-	-	1	-
3	Brentford *3F,2H*	4,319	48,289	31	15	5	4	-	1	-	-	-	1	-	1	1	1	-
4	Chiswick *H*	1,249	29,809	21	9	-	1	-	3	-	-	1	-	-	-	-	-	1
5	Acton *w,F,3H*	6,132	48,914	37	14	3	4	-	1	-	-	1	-	-	-	-	1	-
127 : 1	Harrow *F,H*	13,809	25,523	23	12	3	4	-	-	-	-	2	-	-	1	3	-	
2	Edgware *2F,2H*	6,994	4,521	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden *W,F,2H*	4,384	114,811	81	21	6	8	-	-	-	-	2	1	-	2	3	5	2
4	Hendon *W,F*	8,382	22,450	23	4	1	2	-	-	-	-	-	-	-	-	-	1	-
128 : 1	South Mimms *2F,H* ..	17,755	7,308	8	1	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Barnet *W,2H*	3,324	17,970	12	7	1	4	-	-	-	-	-	-	-	-	-	-	-
3	Finchley *F,3H*	4,683	33,692	24	6	2	1	-	1	-	-	-	-	-	1	2	-	-
129 : 1	Hornsey *F,H*	2,875	72,056	25	10	1	3	-	-	-	-	1	-	-	-	1	-	-
2	Wood Green *H*	1,625	34,233	31	4	2	1	-	1	-	-	-	-	-	-	-	-	-
3	West Tottenham	995	48,741	38	3	-	1	-	-	-	-	-	-	-	-	-	-	-
4	East Tottenham *2H* ..	2,019	53,962	41	13	2	6	-	-	-	-	-	-	1	-	1	2	-
5	Edmonton *W,w,2F*	7,491	61,892	61	8	1	1	-	-	-	-	-	-	-	-	-	2	-
6	Enfield *2W,F,H*	12,601	42,738	32	7	2	3	-	-	-	1	-	-	-	-	-	1	-
7	Waltham Abbey *F*	11,017	6,549	4	4	1	2	-	-	-	-	-	-	-	-	1	-	-
8	Cheshunt *F,H*	8,479	12,292	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-
135 : 1	Hatfield, *part of* W* ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey *H*	9,333	9,173	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford *W,2F, part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
186 : 1	Stratford *H*	1,091	52,974	22	9	1	1	-	1	-	-	1	-	-		-	2	-
2	Forest Gate	787	52,745	23	7	3	3	-	-	-	-	2	-	-	1	1	-	-
3	Plaistow *F,2H*	1,249	90,921	86	18	4	4	-	-	2	-	-	-	1	1	1	6	-
4	Canning Town *H*	1,556	70,718	59	13	4	2	-	2	-	-	1	-	-	-	1	1	-
5	South East Ham *2F* ..	1,991	37,342	31	15	4	1	-	4	-	1	-	-	-	1	2	1	-
6	North East Ham *w,H* ..	1,333	58,666	44	8	1	5	-	-	-	-	-	-	-	1	1	1	-
7	Wanstead *F*	1,679	9,179	4	2	-	2	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton *2W*	631	50,467	21	13	1	8	-	1	-	-	-	-	-	-	-	6	-
9	North Leyton *2W,w,F* ..	1,963	48,445	36	27	1	12	-	1	-	1	1	-	1	-	1	20	-
10	Walthamstow *2H,L* ..	6,504	108,929	84	16	6	3	-	-	-	-	-	-	-	1	1	1	-
187 : 1	Chigwell *2F,3H*	11,778	16,397	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Epping *W,F, part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189 : 1	Romford, *part of* W,2F* ..	6,556	6,091	3	4	-	2	-	-	-	-	-	-	-	-	-	2	-
2	Ilford *F,L*	8,496	41,244	37	9	2	3	-	-	-	-	-	-	-	-	1	-	-
3	Barking Town *F*	3,805	21,547	19	9	2	1	-	1	-	-	-	-	-	-	-	-	-
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
	London County Lunatic Asylum, Colney Hatch.	—	—	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-
	Middlesex County Lunatic Asylum, Napsbury.	—	—	-	4	-	1	-	-	-	-	-	-	-	-	-	4	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30 : 2, excepting Ashtead parish; 37 : 1, Warlingham and Farley parishes; 39 : 4, excepting Esher parish; 41 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135 : 1, Northaw parish; 189 : 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42 : 3, 137 : 2 and 187 : 2 and in the Croydon Mental Hospital in 37 : 1 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths.	Annual Death-rate per 1000 living.	Deaths from Small-pox	Measles.	Scarlet Fever	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON - -	4,833,938	June 12	2421	1135	12·2	-	62	10	8	21	2	16
CALCUTTA - -	1,014,438	May 8	-	745	39·2	75	2	-	1	-	331†	102‡
		" 15	-	649	34·1	58	1	-	-	-	244†	84‡
BOMBAY - -	982,000	" 18	335	737	39·2	11	5	-	-	-	267†	57‡
MADRAS - -	548,974	" 14	345	377	38·4	2	7	-	-	-	95	50
		" 21	390	399	40·7	2	5	?	?	?	116	60
PARIS - - -	2,760,000	June 5	832	934	17·8	-	19	5	2	3	6	23
BRUSSELS - -	704,975	" 5	224	170	12·5	-	1	2	2	-	1	8
ANTWERP - -	310,903	" 5	110	68	11·4	-	-	1	-	-	-	7
AMSTERDAM -	566,304	" 5	246	173	15·9	-	14	-	3	7	1	8
COPENHAGEN -	448,000	" 5	220	92	10·7	-	3	1	-	-	-	
STOCKHOLM -	339,582	May 29	167	95	14·5	-	-	-	2	-	-	2
CHRISTIANIA -	231,687	June 5	104	70	15·7	-	-	-	-	3	1	2
ST. PETERSBURG	1,573,000	May 29	758	799	26·5	2	32	16	12	8	13	48‡
MOSCOW - -	1,452,100	" 29	-	774	27·8	10	37	25	19	3	11	73
BERLIN - -	2,101,766	" 22	876	633	15·7	-	15	16	11	5	1	31
HAMBURG - -	872,252	June 5	-	266	15·9	-	1	7	4	3	-	23
BRESLAU - -	501,578	May 29	-	193	20·1	-	-	-	-	3	-	17
MUNICH - -	566,000	" 29	-	235	21·6	-	9	2	2	2	-	16
VIENNA - -	2,064,037	June 5	908	734	18·5	-	19	16	4	9	-	42
PRAGUE - -	485,057	May 29	202	199	21·3	-	5	6	1	-	-	16
BUDAPEST - -	823,215	" 29	432	329	20·7	-	11	3	4	-	1	12
TRIESTE - -	217,706	June 5	119	84	20·1	-	5	-	-	-	-	5
ROME - - -	565,323	March 6	-	-	-	-	-	-	-	-	-	-
VENICE - -	179,286	May 15	74	60	17·5	-	-	-	1	-	-	7
		" 22	102	81	23·6	-	-	1	1	1	-	5
BUCAREST - -	296,585	" 22	182	156	27·4	-	1	-	4	1	2	6
		" 29	203	149	26·2	-	-	3	1	1	-	10
NEW YORK -	4,564,792	" 22	1934	1466	16·8	-	24	30	29	12	7	61
CHICAGO - -	2,224,490	" 22	-	563	13·2	-	8	10	11	4	2	32
PHILADELPHIA -	1,565,569	" 15	-	445	14·8	-	10	4	11	3	9	17
RIO DE JANEIRO	637,089	" 16	-	-	-	-	-	-	-	-	-	-
CAIRO:—												
Egyptians -	666,587	" 13	526	736	57·4	2	68	-	-	?	21	213
Foreigners -	35,219	" 13	6	15	25·1	-	1	-	-	?	-	3
ALEXANDRIA:—												
Egyptians -	341,965	" 13	248	231	35·1	2	15	8	4	?	11	46
Foreigners -	46,118	" 13	9	22	15·8	-	-	3	-	-	1	7

* Excluding deaths from croup in the Indian Cities.
† Including 255 and 160 deaths from plague in Calcutta and 212 in Bombay.
‡ Including 68 and 61 deaths from Asiatic cholera in Calcutta, 2 in Bombay, and 1 in St. Petersburg.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 12th June, 1909.

Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°				°	°	°	
LONDON (Greenwich)	68·0	38·3	50·7	0·79	BRADFORD - -	63·0	35·0	49·7	0·09
BRIGHTON - -	62·4	40·9	52·3	0·04	YORK - - -	66·0	40·0	52·4	0·06
PORTSMOUTH - -	67·0	44·0	53·4	1·35	HULL - - -	63·0	38·0	51·3	0·04
NORWICH - -	67·0	36·4	50·2	0·53	TYNEMOUTH - -	63·0	36·0	49·0	0·12
PLYMOUTH -	69·1	46·0	55·1	0·38	CARDIFF - - -	65·9	42·9	51·7	0·11
BRISTOL - - -	67·0	43·0	52·5	0·35	EDINBURGH - -	63·5	38·9	50·5	0·01
BIRMINGHAM - -	60·9	41·3	50·0	0·21	GLASGOW - -	64·2	37·7	52·5	0·00
NOTTINGHAM - -	61·3	40·2	50·7	0·11	DUBLIN Phœnix Park.	61·4	33·3	50·1	0·00
LIVERPOOL OBSERVATORY.	57·0	42·0	50·3	0·08	DUBLIN Fitz-william Square.†	62·1	42·1	52·5	0·00
MANCHESTER -	62·3	36·8	50·0	0·08					
BURNLEY - -	61·5	31·0	49·3	0·10					
HUDDERSFIELD -	64·5	37·4	50·0	0·07	BELFAST - - -	60·0	43·6	53·0	0·00

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to the seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°·8 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 12th June, 1909.

[*Under the Superintendence of the Astronomer Royal.*]

1909. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
JUNE.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 6	Greatest Dec. S.	29·752	51·0	43·6	7·4	46·7	−11·6	43·5	3·2	6·4	2·2	89	67·0	42·8	53·70	E. & ENE.	ENE.	0·8	0·0	0·0	182	− 78	0·09	5·5
MONDAY - 7	..	29·892	62·0	42·8	19·2	51·2	− 7·0	43·9	7·3	15·2	0·7	76	139·4	30·0	53·60	ENE. & NE.	NE. & SE.	0·8	0·0	0·0	165	− 96	0·00	6·0
TUESDAY - 8	..	29·903	68·0	40·5	27·5	54·9	− 3·2	45·1	9·8	19·6	2·1	70	119·9	29·1	53·50	SW., W. & NW.	NW. & NNW.	1·6	0·0	0·1	220	− 40	0·00	6·0
WEDNESDAY 9	..	29·905	64·3	50·7	13·6	56·5	− 1·5	49·0	7·5	13·5	3·0	76	111·5	42·1	53·59	NW., NNW. & N.	N., ESE. & SE.	1·0	0·0	0·1	174	− 82	0·00	0·0
THURSDAY - 10	..	29·833	54·9	41·7	13·2	47·1	−11·0	46·7	0·4	5·8	0·2	98	87·0	29·7	53·80	NNW., calm & NE.	ENE. & NNE.	1·8	0·0	0·0	163	− 88	0·08	0·0
FRIDAY - 11	Last Qr.	29·773	56·6	38·3	18·3	46·6	−11·6	41·9	4·7	14·1	0·5	84	114·2	29·0	53·94	N. & NNW	NNW., NNE. & N.	2·8	0·0	0·1	193	− 54	0·10	3·0
SATURDAY - 12	In Eqr. Perigee.	29·843	54·0	41·6	12·4	48·1	−10·3	46·4	1·7	5·3	0·0	94	90·2	34·8	53·68	N. & NNW.	N.	2·4	0·0	0·1	236	− 7	0·52	0·0
MEANS - -		29·843	58·7	42·7	15·9	50·2	− 8·0	45·2	4·9	11·4	1·2	84	104·2	33·9	53·69	NE. & N.		..	..	..	Sum 1333	Sum −445	Sum 0·79	2·9
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. JUNE.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY - 6	w. P. generally; occasional w. N. between 3h. and 5h. A.M.	0·0	16·4	Overcast; occasional slight rain.
MONDAY - 7	w. P. generally; occasional m. P.	5·3	16·4	Overcast till 3h. A.M.; fine and variably cloudy till 7h. 30m. P.M.; very fine and nearly cloudless afterwards.
TUESDAY - 8	w. P. till 7h. A.M.; m. P. afterwards.	13·8	16·4	Very fine but somewhat hazy till evening; generally cloudy at night. Solar halo observed at intervals in afternoon.
WEDNESDAY 9	w. P. till 6h. A.M.; m. P. till 3h. P.M.; w. P. afterwards.	2·3	16·4	Generally cloudy; occasional fine intervals.
THURSDAY - 10	w. P. generally till 4h. P.M.; m. P. till 9h. P.M.; s. P. afterwards.	0·4	16·5	Overcast and very dull till 7h. P.M.; very fine generally afterwards; frequent rain between 9h. A.M. and 4h. 30m. P.M.
FRIDAY - 11	m. P. till 9h. A.M.; s. P. till 2h. P.M.; m. P. generally with occasional s. P. & s. N. afterwards.	1·7	16·5	Very fine with little cloud in early morning; generally cloudy after 5h. A.M. with frequent showers after 9h. A.M.
SATURDAY - 12	m. P. till 9h. A.M.; s. P. & s. N. till 4h. P.M.; m. P. generally afterwards.	1·9	16·5	Very fine interval between 3h. and 6h. A.M. otherwise generally overcast with frequent heavy showers after 10h. A.M.
		Sum 25·4	Sum 115·1	
No. of Col. - -	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·66 in. at the beginning of the week to 29·92 in. by midnight on the 7th; decreased to 29·75 in. by 2h. P.M. on the 11th; and increased to 29·92 in. by midnight on the 12th.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 5th June, 1909.*

BOROUGHS.	Estimated Population in the middle of 1909.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	151,955	-	10	2	-	-	-	-	2	-	-
Kensington	183,683	-	5	4	-	-	-	-	5	1	-
Hammersmith	125,704	-	17	6	-	-	-	-	1	-	-
Fulham	176,406	-	6	6	-	-	-	-	4	1	-
Chelsea	75,249	-	10	-	-	-	-	-	1	-	-
City of Westminster ..	168,883	-	11	-	-	-	-	-	3	-	-
NORTH.											
St. Marylebone	126,027	-	13	2	-	-	-	-	3	-	-
Hampstead	94,185	-	3	1	-	1	-	-	1	-	-
St. Pancras	237,422	-	10	7	-	1	-	-	1	2	-
Islington	351,202	-	20	4	-	1	-	-	3	-	-
Stoke Newington	54,423	-	2	-	-	-	-	-	-	-	-
Hackney	237,601	-	10	4	-	2	-	-	5	3	-
CENTRAL.											
Holborn	53,802	-	2	1	-	1	-	-	-	-	-
Finsbury	95,289	-	4	2	-	-	-	-	5	-	-
City of London	18,193	-	1	-	-	-	-	-	1	-	-
EAST.											
Shoreditch	114,802	-	5	6	-	-	-	-	2	1	-
Bethnal Green	131,316	-	8	1	-	-	-	-	1	-	-
Stepney	312,525	-	24	5	-	-	-	-	7	1	-
Poplar	171,965	-	10	3	-	1	-	-	1	1	1
SOUTH.											
Southwark	211,125	-	16	6	-	-	-	-	6	-	-
Bermondsey	127,569	-	3	3	-	-	-	-	3	-	-
Lambeth	324,188	-	21	7	-	2	-	-	5	-	1
Battersea	186,036	-	17	1	-	-	-	-	3	-	-
Wandsworth	297,646	-	21	4	-	2	-	-	1	-	-
Camberwell	283,022	-	9	8	-	1	-	-	4	-	-
Deptford	118,583	-	8	2	-	1	-	-	5	-	-
Greenwich	111,014	-	8	1	-	1	-	-	3	-	-
Lewisham	160,749	-	11	5	-	-	-	-	1	-	-
Woolwich	133,374	-	24	5	-	-	-	-	3	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,833,938	-	309	96	-	14	-	-	80	10	2
Ages 0-1		-	5	3	-	-	-	-	4	-	-
„ 1-5		-	99	39	-	-	-	-	3	-	2
„ 5-		-	119	33	-	5	-	-	4	-	-
„ 10-		-	45	11	-	-	-	-	4	-	-
„ 15-		-	17	2	-	1	-	-	2	-	-
„ 20-		-	15	6	-	2	-	-	7	2	-
„ 25-		-	8	1	-	1	-	-	6	7	-
„ 35-		-	1	-	-	3	-	-	13	1	-
„ 45-		-	-	-	-	1	-	-	17	-	-
„ 55-		-	-	1	-	1	-	-	15	-	-
„ 65 and upwards		-	-	-	-	-	-	-	5	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY DARLING & SON, LTD., 34-40, BACON STREET, E.

1909.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 24. 1909. VOL. LXX.] WEEK ENDED SATURDAY, JUNE 19. [Price 1½*d.*

General Register Office, Somerset House,
June 21st, 1909.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 12·3 per 1000 of their aggregate population, which is estimated † at 16,445,281 persons in the middle of this year. In the preceding three weeks the rates had been 13·9, 12·3, and 12·6. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were :—from *all causes*, 17·3 in Wigan and in Middlesbrough, 17·6 in Coventry, 17·9 in Salford, 18·9 in Norwich, 19·2 in Rochdale, and 25·4 in Great Yarmouth; from *measles*, 1·7 in Wigan, 2·2 in West Bromwich and in Salford, 5·0 in Wolverhampton, and 8·4 in Norwich; and from *scarlet fever*, 1·1 in Blackburn, 1·3 in Merthyr Tydfil, 1·5 in Wallasey, and 2·2 in Warrington. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2467 BIRTHS and 1060 DEATHS were registered. Allowing for increase of population, the births were 21 above, and the deaths 92 below, the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-five other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(13688—41.) Wt. 109—472. 700. 6/09. D & S. G. 31. Sch. 4. 2 A

causes, which had been 13·4, 11·6, and 12·2 per 1000 in the preceding three weeks, fell last week to 11·4. The death-rate in the four weeks ended last Saturday averaged 12·2 per 1000, being 0·9 per 1000 below the mean rate in the corresponding periods of the five years 1904–8.

The 1060 deaths included 48 from measles, 10 from scarlet fever, 6 from diphtheria, 18 from whooping-cough, 2 from enteric fever, and 5 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia: thus, to these diseases in the aggregate 89 deaths were referred, being 31 below the corrected average number in the twenty-fourth week of the preceding five years.

The deaths from *measles*, which had been 63, 47, and 62 in the preceding three weeks, numbered 48 last week, and were 2 below the corrected average; 6 deaths belonged to the Borough of Fulham, 6 to Islington, and 4 each to St. Pancras, Finsbury, Stepney, and Poplar. The deaths from *scarlet fever*, which had been 6, 8, and 10 in the preceding three weeks, were again 10 last week, the corrected average being 11. The deaths from *diphtheria*, which had been 17, 7, and 7 in the preceding three weeks, numbered 6 last week, the corrected average being 8. The deaths from *whooping-cough*, which had been 35, 35, and 21 in the preceding three weeks, further fell to 18 last week, and were 11 below the corrected average; 4 deaths belonged to Bermondsey and 3 to Poplar. The deaths from *enteric fever*, which had been 3, 3, and 2 in the preceding three weeks, were again 2 last week, and were equal to the corrected average. The deaths from *diarrhœa*, which had been 16, 17, and 16 in the preceding three weeks, fell to 5 last week, and were 14 below the corrected average. Of the 5 deaths from diarrhœa, 4 were those of children under 5 years of age; 2 other deaths at this age were certified as due to *enteritis* and 6 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 6, having been 17, 10, and 13 in the preceding three weeks.

Different forms of violence caused 48 deaths, concerning all of which inquests were held. Of these 48 deaths, 11 were cases of suicide, while the remaining 37 were attributed to accident or negligence. Four of these latter were referred to vehicles in the streets, four to burns or scalds, three to drowning, two to building operations, and five, of infants under one year of age, to suffocation in bed. Three deaths occurred while under anæsthetics administered for surgical purposes.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 2445 cases of scarlet fever, 897 of diphtheria, 1 of typhus, and 56 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 468 cases, against 335, 275, and 305; of diphtheria, 122 cases, against 97, 87, and 97; and of enteric fever, 14 cases, against 11, 4, and 8. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended June 12th, 1909.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 3845 births and 1524 deaths were registered. Allowing for increase of population, these numbers are 9 above and 105 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 22 deaths from measles, 2 from scarlet fever, 3 from diphtheria, 6 from whooping-cough, 1 from "fever," and 3 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 30·08 inches, and that of the Thermometer 56°·3, the latter being 2°·7 below the week's average in the 65 years ended 1905. The general direction of the wind was North-Easterly, the horizontal movement of the air being 26 per cent. below the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 37·4 hours; the measured rainfall amounted to 0·05 of an inch.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 19th June, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1909.*	Death-Rates from all Causes. Week ended 29th May, 1909.	5th June, 1909.	12th June, 1909.	19th June, 1909.	Rate from Diseases in Cols. 11–17. Week ended 19th June, 1909.	Registered during the Week ended 19th June, 1909. Births.	Deaths.	The Deaths registered in the Week include. Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS	16,245,281	13·9	12·3	12·6	12·3	1·2	8647	3880	738	1132	–	173	55	28	57	16	35	138	297	1115	35	76 TOWNS.
LONDON	4,833,938	13·4	11·6	12·2	11·4	1·0	2467	1060‡	179	325	–	48	10	6	18	2	5	48	103	483	1	LONDON.
CROYDON	161,078	12·3	11·0	7·1	6·8	0·3	93	21	4	8	–	–	–	–	–	1	–	1	3	5	–	CROYDON.
WILLESDEN	160,424	8·5	7·8	7·2	8·1	–	89	25	6	9	–	–	–	–	–	–	–	–	1	5	–	WILLESDEN.
HORNSEY	95,628	7·6	11·5	6·5	6·0	–	34	11	2	5	–	–	–	–	–	–	–	1	1	–	–	HORNSEY.
† TOTTENHAM	129,464	8·5	8·9	6·4	8·5	0·4	72	21	6	7	–	–	–	1	–	–	–	1	2	4	–	† TOTTENHAM.
WEST HAM	321,767	12·6	10·7	9·1	13·0	1·5	177	80	17	20	–	3	2	–	4	–	–	1	7	22	–	WEST HAM.
EAST HAM	149,575	8·0	3·1	9·1	4·5	0·7	68	13	1	2	–	1	1	–	–	–	–	–	–	4	–	EAST HAM.
LEYTON	129,614	6·0	4·0	8·0	5·6	0·4	60	14	4	8	–	–	–	–	1	–	–	–	–	2	–	LEYTON.
WALTHAMSTOW	136,602	6·5	8·4	7·6	10·7	1·9	69	28	8	4	–	2	–	–	1	–	2	3	3	5	–	WALTHAMSTOW.
HASTINGS	68,165	7·6	13·0	6·1	7·6	–	18	10	1	5	–	–	–	–	–	–	–	–	–	2	–	HASTINGS.
BRIGHTON	130,926	8·4	12·7	10·4	9·2	0·8	54	23	2	12	–	–	1	–	1	–	–	2	4	6	–	BRIGHTON.
PORTSMOUTH	214,726	11·2	11·9	10·2	11·9	1·2	130	49	8	18	–	–	–	2	–	2	1	3	4	15	–	PORTSMOUTH.
BOURNEMOUTH	72,368	11·5	10·1	10·1	7·2	–	31	10	2	2	–	–	–	–	–	–	–	–	–	3	–	BOURNEMOUTH.
SOUTHAMPTON	124,667	12·5	11·3	13·8	9·6	0·8	48	23	6	4	–	–	–	–	1	1	–	1	4	5	–	SOUTHAMPTON.
READING	82,995	9·4	7·5	8·8	9·4	1·3	43	15	5	2	–	2	–	–	–	–	–	–	–	2	3	READING.
NORTHAMPTON	97,752	13·9	11·2	11·7	9·6	1·6	43	18	3	5	–	2	–	–	–	–	1	1	1	1	–	NORTHAMPTON.
IPSWICH	74,889	19·5	10·4	11·8	15·3	–	40	22	6	9	–	–	–	–	–	–	–	–	–	3	–	IPSWICH.
GREAT YARMOUTH	53,430	11·7	12·7	8·8	25·4	1·0	22	26	5	12	–	–	–	–	1	–	–	1	1	7	–	GREAT YARMOUTH.
NORWICH	124,136	13·4	12·6	13·9	18·9	8·4	68	45	6	12	–	20	–	–	–	–	–	1	3	2	–	NORWICH.
PLYMOUTH	124,180	18·9	9·2	10·1	12·6	0·4	63	30	8	13	–	–	–	–	1	–	–	–	–	4	–	PLYMOUTH.
DEVONPORT	83,103	8·8	10·7	8·8	9·4	0·6	42	15	3	7	–	–	–	–	–	–	1	–	–	–	–	DEVONPORT.
BRISTOL	377,642	12·0	9·5	9·4	11·6	0·4	158	84	11	32	–	–	–	–	2	–	1	4	5	26	–	BRISTOL.
HANLEY	68,831	13·6	12·1	19·7	15·2	0·8	44	20	6	7	–	–	–	–	1	–	–	–	2	3	–	HANLEY.
BURTON-ON-TRENT	54,453	10·5	13·4	9·6	9·6	–	13	10	2	1	–	–	–	–	–	–	–	1	1	–	–	BURTON-ON-TRENT.
WOLVERHAMPTON	104,633	20·4	19·4	16·4	16·9	5·0	56	34	7	7	–	10	–	–	–	–	–	1	1	4	–	WOLVERHAMPTON.
WALSALL	99,399	15·7	18·9	13·1	15·2	1·0	46	29	9	11	–	2	–	–	–	–	–	–	2	1	–	WALSALL.
HANDSWORTH	70,186	9·7	5·9	11·1	10·4	–	35	14	1	7	–	–	–	–	–	–	–	–	1	1	2	HANDSWORTH.
WEST BROMWICH	70,457	13·3	14·1	14·8	12·6	2·2	45	17	4	4	–	3	–	–	–	–	–	2	2	1	–	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

‡ Including 2 deaths from Cerebro-spinal fever.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 19th June, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 29th May, 1909.	5th June, 1909.	12th June, 1909.	19th June, 1909.	Rate from Diseases in Cols. 11–17. Week ended 19th June, 1909.	Registered during the Week ended 19th June, 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
BIRMINGHAM ..	563,629	12·0	12·4	13·2	12·7	1·1	280	137	18	36	–	6	1	2	2	–	1	5	7	28	4	BIRMINGHAM.
KINGS NORTON ..	81,632	8·9	11·5	3·2	6·4	1·3	41	10	2	5	–	2	–	–	–	–	–	–	–	–	–	KINGS NORTON.
SMETHWICK	70,377	6·7	9·6	10·4	9·6	–	38	13	2	3	–	–	–	–	–	–	–	3	3	2	–	SMETHWICK.
ASTON MANOR ..	85,257	12·2	11·6	9·2	9·8	0·6	39	16	4	4	–	–	1	–	–	–	–	–	–	2	–	ASTON MANOR.
COVENTRY	80,163	20·2	13·7	17·6	17·6	2·0	61	27	5	9	–	2	–	–	–	–	1	1	1	4	–	COVENTRY.
LEICESTER	244,255	9·2	7·7	7·7	10·5	0·2	92	49	13	19	–	–	–	–	1	–	–	2	6	11	–	LEICESTER.
GRIMSBY	73,036	10·7	10·0	10·0	8·6	0·7	49	12	2	2	–	–	–	–	–	1	–	–	1	3	1	GRIMSBY.
NOTTINGHAM ..	263,443	16·4	14·4	13·3	12·3	1·2	144	62	13	20	–	3	–	–	1	1	1	2	3	11	3	NOTTINGHAM.
DERBY	129,411	10·1	12·5	8·9	9·3	0·4	56	23	7	5	–	–	–	–	1	–	–	–	3	8	–	DERBY.
STOCKPORT	103,706	17·1	19·1	21·1	12·1	0·5	63	24	5	10	–	–	–	–	1	–	–	–	1	6	–	STOCKPORT.
BIRKENHEAD ..	121,123	15·9	15·9	11·6	12·9	–	74	30	4	15	–	–	–	–	–	–	–	–	–	4	1	BIRKENHEAD.
WALLASEY	71,004	11·7	5·1	16·2	9·5	1·5	32	13	3	3	–	–	2	–	–	–	–	–	1	4	–	WALLASEY.
LIVERPOOL	760,357	18·0	17·0	16·2	17·1	2·8	478	249	59	61	–	18	9	5	3	1	5	9	22	97	4	LIVERPOOL.
BOOTLE	69,393	17·3	10·5	6·8	9·0	0·8	48	12	2	5	–	1	–	–	–	–	–	–	–	3	–	BOOTLE.
ST. HELENS	95,161	15·3	15·3	23·6	13·2	2·7	65	24	6	6	–	2	1	–	1	–	1	1	1	5	2	ST. HELENS.
WIGAN	90,678	16·7	20·1	18·4	17·3	2·3	47	30	10	4	–	3	–	–	–	–	1	3	3	3	–	WIGAN.
WARRINGTON ..	72,276	23·1	10·8	23·1	15·9	2·2	29	22	6	1	–	–	3	–	–	–	–	1	2	2	–	WARRINGTON.
BOLTON	187,824	15·0	10·0	11·1	12·5	0·8	90	45	7	10	–	1	1	–	–	1	–	–	1	5	–	BOLTON.
BURY	59,234	14·1	11·4	10·6	14·1	0·9	22	16	2	3	–	1	–	–	–	–	–	1	2	2	–	BURY.
MANCHESTER ..	655,435	19·8	16·9	18·5	14·3	2·1	365	180	30	44	–	14	4	3	3	–	2	10	18	66	1	MANCHESTER.
SALFORD	241,950	19·6	15·7	19·4	17·9	4·5	129	83	15	18	–	10	3	3	2	1	2	2	4	16	–	SALFORD.
OLDHAM	143,301	21·1	18·6	20·7	15·6	0·4	72	43	6	17	–	–	–	–	–	–	1	–	–	10	–	OLDHAM.
ROCHDALE	89,653	9·3	12·2	11·6	19·2	1·7	44	33	7	10	–	–	1	1	–	–	1	–	1	4	1	ROCHDALE.
BURNLEY	106,267	12·8	12·8	9·8	14·2	1·0	61	29	7	9	–	–	1	–	–	–	1	3	5	8	–	BURNLEY.
BLACKBURN	136,959	13·3	13·3	14·1	17·1	1·9	70	45	6	12	–	–	3	–	–	–	2	1	3	15	2	BLACKBURN.
PRESTON	118,519	17·6	12·8	16·3	13·2	1·8	79	30	9	10	–	–	2	1	1	–	–	1	1	5	1	PRESTON.
BARROW-IN-FURNESS.	62,996	10·8	13·2	12·4	12·4	0·8	37	15	5	4	–	–	1	–	–	–	–	2	2	–	–	BARROW-IN-FURNESS.

* See note † on first page of this return.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 19th June, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 29th May, 1909.	5th June, 1909.	12th June, 1909.	19th June, 1909.	Rate from Diseases in Cols. 11-17. Week ended 19th June, 1909.	Registered during the Week ended 19th June, 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,739	11·0	12·7	12·7	13·8	1·7	52	25	6	6	-	1	-	-	1	1	-	1	1	3	1	HUDDERSFIELD.
HALIFAX	111,911	12·6	10·3	14·0	16·8	0·5	39	36	6	15	-	-	1	-	-	-	-	-	-	8	-	HALIFAX.
BRADFORD	293,983	13·3	14·0	11·2	11·9	0·7	133	67	6	26	-	1	2	-	1	-	-	1	4	19	-	BRADFORD.
LEEDS	484,012	13·9	14·1	10·2	11·2	0·8	226	104	16	30	-	1	-	3	2	1	-	1	3	22	-	LEEDS.
SHEFFIELD	470,958	14·1	11·6	14·5	12·4	0·8	251	112	21	32	-	5	-	-	-	1	1	2	6	31	-	SHEFFIELD.
ROTHERHAM.. ..	65,070	15·2	11·2	10·4	8·8	-	46	11	1	2	-	-	-	-	-	-	-	-	-	2	-	ROTHERHAM.
YORK	87,004	9·6	7·8	10·8	9·0	-	43	15	2	9	-	-	-	-	-	-	-	1	1	5	-	YORK.
HULL	275,552	16·5	11·9	11·2	14·2	0·2	151	75	13	25	-	1	-	-	-	-	-	3	10	16	1	HULL.
MIDDLESBROUGH ..	105,255	21·8	15·9	19·8	17·3	0·5	70	35	7	8	-	-	-	-	1	-	-	1	2	6	1	MIDDLESBROUGH.
STOCKTON-ON-TEES	53,417	15·6	9·8	14·6	9·8	1·0	31	10	1	3	-	1	-	-	-	-	-	-	-	2	1	STOCKTON-ON-TEES.
WEST HARTLEPOOL	79,686	11·8	15·7	8·5	7·2	-	43	11	1	3	-	-	-	-	-	-	-	-	1	2	-	WEST HARTLEPOOL.
SUNDERLAND ..	159,378	14·7	11·5	15·0	17·0	1·0	110	52	9	5	-	2	-	1	-	-	-	-	1	12	-	SUNDERLAND.
SOUTH SHIELDS ..	117,627	17·3	13·7	14·2	9·3	-	57	21	9	4	-	-	-	-	-	-	-	-	-	3	2	SOUTH SHIELDS.
GATESHEAD	131,024	14·3	7·2	9·9	17·1	0·8	89	43	15	6	-	1	-	-	-	-	1	1	3	5	3	GATESHEAD.
NEWCASTLE-ON-TYNE.	281,584	15·6	15·4	11·7	13·7	0·9	153	74	17	21	-	2	2	-	-	1	-	5	12	14	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH ..	55,808	16·8	15·9	12·1	14·9	1·9	37	16	3	2	-	-	-	-	1	1	-	-	2	1	-	TYNEMOUTH.
NEWPORT (MON.) ..	78,336	11·3	11·3	11·3	10·7	-	55	16	3	4	-	-	-	-	-	-	-	-	1	5	-	NEWPORT (MON.).
CARDIFF	195,303	9·3	10·1	11·7	11·5	1·3	108	43	10	13	-	-	1	-	3	-	1	-	2	10	-	CARDIFF.
RHONDDA	135,894	20·7	13·4	18·4	11·9	0·8	105	31	3	6	-	2	-	-	-	-	-	1	1	1	-	RHONDDA.
MERTHYR TYDFIL..	78,365	14·0	24·0	12·0	13·3	2·0	55	20	4	5	-	-	2	-	-	-	1	-	1	4	-	MERTHYR TYDFIL.
SWANSEA	98,308	18·0	12·7	14·9	12·7	1·1	60	24	8	4	-	-	-	-	1	-	1	2	4	4	-	SWANSEA.
GREATER LONDON	7,429,740	12·3	10·6	11·0	10·7	1·0	3845	1524	275	463	-	76	15	10	30	4	10	65	139	572	2	GREATER LONDON.
OUTER RING ..	2,595,802	10·3	8·9	8·6	9·3	1·1	1378	464	96	138	-	28	5	4	12	2	5	17	36	89	1	OUTER RING.
8 TOWNS IN OUTER RING.	1,284,152	9·4	8·4	7·9	8·6	0·8	662	213	48	63	-	6	3	1	6	1	2	7	17	47	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,311,650	11·2	9·3	9·3	10·0	1·5	716	251	48	75	-	22	2	3	6	1	3	10	19	42	1	REMAINDER OF OUTER RING.
EDINBURGH	355,366	16·1	17·5	12·6	16·3	1·0	158	111	19	32	-	1	-	-	5	-	1	6	?	44	5	EDINBURGH.
GLASGOW	872,021	17·2	15·4	15·9	16·9	1·6	524	282‡	59	68	-	1	3	4	11	1	7	7	?	106	5	GLASGOW.
DUBLIN (Registration Area).†	398,356	21·7	18·2	18·7	15·7	1·3	219	120	20	32	-	3	-	-	3	1	3	-	1	43	1	DUBLIN (Registration Area).†
BELFAST†	386,576	18·7	15·9	16·1	13·2	0·4	221	98	18	24	-	-	-	-	1	-	2	-	-	26	2	BELFAST†

* See note † on first page of this return.

† Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast respectively.
‡ Including 3 deaths from Cerebro-spinal meningitis in Glasgow.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the TWENTY-FOURTH Week of each of the Eleven Years, 1899–1909.

	1899	1900	1901	1902	1903	1904	1905	1906	1907	1908	Corrected Weekly Average in 5 Years 1904–1908.*	1909
TOTAL **Births** -	2571	2646	2406	2521	2351	2583	2271	2447	2356	2290	2446·1	2467
Males - - -	1311	1302	1223	1266	1206	1307	1127	1235	1227	1173	1242·6	1238
Females - -	1260	1344	1183	1255	1145	1276	1144	1212	1129	1117	1203·5	1229
TOTAL **Deaths** -	1316	1533	1191	1243	1161	1142	1191	1112	1172	1011	1152·3	1060
Males - - -	707	796	643	693	555	627	642	558	607	545	609·9	553
Females - -	609	737	548	550	606	515	549	554	565	466	542·4	507

* The numbers in this column are the average weekly numbers in the Twenty-Fourth week of the five years 1904-1908, raised by 2·375 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Mar. 27.	Apr. 3.	Apr. 10.	Apr. 17.	Apr. 24.	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.	13 Weeks.
TOTAL **Births** -	2356	2413	2188	2447	2569	2367	2537	2339	2260	2131	1918	2421	2467	50413
TOTAL **Deaths** -	1989	1700	1470	1606	1393	1300	1304	1216	1295	1240	1072	1135	1060	17780
Ages at Death: Under 1 year -	273	275	240	286	245	223	260	209	238	200	185	232	179	3045
1—5 years -	246	197	209	226	179	166	169	130	162	141	129	122	128	2204
5—20 " -	87	77	78	77	72	60	68	74	72	76	54	65	72	932
20—40 " -	187	182	168	175	147	174	143	177	153	161	143	138	137	2085
40—60 " -	383	341	300	296	282	297	253	260	284	257	225	246	219	3643
60 yrs. & upwds.	813	628	475	546	468	380	411	356	386	405	336	332	325	5871
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	118	94	95	112	72	81	73	53	53	63	47	62	48	971
Scarlet Fever - -	9	8	11	9	8	10	10	11	6	6	8	10	10	116
Diphtheria - -	15	14	16	13	11	8	13	8	16	17	7	7	6	151
Whooping-cough -	40	32	33	53	49	41	35	30	42	35	35	21	18	464
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	5	3	2	3	2	1	-	-	6	3	3	2	2	32
Pyrexia (origin uncertain).	-	-	-	-	-	1	-	-	-	-	-	-	-	1
Diarrhœa, Dysentery	12	14	8	9	7	12	13	8	10	16	17	16	5	147
All above diseases -	199	165	165	199	149	154	144	110	133	140	117	118	89	1882
Dis. of Resp. System	317	194	158	157	128	85	76	78	83	82	65	54	68	1545
Pneumonia - -	250	205	152	184	166	147	136	135	131	143	107	98	67	1921
Phthisis - - -	127	142	126	146	98	116	130	131	126	113	107	96	97	1555
Dis. of Circ. System -	250	197	163	192	181	155	156	163	168	168	138	171	161	2263
Violence - - -	56	52	53	58	50	62	59	49	39	44	46	41	48	657
Inquest Cases - -	169	153	137	141	131	146	128	113	118	111	105	109	103	1664
Deaths in Institutions	786	657	616	688	564	608	561	561	579	578	449	489	483	7619
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	44·8	44·7	46·9	51·5	52·2	48·6	50·6	48·5	54·9	57·5	54·2	50·2	56·3	50·8
Mean of Highest -	51·3	52·4	59·8	63·0	64·0	58·9	61·0	60·1	68·8	68·6	61·3	58·7	67·3	61·2
Mean of Lowest -	39·1	37·8	33·3	41·1	42·1	40·6	40·2	37·8	39·5	48·4	47·4	42·7	47·8	41·4
Mean Humidity of the Air.	81	80	58	70	69	69	60	67	66	72	81	84	79	72
Rain-fall (in inches) -	0·51	0·66	0·00	0·22	0·72	0·77	0·00	0·11	0·13	0·95	0·94	0·79	0·05	5·85
Registered Sunshine (in hours).	20·7	23·8	83·7	42·2	53·4	64·0	92·4	62·7	75·9	55·9	31·2	25·4	37·4	668·7
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	2	2	2	1	1	-	-	-	-	-	-	-	-	1
Scarlet Fever - -	2571	2462	2418	2294	2219	2181	2175	2173	2234	2254	2223	2263	2415	2301
Diphtheria - - -	1120	1106	1079	1036	1019	1016	993	990	957	925	905	876	897	994
Typhus - - -	-	-	-	-	-	-	-	-	-	1	1	1	1	-
Enteric Fever - -	96	87	77	75	67	58	56	52	48	50	43	46	56	62

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lander, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq. F.R.Met.Soc., Hull; the Meteorological Committee, Tynemouth; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the TWENTY-FOURTH Week of the Year 1909.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 24th week of the 5 years 1904–1908.	1909—Deaths of Persons of the Ages: All Ages.	Under 20: 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1152·3	1060	179	128	72	137	219	325
Small-pox*	–	–	–	–	–	–	–	–
Cowpox	0·2	–	–	–	–	–	–	–
Measles (Morbilli)	50·0	48	10	37	1	–	–	–
Scarlet Fever	11·1	10	–	6	3	–	1	–
Typhus	–	–	–	–	–	–	–	–
Plague	–	–	–	–	–	–	–	–
Influenza	5·3	6	–	–	–	–	3	3
Whooping-cough	29·3	18	9	8	1	–	–	–
Diphtheria	7·8	6	–	3	3	–	–	–
Cerebro-spinal Fever ..	0·2	2	–	2	–	–	–	–
Pyrexia† (origin uncertain)	0·2	–	–	–	–	–	–	–
Enteric Fever	2·5	2	–	–	–	–	1	1
Asiatic Cholera	–	–	–	–	–	–	–	–
Epidemic Diarrhœa, Infective Enteritis	9·6	5	4	–	–	–	–	1
Diarrhœa, Dysentery ..	9·4	–	–	–	–	–	–	–
Tetanus	0·2	1	–	–	–	1	–	–
Rabies, Hydrophobia ..	–	–	–	–	–	–	–	–
Glanders	–	–	–	–	–	–	–	–
Anthrax (Splenic Fever)..	–	–	–	–	–	–	–	–
Venereal Dis.	6·1	7	4	–	–	–	3	–
Puerperal Septicæmia ..	2·0	7	–	–	–	7	–	–
Puerperal Pyæmia.. .	0·4	–	–	–	–	–	–	–
Puerperal Fever	0·2	–	–	–	–	–	–	–
Infective Endocarditis ..	2·3	–	–	–	–	–	–	–
Pneumonia: Lobar ..	12·1	9	–	–	1	2	4	2
Pneumonia: Broncho ..	36·0	29	6	17	2	1	2	1
Pneumonia: Epidemic ..	–	–	–	–	–	–	–	–
Pneumonia: Not defined	45·5	29	5	6	3	2	4	9
Erysipelas	3·3	3	1	–	–	–	1	1
Septicæmia (not Puerperal)	1·6	1	–	–	1	–	–	–
Pyæmia (not Puerperal)	0·8	–	–	–	–	–	–	–
Other Infective Processes	3·7	–	–	–	–	–	–	–
Tuberculous Phthisis ..	73·5	64	1	4	12	19	20	8
"*Phthisis*	47·9	33	–	2	3	13	11	4
Tuberculous Meningitis ..	24·2	17	3	7	6	1	–	–
Tuberculous Peritonitis ..	9·6	6	–	2	3	–	1	–
Tabes Mesenterica	1·0	4	3	1	–	–	–	–
Tuberculous Dis., Other ..	16·8	25	4	5	9	4	2	1
Scrofula..	0·2	–	–	–	–	–	–	–
Alcoholism	9·2	5	–	–	–	1	3	1
Rheumatic Fever	4·5	1	–	–	1	–	–	–
Gout	1·6	1	–	–	–	–	–	1
Carcinoma	52·4	69	–	–	–	5	30	34
Sarcoma	5·3	6	–	1	–	4	1	–
Cancer (undefined) ..	31·9	26	–	–	–	3	10	13
Diabetes Mellitus	5·9	7	–	–	–	2	2	3
Premature Birth	42·0	42	42	–	–	–	–	–

CAUSES OF DEATH.	Corrected Average for the 24th week of the 5 years 1904–1908.	1909—Deaths of Persons of the Ages: All Ages.	Under 20: 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)..	14·1	19	7	4	5	–	2	1
Gen. Par. of Insane, Insanity	12·5	11	–	–	–	2	5	4
Epilepsy	4·9	5	–	–	–	–	3	2
Convulsions	13·9	8	8	–	–	–	–	–
Locomotor Ataxy.. ..	1·2	5	–	–	–	–	1	4
Paraplegia, Dis. of Cord.	3·9	6	–	1	–	1	1	3
Nervous Sys., Other Dis.	17·4	12	–	1	1	3	2	5
Valv. Dis., Endocarditis..	38·9	40	–	–	2	7	14	17
Cereb. Hæm. Cereb. Emb.	29·1	39	–	–	–	4	12	23
Apoplexy, Hemiplegia ..	12·1	4	–	–	–	–	1	3
Aneurysm	2·3	10	–	–	–	2	6	2
Embolism, Thrombosis (not Cerebral) ..	0·6	1	–	–	–	–	–	1
Heart & Blood Ves., Other Dis... ..	69·6	67	–	–	3	10	17	37
Croup (not Spasm: nor Memb.)	0·6	–	–	–	–	–	–	–
Bronchitis	47·7	56	7	4	–	2	5	38
Emphysema, Asthma ..	2·0	3	–	–	–	–	1	2
Pleurisy	3·5	3	–	1	–	–	1	1
Respiratory Dis., Other..	5·5	6	1	1	–	1	2	1
Tonsillitis, Quinsy.. ..	1·2	1	–	–	–	–	1	–
Enteritis (not Epid.) ..	8·4	6	2	–	–	2	2	–
Gastro-enteritis	3·9	6	4	2	–	–	–	–
Peritonitis (not Puerp.) ..	1·4	1	1	–	–	–	–	–
Cirrhosis of Liver.. ..	15·2	14	–	–	–	2	9	3
Liver Dis., Other	5·1	9	–	1	–	1	4	3
Digestive Sys., Other Dis.	34·0	23	2	1	2	7	5	6
Acute Nephritis	6·6	14	1	–	1	6	2	4
Bright's Dis., Albuminuria	35·6	30	–	–	–	3	10	17
Urinary Sys., Other Dis.	10·2	5	–	–	–	–	–	5
Generative Organs Dis...	3·7	4	1	–	–	–	1	2
Childbirth (Accid. of) ..	3·1	6	–	–	–	6	–	–
Old Age	42·4	34	–	–	–	–	–	34
Other Diseases	78·5	75	46	6	7	3	2	11
ACCIDENT.								
By Railways	1·2	–	–	–	–	–	–	–
By Vehicles and Horses..	8·6	4	–	1	1	1	1	–
In Ships, Boats, Docks, (exclusive of Drowning)	0·4	–	–	–	–	–	–	–
In Building Operations..	1·0	2	–	–	–	1	–	1
In Conflagrations	–	–	–	–	–	–	–	–
By Burns, Scalds, Explosions	4·3	4	1	2	–	1	–	–
By Drowning	4·3	3	1	–	–	1	–	1
By Suffocation in Bed ..	8·8	5	5	–	–	–	–	–
By Poisons or Poisonous Vapours	0·8	4	–	–	–	–	3	1
Other Deaths by Accident..	14·9	15	–	2	1	2	5	5
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	0·4	–	–	–	–	–	–	–
Suicide	12·7	11	–	–	–	4	2	5
Execution	–	–	–	–	–	–	–	–

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 19th June, 1909.

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia† (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified causes of Death.
LONDON	4,536,267	2467	1060	179	325	-	48	10	6	18	-	2	-	5	48	103	483	1
WEST DISTRICTS	805,311	366	197	38	54	-	13	1	2	1	-	-	-	3	5	9	97	-
NORTH DISTRICTS	1,055,908	507	215	32	69	-	13	4	1	1	-	-	-	1	7	21	96	-
CENTRAL DISTRICTS	209,465	111	72	15	17	-	2	-	-	4	-	-	-	-	10	13	50	-
EAST DISTRICTS	715,739	457	173	34	46	-	12	-	-	5	-	1	-	1	8	25	85	-
SOUTH DISTRICTS	1,749,844	1026	367	60	125	-	8	5	3	7	-	1	-	-	18	35	119	1
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	36	-	14	-	-	-	-	-	-	-	-	-	-	-	36	-
WEST DISTRICTS.																		
North Paddington *H*	63,603	34	10	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Central Paddington *W,3H*	50,053	33	24	2	6	-	2	-	-	-	-	-	-	-	2	2	21	-
South Paddington	30,320	6	8	1	6	-	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town *2W,w,2H* ..	128,037	57	35	7	11	-	1	-	-	1	-	-	-	-	1	2	20	-
Brompton *2H*	48,591	13	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
North Hammersmith *2W,w,H* ..	49,192	34	16	6	1	-	1	-	1	-	-	-	-	1	1	2	2	-
South Hammersmith *w,2H* ..	63,047	25	19	5	4	-	2	-	-	-	-	-	-	1	-	-	5	-
North-west Fulham *W*	45,180	31	19	7	6	-	4	-	-	-	-	-	-	1	-	-	13	-
North-east Fulham *F*	46,405	21	10	1	1	-	1	1	1	-	-	-	-	-	-	-	3	-
South Fulham *W*	45,704	26	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chelsea North *W,w,3H*	42,514	15	15	-	7	-	-	-	-	-	-	-	-	-	-	1	14	-
Chelsea South *W,2H*	31,328	15	6	1	3	-	-	-	-	-	-	-	-	-	-	-	2	-
Mayfair and Knightsbridge	28,743	6	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Belgrave *W,2H*	55,815	15	11	2	2	-	1	-	-	-	-	-	-	-	1	1	8	-
St. Margaret & St. John *6H*	43,698	25	11	3	1	-	-	-	-	-	-	-	-	-	-	-	6	-
St. James and St. Anne *W,6H* ..	33,081	10	6	-	2	-	1	-	-	-	-	-	-	-	-	-	3	-
NORTH DISTRICTS.																		
All Souls Marylebone *8H*	35,391	11	11	1	3	-	-	-	-	-	-	-	-	-	-	-	7	-
St. Mary Marylebone *W,4H* ..	37,948	51	6	2	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Christchurch Marylebone	39,536	16	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
St. John Marylebone *2H*	20,426	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead *W,F,6H*	81,942	23	19	4	5	-	1	1	-	1	-	-	-	-	1	1	6	-
West St. Pancras *2H*	60,532	27	7	4	1	-	2	-	-	-	-	-	-	-	-	1	-	-
South St. Pancras *w,10H*	55,707	20	16	2	4	-	-	-	-	-	-	-	-	-	1	3	13	-
East St. Pancras *W,H*	60,320	39	19	2	8	-	-	-	1	-	-	-	-	-	1	3	12	-
North St. Pancras *2W*	58,728	27	19	1	4	-	2	-	-	-	-	-	-	-	1	1	8	-
Tufnell *W*	31,995	13	21	1	9	-	-	-	-	-	-	-	-	-	-	1	15	-
Upper Holloway *2W,w,H*	33,978	17	19	4	5	-	6	-	-	-	-	-	-	1	-	-	12	-
Tollington *W,w,H*	33,922	13	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Lower Holloway	41,424	16	3	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-
Barnsbury	54,478	29	8	1	2	-	1	-	-	-	-	-	-	-	-	1	-	-
Islington South-east *F*	75,397	28	9	1	-	-	1	2	-	-	-	-	-	-	-	1	2	-
Highbury *2H*	63,797	31	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Stoke Newington *H*	51,247	19	6	1	4	-	-	-	-	-	-	-	-	-	-	1	-	-
North Hackney	50,398	23	10	2	3	-	-	-	-	-	-	-	-	-	1	1	-	-
Central Hackney *w,F*	50,536	24	4	1	1	-	-	1	-	-	-	-	-	-	-	-	2	-
South-west Hackney *3H*	59,921	34	7	2	1	-	-	-	-	-	-	-	-	-	-	1	5	-
South-east Hackney *2W,H*	58,255	38	18	-	10	-	-	-	-	-	-	-	-	-	1	4	12	-
Hackney Union Workhouse, Brentwood	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 19th June, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
St. Giles and Bloomsbury 2*W*,2*H* ..	31,436	23	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Strand *W*,4*H*	21,674	3	12	-	2	-	-	-	-	1	-	-	-	-	6	7	9	-
Strand Union Workhouse, Edmonton	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Holborn *W*,5*H*	29,612	6	14	4	1	-	-	-	-	3	-	-	-	-	1	1	12	-
Clerkenwell *H*	63,704	35	6	2	3	-	1	-	-	-	-	-	-	-	1	1	-	-
St. Luke 3*H*,*L*	36,116	40	8	4	1	-	1	-	-	-	-	-	-	-	2	2	1	-
Holborn Union Workhouse, Mitcham	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-
St. Botolph *H*	10,299	1	2	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	3	22	5	1	-	-	-	-	-	-	-	-	-	-	1	20	-
City of London Asylum, Stone	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
EAST DISTRICTS.																		
Shoreditch South 2*H*	46,362	31	5	1	2	-	1	-	-	-	-	-	-	-	-	-	1	-
Shoreditch North-West *W*,*w*,*H* ..	36,127	20	12	2	6	-	-	-	-	-	-	1	-	-	-	-	7	-
Shoreditch North-East	36,148	27	3	1	-	-	2	-	-	-	-	-	-	-	-	2	-	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	40	25	4	9	-	1	-	-	-	-	-	-	-	1	3	17	-
Bethnal Green South-West *H* ..	64,542	40	5	2	2	-	-	-	-	1	-	-	-	-	-	1	-	-
Spitalfields..	27,969	15	3	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Mile End New Town *W*,*H*	28,718	25	28	3	3	-	-	-	-	-	-	-	-	-	3	4	25	-
Goodman's Fields	22,081	13	4	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-
St. George and St. John 2*W* ..	49,068	32	7	2	3	-	-	-	-	-	-	-	-	-	1	2	3	-
Shadwell and Ratcliff *w*,*H* ..	25,568	18	9	3	1	-	-	-	-	1	-	-	-	-	1	2	6	-
Limehouse *W*	32,369	17	6	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-
Mile End Old Town South-Western *H*	63,698	56	9	3	2	-	1	-	-	-	-	-	-	-	-	-	1	-
Mile End Old Town North-Eastern *W*,*w*	49,129	27	17	2	3	-	1	-	-	-	-	-	-	-	-	1	8	-
Bow	41,989	18	5	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Bromley 3*w*,*H*	68,319	46	25	5	9	-	3	-	-	2	-	-	-	1	2	6	14	-
Poplar *W*,*w*	58,514	32	9	2	2	-	1	-	-	-	-	-	-	-	-	1	2	-
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 19th June, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch and St. Saviour Southwark *W,2H*	23,319	12	17	2	2	-	1	-	1	-	-	-	-	-	-	2	15	-
Kent-road	21,904	8	3	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
St. George the Martyr West *W,2H,L*	39,094	19	13	5	3	-	-	-	-	-	-	-	-	-	1	3	5	-
Newington North	49,022	28	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Newington South *W*	72,841	37	8	3	2	-	-	-	1	-	-	-	-	-	1	3	-	-
St. Olave *2W*	9,817	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bermondsey *W*	82,483	55	15	7	1	-	1	-	-	4	-	-	-	-	1	2	-	-
Rotherhithe *W,F*	38,460	19	11	2	3	-	-	-	-	-	-	-	-	-	1	1	6	-
Waterloo *2H*	27,440	31	4	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Lambeth Church *H*	27,440	17	11	1	3	-	-	-	-	-	-	-	-	-	1	1	8	-
Kennington *2W*	52,518	39	25	3	10	-	-	-	-	-	-	-	-	-	-	-	16	-
Stockwell *HF*	63,826	44	11	1	6	-	-	1	-	-	-	-	-	-	-	-	2	-
Brixton *H*	73,673	32	9	2	3	-	1	-	-	-	-	-	-	-	-	-	2	-
Norwood *2WH*	56,998	32	6	-	1	-	-	-	-	-	-	-	-	-	1	2	-	-
East Battersea *H*	72,203	48	17	1	6	-	-	-	-	1	-	-	-	-	2	4	1	-
North-west Battersea	49,656	33	8	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
South-west Battersea *2W,H*	47,048	26	18	1	8	-	-	-	-	-	-	1	-	-	2	3	14	-
Clapham *2H*	51,361	33	9	3	5	-	-	-	-	-	-	-	-	-	1	3	-	-
Streatham *W,2w,2F,2L*	88,019	59	22	2	14	-	-	1	-	-	-	-	-	-	-	1	3	-
Springfield *2W,L*	27,959	21	7	4	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Southfields *H*	40,444	28	7	1	4	-	-	-	-	1	-	-	-	-	-	-	1	-
Putney	24,139	7	6	1	3	-	-	-	-	-	-	-	-	-	-	1	-	-
Dulwich	13,359	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	25	15	3	6	-	1	-	-	-	-	-	-	-	-	-	12	-
Camberwell North *W,2L*	65,584	32	15	2	7	-	2	-	-	-	-	-	-	-	1	1	8	-
St. George	47,331	26	11	2	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Peckham North	48,913	28	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peckham South *2W,w*	43,946	24	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1
Deptford North	37,613	28	6	3	-	-	-	-	-	1	-	-	-	-	1	1	-	-
Deptford Central *F*	45,481	34	8	2	1	-	-	3	-	-	-	-	-	-	-	1	4	-
Deptford South	34,625	17	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *2H*	23,456	17	3	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-
Greenwich East *2W,H*	43,859	33	10	-	6	-	-	-	-	-	-	-	-	-	-	-	4	-
Eltham *w,H*	7,226	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *w,H*	25,490	10	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham *2W,w,F*	58,352	28	11	1	4	-	-	-	1	-	-	-	-	-	-	-	6	-
Sydenham *H*	43,653	27	10	1	4	-	-	-	-	-	-	-	-	-	1	1	-	-
Charlton *F,2H*	21,134	5	3	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Woolwich *5H*	41,625	18	8	2	3	-	1	-	-	-	-	-	-	-	1	1	4	-
Plumstead West *W,H*	39,376	13	7	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *2W*	28,951	17	7	-	3	-	-	-	-	-	-	-	-	-	2	2	3	-
Workhouses:—																		
Belmont Workhouse	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Small-pox Hospitals:—																		
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																		
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																		
Children's Infirmary, Carshalton	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
M. A. B. Imbecile Asylums:—																		
Caterham	—	-	5	-	4	-	-	-	-	-	-	-	-	-	-	-	5	-
Darenth	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
Leavesden	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Lunatic Asylums:—																		
Banstead	—	-	10	-	3	-	-	-	-	-	-	-	-	-	-	-	10	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Manor	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Grove	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cane Hill	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
Dartford Heath	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4	-
Hanwell	—	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	4	-
Colney Hatch	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
Claybury	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERATED POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 19th June, 1909.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years & upwds.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING ..	363,603	2,045,135	1378	464	96	138	-	28	5	4	12	2	5	17	36	89	1
30 : 1	Carshalton 2F,3H	12,228	32,997	17	8	5	2	-	-	-	-	-	-	-	-	-	-	-
2	Epsom, *part of** W,w,2F,H..	10,423	15,548	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-
37 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	3	2	-	-	-	1	-	-	-	-	-	-	-	-	-
38 : 1	Coulsdon	11,069	8,166	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w,H ..	4,200	49,309	12	7	1	3	-	-	-	-	-	1	-	-	-	-	-
3	West Croydon 3W,F,H ..	2,168	42,888	38	17	2	8	-	-	-	-	-	-	-	1	3	11	-
4	North Croydon H	2,614	41,698	43	3	1	-	-	-	-	-	-	-	-	-	-	-	-
5	Penge w	770	22,465	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Mitcham w	11,711	30,015	25	7	1	1	-	2	-	-	-	-	-	-	-	-	-
39 : 1	Wimbledon F,3H	3,221	41,652	25	5	1	1	-	1	-	1	-	-	-	-	-	-	-
2	Kingston 2W,H	6,224	42,068	33	10	3	3	-	-	-	-	1	-	-	1	1	1	-
3	Surbiton F,H	3,046	15,017	7	2	1	-	-	1	-	-	-	-	-	-	-	-	-
4	Esher, *part of** H	5,402	13,100	9	9	-	2	-	3	-	-	-	-	-	2	2	1	-
5	Hampton H,F,L	4,564	23,456	15	5	1	2	-	1	-	-	1	-	-	-	-	-	-
40 : 1	Richmond W,H	2,491	31,672	18	5	-	2	-	-	-	-	-	-	-	-	-	-	-
2	Mortlake F	2,518	17,821	14	2	-	1	-	-	-	-	-	-	-	-	-	-	-
41 : 1	Bromley F,3H	4,703	27,354	16	2	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Beckenham H	7,825	28,497	10	8	-	4	-	-	-	-	-	-	-	-	2	1	-
3	Orpington, *part of** W,F ..	10,113	9,857	7	4	-	3	-	-	-	-	-	-	-	-	-	3	-
4	Chislehurst 2H	7,333	16,446	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
42 : 1	Bexley w,F,H	8,678	21,151	15	4	1	1	-	-	-	-	-	-	-	-	1	-	-
2	Erith F,H	3,854	25,296	12	5	1	2	-	-	-	-	-	-	-	-	-	-	1
3	Dartford W,F, *part of** ..	—	—	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-
124 : 1	Sunbury w	11,054	18,683	11	3	1	1	-	-	-	-	-	-	-	-	-	-	-
2	Staines W,H	13,277	15,178	7	4	-	1	-	-	-	-	-	-	-	-	-	1	-
125 : 1	Hillingdon W,F,H	6,035	13,661	12	6	-	3	-	-	-	-	-	-	-	-	-	3	-
2	Uxbridge H	12,757	8,984	3	2	1	-	-	-	-	-	1	-	-	1	1	-	-
3	Hayes w 2F,H	8,065	16,358	16	6	2	1	-	-	-	-	-	-	-	3	3	-	-
126 : 1	Isleworth 3W,3F,H	6,859	30,863	20	13	2	2	-	2	-	-	-	-	-	-	-	4	-
2	Twickenham F,2H	2,421	20,991	17	1	-	-	-	-	1	-	-	-	-	-	-	-	-
3	Brentford 3F,2H	4,319	48,289	26	11	3	4	-	-	-	-	-	-	-	1	1	1	-
4	Chiswick H	1,219	29,809	17	8	1	2	-	4	-	-	1	-	-	-	-	-	-
5	Acton w,F,3H	6,132	48,914	31	13	1	-	-	5	-	1	1	-	-	-	1	2	-
127 : 1	Harrow F,H	13,809	25,523	24	2	2	-	-	-	-	-	1	-	1	-	-	-	-
2	Edgware 2F,2H	6,994	4,521	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden W,F,2H	4,384	114,811	89	25	6	9	-	-	-	-	-	-	-	-	1	5	-
4	Hendon W,F	8,382	22,450	19	6	3	3	-	-	-	-	-	-	-	-	-	-	-
128 : 1	South Mimms 2F,H ..	17,755	7,308	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,970	14	3	1	1	-	-	-	-	-	-	-	-	-	-	-
3	Finchley F,3H	4,683	33,692	25	2	1	-	-	-	-	-	-	-	-	-	-	-	-
129 : 1	Hornsey F,H	2,875	72,056	31	11	2	5	-	-	-	-	-	-	-	1	1	-	-
2	Wood Green H	1,625	34,233	22	12	3	5	-	-	1	-	-	-	1	-	1	-	-
3	West Tottenham	995	48,741	37	6	1	3	-	-	-	-	-	-	-	-	-	-	-
4	East Tottenham 2H ..	2,019	53,962	35	14	5	4	-	-	-	-	-	-	-	1	2	3	-
5	Edmonton W,w,2F	7,491	61,892	55	15	3	7	-	-	-	1	-	-	-	-	2	3	-
6	Enfield 2W,F,H	12,601	42,738	42	13	2	5	-	-	-	-	-	1	1	-	-	3	-
7	Waltham Abbey F	11,017	6,549	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	7	3	-	1	-	-	-	-	-	-	-	-	-	-	-
135 : 1	Hatfield, *part of** W ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey H	9,333	9,173	5	2	-	1	-	-	-	-	-	-	-	-	1	-	-
2	Watford W,2F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
186 : 1	Stratford H	1,091	52,974	30	19	6	2	-	-	-	-	3	-	-	1	4	2	-
2	Forest Gate	787	52,746	23	10	2	2	-	-	-	-	-	-	-	-	1	-	-
3	Plaistow F,2H	1,249	90,921	58	23	4	7	-	1	2	-	-	-	-	1	2	4	-
4	Canning Town H	1,556	70,718	66	12	4	3	-	-	-	-	1	-	-	-	1	-	-
5	South East Ham 2F ..	1,991	37,342	27	6	1	1	-	1	1	-	-	-	-	-	-	1	-
6	North East Ham w,H ..	1,333	58,666	41	4	-	1	-	-	-	-	-	-	-	-	-	-	-
7	Wanstead F	1,679	9,179	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	26	11	2	7	-	-	-	-	-	-	-	-	-	4	-
9	North Leyton 2W,w,F ..	1,963	48,445	34	26	4	7	-	3	-	-	1	-	-	-	-	21	-
10	Walthamstow 2H,L ..	6,504	108,929	80	26	9	4	-	1	-	-	1	-	2	3	3	2	-
187 : 1	Chigwell 2F,3H	11,778	16,397	12	6	2	1	-	-	-	-	-	-	-	-	-	1	-
2	Epping W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189 : 1	Romford, *part of** W,2F ..	6,556	6,091	5	4	1	1	-	1	-	-	-	-	-	-	-	2	-
2	Ilford F,L	8,496	41,244	44	7	-	4	-	-	-	-	-	-	-	-	-	1	-
3	Barking Town F	3,805	21,547	10	6	1	1	-	1	-	-	-	-	-	1	2	-	-
	N.E. Hospital, Tottenham..	—	—	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-
	Surrey County Lunatic Asylum, Brookwood.	—	—	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-
	Surrey County Lunatic Asylum, Betchworth.	—	—	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
	Middlesex County Lunatic Asylum, Napsbury.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Herts County Lunatic Asylum, Hill End.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30 : 2, excepting Ashtead parish; 37 : 1, Warlingham and Farley parishes; 39 : 4, excepting Esher parish; 41 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135 : 1, Northaw parish; 189 : 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42 : 3, 137 : 2 and 187 : 2

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended		Births. Exclusive of Stillborn.	Deaths.	Annual Death-rate per 1000 living.	Deaths from Small-pox	Measles.	Scarlet Fever	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON - -	4,833,938	June	19	2467	1060	11·4	-	48	10	6	18	2	5
CALCUTTA - -	1,014,438	May	22	-	515	27·1	45	1	-	-	-	151†	82‡
BOMBAY - -	982,000	"	25	352	624	33·2	12	2	-	-	1	204†	47‡
MADRAS - -	548,974	"	28	338	386	39·4	1	2	?	?	?	121	47
PARIS - - -	2,760,000	June	12	880	837	15·9	-	15	6	7	4	3	24
BRUSSELS - -	704,975	"	12	228	151	11·1	-	2	-	1	1	1	13
ANTWERP - -	310,903	"	12	106	97	16·2	-	7	1	-	2	1	11
AMSTERDAM -	565,920	"	12	263	131	12·1	-	2	1	-	3	-	3
COPENHAGEN -	448,000	"	12	223	177	20·6	-	2	3	-	7	-	8
STOCKHOLM -	339,582	"	5	154	120	18·4	-	-	3	1	2	-	3
CHRISTIANIA -	235,674	"	12	122	72	15·9	-	6	-	-	1	-	2
ST. PETERSBURG	1,573,000	"	5	645	859	28·5	1	24	14	16	7	11	55‡
MOSCOW - -	1,452,100	"	5	-	732	26·3	13	30	12	9	6	9	81
BERLIN - -	2,102,410	May	29	836	645	16·0	-	12	13	11	11	2	48
HAMBURG - -	872,252	June	12	-	223	13·3	-	1	4	7	4	-	8
BRESLAU - -	502,676	"	5	-	201	20·9	-	1	2	1	1	-	16
MUNICH - -	566,000	"	5	274	231	21·2	-	9	4	1	4	1	27
VIENNA - -	2,064,037	"	12	913	667	16·8	-	26	10	4	5	-	32
PRAGUE - -	485,057	"	5	232	204	21·9	-	5	5	1	1	2	13
BUDAPEST - -	823,215	"	5	404	322	20·3	-	7	6	-	3	1	22
TRIESTE - -	217,706	"	12	-	-	-	-	-	-	-	-	-	-
ROME - - -	565,323	March	6	280	393	36·2	-	12	3	8	4	3§	7
VENICE - -	179,286	May	29	83	76	22·1	-	1	-	2	-	1	8
BUCAREST - -	296,585	June	5	175	141	24·8	-	-	2	1	2	-	8
NEW YORK -	4,564,792	May	29	2097	1333	15·2	-	25	21	45	8	12	65
CHICAGO - -	2,224,490	"	29	-	654	15·3	-	8	8	10	8	6	42
PHILADELPHIA -	1,565,569	"	22	-	448	14·9	-	7	5	12	2	11	13
RIO DE JANEIRO	637,089	"	16	-	245	20·0	6	5	-	1	1	2	?
CAIRO:—													
Egyptians -	666,587	"	20	-	-	-	-	-	-	-	-	-	-
Foreigners -	35,219	"	20	-	-	-	-	-	-	-	-	-	-
ALEXANDRIA:—													
Egyptians -	341,965	"	20	-	-	-	-	-	-	-	-	-	-
Foreigners -	46,118	"	20	-	-	-	-	-	-	-	-	-	-

* Excluding deaths from croup in the Indian Cities.
† Including 88 deaths from plague in Calcutta and 136 in Bombay.
‡ Including 52 deaths from cholera in Calcutta, 8 in Bombay, and 9 in St. Petersburg.
§ Including 2 deaths from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 19th June, 1909.

Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°				°	°	°	
LONDON (Greenwich)	74·3	45·1	57·6	0·05	BRADFORD - -	66·2	38·8	53·9	0·25
BRIGHTON - -	66·4	45·9	56·0	0·00	YORK - - -	69·0	42·0	55·8	0·11
PORTSMOUTH - -	68·9	46·5	57·9	0·04	HULL - - -	68·0	42·0	54·1	0·16
NORWICH - -	67·0	46·0	55·4	0·01	TYNEMOUTH - -	68·0	39·0	51·6	0·01
PLYMOUTH -	72·6	46·2	58·4	0·03	CARDIFF - - -	68·4	42·0	56·7	0·21
BRISTOL - - -	70·0	45·0	57·0	0·15	EDINBURGH - -	65·8	41·6	54·2	0·11
BIRMINGHAM - -	67·6	42·1	56·2	0·07	GLASGOW - - -	73·0	37·5	56·8	0·08
NOTTINGHAM - -	66·9	41·2	55·1	0·08	DUBLIN Phœnix Park.	67·9	40·9	55·9	0·03
LIVERPOOL OBSERVATORY.	63·0	47·0	55·4	0·19	DUBLIN Fitzwilliam Square.†	67·1	49·0	58·1	0·02
MANCHESTER -	67·0	39·1	54·7	0·35					
BURNLEY - -	64·2	35·0	52·6	0·35					
HUDDERSFIELD -	67·8	39·3	54·7	0·17	BELFAST - - -	65·8	38·2	53·7	0 08

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to the seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°·8 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 19th June, 1909.

[*Under the Superintendence of the Astronomer Royal.*]

1909. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
JUNE.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 13	..	30·000	65·5	46·9	18·6	54·4	− 4·1	47·3	7·1	16·9	1·0	77	113·0	37·8	53·42	NNW. & N.	N., NNW. & calm.	1·0	0·0	0·0	163	− 79	0·01	0·0
MONDAY - 14	..	30·096	67·0	45·1	21·9	56·7	− 2·0	48·4	8·3	15·5	0·0	74	120·1	36·0	53·37	Calm & variable.	NE., ENE. & E.	0·8	0·0	0·0	123	−118	0·00	0·0
TUESDAY - 15	..	30·068	59·3	45·9	13 4	51·8	− 7·0	47·4	4·4	10·1	0·0	85	116·0	33·0	53·52	E. & NE.	NE. & variable.	0·4	0·0	0·0	145	− 95	0·00	2·0
WEDNESDAY 16	..	30·054	66·0	49·3	16·7	56·1	− 2·8	48·9	7·2	16·4	1·8	77	124·8	44·0	53·85	NNW., N. & NNE.	N., NNW. & NNE.	0·5	0·0	0·0	203	− 37	0·00	4·0
THURSDAY - 17	New	30·143	70·2	49·2	21·0	57·3	− 1·7	51·4	5·9	16·7	2·1	81	122·2	46·3	54·15	N., NNW. & NNE.	ENE., NNE. & NNW.	1·5	0·0	0·0	173	− 67	0·00	0·0
FRIDAY - 18	..	30·172	68·9	48·2	20·7	56·9	− 2·3	50·0	6·9	18·0	2·5	78	119·9	36·4	54·50	NNW.	N., NNW. & SW.	0·3	0·0	0·0	149	− 91	0·00	2·0
SATURDAY - 19	Greatest Dec. N.	30·047	74·3	50·1	24·2	60·7	+ 1·2	54·2	6·5	19·2	1·5	79	134·9	37·0	54·92	SW.	WSW. & SW.	4·2	0·0	0·1	284	+ 44	0·04	10·7
MEANS - -		30·083	67·3	47·8	19·5	56·3	− 2·7	49·7	6·6	16·1	1·3	79	121·6	38·6	53·96	ENE. & N.		..	..	..	Sum 1240	Sum −443	Sum 0·05	2·7
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. JUNE.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY - 13	w. P. generally till 7h. P.M.; m. P. afterwards.	2·8	16·5	Overcast in morning with slight rain till 0h. 30m. A.M.; cloudy with fine intervals afterwards.
MONDAY - 14	w. P. generally; m. P. between 10h. A.M. and 2h. P.M.	10·0	16·5	Very fine generally with variable amounts of cloud till evening; cloudy at night.
TUESDAY - 15	w. P. throughout.	1·2	16·5	Overcast with slight exceptions.
WEDNESDAY 16	w. P. generally; m. P. between 4h. and 7h. P.M.	6·9	16·5	Generally overcast till 11h. A.M.; very fine till 9h. P.M.; cloudy afterwards.
THURSDAY - 17	w. P. throughout.	5·5	16·5	Generally overcast till 10h. A.M.; very fine till 4h. P.M.; overcast afterwards.
FRIDAY - 18	w. P. generally till 3h. P.M.; m. P. generally afterwards.	6·4	16·6	Overcast till 4h. A.M.; very fine generally with variable amounts of cloud afterwards.
SATURDAY - 19	w. P. throughout.	4·6	16·6	Variably cloudy; frequent showers of rain between 5h. and 7h. P.M.
		Sum 37·4	Sum 115·7	
No. of Col. - -	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·92 in. at the beginning of the week to 30·13 in. by 11h. P.M. on the 14th; decreased to 30·03 in. by 5h. A.M. on the 16th; increased to 30·19 in. by 11h. A.M. on the 18th; and decreased to 29·96 in. by midnight on the 19th.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 12th June, 1909.*

BOROUGHS.	Estimated Population in the middle of 1909.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	151,955	-	19	3	-	-	-	-	2	-	1
Kensington	183,683	-	10	4	-	2	-	-	2	-	-
Hammersmith	125,704	-	4	3	-	-	-	-	1	-	1
Fulham	176,406	-	9	8	-	-	-	-	2	1	-
Chelsea	75,249	-	8	-	-	-	-	-	-	-	-
City of Westminster ..	168,883	-	14	5	-	-	-	-	5	-	-
NORTH.											
St. Marylebone	126,027	-	3	1	-	-	-	-	7	-	-
Hampstead	94,185	-	7	2	-	-	-	-	2	-	1
St. Pancras	237,422	-	13	3	-	-	-	-	1	-	-
Islington	351,202	-	30	6	-	-	-	-	2	-	-
Stoke Newington	54,423	-	-	2	-	-	-	-	-	-	-
Hackney	237,601	-	9	6	-	1	1	-	2	-	-
CENTRAL.											
Holborn	53,802	-	3	4	-	-	-	-	1	-	-
Finsbury	95,289	-	3	2	-	-	-	-	-	-	-
City of London	18,193	-	2	-	-	-	-	-	-	-	-
EAST.											
Shoreditch	114,802	-	5	4	-	-	-	-	1	-	-
Bethnal Green	131,316	-	14	1	-	-	-	-	5	-	-
Stepney	312,525	-	15	12	-	-	-	-	8	-	-
Poplar	171,965	-	14	10	-	-	-	-	3	-	-
SOUTH.											
Southwark	211,125	-	15	7	-	1	-	-	6	-	-
Bermondsey	127,569	-	4	3	-	1	-	-	3	-	-
Lambeth	324,188	-	25	7	-	2	-	-	6	-	-
Battersea	186,036	-	10	3	-	1	-	-	4	-	-
Wandsworth	297,646	-	16	4	-	1	-	-	3	-	-
Camberwell	283,022	-	3	4	-	-	-	-	9	1	-
Deptford	118,583	-	4	2	-	-	-	-	2	-	-
Greenwich	111,014	-	6	1	-	2	-	-	-	-	-
Lewisham	160,749	-	17	7	-	-	-	-	3	-	-
Woolwich	133,374	-	35	3	-	-	-	-	1	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,833,938	-	317	117	-	11	1	-	81	2	3
Ages 0–1		-	1	3	-	-	-	-	-	-	1
„ 1–5		-	88	52	-	-	-	-	-	-	2
„ 5–		-	125	35	-	-	-	-	3	-	-
„ 10–		-	62	14	-	2	-	-	1	-	-
„ 15–		-	18	5	-	1	-	-	5	-	-
„ 20–		-	7	3	-	2	-	-	1	-	-
„ 25–		-	15	4	-	3	1	-	9	1	-
„ 35–		-	1	1	-	3	-	-	10	1	-
„ 45–		-	-	-	-	-	-	-	17	-	-
„ 55–		-	-	-	-	-	-	-	22	-	-
„ 65 and upwards		-	-	-	-	-	-	-	13	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY DARLING & SON, LTD., 34-40 BACON STREET, E.

1909.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 25. 1909. VOL. LXX.] WEEK ENDED SATURDAY, JUNE 26. [Price 1½*d.*

General Register Office, Somerset House,
June 28th, 1909.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 12·1 per 1000 of their aggregate population, which is estimated † at 16,445,281 persons in the middle of this year. In the preceding three weeks the rates had been 12·3, 12·6, and 12·3. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were :—from *all causes*, 16·2 in Manchester, 16·6 in Salford, 16·7 in Liverpool, 16·9 in Rochdale, 17·3 in Middlesbrough, 18·6 in South Shields, 19·5 in Great Yarmouth, and 19·6 in Oldham; from *measles*, 1·6 in Walsall, 1·8 in South Shields, 2·0 in Great Yarmouth, 2·9 in Stockton on Tees, 3·0 in Salford, 3·4 in Norwich, and 5·0 in Wolverhampton; from *whooping-cough*, 1·5 in Middlesbrough; and from *diarrhœa*, 1·0 in Portsmouth and 1·5 in Bootle. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2068 BIRTHS and 1125 DEATHS were registered. Allowing for increase of population, the births were 508 and the deaths 11 below, the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-five other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(13732—11.) Wt. 109—472. 700. 6/09. D & S. G. 31. Sch. 4. 2 B

causes, which had been 11·6, 12·2, and 11·4 per 1000 in the preceding three weeks, was last week 12·1. The death-rate in the four weeks ended last Saturday averaged 11·8 per 1000, being 0·9 per 1000 below the mean rate in the corresponding periods of the five years 1904–8.

The 1125 deaths included 51 from measles, 7 from scarlet fever, 7 from diphtheria, 17 from whooping-cough, 3 from enteric fever, and 17 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia: thus, to these diseases in the aggregate 102 deaths were referred, being 8 below the corrected average number in the twenty-fifth week of the preceding five years.

The deaths from *measles*, which had been 47, 62, and 48 in the preceding three weeks, were 51 last week, and were 5 above the corrected average; 7 deaths belonged to the Borough of Fulham, 6 apiece to Hammersmith, Islington, and Stepney, and 4 to Finsbury. The deaths from *scarlet fever*, which had been 8, 10, and 10 in the preceding three weeks, fell to 7 last week, the corrected average being 8. The deaths from *diphtheria*, which had been 7, 7, and 6 in the preceding three weeks, were 7 last week, and were 3 below the corrected average. The deaths from *whooping-cough*, which had been 35, 21, and 18 in the preceding three weeks, fell to 17 last week, and were 7 below the corrected average. The deaths from *enteric fever*, which had been 3, 2, and 2 in the preceding three weeks, were 3 last week, the corrected average being 4. The deaths from *diarrhœa*, which had been 17, 16, and 5 in the preceding three weeks, were 17 last week, and were 1 below the corrected average; 3 deaths belonged to Poplar. Of the 17 deaths from diarrhœa, 16 were those of children under 5 years of age; 5 other deaths at this age were certified as due to *enteritis* and 4 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 13, having been 10, 13, and 6 in the preceding three weeks.

Different forms of violence caused 41 deaths, concerning all of which inquests were held. Of these 41 deaths, 9 were cases of suicide, while the remaining 32 were attributed to accident or negligence. Three of these latter were referred to vehicles in the streets, two to burns or scalds, seven to drowning, and eight, of infants under one year of age, to suffocation in bed. Two deaths occurred while under anæsthetics administered for surgical purposes.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 2517 cases of scarlet fever, 915 of diphtheria, 1 of typhus, and 59 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 368 cases, against 275, 305, and 468; of diphtheria, 126 cases, against 87, 97, and 122; and of enteric fever, 13 cases, against 4, 8, and 14. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended June 19th, 1909.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 3271 births and 1558 deaths were registered. Allowing for increase of population, these numbers are 774 and 53 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 12 deaths from measles, 6 from scarlet fever, 3 from diphtheria, 3 from whooping-cough, 2 from "fever," and 3 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·49 inches, and that of the Thermometer 55°·8, the latter being 5°·0 below the week's average in the 65 years ended 1905. The general direction of the wind was Westerly, the horizontal movement of the air being 27 per cent. above the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 30·1 hours; the measured rainfall amounted to 1·45 inches.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 26th June, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 5th June, 1909.	12th June, 1909.	19th June, 1909.	26th June, 1909.	Rate from Diseases in Cols. 11-17. Week ended 26th June, 1909.	Registered during the Week ended 26th June, 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS	**16,445,281**	**12·3**	**12·6**	**12·3**	**12·1**	**1·1**	**7520**	**3801**	**713**	**1127**	**–**	**159**	**28**	**34**	**63**	**11**	**57**	**122**	**286**	**1102**	**43**	**76 TOWNS.**
LONDON	4,833,938	11·6	12·2	11·4	12·1	1·1	2068	1125	189	357	–	51	7	7	17	3	17	41	109	510	1	LONDON.
† CROYDON	161,078	11·0	7·1	6·8	7·4	–	53	23	6	9	–	–	–	–	–	–	–	–	3	7	–	CROYDON.
† WILLESDEN ..	160,424	7·8	7·2	8·1	5·2	0·7	91	16	4	4	–	–	–	–	2	–	–	–	–	2	–	WILLESDEN.
† HORNSEY	95,628	11·5	6·5	6·0	7·6	0·5	32	14	3	8	–	–	–	–	–	–	1	1	1	–	–	HORNSEY.
† TOTTENHAM ..	129,464	8·9	6·4	8·5	7·2	–	73	18	3	4	–	–	–	–	–	–	–	1	2	7	–	TOTTENHAM.
† WEST HAM ..	321,767	10·7	9·1	13·0	8·9	1·6	148	55	11	15	–	3	2	1	3	1	–	–	1	19	–	WEST HAM.
† EAST HAM.. ..	149,575	3·1	9·1	4·5	5·6	0·3	70	16	3	4	–	–	–	–	1	–	–	–	2	4	–	EAST HAM.
† LEYTON	129,614	4·0	8·0	5·6	6·8	0·4	53	17	3	4	–	–	–	1	–	–	–	–	–	6	–	LEYTON.
† WALTHAMSTOW	136,602	8·4	7·6	10·7	8·0	0·8	57	21	6	4	–	–	–	–	2	–	–	–	1	5	–	WALTHAMSTOW.
HASTINGS	68,165	13·0	6·1	7·6	10·7	0·8	22	14	2	7	–	–	–	1	–	–	–	–	–	4	2	HASTINGS.
BRIGHTON	130,926	12·7	10·4	9·2	13·1	0·4	54	33	3	17	–	–	1	–	–	–	–	1	2	11	–	BRIGHTON.
PORTSMOUTH ..	214,726	11·9	10·2	11·9	12·1	1·9	83	50	11	16	–	–	–	3	–	1	4	1	7	12	1	PORTSMOUTH.
BOURNEMOUTH ..	72,368	10·1	10·1	7·2	10·8	0·7	25	15	1	5	–	–	1	–	–	–	–	–	–	2	–	BOURNEMOUTH.
SOUTHAMPTON ..	124,667	11·3	13·8	9·6	10·9	0·4	65	26	4	7	–	–	–	–	–	1	–	3	6	5	–	SOUTHAMPTON.
READING	82,995	7·5	8·8	9·4	11·9	0·6	31	19	5	4	–	–	–	–	–	–	1	–	–	1	–	READING.
NORTHAMPTON ..	97,752	11·2	11·7	9·6	11·2	1·1	36	21	4	8	–	–	–	–	–	1	1	–	–	1	–	NORTHAMPTON.
IPSWICH	74,889	10·4	11·8	15·3	4·9	–	40	7	1	5	–	–	–	–	–	–	–	–	–	2	–	IPSWICH.
GREAT YARMOUTH	53,430	12·7	8·8	25·4	19·5	2·0	24	20	2	11	–	2	–	–	–	–	–	–	–	5	–	GREAT YARMOUTH.
NORWICH	124,136	12·6	13·9	18·9	12·6	3·4	61	30	6	12	–	8	–	–	–	–	–	–	2	2	–	NORWICH.
PLYMOUTH	124,180	9·2	10·1	12·6	12·2	0·4	49	29	5	10	–	–	–	1	–	–	–	2	3	11	–	PLYMOUTH.
DEVONPORT	83,103	10·7	8·8	9·4	5·6	0·6	30	9	4	2	–	–	–	–	1	–	–	–	2	–	–	DEVONPORT.
BRISTOL	377,642	9·5	9·4	11·6	9·3	1·2	146	67	12	24	–	1	2	1	2	–	3	2	5	20	–	BRISTOL.
HANLEY	68,831	12·1	19·7	15·2	9·8	0·8	27	13	3	5	–	–	–	1	–	–	–	–	–	1	–	HANLEY.
BURTON-ON-TRENT	54,453	13·4	9·6	9·6	9·6	–	21	10	1	3	–	–	–	–	–	–	–	–	1	1	–	BURTON-ON-TRENT.
WOLVERHAMPTON..	104,633	19·4	16·4	16·9	15·0	5·5	51	30	10	4	–	10	–	–	1	–	–	–	1	7	–	WOLVERHAMPTON.
WALSALL	99,399	18·9	13·1	15·2	10·5	2·1	53	20	4	5	–	3	–	–	1	–	–	1	1	3	–	WALSALL.
HANDSWORTH ..	70,186	5·9	11·1	10·4	11·9	0·7	29	16	6	3	–	–	–	–	1	–	–	–	1	–	3	HANDSWORTH.
WEST BROMWICH..	70,457	14·1	14·8	12·6	10·4	1·5	31	14	4	4	–	–	1	–	1	–	–	–	–	3	–	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 26th June, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 5th June, 1909.	12th June, 1909.	19th June, 1909.	26th June, 1909.	Rate from Diseases in Cols. 11-17. Week ended 26th June, 1909.	Registered during the Week ended 26th June, 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
BIRMINGHAM ..	563,629	12·4	13·2	12·7	11·5	1·2	242	124	21	36	–	5	1	1	2	–	4	2	2	37	3	BIRMINGHAM.
KINGS NORTON ..	81,632	11·5	3·2	6·4	5·7	0·6	30	9	1	5	–	1	–	–	–	–	–	1	1	1	1	KINGS NORTON.
SMETHWICK	70,377	9·6	10·4	9·6	9·6	–	40	13	2	6	–	–	–	–	–	–	–	1	1	3	–	SMETHWICK.
ASTON MANOR ..	85,257	11·6	9·2	9·8	11·0	0·6	40	18	5	6	–	–	–	–	–	–	1	–	2	4	–	ASTON MANOR.
COVENTRY	80,163	13·7	17·6	17·6	11·1	1·3	58	17	5	5	–	2	–	–	–	–	–	–	–	1	–	COVENTRY.
LEICESTER	244,255	7·7	7·7	10·5	7·9	–	94	37	7	13	–	–	–	–	–	–	–	1	3	10	–	LEICESTER.
GRIMSBY	73,036	10·0	10·0	8·6	11·4	0·7	33	16	4	6	–	–	–	–	1	–	–	–	–	1	–	GRIMSBY.
NOTTINGHAM ..	263,443	14·4	13·3	12·3	12·7	0·4	119	64	8	21	–	1	–	–	1	–	–	2	5	18	–	NOTTINGHAM.
DERBY	129,411	12·5	8·9	9·3	10·5	0·8	55	26	7	12	–	–	1	–	1	–	–	2	5	5	–	DERBY.
STOCKPORT	103,706	19·1	21·1	12·1	13·1	1·0	52	26	3	6	–	–	1	1	–	–	–	–	2	8	–	STOCKPORT.
BIRKENHEAD ..	121,123	15·9	11·6	12·9	15·5	1·3	54	36	8	11	–	1	1	–	–	–	1	2	4	6	–	BIRKENHEAD.
WALLASEY	71,004	5·1	16·2	9·5	6·6	–	30	9	3	3	–	–	–	–	–	–	–	1	1	2	–	WALLASEY.
LIVERPOOL	760,357	17·0	16·3	17·1	16·7	1·9	388	244	54	52	–	14	2	1	4	–	6	11	16	89	13	LIVERPOOL.
BOOTLE	69,393	10·5	6·8	9·0	15·0	4·5	32	20	3	5	–	2	1	1	–	–	2	–	–	4	1	BOOTLE.
ST. HELENS	95,161	15·3	23·6	13·2	12·1	0·5	57	22	5	2	–	1	–	–	–	–	–	2	2	6	2	ST. HELENS.
WIGAN	90,678	20·1	18·4	17·3	13·8	1·2	59	24	9	4	–	1	–	–	1	–	–	–	–	4	–	WIGAN.
WARRINGTON ..	72,276	10·8	23·1	15·9	10·8	–	38	15	4	4	–	–	–	–	–	–	–	–	–	1	–	WARRINGTON.
BOLTON	187,824	10·0	11·1	12·5	10·0	0·3	91	36	5	10	–	–	–	–	–	1	–	1	2	8	1	BOLTON.
BURY	59,234	11·4	10·6	14·1	15·8	0·9	23	18	1	4	–	–	–	–	–	–	1	–	2	4	–	BURY.
MANCHESTER ..	655,435	16·9	18·5	14·3	16·2	2·3	337	204	40	54	–	14	3	3	3	2	4	11	17	58	1	MANCHESTER.
SALFORD	241,950	15·7	19·4	17·9	16·6	4·5	135	77	12	18	–	14	1	2	2	–	2	1	5	18	–	SALFORD.
OLDHAM	143,301	18·6	20·7	15·6	19·6	–	76	54	8	14	–	–	–	–	–	–	–	2	4	5	–	OLDHAM.
ROCHDALE	89,653	12·2	11·6	19·2	16·9	–	41	29	5	9	–	–	–	–	–	–	–	1	2	3	2	ROCHDALE.
BURNLEY	106,267	12·8	9·8	14·2	14·7	1·5	54	30	5	9	–	–	–	–	2	–	1	2	3	3	–	BURNLEY.
BLACKBURN	136,959	13·3	14·1	17·1	10·3	0·8	52	27	7	7	–	–	1	1	–	–	–	–	–	2	1	BLACKBURN.
PRESTON	118,519	12·8	16·3	13·2	13·2	0·9	70	30	6	10	–	–	1	–	1	–	–	1	2	8	1	PRESTON.
BARROW-IN-FURNESS.	62,996	13·2	12·4	12·4	13·2	0·8	34	16	1	4	–	–	–	1	–	–	–	–	–	2	–	BARROW-IN-FURNESS.

* See note † on first page of this return.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 26th June, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1909.*	Death-Rates from all Causes. Week ended 5th June, 1909.	12th June, 1909.	19th June, 1909.	26th June, 1909.	Rate from Diseases in Cols. 11-17. Week ended 26th June, 1909.	Registered during the Week ended 26th June, 1909. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,739	12·7	12·7	13·8	12·7	0·6	45	23	4	9	–	–	–	–	1	–	–	–	2	–	–	HUDDERSFIELD.
HALIFAX	111,911	10·3	14·0	16·8	11·2	–	27	24	–	10	–	–	–	–	–	–	–	1	5	6	–	HALIFAX.
BRADFORD	293,983	14·0	11·2	11·9	10·3	0·5	102	58	9	24	–	1	–	–	1	–	1	–	1	13	–	BRADFORD.
LEEDS	484,012	14·1	10·2	11·2	12·6	0·4	194	117	22	31	–	1	–	–	3	–	–	5	8	31	–	LEEDS.
SHEFFIELD	470,958	11·6	14·5	12·4	10·9	0·6	217	98	16	38	–	5	–	–	–	–	–	4	8	26	2	SHEFFIELD.
ROTHERHAM.. ..	65,070	11·2	10·4	8·8	10·4	0·8	30	13	4	5	–	–	–	–	–	–	1	–	1	–	–	ROTHERHAM.
YORK	87,004	7·8	10·8	9·0	10·8	0·6	50	18	5	8	–	–	–	–	–	1	–	–	1	1	–	YORK.
HULL	275,552	11·9	11·2	14·2	13·1	0·6	150	69	10	19	–	1	–	2	–	–	–	4	9	10	1	HULL.
MIDDLESBROUGH ..	105,255	15·9	19·8	17·3	17·3	2·5	73	35	8	7	–	–	–	1	3	–	1	–	1	4	–	MIDDLESBROUGH.
STOCKTON-ON-TEES	53,417	9·8	14·6	9·8	13·7	3·9	20	14	3	3	–	3	–	1	–	–	–	–	–	1	1	STOCKTON-ON-TEES.
WEST HARTLEPOOL	79,686	15·7	8·5	7·2	9·8	0·7	33	15	7	3	–	–	–	–	–	–	1	–	–	1	–	WEST HARTLEPOOL.
SUNDERLAND ..	159,378	11·5	15·0	17·0	9·8	0·3	78	30	6	6	–	1	–	–	–	–	–	1	2	9	–	SUNDERLAND.
SOUTH SHIELDS ..	117,627	13·7	14·2	9·3	18·6	1·8	60	42	8	11	–	4	–	–	–	–	–	1	1	4	3	SOUTH SHIELDS.
GATESHEAD	131,024	7·2	9·9	17·1	13·1	1·2	57	33	8	3	–	3	–	–	–	–	–	–	–	2	3	GATESHEAD.
NEWCASTLE-ON-TYNE.	281,584	15·4	11·7	13·7	13·3	0·7	122	72	14	14	–	1	–	1	2	–	–	1	5	15	–	NEWCASTLE-ON-TYNE.
TYNEMOUTH ..	55,808	15·9	12·1	14·9	14·0	–	31	15	2	5	–	–	–	–	–	–	–	1	2	1	–	TYNEMOUTH.
NEWPORT (MON.) ..	78,336	11·3	11·3	10·7	12·0	0·7	47	18	5	6	–	1	–	–	–	–	–	1	1	4	–	NEWPORT (MON.).
CARDIFF	195,303	10·1	11·7	11·5	10·1	1·1	91	38	7	13	–	–	1	–	1	–	2	3	5	7	–	CARDIFF.
RHONDDA	135,894	13·4	18·4	11·9	13·8	1·9	120	36	11	5	–	2	–	1	1	–	1	1	1	1	–	RHONDDA.
MERTHYR TYDFIL..	78,365	24·0	12·0	13·3	14·6	2·0	66	22	5	4	–	2	–	–	–	–	1	1	1	1	–	MERTHYR TYDFIL.
SWANSEA	98,308	12·7	14·9	12·7	11·7	1·1	50	22	4	6	–	–	–	1	1	–	–	1	1	3	–	SWANSEA.
GREATER LONDON	7,429,740	10·6	11·0	10·7	10·9	1·0	3271	1558	269	493	–	66	15	12	28	6	21	56	140	606	1	GREATER LONDON.
OUTER RING ..	2,595,802	8·9	8·6	9·3	8·7	0·9	1203	433	80	136	–	15	8	5	11	3	4	15	31	96	–	OUTER RING.
8 TOWNS IN OUTER RING.	1,284,152	8·4	7·9	8·6	7·3	0·7	577	180	39	52	–	3	2	2	8	1	1	2	10	50	–	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,311,650	9·3	9·3	10·0	10·1	1·2	626	253	41	84	–	12	6	3	3	2	3	13	21	46	–	REMAINDER OF OUTER RING.
EDINBURGH	355,366	17·5	12·6	16·3	11·9	1·3	151	81‡	14	20	–	1	–	1	5	–	2	3	?	25	1	EDINBURGH.
GLASGOW	872,021	15·4	15·9	16·9	11·8	1·2	451	197	31	46	–	1	–	1	8	1	9	6	?	70	6	GLASGOW.
DUBLIN (Registration Area).†	398,356	18·2	18·7	15·7	19·6	1·0	233	150	31	33	–	–	–	–	5	–	3	3	6	62	2	DUBLIN (Registration Area).†
BELFAST†	386,576	15·9	16·1	13·2	14·8	1·3	174	110	24	24	–	–	–	–	5	–	5	2	7	24	1	BELFAST†

* See note † on first page of this return.

† Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast respectively.

‡ Including 1 death from Cerebro-spinal meningitis in Edinburgh, and 1 from Cerebro-spinal fever in Dublin.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the TWENTY-FIFTH Week of each of the Eleven Years, 1899–1909.

	1899	1900	1901	1902	1903	1904	1905	1906	1907	1908	Corrected Weekly Average in 5 Years 1904–1908.*	1909
TOTAL **Births** -	2422	2464	2451	2422	2886	2465	2527	2499	2506	2584	2576·0	2068
Males - - -	1223	1221	1254	1249	1426	1211	1302	1252	1274	1328	1303·7	1061
Females - -	1199	1243	1197	1173	1460	1254	1225	1247	1232	1256	1272·3	1007
TOTAL **Deaths** -	1355	1171	1204	1266	1197	1143	1047	1205	1163	990	1136·0	1125
Males - - -	739	644	649	672	588	625	533	639	661	494	604·5	582
Females - -	616	527	555	594	609	518	514	566	502	496	531·5	543

* The numbers in this column are the average weekly numbers in the Twenty-Fifth week of the five years 1904-1908, raised by 2·375 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Apr. 3.	Apr. 10.	Apr. 17.	Apr. 24.	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.	13 Weeks.
TOTAL **Births** -	2413	2188	2447	2569	2367	2537	2339	2260	2131	1918	2421	2167	2068	50125
TOTAL **Deaths** -	1700	1470	1606	1393	1300	1304	1216	1295	1240	1072	1135	1060	1125	16916
Ages at Death: Under 1 year -	275	240	286	245	223	260	209	238	200	185	232	179	189	2961
1—5 years -	197	209	226	179	166	169	130	162	141	129	122	128	115	2073
5—20 " -	77	78	77	72	60	68	74	72	76	54	65	72	68	913
20—40 " -	182	168	175	147	174	143	177	153	161	143	133	137	130	2028
40—60 " -	341	300	296	282	297	253	260	284	257	225	245	219	266	3526
60 yrs. & upwds.	628	475	546	468	380	411	356	386	405	336	332	325	357	5415
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	94	95	112	72	81	73	53	53	63	47	62	48	51	904
Scarlet Fever - -	8	11	9	8	10	10	11	6	6	8	10	10	7	114
Diphtheria - -	14	16	13	11	8	13	8	16	17	7	7	6	7	143
Whooping-cough -	32	33	53	49	41	35	30	42	35	35	21	18	17	441
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	3	2	3	2	1	-	-	6	3	3	2	2	3	30
Pyrexia (origin uncertain).	-	-	-	-	1	-	-	-	-	-	-	-	-	1
Diarrhœa, Dysentery	14	8	9	7	12	13	8	10	16	17	16	5	17	152
All above diseases -	165	165	199	149	154	141	110	133	140	117	118	89	102	1785
Dis. of Resp. System	194	158	157	128	85	76	78	83	82	65	54	68	64	1292
Pneumonia - -	205	152	184	166	147	136	135	131	143	107	98	67	91	1762
Phthisis - - -	142	126	146	98	116	130	131	126	113	107	96	97	122	1550
Dis. of Circ. System -	197	163	192	181	155	156	163	168	163	138	171	161	157	2170
Violence - - -	52	53	58	50	62	59	49	39	44	46	41	48	41	642
Inquest Cases - -	153	137	141	131	146	128	113	118	111	105	109	103	109	1604
Deaths in Institutions	657	616	688	564	608	561	561	579	578	449	489	482	510	7342
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	44·7	46·9	51·5	52·2	48·6	50·6	48·5	54·9	57·5	54·2	50·2	56·3	55·8	51·7
Mean of Highest -	52·4	59·8	63·0	64·0	58·9	61·0	60·1	68·8	68·6	61·3	53·7	67·3	65·4	62·3
Mean of Lowest -	37·8	33·3	41·1	42·1	40·6	40·2	37·8	39·5	48·4	47·4	42·7	47·8	50·7	42·3
Mean Humidity of the Air.	80	58	70	69	69	60	67	66	72	81	84	79	81	72
Rain-fall (in inches) -	0·66	0·00	0·22	0·72	0·77	0·00	0·11	0·13	0·95	0·94	0·79	0·05	1·45	6·79
Registered Sunshine (in hours).	23·8	83·7	42·2	53·4	64·0	92·4	62·7	75·9	55·9	31·2	25·4	37·4	30·1	678·1
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	2	2	1	1	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - -	2462	2418	2294	2219	2181	2175	2173	2234	2254	2223	2263	2415	2517	2297
Diphtheria - - -	1106	1079	1036	1019	1016	993	990	957	925	905	876	897	915	978
Typhus - - -	-	-	-	-	-	-	-	-	1	1	1	1	1	-
Enteric Fever - -	87	77	75	67	58	56	52	48	50	43	46	56	59	60

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lander, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq. F.R.Met.Soc., Hull; the Meteorological Committee, Tynemouth: and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the TWENTY-FIFTH Week of the Year 1909.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 25th week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1136·0	1125	189	115	68	130	266	357
Small-pox*	0·2	–	–	–	–	–	–	–
Cowpox	–	–	–	–	–	–	–	–
Measles (Morbilli)	45·7	51	15	34	2	–	–	–
Scarlet Fever	8·2	7	–	4	3	–	–	–
Typhus	–	–	–	–	–	–	–	–
Plague	–	–	–	–	–	–	–	–
Influenza	5·7	13	–	–	–	1	5	7
Whooping-cough	24·0	17	7	10	–	–	–	–
Diphtheria	10·0	7	1	5	1	–	–	–
Cerebro-spinal Fever ..	–	–	–	–	–	–	–	–
Pyrexia† (origin uncertain)	–	–	–	–	–	–	–	–
Enteric Fever	3·7	3	–	1	2	–	–	–
Asiatic Cholera	–	–	–	–	–	–	–	–
Epidemic Diarrhœa, Infective Enteritis	8·2	9	7	2	–	–	–	–
Diarrhœa, Dysentery ..	10·0	8	7	–	–	–	–	1
Tetanus	0·4	–	–	–	–	–	–	–
Rabies, Hydrophobia ..	–	–	–	–	–	–	–	–
Glanders	–	–	–	–	–	–	–	–
Anthrax (Splenic Fever)..	–	–	–	–	–	–	–	–
Venereal Dis.	6·8	2	2	–	–	–	–	–
Puerperal Septicæmia ..	2·0	4	–	–	–	4	–	–
Puerperal Pyæmia.. .	–	–	–	–	–	–	–	–
Puerperal Fever	0·8	–	–	–	–	–	–	–
Infective Endocarditis ..	3·7	1	–	–	–	1	–	–
Pneumonia: Lobar ..	13·3	17	–	–	2	2	9	4
Pneumonia: Broncho ..	31·7	37	11	10	1	3	4	8
Pneumonia: Epidemic ..	–	–	–	–	–	–	–	–
Pneumonia: Not defined	38·3	37	1	8	2	1	9	16
Erysipelas	3·9	9	1	–	–	–	3	5
Septicæmia (not Puerperal)	1·6	1	–	–	–	1	–	–
Pyæmia (not Puerperal)	0·4	–	–	–	–	–	–	–
Other Infective Processes	3·1	2	–	–	–	–	1	1
Tuberculous Phthisis ..	71·3	87	2	–	8	34	34	9
"*Phthisis*	40·7	35	–	–	4	11	13	7
Tuberculous Meningitis ..	22·1	21	3	11	6	1	–	–
Tuberculous Peritonitis ..	7·8	6	–	1	3	1	1	–
Tabes Mesenterica	0·8	1	–	1	–	–	–	–
Tuberculous Dis., Other ..	20·3	18	2	3	5	3	5	–
Scrofula..	–	–	–	–	–	–	–	–
Alcoholism	9·0	5	–	–	–	1	3	1
Rheumatic Fever	6·1	6	–	–	5	1	–	–
Gout	0·8	–	–	–	–	–	–	–
Carcinoma	57·3	74	–	–	–	5	22	47
Sarcoma	7·6	7	–	–	1	2	1	3
Cancer (undefined) ..	31·7	31	–	–	–	1	17	13
Diabetes Mellitus	7·4	13	–	–	1	3	4	5
Premature Birth	39·1	30	30	–	–	–	–	–

CAUSES OF DEATH.	Corrected Average for the 25th week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)..	14·5	12	5	4	1	2	–	–
Gen. Par. of Insane, Insanity	11·7	8	1	–	–	–	4	3
Epilepsy	4·9	3	–	–	–	1	–	2
Convulsions	14·3	13	12	1	–	–	–	–
Locomotor Ataxy.. ..	1·0	3	–	–	–	1	1	1
Paraplegia, Dis of Cord.	4·7	2	–	–	–	1	–	1
Nervous Sys., Other Dis.	12·5	14	2	–	2	1	4	5
Valv. Dis, Endocarditis..	40·3	48	–	–	6	8	13	21
Cereb. Hæm. Cereb. Emb.	31·3	31	–	–	–	1	10	20
Apoplexy, Hemiplegia ..	13·9	6	–	–	–	–	1	5
Aneurysm	6·3	3	–	–	–	–	2	1
Embolism, Thrombosis (not Cerebral) ..	0·4	2	–	–	–	–	–	2
Heart & Blood Ves., Other Dis... ..	67·4	67	–	–	1	6	23	37
Croup (not Spasm: nor Memb)	–	–	–	–	–	–	–	–
Bronchitis	48·3	52	7	3	–	–	12	30
Emphysema, Asthma ..	1·2	2	–	–	–	–	1	1
Pleurisy	2·3	3	–	–	–	1	1	1
Respiratory Dis, Other..	6·8	7	2	–	–	–	2	3
Tonsillitis, Quinsy.. ..	0·4	3	–	1	1	–	1	–
Enteritis (not Epid.) ..	12·9	12	3	2	1	1	3	2
Gastro-enteritis	5·7	4	4	–	–	–	–	–
Peritonitis (not Puerp.) ..	2·7	1	–	1	–	–	–	–
Cirrhosis of Liver.. ..	10·6	12	–	–	–	1	9	2
Liver Dis., Other	5·9	6	–	1	–	1	1	3
Digestive Sys., Other Dis.	37·3	37	6	1	2	8	14	6
Acute Nephritis	5·5	12	–	–	3	2	3	4
Bright's Dis., Albuminuria	35·8	23	–	–	–	2	4	17
Urinary Sys, Other Dis.	10·4	9	–	–	–	1	2	6
Generative Organs Dis...	4·1	4	–	–	–	–	4	–
Childbirth (Accid. of) ..	3·5	1	–	–	–	–	1	–
Old Age	44·2	42	–	–	–	–	–	42
Other Diseases	81·6	83	49	9	3	5	6	11
ACCIDENT.								
By Railways	1·6	–	–	–	–	–	–	–
By Vehicles and Horses..	6·6	3	–	–	1	–	1	1
In Ships, Boats, Docks, (exclusive of Drowning)	–	–	–	–	–	–	–	–
In Building Operations..	0·4	–	–	–	–	–	–	–
In Conflagrations	–	–	–	–	–	–	–	–
By Burns, Scalds, Explosions	3·3	2	1	1	–	–	–	–
By Drowning	5·5	7	–	–	1	4	2	–
By Suffocation in Bed ..	5·9	8	8	–	–	–	–	–
By Poisons or Poisonous Vapours	1·2	2	–	–	–	1	–	1
Other Deaths by Accident..	13·1	10	–	1	–	3	5	1
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	1·0	–	–	–	–	–	–	–
Suicide	11·1	9	–	–	–	3	5	1
Execution	0·2	–	–	–	–	–	–	–

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 26th June, 1909.

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexiæ* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified causes of Death.
LONDON	4,536,267	2068	1125	189	357	-	51	7	7	17	-	3	-	17	41	109	510	1
WEST DISTRICTS	805,311	287	199	34	52	-	17	2	2	3	-	1	-	4	10	24	86	-
NORTH DISTRICTS	1,055,908	440	205	33	67	-	10	-	1	2	-	-	-	1	8	20	82	-
CENTRAL DISTRICTS	209,465	74	71	5	18	-	6	-	1	3	-	-	-	1	2	5	39	-
EAST DISTRICTS	715,739	406	189	46	47	-	12	-	-	3	-	1	-	6	12	32	99	-
SOUTH DISTRICTS	1,749,844	861	413	70	152	-	6	5	3	6	-	1	-	5	9	28	156	1
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	48	1	21	-	-	-	-	-	-	-	-	-	-	-	48	-
WEST DISTRICTS.																		
North Paddington *H*	63,603	19	8	2	3	-	-	-	-	-	-	-	-	-	1	2	-	-
Central Paddington *W,3H*	50,053	21	26	3	8	-	-	-	-	-	-	-	-	-	3	5	17	-
South Paddington	30,320	7	9	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town *2W,w,2H* ..	128,037	58	42	8	12	-	2	-	-	2	-	-	-	2	1	1	25	-
Brompton *2H*	48,591	8	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
North Hammersmith *2W,w,H* ..	49,192	24	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
South Hammersmith *w,2H* ..	63,047	15	15	3	3	-	6	-	-	1	-	-	-	-	1	3	2	-
North-west Fulham *W*	45,180	40	16	4	2	-	4	-	-	-	-	-	-	1	1	2	9	-
North-east Fulham *F*	46,405	18	14	1	1	-	3	2	2	-	-	1	-	-	-	-	6	-
South Fulham *W*	45,704	22	8	2	2	-	1	-	-	-	-	-	-	-	-	1	-	-
Chelsea North *W,w,3H*	42,514	10	15	1	5	-	-	-	-	-	-	-	-	-	-	2	11	-
Chelsea South *W,2H*	31,328	14	5	1	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Mayfair and Knightsbridge	28,743	4	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave *W,2H*	55,815	12	9	1	1	-	-	-	-	-	-	-	-	-	1	2	4	-
St. Margaret & St. John *6H*	43,698	12	18	6	3	-	1	-	-	-	-	-	-	1	2	5	8	-
St. James and St. Anne *W,6H* ..	33,031	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NORTH DISTRICTS.																		
All Souls Marylebone *8H*	35,391	7	17	2	5	-	1	-	-	-	-	-	-	1	-	1	13	-
St. Mary Marylebone *W,4H* ..	37,948	54	4	1	2	-	-	-	-	-	-	-	-	-	-	-	1	-
Christchurch Marylebone	39,536	15	5	-	3	-	1	-	-	-	-	-	-	-	-	1	-	-
St. John Marylebone *2H*	20,426	7	4	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Hampstead *W,F,6H*	81,942	28	16	2	5	-	2	-	1	-	-	-	-	-	-	1	7	-
West St. Pancras *2H*	60,532	24	10	3	3	-	-	-	-	-	-	-	-	-	2	3	3	-
South St. Pancras *w,10H*	55,707	22	16	3	4	-	-	-	-	-	-	-	-	-	1	1	10	-
East St. Pancras *W,H*	60,320	26	19	1	11	-	-	-	-	-	-	-	-	-	1	2	8	-
North St. Pancras *2W*	58,728	26	10	2	2	-	-	-	-	1	-	-	-	-	2	3	3	-
Tufnell *W*	31,995	12	16	3	5	-	1	-	-	-	-	-	-	-	-	-	12	-
Upper Holloway *2W,w,H*	33,978	10	16	1	4	-	-	-	-	-	-	-	-	-	1	2	12	-
Tollington *W,w,H*	33,922	11	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Lower Holloway	41,424	17	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Barnsbury	54,478	17	4	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Islington South-east *F*	75,397	35	11	4	-	-	3	-	-	-	-	-	-	-	-	1	-	-
Highbury *2H*	63,797	23	13	2	7	-	1	-	-	-	-	-	-	-	1	2	-	-
Stoke Newington *H*	51,247	18	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
North Hackney	50,398	13	3	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Central Hackney *w,F*	50,536	25	13	1	3	-	1	-	-	-	-	-	-	-	-	2	1	-
South-west Hackney *3H*	59,921	21	5	2	1	-	-	-	-	-	-	-	-	-	-	-	2	-
South-east Hackney *2W,H*	58,255	26	14	1	6	-	-	-	-	-	-	-	-	-	-	-	9	-
Hackney Union Workhouse, Brentwood	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 26th June, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
St. Giles and Bloomsbury 2*W*,2*H*..	31,436	13	4	-	3	-	-	-	-	-	-	-	-	-	-	1	1	-
Strand *W*,4*H*	21,674	4	12	-	4	-	-	-	-	-	-	-	-	-	1	1	9	-
Strand Union Workhouse, Edmonton	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Holborn *W*,5*H*	29,612	10	17	2	1	-	2	-	-	2	-	-	-	1	-	-	12	-
Clerkenwell *H*	63,704	17	11	1	3	-	4	-	-	-	-	-	-	-	-	-	-	-
St. Luke 3*H*,*L*	36,116	25	6	1	1	-	-	-	-	1	-	-	-	-	-	1	1	-
Holborn Union Workhouse, Mitcham	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
St. Botolph *H*	10,299	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	2	17	1	4	-	-	-	1	-	-	-	-	-	1	2	14	-
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
Shoreditch South 2*H*..	46,362	17	3	1	-	-	-	-	-	1	-	-	-	-	-	1	1	-
Shoreditch North-West *W*,*w*,*H* ..	36,127	36	15	-	9	-	-	-	-	-	-	-	-	-	2	3	7	-
Shoreditch North-East	36,148	17	3	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	30	17	7	6	-	2	-	-	-	-	-	-	1	-	-	11	-
Bethnal Green South-West *H* ..	64,542	32	13	3	2	-	1	-	-	-	-	-	-	1	1	2	3	-
Spitalfields..	27,969	18	3	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Mile End New Town *W*,*H*	28,718	25	45	7	6	-	-	-	-	1	-	-	-	1	1	1	42	-
Goodman's Fields	22,081	9	3	1	2	-	-	-	-	-	-	-	-	-	-	2	-	-
St. George and St. John 2*W* ..	49,068	39	12	3	3	-	2	-	-	-	-	-	-	-	-	4	6	-
Shadwell and Ratcliff *w*,*H* ..	25,568	11	11	8	-	-	2	-	-	-	-	1	-	-	-	1	6	-
Limehouse *W*	32,369	17	4	1	-	-	1	-	-	-	-	-	-	-	1	2	-	-
Mile End Old Town South-Western *H*	63,698	58	5	-	3	-	1	-	-	-	-	-	-	-	-	2	-	-
Mile End Old Town North-Eastern *W*,*w*	49,129	27	11	2	3	-	1	-	-	-	-	-	-	-	2	4	6	-
Bow	41,989	13	7	2	1	-	1	-	-	-	-	-	-	-	1	1	-	-
Bromley 3*w*,*H*	68,319	32	25	7	6	-	1	-	-	1	-	-	-	3	1	2	12	-
Poplar *W*,*w*	58,514	25	11	2	2	-	-	-	-	-	-	-	-	-	3	5	4	-
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-

TABLE 5. (*cont.*): LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 26th June, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch and St. Saviour Southwark *W,2H*	23,319	8	20	5	3	-	2	-	-	-	-	-	-	-	1	1	14	-
Kent-road	21,904	21	10	2	4	-	-	-	-	-	-	-	-	1	1	1	-	-
St. George the Martyr West *W,2H,L*	39,094	17	16	5	4	-	-	-	-	2	-	-	-	-	2	4	3	-
Newington North	49,022	21	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Newington South *W*	72,841	33	10	2	2	-	1	-	-	-	-	-	-	-	-	1	-	1
St. Olave *2W*	9,817	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bermondsey *W*	82,483	63	15	3	5	-	-	-	-	-	-	-	-	-	1	2	-	-
Rotherhithe *W,F*	38,460	21	12	3	3	-	-	-	-	2	-	-	-	-	-	1	5	-
Waterloo *2H*	27,440	30	2	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Lambeth Church *H*	27,440	7	22	1	4	-	-	-	-	-	-	-	-	-	1	1	21	-
Kennington *2W*	52,518	27	18	-	8	-	-	-	-	-	-	-	-	-	-	1	13	-
Stockwell *HF*	63,326	50	12	3	4	-	-	1	2	-	-	-	-	-	-	1	3	-
Brixton *H*	73,673	33	13	3	2	-	-	-	-	-	-	-	-	-	1	1	4	-
Norwood *2WH*	56,998	13	11	-	10	-	-	-	-	-	-	-	-	1	-	-	-	-
East Battersea *H*	72,203	39	5	3	1	-	-	-	-	-	-	-	-	-	-	2	-	-
North-west Battersea	49,656	16	8	2	2	-	1	-	-	-	-	-	-	1	-	1	-	-
South-west Battersea *2W,H*	47,043	9	19	2	7	-	-	-	-	-	-	-	-	-	-	-	12	-
Clapham *2H*	51,361	21	10	3	1	-	-	-	-	1	-	-	-	1	-	-	1	-
Streatham *W,2w,2F,2L*	88,019	45	20	1	10	-	1	1	-	-	-	-	-	-	-	1	9	-
Springfield *2W,L*	27,959	13	6	1	5	-	-	-	-	-	-	-	-	-	-	-	3	-
Southfields *H*	40,444	24	8	-	3	-	-	-	-	-	-	-	-	-	-	1	-	-
Putney	24,139	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich	13,359	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	18	22	3	13	-	-	-	-	-	-	1	-	-	-	-	14	-
Camberwell North *W,2L*	65,584	32	21	-	10	-	-	-	-	-	-	-	-	-	-	2	17	-
St. George	47,331	22	8	5	2	-		-	-	-	-	-	-	-	-	-	-	-
Peckham North	48,913	27	8	5	2	-	-	-	-	-	-	-	-	1	-	-	-	-
Peckham South *2W,w*	43,946	10	9	1	5	-	-	-	-	-	-	-	-	-	-	1	-	-
Deptford North	37,613	24	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Deptford Central *F*	45,481	21	6	2	1	-	-	2	-	-	-	-	-	-	-	-	2	-
Deptford South	34,625	19	7	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *H*	23,453	13	3	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Greenwich East *2W,H*	43,859	21	18	2	11	-	-	-	-	1	-	-	-	-	1	3	12	-
Eltham *w,H*	7,226	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Lee *w,H*	25,490	8	6	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-
Lewisham *2W,w,F*	53,352	32	19	5	7	-	-	1	1	-	-	-	-	-	-	1	9	-
Sydenham *H*	43,653	15	5	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Charlton *F,2H*	21,131	6	4	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-
Woolwich *5H*	41,625	22	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead West *W,H*	39,376	15	6	1	2	-	-	-	-	-	-	-	-	-	1	1	-	-
Plumstead East *2W*	28,951	8	14	-	5	-	1	-	-	-	-	-	-	-	-	-	7	-
Workhouses:—																		
Belmont Workhouse	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
M. A. B. Small-pox Hospitals:—																		
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																		
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																		
Children's Infirmary, Carshalton	—	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-
M. A. B. Imbecile Asylums:—																		
Caterham	—	-	5	-	3	-	-	-	-	-	-	-	-	-	-	-	5	-
Darenth	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden	—	-	6	-	2	-	-	-	-	-	-	-	-	-	-	-	6	-
London County Lunatic Asylums:—																		
Banstead	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Manor	—	-	8	-	6	-	-	-	-	-	-	-	-	-	-	-	8	-
Long Grove	—	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	4	-
Cane Hill	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
Dartford Heath	—	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-
Hanwell	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-
Colney Hatch	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
Claybury	—	-	5	-	4	-	-	-	-	-	-	-	-	-	-	-	5	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERATED POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 26th June, 1909.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING ..	368,603	2,045,135	1203	433	80	136	-	15	8	5	11	3	4	15	31	96	-
30 : 1	Carshalton 2F,3H	12,228	32,997	13	4	1	1	-	-	-	1	-	-	-	-	-	1	-
2	Epsom, *part of** W,w,2F,H..	10,423	15,548	7	7	-	3	-	-	-	-	-	-	-	1	1	5	-
37 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	2	3	-	-	-	-	-	-	-	-	-	-	-	2	-
38 : 1	Coulsdon	11,069	8,166	7	1	-	1	-	-	-	-	-	-	-	1	1	-	-
2	South Croydon w,H ..	4,200	49,309	15	6	3	1	-	-	-	-	-	-	-	-	1	-	-
3	West Croydon 3W,F,H ..	2,168	42,888	20	12	1	8	-	-	-	-	-	-	-	-	1	7	-
4	North Croydon H	2,614	41,698	18	5	2	1	-	-	-	-	-	-	-	-	1	-	-
5	Penge w	770	22,465	4	4	2	-	-	-	-	-	-	-	-	-	1	-	-
6	Mitcham w	11,711	30,015	21	10	3	2	-	2	1	-	-	-	-	-	-	-	-
39 : 1	Wimbledon F,3H	3,221	41,652	23	10	2	1	-	1	2	-	-	-	-	-	-	2	-
2	Kingston 2W,H	6,224	42,068	25	7	1	2	-	-	-	1	-	-	-	-	-	3	-
3	Surbiton F,H	3,046	15,017	3	4	-	2	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** H	5,402	13,100	7	2	-	1	-	-	-	-	-	-	-	1	1	-	-
5	Hampton H,F,L	4,564	23,456	21	6	3	1	-	1	-	-	-	-	-	-	-	-	-
40 : 1	Richmond W,H	2,491	31,672	15	6	-	2	-	-	-	-	-	-	-	-	1	1	-
2	Mortlake F	2,518	17,821	12	7	2	2	-	-	-	-	-	-	-	3	4	-	-
41 : 1	Bromley F,3H	4,703	27,354	8	6	2	3	-	-	-	-	-	-	-	-	1	1	-
2	Beckenham H	7,825	28,497	6	3	-	2	-	-	-	-	-	-	-	-	-	-	-
3	Orpington, *part of** W,F ..	10,113	9,857	2	1	-	1	-	-	-	-	-	-	-	-	-	1	-
4	Chislehurst 2H	7,333	16,446	7	2	-	1	-	-	-	-	-	-	-	-	-	-	-
42 : 1	Bexley w,F,H	8,678	21,151	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Erith F,H	3,854	25,296	17	6	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Dartford W,F, *part of** ..	—	—	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-
124 : 1	Sunbury w	11,054	18,683	10	2	1	1	-	-	-	-	-	-	-	-	-	-	-
2	Staines W,H	13,277	15,178	10	7	-	3	-	-	-	-	-	-	-	1	1	4	-
125 : 1	Hillingdon W,F,H	6,035	13,661	10	2	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Uxbridge H	12,757	8,984	4	4	-	3	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w 2F,H	8,066	16,358	11	2	-	2	-	-	-	-	-	-	-	-	-	-	-
126 : 1	Isleworth 3W,3F,H	6,859	30,863	22	12	1	6	-	1	1	-	1	-	-	-	1	5	-
2	Twickenham F,2H	2,421	20,991	10	4	-	1	-	-	-	-	-	-	-	3	3	-	-
3	Brentford 3F,2H	4,319	48,289	36	13	4	6	-	-	-	-	-	-	2	1	1	-	-
4	Chiswick H	1,219	29,809	15	12	2	2	-	2	-	-	-	-	-	-	-	-	-
5	Acton w,F,3H	6,132	48,914	37	15	2	4	-	3	1	1	-	1	-	-	-	2	-
127 : 1	Harrow F,H	13,809	25,523	17	5	1	1	-	-	-	-	1	-	-	-	-	-	-
2	Edgware 2F,2H	6,994	4,521	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden W,F,2H	4,384	111,811	91	16	4	4	-	-	-	-	2	-	-	-	-	2	-
4	Hendon W,F	8,382	22,450	19	4	2	1	-	-	-	-	1	-	-	1	1	1	-
128 : 1	South Mimms 2F,H ..	17,755	7,308	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,970	10	2	-	2	-	-	-	-	-	-	-	-	-	1	-
3	Finchley F,3H	4,683	33,692	17	3	1	1	-	-	-	-	-	-	1	1	1	1	-
129 : 1	Hornsey F,H	2,875	72,056	32	14	3	8	-	-	-	-	-	-	1	1	1	-	-
2	Wood Green H	1,625	34,233	27	7	-	3	-	-	-	-	-	-	-	-	1	-	-
3	West Tottenham	995	48,741	41	3	1	-	-	-	-	-	-	-	-	-	-	-	-
4	East Tottenham 2H ..	2,019	53,962	32	15	2	4	-	-	-	-	-	-	-	1	2	7	-
5	Edmonton W,w,2F	7,491	61,892	43	12	3	3	-	-	-	-	-	1	-	-	-	4	-
6	Enfield 2W,F,H	12,601	42,738	36	9	3	4	-	-	-	-	-	-	-	-	1	1	-
7	Waltham Abbey F	11,017	6,549	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	4	2	-	2	-	-	-	-	-	-	-	-	-	-	-
135 : 1	Hatfield, *part of** W ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey H	9,333	9,173	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Watford W,2F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
186 : 1	Stratford H	1,091	52,974	26	3	2	-	-	-	-	-	-	-	-	-	-	-	-
2	Forest Gate	787	52,745	16	5	-	2	-	-	-	-	1	-	-	-	-	-	-
3	Plaistow F,2H	1,249	90,921	51	18	4	2	-	2	2	1	-	-	-	-	1	6	-
4	Canning Town H	1,556	70,718	55	16	5	6	-	1	-	-	1	-	-	-	-	-	-
5	South East Ham 2F ..	1,991	37,342	38	7	2	2	-	-	-	-	-	-	-	-	1	-	-
6	North East Ham w,H ..	1,333	58,666	32	5	-	-	-	-	-	-	1	-	-	-	1	-	-
7	Wanstead F	1,679	9,179	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	19	9	-	4	-	-	-	-	-	-	-	-	-	5	-
9	North Leyton 2W,w,F ..	1,963	48,445	34	29	4	8	-	-	-	1	2	1	-	-	-	22	-
10	Walthamstow 2H,L ..	6,504	108,929	67	21	7	4	-	-	-	-	1	-	-	-	1	1	-
187 : 1	Chigwell 2F,3H	11,778	16,397	8	3	-	2	-	-	-	-	-	-	-	-	-	-	-
2	Epping W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189 : 1	Romford, *part of** W,2F ..	6,556	6,091	5	3	-	-	-	-	-	-	-	-	-	-	-	2	-
2	Ilford F,L	8,496	41,244	24	14	3	3	-	1	-	-	-	-	-	-	1	2	-
3	Barking Town F	3,805	21,547	19	8	1	2	-	1	-	-	-	-	-	-	-	-	-
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
	Surrey County Lunatic Asylum, Betchworth.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Middlesex County Lunatic Asylum, Napsbury.	—	—	-	3	-	-	-	-	-	-	-	-	-	-	-	3	-
	Essex County Lunatic Asylum, Brentwood	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30 : 2, excepting Ashtead parish; 37 : 1, Warlingham and Farley parishes; 39 : 4, excepting Esher parish; 41 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135 : 1, Northaw parish; 189 : 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42 : 3, 137 : 2 and 187 : 2 and in the Croydon Mental Hospital in 37 : 1 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Small-pox	Measles.	Scarlet Fever	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON - -	4,833,938	June 26	2068	1125	12·1	-	51	7	7	17	3	17
CALCUTTA - -	1,014,438	May 29	-	499	26·2	19	-	-	1	-	137†	94‡
BOMBAY - -	982,000	June 1	333	630	33·5	15	1	-	-	-	177†	41‡
MADRAS - -	548,974	„ 4	-	-	-	-	-	?	?	?	-	-
PARIS - - -	2,760,000	„ 19	906	802	15·3	-	17	9	2	7	4	25
BRUSSELS - -	704,975	„ 19	228	169	12·5	-	8	1	-	-	-	4
ANTWERP - -	310,903	„ 19	116	64	10·7	-	4	-	-	-	-	2
AMSTERDAM -	565,920	„ 19	253	139	12·8	-	5	-	2	1	1	6
COPENHAGEN -	448,000	„ 19	209	129	15·0	-	7	1	-	3	-	3
STOCKHOLM -	339,582	„ 12	146	104	15·9	-	-	2	1	2	-	2
CHRISTIANIA -	235,674	„ 19	121	58	12·8	-	2	-	1	2	-	2
ST. PETERSBURG	1,573,000	„ 12	680	748	24·8	5	30	12	8	9	10	76‡
MOSCOW - -	1,452,100	„ 12	-	756	27·1	7	44	21	14	10	7	81
BERLIN - -	2,102,192	„ 5	857	650	16·1	-	18	11	14	8	1	38
HAMBURG - -	872,252	„ 19	-	224	13·3	-	-	4	6	2	-	12
BRESLAU - -	502,676	„ 12	-	180	18·7	-	-	2	-	-	1	21
MUNICH - -	566,000	„ 12	290	196	18·0	-	2	1	1	1	-	25
VIENNA - -	2,064,037	„ 19	854	657	16·6	-	13	12	6	4	1	33
PRAGUE - -	485,057	„ 12	210	200	21·4	-	9	7	3	2	2	13
BUDAPEST - -	823,215	„ 12	406	292	18·4	-	6	4	1	-	1	15
TRIESTE - -	217,706	„ 12	149	112	26·8	-	10	-	1	1	-	3
		„ 19	126	96	22·9	-	2	1	-	2	1	7
ROME - - -	565,323	March 13	270	330	30·4	1	5	1	-	3	1	9
VENICE - -	179,286	June 5	-	-	-	-	-	-	-	-	-	-
BUCAREST - -	296,585	„ 12	143	144	25·3	-	-	3	-	1	-	11
NEW YORK -	4,564,792	„ 5	1968	1405	16·1	-	31	19	30	10	7	56
CHICAGO - -	2,224,490	„ 5	-	573	13·4	-	6	4	7	3	3	34
PHILADELPHIA -	1,565,569	May 29	-	442	14·7	-	10	3	10	3	8	14
RIO DE JANEIRO	637,089	„ 23	-	276	22·6	1	-	-	-	1	1	?
CAIRO:—												
Egyptians -	666,587	„ 20	-	-	-	-	-	-	-	-	-	-
Foreigners -	35,219	„ 20	-	-	-	-	-	-	-	-	-	-
ALEXANDRIA:—												
Egyptians -	341,965	„ 20	-	-	-	-	-	-	-	-	-	-
Foreigners -	46,118	„ 20	-	-	-	-	-	-	-	-	-	-

* Excluding deaths from croup in the Indian Cities.
† Including 87 deaths from plague in Calcutta and 125 in Bombay.
‡ Including 65 deaths from cholera in Calcutta, 3 in Bombay, and 21 in St. Petersburg.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 26th June, 1909.

Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°				°	°	°	
LONDON (Greenwich)	73·0	48·3	58·0	1·45	BRADFORD - -	66·2	45·2	54·1	2·11
BRIGHTON - -	64·0	49·6	56·8	0·50	YORK - - -	69·0	45·0	55·9	1·68
PORTSMOUTH - -	64·5	50·0	57·0	0·99	HULL - - -	72·0	48·0	56·0	2·77
NORWICH - -	71·4	47·6	58·3	1·31	TYNEMOUTH - -	68·0	45·0	53·4	1·63
PLYMOUTH -	66·0	48·3	55·8	1·02	CARDIFF - - -	63·9	47·5	54·9	1·38
BRISTOL - - -	66·5	44·0	55·3	1·83	EDINBURGH - -	61·0	44·6	52·1	1·58
BIRMINGHAM - -	66·7	43·1	53·5	2·38	GLASGOW - -	65·0	42·0	54·3	2·40
NOTTINGHAM - -	67·9	45·0	55·1	1·60	DUBLIN: Phœnix Park.	63·6	41·1	52·7	1·37
LIVERPOOL OBSERVATORY.	67·0	45·0	55·0	1·50	DUBLIN: Fitzwilliam Square.†	63·6	47·9	53·9	1·48
MANCHESTER -	66·5	39·8	54·5	1·44					
BURNLEY - -	65·0	37·0	53·1	1·67					
HUDDERSFIELD -	66·8	44·5	53·6	1·70	BELFAST - - -	65·0	45·0	54·6	2·13

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to the seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°·8 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 26th June, 1909.

[*Under the Superintendence of the Astronomer Royal.*]

1909. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
JUNE.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 20	..	29·820	69·2	54·3	14·9	59·7	− 0·2	54·4	5·3	14·6	2·1	83	121·2	49·3	55·36	WSW. & SW.	SW. & SSW.	3·5	0·0	0·2	358	+117	0·01	16·0
MONDAY - 21	..	29·461	73·0	54·1	18·9	62·0	+ 1·7	51·8	10·2	18·2	2·2	69	139·0	49·1	55·80	SSW. & SW.	SSW., S. & SSE.	1·3	0·0	0·1	232	− 8	0·00	19·3
TUESDAY - 22	..	29·256	65·8	50·0	15·8	55·7	− 4·9	47·3	8·4	16·0	1·7	74	137·8	42·2	56·08	S., SSW. & SW.	SW. & SSW.	8·9	0·0	0·5	339	+149	0·01	12·7
WEDNESDAY 23	..	29·355	65·6	48·6	17·0	55·2	− 5·7	46·2	9·0	17·5	3·1	72	133·0	40·1	56·40	S. & SSW.	S. & SE.	5·0	0·0	0·2	294	+ 54	0·00	17·8
THURSDAY - 24	..	29·258	65·1	50·1	15·0	53·4	− 7·8	51·2	2·2	11·3	0·0	92	131·8	42·4	56·40	SE., variable & SW.	SW., WNW. & W.	3·9	0·0	0·1	252	+ 11	1·08	4·5
FRIDAY - 25	Apogee. First Qr.	29·534	55·9	49·5	6·4	51·6	− 9·8	50·4	1·2	5·1	0·0	96	74·5	48·0	56·40	W. & WSW.	WNW., W. & NNW.	3·4	0·0	0·3	373	+131	0·21	0·0
SATURDAY - 26	In Equator	29·713	63·0	43·3	14·7	53·0	− 8·5	47·6	5·4	16·1	0·2	82	116·2	47·0	56·20	NW. & NNW.	NNW., WSW. & SW.	2·9	0·0	0·1	242	− 1	0·14	0·0
MEANS - -		29·485	65·4	50·7	14·7	55·8	− 5·0	59·8	6·0	14·1	1·3	81	121·9	45·4	56·09	SSW. & NW.		..	..	..	Sum 2140	Sum +453	Sum 1·45	10·0
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. JUNE.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.
SUNDAY - 20	w. P. throughout.	3·1	16·6
MONDAY - 21	w. P. throughout.	6·9	16·6
TUESDAY - 22	w. P. till 10h. A.M.; v. P. and v.N. till 1h. P.M.; w. P. and w. N. till 5h. P.M.; w. P. generally afterwards.	7·7	16·6
WEDNESDAY 23	w.P. till 7h. A.M.; v.N. and v.P. till 10h. A.M.; w. P. generally afterwards.	8·7	16·6
THURSDAY - 24	v. N. and w. P. till 8h. A.M.; w. P. till 11h. A.M.; v. P. and s.N. till 6h. P.M.; m. P. generally afterwards	2·5	16·6
FRIDAY - 25	w. P. generally till noon; v.P. & v.N. till 9h. P.M.; w.P. afterwards.	0·0	16·6
SATURDAY - 26	w. P. till 5h. P.M.; w. P. and w. N. principally afterwards.	1·2	16·6
		Sum 30·1	Sum 116·2
No. of Col. - -	27	28	29

GENERAL REMARKS.

Variably cloudy; frequent slight rain between 9h. A.M. and 1h. P.M.

Generally overcast till 9h. A.M.; very fine generally till 5h. P.M.: nearly overcast afterwards. Solar halo observed at intervals between 9h. A.M. & 5h. P.M. & lightning at 11h. P.M.

Overcast with occasional slight rain till 11h. A.M.; very fine generally afterwards with brisk wind and occasional light showers till evening.

Very fine generally; variably cloudy; occasional light showers (not measurable).

Generally overcast; frequent heavy rain accompanied occasionally by lightning and thunder.

Overcast; very dull; frequent rain after 6h. A.M.

Generally overcast; slight showers at 6h. A.M. and 7h. P.M. and steady rain after 9h. P.M.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong: and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·96 in. at the beginning of the week to 29·18 in. by 7h. A.M. on the 22nd; increased to 29·38 in. by 9h. A.M. on the 23rd; decreased to 29·17 in. by 8h. A.M. on the 24th; increased to 29·74 in. by 10h. P.M. on the 26th; and was 29·73 in. at midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 19th June, 1909.*

BOROUGHS.	Estimated Population in the middle of 1909.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	151,955	-	28	4	-	2	-	-	1	-	-
Kensington	183,683	-	6	2	-	2	-	-	4	-	-
Hammersmith	125,704	-	7	4	-	-	-	-	2	-	-
Fulham	176,406	-	18	8	-	2	-	-	2	-	-
Chelsea	75,249	-	23	4	-	1	-	-	1	-	-
City of Westminster ..	168,883	-	32	5	-	-	-	-	2	-	-
NORTH.											
St. Marylebone	126,027	-	13	2	-	1	-	-	3	-	-
Hampstead	94,185	-	5	-	-	-	-	-	-	-	-
St. Pancras	237,422	-	11	5	-	-	-	-	3	-	-
Islington	351,202	-	26	8	-	-	-	-	4	-	-
Stoke Newington	54,423	-	2	2	-	-	-	-	-	-	-
Hackney	237,601	-	11	8	-	-	-	-	10	-	-
CENTRAL.											
Holborn	53,802	-	1	2	-	-	-	-	-	-	-
Finsbury	95,289	-	3	3	-	-	-	-	3	-	-
City of London	18,193	-	1	2	-	-	-	-	-	-	-
EAST.											
Shoreditch	114,802	-	7	-	-	2	-	-	2	-	-
Bethnal Green	131,316	-	16	2	-	1	-	-	2	-	-
Stepney	312,525	-	31	12	-	-	-	-	10	1	-
Poplar	171,965	-	14	3	-	-	-	-	3	-	-
SOUTH.											
Southwark	211,125	-	11	9	-	1	-	-	3	-	-
Bermondsey	127,569	-	9	3	-	3	-	-	3	1	-
Lambeth	324,188	-	41	5	-	-	-	-	2	1	-
Battersea	186,036	-	13	11	-	-	-	-	1	-	-
Wandsworth	297,646	-	31	5	-	3	-	-	3	1	1
Camberwell	283,022	-	17	5	-	-	-	-	4	-	-
Deptford	118,583	-	6	4	-	-	-	-	4	-	1
Greenwich	111,014	-	19	1	-	2	-	-	1	-	-
Lewisham	160,749	-	22	2	-	2	-	-	-	-	-
Woolwich	133,374	-	35	5	-	-	-	-	3	2	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,833,938	-	459	126	-	22	-	-	76	6	2
Ages 0–1		-	5	-	-	-	-	-	4	-	-
„ 1–5		-	100	49	-	1	-	-	2	-	2
„ 5–		-	191	42	-	3	-	-	1	-	-
„ 10–		-	82	16	-	2	-	-	5	-	-
„ 15–		-	35	6	-	2	-	-	4	-	-
„ 20–		-	22	5	-	1	-	-	5	2	-
„ 25–		-	18	4	-	6	-	-	5	4	-
„ 35–		-	3	3	-	4	-	-	9	-	-
„ 45–		-	2	1	-	1	-	-	13	-	-
„ 55–		-	1	-	-	1	-	-	19	-	-
„ 65 and upwards		-	-	-	-	1	-	-	9	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

Returns of London Water Districts.

(Furnished by the Metropolitan Water Board.)

The following is an account of the number of services and the average daily amount of water supplied during the month of May, 1909, inclusive of supply to the Borough of Croydon and to the Urban Districts of Tottenham and Enfield. The supply was in the ratio of 219 gallons to one service.

Districts.	Number of Services.		Average Daily Supply of Water in Gallons.	
	May, 1908.	May, 1909.	May, 1908.	May, 1909.
Total Supply - - -	1,078,519	1,090,588	224,616,442	239,336,682
New River - - - - - - -	213,046	215,103	43,963,776	45,215,593
Eastern - - - - - - -	242,028	244,712	42,238,839	46,174,452
Western { Chelsea, Grand Junction, West Middlesex } - -	220,995	223,296	56,969,494	59,660,464
Southern { Lambeth - - - , Southwark and Vauxhall }	284,027	287,831	61,368,373	66,767,289
Kent - - - - - - - - -	118,423	119,646	20,075,960	21,518,884

Note.—The Return for May, 1909, as compared with that for the corresponding month of 1908, shows an increase of 12,069 services, and of 14,720,240 gallons of water supplied daily.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 26. 1909. VOL. LXX.] WEEK ENDED SATURDAY, JULY 3. [Price 1½*d.*

General Register Office, Somerset House,
July 5th, 1909.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 11·8 per 1000 of their aggregate population, which is estimated † at 16,445,281 persons in the middle of this year. In the preceding three weeks the rates had been 12·6, 12·3, and 12·1. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were :—from *all causes*, 16·0 in Sunderland and in Newport (Mon.), 16·1 in Liverpool, 16·5 in Bootle, 17·2 in Salford, 17·3 in Wigan and in Middlesbrough, 19·5 in Coventry, and 19·6 in Swansea; from *measles*, 2·1 in Norwich, 2·3 in Bootle, 2·7 in Newport (Mon.), 2·9 in Wigan, and 4·6 in Coventry; from *scarlet fever*, 1·2 in Gateshead; and from *whooping-cough*, 1·1 in West Ham, 1·2 in Wigan, 1·3 in Southampton, and 1·5 in Middlesbrough. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2331 BIRTHS and 1029 DEATHS were registered. Allowing for increase of population, the births were 154 and the deaths 80 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-five other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(13796—41.) Wt. 109—472. 700. 7/09. D & S. G. 31. Sch. 4. 2 C

causes, which had been 12·2, 11·4, and 12·1 per 1000 in the preceding three weeks, fell last week to 11·1. The death-rate in the four weeks ended last Saturday averaged 11·7 per 1000, being 0·7 per 1000 below the mean rate in the corresponding periods of the five years 1904–8.

The 1029 deaths included 33 from measles, 3 from scarlet fever, 7 from diphtheria, 20 from whooping-cough, 1 from enteric fever, and 10 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia: thus, to these diseases in the aggregate 74 deaths were referred, being 43 below the corrected average number in the twenty-sixth week of the preceding five years.

The deaths from *measles*, which had been 62, 48, and 51 in the preceding three weeks, fell to 33 last week, and were 14 below the corrected average; 4 deaths belonged to the Borough of Battersea, and 3 each to Fulham and Finsbury. The deaths from *scarlet fever*, which had been 10, 10, and 7 in the preceding three weeks, fell to 3 last week, and were 6 below the corrected average. The deaths from *diphtheria*, which had been 7, 6, and 7 in the preceding three weeks, were again 7 last week, the corrected average being 9. The deaths from *whooping-cough*, which had been 21, 18, and 17 in the preceding three weeks, were 20 last week, and were 6 below the corrected average; 3 deaths belonged to Battersea. One death from *enteric fever* was registered last week as compared with 2, 2, and 3 in the preceding three weeks. The deaths from *diarrhœa*, which had been 16, 5, and 17 in the preceding three weeks, were 10 last week, and were 12 below the corrected average. Of the 10 deaths from diarrhœa, 7 were those of children under 5 years of age; 3 other deaths at this age were certified as due to *enteritis* and 3 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 11, having been 13, 6, and 13 in the preceding three weeks. The death of a skin dresser, aged 32 years, was certified, after Coroner's inquest, to be due to *anthrax*.

Different forms of violence caused 45 deaths, concerning all of which inquests were held. Of these 45 deaths, 10 were cases of suicide, while the remaining 35 were attributed to accident or negligence. Eight of these latter were referred to vehicles in the streets, seven to burns or scalds, three to drowning, and five, of infants under one year of age, to suffocation in bed. Two deaths occurred while under anæsthetics administered for surgical purposes.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 2587 cases of scarlet fever, 896 of diphtheria, 2 of typhus, and 58 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 390 cases, against 305, 468, and 368; of diphtheria, 100 cases, against 97, 122, and 126; of typhus, 1 case, against 0, 0, and 0; and of enteric fever, 7 cases, against 8, 14, and 13. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended June 26th, 1909.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 3738 births and 1445 deaths were registered. Allowing for increase of population, these numbers are 121 and 118 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 6 deaths from measles, 3 from scarlet fever, 2 from diphtheria, 3 from whooping-cough, and 2 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·88 inches, and that of the Thermometer 55°·9, the latter being 5°·7 below the week's average in the 65 years ended 1905. The direction of the wind was variable, the horizontal movement of the air being 22 per cent. below the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 37·0 hours; the measured rainfall amounted to 0·44 of an inch.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 3rd July, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1909.*	Death-Rates from all Causes. Week ended 12th June, 1909.	19th June, 1909.	26th June, 1909.	3rd July, 1909.	Rate from Diseases in Cols. 11–17. Week ended 3rd July, 1909.	Registered during the Week ended 3rd July, 1909. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS	**16,445,281**	**12·6**	**12·3**	**12·1**	**11·8**	**1·0**	**3565**	**3733**	**698**	**1127**	**–**	**129**	**32**	**28**	**70**	**13**	**52**	**152**	**338**	**1054**	**33**	**76 TOWNS**
LONDON	4,833,938	12·2	11·4	12·1	11·1	0·8	2331	1029	183	339	–	33	3	7	20	1	10	45	121	444	1	LONDON.
CROYDON	161,078	7·1	6·8	7·4	7·4	1·3	93	23	8	7	–	1	–	–	1	–	2	1	4	7	–	CROYDON.
WILLESDEN ..	160,424	7·2	8·1	5·2	7·2	0·7	75	22	5	7	–	–	–	–	1	1	–	–	1	4	1	WILLESDEN.
HORNSEY	95,628	6·5	6·0	7·6	4·4	–	35	8	–	4	–	–	–	–	–	–	–	–	–	2	–	HORNSEY.
TOTTENHAM ..	129,464	6·4	8·5	7·2	6·4	–	81	16	4	8	–	–	–	–	–	–	–	2	3	3	–	TOTTENHAM.
WEST HAM ..	321,767	9·1	13·0	8·9	12·2	2·4	195	75	27	11	–	4	1	2	7	–	1	1	3	18	–	WEST HAM.
EAST HAM.. ..	149,575	9·1	4·5	5·6	8·7	1·4	74	25	6	7	–	1	–	–	2	–	1	3	3	5	–	EAST HAM.
LEYTON	129,614	8·0	5·6	6·8	10·5	2·0	56	26	4	7	–	2	–	1	2	–	–	–	4	5	–	LEYTON.
WALTHAMSTOW	136,602	7·6	10·7	8·0	7·3	1·1	88	19	4	5	–	2	–	–	1	–	–	2	4	6	–	WALTHAMSTOW.
HASTINGS	68,165	6·1	7·6	10·7	3·8	–	19	5	1	1	–	–	–	–	–	–	–	–	2	1	–	HASTINGS.
BRIGHTON	130,926	10·4	9·2	13·1	10·4	0·8	63	26	1	13	–	–	1	–	–	–	1	3	6	5	–	BRIGHTON.
PORTSMOUTH ..	214,726	10·2	11·9	12·1	10·9	0·7	111	45	9	14	–	–	–	2	–	–	1	1	4	8	1	PORTSMOUTH.
BOURNEMOUTH ..	72,368	10·1	7·2	10·8	10·1	0·7	21	14	4	6	–	1	–	–	–	–	–	–	3	2	–	BOURNEMOUTH.
SOUTHAMPTON ..	124,667	13·8	9·6	10·9	9·6	1·7	71	23	2	9	–	–	–	–	3	1	–	2	2	7	–	SOUTHAMPTON.
READING	82,995	8·8	9·4	11·9	8·2	–	34	13	–	5	–	–	–	–	–	–	–	1	1	7	–	READING.
NORTHAMPTON ..	97,752	11·7	9·6	11·2	7·5	–	46	14	–	6	–	–	–	–	–	–	–	–	–	4	–	NORTHAMPTON.
IPSWICH	74,889	11·8	15·3	4·9	10·4	0·7	38	15	1	5	–	–	–	–	–	1	–	1	1	2	–	IPSWICH.
GREAT YARMOUTH	53,430	8·8	25·4	19·5	12·7	1·0	30	13	3	6	–	–	–	–	–	–	1	1	1	1	–	GREAT YARMOUTH.
NORWICH	124,136	13·9	18·9	12·6	13·4	2·5	54	32	4	13	–	5	–	1	–	–	–	–	1	7	–	NORWICH.
PLYMOUTH	124,180	10·1	12·6	12·2	11·8	0·4	38	28	6	14	–	–	–	–	–	–	1	2	3	3	–	PLYMOUTH.
DEVONPORT	83,103	8·8	9·4	5·6	5·0	–	53	8	2	3	–	–	–	–	–	–	–	1	1	–	–	DEVONPORT.
BRISTOL	377,642	9·4	11·6	9·3	10·9	0·7	147	79	11	26	–	1	–	3	1	–	–	3	6	19	–	BRISTOL.
HANLEY	68,831	19·7	15·2	9·8	9·8	–	56	13	2	3	–	–	–	–	–	–	–	1	1	–	–	HANLEY.
BURTON-ON-TRENT	54,453	9·6	9·6	9·6	8·6	1·0	35	9	3	4	–	–	–	–	1	–	–	–	–	1	–	BURTON-ON-TRENT.
WOLVERHAMPTON..	104,633	16·4	16·9	15·0	11·5	1·0	52	23	3	6	–	2	–	–	–	–	–	–	2	6	–	WOLVERHAMPTON.
WALSALL	99,399	13·1	15·2	10·5	13·1	2·1	58	25	7	6	–	2	–	–	1	–	1	1	2	5	–	WALSALL.
HANDSWORTH ..	70,186	11·1	10·4	11·9	4·5	–	25	6	2	1	–	–	–	–	–	–	–	1	1	–	1	HANDSWORTH.
WEST BROMWICH..	70,457	14·8	12·6	10·4	9·6	1·5	36	13	1	3	–	2	–	–	–	–	–	–	–	1	–	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 3rd July, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1909.*	Death-Rates from all Causes. Week ended 12th June, 1909.	19th June, 1909.	26th June, 1909.	3rd July, 1909.	Rate from Diseases in Cols. 11–17. Week ended 3rd July, 1909.	Registered during the Week ended 3rd July, 1909. Births.	Deaths.	The Deaths registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
BIRMINGHAM ..	563,629	13·2	12·7	11·5	11·5	1·1	296	124	21	30	–	6	1	1	2	–	2	2	2	26	4	BIRMINGHAM.
KINGS NORTON ..	81,632	3·2	6·4	5·7	8·3	1·9	29	13	2	4	–	1	1	1	–	–	–	1	1	2	–	KINGS NORTON.
SMETHWICK	70,377	10·4	9·6	9·6	8·9	0·7	39	12	1	4	–	1	–	–	–	–	–	–	–	–	–	SMETHWICK.
ASTON MANOR ..	85,257	9·2	9·8	11·0	8·6	0·6	37	14	3	4	–	–	1	–	–	–	–	–	1	2	–	ASTON MANOR.
COVENTRY	80,163	17·6	17·6	11·1	19·5	4·6	61	30	6	8	–	7	–	–	–	–	–	2	2	4	2	COVENTRY.
LEICESTER	244,255	7·7	10·5	7·9	9·2	–	99	43	4	17	–	–	–	–	–	–	–	1	2	8	–	LEICESTER.
GRIMSBY	73,036	10·0	8·6	11·4	8·6	–	53	12	5	4	–	–	–	–	–	–	–	–	1	2	–	GRIMSBY.
NOTTINGHAM ..	263,443	13·3	12·3	12·7	12·3	0·2	126	62	14	20	–	1	–	–	–	–	–	3	4	16	–	NOTTINGHAM.
DERBY	129,411	8·9	9·3	10·5	10·5	–	64	26	5	5	–	–	–	–	–	–	–	2	4	8	–	DERBY.
STOCKPORT	103,706	21·1	12·1	13·1	14·1	2·0	60	28	6	9	–	–	1	1	1	–	1	1	2	4	–	STOCKPORT.
BIRKENHEAD ..	121,123	11·6	12·9	15·5	14·6	–	84	34	7	14	–	–	–	–	–	–	–	1	4	2	–	BIRKENHEAD.
WALLASEY	71,004	16·2	9·5	6·6	11·7	0·7	41	16	4	3	–	–	1	–	–	–	–	–	–	1	1	WALLASEY.
LIVERPOOL	760,357	16·3	17·1	16·8	16·1	1·9	492	235	51	58	–	11	4	–	5	2	5	11	15	98	6	LIVERPOOL.
BOOTLE	69,393	6·8	9·0	16·5	16·5	3·8	40	22	2	4	–	3	1	–	–	–	1	2	2	3	–	BOOTLE.
ST. HELENS	95,161	23·6	13·2	12·1	13·7	0·5	51	25	9	6	–	–	–	–	–	–	1	4	5	6	–	ST. HELENS.
WIGAN	90,678	18·4	17·3	13·8	17·3	5·2	64	30	6	4	–	5	1	–	2	–	1	–	1	4	–	WIGAN.
WARRINGTON ..	72,276	23·1	15·9	10·8	13·0	1·4	24	18	5	2	–	–	–	1	1	–	–	–	–	4	1	WARRINGTON.
BOLTON	187,824	11·1	12·5	10·0	11·7	0·3	70	42	6	16	–	–	–	–	1	–	–	–	3	4	–	BOLTON.
BURY	59,234	10·6	14·1	15·8	15·8	0·9	16	18	2	8	–	1	–	–	–	–	–	1	2	3	–	BURY.
MANCHESTER ..	655,435	18·5	14·3	16·2	15·8	2·6	385	198	38	45	–	13	4	2	6	1	7	10	17	67	2	MANCHESTER.
SALFORD	241,950	19·4	17·9	16·6	17·2	2·2	147	80	15	18	–	3	4	1	–	1	1	2	3	19	–	SALFORD.
OLDHAM	143,301	20·7	15·6	19·6	14·2	1·1	75	39	3	11	–	1	–	–	–	–	2	–	–	8	–	OLDHAM.
ROCHDALE	89,653	11·6	19·2	16·9	15·1	0·6	24	26	3	8	–	1	–	–	–	–	–	–	2	3	–	ROCHDALE.
BURNLEY	106,267	9·8	14·2	14·7	13·7	0·5	61	28	5	10	–	–	–	–	–	1	–	–	3	6	–	BURNLEY.
BLACKBURN	136,959	14·1	17·1	10·3	13·3	1·9	66	35	8	9	–	–	–	1	1	1	2	–	2	5	1	BLACKBURN.
PRESTON	118,519	16·3	13·2	13·2	11·4	0·4	57	26	2	10	–	–	–	–	–	–	1	1	1	8	1	PRESTON.
BARROW-IN-FURNESS.	62,996	12·4	12·4	13·2	9·9	–	30	12	2	6	–	–	–	–	–	–	–	2	2	2	–	BARROW-IN-FURNESS.

* See note † on first page of this return.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 3rd July, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1909.*	Death-Rates from all Causes. Week ended 12th June, 1909.	19th June, 1909.	26th June, 1909.	3rd July, 1909.	Rate from Diseases in Cols. 11–17. Week ended 3rd July, 1909.	Registered during the Week ended 3rd July, 1909. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,739	12·7	13·8	12·7	13·2	1·1	41	24	2	10	–	–	–	1	–	–	1	2	2	6	1	HUDDERSFIELD.
HALIFAX	111,911	14·0	16·8	11·2	11·6	0·5	35	25	1	11	–	–	1	–	–	–	–	1	2	3	–	HALIFAX.
BRADFORD	293,983	11·2	11·9	10·3	10·6	0·2	122	60	7	18	–	–	–	–	1	–	–	4	11	13	1	BRADFORD.
LEEDS	484,012	10·2	11·2	12·6	11·5	0·4	236	107	21	28	–	–	1	–	1	2	–	4	12	27	–	LEEDS.
SHEFFIELD	470,958	14·5	12·4	10·9	13·3	0·6	249	120	28	40	–	2	–	–	1	–	2	4	8	31	1	SHEFFIELD.
ROTHERHAM.. ..	65,070	10·4	8·8	10·4	7·2	–	42	9	4	1	–	–	–	–	–	–	–	1	1	2	–	ROTHERHAM.
YORK	87,004	10·8	9·0	10·8	11·4	0·6	41	19	–	6	–	–	–	–	1	–	–	–	–	6	–	YORK.
HULL	275,552	11·2	14·2	13·1	14·2	0·9	160	75	14	21	–	1	2	2	–	–	–	3	10	15	–	HULL.
MIDDLESBROUGH ..	105,255	19·8	17·3	17·3	17·3	2·5	72	55	8	7	–	–	–	–	3	1	1	1	3	3	–	MIDDLESBROUGH.
STOCKTON-ON-TEES	53,417	14·6	9·8	13·7	4·9	–	37	5	2	1	–	–	–	–	–	–	–	–	–	–	–	STOCKTON-ON-TEES.
WEST HARTLEPOOL	79,686	8·5	7·2	9·8	9·2	–	48	14	2	6	–	–	–	–	–	–	–	–	–	1	–	WEST HARTLEPOOL.
SUNDERLAND ..	159,378	15·0	17·0	9·8	16·0	0·7	95	49	8	15	–	2	–	–	–	–	–	3	5	9	2	SUNDERLAND.
SOUTH SHIELDS ..	117,627	14·2	9·3	18·6	14·2	1·3	62	32	7	8	–	2	–	–	1	–	–	1	1	4	–	SOUTH SHIELDS.
GATESHEAD	131,024	9·9	17·1	13·1	14·7	1·6	94	37	8	14	–	1	3	–	–	–	–	–	–	9	5	GATESHEAD.
NEWCASTLE-ON-TYNE.	281,584	11·7	13·7	13·3	11·1	1·3	185	60	14	19	–	2	1	1	2	–	1	2	5	11	–	NEWCASTLE-ON-TYNE.
TYNEMOUTH ..	55,808	12·1	14·9	14·0	14·0	1·9	38	15	5	2	–	2	–	–	–	–	–	–	1	–	–	TYNEMOUTH.
NEWPORT (MON.) ..	78,336	11·3	10·7	12·0	16·0	2·7	44	24	4	6	–	4	–	–	–	–	–	–	2	7	–	NEWPORT (MON.).
CARDIFF	195,303	11·7	11·5	10·1	9·6	0·5	102	36	5	11	–	–	–	–	1	–	1	3	4	9	–	CARDIFF.
RHONDDA	135,894	18·4	11·9	13·8	15·3	1·5	108	40	14	11	–	2	–	–	–	–	2	1	1	1	1	RHONDDA.
MERTHYR TYDFIL..	78,365	12·0	13·3	14·6	10·0	1·3	53	15	2	6	–	1	–	–	–	–	1	1	2	1	–	MERTHYR TYDFIL.
SWANSEA	98,308	14·9	12·7	11·7	19·6	–	75	37	4	10	–	–	–	–	–	–	–	3	7	8	–	SWANSEA.
GREATER LONDON	7,429,740	11·0	10·7	10·9	10·1	0·9	3738	1445	283	474	–	49	7	12	37	2	16	59	153	537	2	GREATER LONDON.
OUTER RING ..	2,595,802	8·6	9·3	8·7	8·4	1·0	1407	416	100	135	–	16	4	5	17	1	6	14	32	93	1	OUTER RING.
8 TOWNS IN OUTER RING.	1,284,152	7·9	8·6	7·3	8·7	1·3	697	214	58	56	–	10	1	3	14	1	4	9	22	50	1	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,311,650	9·3	10·0	10·1	8·0	0·6	710	202	42	79	–	6	3	2	3	–	2	5	10	43	–	REMAINDER OF OUTER RING.
EDINBURGH	355,366	12·6	16·3	11·9	13·6	0·9	143	93	6	36	–	1	1	–	4	–	–	2	?	44	2	EDINBURGH.
GLASGOW	872,021	15·9	16·9	11·8	13·2	1·0	451	221‡	46	43	–	2	2	2	6	–	4	12	?	81	13	GLASGOW.
DUBLIN (Registration Area).†	398,356	18·7	15·7	19·6	18·5	1·7	248	141	31	44	–	2	1	1	4	–	5	2	4	60	–	DUBLIN (Registration Area).†
BELFAST†	386,576	16·1	13·2	14·8	14·4	0·5	190	107	21	25	–	–	–	–	–	1	3	2	6	24	4	BELFAST†

* See note † on first page of this return.

† Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast respectively.
‡ Including 2 deaths from Cerebro-spinal meningitis.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the TWENTY-SIXTH Week of each of the Eleven Years, 1899–1909.

	1899	1900	1901	1902	1903	1904	1905	1906	1907	1908	Corrected Weekly Average in 5 Years 1904–1908.*	1909
TOTAL **Births** -	2441	2483	2478	1980	2528	2514	2490	2386	2251	2497	2485·3	2331
Males - - -	1260	1257	1283	1007	1284	1274	1269	1242	1121	1248	1260·1	1176
Females - -	1181	1226	1195	973	1244	1240	1221	1144	1130	1249	1225·2	1155
TOTAL **Deaths** -	1297	1273	1210	1251	1234	1148	1080	1060	1138	991	1109·1	1029
Males - - -	692	699	643	657	659	604	592	562	593	525	588·8	558
Females - -	605	574	567	594	575	544	488	498	545	466	520·3	471

* The numbers in this column are the average weekly numbers in the Twenty-Sixth week of the five years 1904-1908, raised by 2·375 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Apr. 10.	Apr. 17.	Apr. 24.	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.	13 Weeks.
TOTAL **Births** -	2188	2447	2569	2367	2537	2339	2260	2131	1918	2421	2467	2068	2331	30043
TOTAL **Deaths** -	1470	1606	1393	1300	1304	1216	1295	1240	1072	1135	1060	1125	1029	16245
Ages at Death: Under 1 year -	240	286	245	223	260	209	238	200	185	232	179	189	183	2869
1—5 years -	209	226	179	166	169	130	162	141	129	122	128	115	106	1982
5—20 " -	78	77	72	60	68	74	72	76	54	65	72	68	50	886
20—40 " -	168	175	147	174	143	177	153	161	143	138	137	130	125	1971
40—60 " -	300	296	282	297	253	260	284	257	225	246	219	266	226	3411
60 yrs. & upwds.	475	546	468	380	411	356	386	405	336	332	325	357	339	5126
Deaths from—														
Small-pox† - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles - - -	95	112	72	81	73	53	53	63	47	62	48	51	33	843
Scarlet Fever - -	11	9	8	10	10	11	6	6	8	10	10	7	3	109
Diphtheria - -	16	13	11	8	13	8	16	17	7	7	6	7	7	136
Whooping-cough -	33	53	49	41	35	30	42	35	35	21	18	17	20	429
Typhus - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever - -	2	3	2	1	–	–	6	3	3	2	2	3	1	28
Pyrexia (origin uncertain).	–	–	–	1	–	–	–	–	–	–	–	–	–	1
Diarrhœa, Dysentery	8	9	7	12	13	8	10	16	17	16	5	17	10	148
All above diseases -	165	199	149	154	144	110	133	140	117	118	89	102	74	1694
Dis. of Resp. System	158	157	128	85	76	78	83	82	65	54	68	64	58	1156
Pneumonia - -	152	184	166	147	136	135	131	143	107	98	67	91	100	1657
Phthisis - - -	126	146	98	116	130	131	126	113	107	96	97	122	93	1501
Dis. of Circ. System -	163	192	181	155	156	163	168	168	138	171	161	157	158	2131
Violence - - -	53	58	50	62	59	49	39	44	46	41	48	41	45	635
Inquest Cases - -	137	141	131	146	128	113	118	111	105	109	103	109	121	1572
Deaths in Institutions	616	688	564	608	561	561	579	578	449	489	482	510	444	7129
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	46·9	51·5	52·2	48·6	50·6	48·5	54·9	57·5	54·2	50·2	56·3	55·8	55·9	52·5
Mean of Highest -	59·8	63·0	64·0	58·9	61·0	60·1	68·8	68·6	61·3	58·7	67·3	65·4	66·8	63·4
Mean of Lowest -	33·3	41·1	42·1	40·6	40·2	37·8	39·5	48·4	47·4	42·7	47·8	50·7	47·5	43·0
Mean Humidity of the Air.	58	70	69	69	60	67	66	72	81	84	79	81	80	72
Rain-fall (in inches) -	0·00	0·22	0·72	0·77	0·00	0·11	0·13	0·95	0·94	0·79	0·05	1·45	0·44	6·57
Registered Sunshine (in hours).	83·7	42·2	53·4	64·0	92·4	62·7	75·9	55·9	31·2	25·4	37·4	30·1	37·0	691·3
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	2	1	1	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever - -	2418	2294	2219	2181	2175	2173	2234	2254	2223	2263	2445	2517	2587	2306
Diphtheria - - -	1079	1036	1019	1016	993	990	957	925	905	876	897	915	896	962
Typhus - - -	–	–	–	–	–	–	–	1	1	1	1	1	2	1
Enteric Fever - -	77	75	67	58	56	52	48	50	43	46	56	59	58	57

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lander, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq. F.R.Met.Soc., Hull; the Meteorological Committee, Tynemouth: and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the TWENTY-SIXTH Week of the Year 1909.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 26th week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages: All Ages.	Under 20: 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1109·1	1029	183	106	50	125	226	339
Small-pox*	0·4	-	-	-	-	-	-	-
Cowpox	-	-	-	-	-	-	-	-
Measles (Morbilli)	46·9	33	9	23	1	-	-	-
Scarlet Fever	9·0	3	-	1	2	-	-	-
Typhus	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-
Influenza	5·3	11	-	-	1	-	4	6
Whooping-cough	25·6	20	8	12	-	-	-	-
Diphtheria	9·4	7	-	5	2	-	-	-
Cerebro-spinal Fever ..	-	-	-	-	-	-	-	-
Pyrexia† (origin uncertain)	-	-	-	-	-	-	-	-
Enteric Fever	3·9	1	-	-	-	1	-	-
Asiatic Cholera	-	-	-	-	-	-	-	-
Epidemic Diarrhœa, Infective Enteritis	11·3	6	4	1	-	-	1	-
Diarrhœa, Dysentery ..	10·6	4	2	-	-	-	1	1
Tetanus	0·6	-	-	-	-	-	-	-
Rabies, Hydrophobia ..	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever)..	-	1	-	-	-	1	-	-
Venereal Dis.	6·1	6	4	1	-	-	1	-
Puerperal Septicæmia ..	2·7	2	-	-	-	2	-	-
Puerperal Pyæmia.. .	0·2	-	-	-	-	-	-	-
Puerperal Fever	0·4	1	-	-	-	1	-	-
Infective Endocarditis ..	2·0	3	-	-	1	2	-	-
Pneumonia: Lobar ..	10·9	27	2	3	-	8	6	8
Pneumonia: Broncho ..	33·8	32	14	11	-	-	3	4
Pneumonia: Epidemic ..	-	-	-	-	-	-	-	-
Pneumonia: Not defined	45·5	41	4	9	3	4	10	11
Erysipelas	3·3	2	-	-	-	-	1	1
Septicæmia (not Puerperal)	1·8	5	-	-	1	2	2	-
Pyæmia (not Puerperal)	0·6	1	-	-	-	-	-	1
Other Infective Processes	3·7	3	-	-	-	1	-	2
Tuberculous Phthisis ..	66·5	72	-	2	8	28	25	9
"Phthisis"	48·3	21	-	-	1	9	8	3
Tuberculous Meningitis ..	20·5	9	1	6	1	1	-	-
Tuberculous Peritonitis ..	6·8	4	1	2	-	-	1	-
Tabes Mesenterica	1·0	-	-	-	-	-	-	-
Tuberculous Dis., Other ..	14·3	15	4	4	5	-	1	1
Scrofula..	-	-	-	-	-	-	-	-
Alcoholism	7·2	8	-	-	-	4	2	2
Rheumatic Fever	4·5	5	-	-	1	3	-	1
Gout	1·8	1	-	-	-	1	-	-
Carcinoma	54·3	54	-	-	-	5	23	26
Sarcoma	6·1	5	-	-	1	1	3	-
Cancer (undefined) ..	30·3	35	-	-	-	2	6	27
Diabetes Mellitus	8·6	5	-	-	-	1	4	-
Premature Birth	42·2	39	39	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 26th week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages: All Ages.	Under 20: 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)..	12·1	6	3	-	1	1	-	1
Gen. Par. of Insane, Insanity	13·5	12	-	-	-	1	7	4
Epilepsy	5·1	6	-	-	-	3	1	2
Convulsions	14·7	17	16	1	-	-	-	-
Locomotor Ataxy.. ..	1·8	2	-	-	-	-	2	-
Paraplegia, Dis. of Cord.	4·3	7	-	-	-	-	4	3
Nervous Sys., Other Dis.	15·4	16	-	1	1	2	5	7
Valv. Dis., Endocarditis..	37·7	44	-	-	6	9	10	19
Cereb. Hæm. Cereb. Emb.	28·7	24	-	-	-	2	5	17
Apoplexy, Hemiplegia ..	12·9	8	-	-	-	1	-	7
Aneurysm	3·1	9	-	-	1	1	4	3
Embolism, Thrombosis (not Cerebral) ..	1·2	2	-	-	-	-	1	1
Heart & Blood Ves., Other Dis... ..	74·3	71	-	2	2	4	18	45
Croup (not Spasm: nor Memb.)	-	-	-	-	-	-	-	-
Bronchitis	37·1	46	6	2	-	-	9	29
Emphysema, Asthma ..	1·2	2	-	-	-	-	1	1
Pleurisy	3·5	7	-	3	-	-	2	2
Respiratory Dis., Other..	7·6	3	-	1	-	-	-	2
Tonsillitis, Quinsy.. ..	1·0	1	-	-	-	-	-	1
Enteritis (not Epid.) ..	7·4	5	3	-	-	2	-	-
Gastro-enteritis	4·7	3	2	1	-	-	-	-
Peritonitis (not Puerp.) ..	1·6	2	-	-	-	-	1	1
Cirrhosis of Liver.. ..	11·3	8	-	-	-	-	5	3
Liver Dis., Other	4·9	4	-	-	-	1	1	2
Digestive Sys., Other Dis.	32·1	38	4	4	3	7	10	10
Acute Nephritis	6·1	7	-	1	1	-	1	4
Bright's Dis., Albuminuria	33·8	18	-	-	-	3	9	6
Urinary Sys., Other Dis.	8·6	13	-	-	-	1	4	8
Generative Organs Dis...	3·1	4	-	-	-	2	2	-
Childbirth (Accid. of) ..	3·1	5	-	-	-	3	2	-
Old Age	38·1	43	-	-	-	-	-	43
Other Diseases	71·9	69	49	4	3	1	7	5
ACCIDENT.								
By Railways	1·2	-	-	-	-	-	-	-
By Vehicles and Horses..	8·2	8	-	-	1	-	3	4
In Ships, Boats, Docks, (exclusive of Drowning)	0·6	-	-	-	-	-	-	-
In Building Operations..	0·6	1	-	-	-	-	1	-
In Conflagrations	0·6	-	-	-	-	-	-	-
By Burns, Scalds, Explosions	4·1	7	-	5	-	-	1	1
By Drowning	6·6	3	-	-	-	1	2	-
By Suffocation in Bed ..	4·9	5	5	-	-	-	-	-
By Poisons or Poisonous Vapours	4·1	1	-	-	-	1	-	-
Other Deaths by Accident..	15·6	10	3	1	1	-	2	3
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	0·8	-	-	-	-	-	-	-
Suicide	13·5	10	-	-	2	2	4	2
Execution	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 3rd July, 1909.

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexiat* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified causes of Death.
LONDON	4,536,267	2331	1029	183	339	-	33	3	7	20	-	1	-	10	45	121	444	1
WEST DISTRICTS	805,311	324	187	25	67	-	7	2	2	1	-	1	-	3	12	18	85	-
NORTH DISTRICTS	1,055,908	478	193	35	71	-	8	-	1	4	-	-	-	1	3	17	68	1
CENTRAL DISTRICTS	209,465	111	53	9	16	-	1	-	-	2	-	-	-	-	7	9	32	-
EAST DISTRICTS	715,739	428	201	50	47	-	6	-	1	3	-	-	-	3	10	37	98	-
SOUTH DISTRICTS	1,749,844	990	367	64	124	-	11	1	3	8	-	-	-	3	13	40	133	-
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	28	-	14	-	-	-	-	2	-	-	-	-	-	-	28	-
WEST DISTRICTS.																		
North Paddington *H*	63,603	38	8	1	5	-	-	-	-	-	-	-	-	-	-	-	-	-
Central Paddington *W*,3*H*	50,053	22	13	-	4	-	-	-	-	-	-	-	-	-	2	3	10	-
South Paddington	30,320	7	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town 2*W*,*w*,2*H* ..	128,037	45	30	4	14	-	2	-	-	-	-	-	-	-	1	2	10	-
Brompton 2*H*	48,591	8	6	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
North Hammersmith 2*W*,*w*,*H* ..	49,192	33	17	2	7	-	1	-	-	-	-	-	-	-	-	-	8	-
South Hammersmith *w*,2*H* ..	63,047	28	13	4	3	-	1	-	-	1	-	-	-	1	4	4	2	-
North-west Fulham *W*	45,180	34	15	7	4	-	2	-	-	-	-	-	-	2	-	-	10	-
North-east Fulham *F*	46,405	21	15	-	8	-	1	2	2	-	-	1	-	-	-	1	6	-
South Fulham *W*	45,704	24	6	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Chelsea North *W*,*w*,3*H*	42,514	10	11	-	4	-	-	-	-	-	-	-	-	-	-	-	10	-
Chelsea South *W*,2*H*	31,328	15	5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Mayfair and Knightsbridge	28,743	2	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave *W*,2*H*	55,815	16	24	-	5	-	-	-	-	-	-	-	-	-	4	6	16	-
St. Margaret & St. John 6*H*	43,698	13	18	4	5	-	-	-	-	-	-	-	-	-	-	-	11	-
St. James and St. Anne *W*,6*H* ..	33,031	8	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-
NORTH DISTRICTS.																		
All Souls Marylebone 7*H*	35,391	15	12	2	6	-	-	-	-	-	-	-	-	-	2	2	4	-
St. Mary Marylebone *W*,4*H* ..	37,948	31	3	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Christchurch Marylebone	39,536	15	5	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
St. John Marylebone 2*H*	20,426	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
Hampstead *W*,*F*,6*H*	81,942	24	16	4	5	-	1	-	1	1	-	-	-	-	-	-	6	-
West St. Pancras 2*H*	60,562	16	9	1	3	-	-	-	-	-	-	-	-	-	-	-	2	-
South St. Pancras *w*,10*H*	55,707	18	16	2	4	-	-	-	-	1	-	-	-	-	-	1	9	-
East St. Pancras *W*,*H*	60,320	24	10	-	7	-	-	-	-	-	-	-	-	-	-	-	6	-
North St. Pancras 2*W*	58,728	23	11	3	5	-	2	-	-	1	-	-	-	-	-	1	5	-
Tufnell *W*	31,995	13	11	3	4	-	-	-	-	-	-	-	-	-	-	-	6	-
Upper Holloway 2*W*,*w*,*H*	33,978	26	15	-	2	-	2	-	-	-	-	-	-	-	-	-	11	1
Tollington *W*,*w*,*H*	33,922	19	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Lower Holloway	41,424	20	3	3	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Barnsbury	54,478	28	11	2	4	-	-	-	-	1	-	-	-	-	-	3	-	-
Islington South-east *F*	75,397	43	8	2	2	-	1	-	-	-	-	-	-	-	1	3	-	-
Highbury 2*H*	63,797	26	9	-	7	-	-	-	-	-	-	-	-	-	-	-	2	-
Stoke Newington *H*	51,247	20	3	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-
North Hackney	50,398	17	8	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Central Hackney *w*,*F*	50,536	28	3	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
South-west Hackney 3*H*	59,921	29	11	1	4	-	-	-	-	-	-	-	-	-	-	1	2	-
South-east Hackney 2*W*,*H*	58,255	37	17	4	6	-	-	-	-	-	-	-	-	1	-	3	10	-
Hackney Union Workhouse, Brentwood	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 3rd July, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
St. Giles and Bloomsbury 2*W*,2*H* ..	31,436	20	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Strand *W*,4*H*	21,674	2	7	2	2	-	-	-	-	-	-	-	-	-	2	2	6	-
Strand Union Workhouse, Edmonton	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Holborn *W*,5*H*	29,612	20	15	4	3	-	-	-	-	1	-	-	-	-	-	-	10	-
Clerkenwell *H*	63,704	33	5	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
St. Luke 3*H*,*L*	36,116	34	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Holborn Union Workhouse, Mitcham	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
St. Botolph *H*	10,299	1	4	-	3	-	-	-	-	-	-	-	-	-	-	1	-	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	1	17	1	3	-	-	-	-	1	-	-	-	-	5	6	13	-
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
Shoreditch South 2*H*	46,362	16	8	3	-	-	2	-	-	1	-	-	-	-	-	3	-	-
Shoreditch North-West *W*,*w*,*H* ..	36,127	19	8	1	5	-	-	-	-	-	-	-	-	-	-	-	6	-
Shoreditch North-East	36,148	16	5	1	1	-	-	-	-	-	-	-	-	-	2	2	-	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	47	35	4	10	-	-	-	-	1	-	-	-	-	1	4	21	-
Bethnal Green South-West *H* ..	64,542	46	10	3	4	-	-	-	-	1	-	-	-	1	1	1	1	-
Spitalfields..	27,969	11	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Mile End New Town *W*,*H*	28,718	21	38	4	3	-	-	-	-	-	-	-	-	-	3	7	37	-
Goodman's Fields	22,081	7	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
St. George and St. John 2*W* ..	49,068	27	14	4	5	-	-	-	-	-	-	-	-	1	-	2	5	-
Shadwell and Ratcliff *w*,*H* ..	25,568	10	8	1	1	-	-	-	1	-	-	-	-	-	-	2	3	-
Limehouse *W*	32,369	19	7	3	3	-	-	-	-	-	-	-	-	-	-	3	-	-
Mile End Old Town South-Western *H*	63,698	43	10	5	1	-	-	-	-	-	-	-	-	-	-	2	1	-
Mile End Old Town North-Eastern *W*,*w*	49,129	25	15	6	6	-	1	-	-	-	-	-	-	1	-	2	9	-
Bow	41,989	34	7	4	-	-	-	-	-	-	-	-	-	-	1	3	-	-
Bromley 3*w*,*H*	68,319	49	24	6	4	-	2	-	-	-	-	-	-	-	1	3	13	-
Poplar *W*,*w*	58,514	38	7	4	2	-	1	-	-	-	-	-	-	-	1	2	1	-
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 3rd July, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus	Enteric (or Typhoid) Fever.	Pyrexia (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch and St. Saviour Southwark *W,2H*	23,319	10	10	1	2	-	-	-	-	-	-	-	-	-	2	3	9	-
Kent-road	21,904	15	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George the Martyr West *W,2H,L*	39,094	21	9	1	2	-	-	-	-	-	-	-	-	1	1	2	4	-
Newington North	49,022	36	10	3	3	-	-	-	-	-	-	-	-	-	-	2	-	-
Newington South *W*	72,841	46	8	-	6	-	-	-	-	-	-	-	-	-	-	4	1	-
St. Olave *2W*	9,817	6	2	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-
Bermondsey *W*	82,483	47	15	6	3	-	-	-	-	-	-	-	-	1	1	1	-	-
Rotherhithe *W,F*	38,460	26	12	2	2	-	-	-	-	1	-	-	-	-	-	2	7	-
Waterloo *2H*	27,440	28	5	3	1	-	-	-	-	-	-	-	-	-	1	1	3	-
Lambeth Church *H*	27,440	14	16	-	1	-	1	-	1	-	-	-	-	-	2	3	14	-
Kennington *2W*	52,518	30	13	2	5	-	-	-	-	-	-	-	-	-	-	2	7	-
Stockwell *HF*	63,826	44	9	1	2	-	2	-	-	-	-	-	-	-	1	1	1	-
Brixton *H*	73,673	39	9	2	4	-	-	-	-	-	-	-	-	-	-	1	1	-
Norwood *2WH*	56,998	23	7	1	3	-	-	-	-	1	-	-	-	-	-	-	-	-
East Battersea *H*	72,203	43	9	1	3	-	2	-	-	1	-	-	-	-	-	1	-	-
North-west Battersea	49,656	21	10	4	1	-	2	-	-	2	-	-	-	-	-	1	-	-
South-west Battersea *2W,H* ..	47,048	17	29	1	11	-	2	-	-	-	-	-	-	-	-	-	21	-
Clapham *2H*	51,361	28	11	4	2	-	-	-	-	1	-	-	-	-	-	-	1	-
Streatham *W,2w,2F,2L*	88,019	49	23	3	12	-	-	-	1	-	-	-	-	-	-	1	7	-
Springfield *2W,L*	27,959	17	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Southfields *H*	40,444	24	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Putney	24,139	12	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich	13,359	3	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	28	29	3	18	-	-	-	-	-	-	-	-	1	1	4	22	-
Camberwell North *W,2L*	65,584	43	16	3	5	-	-	-	-	1	-	-	-	-	2	3	7	-
St. George	47,331	26	3	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Peckham North	48,913	28	9	1	1	-	-	-	-	1	-	-	-	-	-	2	-	-
Peckham South *2W,w*	43,946	18	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Deptford North	37,613	23	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Deptford Central *F*	45,481	36	8	4	2	-	-	-	1	-	-	-	-	-	-	-	1	-
Deptford South	34,625	24	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *H*	23,456	7	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich East *2W,H*	43,859	19	12	3	4	-	-	-	-	-	-	-	-	-	-	1	9	-
Eltham *w,H*	7,226	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *w,H*	25,490	8	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham *2W,w,F*	58,352	49	18	5	5	-	-	1	-	-	-	-	-	-	-	-	7	-
Sydenham *H*	43,653	17	6	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Charlton *F,2H*	21,134	4	5	1	2	-	-	-	-	-	-	-	-	-	-	1	2	-
Woolwich *5H*	41,625	27	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead West *W,H*	39,376	14	7	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Plumstead East *2W*	28,951	13	10	1	4	-	2	-	-	-	-	-	-	-	1	1	8	-
Workhouses:—																		
Belmont Workhouse	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.) ..	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Small-pox Hospitals:—																		
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																		
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																		
Children's Infirmary, Carshalton..	—	-	2	-	-	-	-	-	-	2	-	-	-	-	-	-	2	-
M. A. B. Imbecile Asylums:—																		
Caterham	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4	-
Darenth	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
London County Lunatic Asylums:—																		
Banstead	—	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	3	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Manor	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Grove	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4	-
Cane Hill	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Dartford Heath	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Hanwell	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4	-
Colney Hatch	—	-	5	-	4	-	-	-	-	-	-	-	-	-	-	-	5	-
Claybury	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERATED POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 3rd July, 1909.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING ..	368,603	2,045,135	1407	416	100	135	-	16	4	5	17	1	6	14	32	93	1
30 : 1	Carshalton 2F,3H	12,228	32,997	21	4	2	1	-	-	-	-	-	-	1	-	-	-	-
2	Epsom, *part of** W,w,2F,H ..	10,423	15,548	7	6	2	1	-	-	-	-	-	-	-	-	-	1	-
37 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38 : 1	Coulsdon	11,069	8,166	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w,H ..	4,200	49,309	24	6	1	1	-	-	-	-	1	-	1	-	-	-	-
3	West Croydon 3W,F,H ..	2,168	42,888	42	16	5	8	-	-	-	-	-	-	-	1	4	9	-
4	North Croydon H	2,614	41,698	27	5	2	1	-	1	-	-	-	-	1	-	-	2	-
5	Penge w	770	22,465	8	2	1	1	-	-	-	-	-	-	-	-	-	-	-
6	Mitcham w	11,711	30,015	31	4	2	2	-	-	-	-	-	-	-	-	-	-	-
39 : 1	Wimbledon F,3H	3,221	41,652	25	8	1	6	-	-	-	-	-	-	-	1	1	1	-
2	Kingston 2W,H	6,224	42,068	33	8	1	3	-	-	1	-	-	-	-	-	-	4	-
3	Surbiton F,H	3,046	15,017	10	4	2	2	-	-	-	-	-	-	1	-	-	-	-
4	Esher, *part of** H	5,402	13,100	14	5	-	2	-	1	-	-	-	-	-	-	-	-	-
5	Hampton H,F,L	4,564	23,456	12	1	-	1	-	-	-	-	-	-	-	-	-	-	-
40 : 1	Richmond W,H	2,491	31,672	13	2	-	2	-	-	-	-	-	-	-	-	-	-	-
2	Mortlake F	2,518	17,821	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41 : 1	Bromley F,3H	4,703	27,354	16	6	2	3	-	-	-	-	-	-	-	1	-	-	-
2	Beckenham H	7,825	28,497	15	3	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Orpington, *part of** W,F ..	10,113	9,857	10	3	1	1	-	-	-	-	-	-	-	-	-	3	-
4	Chislehurst 2H	7,333	16,446	7	2	1	1	-	-	-	-	-	-	-	-	-	-	-
42 : 1	Bexley w,F,H	8,678	21,151	7	4	1	1	-	-	-	1	-	-	-	-	2	1	-
2	Erith F,H	3,854	25,296	12	2	1	1	-	-	-	-	-	-	-	-	-	-	-
3	Dartford W,F, *part of** ..	—	—	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-
124 : 1	Sunbury w	11,054	18,683	22	4	2	1	-	-	-	-	1	-	-	-	-	1	-
2	Staines W,H	13,277	15,178	12	2	-	1	-	-	-	-	-	-	-	-	-	1	-
125 : 1	Hillingdon W,F,H	6,035	13,661	6	4	3	1	-	-	-	-	1	-	-	-	-	-	-
2	Uxbridge H	12,757	8,984	6	3	-	1	-	-	-	-	-	-	-	-	-	1	-
3	Hayes w 2F,H	8,066	16,358	14	6	3	2	-	-	-	-	-	-	-	1	1	1	-
126 : 1	Isleworth 3W,3F,H	6,859	30,863	24	14	1	5	-	-	-	-	-	-	-	-	-	5	-
2	Twickenham F,2H	2,421	20,991	13	2	-	1	-	-	-	-	-	-	-	1	1	-	-
3	Brentford 3F,2H	4,319	48,239	36	9	3	4	-	-	1	-	-	-	-	-	-	1	-
4	Chiswick H	1,249	29,809	19	7	1	2	-	-	-	-	-	-	-	-	-	-	-
5	Acton w,F,3H	6,132	48,914	28	9	3	3	-	-	-	-	1	-	-	-	-	-	-
127 : 1	Harrow F,H	13,809	25,523	22	3	-	1	-	-	-	-	-	-	-	-	-	1	-
2	Edgware 2F,2H	6,994	4,521	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden W,F,2H	4,384	114,811	75	22	5	7	-	-	-	-	1	1	-	-	1	4	1
4	Hendon W,F	8,382	22,450	15	2	-	1	-	-	-	-	-	-	-	-	-	-	-
128 : 1	South Mimms 2F,H ..	17,755	7,308	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,970	9	2	-	-	-	1	-	-	-	-	-	-	-	-	-
3	Finchley F,3H	4,683	33,692	17	4	2	1	-	1	-	-	-	-	-	-	1	-	-
129 : 1	Hornsey F,H	2,875	72,056	35	7	-	2	-	-	1	-	-	-	-	-	-	1	-
2	Wood Green H	1,625	34,233	26	4	-	2	-	-	-	-	-	-	-	-	-	-	-
3	West Tottenham	995	48,741	39	5	2	2	-	-	-	-	-	-	-	-	1	-	-
4	East Tottenham 2H ..	2,019	53,962	42	11	2	5	-	-	-	-	-	-	-	2	2	3	-
5	Edmonton W,w,2F	7,491	61,892	54	10	-	5	-	-	-	-	-	-	-	-	-	5	-
6	Enfield 2W,F,H	12,601	42,738	28	12	2	4	-	-	-	-	-	-	-	-	-	2	-
7	Waltham Abbey F	11,017	6,549	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-
135 : 1	Hatfield, *part of** W ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey, *part of*†* H ..	9,195	7,051	6	5	2	1	-	-	-	-	-	-	-	1	1	-	-
2	Watford, *part of*†* W,2F ..	138	2,122	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
186 : 1	Stratford H	1,091	52,974	41	15	5	1	-	2	-	-	3	-	-	-	-	-	-
2	Forest Gate	787	52,745	31	9	4	3	-	-	-	-	2	-	-	-	-	-	-
3	Plaistow F,2H	1,249	90,921	59	23	9	4	-	-	1	2	-	-	-	1	2	5	-
4	Canning Town H	1,556	70,718	64	15	8	1	-	1	-	-	1	-	-	-	1	-	-
5	South East Ham 2F ..	1,991	37,342	33	9	1	3	-	1	-	-	2	-	1	1	1	-	-
6	North East Ham w,H ..	1,333	58,666	41	11	5	3	-	-	-	-	-	-	-	2	2	-	-
7	Wanstead F	1,679	9,179	7	3	1	1	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	21	8	-	4	-	1	-	-	-	-	-	-	2	1	-
9	North Leyton 2W,w,F ..	1,963	48,445	35	34	5	5	-	3	-	1	3	-	1	-	2	20	-
10	Walthamstow 2H,L ..	6,504	108,929	95	17	5	5	-	2	-	-	1	-	-	1	3	1	-
187 : 1	Chigwell 2F,3H	11,778	16,397	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Epping W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189 : 1	Romford, *part of** W,2F ..	6,556	6,091	7	4	-	3	-	-	-	-	-	-	-	-	-	3	-
2	Ilford F,L	8,496	41,244	37	12	-	5	-	-	-	1	-	-	-	1	1	6	-
3	Barking Town F	3,805	21,547	15	4	1	-	-	2	-	-	-	-	-	-	-	-	-
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
	Surrey County Lunatic Asylum, Betchworth.	—	—	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-
	Essex County Lunatic Asylum, Brentwood	—	—	-	5	-	2	-	-	-	-	-	-	-	1	1	5	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30 : 2, excepting Ashtead parish; 37 : 1, Warlingham and Farley parishes; 39 : 4, excepting Esher parish; 41 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135 : 1, Northaw parish; 137 : 1, excepting the part in Watford Rural parish; 137 : 2, Oxhey parish; 189 : 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42 : 3, 137 : 2 and 187 : 2 and in the Croydon Mental Hospital in 37 : 1 are also included. † Boundaries altered, 1 July, 1909.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths.	Annual Death-rate per 1000 living.	Deaths from Small-pox	Measles.	Scarlet Fever	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON - -	4,833,938	July 3	2331	1029	11·1	-	33	3	7	20	1	10
CALCUTTA - -	1,014,438	June 5	-	452	23·8	18	-	-	-	-	139†	83‡
BOMBAY - -	982,000	„ 8	306	545	29·0	10	-	-	-	-	111†	43‡
MADRAS - -	548,974	„ 4	342	465	47·4	3	6	?	?	?	149	56‡
PARIS - - -	2,760,000	„ 26	919	781	14·9	-	19	3	2	4	3	26
BRUSSELS - -	704,975	„ 26	202	177	13·1	-	5	3	4	-	3	8
ANTWERP - -	310,903	„ 26	90	66	11·0	-	4	2	1	-	-	4
AMSTERDAM -	565,920	„ 26	-	-	-	-	-	-	-	-	-	-
COPENHAGEN -	448,000	„ 26	235	123	14·3	-	1	1	1	1	-	5
STOCKHOLM -	339,582	„ 19	156	104	15·9	-	1	-	1	1	-	3
CHRISTIANIA -	235,674	„ 26	109	70	15·4	-	-	1	-	4	-	1
ST. PETERSBURG	1,573,000	„ 19	698	750	24·9	8	30	10	15	10	10	107‡
MOSCOW - -	1,452,100	„ 19	-	685	24·6	13	34	11	12	3	7	111
BERLIN - -	2,100,754	„ 12	820	592	14·7	-	14	14	9	10	-	34
HAMBURG - -	872,252	„ 26	-	239	14·2	-	-	6	9	6	-	18
BRESLAU - -	502,676	„ 19	-	190	19·7	-	1	-	-	3	-	29
MUNICH - -	566,000	„ 19	-	178	16·4	-	2	-	2	3	-	21
VIENNA - -	2,064,037	„ 26	866	615	15·5	-	10	8	5	5	1	35
PRAGUE - -	485,057	„ 19	182	202	21·6	-	4	5	1	2	1	9
BUDAPEST - -	823,215	„ 19	454	303	19·1	-	5	1	1	2	3	15
TRIESTE - -	217,706	„ 26	153	90	21·5	-	7	2	1	2	-	1
ROME - - -	565,323	March 20	258	271	25·0	-	11	-	-	2	1§	6
VENICE - -	179,286	June 5	-	-	-	-	-	-	-	-	-	-
BUCAREST - -	296,585	„ 19	-	-	-	-	-	-	-	-	-	-
NEW YORK -	4,564,792	„ 12	2425	1263	14·4	-	39	27	32	7	4	49
CHICAGO - -	2,224,490	„ 12	-	544	12·7	-	11	7	15	2	3	46
PHILADELPHIA -	1,565,569	„ 5	-	437	14·5	-	5	2	10	3	7	19
RIO DE JANEIRO	637,089	May 30	-	245	20·0	1	-	-	-	-	1†	?
CAIRO:—												
Egyptians -	666,587	„ 20	552	1201	93·7	4	149	1	3	?	20	373
Foreigners -	35,219	„ 20	16	51	75·3	-	1	-	-	?	2	15
ALEXANDRIA:—												
Egyptians -	341,965	„ 20	242	311	47·3	-	20	13	3	?	4	81
Foreigners -	46,118	„ 20	35	17	19·2	-	-	3	-	?	1	4

* Excluding deaths from croup in the Indian Cities.
† Including 77 deaths from plague in Calcutta, 56 in Bombay, and 1 in Rio de Janeiro.
‡ Including 61 deaths from cholera in Calcutta, 11 in Bombay, 1 in Madras, and 52 in St. Petersburg.
§ Malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 3rd July, 1909.

Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	75·6	44·6	57·2	0·44	BRADFORD - -	71·0	41·0	54·5	0·48
BRIGHTON - -	64·2	44·9	55·3	0·18	YORK - - -	70·0	44·0	56·2	0·14
PORTSMOUTH - -	69·5	45·0	56·6	0·19	HULL - - -	72·0	46·0	56·7	0·26
NORWICH - -	74·8	47·6	56·9	0·44	TYNEMOUTH - -	70·0	39·0	53·0	0·48
PLYMOUTH -	69·0	43·8	58·2	0·02	CARDIFF - - -	70·9	42·5	56·0	0·39
BRISTOL - - -	71·2	43·7	56·8	0·15	EDINBURGH - -	66·5	42·3	52·8	0·17
BIRMINGHAM - -	70·3	44·5	55·4	0·26	GLASGOW - -	68·8	43·0	57·4	0·41
NOTTINGHAM - -	70·1	44·2	56·0	0·15	DUBLIN { Phœnix Park.	71·2	38·8	55·6	0·66
LIVERPOOL OBSERVATORY.	74·0	47·0	57·5	0·49	DUBLIN { Fitzwilliam Square.†	73·2	44·8	58·0	0·59
MANCHESTER -	72·9	42·8	56·2	0·44					
BURNLEY - -	71·0	40·0	54·7	0·62					
HUDDERSFIELD -	73·0	39·5	54·7	1·07	BELFAST - - -	69·2	45·0	55·0	0·31

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to the seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1·9 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 3rd July, 1909.

[*Under the Superintendence of the Astronomer Royal.*]

1909. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
JUNE.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 27	..	29·743	61·0	47·5	13·5	52·3	− 9·3	49·5	2·8	11·4	0·2	90	103·9	28·7	[illegible]	W., calm & variable.	SW., WSW. & variable.	0·2	0·0	0·0	116	−128	0·36	0·0
MONDAY - 28	..	29·804	67·1	44·6	22·5	56·1	− 5·5	48·3	7·8	16·6	0·9	75	124·1	32·6	55·79	SSW., SW. & WSW.	SW.	0·6	0·0	0·0	156	− 88	0·00	0·0
TUESDAY - 29	..	29·720	65·1	50·3	14·8	55·2	− 6·4	50·7	4·5	15·7	1·0	85	119·0	42·0	55·62	SW., calm & NE.	NE., calm & N.	3·0	0·0	0·0	153	− 91	0·03	0·0
WEDNESDAY 30	..	29·849	61·0	48·2	12·8	53·3	− 8·2	47·1	6·2	13·1	2·2	[illegible]	105·6	40·0	55·71	N., NW. & NNW.	NNW. & N.	1·6	0·0	0·1	246	+ 2	0·00	0·5
JULY. THURSDAY - 1	..	30·022	65·0	45·6	19·4	53·5	− 8·0	48·7	4·8	13·7	1·7	84	116·1	39·0	55·79	NNW.	NNW., N. & NNE.	1·8	0·0	0·1	259	+ 12	0·00	1·5
FRIDAY - 2	..	30·065	72·9	46·2	26·7	57·8	− 3·8	51·2	6·6	18·4	1·1	79	135·6	39·0	55·82	NNE., N. & NNW.	Variable, SE. & S.	1·0	0·0	0·0	144	−106	0·00	0·0
SATURDAY - 3	Full. Gr. Dec. S.	29·939	75·6	50·3	25·3	63·4	+ 1·6	51·3	12·1	21·4	2·9	65	138·0	40·0	55·97	S., SSW. & SW.	SW.	2·3	0·0	0·2	281	+ 27	0·00	6·0
MEANS - -		29·877	66·8	47·5	19·3	55·9	− 5·7	49·5	6·4	15·8	1·4	80	120·3	37·3	55·80	SW. & N.		..	..	..	Sum 1355	Sum −372	Sum 0·44	1·1
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. JUNE.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	General Remarks.
SUNDAY - 27	v. N. and v. P. till 2h. A.M.; w. P. till noon; v. P. and m. N. till 6h. P.M.; w. P. afterwards.	0·4	16·5	Generally overcast; frequent rain till 5h. P.M.
MONDAY - 28	w. P. throughout.	4·9	16·5	Fine generally with cloudy intervals till afternoon; then overcast with slight exceptions.
TUESDAY - 29	w. P. till 11h. A.M.; v. P. and v. N. till 6h. P.M.; w. P. afterwards.	2·0	16·5	Generally overcast with occasional showers till 7h. P.M.; fine and partially cloudy afterwards; frequent thunder between 11h. 20m. and 11h. 30m. A.M.
WEDNESDAY 30	w. P. throughout.	4·4	16·5	Generally overcast till 3h. P.M.; very fine afterwards.
JULY. THURSDAY - 1	w. P. throughout.	4·3	16·5	Generally overcast till 2h. P.M.: very fine generally afterwards and nearly cloudless at night.
FRIDAY - 2	w. P. throughout.	8·5	16·5	Very fine; variably cloudy.
SATURDAY - 3	w. P. throughout.	12·5	16·5	Very fine till 6h. P.M.; fine and partially cloudy afterwards.
		Sum 37·0	Sum 115·5	
No. of Col. - -	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·73 in. at the beginning of the week to 29·82 in. by 9h. A.M. on June 28th; decreased to 29·70 in. by 3h. P.M. on June 29th; increased to 30·09 in. by 9h. A.M. on July 2nd; and decreased to 29·85 in. by midnight on July 3rd.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 26th June, 1909.*

BOROUGHS.	Estimated Population in the middle of 1909.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	151,955	-	16	7	-	2	-	-	1	-	-
Kensington	183,683	-	14	2	-	2	-	-	2	-	-
Hammersmith	125,704	-	12	7	-	-	-	-	-	2	-
Fulham	176,406	-	11	6	-	1	-	-	3	-	-
Chelsea	75,249	-	21	4	-	-	-	-	-	-	-
City of Westminster ..	168,883	-	37	2	-	-	-	-	6	-	-
NORTH.											
St. Marylebone	126,027	-	18	3	-	-	-	-	5	-	-
Hampstead	94,185	-	-	-	-	-	-	-	-	-	-
St. Pancras	237,422	-	19	6	-	2	-	-	4	-	-
Islington	351,202	-	28	7	-	3	-	-	3	1	-
Stoke Newington	54,423	-	-	-	-	-	-	-	-	-	-
Hackney	237,601	-	18	5	-	2	-	-	1	-	-
CENTRAL.											
Holborn	53,802	-	1	3	-	-	-	-	1	-	-
Finsbury	95,289	-	3	3	-	1	-	-	-	-	-
City of London	18,193	-	1	1	-	-	-	-	-	-	-
EAST.											
Shoreditch	114,802	-	11	9	-	-	-	-	[illegible]	-	-
Bethnal Green	131,316	-	11	2	-	1	-	-	8	-	1
Stepney	312,525	-	27	12	-	-	-	-	8	-	-
Poplar	171,965	-	15	2	-	1	-	-	3	-	-
SOUTH.											
Southwark	211,125	-	13	3	-	-	-	-	3	-	-
Bermondsey	127,569	-	17	2	-	1	-	-	1	-	-
Lambeth	324,188	-	28	7	-	-	-	-	3	1	1
Battersea	186,036	-	16	14	-	3	-	-	5	1	-
Wandsworth	297,646	-	28	4	-	1	-	-	2	-	1
Camberwell	283,022	-	16	3	-	-	-	-	4	-	-
Deptford	118,583	-	4	7	-	-	-	-	2	-	-
Greenwich	111,014	-	13	5	-	1	-	-	1	-	-
Lewisham	160,749	-	12	6	-	-	-	-	1	-	-
Woolwich	133,374	-	35	6	-	-	-	-	1	1	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,833,938	-	445	138	-	21	-	-	70	6	3
Ages 0–1		-	6	4	-	-	-	-	3	-	1
„ 1–5		-	104	56	-	3	-	-	4	-	1
„ 5–		-	198	33	-	2	-	-	-	-	-
„ 10–		-	68	18	-	-	-	-	5	-	-
„ 15–		-	24	15	-	4	-	-	3	-	-
„ 20–		-	16	4	-	3	-	-	1	2	1
„ 25–		-	20	6	-	5	-	-	7	3	-
„ 35–		-	8	1	-	4	-	-	9	1	-
„ 45–		-	-	1	-	-	-	-	19	-	-
„ 55–		-	1	-	-	-	-	-	10	-	-
„ 65 and upwards		-	-	-	-	-	-	-	9	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY DARLING & SON, LTD., 34-40 BACON STREET, E.

1909.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 27. 1909. VOL. LXX.] WEEK ENDED SATURDAY, JULY 10. [Price 1½*d.*

General Register Office, Somerset House,
July 12th, 1909.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 11·8 per 1000 of their aggregate population, which is estimated † at 16,445,281 persons in the middle of this year. In the preceding three weeks the rates had been 12·3, 12·1, and 11·8. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were :—from *all causes*, 15·2 in Warrington, 15·3 in Oldham, 15·4 in Liverpool and in Swansea, 15·7 in Rhondda, 15·9 in Newcastle on Tyne, 16·8 in Middlesbrough and in Tynemouth, 16·9 in Wolverhampton, and 17·4 in Hanley; from *measles*, 1·6 in St. Helens, 2·6 in Walsall, 3·0 in West Bromwich, 4·6 in Coventry, and 5·0 in Wolverhampton; from *whooping-cough*, 1·1 in Huddersfield, 1·2 in Derby, and 1·5 in Middlesbrough; and from *diarrhœa*, 1·3 in Birkenhead. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2236 BIRTHS and 1110 DEATHS were registered. Allowing for increase of population, the births were 267 below, and the deaths 11 above, the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-five other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(13855—41.) Wt. 109—472. 700. 7/09. D & S. G. 31. Sch. 4. 2 D

causes, which had been 11·4, 12·1, and 11·1 per 1000 in the preceding three weeks, was last week 12·0. The death-rate in the four weeks ended last Saturday averaged 11·7 per 1000, being 0·5 per 1000 below the mean rate in the corresponding periods of the five years 1904–8.

The 1110 deaths included 40 from measles, 9 from scarlet fever, 7 from diphtheria, 19 from whooping-cough, 1 from enteric fever, and 14 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia: thus, to these diseases in the aggregate 90 deaths were referred, being 20 below the corrected average number in the twenty-seventh week of the preceding five years.

The deaths from *measles*, which had been 48, 51, and 33 in the preceding three weeks, were 40 last week, and were 4 above the corrected average; 5 deaths belonged to the Borough of Kensington, and 4 each to Fulham and Finsbury. The deaths from *scarlet fever*, which had been 10, 7, and 3 in the preceding three weeks, were 9 last week, and were 3 below the corrected average. The deaths from *diphtheria*, which had been 6, 7, and 7 in the preceding three weeks, were again 7 last week, the corrected average being 8. The deaths from *whooping-cough*, which had been 18, 17, and 20 in the preceding three weeks, were 19 last week, and were 3 below the corrected average. One death from *enteric fever* was registered last week as compared with 2, 3, and 1 in the preceding three weeks, the corrected average being 4. The deaths from *diarrhœa*, which had been 5, 17, and 10 in the preceding three weeks, were 14 last week, and were 14 below the corrected average; 3 deaths belonged to Fulham. Of the 14 deaths from diarrhœa, 13 were those of children under 5 years of age; 4 other deaths at this age were certified as due to *enteritis* and 5 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 7, having been 6, 13, and 11 in the preceding three weeks.

Different forms of violence caused 56 deaths, concerning all of which inquests were held. Of these 56 deaths, 12 were cases of suicide, and 2 of homicide, while the remaining 42 were attributed to accident or negligence. Seven of these latter were referred to vehicles in the streets, three to burns or scalds, six to drowning, and four, of infants under one year of age, to suffocation in bed. One death occurred while under an anæsthetic administered for surgical purposes.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 2647 cases of scarlet fever, 901 of diphtheria, 1 of typhus, and 58 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 371 cases, against 468, 368, and 390; of diphtheria, 111 cases, against 122, 126, and 100; and of enteric fever, 5 cases, against 14, 13, and 7. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended July 3rd, 1909.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 3464 births and 1553 deaths were registered. Allowing for increase of population, these numbers are 452 below and 5 above the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 11 deaths from measles, 2 from scarlet fever, 1 from diphtheria, 4 from whooping-cough, 1 from "fever," and 1 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·64 inches, and that of the Thermometer 58°·5, the latter being 3°·8 below the week's average in the 65 years ended 1905. The general direction of the wind was Westerly, the horizontal movement of the air being 21 per cent. above the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 31·2 hours; the measured rainfall amounted to 0·99 of an inch.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 10th July, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1909.*	Death-Rates from all Causes. Week ended 19th June, 1909.	26th June, 1909.	3rd July, 1909.	10th July, 1909.	Rate from Diseases in Cols. 11-17. Week ended 10th July, 1909.	Registered during the Week ended 10th July, 1909. Births.	Deaths.	The Deaths registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS	**16,445,281**	**12·3**	**12·1**	**11·8**	**11·8**	**1·1**	**7786**	**3711**	**725**	**1061**	**–**	**138**	**39**	**32**	**59**	**9**	**64**	**155**	**321**	**1109**	**28**	**76 TOWNS.**
LONDON	4,833,938	11·4	12·1	11·1	12·0	1·0	2236	1110‡	188	351	–	40	9	7	19	1	14	56	114	507	–	LONDON.
CROYDON	161,078	6·8	7·4	7·4	10·0	1·3	68	31	5	14	–	–	2	1	–	–	1	–	4	8	–	CROYDON.
WILLESDEN ..	160,424	8·1	5·2	7·2	5·2	1·0	66	16	3	7	–	–	2	–	1	–	–	1	1	3	–	WILLESDEN.
HORNSEY	95,628	6·0	7·6	4·4	4·9	–	27	9	1	2	–	–	–	–	–	–	–	–	–	–	–	HORNSEY.
TOTTENHAM ..	129,464	8·5	7·2	6·4	5·6	0·4	72	14	4	4	–	–	–	1	–	–	–	1	1	4	–	TOTTENHAM.
WEST HAM ..	321,767	13·0	8·9	12·2	10·5	1·6	157	65	19	12	–	4	1	1	3	–	1	6	10	10	–	WEST HAM.
EAST HAM.. ..	149,575	4·5	5·6	8·7	7·3	1·0	83	21	5	5	–	–	–	1	1	–	1	1	2	5	–	EAST HAM.
LEYTON	129,614	5·6	6·8	10·5	10·5	1·6	38	26	8	11	–	1	–	1	2	–	–	1	5	4	–	LEYTON.
WALTHAMSTOW	136,602	10·7	8·0	7·3	7·6	1·5	74	20	8	3	–	2	1	1	–	–	–	–	2	8	–	WALTHAMSTOW.
HASTINGS	68,165	7·6	10·7	3·8	11·5	–	19	15	–	10	–	–	–	–	–	–	–	–	–	5	–	HASTINGS.
BRIGHTON	130,926	9·2	13·1	10·4	11·9	1·2	66	30	4	5	–	–	–	2	1	–	–	4	5	10	–	BRIGHTON.
PORTSMOUTH ..	214,726	11·9	12·1	10·9	10·7	0·5	96	44	6	13	–	–	–	1	–	1	–	–	2	11	–	PORTSMOUTH.
BOURNEMOUTH ..	72,368	7·2	10·8	10·1	10·8	–	29	15	4	6	–	–	–	–	–	–	–	–	–	3	–	BOURNEMOUTH.
SOUTHAMPTON ..	124,667	9·6	10·9	9·6	8·4	0·8	53	20	3	5	–	–	–	2	–	–	–	–	1	9	–	SOUTHAMPTON.
READING	82,995	9·4	11·9	8·2	6·9	–	32	11	3	4	–	–	–	–	–	–	–	1	1	3	2	READING.
NORTHAMPTON ..	97,752	9·6	11·2	7·5	10·1	1·1	42	19	5	6	–	–	–	–	–	–	2	–	–	3	–	NORTHAMPTON.
IPSWICH	74,889	15·3	4·9	10·4	9·7	–	33	14	–	4	–	–	–	–	–	–	–	1	2	2	–	IPSWICH.
GREAT YARMOUTH	53,430	25·4	19·5	12·7	13·7	–	21	14	4	5	–	–	–	–	–	–	–	–	2	4	–	GREAT YARMOUTH.
NORWICH	124,136	18·9	12·6	13·4	10·1	1·7	54	24	4	8	–	3	–	1	–	–	–	–	–	6	1	NORWICH.
PLYMOUTH	124,180	12·6	12·2	11·8	10·5	0·8	59	25	4	9	–	–	–	1	–	–	1	–	1	4	–	PLYMOUTH.
DEVONPORT	83,103	9·4	5·6	5·0	8·8	0·6	35	14	4	5	–	–	–	–	–	–	1	1	1	1	–	DEVONPORT.
BRISTOL	377,642	11·6	9·3	10·9	11·3	0·7	134	82	12	29	–	2	–	–	2	–	1	10	13	21	–	BRISTOL.
HANLEY	68,831	15·2	9·8	9·8	17·4	0·8	49	23	11	5	–	–	–	–	–	–	1	–	1	4	1	HANLEY.
BURTON-ON-TRENT	54,453	9·6	9·6	8·6	5·7	–	22	6	–	2	–	–	–	–	–	–	–	–	1	1	–	BURTON-ON-TRENT.
WOLVERHAMPTON..	104,633	16·9	15·0	11·5	16·9	5·0	42	34	4	5	–	10	–	–	–	–	–	1	2	4	–	WOLVERHAMPTON.
WALSALL	99,399	15·2	10·5	13·1	8·9	3·1	50	17	1	6	–	5	–	–	1	–	–	–	1	1	–	WALSALL.
HANDSWORTH ..	70,186	10·4	11·9	4·5	8·9	1·5	26	12	2	3	–	–	1	–	1	–	–	1	1	3	–	HANDSWORTH.
WEST BROMWICH..	70,457	12·6	10·4	9·6	12·6	3·0	56	17	1	4	–	4	–	–	–	–	–	2	2	2	–	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

‡ Including 1 death from Cerebro-spinal fever.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 10th July, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1909.*	Death-Rates from all Causes. Week ended 19th June, 1909.	26th June 1909.	3rd July, 1909.	10th July, 1909.	Rate from Diseases in Cols. 11-17. Week ended 10th July, 1909.	Registered during the Week ended 10th July, 1909. Births.	Deaths.	The Deaths registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
BIRMINGHAM ..	563,629	12·7	11·5	11·5	10·7	1·0	224	116	26	55	-	6	1	2	-	-	2	5	5	39	5	BIRMINGHAM.
KINGS NORTON ..	81,632	6·4	5·7	8·3	4·5	-	34	7	1	2	-	-	-	-	-	-	-	-	-	-	-	KINGS NORTON.
SMETHWICK	70,377	9·6	9·6	8·9	8·2	0·7	25	11	1	4	-	-	-	-	-	-	1	2	3	-	-	SMETHWICK.
ASTON MANOR ..	85,257	9·8	11·0	8·6	8·6	-	32	14	2	4	-	-	-	-	-	-	-	-	-	2	-	ASTON MANOR.
COVENTRY	80,163	17·6	11·1	19·5	14·3	4·6	43	22	4	5	-	7	-	-	-	-	-	-	1	4	1	COVENTRY.
LEICESTER	244,255	10·5	7·9	9·2	7·5	0·4	110	35	4	14	-	-	1	-	-	-	1	2	2	4	-	LEICESTER.
GRIMSBY	73,036	8·6	11·4	8·6	11·4	0·7	39	16	-	7	-	-	-	1	-	-	-	1	1	4	-	GRIMSBY.
NOTTINGHAM ..	263,443	12·3	12·7	12·3	12·5	1·0	111	63	10	22	-	5	-	-	-	-	-	5	5	20	-	NOTTINGHAM.
DERBY	129,411	9·3	10·5	10·5	12·1	2·0	76	30	5	9	-	-	-	-	3	-	2	2	5	9	-	DERBY.
STOCKPORT	103,706	12·1	13·1	14·1	11·1	-	54	22	4	5	-	-	-	-	-	-	-	1	1	2	-	STOCKPORT.
BIRKENHEAD ..	121,123	12·9	15·5	14·6	12·1	1·7	63	28	11	3	-	1	-	-	-	-	3	1	3	7	-	BIRKENHEAD.
WALLASEY	71,004	9·5	6·6	11·7	11·0	1·5	24	15	1	3	-	1	1	-	-	-	-	1	2	3	-	WALLASEY.
LIVERPOOL	760,357	17·1	16·8	16·1	15·4	1·6	394	224	49	42	-	12	4	1	1	2	4	5	12	86	6	LIVERPOOL.
BOOTLE	69,393	9·0	16·5	16·5	12·0	2·3	27	16	3	-	-	1	1	-	-	-	1	-	-	3	-	BOOTLE.
ST. HELENS	95,161	13·2	12·1	13·7	13·2	3·3	56	24	5	5	-	3	1	-	1	1	-	-	-	4	1	ST. HELENS.
WIGAN	90,678	17·3	13·8	17·3	13·8	0·6	49	24	8	7	-	-	-	-	-	-	1	-	-	2	-	WIGAN.
WARRINGTON ..	72,276	15·9	10·8	13·0	15·2	0·7	54	21	5	8	-	-	-	1	-	-	-	-	-	6	-	WARRINGTON.
BOLTON	187,824	12·5	10·0	11·7	12·2	0·6	115	44	13	11	-	1	-	-	-	1	-	1	5	5	1	BOLTON.
BURY	59,234	14·1	15·8	15·8	9·7	1·8	21	11	1	4	-	-	-	1	-	-	1	-	-	1	-	BURY.
MANCHESTER ..	655,435	14·3	16·2	15·8	14·5	1·3	309	182	28	46	-	7	4	2	2	-	1	9	14	54	1	MANCHESTER.
SALFORD	241,950	17·9	16·6	17·2	14·2	3·0	109	66	14	13	-	6	4	1	-	1	2	2	4	22	-	SALFORD.
OLDHAM	143,301	15·6	19·6	14·2	15·3	0·7	69	42	5	15	-	-	-	-	-	-	2	1	1	4	-	OLDHAM.
ROCHDALE	89,653	19·2	16·9	15·1	12·2	-	46	21	5	7	-	-	-	-	-	-	-	-	1	2	1	ROCHDALE.
BURNLEY	106,267	14·2	14·7	13·7	9·8	1·0	42	20	5	4	-	-	1	-	1	-	-	1	2	6	-	BURNLEY.
BLACKBURN	136,959	17·1	10·3	13·3	11·8	1·1	58	31	8	7	-	1	-	-	-	-	2	2	2	3	-	BLACKBURN.
PRESTON	118,519	13·2	13·2	11·4	14·1	0·4	63	32	7	11	-	-	-	-	1	-	-	1	1	6	1	PRESTON.
BARROW-IN-FURNESS.	62,996	12·4	13·2	9·9	8·3	-	42	10	4	3	-	-	-	-	-	-	-	-	-	-	-	BARROW-IN-FURNESS

* See note † on first page of this return.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 10th July, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 19th June, 1909.	26th June, 1909.	3rd July, 1909.	10th July, 1909.	Rate from Diseases in Cols. 11-17. Week ended 10th July, 1909.	Registered during the Week ended 10th July, 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,739	13·8	12·7	13·2	14·9	1·7	49	27	8	4	–	–	–	1	2	–	–	–	2	6	1	HUDDERSFIELD.
HALIFAX	111,911	16·8	11·2	11·6	10·3	0·5	47	22	3	7	–	–	–	–	–	–	1	1	2	8	1	HALIFAX.
BRADFORD	293,983	11·9	10·3	10·6	12·1	0·9	103	68	12	20	–	1	–	–	1	–	3	1	9	14	–	BRADFORD.
LEEDS	484,012	11·2	12·6	11·5	11·0	0·6	200	102	22	36	–	–	–	–	3	1	2	4	11	17	–	LEEDS.
SHEFFIELD	470,958	12·4	10·9	13·3	12·2	0·6	244	110	26	35	–	1	–	–	–	–	4	2	9	30	–	SHEFFIELD.
ROTHERHAM.. ..	65,070	8·8	10·4	7·2	10·4	–	41	13	1	5	–	–	–	–	–	–	–	–	–	4	–	ROTHERHAM.
YORK	87,004	9·0	10·8	11·4	12·6	1·2	40	21	6	4	–	1	1	–	–	–	–	1	3	2	–	YORK.
HULL	275,552	14·2	13·1	14·2	11·9	0·8	157	63	16	11	–	1	–	1	1	–	1	2	4	15	1	HULL.
MIDDLESBROUGH ..	105,255	17·3	17·3	17·3	16·8	2·0	67	34	9	7	–	–	–	–	3	–	1	–	3	6	–	MIDDLESBROUGH.
STOCKTON-ON-TEES	53,417	9·8	13·7	4·9	6·8	1·0	22	7	–	4	–	1	–	–	–	–	–	–	–	–	–	STOCKTON-ON-TEES.
WEST HARTLEPOOL	79,686	7·2	9·8	9·2	8·5	1·3	31	13	1	7	–	–	–	–	1	–	1	–	–	1	–	WEST HARTLEPOOL.
SUNDERLAND ..	159,378	17·0	9·8	16·0	11·5	0·7	95	35	5	9	–	–	1	1	–	–	–	1	2	10	2	SUNDERLAND.
SOUTH SHIELDS ..	117,627	9·3	18·6	14·2	12·0	1·8	50	27	6	7	–	2	1	–	1	–	–	1	1	5	1	SOUTH SHIELDS.
GATESHEAD	131,024	17·1	13·1	14·7	13·1	0·8	84	33	9	4	–	1	–	–	1	–	–	3	3	4	–	GATESHEAD.
NEWCASTLE-ON-TYNE.	281,584	13·7	13·3	11·1	15·9	1·9	151	86	19	24	–	3	2	–	3	1	1	2	11	19	–	NEWCASTLE-ON-TYNE.
TYNEMOUTH ..	55,808	14·9	14·0	14·0	16·8	0·9	45	18	4	7	–	–	–	–	–	–	1	1	2	3	–	TYNEMOUTH.
NEWPORT (MON.) ..	78,336	10·7	12·0	16·0	8·7	0·7	41	13	6	3	–	1	–	–	–	–	–	–	2	3	–	NEWPORT (MON.).
CARDIFF	195,303	11·5	10·1	9·6	10·9	0·3	88	41	6	12	–	–	–	–	1	–	–	3	6	11	–	CARDIFF.
RHONDDA	135,894	11·9	13·8	15·3	15·7	1·9	95	41	13	7	–	2	–	–	1	–	2	2	2	4	1	RHONDDA.
MERTHYR TYDFIL..	78,365	13·3	14·6	10·0	8·7	1·3	48	13	4	3	–	2	–	–	–	–	–	1	2	1	–	MERTHYR TYDFIL.
SWANSEA	98,308	12·7	11·7	19·6	15·4	1·1	60	29	7	6	–	–	–	–	1	–	1	1	2	2	–	SWANSEA.
GREATER LONDON	7,429,740	10·7	10·9	10·1	10·9	1·0	3464	1553	280	502	–	58	17	14	30	2	18	79	161	593	–	GREATER LONDON.
OUTER RING ..	2,595,802	9·3	8·7	8·4	8·9	1·0	1228	443	92	151	–	18	8	7	11	1	4	23	47	86	–	OUTER RING.
8 TOWNS IN OUTER RING.	1,284,152	8·6	7·3	8·7	8·2	1·2	585	202	53	58	–	7	6	6	7	–	3	10	25	42	–	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,311,650	10·0	10·1	8·0	9·6	0·8	643	241	39	93	–	11	2	1	4	1	1	13	22	44	–	REMAINDER OF OUTER RING.
EDINBURGH	355,366	16·3	11·9	13·6	13·8	0·9	135	94	11	32	–	–	–	1	4	–	1	3	?	31	6	EDINBURGH.
GLASGOW	872,021	16·9	11·8	13·2	12·2	0·9	428	204	38	50	–	2	2	1	5	–	5	13	?	77	4	GLASGOW.
DUBLIN (Registration Area).†	398,356	15·7	19·6	18·5	15·6	0·4	184	119	21	32	–	–	–	1	–	–	2	2	3	49	–	DUBLIN (Registration Area).†
BELFAST†	386,576	13·2	14·8	14·4	13·9	1·8	218	103‡	18	24	–	–	–	–	8	1	4	3	6	28	1	BELFAST†

* See note † on first page of this return.

† Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast respectively.
‡ Including 1 death from Cerebro-spinal meningitis.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the TWENTY-SEVENTH Week of each of the Eleven Years, 1899–1909.

	1899	1900	1901	1902	1903	1904	1905	1906	1907	1908	Corrected Weekly Average in 5 Years 1904–1908.*	1909
TOTAL **Births** -	2484	2466	2413	2663	2597	2526	2509	2496	2309	2386	2503·3	2236
Males - - -	1247	1263	1287	1363	1290	1271	1277	1268	1164	1208	1267·0	1146
Females - -	1237	1203	1126	1300	1307	1255	1232	1228	1145	1178	1236·3	1090
TOTAL **Deaths** -	1310	1191	1256	1325	1176	1154	1006	1113	1089	1007	1099·3	1110
Males - - -	705	665	646	705	635	610	541	595	580	509	580·5	565
Females - -	605	526	610	620	541	544	465	518	509	498	518·8	545

* The numbers in this column are the average weekly numbers in the Twenty-Seventh week of the five years 1904-1908, raised by 2·375 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Apr. 17.	Apr. 24.	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	13 Weeks.
TOTAL **Births** -	2447	2569	2367	2537	2339	2260	2131	1918	2421	2167	2068	2331	2236	50091
TOTAL **Deaths** -	1606	1393	1300	1304	1216	1295	1240	1072	1135	1060	1125	1029	1110	15885
Ages at Death: Under 1 year -	286	245	223	260	209	238	200	185	232	179	189	183	188	2817
1—5 years -	226	179	166	169	130	162	141	129	122	128	115	106	138	1911
5—20 " -	77	72	60	68	74	72	76	54	65	72	68	50	48	856
20—40 " -	175	147	174	143	177	153	161	143	138	137	130	125	144	1947
40—60 " -	296	282	297	253	260	284	257	225	246	219	266	226	241	3352
60 yrs. & upwds.	546	468	380	411	366	386	405	336	332	325	357	339	351	5002
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	112	72	81	73	53	53	63	47	62	48	51	33	40	788
Scarlet Fever - -	9	8	10	10	11	6	6	8	10	10	7	3	9	107
Diphtheria - -	13	11	8	13	8	16	17	7	7	6	7	7	7	127
Whooping-cough -	53	49	41	35	30	42	35	35	21	18	17	20	19	415
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	3	2	1	-	-	6	3	3	2	2	3	1	1	27
Pyrexia (origin uncertain).	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Diarrhœa, Dysentery	9	7	12	13	8	10	16	17	16	5	17	10	14	154
All above diseases -	199	149	154	144	110	133	140	117	118	89	102	74	90	1619
Dis. of Resp. System	157	128	85	76	78	83	82	65	54	68	64	58	60	1058
Pneumonia - -	184	166	147	136	135	131	143	107	98	67	91	100	94	1599
Phthisis - - -	146	98	116	130	131	126	113	107	96	97	122	93	112	1487
Dis. of Circ. System -	192	181	155	156	163	168	168	138	171	161	157	158	164	2132
Violence - - -	58	50	62	59	49	39	44	46	41	48	41	45	56	638
Inquest Cases - -	141	131	146	128	113	118	111	105	109	103	109	121	114	1549
Deaths in Institutions	688	564	608	561	561	579	578	449	489	482	510	444	507	7020
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	51·5	52·2	48·6	50·6	48·5	54·9	57·5	54·2	50·2	56·3	55·8	55·9	58·5	53·4
Mean of Highest -	63·0	64·0	58·9	61·0	60·1	68·8	68·6	61·3	58·7	67·3	65·4	66·8	65·5	64·0
Mean of Lowest -	41·1	42·1	40·6	40·2	37·8	39·5	48·4	47·4	42·7	47·8	50·7	47·5	51·1	44·4
Mean Humidity of the Air.	70	69	69	60	67	66	72	81	84	79	81	80	77	73
Rain-fall (in inches) -	0·22	0·72	0·77	0·00	0·11	0·13	0·95	0·94	0·79	0·05	1·45	0·44	0·99	7·56
Registered Sunshine (in hours).	42·2	53·4	64·0	92·4	62·7	75·9	55·9	31·2	25·4	37·4	30·1	37·0	31·2	638·8
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - -	2294	2219	2181	2175	2173	2234	2254	2223	2263	2415	2517	2587	2647	2324
Diphtheria - - -	1036	1019	1016	993	990	957	925	905	876	897	915	896	901	948
Typhus - - -	-	-	-	-	-	-	1	1	1	1	1	2	1	1
Enteric Fever - -	75	67	58	56	52	48	50	43	46	56	59	58	58	56

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office :—The Astronomer Royal, Greenwich ; D. Forbes, Esq., M.D., Brighton ; A. Mearns Fraser, Esq., M.D., Portsmouth ; A. W. Preston, Esq., F.R.Met.Soc., Norwich ; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth ; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol ; A. Cresswell, Esq., Edgbaston, Birmingham ; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham ; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool ; F. Gore, Esq., Prestwich, Manchester ; Thos. Holt, Esq., M.D., Burnley ; J. Firth, Esq., Huddersfield ; H. Lander, Esq., Bradford ; Oxley Grabham, Esq., M.A., York ; H. B. Witty, Esq , F.R.Met.Soc., Hull ; the Meteorological Committee, Tynemouth ; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the TWENTY-SEVENTH Week of the Year 1909.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 27th week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages: ALL AGES.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1099·3	1110	188	138	48	144	241	351
Small-pox*	–	–	–	–	–	–	–	–
Cowpox	–	–	–	–	–	–	–	–
Measles (Morbilli)	36·2	40	5	34	1	–	–	–
Scarlet Fever	12·1	9	1	2	5	1	–	–
Typhus	–	–	–	–	–	–	–	–
Plague	–	–	–	–	–	–	–	–
Influenza	6·1	7	–	–	–	–	2	5
Whooping-cough	21·5	19	11	7	1	–	–	–
Diphtheria	8·2	7	–	7	–	–	–	–
Cerebro-spinal Fever ..	–	1	–	1	–	–	–	–
Pyrexia† (origin uncertain)	0·2	–	–	–	–	–	–	–
Enteric Fever	3·9	1	–	1	–	–	–	–
Asiatic Cholera	–	–	–	–	–	–	–	–
Epidemic Diarrhœa, Infective Enteritis	13·1	7	5	2	–	–	–	–
Diarrhœa, Dysentery ..	14·7	7	5	1	–	1	–	–
Tetanus	0·2	–	–	–	–	–	–	–
Rabies, Hydrophobia ..	–	–	–	–	–	–	–	–
Glanders	–	–	–	–	–	–	–	–
Anthrax (Splenic Fever)..	–	–	–	–	–	–	–	–
Venereal Dis.	4·9	6	4	–	–	2	–	–
Puerperal Septicæmia ..	2·9	2	–	–	–	2	–	–
Puerperal Pyæmia.. .	0·4	1	–	–	–	1	–	–
Puerperal Fever	–	–	–	–	–	–	–	–
Infective Endocarditis ..	3·3	2	–	–	–	2	–	–
Pneumonia: Lobar ..	10·4	16	–	1	2	1	7	5
Pneumonia: Broncho ..	33·2	42	13	16	–	3	4	6
Pneumonia: Epidemic ..	–	–	–	–	–	–	–	–
Pneumonia: Not defined	36·0	36	5	10	2	4	9	6
Erysipelas	2·3	4	–	–	–	–	2	2
Septicæmia (not Puerperal)	0·4	2	–	–	–	1	1	–
Pyæmia (not Puerperal)	0·8	2	1	–	–	1	–	–
Other Infective Processes	5·1	8	3	2	–	2	–	1
Tuberculous Phthisis ..	70·8	79	–	2	4	38	32	3
"*Phthisis*"	44·6	33	–	1	3	10	14	5
Tuberculous Meningitis ..	20·9	19	1	14	4	–	–	–
Tuberculous Peritonitis ..	8·6	5	1	2	1	–	–	1
Tabes Mesenterica	2·3	–	–	–	–	–	–	–
Tuberculous Dis., Other ..	15·6	16	1	3	3	4	3	2
Scrofula..	–	–	–	–	–	–	–	–
Alcoholism	10·6	6	–	–	–	3	2	1
Rheumatic Fever	3·9	1	–	–	–	–	1	–
Gout	1·2	2	–	–	–	–	1	1
Carcinoma	52·2	61	–	–	–	4	25	32
Sarcoma	7·6	8	–	–	–	1	6	1
Cancer (undefined) ..	31·3	35	–	–	–	2	18	15
Diabetes Mellitus	7·8	8	–	–	1	2	1	4
Premature Birth	43·8	44	44	–	–	–	–	–

CAUSES OF DEATH.	Corrected Average for the 27th week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages: ALL AGES.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)..	13·9	11	3	7	1	–	–	–
Gen. Par. of Insane, Insanity	9·8	8	–	–	–	–	4	4
Epilepsy	5·1	9	1	–	1	2	4	1
Convulsions	16·4	12	11	1	–	–	–	–
Locomotor Ataxy.. ..	1·2	–	–	–	–	–	–	–
Paraplegia, Dis. of Cord.	3·7	4	–	–	–	1	3	–
Nervous Sys., Other Dis.	12·7	16	–	3	1	3	3	6
Valv. Dis., Endocarditis..	36·0	42	–	1	3	15	5	18
Cereb. Hæm. Cereb. Emb.	34·0	32	1	–	–	1	9	21
Apoplexy, Hemiplegia ..	14·3	10	–	–	–	–	4	6
Aneurysm	4·3	5	–	–	–	2	3	–
Embolism, Thrombosis (not Cerebral) ..	1·0	4	–	1	–	1	–	2
Heart & Blood Ves., Other Dis... ..	70·4	71	–	–	3	6	11	51
Croup (not Spasm: nor Memb.)	0·2	–	–	–	–	–	–	–
Bronchitis	34·4	47	8	2	–	1	8	28
Emphysema, Asthma ..	2·9	2	–	–	–	–	–	2
Pleurisy	2·7	4	–	–	–	1	1	2
Respiratory Dis., Other..	5·3	7	–	1	1	–	3	2
Tonsillitis, Quinsy.. ..	0·6	–	–	–	–	–	–	–
Enteritis (not Epid.) ..	12·3	7	2	2	–	1	–	2
Gastro-enteritis	4·5	9	4	1	–	1	1	2
Peritonitis (not Puerp.) ..	2·5	2	1	–	–	–	–	1
Cirrhosis of Liver.. ..	10·4	10	–	–	–	1	5	4
Liver Dis., Other	5·3	7	2	–	–	–	1	4
Digestive Sys., Other Dis.	35·6	28	1	3	1	1	8	14
Acute Nephritis	7·2	8	–	–	1	5	2	–
Bright's Dis., Albuminuria	30·3	32	–	2	–	1	13	16
Urinary Sys., Other Dis.	8·8	10	–	–	1	1	1	7
Generative Organs Dis...	3·5	4	–	–	–	1	1	2
Childbirth (Accid. of) ..	3·1	–	–	–	–	–	–	–
Old Age	38·5	44	–	–	–	–	–	44
Other Diseases	77·2	73	48	3	4	6	5	7
ACCIDENT.								
By Railways	0·8	2	–	–	–	1	1	–
By Vehicles and Horses..	7·2	7	–	3	–	–	2	2
In Ships, Boats, Docks, (exclusive of Drowning)	0·6	–	–	–	–	–	–	–
In Building Operations..	1·6	1	–	–	–	–	1	–
In Conflagrations	0·4	–	–	–	–	–	–	–
By Burns, Scalds, Explosions	1·4	3	–	1	–	1	–	1
By Drowning	5·9	6	–	–	3	2	1	–
By Suffocation in Bed ..	5·5	4	4	–	–	–	–	–
By Poisons or Poisonous Vapours	1·4	2	–	–	–	2	–	–
Other Deaths by Accident..	16·4	17	2	1	1	1	2	10
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	1·6	2	–	–	–	–	1	1
Suicide	11·3	12	–	–	–	1	10	1
Execution	–	–	–	–	–	–	–	–

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 10th July, 1909.

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia† (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified causes of Death.
LONDON	4,536,267	2236	1110	188	351	–	40	9	7	19	–	1	–	14	56	114	507	–
WEST DISTRICTS	805,311	339	191	33	64	–	11	1	1	8	–	–	–	4	11	18	95	–
NORTH DISTRICTS	1,055,908	504	243	37	79	–	8	1	1	3	–	–	–	1	16	26	87	–
CENTRAL DISTRICTS	209,465	110	68	16	13	–	3	–	–	1	–	1	–	1	4	9	38	–
EAST DISTRICTS	715,739	400	186	41	51	–	8	–	1	3	–	–	–	2	11	25	112	–
SOUTH DISTRICTS	1,749,844	883	381	61	133	–	10	6	4	4	–	–	–	5	13	35	134	–
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	–	41	–	11	–	–	1	–	–	–	–	–	1	1	1	41	–
WEST DISTRICTS.																		
North Paddington *H*	63,603	26	10	2	4	–	–	–	–	1	–	–	–	–	1	2	–	–
Central Paddington *W,3H*	50,053	24	16	4	4	–	–	–	–	–	–	–	–	–	1	1	13	–
South Paddington	30,320	8	4	–	3	–	–	–	–	–	–	–	–	–	1	1	–	–
Kensington Town *2W,w,2H* ..	128,037	67	45	4	17	–	5	–	–	1	–	–	–	–	1	1	29	–
Brompton *2H*	48,591	10	6	–	4	–	–	–	–	–	–	–	–	–	–	–	–	–
North Hammersmith *2W,w,H* ..	49,192	28	12	1	7	–	1	–	–	2	–	–	–	–	–	2	5	–
South Hammersmith *w,2H* ..	63,047	23	9	1	3	–	1	–	–	–	–	–	–	1	1	1	4	–
North-west Fulham *W*	45,180	29	15	4	1	–	4	–	–	–	–	–	–	2	–	–	8	–
North-east Fulham *F*	46,405	22	13	3	1	–	–	1	1	1	–	–	–	1	1	2	2	–
South Fulham *W*	45,704	26	4	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Chelsea North *W,w,3H*	42,514	20	22	4	10	–	–	–	–	1	–	–	–	–	1	2	18	–
Chelsea South *W,2H*	31,328	10	10	2	5	–	–	–	–	–	–	–	–	–	1	1	2	–
Mayfair and Knightsbridge	28,743	5	4	–	1	–	–	–	–	–	–	–	–	–	2	3	–	–
Belgrave *W,2H*	55,815	17	7	1	2	–	–	–	–	1	–	–	–	–	–	–	4	–
St. Margaret & St. John *6H*	43,698	17	10	5	–	–	–	–	–	1	–	–	–	–	–	–	9	–
St. James and St. Anne *W,6H* ..	33,081	7	4	1	1	–	–	–	–	–	–	–	–	–	1	2	1	–
NORTH DISTRICTS.																		
All Souls Marylebone *7H*	35,391	19	18	1	7	–	–	–	–	–	–	–	–	–	1	1	10	–
St. Mary Marylebone *W.4H* ..	37,948	44	3	1	1	–	–	–	–	–	–	–	–	–	–	1	1	–
Christchurch Marylebone	39,536	14	5	–	3	–	–	–	–	–	–	–	–	–	1	1	–	–
St. John Marylebone *2H*	20,426	4	3	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Hampstead *W,F,6H*	81,942	35	16	1	3	–	–	1	1	1	–	–	–	–	–	–	7	–
West St. Pancras *2H*	60,562	28	9	3	1	–	–	–	–	–	–	–	–	1	–	–	2	–
South St. Pancras *w,10H*	55,707	17	21	5	6	–	–	–	–	–	–	–	–	–	1	3	14	–
East St. Pancras *W,H*	60,320	43	22	4	6	–	2	–	–	–	–	–	–	–	1	1	10	–
North St. Pancras *2W*	58,728	25	16	1	3	–	1	–	–	–	–	–	–	–	–	–	7	–
Tufnell *W*	31,995	22	16	1	7	–	–	–	–	–	–	–	–	–	1	1	12	–
Upper Holloway *2W,w,H*	33,978	12	18	1	7	–	1	–	–	–	–	–	–	–	2	2	10	–
Tollington *W,w,H*	33,922	14	7	–	4	–	1	–	–	–	–	–	–	–	–	–	–	–
Lower Holloway	41,424	29	6	2	2	–	–	–	–	–	–	–	–	–	1	2	–	–
Barnsbury	54,478	24	9	2	2	–	2	–	–	–	–	–	–	–	1	2	–	–
Islington South-east *F*	75,397	25	12	1	5	–	–	–	–	–	–	–	–	–	–	1	–	–
Highbury *2H*	63,797	25	8	1	4	–	–	–	–	–	–	–	–	–	1	1	–	–
Stoke Newington *H*	51,247	16	6	1	3	–	–	–	–	2	–	–	–	–	–	1	–	–
North Hackney	50,398	19	10	3	3	–	1	–	–	–	–	–	–	–	2	2	–	–
Central Hackney *w,F*	50,536	26	5	3	2	–	–	–	–	–	–	–	–	–	1	2	–	–
South-west Hackney *3H*	59,921	31	15	2	3	–	–	–	–	–	–	–	–	–	–	1	3	–
South-east Hackney *2W,H*	58,255	32	18	4	6	–	–	–	–	–	–	–	–	–	3	4	10	–
Hackney Union Workhouse, Brentwood	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 10th July, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
St. Giles and Bloomsbury 2*W*,2*H* ..	31,436	24	4	4	-	-	-	-	-	-	-	-	-	-	-	2	1	-
Strand *W*,4*H*	21,674	3	10	1	3	-	-	-	-	-	-	-	-	-	2	2	9	-
Strand Union Workhouse, Edmonton	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Holborn *W*,5*H*	29,612	9	15	5	-	-	-	-	-	-	-	1	-	1	-	-	11	-
Clerkenwell *H*	63,704	38	12	2	3	-	2	-	-	1	-	-	-	-	-	1	1	-
St. Luke 3*H*,*L*	36,116	33	7	2	2	-	1	-	-	-	-	-	-	-	-	-	2	-
Holborn Union Workhouse, Mitcham	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph *H*	10,299	2	4	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	1	14	1	1	-	-	-	-	-	-	-	-	-	2	3	12	-
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
Shoreditch South 2*H*	46,362	21	3	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Shoreditch North-West *W*,*w*,*H* ..	36,127	13	16	1	6	-	-	-	-	-	-	-	-	-	1	3	10	-
Shoreditch North-East	36,148	19	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	40	21	10	3	-	-	-	-	1	-	-	-	-	-	1	15	-
Bethnal Green South-West *H* ..	64,542	35	6	2	-	-	1	-	-	-	-	-	-	-	1	1	1	-
Spitalfields..	27,969	15	2	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-
Mile End New Town *W*,*H*	28,718	25	36	6	6	-	-	-	-	-	-	-	-	-	5	5	36	-
Goodman's Fields	22,081	8	3	2	1	-	-	-	-	-	-	-	-	-	1	1	-	-
St. George and St. John 2*W* ..	49,068	25	10	3	2	-	-	-	-	1	-	-	-	1	-	-	6	-
Shadwell and Ratcliff *w*,*H* ..	25,568	13	12	2	1	-	1	-	1	-	-	-	-	-	-	-	9	-
Limehouse *W*	32,369	17	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
Mile End Old Town South-Western *H*	63,698	51	15	2	8	-	2	-	-	-	-	-	-	-	1	4	-	-
Mile End Old Town North-Eastern *W*,*w*	49,129	19	13	3	8	-	-	-	-	-	-	-	-	-	-	1	9	-
Bow	41,989	29	2	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Bromley 3*w*,*H*	68,319	41	33	4	12	2	2	-	-	1	-	-	-	-	-	2	26	-
Poplar *W*,*w*	58,514	29	6	2	1	-	-	-	-	-	-	-	-	1	1	2	-	-
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 10th July, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch and St. Saviour Southwark *W,2H*	23,319	12	10	2	1	-	-	-	-	-	-	-	-	1	-	1	7	-
Kent-road	21,904	12	4	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
St. George the Martyr West *W,2H,L*	39,094	20	5	-	1	-	-	-	-	-	-	-	-	-	-	2	2	-
Newington North	49,022	32	7	2	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Newington South *W*	72,841	50	7	2	1	-	-	-	-	-	-	-	-	-	-	1	1	-
St. Olave *2W*	9,817	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bermondsey *W*	82,483	53	12	5	2	-	-	1	-	-	-	-	-	1	-	1	-	-
Rotherhithe *W,F*	38,460	15	14	2	1	-	1	-	-	1	-	-	-	1	1	4	9	-
Waterloo *2H*	27,440	20	8	4	1	-	-	-	-	-	-	-	-	-	-	-	3	-
Lambeth Church *H*	27,440	13	21	4	2	-	-	1	1	-	-	-	-	-	1	1	15	-
Kennington *2W*	52,518	25	22	3	8	-	-	-	1	-	-	-	-	-	1	3	11	-
Stockwell *HF*	63,826	39	9	3	2	-	-	-	-	-	-	-	-	-	-	-	1	-
Brixton *H*	73,673	31	8	2	4	-	1	-	-	-	-	-	-	-	-	-	1	-
Norwood *2WH*	56,998	25	8	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
East Battersea *H*	72,203	40	15	3	3	-	-	-	-	2	-	-	-	-	1	2	-	-
North-west Battersea	49,656	24	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
South-west Battersea *2W,H*	47,048	15	16	2	9	-	-	-	-	-	-	-	-	-	2	2	10	-
Clapham *2H*	51,361	27	8	-	4	-	-	-	-	-	-	-	-	-	1	1	-	-
Streatham *W,2w,2F,2L*	88,019	57	38	6	17	-	3	-	1	-	-	-	-	-	-	1	13	-
Springfield *2W,L*	27,959	19	5	1	2	-	1	-	-	-	-	-	-	-	-	1	1	-
Southfields *H*	40,444	16	6	-	3	-	-	-	-	-	-	-	-	-	-	1	1	-
Putney	24,139	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich	13,359	3	5	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	24	24	2	13	-	-	-	-	-	-	-	-	-	1	1	19	-
Camberwell North *W,2L*	65,584	21	11	1	5	-	-	-	-	-	-	-	-	-	1	1	9	-
St. George	47,331	19	6	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-
Peckham North	48,913	26	7	3	2	-	-	-	-	1	-	-	-	-	-	1	-	-
Peckham South *2W,w*	43,946	14	5	3	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Deptford North	37,613	20	5	-	2	-	-	-	-	-	-	-	-	-	2	2	-	-
Deptford Central *F*	45,481	28	17	3	3	-	1	3	1	-	-	-	-	-	-	-	6	-
Deptford South	34,625	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *H*	23,456	10	4	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Greenwich East *2W,H*	43,859	27	24	1	13	-	-	-	-	-	-	-	-	1	-	-	14	-
Eltham *w,H*	7,226	9	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *w,H*	25,490	7	4	-	3	-	-	-	-	-	-	-	-	-	-	1	1	-
Lewisham *2W,w,F*	58,352	37	12	1	3	-	-	1	-	-	-	-	-	-	1	2	6	-
Sydenham *H*	43,653	26	8	1	3	-	-	-	-	-	-	-	-	-	-	1	-	-
Charlton *F,2H*	21,134	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woolwich *5H*	41,625	13	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead West *W,H*	39,376	11	8	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *2W*	28,951	13	7	-	2	-	1	-	-	-	-	-	-	-	1	1	4	-
Workhouses:—																		
Belmont Workhouse	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	-	5	-	2	-	-	-	-	-	-	-	-	-	-	-	5	-
M. A. B. Small-pox Hospitals:—																		
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																		
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																		
Children's Infirmary, Carshalton	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums:—																		
Caterham	—	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	5	-
Darenth	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
London County Lunatic Asylums:—																		
Banstead	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Manor	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Long Grove	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Cane Hill	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
Dartford Heath	—	-	5	-	2	-	-	-	-	-	-	-	-	-	-	-	5	-
Hanwell	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
Colney Hatch	—	-	6	-	1	-	-	-	-	-	-	-	-	-	1	1	6	-
Claybury	—	-	4	-	-	-	-	-	-	-	-	-	-	1	-	-	4	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERATED POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 10th July, 1909.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING ..	368,603	2,045,135	1228	443	92	151	-	18	8	7	11	1	4	23	47	86	-
30 : 1	Carshalton 2F,3H	12,228	32,997	16	4	1	1	-	-	-	1	-	-	-	-	-	1	-
2	Epsom, *part of** W,w,2F,H..	10,423	15,548	7	4	-	1	-	-	-	-	-	-	-	-	1	3	-
37 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
38 : 1	Coulsdon	11,069	8,166	5	2	-	1	-	-	-	-	-	-	-	-	1	-	-
2	South Croydon w,H ..	4,200	49,309	20	12	1	8	-	-	-	-	-	-	-	-	1	1	-
3	West Croydon 3W,F,H ..	2,168	42,888	27	19	4	4	-	-	1	1	-	-	1	1	4	10	-
4	North Croydon H	2,644	41,698	21	3	-	3	-	-	-	-	-	-	-	-	-	-	-
5	Penge w	770	22,465	11	2	1	-	-	-	-	-	-	-	-	1	1	-	-
6	Mitcham w	11,711	30,015	43	8	3	1	-	-	-	-	-	-	-	1	1	-	-
39 : 1	Wimbledon F,3H	3,221	41,652	21	6	1	4	-	-	-	-	-	-	-	-	-	-	-
2	Kingston 2W,H	6,224	42,068	26	13	1	5	-	-	2	-	-	-	-	1	2	4	-
3	Surbiton F,H	3,046	15,017	4	3	-	1	-	1	-	-	-	-	-	-	-	-	-
4	Esher, *part of** H	5,402	13,100	11	2	-	2	-	-	-	-	-	-	-	-	-	-	-
5	Hampton H,F,L	4,564	23,456	10	2	-	1	-	-	-	-	-	-	-	-	-	1	-
40 : 1	Richmond W,H	2,491	31,672	6	4	-	2	-	-	-	-	-	-	-	-	-	1	-
2	Mortlake F	2,518	17,821	11	3	1	1	-	-	-	-	-	-	-	-	-	-	-
41 : 1	Bromley F,3H	4,703	27,354	4	6	1	2	-	1	-	-	1	-	-	-	1	-	-
2	Beckenham H	7,825	28,497	8	5	1	3	-	-	-	-	1	-	-	-	-	-	-
3	Orpington, *part of** W,F ..	10,113	9,857	4	6	1	4	-	-	-	-	-	-	-	-	1	2	-
4	Chislehurst 2H	7,333	16,446	13	3	-	2	-	-	-	-	-	-	-	-	-	1	-
42 : 1	Bexley w,F,H	8,678	21,151	12	4	1	1	-	-	-	-	-	-	-	-	-	-	-
2	Erith F,H	3,854	25,296	9	7	2	2	-	-	-	-	-	-	-	2	2	-	-
3	Dartford W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124 : 1	Sunbury w	11,054	18,683	6	6	1	1	-	-	-	-	-	-	-	1	1	-	-
2	Staines W,H	13,277	15,178	3	5	-	1	-	-	-	-	-	-	-	1	1	1	-
125 : 1	Hillingdon W,F,H	6,035	13,661	7	3	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Uxbridge H	12,757	8,984	8	1	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w 2F,H	8,066	16,358	22	5	1	1	-	-	-	-	-	-	-	1	1	-	-
126 : 1	Isleworth 3W,3F,H	6,859	30,863	22	13	5	4	-	1	-	-	-	-	-	1	1	4	-
2	Twickenham F,2H	2,421	20,991	14	6	-	4	-	-	-	-	-	-	-	-	-	-	-
3	Brentford 3F,2H	4,319	48,289	36	7	2	3	-	-	-	-	-	-	-	-	-	-	-
4	Chiswick H	1,249	29,809	14	9	1	3	-	3	-	-	-	-	1	-	1	1	-
5	Acton w,F,3H	6,132	48,914	33	13	2	5	-	1	-	-	-	-	-	-	1	-	-
127 : 1	Harrow F,H	13,809	25,523	18	3	-	-	-	-	-	-	-	-	-	-	-	1	-
2	Edgware 2F,2H	6,994	4,521	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Willesden W,F,2H	4,384	114,811	66	17	3	7	-	-	2	-	1	-	-	1	1	4	-
4	Hendon W,F	8,382	22,450	19	5	-	2	-	-	-	-	-	1	-	-	-	-	-
128 : 1	South Mimms 2F,H ..	17,755	7,308	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,970	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Finchley F,3H	4,683	33,692	19	4	1	1	-	-	-	-	-	-	-	-	1	-	-
129 : 1	Hornsey F,H	2,875	72,056	27	9	1	2	-	-	-	-	-	-	-	-	-	-	-
2	Wood Green H	1,625	34,233	30	8	-	4	-	-	-	-	-	-	-	1	1	1	-
3	West Tottenham	995	48,741	37	5	3	-	-	-	-	-	-	-	-	-	-	-	-
4	East Tottenham 2H ..	2,019	53,962	35	6	1	3	-	-	-	-	-	-	-	1	1	1	-
5	Edmonton W,w,2F	7,491	61,892	44	18	3	9	-	-	-	-	1	-	-	-	1	6	-
6	Enfield 2W,F,H	12,601	42,738	26	7	1	3	-	-	-	-	-	-	-	-	-	1	-
7	Waltham Abbey F	11,017	6,549	3	3	-	3	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	8	2	-	-	-	2	-	-	-	-	-	-	-	-	-
135 : 1	Hatfield, *part of** W ..	3,305	664	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey, *part of*†* H ..	9,195	7,051	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Watford, *part of*†* W,2F ..	138	2,122	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
186 : 1	Stratford H	1,091	52,974	19	13	3	4	-	2	-	-	-	-	-	4	4	1	-
2	Forest Gate	787	52,745	22	8	2	4	-	-	-	-	-	-	-	-	-	-	-
3	Plaistow F,2H	1,249	90,921	65	16	7	-	-	1	-	1	1	-	-	1	3	-	-
4	Canning Town H	1,556	70,718	51	20	7	1	-	-	1	-	2	-	1	1	3	1	-
5	South East Ham 2F ..	1,991	37,342	39	8	2	2	-	-	-	1	-	-	-	-	1	-	-
6	North East Ham w,H ..	1,333	58,666	44	8	2	3	-	-	-	-	-	-	1	1	1	-	-
7	Wanstead F	1,679	9,179	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	13	8	1	5	-	-	-	-	-	-	-	-	1	3	-
9	North Leyton 2W,w,F ..	1,963	48,445	25	36	11	11	-	2	-	1	3	-	-	1	4	19	-
10	Walthamstow 2H,L ..	6,504	108,929	83	15	6	4	-	2	-	1	-	-	-	-	2	1	-
187 : 1	Chigwell 2F,3H	11,778	16,397	8	5	1	1	-	-	1	-	1	-	-	-	-	2	-
2	Epping W,F, *part of** ..	—	—	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
189 : 1	Romford, *part of** W,2F ..	6,556	6,091	6	2	-	2	-	-	-	-	-	-	-	1	1	2	-
2	Ilford F,L	8,496	41,244	33	8	1	4	-	-	-	-	-	-	-	-	-	1	-
3	Barking Town F	3,805	21,547	13	8	3	-	-	2	-	-	-	-	-	-	-	-	-
	South-Western Fever Hosp., Stockwell.	—	—	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-
	N.E. Hospital, Tottenham..	—	—	-	2	-	-	-	-	-	1	-	-	-	-	-	2	-
	Middlesex County Lunatic Asylum, Napsbury.	—	—	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-
	Herts County Lunatic Asylum, Hill End.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Essex County Lunatic Asylum, Brentwood	—	—	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30 : 2, excepting Ashtead parish; 37 : 1, Warlingham and Farley parishes; 39 : 4, excepting Esher parish; 41 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135 : 1, Northaw parish; 137 : 1, excepting the part in Watford Rural parish; 137 : 2, Oxhey parish; 189 : 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42 : 3, 137 : 2 and 187 : 2 and in the Croydon Mental Hospital in 37 : 1 are also included.

† Boundaries altered, 1 July, 1909.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Small-pox	Measles.	Scarlet Fever	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON - -	4,833,938	July 10	2236	1110	12·0	-	40	9	7	19	1	14
CALCUTTA - -	1,014,438	June 12	-	445	23·4	18	1	-	-	2	142†	68‡
BOMBAY - -	982,000	" 15	325	483	25·7	10	1	-	-	-	78†	62‡
MADRAS - -	548,974	" 11	354	475	48·4	4	6	?	?	?	143	71
PARIS - - -	2,760,000	July 3	969	813	15·5	-	9	6	8	3	6	28
BRUSSELS - -	704,975	" 3	200	144	10·1	-	1	3	4	-	1	12
ANTWERP - -	310,903	" 3	116	60	10·0	-	1	-	-	1	-	2
AMSTERDAM -	565,920	June 26	246	142	13·1	-	9	-	1	7	-	9
		July 3	246	123	11·3	-	10	-	-	4	-	6
COPENHAGEN -	448,000	" 3	229	121	14·1	-	1	-	1	-	-	3
STOCKHOLM -	339,582	June 26	143	91	13·9	-	-	1	2	1	-	-
CHRISTIANIA -	235,674	July 3	116	50	11·0	-	4	-	2	2	-	2
ST. PETERSBURG	1,573,000	June 26	723	787	26·1	3	31	14	13	8	4	202‡
MOSCOW - -	1,452,100	" 26	-	752	27·0	12	26	21	14	1	4	168
BERLIN - -	2,100,754	" 19	-	-	-	-	-	-	-	-	-	-
HAMBURG - -	872,252	July 3	-	205	12·2	-	-	1	7	6	-	11
BRESLAU - -	502,676	June 26	-	190	19·7	-	-	-	-	1	-	19
MUNICH - -	566,000	" 26	-	192	17·6	-	2	-	1	1	-	20
		July 3	-	167	15·3	-	2	2	1	1	1	13
VIENNA - -	2,064,037	" 3	897	599	15·1	-	12	11	4	6	-	38
PRAGUE - -	485,057	June 26	199	201	21·5	-	2	4	-	-	2	7
BUDAPEST - -	823,215	" 26	424	261	16·4	-	7	5	2	-	2	23
TRIESTE - -	217,706	July 3	151	80	19·1	-	4	-	-	2	-	3
ROME - - -	565,323	March 27	251	217	20·0	-	8	-	2	2	1§	4
VENICE - -	179,286	June 5	-	-	-	-	-	-	-	-	-	-
BUCAREST - -	296,585	" 19	-	-	-	-	-	-	-	-	-	-
NEW YORK -	4,564,792	" 19	2246	1234	14·1	-	25	21	38	6	7	57
CHICAGO - -	2,224,490	" 19	-	529	12·4	-	6	3	8	3	2	35
PHILADELPHIA -	1,565,569	" 12	-	-	-	-	-	-	-	-	-	-
RIO DE JANEIRO	637,089	" 6	-	269	22·0	6	-	-	1	1	-	?
CAIRO:—												
Egyptians -	666,587	May 27	524	1092	85·2	1	115	-	6	?	21	353
Foreigners -	35,219	" 27	13	27	39·9	-	-	-	1	?	-	14
ALEXANDRIA:—												
Egyptians -	341,965	" 27	238	259	39·4	-	14	11	4	?	1	72
Foreigners -	46,118	" 27	43	14	15·8	-	-	-	-	?	-	2

* Excluding deaths from croup in the Indian Cities.
† Including 81 deaths from plague in Calcutta and 35 in Bombay.
‡ Including 40 deaths from cholera in Calcutta, 22 in Bombay and 130 in St. Petersburg.
§ Malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 10th July, 1909.

Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	74·0	46·1	59·8	0·99	BRADFORD - -	68·0	49·6	57·5	0·43
BRIGHTON - -	67·8	50·8	59·5	1·22	YORK - - -	68·0	48·0	58·5	0·58
PORTSMOUTH - -	72·0	51·0	60·7	0·49	HULL - - -	70·0	48·0	58·6	1·45
NORWICH - -	71·0	49·0	59·3	0·97	TYNEMOUTH - -	69·0	48·0	55·9	0·39
PLYMOUTH -	66·6	51·0	58·3	0·59	CARDIFF - - -	65·7	48·5	57·0	0·79
BRISTOL - - -	68·0	48·0	58·8	0·98	EDINBURGH - -	69·5	47·9	56·2	1·21
BIRMINGHAM - -	71·8	49·5	58·0	0·73	GLASGOW - -	68·2	47·0	57·0	0·57
NOTTINGHAM - -	71·1	50·2	58·5	1·04	DUBLIN Phœnix Park.	66·8	48·1	56·7	0·51
LIVERPOOL OBSERVATORY.	66·0	53·0	57·4	0·62	DUBLIN Fitzwilliam Square.†	67·5	50·3	57·9	0·74
MANCHESTER -	67·0	50·8	57·6	0·90					
BURNLEY - -	65·8	50·0	56·2	1·14					
HUDDERSFIELD -	68·2	50·2	57·7	0·35	BELFAST - - -	66·0	51·0	57·2	1·03

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to the seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°·9 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 10th July, 1909.

[*Under the Superintendence of the Astronomer Royal.*]

1909. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
JULY.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 4	..	29·819	71·0	52·7	18·3	61·4	− 0·7	53·5	7·9	15·1	0·2	75	128·5	42·6	56·30	SW., WSW. & N.	N.	1·5	0·0	0·1	237	− 20	0·25	0·0
MONDAY - 5	..	29·848	72·7	46·1	26·6	59·1	− 3·2	49·8	9·3	18·4	0·4	71	129·2	35·0	56·91	N., WSW. & SW.	SW. & SSW.	1·8	0·0	0·1	203	− 55	0·00	10·5
TUESDAY - 6	..	29·401	65·9	52·2	13·7	56·9	− 5·5	53·1	3·8	15·5	0·8	87	125·7	43·3	57·30	SSW., SW. & WSW.	SW., W. & NW.	2·4	0·0	0·1	287	+ 29	0·33	4·5
WEDNESDAY 7	Perigee	29·456	65·2	51·9	13·3	56·3	− 6·1	49·7	6·6	14·2	1·8	79	122·2	47·5	57·50	W., WNW. & NW.	NNW., NW. & WNW.	8·0	0·0	0·3	334	+ 77	0·17	0·0
THURSDAY - 8	..	29·758	67·8	52·1	15·7	58·9	− 3·5	49·8	9·1	15·7	2·2	72	128·3	46·9	57·50	NNW.	NNW. & NW.	7·8	0·0	0·6	416	+162	0·01	3·0
FRIDAY - 9	In Equator	29·742	74·0	49·6	24·4	61·5	− 0·9	52·2	9·3	19·2	0·6	72	131·6	43·2	57·50	NW. & W.	WSW., SW. & SSW.	3·8	0·0	0·3	370	+118	0·03	10·0
SATURDAY - 10	Last Qr.	29·484	62·7	52·9	9·8	55·7	− 6·8	49·7	6·0	11·8	0·6	80	96·8	46·0	57·41	SW., W. & NW.	WNW., NE. & NNW.	3·5	0·0	0·2	306	+ 56	0·20	0·0
MEANS - -		29·614	68·5	51·1	17·4	58·5	− 3·8	51·1	7·4	15·7	0·9	77	123·2	44·2	57·20	SW. & NW.		..	..	..	Sum 2153	Sum +367	Sum 0·99	4·0
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. JULY.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.
SUNDAY - 4	w. P. generally; occasional m. P. & v. N. between 4h. & 8h. A.M.	5·3	16·4
MONDAY - 5	w. P. generally; s. N. at 10h. P.M.	3·8	16·4
TUESDAY - 6	w.P. till 2h. P.M.; w. P. & v. N. till 9h. P.M.; w. P. afterwards.	2·4	16·4
WEDNESDAY 7	w.P. generally; occasional m. P. & s. N.	2·2	16·4
THURSDAY - 8	w. P. throughout.	5·7	16·4
FRIDAY - 9	w. P. generally.	11·2	16·3
SATURDAY - 10	w.P. till 1h. P.M.; w.P. generally with occasional v.P.&v.N. till 8h. P.M.; w.P. afterwards.	0·6	16·3
		Sum 31·2	Sum 114·6
No. of Col. - -	27	28	29

GENERAL REMARKS.

Overcast with occasional rain till 10h. A.M.; fine and variably cloudy till 5h. P.M.; very fine afterwards and nearly cloudless at night.

Very fine till 5h. 30m. A.M.; generally cloudy with fine intervals till 6h. P.M.; overcast with slight exceptions afterwards. Solar halo observed between 9h. and 10h. A.M.; slight shower at 10h. 30m. P.M.

Generally overcast; occasional light showers till afternoon and nearly continuous rain after 2h. 30m. P.M. Solar halo observed between 9h. and 10h. A.M.

Generally overcast; occasional rain; heavy showers of rain and hail accompanied by lightning and thunder at 1h. 15m. and 6h. 30m. P.M.

Generally overcast till 8h. A.M.; variably cloudy till evening; cloudless at night; slight rain at and about 4h. A.M.

Very fine generally till afternoon; increasing amounts of cloud till 8h. P.M.; overcast with frequent rain afterwards.

Generally overcast; frequent rain; distant thunder at intervals between 2h. and 2h. 30m. P.M.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·85 in. at the beginning of the week to 29·78 in. by 6h. A.M. on the 4th; increased to 29·92 in. by 8h. A.M. on the 5th; decreased to 29·30 in. by 4h. A.M. on the 7th; increased to 29·87 in. by 5h. A.M. on the 9th; decreased to 29·40 in. by 3h. A.M. on the 10th; and increased to 29·59 in. by midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 3rd July, 1909.*

BOROUGHS.	Estimated Population in the middle of 1909.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	151,955	-	15	5	-	-	-	-	2	-	-
Kensington	183,683	-	5	2	-	-	-	-	3	-	-
Hammersmith	125,704	-	10	5	-	-	-	-	2	-	-
Fulham	176,406	-	15	6	-	1	-	-	3	2	-
Chelsea	75,249	-	17	2	-	1	-	-	-	-	-
City of Westminster ..	168,883	-	21	8	-	-	-	-	3	-	-
NORTH.											
St. Marylebone	126,027	-	16	2	-	1	-	-	3	-	-
Hampstead	94,185	-	7	1	-	-	-	-	-	-	-
St. Pancras	237,422	-	17	5	-	1	-	-	-	-	-
Islington	351,202	-	24	8	-	1	-	-	3	-	-
Stoke Newington	54,423	-	1	-	-	-	-	-	1	-	-
Hackney	237,601	-	17	5	-	1	-	-	4	-	2
CENTRAL.											
Holborn	53,802	-	1	1	-	-	-	-	-	-	-
Finsbury	95,289	-	7	1	-	-	-	-	2	-	-
City of London	18,193	-	1	-	-	-	-	-	-	-	-
EAST.											
Shoreditch	114,802	-	14	3	-	1	-	-	2	-	-
Bethnal Green	131,316	-	7	3	-	-	-	-	5	1	-
Stepney	312,525	-	26	8	-	-	-	-	6	-	-
Poplar	171,965	-	17	6	-	-	-	-	4	-	-
SOUTH.											
Southwark	211,125	-	15	1	-	1	-	-	5	1	-
Bermondsey	127,569	-	4	1	2	1	-	-	1	1	-
Lambeth	324,188	-	27	2	-	2	-	-	-	1	-
Battersea	186,036	-	6	5	-	3	-	-	4	1	-
Wandsworth	297,646	-	30	6	-	-	-	-	2	2	-
Camberwell	283,022	-	18	1	-	-	-	-	4	-	-
Deptford	118,583	-	4	-	-	-	-	-	5	-	-
Greenwich	111,014	-	7	2	-	1	-	-	1	-	-
Lewisham	160,749	-	24	7	-	-	-	-	-	-	-
Woolwich	133,374	-	30	4	-	-	-	-	2	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,833,938	-	403	100	2	15	-	-	67	9	2
Ages 0-1		-	5	2	-	-	-	-	3	-	-
„ 1-5		-	95	29	-	-	-	-	2	-	1
„ 5-		-	182	39	1	1	-	-	2	-	1
„ 10-		-	61	13	-	-	-	-	4	-	-
„ 15-		-	25	6	-	5	-	-	1	1	-
„ 20-		-	7	2	-	2	-	-	5	1	-
„ 25-		-	20	7	1	4	-	-	7	6	-
„ 35-		-	5	2	-	2	-	-	13	1	-
„ 45-		-	3	-	-	1	-	-	13	-	-
„ 55-		-	-	-	-	-	-	-	8	-	-
„ 65 and upwards		-	-	-	-	-	-	-	9	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

TABLE 11.—DEATHS of PERSONS BELONGING to the COUNTY of LONDON and the METROPOLITAN BOROUGHS, REGISTERED in the 13 WEEKS ENDED 3rd JULY, 1909.

BOROUGHS.	Deaths from											Deaths of Infants under 1 Year of Age.	Deaths under 1 Year to 1000 Births registered.†
	ALL CAUSES.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric Fever.	*Pyrexia** (origin uncertain).	Diarrhœa.	Phthisis.		
COUNTY OF LONDON	15,479	-	837	109	135	420	-	25	1	142	1,450	2,773	92
West.													
PADDINGTON	488	-	21	5	1	14	-	1	-	5	43	72	95
KENSINGTON	521	-	17	3	2	19	-	-	-	5	34	80	97
HAMMERSMITH	445	-	58	7	8	19	-	-	-	6	34	90	119
FULHAM	478	-	29	2	5	13	-	2	-	8	36	103	95
CHELSEA	218	-	3	2	4	3	-	-	-	1	20	23	66
CITY OF WESTMINSTER	531	-	8	9	4	7	-	-	-	2	57	66	101
North.													
ST. MARYLEBONE	417	-	11	1	2	5	-	-	-	5	34	61	58
HAMPSTEAD	209	-	9	2	-	9	-	1	-	-	15	28	81
ST. PANCRAS	787	-	23	-	9	8	-	-	-	1	94	113	87
ISLINGTON	1,135	-	95	6	5	36	-	4	-	8	87	221	112
STOKE NEWINGTON	128	-	4	1	-	6	-	-	-	-	9	19	79
HACKNEY	687	-	12	3	5	22	-	1	-	11	67	118	85
Central.													
HOLBORN	195	-	9	1	-	4	-	-	-	1	26	27	69
FINSBURY	436	-	46	1	1	21	-	-	-	7	47	89	107
CITY OF LONDON	112	-	1	-	-	-	-	-	-	-	13	8	119
East.													
SHOREDITCH	501	-	69	2	10	23	-	2	-	5	43	106	117
BETHNAL GREEN	476	-	12	1	5	16	-	2	-	6	44	112	107
STEPNEY	1,084	-	71	5	10	15	-	-	-	14	124	230	88
POPLAR	678	-	72	6	6	30	-	3	-	8	51	164	127
South.													
SOUTHWARK	745	-	34	6	7	18	-	1	-	7	89	131	92
BERMONDSEY	562	-	48	2	3	21	-	-	-	7	47	146	137
LAMBETH	1,038	-	38	11	13	33	-	3	-	8	105	181	85
BATTERSEA	556	-	33	1	6	18	-	1	-	4	53	97	88
WANDSWORTH	792	-	37	5	6	20	-	2	1	7	60	111	65
CAMBERWELL	867	-	38	8	8	23	-	-	-	7	72	156	91
DEPTFORD	339	-	8	5	3	6	-	1	-	3	36	67	87
GREENWICH	267	-	4	4	1	4	-	-	-	1	19	43	68
LEWISHAM	379	-	1	4	6	6	-	-	-	3	44	60	66
WOOLWICH	408	-	26	6	5	1	-	1	-	2	47	51	70

In the above Table, all deaths of persons in, or on the way to, Hospitals and other Public Institutions as well as those of persons under treatment in surgical homes, or dying by accident or otherwise in the streets, have been distributed, as far as practicable, to the Boroughs in which the deceased had previously resided. The deaths of 651 London residents who died outside London in Metropolitan Workhouses, Hospitals, and Lunatic and Imbecile Asylums, have been similarly distributed. Of the deaths shown in Table 5 during the 13 weeks the previous residence was outside London in 766 cases and these have been excluded from this Table.

* Called "Simple Continued Fever" previous to 1901.

† The number of births used in this calculation is the number registered in the several Boroughs, no correction being made for births occurring in Public Institutions.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 28. 1909. VOL. LXX.] WEEK ENDED SATURDAY, JULY 17. [Price 1½*d.*

General Register Office, Somerset House,
July 19th, 1909.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 11·5 per 1000 of their aggregate population, which is estimated † at 16,445,281 persons in the middle of this year. In the preceding three weeks the rates had been 12·1, 11·8, and 11·8. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were :—from *all causes*, 17·1 in Liverpool, 17·3 in Merthyr Tydfil, 17·4 in Hanley, 18·0 in Newport (Mon.), 18·2 in Coventry, 19·5 in Warrington, 20·3 in Middlesbrough, and 21·5 in Great Yarmouth; from *measles*, 2·0 in Coventry, 2·5 in Norwich, 3·0 in Wolverhampton, 3·3 in Newport (Mon.), and 4·4 in West Bromwich; from *scarlet fever*, 1·1 in Blackburn; from *whooping-cough*, 1·6 in Swansea and 2·0 in Great Yarmouth; from "*fever*," 1·1 in Blackburn; and from *diarrhœa*, 1·2 in Aston Manor and in Rhondda, and 1·4 in Bolton. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2292 BIRTHS and 979 DEATHS were registered. Allowing for increase of population, the births were 183 and the deaths 122 below, the average numbers in the corresponding

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-five other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(13923—41.) Wt. 109—472. 700. 7/09. D & S. G. 31. Sch. 4. 2 E

weeks of the previous five years. The annual death-rate from all causes, which had been 12·1, 11·1, and 12·0 per 1000 in the preceding three weeks, fell last week to 10·6. The death-rate in the four weeks ended last Saturday averaged 11·5 per 1000, being 0·5 per 1000 below the mean rate in the corresponding periods of the five years 1904–8.

The 979 deaths included 33 from measles, 6 from scarlet fever, 4 from diphtheria, 15 from whooping-cough, 2 from enteric fever, and 13 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia: thus, to these diseases in the aggregate 73 deaths were referred, being 35 below the corrected average number in the twenty-eighth week of the preceding five years.

The deaths from *measles*, which had been 51, 33, and 40 in the preceding three weeks, were 33 last week, and were 2 above the corrected average; 5 deaths belonged to the Borough of Fulham, 5 to Stepney, and 3 apiece to Kensington, Finsbury, and Poplar. The deaths from *scarlet fever*, which had been 7, 3, and 9 in the preceding three weeks, were 6 last week, and were 1 below the corrected average. The deaths from *diphtheria*, which had been 7 in each of the preceding three weeks, fell last week to 4, and were 4 below the corrected average. The deaths from *whooping-cough*, which had been 17, 20, and 19 in the preceding three weeks, fell last week to 15, and were 7 below the corrected average; 3 deaths belonged to Poplar. The deaths from *enteric fever*, which had been 3, 1, and 1 in the preceding three weeks, were 2 last week, the corrected average being 3. The deaths from *diarrhœa*, which had been 17, 10, and 14 in the preceding three weeks, were 13 last week, and were 25 below the corrected average; 3 deaths belonged to Stepney. Of the 13 deaths from diarrhœa, 11 were those of children under 5 years of age; 4 other deaths at this age were certified as due to *enteritis* and 7 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 3, having been 13, 11, and 7 in the preceding three weeks.

Different forms of violence caused 65 deaths, concerning all of which inquests were held. Of these 65 deaths, 9 were cases of suicide, and 2 of homicide, while the remaining 54 were attributed to accident or negligence. Fourteen of these latter were referred to vehicles in the streets, two to burns or scalds, seven to drowning, and seven, of infants under one year of age, to suffocation in bed. Two deaths occurred while under anæsthetics administered for surgical purposes.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 2737 cases of scarlet fever, 893 of diphtheria, 2 of typhus, and 57 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 415 cases, against 368, 390, and 371; of diphtheria, 97 cases, against 126, 100, and 111; of typhus, 1 case, against 0, 1, 0; and of enteric fever, 6 cases, against 13, 7, and 5. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended July 10th, 1909.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 3541 births and 1443 deaths were registered. Allowing for increase of population, these numbers are 290 and 111 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 8 deaths from measles, 2 from scarlet fever, 5 from diphtheria, and 3 from whooping-cough were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·85 inches, and that of the Thermometer 60°·0, the latter being 3°·2 below the week's average in the 65 years ended 1905. The general direction of the wind was Westerly, the horizontal movement of the air being 27 per cent. above the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 25·2 hours; the measured rainfall amounted to 0·71 of an inch.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 17th July, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 26th June, 1909.	3rd July, 1909.	10th July, 1909.	17th July, 1909.	Rate from Diseases in Cols. 11–17. Week ended 17th July, 1909.	Registered during the Week ended 17th July, 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS	**16,445,281**	**12·1**	**11·8**	**11·8**	**11·5**	**1·0**	**8268**	**3637**	**759**	**1026**	**–**	**114**	**30**	**35**	**56**	**22**	**67**	**180**	**339**	**1066**	**28**	**76 TOWNS.**
LONDON	4,833,938	12·1	11·1	12·0	10·6	0·8	2292	979	177	297	–	33	6	4	15	2	13	65	119	436	2	LONDON.
† CROYDON	161,078	7·4	7·4	10·0	7·1	0·6	89	22	5	8	–	–	–	–	2	–	–	1	1	4	–	CROYDON.
† WILLESDEN ..	160,424	5·2	7·2	5·5	4·9	1·0	83	15	5	3	–	1	–	–	1	–	1	–	3	–	–	WILLESDEN.
† HORNSEY	95,628	7·6	4·4	4·9	6·0	0·5	21	11	3	2	–	–	–	–	1	–	–	–	1	1	–	HORNSEY.
† TOTTENHAM ..	129,464	7·2	6·4	5·6	12·1	0·4	76	30	4	6	–	–	–	1	–	–	–	1	2	10	–	TOTTENHAM.
† WEST HAM ..	321,767	8·9	12·2	10·5	10·4	1·1	148	64	22	11	–	–	1	–	5	–	1	4	9	19	–	WEST HAM.
† EAST HAM.. ..	149,575	5·6	8·7	7·3	9·4	1·0	70	27	7	5	–	1	1	1	–	–	–	–	2	6	–	EAST HAM.
† LEYTON	129,614	6·8	10·5	10·5	8·9	1·2	68	22	5	4	–	1	–	–	1	1	–	–	3	6	–	LEYTON.
† WALTHAMSTOW	136,602	8·0	7·3	7·6	5·7	0·8	64	15	3	5	–	–	–	–	2	–	–	–	1	4	–	WALTHAMSTOW.
HASTINGS	68,165	10·7	3·8	11·5	8·4	0·8	11	11	2	7	–	–	–	1	–	–	–	–	–	1	–	HASTINGS.
BRIGHTON	130,926	13·1	10·4	11·9	11·2	0·4	58	28	6	10	–	–	–	–	1	–	–	3	7	6	–	BRIGHTON.
PORTSMOUTH ..	214,726	12·1	10·9	10·7	12·4	0·5	119	51	9	21	–	1	–	–	–	–	1	4	6	16	–	PORTSMOUTH.
BOURNEMOUTH ..	72,368	10·8	10·1	10·8	13·7	–	20	19	1	8	–	–	–	–	–	–	–	–	1	3	–	BOURNEMOUTH.
SOUTHAMPTON ..	124,667	10·9	9·6	8·4	7·1	0·8	54	17	4	5	–	–	–	–	–	–	2	1	3	2	–	SOUTHAMPTON.
READING	82,995	11·9	8·2	6·9	11·3	–	35	18	2	8	–	–	–	–	–	–	–	–	–	3	1	READING.
NORTHAMPTON ..	97,752	11·2	7·5	10·1	12·3	0·5	36	23	6	8	–	–	–	–	–	–	1	–	–	5	1	NORTHAMPTON.
IPSWICH	74,889	4·9	10·4	9·7	9·7	0·7	41	14	3	4	–	–	–	–	–	–	1	1	2	2	–	IPSWICH.
GREAT YARMOUTH	53,430	19·5	12·7	13·7	21·5	2·9	22	22	4	5	–	1	–	–	2	–	–	2	3	7	–	GREAT YARMOUTH.
NORWICH	124,136	12·6	13·4	10·1	16·4	2·9	61	39	4	18	–	6	–	–	–	1	–	2	4	6	1	NORWICH.
PLYMOUTH	124,180	12·2	11·8	10·5	8·0	0·4	53	19	2	9	–	–	–	–	–	–	1	1	2	1	–	PLYMOUTH.
DEVONPORT	83,103	5·6	5·0	8·8	11·9	0·6	30	19	3	6	–	–	–	1	–	–	–	–	1	2	–	DEVONPORT.
BRISTOL	377,642	9·3	10·9	11·3	8·7	0·6	173	63	7	24	–	1	–	1	1	–	1	3	5	16	–	BRISTOL.
HANLEY	68,831	9·8	9·8	17·4	17·4	3·0	39	23	6	5	–	1	–	1	1	–	1	–	–	4	–	HANLEY.
BURTON-ON-TRENT	54,453	9·6	8·6	5·7	7·7	1·0	28	8	1	3	–	–	–	–	–	–	1	2	2	3	–	BURTON-ON-TRENT.
WOLVERHAMPTON..	104,633	15·0	11·5	16·9	15·0	4·5	35	30	11	10	–	6	–	1	1	–	1	1	1	3	–	WOLVERHAMPTON.
WALSALL	99,399	10·5	13·1	8·9	8·4	1·0	48	16	3	5	–	1	–	1	–	–	–	–	–	3	–	WALSALL.
HANDSWORTH ..	70,186	11·9	4·5	8·9	5·9	–	31	8	3	3	–	–	–	–	–	–	–	–	–	–	1	HANDSWORTH.
WEST BROMWICH..	70,457	10·4	9·6	12·6	10·4	5·9	42	14	2	4	–	6	1	1	–	–	–	1	1	3	–	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 17th July, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 26th June, 1909.	3rd July, 1909.	10th July, 1909.	17th July, 1909.	Rate from Diseases in Cols. 11-17. Week ended 17th July, 1909.	Registered during the Week ended 17th July, 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
BIRMINGHAM ..	563,629	11·5	11·5	10·7	11·7	0·9	321	127	34	28	-	3	1	3	1	1	1	5	5	32	5	BIRMINGHAM.
KINGS NORTON ..	81,632	5·7	8·3	4·5	5·7	-	37	9	3	2	-	-	-	-	-	-	-	-	-	2	-	KINGS NORTON.
SMETHWICK	70,377	9·6	8·9	8·2	6·7	-	45	9	2	1	-	-	-	-	-	-	-	-	1	1	-	SMETHWICK.
ASTON MANOR ..	85,257	11·0	8·6	8·6	8·0	1·2	40	13	2	4	-	-	-	-	-	-	2	-	1	3	-	ASTON MANOR.
COVENTRY	80,163	11·1	19·5	14·3	18·2	4·6	52	28	5	9	-	3	1	1	1	-	1	3	3	6	-	COVENTRY.
LEICESTER	244,255	7·9	9·2	7·5	10·5	1·5	103	49	10	17	-	1	2	-	2	-	2	4	6	12	1	LEICESTER.
GRIMSBY	73,036	11·4	8·6	11·4	8·6	-	44	12	2	7	-	-	-	-	-	-	-	-	-	1	-	GRIMSBY.
NOTTINGHAM ..	263,443	12·7	12·3	12·5	11·5	0·8	133	58	16	11	-	2	1	-	-	1	-	2	5	14	-	NOTTINGHAM.
DERBY	129,411	10·5	10·5	12·1	7·3	-	62	18	2	10	-	-	-	-	-	-	-	-	1	1	-	DERBY.
STOCKPORT	103,706	13·1	14·1	11·1	7·5	-	53	15	3	9	-	-	-	-	-	-	-	-	-	2	-	STOCKPORT.
BIRKENHEAD ..	121,123	15·5	14·6	12·1	10·3	-	69	24	2	8	-	-	-	-	-	-	-	-	1	9	-	BIRKENHEAD.
WALLASEY	71,004	6·6	11·7	11·0	10·3	0·7	35	14	2	6	-	-	1	-	-	-	-	1	1	2	-	WALLASEY.
LIVERPOOL	760,357	16·8	16·1	15·4	17·1	1·6	447	249	50	60	-	11	1	1	3	2	5	10	20	86	1	LIVERPOOL.
BOOTLE	69,393	16·5	16·5	12·0	13·5	1·5	35	18	3	2	-	1	1	-	-	-	-	-	-	3	2	BOOTLE.
ST. HELENS	95,161	12·1	13·7	13·2	9·9	-	55	18	4	6	-	-	-	-	-	-	-	-	1	9	-	ST. HELENS.
WIGAN	90,678	13·8	17·3	13·8	11·5	1·2	50	20	9	3	-	-	-	-	1	-	1	2	2	5	-	WIGAN.
WARRINGTON ..	72,276	10·8	13·0	15·2	19·5	0·7	45	27	4	4	-	-	-	-	-	-	1	-	-	11	2	WARRINGTON.
BOLTON	187,824	10·0	11·7	12·2	13·0	1·9	96	47	12	13	-	1	-	1	-	-	5	1	5	5	-	BOLTON.
BURY	59,234	15·8	15·8	9·7	14·1	-	20	16	2	4	-	-	-	-	-	-	-	1	1	5	1	BURY.
MANCHESTER ..	655,435	16·2	15·8	14·5	12·6	1·8	391	158	37	38	-	5	3	1	2	4	7	4	8	58	1	MANCHESTER.
SALFORD	241,950	16·6	17·2	14·2	14·9	3·0	110	69	14	16	-	6	2	4	-	2	-	3	5	19	-	SALFORD.
OLDHAM	143,301	19·6	14·2	15·3	16·0	1·5	103	44	7	13	-	1	-	-	-	1	2	3	6	6	1	OLDHAM.
ROCHDALE	89,653	16·9	15·1	12·2	14·5	0·6	39	25	4	8	-	-	-	1	-	-	-	1	1	6	-	ROCHDALE.
BURNLEY	106,267	14·7	13·7	9·8	11·8	0·5	64	24	6	5	-	-	1	-	-	-	-	2	4	6	-	BURNLEY.
BLACKBURN	136,959	10·3	13·3	11·8	14·8	2·7	71	39	3	20	-	-	3	-	-	3	1	1	1	13	-	BLACKBURN.
PRESTON	118,519	13·2	11·4	14·1	13·6	0·9	59	31	9	8	-	1	-	-	-	1	-	1	1	6	1	PRESTON.
BARROW-IN-FURNESS.	62,996	13·2	9·9	8·3	7·4	0·8	33	9	2	3	-	-	-	-	-	1	-	-	-	1	-	BARROW-IN-FURNESS.

* See note † on first page of this return.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 17th July, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1909.*	Death-Rates from all Causes. Week ended 26th June, 1909.	3rd July, 1909.	10th July, 1909.	17th July, 1909.	Rate from Diseases in Cols. 11-17. Week ended 17th July, 1909.	Registered during the Week ended 17th July, 1909. Births.	Deaths.	The Deaths registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,739	12·7	13·2	14·9	13·2	1·1	39	24	4	8	-	-	-	-	1	-	1	1	1	4	-	HUDDERSFIELD.
HALIFAX	111,911	11·2	11·6	10·3	14·0	0·5	30	30	1	9	-	-	1	-	-	-	-	1	3	13	-	HALIFAX.
BRADFORD	293,983	10·3	10·6	12·1	11·0	0·4	116	62	6	16	-	-	-	1	1	-	-	3	5	17	1	BRADFORD.
LEEDS	484,012	12·6	11·5	11·0	10·7	0·4	241	99	19	26	-	1	-	1	1	1	-	2	6	27	-	LEEDS.
SHEFFIELD	470,958	10·9	13·3	12·2	13·4	0·6	256	121	30	42	-	2	1	-	-	-	2	5	12	28	1	SHEFFIELD.
ROTHERHAM.. ..	65,070	10·4	7·2	10·4	5·6	-	27	7	3	2	-	-	-	-	-	-	-	-	-	1	-	ROTHERHAM.
YORK	87,004	10·8	11·4	12·6	7·2	-	38	12	2	3	-	-	-	-	-	-	-	1	2	2	-	YORK.
HULL	275,552	13·1	14·2	11·9	11·9	0·6	159	63	14	16	-	-	-	3	-	-	-	8	10	17	1	HULL.
MIDDLESBROUGH ..	105,255	17·3	17·3	16·8	20·3	1·5	53	41	13	8	-	-	-	-	1	-	2	1	2	5	-	MIDDLESBROUGH.
STOCKTON-ON-TEES	53,417	13·7	4·9	6·8	13·7	-	14	14	3	5	-	-	-	-	-	-	-	2	2	3	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL	79,686	9·8	9·2	8·5	11·8	0·7	48	18	5	5	-	-	-	-	-	-	1	3	5	1	-	WEST HARTLEPOOL.
SUNDERLAND ..	159,378	9·8	16·0	11·5	13·7	1·0	76	42	7	9	-	3	-	-	-	-	-	4	6	6	-	SUNDERLAND.
SOUTH SHIELDS ..	117,627	18·6	14·2	12·0	14·2	1·3	76	32	15	5	-	3	-	-	-	-	-	5	8	7	-	SOUTH SHIELDS.
GATESHEAD	131,024	13·1	14·7	13·1	9·9	0·8	79	25	3	7	-	1	-	-	1	-	-	-	1	5	2	GATESHEAD.
NEWCASTLE-ON-TYNE.	281,584	13·3	11·1	15·9	12·8	1·5	163	69	12	17	-	1	-	3	1	-	3	-	4	9	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH ..	55,808	14·0	14·0	16·8	16·8	2·8	37	18	6	2	-	2	-	1	-	-	-	-	1	1	2	TYNEMOUTH.
NEWPORT (MON.) ..	78,336	12·0	16·0	8·7	18·0	4·7	58	27	7	6	-	5	1	1	-	-	-	1	3	8	-	NEWPORT (MON.).
CARDIFF	195,303	10·1	9·6	10·9	10·9	1·1	93	41	13	9	-	1	-	-	2	-	1	2	4	3	-	CARDIFF.
RHONDDA	135,894	13·8	15·3	15·7	14·6	2·3	92	38	21	4	-	1	-	-	2	-	3	1	2	1	-	RHONDDA.
MERTHYR TYDFIL..	78,365	14·6	10·0	8·7	17·3	-	53	26	12	3	-	-	-	-	-	-	-	1	1	2	-	MERTHYR TYDFIL.
SWANSEA	98,308	11·7	19·6	15·4	16·4	3·2	61	31	4	5	-	-	1	-	3	1	1	3	3	10	-	SWANSEA.
GREATER LONDON	7,429,740	10·9	10·1	10·9	10·1	0·8	3541	1443	279	432	-	44	10	11	30	3	15	86	164	537	4	GREATER LONDON.
OUTER RING ..	2,595,802	8·7	8·4	8·9	9·3	0·8	1249	464	102	135	-	11	4	7	15	1	2	21	45	101	2	OUTER RING.
8 TOWNS IN OUTER RING.	1,284,152	7·3	8·7	8·2	8·4	0·9	619	206	54	44	-	3	2	2	12	1	2	6	22	50	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,311,650	10·1	8·0	9·6	10·3	0·7	630	258	48	91	-	8	2	5	3	-	-	15	23	51	2	REMAINDER OF OUTER RING.
EDINBURGH	355,366	11·9	13·6	13·8	12·8	1·0	171	87	18	28	-	1	1	-	3	-	2	3	?	36	3	EDINBURGH.
GLASGOW	872,021	11·8	13·2	12·2	11·4	1·1	448	190	27	47	-	-	1	4	6	3	4	11	?	73	8	GLASGOW.
DUBLIN (Registration Area).†	398,356	19·6	18·5	15·6	16·9	1·4	179	129	24	31	-	2	-	3	-	1	5	4	3	53	2	DUBLIN (Registration Area).†
BELFAST†	386,576	14·8	14·4	13·9	11·2	1·4	192	83‡	19	21	-	-	-	-	2	1	5	2	3	18	-	BELFAST†

* See note † on first page of this return.

† Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast respectively.
‡ Including 1 death from Cerebro-spinal fever.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the TWENTY-EIGHTH Week of each of the Eleven Years, 1899–1909.

	1899	1900	1901	1902	1903	1904	1905	1906	1907	1908	Corrected Weekly Average in 5 Years 1904–1908.*	1909
TOTAL **Births** -	2351	2479	2526	2530	2581	2450	2363	2413	2292	2569	2474·8	2292
Males - - -	1202	1296	1251	1305	1265	1246	1183	1253	1135	1336	1260·4	1185
Females - -	1149	1183	1275	1225	1316	1204	1177	1160	1157	1233	1214·4	1107
TOTAL **Deaths** -	1387	1252	1237	1280	1145	1152	1047	1072	1115	989	1100·5	979
Males - - -	733	666	652	699	601	605	546	577	585	526	581·3	521
Females - -	654	586	585	581	544	547	501	495	530	463	519·2	458

* The numbers in this column are the average weekly numbers in the Twenty-Eighth week of the five years 1904-1908, raised by 2·375 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Apr. 24.	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	13 Weeks.
TOTAL **Births** -	2569	2367	2537	2339	2260	2131	1918	2421	2167	2068	2331	2236	2292	29936
TOTAL **Deaths** -	1393	1300	1304	1216	1295	1240	1072	1135	1060	1125	1029	1109	979	15257
Ages at Death: Under 1 year -	245	223	260	209	238	200	185	232	179	189	183	188	177	2708
1—5 years -	179	166	169	130	162	141	129	122	128	115	106	138	102	1787
5—20 " -	72	60	68	74	72	76	54	65	72	68	50	48	55	834
20—40 " -	147	174	143	177	153	161	143	138	137	130	125	144	115	1887
40—60 " -	282	297	253	260	284	257	225	246	219	266	226	240	233	3288
60 yrs. & upwds.	468	380	411	366	386	405	336	332	325	357	339	351	297	4753
Deaths from—														
Small-pox† - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles - - -	72	81	73	53	53	63	47	62	48	51	33	40	33	709
Scarlet Fever - -	8	10	10	11	6	6	8	10	10	7	3	9	6	104
Diphtheria - -	11	8	13	8	16	17	7	7	6	7	7	7	4	118
Whooping-cough -	49	41	35	30	42	35	35	21	18	17	20	19	15	377
Typhus - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever - -	2	1	–	–	6	3	3	2	2	3	1	1	2	26
Pyrexia (origin uncertain).	–	1	–	–	–	–	–	–	–	–	–	–	–	1
Diarrhœa, Dysentery	7	12	13	8	10	16	17	16	5	17	10	14	13	158
All above diseases -	149	154	144	110	133	140	117	118	89	102	74	90	73	1493
Dis. of Resp. System	128	85	76	78	83	82	65	54	68	64	58	60	38	939
Pneumonia - -	166	147	136	135	131	143	107	98	67	91	100	94	68	1483
Phthisis - - -	98	116	130	131	126	113	107	96	97	122	93	111	97	1437
Dis. of Circ. System -	181	155	156	163	168	168	138	171	161	157	158	164	144	2084
Violence - - -	50	62	59	42	39	44	46	41	48	41	45	57	65	646
Inquest Cases - -	131	146	128	113	118	111	105	109	103	109	121	114	119	1527
Deaths in Institutions	564	608	561	561	579	578	449	489	482	510	444	506	436	6767
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	52·2	48·6	50·6	48·5	54·9	57·5	54·2	50·2	56·3	55·8	55·9	58·5	60·0	54·1
Mean of Highest -	64·0	58·9	61·0	60·1	68·8	68·6	61·3	58·7	67·3	65·4	66·8	65·5	69·3	64·5
Mean of Lowest -	42·1	40·6	40·2	37·8	39·5	48·4	47·4	42·7	47·8	50·7	47·5	51·1	53·8	45·4
Mean Humidity of the Air.	69	69	60	67	66	72	81	84	79	81	80	77	82	74
Rain-fall (in inches) -	0·72	0·77	0·00	0·11	0·13	0·95	0·94	0·79	0·05	1·45	0·44	0·99	0·71	8·05
Registered Sunshine (in hours).	53·4	64·0	92·4	62·7	75·9	55·9	31·2	25·4	37·4	30·1	37·0	31·2	25·2	621·8
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever - -	2219	2181	2175	2173	2234	2254	2223	2263	2415	2517	2587	2647	2737	2358
Diphtheria - - -	1019	1016	993	990	957	925	905	876	897	915	896	901	893	937
Typhus - - -	–	–	–	–	–	1	1	1	1	1	2	1	2	1
Enteric Fever - -	67	58	56	52	48	50	43	46	56	59	58	58	57	54

* The Metropolitan Asylum and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lander, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq., F.R.Met.Soc., Hull; the Meteorological Committee, Tynemouth; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the TWENTY-EIGHTH Week of the Year 1909.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 28th week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1100·5	979	177	102	55	115	233	297
Small-pox*	–	–	–	–	–	–	–	–
Cowpox	–	–	–	–	–	–	–	–
Measles (Morbilli)	30·7	33	10	22	1	–	–	–
Scarlet Fever	7·4	6	1	3	2	–	–	–
Typhus	–	–	–	–	–	–	–	–
Plague	–	–	–	–	–	–	–	–
Influenza	4·7	3	–	–	–	–	1	2
Whooping-cough	21·9	15	5	10	–	–	–	–
Diphtheria	7·8	4	–	4	–	–	–	–
Cerebro-spinal Fever ..	–	–	–	–	–	–	–	–
Pyrexia† (origin uncertain)	–	–	–	–	–	–	–	–
Enteric Fever	3·1	2	–	–	–	2	–	–
Asiatic Cholera	–	–	–	–	–	–	–	–
Epidemic Diarrhœa, Infective Enteritis	21·1	6	5	–	–	–	1	–
Diarrhœa, Dysentery ..	16·4	7	4	2	–	–	–	1
Tetanus	0·4	1	–	–	–	1	–	–
Rabies, Hydrophobia ..	–	–	–	–	–	–	–	–
Glanders	–	–	–	–	–	–	–	–
Anthrax (Splenic Fever)..	–	–	–	–	–	–	–	–
Venereal Dis.	4·1	7	6	1	–	–	–	–
Puerperal Septicæmia ..	1·4	1	–	–	–	1	–	–
Puerperal Pyæmia.. .	–	–	–	–	–	–	–	–
Puerperal Fever	0·4	–	–	–	–	–	–	–
Infective Endocarditis ..	3·3	3	–	–	–	2	1	–
Pneumonia: Lobar ..	10·6	18	2	1	2	5	7	1
Pneumonia: Broncho ..	27·0	22	7	7	1	–	4	3
Pneumonia: Epidemic ..	–	–	–	–	–	–	–	–
Pneumonia: Not defined	38·7	28	2	4	3	1	5	13
Erysipelas	2·9	2	1	–	–	–	–	1
Septicæmia (not Puerperal)	0·6	1	–	1	–	–	–	–
Pyæmia (not Puerperal)	1·2	1	–	–	–	–	1	–
Other Infective Processes	4·1	1	–	–	–	–	1	–
Tuberculous Phthisis ..	62·9	63	–	3	3	26	27	4
"*Phthisis*"	41·4	34	–	–	4	12	16	2
Tuberculous Meningitis ..	21·7	17	2	12	1	2	–	–
Tuberculous Peritonitis ..	8·4	4	1	2	1	–	–	–
Tabes Mesenterica	2·7	1	1	–	–	–	–	–
Tuberculous Dis., Other ..	18·0	13	1	6	–	4	2	–
Scrofula..	–	–	–	–	–	–	–	–
Alcoholism	9·0	3	–	–	–	–	2	1
Rheumatic Fever	3·7	4	–	–	1	2	1	–
Gout	1·2	2	–	–	–	–	1	1
Carcinoma	54·9	53	–	–	–	1	27	25
Sarcoma	6·3	3	–	–	–	–	1	2
Cancer (undefined) ..	28·3	40	–	–	–	2	15	23
Diabetes Mellitus	6·1	13	–	–	–	2	8	3
Premature Birth	43·6	39	39	–	–	–	–	–

CAUSES OF DEATH.	Corrected Average for the 28th week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)..	12·1	9	1	4	2	1	1	–
Gen. Par. of Insane, Insanity	13·5	10	–	–	–	1	3	6
Epilepsy	5·9	4	–	–	2	1	–	1
Convulsions	15·6	9	9	–	–	–	–	–
Locomotor Ataxy.. ..	2·5	1	–	–	–	–	1	–
Paraplegia, Dis. of Cord.	7·0	5	–	–	–	1	2	2
Nervous Sys., Other Dis.	15·2	14	3	2	–	1	4	4
Valv. Dis., Endocarditis..	37·9	45	–	–	4	10	14	17
Cereb. Hæm. Cereb. Emb.	29·5	35	–	–	–	1	8	26
Apoplexy, Hemiplegia ..	12·1	8	–	–	–	–	2	6
Aneurysm	3·7	3	–	–	–	2	1	–
Embolism, Thrombosis (not Cerebral) ..	1·2	2	–	–	–	–	1	1
Heart & Blood Ves., Other Dis... ..	71·0	51	1	–	2	1	11	36
Croup (not Spasm: nor Memb.)	0·4	–	–	–	–	–	–	–
Bronchitis	38·3	31	8	1	–	–	5	17
Emphysema, Asthma ..	2·3	1	–	–	–	–	–	1
Pleurisy	3·3	1	1	–	–	–	–	–
Respiratory Dis., Other..	7·0	5	–	–	1	–	–	4
Tonsillitis, Quinsy.. ..	1·2	1	–	1	–	–	–	–
Enteritis (not Epid.) ..	8·2	5	4	–	–	1	–	–
Gastro-enteritis	5·9	7	7	–	–	–	–	–
Peritonitis (not Puerp.) ..	2·5	5	1	–	2	–	1	1
Cirrhosis of Liver.. ..	12·7	15	–	–	–	1	8	6
Liver Dis., Other	6·1	3	1	–	–	1	1	–
Digestive Sys., Other Dis.	36·4	27	5	2	4	5	5	6
Acute Nephritis	6·3	3	–	–	–	–	1	2
Bright's Dis., Albuminuria	28·3	33	–	–	3	6	10	14
Urinary Sys., Other Dis.	10·6	8	–	–	–	–	5	3
Generative Organs Dis...	4·9	4	–	–	–	–	2	2
Childbirth (Accid. of) ..	5·3	2	–	–	–	2	–	–
Old Age	44·8	43	–	–	–	–	1	42
Other Diseases	75·1	74	39	7	5	6	10	7
ACCIDENT.								
By Railways	2·0	2	–	–	1	–	1	–
By Vehicles and Horses..	6·8	14	–	4	4	1	3	2
In Ships, Boats, Docks, (exclusive of Drowning)	0·6	1	–	–	–	–	1	–
In Building Operations..	2·0	–	–	–	–	–	–	–
In Conflagrations	–	–	–	–	–	–	–	–
By Burns, Scalds, Explosions	4·1	2	–	2	–	–	–	–
By Drowning	5·9	7	–	–	3	2	1	1
By Suffocation in Bed ..	4·5	7	7	–	–	–	–	–
By Poisons or Poisonous Vapours	2·7	4	–	–	1	2	1	–
Other Deaths by Accident..	16·4	17	3	1	2	2	3	6
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	1·2	2	–	–	–	2	–	–
Suicide	11·3	9	–	–	–	2	5	2
Execution	0·2	–	–	–	–	–	–	–

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.
† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 17th July, 1909.

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexiat* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified causes of Death.
LONDON	4,536,267	2292	979	177	297	–	33	6	4	15	–	2	–	13	65	119	436	2
WEST DISTRICTS	805,311	299	180	30	58	–	13	1	1	3	–	1	–	2	9	17	78	–
NORTH DISTRICTS	1,055,908	492	195	37	70	–	4	2	–	3	–	–	–	2	16	32	62	1
CENTRAL DISTRICTS	209,465	99	67	9	13	–	2	–	–	–	–	–	–	–	5	8	52	–
EAST DISTRICTS	715,739	441	165	44	35	–	11	–	1	5	–	–	–	4	12	24	87	–
SOUTH DISTRICTS	1,749,844	961	346	57	113	–	3	2	2	4	–	1	–	5	22	37	131	1
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	–	26	–	8	–	–	1	–	–	–	–	–	–	1	1	26	–
WEST DISTRICTS.																		
North Paddington *H*	63,603	29	7	–	5	–	–	–	–	–	–	–	–	–	–	–	–	–
Central Paddington *W,3H*	50,053	20	22	1	8	–	2	–	–	–	–	–	–	–	–	–	14	–
South Paddington	30,320	4	4	–	2	–	–	–	–	–	–	–	–	–	1	1	–	–
Kensington Town *2W,w,2H* ..	128,037	55	30	4	13	–	3	–	–	–	–	–	–	–	–	5	19	–
Brompton *2H*	48,591	5	4	–	2	–	–	–	–	–	–	–	–	–	–	1	–	–
North Hammersmith *2W,w,H* ..	49,192	33	11	3	4	–	–	–	–	–	–	–	–	–	–	–	4	–
South Hammersmith *w,2H* ..	63,047	16	19	2	7	–	1	–	–	1	–	–	–	–	1	2	8	–
North-west Fulham *W*	45,180	30	12	1	4	–	–	–	–	–	–	–	–	1	–	1	6	–
North-east Fulham *F*	46,405	25	18	7	–	–	4	1	1	1	–	1	–	1	–	–	4	–
South Fulham *W*	45,704	15	6	2	2	–	1	–	–	–	–	–	–	–	–	–	–	–
Chelsea North *W,w,3H*	42,514	14	13	1	6	–	–	–	–	–	–	–	–	–	2	2	7	–
Chelsea South *W,2H*	31,328	15	3	1	1	–	1	–	–	–	–	–	–	–	–	–	2	–
Mayfair and Knightsbridge	28,743	4	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–
Belgrave *W,2H*	55,815	18	12	4	1	–	1	–	–	1	–	–	–	–	1	1	6	–
St. Margaret & St. John *6H*	43,698	8	14	3	2	–	–	–	–	–	–	–	–	–	2	2	8	–
St. James and St. Anne *W,6H* ..	33,081	8	3	1	1	–	–	–	–	–	–	–	–	–	1	1	–	–
NORTH DISTRICTS.																		
All Souls Marylebone *7H*	35,391	11	11	1	2	–	–	–	–	–	–	–	–	–	3	3	4	–
St. Mary Marylebone *W,4H* ..	37,948	44	5	1	3	–	–	–	–	–	–	–	–	–	–	–	1	–
Christchurch Marylebone	39,536	12	6	4	2	–	–	–	–	–	–	–	–	–	1	1	–	–
St. John Marylebone *2H*	20,426	4	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Hampstead *W,F,6H*	81,942	20	17	2	6	–	1	1	–	–	–	–	–	–	–	2	7	–
West St. Pancras *2H*	60,562	26	7	2	2	–	–	–	–	–	–	–	–	–	1	2	1	–
South St. Pancras *w,10H*	55,707	23	20	2	7	–	1	–	–	–	–	–	–	–	–	2	12	–
East St. Pancras *W,H*	60,320	27	11	1	7	–	–	–	–	–	–	–	–	–	–	1	6	–
North St. Pancras *2W*	58,728	28	6	1	2	–	–	–	–	–	–	–	–	–	1	1	3	–
Tufnell *W*	31,995	12	13	1	7	–	1	–	–	–	–	–	–	–	1	3	7	–
Upper Holloway *2W,w,H*	33,978	12	10	–	7	–	–	–	–	2	–	–	–	–	1	1	6	–
Tollington *W,w,H*	33,922	16	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Lower Holloway	41,424	19	3	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Barnsbury	54,478	27	9	2	2	–	–	–	–	–	–	–	–	–	3	4	–	–
Islington South-east *F*	75,397	35	13	1	4	–	–	–	–	–	–	–	–	–	1	2	–	1
Highbury *2H*	63,797	20	5	2	3	–	–	–	–	–	–	–	–	–	–	–	1	–
Stoke Newington *H*	51,247	16	9	4	2	–	–	–	–	–	–	–	–	–	–	1	–	–
North Hackney	50,398	26	9	2	3	–	–	–	–	–	–	–	–	–	3	3	–	–
Central Hackney *w,F*	50,536	26	10	3	1	–	1	1	–	1	–	–	–	1	–	2	2	–
South-west Hackney *3H*	59,921	55	12	4	3	–	–	–	–	–	–	–	–	1	–	1	2	–
South-east Hackney *2W,H*	58,255	33	14	3	4	–	–	–	–	–	–	–	–	–	1	3	9	–
Hackney Union Workhouse, Brentwood	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 17th July, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
St. Giles and Bloomsbury 2*W*,2*H* ..	31,436	12	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-
Strand *W*,4*H*	21,674	3	14	-	1	-	-	-	-	-	-	-	-	-	2	2	13	-
Strand Union Workhouse, Edmonton	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Holborn *W*,5*H*	29,612	9	18	4	2	-	-	-	-	-	-	-	-	-	-	1	14	-
Clerkenwell *H*	63,704	27	5	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Luke 3*H*,*L*	36,116	44	4	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Holborn Union Workhouse, Mitcham	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
St. Botolph *H*	10,299	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	2	19	3	2	-	1	-	-	-	-	-	-	-	3	4	19	-
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
Shoreditch South 2*H*	46,362	22	2	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Shoreditch North-West *W*,*w*,*H* ..	36,127	27	12	2	3	-	1	-	-	-	-	-	-	-	-	1	8	-
Shoreditch North-East	36,148	19	3	2	1	-	-	-	-	-	-	-	-	-	1	1	-	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	43	21	7	5	-	-	-	-	-	-	-	-	1	1	1	14	-
Bethnal Green South-West *H* ..	64,542	42	9	1	-	-	1	-	-	1	-	-	-	-	1	2	2	-
Spitalfields..	27,969	6	7	3	1	-	1	-	-	1	-	-	-	-	1	1	-	-
Mile End New Town *W*,*H*	28,718	31	35	5	6	-	-	-	1	-	-	-	-	1	3	4	33	-
Goodman's Fields	22,081	10	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
St. George and St. John 2*W* ..	49,068	30	9	3	1	-	-	-	-	-	-	-	-	-	-	1	5	-
Shadwell and Ratcliff *w*,*H* ..	25,568	12	9	1	-	-	1	-	-	-	-	-	-	-	-	-	6	-
Limehouse *W*	32,369	19	6	3	2	-	1	-	-	-	-	-	-	-	-	1	-	-
Mile End Old Town South-Western *H*	63,698	62	5	4	-	-	-	-	-	-	-	-	-	2	-	-	-	-
Mile End Old Town North-Eastern *W*,*w*	49,129	30	10	3	4	-	2	-	-	-	-	-	-	-	-	-	5	-
Bow	41,989	19	5	1	2	-	-	-	-	1	-	-	-	-	1	2	-	-
Bromley 3*w*,*H*	68,319	38	23	4	6	-	2	-	-	2	-	-	-	-	4	6	12	-
Poplar *W*,*w*	58,514	31	7	2	4	-	-	-	-	-	-	-	-	-	-	3	2	-
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 17th July, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch and St. Saviour Southwark *W,2H*	23,319	8	17	3	1	-	-	-	-	-	-	-	-	1	3	4	13	-
Kent-road	21,904	14	3	2	1	-	-	-	-	-	-	-	-	-	1	2	-	-
St. George the Martyr West *W,2H,L*	39,094	20	10	3	2	-	-	-	-	-	-	-	-	1	-	2	4	-
Newington North	49,022	27	6	1	3	-	-	-	-	-	-	-	-	-	-	1	-	-
Newington South *W*	72,841	35	13	3	3	-	-	-	-	-	-	-	-	-	1	4	2	-
St. Olave *2W*	9,817	7	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Bermondsey *W*	82,483	49	13	1	5	-	-	-	-	-	-	-	-	-	2	2	-	-
Rotherhithe *W,F*	38,460	21	11	1	4	-	-	-	-	-	-	-	-	-	-	-	10	-
Waterloo *2H*	27,440	23	4	-	1	-	-	-	-	-	-	-	-	-	1	1	2	-
Lambeth Church *H*	27,440	12	12	1	5	-	-	-	-	-	-	-	-	1	1	1	9	-
Kennington *2W*	52,518	29	17	3	5	-	-	-	-	-	-	1	-	-	-	-	14	-
Stockwell *HF*	63,826	38	11	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Brixton *H*	73,673	35	3	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Norwood *2WH*	56,998	27	7	-	3	-	-	-	-	-	-	-	-	-	1	1	-	-
East Battersea *H*	72,203	37	7	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
North-west Battersea	49,656	27	13	1	1	-	2	-	-	1	-	-	-	-	1	1	-	-
South-west Battersea *2W,H* ..	47,048	15	22	3	7	-	-	-	-	-	-	-	-	-	2	3	16	-
Clapham *2H*	51,361	27	12	2	5	-	-	-	-	-	-	-	-	-	-	-	1	-
Streatham *W,2w,2F,2L*	88,019	68	11	1	5	-	-	-	1	-	-	-	-	-	1	2	3	1
Springfield *2W,L*	27,959	20	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Southfields *H*	40,444	32	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Putney	24,139	13	3	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Dulwich	13,359	7	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	26	20	-	12	-	-	-	-	-	-	-	-	-	-	-	18	-
Camberwell North *W,2L*	65,584	36	18	2	6	-	-	-	-	-	-	-	-	-	-	2	12	-
St. George	47,331	24	8	6	-	-	-	-	-	1	-	-	-	1	1	1	-	-
Peckham North	48,913	33	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Peckham South *2W,w*	43,946	29	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Deptford North	37,613	21	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Deptford Central *F*	45,481	27	9	4	1	-	-	1	-	1	-	-	-	1	-	-	1	-
Deptford South	34,625	12	9	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *H*	23,456	13	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich East *2W,H*	43,859	20	8	-	3	-	-	-	-	-	-	-	-	-	1	1	6	-
Eltham *w,H*	7,226	7	2	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Lee *w,H*	25,490	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham *2W,w,F*	58,352	37	22	2	10	-	-	-	-	-	-	-	-	-	3	3	13	-
Sydenham *H*	43,653	19	7	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Charlton *F,2H*	21,134	4	4	-	-	-	-	1	1	-	-	-	-	-	-	-	2	-
Woolwich *5H*	41,625	24	7	1	3	-	-	-	-	-	-	-	-	-	1	2	-	-
Plumstead West *W,H*	39,376	15	2	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Plumstead East *2W*	28,951	15	6	-	4	-	-	-	-	-	-	-	-	-	-	-	4	-
Workhouses:—																		
Belmont Workhouse	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.) ..	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Small-pox Hospitals:—																		
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																		
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																		
Children's Infirmary, Carshalton..	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums:—																		
Caterham	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden	—	-	2	-	1	-	-	-	-	-	-	-	-	-	1	1	2	-
London County Lunatic Asylums:—																		
Banstead	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
Ewell (Epileptic Colony)	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Horton	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Manor	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Grove	—	-	6	-	1	-	-	-	-	-	-	-	-	-	-	-	6	-
Cane Hill	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Dartford Heath	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Hanwell	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Colney Hatch	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
Claybury	—	-	7	-	3	-	-	-	-	-	-	-	-	-	-	-	7	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERATED POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 17th July, 1909.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING ..	368,603	2,045,135	1249	464	102	135	–	11	4	7	15	1	2	21	45	101	2
30 : 1	Carshalton 2F,3H	12,228	32,997	18	3	–	1	–	–	–	–	–	–	–	1	1	1	–
2	Epsom, *part of** W,w,2F,H..	10,423	15,548	11	6	1	4	–	–	–	–	–	–	–	–	–	2	1
37 : 1	Godstone, *part of** W,F,L ..	2,751	2,692	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
38 : 1	Coulsdon	11,069	8,166	5	1	–	1	–	–	–	–	–	–	–	–	–	–	–
2	South Croydon w,H ..	4,200	49,309	22	6	1	1	–	–	–	–	–	–	–	1	1	–	–
3	West Croydon 3W,F,H ..	2,168	42,888	39	15	4	4	–	–	–	1	2	–	–	1	1	6	–
4	North Croydon H	2,614	41,698	28	3	–	3	–	–	–	–	–	–	–	–	–	–	–
5	Penge w	770	22,465	13	3	–	2	–	–	–	–	–	–	–	–	–	–	–
6	Mitcham w	11,711	30,015	29	6	3	1	–	–	–	–	–	–	–	2	2	–	–
39 : 1	Wimbledon F,3H	3,221	41,652	30	8	2	3	–	–	–	–	–	–	–	1	1	2	–
2	Kingston 2W,H	6,224	42,068	21	15	4	4	–	–	1	–	–	–	–	1	3	4	–
3	Surbiton F,H	3,046	15,017	3	1	–	1	–	–	–	–	–	–	–	–	–	–	–
4	Esher, *part of** H	5,402	13,100	13	2	–	–	–	–	–	–	–	–	–	2	2	–	–
5	Hampton H,F,L	4,564	23,456	18	5	2	–	–	–	–	–	–	–	–	–	–	–	–
40 : 1	Richmond W,H	2,491	31,672	16	8	1	5	–	–	–	–	–	–	–	1	2	–	–
2	Mortlake F	2,518	17,821	10	4	–	3	–	–	–	–	–	–	–	–	–	–	–
41 : 1	Bromley F,3H	4,703	27,354	10	5	1	1	–	–	–	–	–	–	–	1	1	1	–
2	Beckenham H	7,825	28,497	10	4	2	–	–	–	–	–	2	–	–	–	–	–	–
3	Orpington, *part of** W,F ..	10,113	9,857	10	2	–	2	–	–	–	–	–	–	–	–	–	–	–
4	Chislehurst 2H	7,333	16,446	8	6	3	2	–	–	–	–	–	–	–	–	1	1	–
42 : 1	Bexley w,F,H	8,678	21,151	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2	Erith F,H	3,854	25,296	12	6	1	–	–	1	–	–	–	–	–	–	–	–	–
3	Dartford W,F, *part of** ..	—	—	–	2	–	2	–	–	–	–	–	–	–	–	–	2	–
124 : 1	Sunbury w	11,054	18,683	14	7	–	5	–	–	–	–	–	–	–	–	–	–	–
2	Staines W,H	13,277	15,178	7	5	2	2	–	1	–	–	–	–	–	–	–	–	1
125 : 1	Hillingdon W,F,H	6,035	13,661	10	3	1	–	–	–	–	–	1	–	–	–	–	1	–
2	Uxbridge H	12,757	8,984	6	1	–	–	–	–	–	–	–	–	–	–	–	–	–
3	Hayes w 2F,H	8,066	16,358	14	3	–	–	–	–	–	–	–	–	–	–	1	–	–
126 : 1	Isleworth 3W,3F,H	6,859	30,863	19	16	–	10	–	1	–	–	–	–	–	–	–	11	–
2	Twickenham F,2H	2,421	26,991	17	4	2	–	–	–	–	–	–	–	–	–	–	1	–
3	Brentford 3F,2H	4,319	48,289	29	12	2	7	–	–	1	–	–	–	–	–	–	2	–
4	Chiswick H	1,249	29,809	13	9	2	4	–	–	–	–	–	–	–	1	1	–	–
5	Acton w,F,3H	6,132	48,914	37	11	3	3	–	2	–	1	–	–	–	–	–	1	–
127 : 1	Harrow F,H	13,809	25,523	19	8	2	3	–	–	–	–	–	–	–	–	1	–	–
2	Edgware 2F,2H	6,994	4,521	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3	Willesden W,F,2H	4,384	114,811	83	15	5	3	–	1	–	–	1	–	1	–	3	–	–
4	Hendon W,F	8,382	22,450	9	5	–	1	–	–	–	1	–	–	–	–	–	–	–
128 : 1	South Mimms 2F,H ..	17,755	7,308	2	3	1	–	–	–	–	–	–	–	–	1	1	–	–
2	Barnet W,2H	3,324	17,970	10	3	–	1	–	–	–	–	–	–	–	–	–	3	–
3	Finchley F,3H	4,683	33,692	18	12	2	5	–	1	–	–	–	–	–	2	2	–	–
129 : 1	Hornsey F,H	2,875	72,056	21	10	3	1	–	–	–	–	1	–	–	–	1	–	–
2	Wood Green H	1,625	34,233	22	4	1	3	–	–	–	–	–	–	–	–	1	–	–
3	West Tottenham	995	48,741	35	8	2	1	–	–	–	–	–	–	–	–	–	–	–
4	East Tottenham 2H ..	2,019	53,962	41	17	2	4	–	–	–	1	–	–	–	1	2	5	–
5	Edmonton W,w,2F	7,491	61,892	39	19	5	5	–	–	–	–	–	–	–	1	2	7	–
6	Enfield 2W,F,H	12,631	42,738	22	11	1	1	–	–	–	2	–	–	–	–	–	5	–
7	Waltham Abbey F	11,017	6,549	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8	Cheshunt F,H	8,479	12,292	10	1	–	1	–	–	–	–	–	–	–	–	–	–	–
135 : 1	Hatfield, *part of** W ..	3,305	664	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
137 : 1	Bushey, *part of*†* H ..	9,195	7,051	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2	Watford, *part of*†* W,2F ..	138	2,122	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
186 : 1	Stratford H	1,091	52,974	30	7	3	1	–	–	–	–	–	–	–	1	1	2	–
2	Forest Gate	787	52,745	16	7	–	3	–	–	–	–	1	–	–	–	1	–	–
3	Plaistow F,2H	1,249	90,921	52	19	10	1	–	–	1	–	2	–	1	2	5	3	–
4	Canning Town H	1,556	70,718	50	18	10	2	–	–	–	–	1	–	–	–	–	1	–
5	South East Ham 2F ..	1,991	37,342	40	16	4	2	–	–	1	1	–	–	–	–	2	2	–
6	North East Ham w,H ..	1,333	58,666	30	7	2	3	–	–	–	–	–	–	–	–	–	–	–
7	Wanstead F	1,679	9,179	4	3	–	1	–	–	–	–	–	–	–	–	–	–	–
8	South Leyton 2W	631	50,467	32	12	1	2	–	1	–	–	–	–	–	–	1	6	–
9	North Leyton 2W,w,F ..	1,963	48,445	36	29	5	7	–	1	–	–	3	1	–	1	4	19	–
10	Walthamstow 2H,L ..	6,504	108,929	68	13	3	5	–	–	–	–	1	–	–	–	1	1	–
187 : 1	Chigwell 2F,3H	11,778	16,397	5	3	–	1	–	–	–	–	–	–	–	–	–	2	–
2	Epping W,F, *part of** ..	—	—	–	1	1	–	–	–	–	–	–	–	–	–	–	1	–
189 : 1	Romford, *part of** W,2F ..	6,556	6,091	5	3	–	–	–	–	–	–	–	–	–	–	–	1	–
2	Ilford F,L	8,496	41,244	24	13	1	5	–	–	–	–	–	–	–	–	–	2	–
3	Barking Town F	3,805	21,547	15	9	1	–	–	2	–	–	–	–	–	–	–	–	–
	City of London Lunatic Asylum, Stone.	—	—	–	2	–	1	–	–	–	–	–	–	–	–	–	2	–
	Herts County Lunatic Asylum, Hill End.	—	—	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
	Essex County Lunatic Asylum, Brentwood	—	—	–	3	–	1	–	–	–	–	–	–	–	–	–	3	–

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30 : 2, excepting Ashtead parish; 37 : 1, Warlingham and Farley parishes; 39 : 4, excepting Esher parish; 41 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135 : 1, Northaw parish; 137 : 1, excepting the part in Watford Rural parish; 137 : 2, Oxhey parish; 189 : 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42 : 3, 137 : 2 and 187 : 2 and in the Croydon Mental Hospital in 37 : 1 are also included. † Boundaries altered, 1 July, 1909.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended		Births. Exclusive of Stillborn.	Deaths.	Annual Death-rate per 1000 living.	Deaths from Small-pox	Measles.	Scarlet Fever	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON - -	4,833,938	July	17	2292	979	10·6	-	33	6	4	15	2	13
CALCUTTA - -	1,014,438	June	19	-	421	22·1	7	-	-	-	-	132†	50‡
BOMBAY - -	982,000	"	22	327	504	26·8	7	1	-	-	1	63†	50‡
MADRAS - -	548,974	"	18	316	381	38·8	-	2	?	?	?	129	63
PARIS - - -	2,760,000	July	10	999	771	14·7	-	19	5	5	7	3	21
BRUSSELS - -	704,975	"	10	228	138	10·2	-	2	-	-	1	-	13
ANTWERP - -	310,903	"	10	94	70	11·6	-	5	-	-	1	-	6
AMSTERDAM -	565,553	"	10	236	106	9·8	-	7	-	-	4	1	5
COPENHAGEN -	448,000	"	10	269	106	12·3	-	5	-	-	5	-	6
STOCKHOLM -	339,582	"	3	164	105	16·1	-	-	-	3	1	-	4
CHRISTIANIA -	235,674	"	10	113	55	12·1	-	3	-	1	1	-	6
ST. PETERSBURG	1,573,000	"	3	850	835	27·7	4	30	8	12	6	4	268‡
MOSCOW - -	1,452,100	"	3	-	777	27·9	9	35	16	13	7	3	215
BERLIN - -	2,100,754	June	19	-	-	-	-	-	-	-	-	-	-
HAMBURG - -	872,252	July	10	-	234	14·0	-	-	1	10	1	-	14
BRESLAU - -	502,676	"	3	262	166	17·2	-	1	1	-	-	-	24
MUNICH - -	566,000	"	10	-	-	-	-	-	-	-	-	-	-
VIENNA - -	2,064,037	"	10	805	590	14·9	-	9	12	8	2	1	43
PRAGUE - -	485,057	"	3	189	176	18·9	-	2	4	-	-	2	11
BUDAPEST - -	823,215	"	3	403	308	19·4	-	6	1	3	1	1	31
TRIESTE - -	217,706	"	10	130	76	18·2	-	2	1	-	-	-	5
ROME - - -	565,323	April	3	225	234	21·6	-	18	2	1	-	3§	14
VENICE - -	179,286	June	5	75	85	24·7	-	-	-	1	-	-	8
		"	12	68	57	16·6	-	-	-	1	-	-	10
BUCAREST - -	296,585	"	19	171	163	28·7	-	-	5	1	1	-	30
NEW YORK -	4,564,792	"	26	2045	1442	16·5	-	35	19	38	10	11	90
CHICAGO - -	2,224,490	"	26	-	492	11·5	-	4	3	12	1	3	37
PHILADELPHIA -	1,565,569	"	12	-	388	12·9	-	4	1	6	4	6	8
RIO DE JANEIRO	637,089	"	13	-	258	21·1	5	1	-	2	2	-	?
CAIRO :—													
Egyptians -	666,587	"	3	547	1298	101·3	3	118	-	9	?	9	461
Foreigners -	35,219	"	3	7	26	38·4	1	2	-	-	?	-	6
ALEXANDRIA :—													
Egyptians -	341,965	"	3	214	299	45·5	-	20	6	2	?	-	96
Foreigners -	46,118	"	3	77	30	33·8	-	-	-	1	?	1	11

* Excluding deaths from croup in the Indian Cities.
† Including 67 deaths from plague in Calcutta and 26 in Bombay.
‡ Including 23 deaths from cholera in Calcutta, 21 in Bombay, and 175 in St. Petersburg.
§ Including 1 death from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 17th July, 1909.

Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	76·5	49·6	61·5	0·71	BRADFORD - -	67·0	49·4	57·1	0·22
BRIGHTON - -	-	-	-	-	YORK - - -	71·0	50·0	59·2	0·59
PORTSMOUTH - -	71·0	50·0	61·0	0·13	HULL - - -	73·0	49·0	59·5	0·41
NORWICH - -	74·2	46·7	59·7	0·47	TYNEMOUTH - -	72·0	47·0	57·7	0·39
PLYMOUTH -	70·4	48·8	60·3	0·01	CARDIFF - - -	67·9	49·5	58·3	0·21
BRISTOL - - -	67·2	46·0	59·5	0·16	EDINBURGH - -	67·1	46·5	57·0	0·11
BIRMINGHAM - -	71·8	50·1	59·8	0·47	GLASGOW - -	66·7	42·0	57·6	0·34
NOTTINGHAM - -	71·3	47·9	59·2	0·77	DUBLIN Phœnix Park.	68·3	43·2	59·5	0·09
LIVERPOOL OBSERVATORY.	66·0	51·0	58·3	0·59	DUBLIN Fitz-william Square.†	68·4	47·1	59·8	0·27
MANCHESTER -	65·8	46·7	57·8	0·88					
BURNLEY - -	62·5	48·5	56·4	0·56					
HUDDERSFIELD -	70·0	50·0	58·5	0·32	BELFAST - - -	66·0	48·8	57·4	1·01

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to the seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°·9 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 17th July, 1909.

[*Under the Superintendence of the Astronomer Royal.*]

1909. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day	Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
JULY.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 11	..	29·676	61·0	49·8	11·2	53·6	− 9·1	47·6	6·0	12·9	2·2	80	113·0	43·2	57·50	WNW, WSW. & NNW.	N. & NNW.	4·8	0·0	0·4	312	+ 68	0·09	0·0
MONDAY - 12	..	29·884	63·0	49·8	13·2	53·9	− 9·0	49·1	4·8	14·1	1·9	84	113·5	39·0	57·40	NNW. & N.	N. & SSE.	2·7	0·0	0·2	282	+ 37	0·00	0·0
TUESDAY - 13	..	29·910	71·6	49·6	22·0	60·4	− 2·7	55·1	5·3	11·9	1·1	83	121·3	39·0	57·30	SW. & WSW.	SW. & WSW.	5·5	0·0	0·1	242	− 1	0·14	2·0
WEDNESDAY 14	..	29·943	73·0	58·1	14·9	63·7	+ 0·4	55·6	8·1	14·9	1·1	75	134·1	51·0	57·25	WSW.	WSW. & W.	1·9	0·0	0·2	303	+ 63	0·00	0·0
THURSDAY - 15	..	29·917	73·3	54·6	18·7	62·8	− 0·6	54·5	8·3	17·2	1·0	74	138·0	49·7	57·60	WSW.	WSW.. W. & SW.	2·0	0·0	0·1	262	+ 23	0·05	8·0
FRIDAY - 16	Greatest Dec. N.	29·704	66·5	54·0	12·5	59·2	− 4·2	58·3	0·9	7·4	0·0	97	85·4	51·6	57·90	WSW. & SW.	WSW. & W.	4·1	0·0	0·5	416	+178	0·43	6·0
SATURDAY - 17	New	29·912	76·5	60·9	15·6	66·2	+ 2·8	59·0	7·2	15·3	2·4	78	134·4	57·2	58·20	W. & WSW.	W. & WSW.	2·3	0·0	0·2	323	+ 84	0·00	3·0
MEANS - -		29·849	69·3	53·8	15·4	60·0	− 3·2	54·2	5·8	13·4	1·4	82	120·0	47·2	57·59	NNW. & WSW.		..	..	..	Sum 2139	Sum +452	Sum 0·71	2·7
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. JULY.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY - 11	m.P. generally; v.P. and v. N. from noon till 4h. P.M.	1·4	16·3	Very cloudy to overcast with frequent rain.
MONDAY - 12	m. P. and w. P.	3·1	16·2	Overcast until 2h. 40m. P.M.; afterwards fine with variable cloud.
TUESDAY - 13	w.P. generally: loss of Register 11h. A.M. to 3h. P.M.; v.P. and v. N. 3h. P.M. to 7h. P.M.	3·7	16·2	Very cloudy generally with occasional breaks; heavy thunderstorm 5h. 30m. P.M. Solar halo observed 6h. 30m. P.M.
WEDNESDAY 14	w. P. until 7h. P.M.; afterwards m. P.	6·1	16·2	Variably cloudy. Partial solar halo observed during afternoon.
THURSDAY - 15	w. P. generally; a little v. N. at times in early morning.	6·8	16·1	Slight rain soon after midnight and again at 6h. A.M.; afterwards fine till 4h. P.M.; then very cloudy again. Solar halo observed at 2h. P.M.
FRIDAY - 16	w. P. throughout.	0·0	16·1	Overcast throughout; rain almost continuous from 3h. A.M. to 1h. P.M.
SATURDAY - 17	w. P. throughout.	4·1	16·1	Overcast with slight exceptions until noon; afterwards fine and variably cloudy.
		Sum 25·2	Sum 113·2	
No. of Col. - -	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong: and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·59 in. at the beginning of the week to 29·96 in. by 11h. A.M. on the 14th; decreased to 29·67 in. by 3h. P.M. on the 16th; and increased to 30·01 in. by midnight on the 17th.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 10th July, 1909.*

BOROUGHS.	Estimated Population in the middle of 1909.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	151,955	-	24	1	-	1	-	-	2	-	-
Kensington	183,683	-	8	3	-	-	-	-	2	-	-
Hammersmith	125,704	-	9	5	-	-	-	-	-	1	-
Fulham	176,406	-	11	6	-	-	-	-	2	1	-
Chelsea	75,249	-	4	4	-	-	-	-	-	-	-
City of Westminster ..	168,883	-	4	2	-	1	-	-	3	-	-
NORTH.											
St. Marylebone	126,027	-	22	5	-	-	-	-	1	-	-
Hampstead	94,185	-	2	-	-	-	-	-	-	-	-
St. Pancras	237,422	-	22	8	-	1	-	-	4	-	-
Islington	351,202	-	33	5	-	2	-	-	3	-	-
Stoke Newington	54,423	-	2	1	-	-	-	-	1	-	-
Hackney	237,601	-	16	4	-	-	-	-	6	-	1
CENTRAL.											
Holborn	53,802	-	-	1	-	1	-	-	1	1	-
Finsbury	95,289	-	3	3	-	-	-	-	-	-	1
City of London	18,193	-	-	1	-	-	-	-	-	-	-
EAST.											
Shoreditch	114,802	-	6	2	-	-	-	-	4	-	-
Bethnal Green	131,316	-	18	4	-	-	-	-	3	-	-
Stepney	312,525	-	23	14	-	-	-	-	7	-	-
Poplar	171,965	-	25	6	-	-	-	-	1	-	-
SOUTH.											
Southwark	211,125	-	20	7	-	3	-	-	1	-	-
Bermondsey	127,569	-	19	5	-	-	-	-	1	-	-
Lambeth	324,188	-	18	6	-	2	-	-	2	-	-
Battersea	186,036	-	11	5	-	1	-	-	1	-	-
Wandsworth	297,646	-	20	5	-	1	-	-	3	1	-
Camberwell	283,022	-	13	7	-	-	-	-	4	-	-
Deptford	118,583	-	7	3	-	1	-	-	2	-	-
Greenwich	111,014	-	11	3	-	-	-	-	3	-	-
Lewisham	160,749	-	13	7	-	-	-	-	2	-	-
Woolwich	133,374	-	19	5	-	-	-	-	2	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,833,938	-	383	128	-	14	-	-	61	4	2
Ages 0–1		-	6	7	-	-	-	-	3	-	-
„ 1–5		-	111	51	-	1	-	-	3	-	1
„ 5–		-	165	31	-	-	-	-	2	-	-
„ 10–		-	65	21	-	3	-	-	4	-	1
„ 15–		-	17	4	-	3	-	-	3	-	-
„ 20–		-	8	2	-	-	-	-	4	1	-
„ 25–		-	7	7	-	3	-	-	7	3	-
„ 35–		-	4	4	-	3	-	-	9	-	-
„ 45–		-	-	1	-	1	-	-	10	-	-
„ 55–		-	-	-	-	-	-	-	5	-	-
„ 65 and upwards		-	-	-	-	-	-	-	11	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY DARLING & SON, LTD., 34-40 BACON STREET, E.

1909.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 29. 1909. VOL. LXX.] WEEK ENDED SATURDAY, JULY 24. [Price 1½*d.*

General Register Office, Somerset House,
July 26th, 1909.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 10·6 per 1000 of their aggregate population, which is estimated † at 16,445,281 persons in the middle of this year. In the preceding three weeks the rates had been 11·8, 11·8, and 11·5. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were :—from *all causes*, 15·0 in Bury, 15·6 in Great Yarmouth, 16·3 in West Bromwich, 16·4 in Swansea, and 16·6 in Newport (Mon.); from *measles*, 2·2 in West Bromwich, 2·3 in Bootle, 2·5 in Wolverhampton, 2·6 in Walsall, and 6·0 in Newport (Mon.); from *diphtheria*, 1·2 in Rochdale; from *whooping-cough*, 1·0 in West Ham, 1·1 in Walthamstow and in St. Helens, and 1·3 in Southampton and in South Shields; and from *diarrhœa*, 1·4 in Ipswich and 1·5 in Bootle. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2206 BIRTHS and 926 DEATHS were registered. Allowing for increase of population, the births were 249 and the deaths 209 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-five other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(13964—41.) Wt. 109—472. 700. 7/09. D & S. G. 31. Sch. 4. 2 F

causes, which had been 11·1, 12·0, and 10·6 per 1000 in the preceding three weeks, fell last week to 10·0; this is the lowest death-rate recorded in London in any week during the past 50 years. The death-rate in the four weeks ended last Saturday averaged 10·9 per 1000, being 1·1 per 1000 below the mean rate in the corresponding periods of the five years 1904–8.

The 926 deaths included 24 from measles, 8 from scarlet fever, 6 from diphtheria, 17 from whooping-cough, and 22 from diarrhœa; but not one death from small-pox, from typhus, from enteric fever, or from ill-defined pyrexia: thus, to these diseases in the aggregate 77 deaths were referred, being 80 below the corrected average number in the twenty-ninth week of the preceding five years.

The deaths from *measles*, which had been 33, 40, and 33 in the preceding three weeks, further fell to 24 last week, and were 13 below the corrected average; 5 deaths belonged to the Borough of Stepney, 4 to Woolwich, and 3 to Fulham. The deaths from *scarlet fever*, which had been 3, 9, and 6 in the preceding three weeks, were 8 last week, the corrected average being 9. The deaths from *diphtheria*, which had been 7, 7, and 4 in the preceding three weeks, were 6 last week, and were 4 below the corrected average. The deaths from *whooping-cough*, which had been 20, 19, and 15 in the preceding three weeks, were 17 last week, and were 6 below the corrected average. No death from *enteric fever* was registered last week; in the preceding three weeks the deaths had been 1, 1, and 2. The deaths from *diarrhœa*, which had been 10, 14, and 13 in the preceding three weeks, rose to 22 last week, but were 51 below the corrected average; 5 deaths belonged to Stepney. Of the 22 deaths from diarrhœa, 21 were those of children under 5 years of age; 4 other deaths at this age were certified as due to *enteritis* and 2 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 5, having been 11, 7, and 3 in the preceding three weeks.

Different forms of violence caused 37 deaths, concerning all of which inquests were held. Of these 37 deaths, 6 were cases of suicide, and 1 of homicide, while the remaining 30 were attributed to accident or negligence. Eight of these latter were referred to vehicles in the streets, two to burns or scalds, two to drowning, and three, of infants under one year of age, to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 2731 cases of scarlet fever, 905 of diphtheria, 2 of typhus, and 59 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 367 cases, against 390, 371, and 415; of diphtheria, 121 cases, against 100, 111, and 97; and of enteric fever, 10 cases, against 7, 5, and 6. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended July 17th, 1909.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 3468 births and 1313 deaths were registered. Allowing for increase of population, these numbers are 387 and 302 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 15 deaths from measles, 1 from scarlet fever, 1 from diphtheria, 5 from whooping-cough, and 1 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·79 inches, and that of the Thermometer 61°·9, the latter being 1°·2 below the week's average in the 65 years ended 1905. The general direction of the wind was South-Westerly, the horizontal movement of the air being 47 per cent. above the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 63·0 hours; the measured rainfall amounted to 0·15 of an inch.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 24th July, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 3rd July, 1909.	10th July, 1909.	17th July, 1909.	24th July, 1909.	Rate from Diseases in Cols. 11-17. Week ended 24th July, 1909.	Registered during the Week ended 24th July, 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS	**16,445,281**	**11·8**	**11·8**	**11·5**	**10·6**	**1·0**	**8056**	**3335**	**723**	**943**	**–**	**95**	**32**	**34**	**51**	**11**	**88**	**122**	**252**	**1026**	**22**	**76 TOWNS.**
LONDON	4,833,938	11·1	12·0	10·6	10·0	0·8	2206	926	174	288	–	24	8	6	17	–	22	37	82	484	3	LONDON.
† CROYDON	161,078	7·4	10·0	7·1	5·8	0·3	86	18	3	7	–	1	–	–	–	–	–	–	–	2	–	CROYDON.
† WILLESDEN ..	160,424	7·2	5·5	4·9	3·6	–	85	11	7	1	–	–	–	–	–	–	–	–	–	–	–	WILLESDEN.
† HORNSEY	95,628	4·4	4·9	6·0	4·9	–	21	9	–	7	–	–	–	–	–	–	–	–	–	1	–	HORNSEY.
† TOTTENHAM ..	129,464	6·4	5·6	12·1	5·6	0·4	71	14	5	5	–	–	–	–	–	–	1	–	1	2	–	TOTTENHAM.
† WEST HAM ..	321,767	12·2	10·5	10·4	8·9	1·6	166	55	16	20	–	–	–	–	6	–	4	1	3	16	–	WEST HAM.
† EAST HAM.. ...	149,575	8·7	7·3	9·4	8·7	2·4	71	25	10	3	–	3	2	–	1	–	1	–	2	3	–	EAST HAM.
† LEYTON	129,614	10·9	10·5	8·9	7·2	0·8	59	18	3	9	–	–	–	1	1	–	–	1	1	4	–	LEYTON.
† WALTHAMSTOW	136,602	7·3	7·6	5·7	9·2	1·1	51	24	6	6	–	–	–	–	3	–	–	–	–	8	–	WALTHAMSTOW.
HASTINGS	68,165	3·8	11·5	8·4	6·9	–	16	9	3	2	–	–	–	–	–	–	–	–	–	2	–	HASTINGS.
BRIGHTON	130,926	10·4	11·9	11·2	10·0	–	50	25	1	11	–	–	–	–	–	–	–	1	5	6	–	BRIGHTON.
PORTSMOUTH ..	214,726	10·9	10·7	12·4	13·1	1·2	97	54	15	13	–	–	–	1	1	1	2	3	7	16	–	PORTSMOUTH.
BOURNEMOUTH ..	72,368	10·1	10·8	13·7	8·6	–	23	12	2	6	–	–	–	–	–	–	–	–	–	–	–	BOURNEMOUTH.
SOUTHAMPTON ..	124,667	9·6	8·4	7·1	12·1	2·5	48	29	5	11	–	–	–	1	3	1	1	–	1	12	–	SOUTHAMPTON.
READING	82,995	8·2	6·9	11·3	6·9	–	33	11	3	2	–	–	–	–	–	–	–	–	–	1	–	READING.
NORTHAMPTON ..	97,752	7·5	10·1	12·3	7·5	–	23	14	1	5	–	–	–	–	–	–	–	–	1	3	–	NORTHAMPTON.
IPSWICH	74,889	10·4	9·7	9·7	6·3	1·4	27	9	1	4	–	–	–	–	–	–	2	–	–	2	–	IPSWICH.
GREAT YARMOUTH	53,430	12·7	13·7	21·5	15·6	–	24	16	6	3	–	–	–	–	–	–	–	1	3	3	–	GREAT YARMOUTH.
NORWICH	124,136	13·4	10·1	16·4	10·1	2·5	48	24	6	5	–	4	1	–	–	–	1	1	3	4	–	NORWICH.
PLYMOUTH	124,180	11·8	10·5	8·0	10·1	0·4	54	24	4	7	–	–	–	–	–	1	–	1	1	6	–	PLYMOUTH.
DEVONPORT	83,103	5·0	8·8	11·9	11·3	1·9	40	18	3	4	–	–	–	1	–	1	1	1	2	6	–	DEVONPORT.
BRISTOL	377,642	10·9	11·3	8·7	10·1	0·4	138	73	5	26	–	–	1	1	–	–	1	5	8	25	–	BRISTOL.
HANLEY	68,831	9·8	17·4	17·4	9·8	–	29	13	3	4	–	–	–	–	–	–	–	1	2	1	–	HANLEY.
BURTON-ON-TRENT	54,453	8·6	5·7	7·7	9·6	1·0	24	10	1	1	–	–	–	–	–	–	1	1	1	2	–	BURTON-ON-TRENT.
WOLVERHAMPTON..	104,633	11·5	16·9	15·0	13·0	2·5	52	26	2	10	–	5	–	–	–	–	–	–	2	1	–	WOLVERHAMPTON.
WALSALL	99,399	13·1	8·9	8·4	14·2	4·2	56	27	6	6	–	5	–	1	–	–	2	–	2	1	–	WALSALL.
HANDSWORTH ..	70,186	4·5	8·9	5·9	11·9	–	25	16	2	9	–	–	–	–	–	–	–	–	1	2	–	HANDSWORTH.
WEST BROMWICH..	70,457	9·6	12·6	10·4	16·3	3·7	36	22	5	5	–	3	–	1	–	–	1	2	2	4	–	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 24th July, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1909.*	Death-Rates from all Causes. Week ended 3rd July, 1909.	10th July, 1909.	17th July, 1909.	24th July, 1909.	Rate from Diseases in Cols. 11-17. Week ended 24th July, 1909.	Registered during the Week ended 24th July, 1909. Births.	Deaths.	The Deaths registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
BIRMINGHAM ..	563,629	11·5	10·7	11·7	10·9	0·8	326	118	29	38	-	1	2	-	2	-	4	9	9	28	2	BIRMINGHAM.
KINGS NORTON ..	81,632	8·3	4·5	5·7	7·7	0·6	32	12	3	1	-	-	-	1	-	-	-	1	2	1	1	KINGS NORTON.
SMETHWICK	70,377	8·9	8·2	6·7	4·4	-	37	6	3	1	-	-	-	-	-	-	-	1	1	1	-	SMETHWICK.
ASTON MANOR ..	85,257	8·6	8·6	8·0	10·4	-	43	17	3	5	-	-	-	-	-	-	-	-	1	2	-	ASTON MANOR.
COVENTRY	80,163	19·5	14·3	18·2	12·4	2·0	60	19	4	8	-	2	-	-	1	-	-	1	1	4	1	COVENTRY.
LEICESTER	244,255	9·2	7·5	10·5	10·9	0·4	110	51	8	20	-	-	1	-	-	-	1	3	4	14	-	LEICESTER.
GRIMSBY	73,036	8·6	11·4	8·6	9·3	0·7	41	13	3	3	-	-	-	-	-	1	-	-	-	2	-	GRIMSBY.
NOTTINGHAM ..	263,443	12·3	12·5	11·5	11·5	0·8	125	58	13	16	-	2	1	-	-	-	1	4	5	11	1	NOTTINGHAM.
DERBY	129,411	10·5	12·1	7·3	10·1	2·0	75	25	8	4	-	2	-	1	1	-	1	-	1	3	-	DERBY.
STOCKPORT	103,706	14·1	11·1	7·5	11·6	0·5	42	23	4	6	-	-	1	-	-	-	-	1	3	2	-	STOCKPORT.
BIRKENHEAD ..	121,123	14·6	12·1	10·3	12·9	0·9	68	30	11	8	-	-	-	-	1	-	1	1	2	5	-	BIRKENHEAD.
WALLASEY	71,004	11·7	11·0	10·3	13·2	-	41	18	2	5	-	-	-	-	-	-	-	-	-	2	-	WALLASEY.
LIVERPOOL	760,357	16·1	15·4	17·1	14·4	2·0	475	210	63	43	-	10	4	1	1	-	13	6	13	73	5	LIVERPOOL.
BOOTLE	69,393	16·5	12·0	13·5	13·5	3·8	40	18	6	3	-	3	-	-	-	-	2	-	-	2	2	BOOTLE.
ST. HELENS	95,161	13·7	13·2	9·9	14·8	2·2	55	27	8	6	-	-	-	-	2	1	1	1	2	5	1	ST. HELENS.
WIGAN	90,678	17·3	13·8	11·5	13·2	2·3	53	22	6	7	-	-	1	-	1	-	2	-	1	2	-	WIGAN.
WARRINGTON ..	72,276	13·0	15·2	19·5	8·7	-	50	12	2	6	-	-	-	-	-	-	-	1	1	2	1	WARRINGTON.
BOLTON	187,824	11·7	12·2	15·0	9·7	0·8	95	35	8	9	-	1	1	1	-	-	-	2	3	6	-	BOLTON.
BURY	59,231	15·8	9·7	14·1	15·0	-	26	17	2	7	-	-	-	-	-	-	-	1	1	5	-	BURY.
MANCHESTER ..	635,435	15·8	14·5	12·6	12·6	1·3	375	159	34	33	-	6	2	2	1	2	3	5	7	51	-	MANCHESTER.
SALFORD	241,950	17·2	14·2	14·9	13·8	2·6	125	64	18	11	-	5	1	1	1	-	4	2	3	13	-	SALFORD.
OLDHAM	143,301	14·2	15·3	16·0	13·1	1·1	76	36	2	12	-	-	-	1	1	-	1	-	3	7	-	OLDHAM.
ROCHDALE	89,653	15·1	12·2	14·5	11·6	1·2	42	20	-	5	-	-	-	2	-	-	-	1	3	7	-	ROCHDALE.
BURNLEY	106,267	13·7	9·8	11·8	9·8	0·5	64	20	4	7	-	-	-	1	-	-	-	-	1	8	-	BURNLEY.
BLACKBURN	136,959	13·3	11·8	14·8	12·2	1·9	61	32	7	7	-	1	1	1	-	-	2	2	4	4	1	BLACKBURN.
PRESTON	118,519	11·4	14·1	13·6	12·3	0·4	67	28	10	10	-	-	-	-	1	-	-	2	2	3	-	PRESTON.
BARROW-IN-FURNESS.	62,996	9·9	8·3	7·4	9·9	0·8	27	12	2	3	-	-	-	1	-	-	-	-	-	-	-	BARROW-IN-FURNESS.

* See note † on first page of this return.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 24th July, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 3rd July, 1909.	10th July, 1909.	17th July, 1909.	24th July, 1909.	Rate from Diseases in Cols. 11–17. Week ended 24th July, 1909.	Registered during the Week ended 24th July, 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,739	13·2	14·9	13·2	9·9	-	52	18	2	10	-	-	-	-	-	-	-	-	-	3	-	HUDDERSFIELD.
HALIFAX	111,911	11·6	10·3	14·0	8·4	0·9	36	18	1	6	-	-	-	1	-	-	1	-	-	1	-	HALIFAX.
BRADFORD	293,983	10·6	12·1	11·0	9·9	-	108	56	11	18	-	-	-	-	-	-	-	2	3	9	-	BRADFORD.
LEEDS	484,012	11·5	11·0	10·7	11·2	0·4	208	104	33	24	-	2	-	-	1	-	1	3	10	16	-	LEEDS.
SHEFFIELD	470,958	13·3	12·2	13·4	9·0	0·6	238	81	20	22	-	-	1	-	-	-	4	2	4	26	2	SHEFFIELD.
ROTHERHAM.. ..	65,070	7·2	10·4	5·6	10·4	-	49	13	3	6	-	-	-	-	-	-	-	1	1	3	-	ROTHERHAM.
YORK	87,004	11·4	12·6	7·2	4·8	-	33	8	-	1	-	-	-	-	-	-	-	-	-	4	-	YORK.
HULL	275,552	14·2	11·9	11·9	11·7	0·6	169	62	16	17	-	2	-	-	-	-	1	3	6	15	-	HULL.
MIDDLESBROUGH ..	105,255	17·3	16·8	20·3	14·4	1·5	68	29	5	5	-	-	-	1	1	-	1	-	-	6	-	MIDDLESBROUGH.
STOCKTON-ON-TEES	53,417	4·9	6·8	13·7	9·8	1·0	24	10	2	3	-	1	-	-	-	-	-	1	3	2	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL	79,686	9·2	8·5	11·8	5·9	0·7	35	9	3	3	-	-	-	-	-	1	-	-	-	3	-	WEST HARTLEPOOL.
SUNDERLAND ..	159,378	16·0	11·5	13·7	13·7	0·3	87	42	6	11	-	-	-	-	-	-	1	1	3	9	-	SUNDERLAND.
SOUTH SHIELDS ..	117,627	14·2	12·0	14·2	11·6	2·7	56	26	10	2	-	1	1	-	3	-	1	-	1	5	-	SOUTH SHIELDS.
GATESHEAD	131,024	14·7	13·1	9·9	7·2	0·8	69	18	4	2	-	-	-	2	-	-	-	-	-	1	1	GATESHEAD.
NEWCASTLE-ON-TYNE.	281,584	11·1	15·9	12·8	9·1	0·7	144	49	9	18	-	1	-	2	-	-	1	-	1	15	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH ..	55,808	14·0	16·8	16·8	14·9	1·9	36	16	3	3	-	-	1	1	-	-	-	-	1	6	-	TYNEMOUTH.
NEWPORT (MON.) ..	78,336	16·0	8·7	18·0	16·6	6·7	49	25	3	3	-	9	-	-	-	1	-	1	3	5	-	NEWPORT (MON.).
CARDIFF	195,303	9·6	10·9	10·9	10·1	0·5	100	38	6	12	-	-	-	-	1	1	-	2	5	10	-	CARDIFF.
RHONDDA	135,894	15·3	15·7	14·6	11·1	0·8	100	29	11	5	-	-	1	1	-	-	-	1	2	-	1	RHONDDA.
MERTHYR TYDFIL..	78,365	10·0	8·7	17·3	12·0	1·3	45	18	5	3	-	-	1	-	-	-	1	4	4	2	-	MERTHYR TYDFIL.
SWANSEA	98,308	19·6	15·4	16·4	16·4	0·5	55	31	9	5	-	1	-	-	-	-	-	1	2	5	-	SWANSEA.
GREATER LONDON	7,429,740	10·1	10·9	10·1	9·2	0·9	3468	1313	264	428	-	43	11	8	33	-	29	53	112	557	3	GREATER LONDON.
OUTER RING ..	2,595,802	8·4	8·9	9·3	7·8	0·9	1262	387	90	140	-	19	3	2	16	-	7	16	30	73	-	OUTER RING.
8 TOWNS IN OUTER RING.	1,284,152	8·7	8·2	8·4	7·1	1·0	610	174	50	58	-	4	2	1	11	-	6	2	7	36	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,311,650	8·0	9·6	10·3	8·5	0·9	652	213	40	82	-	15	1	1	5	-	1	14	23	37	-	REMAINDER OF OUTER RING.
EDINBURGH	355,366	13·6	13·8	12·8	11·2	0·9	150	76‡	11	33	-	-	1	1	2	-	2	2	?	31	4	EDINBURGH.
GLASGOW	872,021	13·2	12·2	11·4	12·4	1·2	443	208	42	48	-	5	2	1	3	1	8	9	?	69	11	GLASGOW.
DUBLIN (Registration Area).†	398,356	18·5	15·6	16·9	14·4	1·2	216	110	24	24	-	-	-	1	2	2	4	6	9	48	4	DUBLIN (Registration Area).†
BELFAST†	386,576	14·4	13·9	11·2	15·2	1·2	216	113	23	20	-	-	-	-	3	3	3	4	7	27	1	BELFAST†

* See note † on first page of this return.

† Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast respectively.
‡ Including 1 death from Cerebro-spinal meningitis.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the TWENTY-NINTH Week of each of the Eleven Years, 1899–1909.

	1899	1900	1901	1902	1903	1904	1905	1906	1907	1908	Corrected Weekly Average in 5 Years 1904–1908.*	1909
TOTAL **Births** -	2444	2384	2519	2657	2442	2472	2466	2468	2266	2318	2455·0	2206
Males - - -	1279	1239	1261	1379	1199	1273	1217	1215	1131	1159	1227·5	1156
Females - -	1165	1145	1258	1278	1243	1199	1249	1253	1135	1159	1227·5	1050
TOTAL **Deaths** -	1589	1417	1411	1236	1128	1320	1137	1054	1077	957	1135·3	926
Males - - -	855	777	709	690	605	689	607	572	550	505	598·4	513
Females - -	734	640	702	546	523	631	530	482	527	452	536·9	413

* The numbers in this column are the average weekly numbers in the Twenty-Ninth week of the five years 1904–1908, raised by 2·375 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	May 1.	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.	13 Weeks.
TOTAL **Births** -	2367	2537	2339	2260	2131	1918	2421	2467	2068	2331	2236	2292	2206	29573
TOTAL **Deaths** -	1300	1304	1216	1295	1240	1072	1135	1060	1125	1029	1109	979	926	14790
Ages at Death: Under 1 year -	223	260	209	238	200	185	232	179	189	183	188	177	174	2637
1—5 years -	166	169	130	162	141	129	122	128	115	106	138	102	88	1696
5—20 " -	60	68	74	72	76	54	65	72	68	50	48	55	61	823
20—40 " -	174	143	177	153	161	143	138	137	130	125	144	115	114	1854
40—60 " -	297	253	260	284	257	225	246	219	266	226	240	233	201	3207
60 yrs. & upwds.	380	411	366	386	405	336	332	325	357	339	351	297	288	4573
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	81	73	53	53	63	47	62	48	51	33	40	33	24	661
Scarlet Fever - -	10	10	11	6	6	8	10	10	7	3	9	6	8	104
Diphtheria - -	8	13	8	16	17	7	7	6	7	7	7	4	6	113
Whooping-cough -	41	35	30	42	35	35	21	18	17	20	19	15	17	345
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	1	-	-	6	3	3	2	2	3	1	1	2	-	24
Pyrexia (origin uncertain).	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Diarrhœa, Dysentery	12	13	8	10	16	17	16	5	17	10	14	13	22	173
All above diseases -	154	144	110	133	140	117	118	89	102	74	90	73	77	1421
Dis. of Resp. System	85	76	78	83	82	65	54	68	64	58	60	38	43	854
Pneumonia - -	147	136	135	131	143	107	98	67	91	100	94	68	89	1406
Phthisis - - -	116	130	131	126	113	107	96	97	122	93	111	97	78	1417
Dis. of Circ. System -	155	156	163	168	168	138	171	161	157	158	164	144	128	2031
Violence - - -	62	59	49	39	44	46	41	48	41	45	57	65	37	633
Inquest Cases - -	146	128	113	118	111	105	109	103	109	121	114	119	82	1478
Deaths in Institutions	608	561	561	579	578	449	489	482	510	444	506	436	484	6687
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	48·6	50·6	48·5	54·9	57·5	54·2	50·2	56·3	55·8	55·9	58·5	60·0	61·9	54·8
Mean of Highest -	58·9	61·0	60·1	68·8	68·6	61·3	58·7	67·3	65·4	66·8	68·5	69·3	72·7	65·2
Mean of Lowest -	40·6	40·2	37·8	39·5	48·4	47·4	42·7	47·8	50·7	47·5	51·1	53·8	54·0	46·3
Mean Humidity of the Air.	69	60	67	66	72	61	84	79	81	80	77	82	71	75
Rain-fall (in inches) -	0·77	0·00	0·11	0·13	0·95	0·94	0·79	0·05	1·45	0·44	0·99	0·71	0·15	7·48
Registered Sunshine (in hours).	64·0	92·4	62·7	75·9	55·9	31·2	25·4	37·4	30·1	37·0	31·2	25·2	63·0	631·4
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - -	2181	2175	2173	2234	2254	2223	2263	2445	2517	2587	2647	2737	2731	2397
Diphtheria - - -	1016	993	990	957	925	905	876	897	915	896	901	893	905	928
Typhus - - -	-	-	-	-	1	1	1	1	1	2	1	2	2	1
Enteric Fever - -	58	56	52	48	50	43	46	56	59	58	58	57	59	54

* The Metropolitan Asylums Board and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lander, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq., F.R.Met.Soc., Hull; the Meteorological Committee, Tynemouth; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the TWENTY-NINTH Week of the Year 1909.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 29th week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1135·3	926	174	88	61	114	201	288
Small-pox*	0·2	-	-	-	-	-	-	-
Cowpox	-	-	-	-	-	-	-	-
Measles (Morbilli)	36·7	24	3	21	-	-	-	-
Scarlet Fever	8·8	8	-	4	4	-	-	-
Typhus	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-
Influenza	3·9	5	-	-	1	1	-	3
Whooping-cough	23·3	17	7	9	1	-	-	-
Diphtheria	10·2	6	1	4	1	-	-	-
Cerebro-spinal Fever ..	0·2	-	-	-	-	-	-	-
Pyrexia† (origin uncertain)	0·2	-	-	-	-	-	-	-
Enteric Fever	4·7	-	-	-	-	-	-	-
Asiatic Cholera	-	-	-	-	-	-	-	-
Epidemic Diarrhœa, Infective Enteritis	43·2	10	10	-	-	-	-	-
Diarrhœa, Dysentery ..	29·5	12	11	-	-	1	-	-
Tetanus	0·6	-	-	-	-	-	-	-
Rabies, Hydrophobia ..	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever)..	0·2	-	-	-	-	-	-	-
Venereal Dis.	4·3	7	4	-	-	1	2	-
Puerperal Septicæmia ..	3·5	1	-	-	-	1	-	-
Puerperal Pyæmia.. .	0·2	-	-	-	-	-	-	-
Puerperal Fever	0·2	-	-	-	-	-	-	-
Infective Endocarditis ..	2·9	2	-	-	1	-	1	-
Pneumonia: Lobar ..	12·7	22	1	1	-	1	13	6
Pneumonia: Broncho ..	27·6	43	16	10	1	3	4	9
Pneumonia: Epidemic ..	-	-	-	-	-	-	-	-
Pneumonia: Not defined	36·7	24	1	5	4	1	6	7
Erysipelas	2·5	2	-	-	-	-	2	-
Septicæmia (not Puerperal)	1·6	4	2	1	-	-	-	1
Pyæmia (not Puerperal)	1·2	1	1	-	-	-	-	-
Other Infective Processes	4·3	4	-	-	-	1	-	3
Tuberculous Phthisis ..	68·0	59	2	-	7	21	21	8
"*Phthisis*"	35·4	19	-	1	1	13	4	-
Tuberculous Meningitis ..	22·1	14	1	7	5	1	-	-
Tuberculous Peritonitis ..	7·4	6	-	2	4	-	-	-
Tabes Mesenterica	1·8	1	-	-	-	1	-	-
Tuberculous Dis., Other ..	17·8	11	2	-	3	2	3	1
Scrofula..	-	-	-	-	-	-	-	-
Alcoholism	9·2	6	-	-	-	1	4	1
Rheumatic Fever	3·5	6	-	-	2	3	-	1
Gout	1·0	2	-	-	-	-	2	-
Carcinoma	52·4	66	-	-	-	6	33	27
Sarcoma	5·9	8	1	1	-	2	2	2
Cancer (undefined) ..	33·6	28	-	-	-	2	14	12
Diabetes Mellitus	8·4	9	-	-	-	1	2	6
Premature Birth	44·0	29	29	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 29th week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)..	13·3	11	4	2	1	2	2	-
Gen. Par. of Insane, Insanity	13·3	20	-	-	-	5	6	9
Epilepsy	6·3	8	-	1	-	4	1	2
Convulsions	18·0	12	12	-	-	-	-	-
Locomotor Ataxy.. ..	1·2	2	-	-	-	1	1	-
Paraplegia, Dis. of Cord.	4·1	4	-	1	1	-	1	1
Nervous Sys., Other Dis.	15·4	15	1	-	1	2	6	5
Valv. Dis., Endocarditis..	36·2	29	-	1	4	3	8	13
Cereb. Hæm. Cereb. Emb.	26·8	19	-	-	-		1	18
Apoplexy, Hemiplegia ..	12·7	6	-	-	-	-	1	5
Aneurysm	4·9	3	-	-	-	-	1	2
Embolism, Thrombosis (not Cerebral) ..	0·4	2	-	-	-	1	-	1
Heart & Blood Ves., Other Dis... ..	63·1	69	1	-	2	6	15	45
Croup (not Spasm: nor Memb)	-	-	-	-	-	-	-	-
Bronchitis	34·6	32	8	2	-	-	-	22
Emphysema, Asthma ..	1·2	1	-	-	-	-	-	1
Pleurisy	3·1	4	-	1	-	-	3	-
Respiratory Dis., Other..	7·0	6	1	1	-	3	1	-
Tonsillitis, Quinsy.. ..	1·4	-	-	-	-	-	-	-
Enteritis (not Epid.) ..	15·2	7	2	2	-	2	1	-
Gastro-enteritis	7·8	3	2	-	-	-	1	-
Peritonitis (not Puerp.) ..	1·6	3	-	2	-	1	-	-
Cirrhosis of Liver.. ..	13·7	6	-	-	-	1	3	2
Liver Dis., Other	4·7	6	1	-	-	-	3	2
Digestive Sys., Other Dis.	36·4	23	3	4	6	5	4	6
Acute Nephritis	4·5	5	-	-	-	-	3	2
Bright's Dis., Albuminuria	29·5	27	-	-	-	4	13	10
Urinary Sys., Other Dis.	10·6	5	-	-	-	-	-	5
Generative Organs Dis...	5·1	4	-	-	-	1	1	2
Childbirth (Accid. of) ..	2·0	3	-	-	-	2	1	-
Old Age	40·1	36	-	-	-	-	-	36
Other Diseases	74·3	57	42	3	3	1	4	4
ACCIDENT.								
By Railways	1·6	1	-	-	-	-	1	-
By Vehicles and Horses..	4·9	8	-	-	4	2	1	1
In Ships, Boats, Docks, (exclusive of Drowning)	0·6	-	-	-	-	-	-	-
In Building Operations..	1·0	-	-	-	-	-	-	-
In Conflagrations	0·2	-	-	-	-	-	-	-
By Burns, Scalds, Explosions	5·1	2	-	1	-	-	-	1
By Drowning	8·6	2	-	1	1	-	-	-
By Suffocation in Bed ..	5·9	3	3	-	-	-	-	-
By Poisons or Poisonous Vapours	1·2	1	-	-	-	1	-	-
Other Deaths by Accident..	16·6	13	2	-	3	2	2	4
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	1·2	1	-	-	-	1	-	-
Suicide	10·0	6	-	-	-	1	3	2
Execution	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 24th July, 1909.

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia† (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified causes of Death.
LONDON	4,536,267	2206	926	174	283	–	24	8	6	17	–	–	–	22	37	82	484	3
WEST DISTRICTS	805,311	336	183	28	63	–	7	–	2	3	–	–	–	4	10	15	94	–
NORTH DISTRICTS	1,055,908	479	179	32	68	–	2	2	1	2	–	–	–	4	6	22	78	–
CENTRAL DISTRICTS	209,465	99	55	13	6	–	1	–	1	2	–	–	–	3	5	7	39	–
EAST DISTRICTS	715,739	417	168	41	39	–	7	–	–	4	–	–	–	7	9	18	106	–
SOUTH DISTRICTS	1,749,844	875	302	60	98	–	7	6	2	6	–	–	–	4	7	20	128	3
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	–	39	–	14	–	–	–	–	–	–	–	–	–	–	–	39	–
WEST DISTRICTS.																		
North Paddington *H*	63,603	28	5	–	4	–	–	–	–	–	–	–	–	–	–	–	–	–
Central Paddington *W,3H*	50,053	21	19	3	4	–	–	–	–	–	–	–	–	–	2	3	12	–
South Paddington	30,320	4	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kensington Town *2W,w,2H* ..	128,037	62	40	6	11	–	2	–	–	–	–	–	–	1	2	2	23	–
Brompton *2H*	48,591	7	5	1	3	–	–	–	–	–	–	–	–	1	–	1	–	–
North Hammersmith *2W,w,H* ..	49,192	33	12	4	3	–	1	–	–	–	–	–	–	2	1	1	6	–
South Hammersmith *w,2H* ..	63,047	33	15	2	6	–	1	–	–	2	–	–	–	–	1	1	3	–
North-west Fulham *W*	45,180	40	13	1	4	–	1	–	–	–	–	–	–	–	–	1	9	–
North-east Fulham *F*	46,405	20	9	2	2	–	2	–	2	–	–	–	–	–	–	–	3	–
South Fulham *W*	45,704	18	5	–	2	–	–	–	–	–	–	–	–	–	2	2	–	–
Chelsea North *W,w,3H*	42,514	11	19	–	13	–	–	–	–	–	–	–	–	–	–	1	16	–
Chelsea South *W,2H*	31,328	6	14	4	4	–	–	–	–	1	–	–	–	–	1	2	7	–
Mayfair and Knightsbridge	28,743	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Belgrave *W,2H*	55,815	26	10	1	3	–	–	–	–	–	–	–	–	–	1	1	8	–
St. Margaret & St. John *6H*	43,698	18	10	3	3	–	–	–	–	–	–	–	–	–	–	–	6	–
St. James and St. Anne *W,6H* ..	33,081	9	3	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
NORTH DISTRICTS.																		
All Souls Marylebone *7H*	35,391	10	10	1	2	–	–	–	–	–	–	–	–	1	–	1	4	–
St. Mary Marylebone *W,4H* ..	37,948	33	4	1	2	–	–	–	–	–	–	–	–	–	–	–	3	–
Christchurch Marylebone	39,536	19	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
St. John Marylebone *2H*	20,426	10	4	–	3	–	–	–	–	–	–	–	–	–	–	–	1	–
Hampstead *W,F,6H*	81,942	29	14	2	4	–	–	1	1	1	–	–	–	–	–	1	7	–
West St. Pancras *2H*	60,562	27	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
South St. Pancras *w,10H*	55,707	23	13	3	3	–	–	–	–	–	–	–	–	–	–	3	8	–
East St. Pancras *W,H*	60,320	33	12	1	6	–	–	–	–	–	–	–	–	–	–	1	8	–
North St. Pancras *2W*	58,728	32	6	1	1	–	–	–	–	–	–	–	–	–	–	–	3	–
Tufnell *W*	31,995	8	12	2	7	–	–	–	–	1	–	–	–	–	–	1	10	–
Upper Holloway *2W,w,H*	33,978	12	16	1	8	–	1	–	–	–	–	–	–	–	1	1	12	–
Tollington *W,w,H*	33,922	16	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Lower Holloway	41,424	16	6	3	1	–	–	–	–	–	–	–	–	1	–	–	–	–
Barnsbury	54,478	17	3	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
Islington South-east *F*	75,397	29	10	2	2	–	1	–	–	–	–	–	–	–	–	1	–	–
Highbury *2H*	63,797	20	6	1	2	–	–	–	–	–	–	–	–	–	–	1	–	–
Stoke Newington *H*	51,247	15	6	1	4	–	–	–	–	–	–	–	–	–	–	–	–	–
North Hackney	50,398	30	3	1	2	–	–	–	–	–	–	–	–	1	–	–	–	–
Central Hackney *w,F*	50,536	25	9	3	3	–	–	1	–	–	–	–	–	–	–	1	2	–
South-west Hackney *3H*	59,921	28	14	6	5	–	–	–	–	–	–	–	–	–	–	2	4	–
South-east Hackney *2W,H*	58,255	47	22	2	9	–	–	–	–	–	–	–	–	1	5	7	14	–
Hackney Union Workhouse, Brentwood	—	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–	2	–

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 24th July, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
St. Giles and Bloomsbury 2*W*,2*H* ..	31,436	18	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Strand *W*,4*H*	21,674	5	7	–	2	–	–	–	–	–	–	–	–	–	–	–	7	–
Strand Union Workhouse, Edmonton	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–
Holborn *W*,5*H*	29,612	7	19	5	2	–	–	–	–	1	–	–	–	2	–	–	17	–
Clerkenwell *H*	63,704	34	4	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–
St. Luke 3*H*,*L*	36,116	32	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Holborn Union Workhouse, Mitcham	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
St. Botolph *H*	10,299	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Sepulchre and Allhallows *W*,2*H*	16,624	2	17	2	–	–	1	–	1	1	–	–	–	–	5	7	14	–
City of London Asylum, Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
EAST DISTRICTS.																		
Shoreditch South 2*H*	46,362	21	6	2	2	–	–	–	–	1	–	–	–	–	–	2	–	–
Shoreditch North-West *W*,*w*,*H* ..	36,127	17	16	1	6	–	–	–	–	–	–	–	–	–	–	–	12	–
Shoreditch North-East	36,148	17	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Shoreditch Union Workhouse, Wood Green	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	49	19	3	5	–	1	–	–	1	–	–	–	–	–	–	18	–
Bethnal Green South-West *H* ..	64,542	43	13	6	2	–	–	–	–	–	–	–	–	2	1	2	–	–
Spitalfields..	27,969	9	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mile End New Town *W*,*H*	28,718	12	46	10	4	–	–	–	–	–	–	–	–	3	5	6	43	–
Goodman's Fields	22,081	10	2	1	–	–	–	–	–	–	–	–	–	–	2	2	–	–
St. George and St. John 2*W* ..	49,068	37	7	3	1	–	1	–	–	–	–	–	–	1	–	–	2	–
Shadwell and Ratcliff *w*,*H* ..	25,568	13	7	5	–	–	1	–	–	1	–	–	–	–	–	–	6	–
Limehouse *W*	32,369	29	3	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Mile End Old Town South-Western *H*	63,698	70	6	2	2	–	1	–	–	–	–	–	–	–	–	1	1	–
Mile End Old Town North-Eastern *W*,*w*	49,129	21	10	–	4	–	1	–	–	–	–	–	–	–	–	1	6	–
Bow	41,989	17	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Bromley 3*w*,*H*	68,319	26	25	6	11	–	–	–	–	1	–	–	–	1	1	2	17	–
Poplar *W*,*w*	58,514	26	4	2	1	–	1	–	–	–	–	–	–	–	–	1	1	–
Workhouse, Forest Gate (Parish of Poplar Borough).	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 24th July, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch and St. Saviour Southwark *W,2H*	23,319	6	11	2	1	-	-	-	-	-	-	-	-	-	1	1	10	-
Kent-road	21,904	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George the Martyr West *W,2H,L*	39,094	21	7	2	2	-	-	-	-	1	-	-	-	-	1	1	4	-
Newington North	49,022	27	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Newington South *W*	72,841	40	12	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-
St. Olave *2W*	9,817	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bermondsey *W*	82,483	47	6	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Rotherhithe *W,F*	38,460	24	9	1	4	-	-	-	-	1	-	-	-	-	-	1	5	-
Waterloo *2H*	27,440	26	8	5	-	-	-	-	-	-	-	-	-	1	-	-	7	-
Lambeth Church *H*	27,440	17	14	5	2	-	-	-	-	-	-	-	-	2	1	1	13	-
Kennington *2W*	52,518	27	17	1	12	-	-	-	-	-	-	-	-	-	-	2	11	-
Stockwell *HF*	63,826	31	5	3	-	-	-	-	-	1	-	-	-	-	-	2	1	-
Brixton *H*	73,675	17	9	2	3	-	-	-	-	-	-	-	-	-	-	-	1	-
Norwood *2WH*	56,998	25	6	1	2	-	-	-	-	-	-	-	-	-	-	-	1	1
East Battersea *H*	72,203	31	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
North-west Battersea	49,656	21	6	3	1	-	-	-	-	-	-	-	-	-	1	1	-	-
South-west Battersea *2W,H*	47,048	17	18	2	7	-	-	-	-	-	-	-	-	-	-	-	13	-
Clapham *2H*	51,361	25	5	1	2	-	-	-	-	-	-	-	-	-	-	-	1	-
Streatham *W,2w,2F,2L*	88,019	65	23	3	9	-	-	1	1	-	-	-	-	1	-	2	7	1
Springfield *2W,L*	27,959	20	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Southfields *H*	40,444	27	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Putney	24,139	10	5	1	2	-	1	-	-	-	-	-	-	-	-	-	-	1
Dulwich	13,359	5	4	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	16	19	2	9	-	-	-	-	1	-	-	-	-	-	-	16	-
Camberwell North *W,2L*	65,584	19	15	2	5	-	-	-	-	-	-	-	-	-	-	-	9	-
St. George	47,331	20	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peckham North	48,913	21	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Peckham South *2W,w*	43,946	19	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Deptford North	37,613	23	8	-	1	-	-	-	-	1	-	-	-	-	2	3	-	-
Deptford Central *F*	45,481	28	5	-	1	-	-	2	-	-	-	-	-	-	-	-	2	-
Deptford South	34,625	25	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *H*	23,456	12	3	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Greenwich East *2W,H*	43,859	17	12	2	6	-	-	-	-	-	-	-	-	-	1	2	8	-
Eltham *w,H*	7,226	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *w,H*	25,490	9	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham *2W,w,F*	58,352	40	7	-	4	-	-	-	-	-	-	-	-	-	-	-	5	-
Sydenham *H*	43,653	20	4	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Charlton *F,2H*	21,134	12	4	-	-	-	-	3	-	-	-	-	-	-	-	-	4	-
Woolwich *5H*	41,625	16	10	1	4	-	1	-	1	-	-	-	-	-	-	-	-	-
Plumstead West *W,H*	39,376	18	6	2	1	-	-	-	-	-	-	-	-	-	-	2	-	-
Plumstead East *2W*	28,951	12	10	2	1	-	4	-	-	-	-	-	-	-	-	-	8	-
Workhouses:—																		
Belmont Workhouse	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Small-pox Hospitals:—																		
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																		
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																		
Children's Infirmary, Carshalton	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
M. A. B. Imbecile Asylums:—																		
Caterham	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Darenth	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
Leavesden	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Lunatic Asylums:—																		
Banstead	—	-	8	-	1	-	-	-	-	-	-	-	-	-	-	-	8	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
Manor	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Long Grove	—	-	8	-	5	-	-	-	-	-	-	-	-	-	-	-	8	-
Cane Hill	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Dartford Heath	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
Hanwell	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Colney Hatch	—	-	6	-	2	-	-	-	-	-	-	-	-	-	-	-	6	-
Claybury	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERATED POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 24th July, 1909.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING ..	363,603	2,045,135	1262	387	90	140	-	19	3	2	16	-	7	16	30	73	-
30 : 1	Carshalton 2F,3H	12,228	32,997	18	11	3	3	-	1	-	-	-	-	-	-	-	-	-
2	Epsom, *part of** W,w,2F,H..	10,423	15,548	4	2	-	2	-	-	-	-	-	-	-	-	-	1	-
37 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38 : 1	Coulsdon	11,069	8,166	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w,H ..	4,200	49,309	25	8	2	4	-	-	-	-	-	-	-	-	-	-	-
3	West Croydon 3W,F,H ..	2,168	42,888	33	9	1	3	-	1	-	-	-	-	-	-	-	3	-
4	North Croydon H	2,614	41,698	28	2	-	1	-	-	-	-	-	-	-	-	-	-	-
5	Penge w	770	22,465	7	3	1	1	-	-	-	-	-	-	-	1	-	-	-
6	Mitcham w	11,711	30,015	26	3	1	1	-	-	-	-	-	-	-	-	-	-	-
39 : 1	Wimbledon F,3H	3,221	41,652	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Kingston 2W,H	6,224	42,068	30	12	4	2	-	-	-	-	-	-	-	1	1	6	-
3	Surbiton F,H	3,046	15,017	3	2	-	2	-	-	-	-	-	-	-	1	1	-	-
4	Esher, *part of** H	5,402	13,100	9	3	1	-	-	1	-	-	-	-	-	1	1	-	-
5	Hampton H,F,L	4,564	23,456	17	9	-	6	-	-	1	-	1	-	-	1	1	2	-
40 : 1	Richmond W,H	2,491	31,672	11	9	1	7	-	-	-	-	-	-	-	2	2	-	-
2	Mortlake F	2,518	17,821	13	7	-	1	-	2	-	-	1	-	-	1	1	-	-
41 : 1	Bromley F,3H	4,703	27,354	19	8	1	2	-	2	-	-	-	-	-	-	-	-	-
2	Beckenham H	7,825	28,497	13	6	-	3	-	-	-	-	-	-	-	-	-	1	-
3	Orpington, *part of** W,F ..	10,113	9,857	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Chislehurst 2H	7,333	16,446	9	2	1	-	-	-	-	-	-	-	-	-	-	-	-
42 : 1	Bexley w,F,H	8,678	21,151	12	3	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Erith F,H	3,854	25,296	12	4	-	-	-	1	-	-	2	-	-	-	-	-	-
3	Dartford W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124 : 1	Sunbury w	11,054	18,683	4	3	-	2	-	-	-	-	-	-	-	-	1	-	-
2	Staines W,H	13,277	15,178	11	10	2	4	-	1	-	-	-	-	-	3	3	5	-
125 : 1	Hillingdon W,F,H	6,035	13,661	10	5	-	4	-	-	-	-	-	-	-	-	-	3	-
2	Uxbridge H	12,757	8,984	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w 2F,H	8,066	16,358	15	1	-	-	-	-	-	-	-	-	-	-	-	-	-
126 : 1	Isleworth 3W,3F,H	6,859	30,863	23	9	1	5	-	-	-	-	1	-	-	-	-	4	-
2	Twickenham F,2H	2,421	20,991	15	3	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Brentford 3F,2H	4,319	48,289	30	6	-	3	-	-	-	-	-	-	-	-	-	-	-
4	Chiswick H	1,249	29,809	16	5	2	3	-	-	-	-	-	-	-	-	-	-	-
5	Acton w,F,3H	6,132	48,914	32	8	1	2	-	3	-	-	-	-	-	-	1	-	-
127 : 1	Harrow F,H	13,809	25,523	16	1	-	-	-	-	-	-	-	-	-	-	1	-	-
2	Edgware 2F,2H	6,994	4,521	3	1	-	1	-	-	-	-	-	-	-	-	-	1	-
3	Willesden W,F,2H	4,384	114,811	85	11	7	1	-	-	-	-	-	-	-	-	-	-	-
4	Hendon W,F	8,382	22,450	16	3	1	1	-	-	-	-	-	-	-	-	-	-	-
128 : 1	South Mimms 2F,H ..	17,755	7,308	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,970	7	3	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Finchley F,3H	4,683	33,692	22	4	1	1	-	-	-	-	-	-	-	-	-	-	-
129 : 1	Hornsey F,H	2,875	72,056	21	8	-	6	-	-	-	-	-	-	-	-	-	-	-
2	Wood Green H	1,625	34,233	23	4	2	2	-	-	-	-	-	-	-	-	1	-	-
3	West Tottenham	995	48,741	31	4	3	1	-	-	-	-	-	-	1	-	-	-	-
4	East Tottenham 2H ..	2,019	53,962	40	9	2	3	-	-	-	-	-	-	-	-	1	1	-
5	Edmonton W,w,2F	7,491	61,892	58	19	7	4	-	1	-	-	-	-	-	-	4	5	-
6	Enfield 2W,F,H	12,601	42,738	34	13	3	4	-	2	-	-	-	-	-	1	3	1	-
7	Waltham Abbey F	11,017	6,549	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	6	2	-	2	-	-	-	-	-	-	-	-	-	-	-
135 : 1	Hatfield, *part of** W ..	3,305	664	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey, *part of*†* H ..	9,195	7,051	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford, *part of*†* W,2F ..	138	2,122	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
186 : 1	Stratford H	1,091	52,974	31	11	4	3	-	-	-	-	1	-	1	1	1	1	-
2	Forest Gate	787	52,745	26	5	-	5	-	-	-	-	-	-	1	-	-	-	-
3	Plaistow F,2H	1,249	90,921	65	14	7	4	-	-	-	-	2	-	2	-	1	1	-
4	Canning Town H	1,556	70,718	44	12	4	2	-	-	-	-	1	-	-	1	2	1	-
5	South East Ham 2F ..	1,991	37,342	37	10	5	-	-	3	2	-	-	-	-	-	1	1	-
6	North East Ham w,H ..	1,333	58,666	34	13	4	3	-	-	-	-	-	-	1	-	1	-	-
7	Wanstead F	1,679	9,170	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	27	9	1	7	-	-	-	-	1	-	-	-	-	4	-
9	North Leyton 2W,w,F ..	1,963	48,445	32	29	5	10	-	-	-	1	4	-	-	1	1	20	-
10	Walthamstow 2H,L ..	6,504	108,929	58	18	6	4	-	-	-	-	2	-	-	-	-	1	-
187 : 1	Chigwell 2F,3H	11,778	16,397	13	2	-	2	-	-	-	-	-	-	-	-	-	-	-
2	Epping W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189 : 1	Romford, *part of** W,2F ..	6,556	6,091	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Ilford F,L	8,496	41,244	29	15	3	8	-	-	-	-	-	-	-	-	-	4	-
3	Barking Town F	3,805	21,547	15	5	2	-	-	-	-	1	-	-	1	1	1	1	-
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-
	London County Lunatic Asylum, Long Grove, Epsom.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	London County Lunatic Asylum, Cane Hill.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Surrey County Lunatic Asylum, Brookwood.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
	Middlesex County Lunatic Asylum, Napsbury.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30 : 2, excepting Ashtead parish; 37 : 1, Warlingham and Farley parishes; 39 : 4, excepting Esher parish; 41 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135 : 1, Northaw parish; 137 : 1, excepting the part in Watford Rural parish; 137 : 2, Oxhey parish; 189 : 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42 : 3, 137 : 2 and 187 : 2 and in the Croydon Mental Hospital in 37 : 1 are also included.

† Boundaries altered, 1 July, 1909.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths.	Annual Death-rate per 1000 living.	Deaths from Small-pox	Measles.	Scarlet Fever	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON - -	4,833,938	July 24	2206	926	10·0	-	24	8	6	17	-	22
CALCUTTA - -	1,014,438	June 26	-	393	20·6	8	-	-	-	-	131†	77‡
BOMBAY - -	982,000	" 29	339	459	24·4	10	2	-	-	1	66†	35‡
MADRAS - -	548,974	" 25	302	410	41·8	1	2	?	?	?	108	71‡
PARIS - - -	2,760,000	July 17	930	764	14·5	-	16	3	2	1	4	16
BRUSSELS - -	704,975	" 17	235	169	12·5	-	4	-	-	-	-	9
ANTWERP - -	314,135	" 17	127	60	9·9	-	3	-	-	-	-	9
AMSTERDAM -	565,553	" 17	-	-	-	-	-	-	-	-	-	-
COPENHAGEN -	448,000	" 17	233	117	13·6	-	2	-	2	4	-	8
STOCKHOLM -	339,582	" 10	152	118	18·1	-	1	-	-	-	-	3
CHRISTIANIA -	235,674	" 17	126	42	9 3	-	1	-	-	-	-	-
ST. PETERSBURG	1,573,000	" 10	843	992	32·9	2	36	13	14	6	12	359‡
MOSCOW - -	1,452,100	" 10	-	920	33·0	12	20	12	13	2	3	368
BERLIN - -	2,101,305	June 19	841	550	13·6	-	17	8	13	5	2	34
	2,100,908	" 26	870	589	14·6	-	19	16	14	10	1	34
HAMBURG - -	872,252	July 17	-	200	11·9	-	1	5	9	-	1	13
BRESLAU - -	502,676	" 10	-	153	15·9	-	3	1	-	1	-	23
MUNICH - -	566,000	" 10	-	185	17·0	-	3	2	1	-	-	22
		" 17	-	159	14·6	-	5	1	1	-	-	15
VIENNA - -	2,064,037	" 17	888	606	15·3	-	11	8	4	5	3	32
PRAGUE - -	485,057	" 10	169	200	21·4	-	2	7	-	2	4	9
BUDAPEST - -	823,215	" 10	403	338	21·0	-	10	4	4	4	1	32
TRIESTE - -	217,706	" 17	145	66	15·8	-	3	-	-	-	1	5
ROME - - -	565,323	April 10	209	209	19·3	-	13	2	4	3	1	2
VENICE - -	179,286	June 19	111	66	19·2	-	-	-	-	-	2	15
BUCAREST - -	296,585	" 26	180	146	25·7	-	1	1	-	-	1	25
NEW YORK -	4,564,792	July 3	2331	1383	15·8	-	31	10	24	8	8	127
CHICAGO - -	2,224,490	" 3	-	491	11·5	-	5	4	8	3	2	52
PHILADELPHIA -	1,565,569	June 19	-	392	13·0	-	4	1	8	-	5	21
RIO DE JANEIRO	637,089	" 20	-	265	21·7	2	-	-	-	1	-	?
CAIRO:—												
Egyptians -	666,587	" 10	512	1109	86·5	4	84	-	9	?	18	437
Foreigners -	35,219	" 10	7	31	45·8	1	-	-	-	?	1	13
ALEXANDRIA:—												
Egyptians -	341,965	" 10	227	290	44·1	-	21	1	2	?	5	107
Foreigners -	46,118	" 10	20	21	23·7	-	1	-	-	?	-	8

* Excluding deaths from croup in the Indian Cities.
† Including 48 deaths from plague in Calcutta and 27 in Bombay.
‡ Including 55 deaths from cholera in Calcutta, 5 in Bombay, 1 in Madras, and 245 in St. Petersburg.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 24th July, 1909.

Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	77·7	48·8	63·3	0·15	BRADFORD - -	65·2	47·8	57·5	0·45
BRIGHTON‡ - -	68·4	50·4	60·5	0·01	YORK - - -	68·0	48·0	58·3	0·25
PORTSMOUTH - -	74·0	52·0	62·8	0·00	HULL - - -	72·0	48·0	60·0	0·17
NORWICH - -	-	-	-	-	TYNEMOUTH - -	71·0	48·0	59·2	0·29
PLYMOUTH -	73·9	51·9	62·1	0·57	CARDIFF - - -	68·3	48·3	58·8	0·25
BRISTOL - - -	70·0	49·0	60 8	0·19	EDINBURGH - -	64·1	47·3	56·5	0·21
BIRMINGHAM - -	71·8	49 1	59·3	0·26	GLASGOW - -	64·8	48·7	56·8	0·77
NOTTINGHAM - -	71·1	46·8	59·3	0·23	DUBLIN Phœnix Park.	70·6	46·9	59·4	0·69
LIVERPOOL OBSERVATORY.	67·0	50·0	58·8	0·54	DUBLIN Fitz-william Square.†	70·1	50·0	59·7	0 87
MANCHESTER -	67·3	47·8	57·2	0·64					
BURNLEY - -	63·5	46·5	56·3	1·27					
HUDDERSFIELD -	65·4	47·2	57·0	0·57	BELFAST - - -	68·0	46·8	59·0	0·51

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to the seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°·9 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.
‡ Brighton. Week ended 17th July, 1909.—Temperature of Air, Highest 67°·0, Lowest 48°·6, Mean 59°·4, Rainfall, 0·46 of an inch.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 24th July, 1909.

[*Under the Superintendence of the Astronomer Royal.*]

1909. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
JULY.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 18	..	30·005	77·7	58·9	18·8	66·6	+ 3·3	57·1	9·5	19·9	1·5	72	136·0	55·8	58·50	WSW.	W. & WSW.	2·5	0·0	0·3	343	+104	0·00	0·0
MONDAY - 19	..	30·070	74·9	54·1	20·8	62·7	− 0·5	48·8	13·9	22·5	6·1	61	128·0	43·0	58·90	NW. & N.	NW., NNW. & N.	1·9	0·0	0·1	208	− 33	0·00	0·0
TUESDAY - 20	..	30·012	76·5	48·8	27·7	62·4	− 0·8	48·8	13·6	24·5	3·3	61	130·0	36·1	59·30	NNW., SW. & W.	WSW. & SW.	2·7	0·0	0·1	271	+ 27	0·00	0·0
WEDNESDAY 21	..	29·699	70·3	56·5	13·8	61·9	− 1·3	56·1	5·8	11·7	3·7	81	111·6	49·0	59·50	WSW. & SW.	SW. & WSW.	2·7	0·0	0·4	390	+143	0·00	7·7
THURSDAY - 22	..	29·597	71·4	55·4	16·0	61·9	− 1·2	53·7	8·2	16·0	2·1	75	131·1	49·8	59·70	SW. & WSW.	SW. & SSW.	4·6	0·0	0·5	427	+177	0·00	12·0
FRIDAY - 23	In Eqr. Apogee.	29·547	72·0	52·8	19·2	60·9	− 2·1	49·7	11·2	21·5	2·8	67	143·1	46·1	59·90	SW. & WSW.	SW.	4·4	0·0	0·5	420	+168	0·03	7·3
SATURDAY - 24	..	29·573	66·0	51·2	14·8	57·0	− 5·9	51·2	5·8	12·2	0·0	81	127·5	44·4	59·92	SW.	WSW., SW. & SSW.	7·0	0·0	0·7	484	+232	0·12	13·0
MEANS - -		29·786	72·7	54·0	18·7	61·9	− 1·2	52·2	9·5	18·3	2·8	71	129·6	46·3	59·39	SW.		..	..	..	Sum 2543	Sum +818	Sum 0·15	5·7
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. JULY.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.
SUNDAY - 18	w. P. throughout.	8·1	16·0
MONDAY - 19	w. P. throughout.	13·1	16·0
TUESDAY - 20	w. P. throughout.	14·1	16·0
WEDNESDAY 21	w. P. throughout.	1·0	15·9
THURSDAY - 22	w. P. throughout.	5·9	15·9
FRIDAY - 23	w. P. generally.	8·8	15·8
SATURDAY - 24	w. P. generally.	12·0	15·8
		Sum 63·0	Sum 111·4
No. of Col. - -	27	28	29

GENERAL REMARKS.

Overcast generally until 9h. A.M.; fine and partially cloudy afterwards; becoming overcast again towards midnight.

Overcast at first; clearing by 4h. A.M.; then fine with little cloud throughout the day.

Very fine with little cloud throughout. Solar halo observed in morning.

Becoming overcast soon after midnight, remained nearly overcast throughout.

Overcast to cloudy with occasional bright intervals; windy in afternoon.

Variably cloudy throughout; brisk wind in evening with occasional light showers.

Fine generally with frequent heavy showers between 11h. A.M. and 3h. P.M.; brisk wind occasionally.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 30·01 in. at the beginning of the week to 30·11 in. by 11h. P.M. on the 19th; decreased to 29·50 in. by 7h. P.M. on the 23rd; and increased to 29·62 in. by midnight on the 24th.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 17th July, 1909.*

BOROUGHS.	Estimated Population in the middle of 1909.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	151,955	-	16	3	-	1	-	-	1	-	-
Kensington	183,683	-	5	3	-	1	-	-	-	-	-
Hammersmith	125,704	-	15	3	-	-	-	-	2	-	-
Fulham	176,406	-	13	10	-	-	-	-	-	-	-
Chelsea	75,249	-	5	3	-	-	-	-	-	-	-
City of Westminster ..	168,883	-	22	5	-	-	-	-	1	-	-
NORTH.											
St. Marylebone	126,027	-	10	2	-	-	-	-	2	-	-
Hampstead	94,185	-	12	-	-	-	-	-	-	-	-
St. Pancras	237,422	-	17	6	-	-	-	-	7	-	-
Islington	351,202	-	27	10	-	2	-	-	1	-	-
Stoke Newington	54,423	-	1	2	-	1	-	-	-	-	-
Hackney	237,601	-	12	2	-	1	-	-	5	-	-
CENTRAL.											
Holborn	53,802	-	-	1	-	-	-	-	3	-	-
Finsbury	95,289	-	8	9	-	-	-	-	2	-	-
City of London	18,193	-	1	-	-	-	-	-	-	-	-
EAST.											
Shoreditch	114,802	-	5	3	-	-	-	-	1	1	-
Bethnal Green	131,316	-	29	3	-	-	-	-	4	-	-
Stepney	312,525	-	25	13	-	-	-	-	11	-	-
Poplar	171,965	-	17	6	-	-	-	-	6	-	1
SOUTH.											
Southwark	211,125	-	18	2	-	-	-	-	6	-	-
Bermondsey	127,569	-	14	2	1	-	-	-	3	-	-
Lambeth	324,188	-	30	3	-	-	-	-	5	-	-
Battersea	186,036	-	15	3	-	-	-	-	7	-	-
Wandsworth	297,646	-	30	13	-	2	-	-	3	-	-
Camberwell	283,022	-	22	5	-	-	-	-	6	-	-
Deptford	118,583	-	10	4	-	-	-	-	2	-	-
Greenwich	111,014	-	4	4	-	-	-	-	1	-	-
Lewisham	160,749	-	20	10	-	-	-	-	1	-	-
Woolwich	133,374	-	17	3	-	2	-	-	2	-	-
Port of London	—	-	-	-	-	1	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,833,938	-	420	133	1	11	-	-	82	1	1
Ages 0-1		-	10	1	-	-	-	-	4	-	-
" 1-5		-	124	46	-	-	-	-	5	-	1
" 5-		-	173	57	-	1	-	-	3	-	-
" 10-		-	71	15	-	1	-	-	1	-	-
" 15-		-	17	1	-	3	-	-	4	-	-
" 20-		-	8	4	-	1	-	-	6	-	-
" 25-		-	15	6	1	1	-	-	12	1	-
" 35-		-	2	-	-	2	-	-	12	-	-
" 45-		-	-	3	-	1	-	-	20	-	-
" 55-		-	-	-	-	-	-	-	9	-	-
" 65 and upwards		-	-	-	-	1	-	-	6	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

Returns of London Water Districts.

(Furnished by the Metropolitan Water Board.)

The following is an account of the number of services and the average daily amount of water supplied during the month of June, 1909, inclusive of supply to the Borough of Croydon and to the Urban Districts of Tottenham and Enfield. The supply was in the ratio of 215 gallons to one service.

Districts.	Number of Services.		Average Daily Supply of Water in Gallons.	
	June, 1908.	June, 1909.	June, 1908.	June, 1909.
Total Supply - - -	1,080,003	1,091,871	244,349,976	234,581,558
New River - - - - - - -	213,307	215,296	46,977,038	44,471,062
Eastern - - - - - - -	242,297	245,037	45,814,233	45,658,867
Western { Chelsea, Grand Junction, West Middlesex } - -	221,310	223,543	62,419,203	58,676,214
Southern { Lambeth - - - Southwark and Vauxhall }	284,507	288,221	67,639,754	64,191,856
Kent - - - - - - - - -	118,582	119,774	21,499,748	21,583,559

Note.—The Return for June, 1909, as compared with that for the corresponding month of 1908, shows an increase of 11,868 services, and a decrease of 9,768,418 gallons of water supplied daily.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 30. 1909. VOL. LXX.] WEEK ENDED SATURDAY, JULY 31. [Price 1½*d.*

General Register Office, Somerset House,
August 3rd, 1909.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 10·8 per 1000 of their aggregate population, which is estimated † at 16,445,281 persons in the middle of this year. In the preceding three weeks the rates had been 11·8, 11·5, and 10·6. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were :—from *all causes*, 14·1 in Sunderland, 14·4 in Warrington and in Middlesbrough, 14·9 in Liverpool, in Tynemouth, and in Swansea, 15·1 in South Shields, 16·0 in Huddersfield, 16·1 in Wigan, 16·6 in Great Yarmouth, and 18·4 in Rotherham; from *measles*, 2·1 in Walsall, 2·9 in Stockton on Tees, and 3·3 in Newport (Mon.); from *scarlet fever*, 1·4 in Warrington; from *whooping-cough*, 1·1 in Huddersfield; and from *diarrhœa*, 1·6 in Rotherham, 1·7 in Birkenhead, 2·6 in Bury, and 2·9 in Stockton on Tees. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2289 BIRTHS and 957 DEATHS were registered. Allowing for increase of population, the births were 156 and the deaths 251 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-five other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(14025—41.) Wt. 109—472. 700. 8/09. D & S. G. 31. Sch. 4. 2 G

causes, which had been 12·0, 10·6, and 10·0 per 1000 in the preceding three weeks, rose last week to 10·3. The death-rate in the four weeks ended last Saturday averaged 10·7 per 1000, being 1·6 per 1000 below the mean rate in the corresponding periods of the five years 1904–8.

The 957 deaths included 9 from measles, 4 from scarlet fever, 19 from diphtheria, 17 from whooping-cough, 3 from enteric fever, and 26 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia: thus, to these diseases in the aggregate 78 deaths were referred, being 127 below the corrected average number in the thirtieth week of the preceding five years.

The deaths from *measles,* which had been 40, 33, and 24 in the preceding three weeks, further fell to 9 last week, and were 24 below the corrected average. The deaths from *scarlet fever*, which had been 9, 6, and 8 in the preceding three weeks, fell to 4 last week, and were 6 below the corrected average. The deaths from *diphtheria*, which had been 7, 4, and 6 in the preceding three weeks, rose to 19 last week, and were 11 above the corrected average; 3 deaths belonged to the Borough of Islington, 3 to Southwark, and 3 to Lambeth. The deaths from *whooping-cough*, which had been 19, 15, and 17 in the preceding three weeks, were again 17 last week, the corrected average being 21; 3 deaths belonged to Holborn. The death from *enteric fever*, which had been 1, 2, and 0 in the preceding three weeks, rose to 3 last week, but were 1 below the corrected average; 2 deaths belonged to Islington. The deaths from *diarrhœa*, which had been 14, 13, and 22 in the preceding three weeks, were 26 last week, and were 102 below the corrected average; 3 deaths belonged to Poplar. Of the 26 deaths from diarrhœa, 21 were those of children under 5 years of age; 9 other deaths at this age were certified as due to *enteritis* and 10 to *gastro-enteritis.* The deaths attributed directly to *influenza* numbered 3, having been 7, 3, and 5 in the preceding three weeks.

Different forms of violence caused 42 deaths, concerning all of which inquests were held. Of these 42 deaths, 6 were cases of suicide, while the remaining 36 were attributed to accident or negligence. Eleven of these latter were referred to vehicles in the streets, two to burns or scalds, four to drowning, and seven, of infants under one year of age, to suffocation in bed. Four deaths occurred while under anæsthetics administered for surgical purposes.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 2667 cases of scarlet fever, 901 of diphtheria, 2 of typhus, and 60 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 296 cases, against 371, 415, and 367; of diphtheria, 108 cases, against 111, 97, and 121; and of enteric fever, 6 cases, against 5, 6, and 10. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended July 24th, 1909.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 3618 births and 1343 deaths were registered. Allowing for increase of population, these numbers are 236 and 397 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 6 deaths from measles, 3 from scarlet fever, 1 from diphtheria, 5 from whooping-cough, 1 from "fever," and 3 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·64 inches, and that of the Thermometer 59°·9, the latter being 2°·5 below the week's average in the 65 years ended 1905. The general direction of the wind was South-Westerly, the horizontal movement of the air being 57 per cent. above the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 34·4 hours; the measured rainfall amounted to 1·31 inches.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 31st July, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1909.*	Death-Rates from all Causes. Week ended 10th July, 1909.	17th July, 1909.	24th July, 1909.	31st July, 1909.	Rate from Diseases in Cols. 11–17. Week ended 31st July, 1909.	Registered during the Week ended 31st July, 1909. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS	**16,445,281**	**11·8**	**11·5**	**10·6**	**10·8**	**1·0**	**8294**	**3397**	**687**	**954**	**–**	**80**	**25**	**41**	**48**	**8**	**113**	**167**	**285**	**979**	**33**	**76 TOWNS.**
LONDON	4,833,938	12·0	10·6	10·0	10·3	0·8	2289	957	177	302	–	9	4	19	17	3	26	42	98	431	–	LONDON.
† CROYDON	161,078	10·0	7·1	5·8	6·2	0·3	65	19	1	9	–	–	–	1	–	–	–	3	3	7	–	CROYDON.
† WILLESDEN ..	160,424	5·5	4·9	3·6	5·2	0·7	92	16	3	4	–	–	1	–	1	–	–	–	–	4	1	WILLESDEN.
† HORNSEY	95,628	4·9	6·0	4·9	6·5	1·1	33	12	1	5	–	–	–	1	1	–	–	3	4	2	–	HORNSEY.
† TOTTENHAM ..	129,464	5·6	12·1	5·6	6·4	0·4	76	16	4	4	–	1	–	–	–	–	–	–	–	5	–	TOTTENHAM.
† WEST HAM ..	321,767	10·5	10·4	8·9	7·9	1·6	175	49	14	11	–	4	–	–	1	–	5	7	9	11	–	WEST HAM.
† EAST HAM.. ..	149,575	7·3	9·4	8·7	4·5	0·3	73	13	1	3	–	–	1	–	–	–	–	1	2	4	–	EAST HAM.
† LEYTON	129,614	10·5	8·9	7·2	8·9	1·6	70	22	7	7	–	–	2	1	1	–	–	2	5	7	–	LEYTON.
† WALTHAMSTOW	136,602	7·6	5·7	9·2	8·8	1·1	65	23	5	4	–	2	–	–	1	–	–	–	–	3	1	WALTHAMSTOW.
HASTINGS	68,165	11·5	8·4	6·9	6·9	–	23	9	1	5	–	–	–	–	–	–	–	–	1	3	–	HASTINGS.
BRIGHTON	130,926	11·9	11·2	10·0	11·5	–	50	29	2	12	–	–	–	–	–	–	–	–	1	11	1	BRIGHTON.
PORTSMOUTH ..	214,726	10·7	12·4	13·1	10·4	0·2	120	43	3	12	–	–	–	–	–	1	–	3	5	10	1	PORTSMOUTH.
BOURNEMOUTH ..	72,368	10·8	13·7	8·6	10·8	0·7	21	15	3	4	–	–	–	–	1	–	–	2	2	7	–	BOURNEMOUTH.
SOUTHAMPTON ..	124,667	8·4	7·1	12·1	10·9	1·3	52	26	4	9	–	–	–	1	–	–	2	–	1	9	–	SOUTHAMPTON.
READING	82,995	6·9	11·3	6·9	10·1	0·6	35	16	4	8	–	–	–	–	–	–	1	2	2	4	1	READING.
NORTHAMPTON ..	97,752	10·1	12·3	7·5	11·2	–	52	21	4	9	–	–	–	–	–	–	–	–	–	4	–	NORTHAMPTON.
IPSWICH	74,889	9·7	9·7	6·3	9·7	0·7	36	14	1	4	–	–	–	–	–	–	1	–	–	4	–	IPSWICH.
GREAT YARMOUTH	53,430	13·7	21·5	15·6	16·6	1·0	19	17	4	4	–	–	–	–	–	–	1	–	2	1	–	GREAT YARMOUTH.
NORWICH	124,136	10·1	16·4	10·1	8·4	2·1	46	20	8	2	–	1	1	1	–	–	2	2	3	7	1	NORWICH.
PLYMOUTH	124,180	10·5	8·0	10·1	8·4	–	38	20	5	8	–	–	–	–	–	–	–	–	–	2	–	PLYMOUTH.
DEVONPORT	83,103	8·8	11·9	11·3	5·6	–	38	9	3	3	–	–	–	–	–	–	–	–	–	1	–	DEVONPORT.
BRISTOL	377,642	11·3	8·7	10·1	10·4	0·8	187	75	14	24	–	2	1	–	1	–	2	4	7	15	1	BRISTOL.
HANLEY	68,831	17·4	17·4	9·8	12·9	1·5	41	17	1	2	–	–	–	1	1	–	–	–	1	4	–	HANLEY.
BURTON-ON-TRENT	54,453	5·7	7·7	8·6	4·8	–	22	5	–	3	–	–	–	–	–	–	–	–	–	1	–	BURTON-ON-TRENT.
WOLVERHAMPTON..	104,633	16·9	15·0	13·0	11·0	2·5	48	22	5	7	–	3	–	1	–	–	1	–	2	4	–	WOLVERHAMPTON.
WALSALL	99,399	8·9	8·4	14·2	13·1	3·7	59	25	7	5	–	4	1	–	1	–	1	–	–	4	–	WALSALL.
HANDSWORTH ..	70,186	8·9	5·9	11·9	6·7	–	36	9	2	5	–	–	–	–	–	–	–	–	–	1	–	HANDSWORTH.
WEST BROMWICH..	70,457	12·6	10·4	16·3	7·4	1·5	55	10	5	1	–	2	–	–	–	–	–	–	–	1	–	WEST BROMWICH.

ended Saturday, 31st July, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 10th July, 1909.	17th July, 1909.	24th July, 1909.	31st July, 1909.	Rate from Diseases in Cols. 11-17. Week ended 31st July, 1909.	Registered during the Week ended 31st July, 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
BIRMINGHAM ..	563,629	10·7	11·7	10·9	11·1	0·7	281	120	30	32	-	4	1	-	-	-	3	8	10	27	2	BIRMINGHAM.
KINGS NORTON ..	81,632	4·5	5·7	7·7	5·7	-	44	9	2	3	-	-	-	-	-	-	-	-	1	-	-	KINGS NORTON.
SMETHWICK	70,377	8·2	6·7	4·4	8·9	-	51	12	5	3	-	-	-	-	-	-	-	1	1	1	1	SMETHWICK.
ASTON MANOR ..	85,257	8·6	8·0	10·4	8·6	1·8	46	14	3	3	-	2	-	-	1	-	-	-	-	1	-	ASTON MANOR.
COVENTRY	80,163	14·3	18·2	12·4	13·7	-	50	21	5	7	-	-	-	-	-	-	-	1	1	5	1	COVENTRY.
LEICESTER	244,255	7·5	10·5	10·9	8·1	0·9	114	38	9	12	-	-	-	-	2	-	2	-	4	8	-	LEICESTER.
GRIMSBY	73,036	11·4	8·6	9·3	7·9	-	48	11	1	2	-	-	-	-	-	-	-	4	5	2	-	GRIMSBY.
NOTTINGHAM ..	263,443	12·5	11·5	11·5	12·3	1·4	127	62	12	18	-	3	-	2	-	-	2	-	1	11	-	NOTTINGHAM.
DERBY	129,411	12·1	7·3	10·1	8·1	0·8	70	20	4	5	-	-	-	2	-	-	-	-	1	6	-	DERBY.
STOCKPORT	103,706	11·1	7·5	11·6	12·6	0·5	47	25	4	7	-	-	1	-	-	-	-	-	1	5	-	STOCKPORT.
BIRKENHEAD ..	121,123	12·1	10·3	12·9	12·1	1·7	77	28	9	7	-	-	-	-	-	-	4	4	4	5	-	BIRKENHEAD.
WALLASEY	71,004	11·0	10·3	13·2	8·8	1·5	37	12	4	4	-	1	-	-	-	-	1	2	3	-	-	WALLASEY.
LIVERPOOL	760,357	15·4	17·1	14·4	14·9	2·0	479	218	54	41	-	7	2	4	3	1	12	9	14	73	6	LIVERPOOL.
BOOTLE	69,393	12·0	13·5	13·5	9·8	2·3	31	13	4	2	-	2	-	-	-	-	1	3	3	4	-	BOOTLE.
ST. HELENS	95,161	13·2	9·9	14·8	9·3	0·5	65	17	-	4	-	-	1	-	-	-	-	1	1	8	1	ST. HELENS.
WIGAN	90,678	13·8	11·5	13·2	16·1	0·6	67	28	4	6	-	1	-	-	-	-	-	1	3	8	-	WIGAN.
WARRINGTON ..	72,276	15·2	19·5	8·7	14·4	4·3	45	20	7	3	-	1	2	-	1	-	2	-	-	5	-	WARRINGTON.
BOLTON	187,824	12·2	13·0	9·7	11·7	1·9	89	42	10	11	-	2	-	-	1	-	4	-	3	7	-	BOLTON.
BURY	59,234	9·7	14·1	15·0	10·6	2·6	31	12	2	4	-	-	-	-	-	-	3	-	-	4	-	BURY.
MANCHESTER ..	655,435	14·5	12·6	12·7	13·8	1·1	356	173	36	46	-	5	2	-	1	-	6	8	12	49	1	MANCHESTER.
SALFORD	241,950	14·2	14·9	13·8	11·4	1·3	136	53	13	11	-	3	1	1	-	-	1	3	3	18	-	SALFORD.
OLDHAM	143,301	15·3	16·0	13·1	12·4	0·7	68	34	4	8	-	-	1	1	-	-	-	3	3	9	-	OLDHAM.
ROCHDALE	89,653	12·2	14·5	11·6	12·8	1·2	36	22	3	11	-	-	-	-	-	-	2	2	2	2	-	ROCHDALE.
BURNLEY	106,267	9·8	11·8	9·8	10·3	1·5	46	21	4	6	-	-	-	-	1	-	2	3	3	4	1	BURNLEY.
BLACKBURN	136,959	11·8	14·8	12·2	12·6	0·4	65	33	4	12	-	-	-	-	1	-	-	1	2	6	-	BLACKBURN.
PRESTON	118,519	14·1	13·6	12·3	12·8	0·4	50	29	6	5	-	-	-	-	1	-	-	2	2	6	1	PRESTON.
BARROW-IN-FURNESS.	62,996	8·3	7·4	9·9	9·1	1·7	35	11	3	4	-	-	-	1	-	-	1	-	-	1	-	BARROW-IN-FURNESS.

* See note † on first page of this return.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 31st July, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 10th July, 1909.	17th July, 1909.	24th July, 1909.	31st July, 1909.	Rate from Diseases in Cols. 11–17. Week ended 31st July, 1909.	Registered during the Week ended 31st July, 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,739	14·9	13·2	9·9	16·0	2·2	60	29	9	5	–	1	–	–	2	–	1	–	2	1	–	HUDDERSFIELD.
HALIFAX	111,911	10·3	14·0	8·4	11·6	0·9	35	25	1	8	–	–	2	–	–	–	–	1	1	7	–	HALIFAX.
BRADFORD	293,983	12·1	11·0	10·1	10·5	1·8	105	59	6	23	–	2	–	2	–	1	5	3	5	11	–	BRADFORD.
LEEDS	484,012	11·0	10·7	11·2	11·0	1·0	215	102	24	28	–	5	–	–	2	–	2	2	2	17	–	LEEDS.
SHEFFIELD	470,958	12·2	13·4	9·0	12·4	0·8	256	112	33	24	–	1	–	–	–	–	6	7	14	24	1	SHEFFIELD.
ROTHERHAM.. ..	65,070	10·4	5·6	10·4	18·4	1·6	43	23	6	8	–	–	–	–	–	–	2	1	1	6	–	ROTHERHAM.
YORK	87,004	12·6	7·2	4·8	7·8	0·3	31	13	3	4	–	–	–	–	–	–	1	2	2	4	–	YORK.
HULL	275,552	11·9	11·9	11·7	10·2	0·2	137	54	7	18	–	–	–	–	1	–	–	2	3	9	2	HULL.
MIDDLESBROUGH ..	105,255	16·8	20·3	14·4	14·4	0·5	49	29	8	6	–	–	–	–	1	–	–	–	–	2	1	MIDDLESBROUGH.
STOCKTON-ON-TEES	53,417	6·8	13·7	9·8	13·7	5·9	26	14	2	5	–	3	–	–	–	–	3	–	–	4	–	STOCKTON-ON-TEES.
WEST HARTLEPOOL	79,686	8·5	11·8	5·9	9·2	–	28	14	2	4	–	–	–	–	–	–	–	1	1	3	–	WEST HARTLEPOOL.
SUNDERLAND ..	159,378	11·5	13·7	13·7	14·1	1·3	102	43	12	11	–	1	–	–	1	1	1	2	2	10	2	SUNDERLAND.
SOUTH SHIELDS ..	117,627	12·0	14·2	11·5	15·1	1·3	69	34	7	9	–	1	1	–	1	–	–	4	4	6	3	SOUTH SHIELDS.
GATESHEAD	131,024	13·1	9·9	7·2	7·2	–	74	18	2	9	–	–	–	–	–	–	–	1	1	3	2	GATESHEAD.
NEWCASTLE-ON-TYNE.	281,584	15·9	12·8	9·1	10·6	0·7	154	57	8	15	–	–	–	1	1	1	1	2	2	9	–	NEWCASTLE-ON-TYNE.
TYNEMOUTH ..	55,808	16·8	16·8	14·9	14·9	0·9	20	16	2	4	–	–	–	–	–	–	1	1	1	2	1	TYNEMOUTH.
NEWPORT (MON.) ..	78,336	8·7	18·0	16·6	13·3	4·0	57	20	3	2	–	5	–	–	–	–	1	1	1	3	–	NEWPORT (MON.).
CARDIFF	195,303	10·9	10·9	10·1	9·3	0·8	105	35	6	7	–	1	–	–	1	–	1	1	2	8	–	CARDIFF.
RHONDDA	135,894	15·7	14·6	11·1	12·3	0·4	120	32	12	4	–	1	–	–	–	–	–	5	6	1	–	RHONDDA.
MERTHYR TYDFIL..	78,365	8·7	17·3	12·0	8·7	0·7	40	13	–	1	–	–	–	1	–	–	–	1	1	3	–	MERTHYR TYDFIL.
SWANSEA	98,308	15·4	16·4	16·4	14·9	–	61	28	3	6	–	–	–	–	–	–	–	3	3	4	–	SWANSEA.
GREATER LONDON	7,429,740	10·9	10·1	9·2	9·4	0·8	3618	1343	245	426	–	22	11	23	27	4	34	72	145	518	2	GREATER LONDON.
OUTER RING ..	2,595,802	8·9	9·3	7·8	7·8	0·9	1329	386	68	124	–	13	7	4	10	1	8	30	47	87	2	OUTER RING.
8 TOWNS IN OUTER RING.	1,284,152	8·2	8·4	7·1	6·9	1·0	649	170	36	47	–	7	4	3	5	–	5	16	23	43	2	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,311,650	9·6	10·3	8·5	8·6	0·8	680	216	32	77	–	6	3	1	5	1	3	14	24	44	–	REMAINDER OF OUTER RING.
EDINBURGH	355,366	13·8	12·8	11·2	13·6	1·5	134	93	15	31	–	2	1	–	5	–	2	4	?	31	6	EDINBURGH.
GLASGOW	872,021	12·2	11·4	12·4	10·5	0·8	434	176	28	36	–	–	2	–	5	1	6	9	?	69	5	GLASGOW.
DUBLIN (Registration Area).†	398,356	15·6	16·9	14·4	17·4	2·0	248	133	28	31	–	4	1	1	4	–	5	5	8	46	1	DUBLIN (Registration Area).†
BELFAST†	386,576	13·9	11·2	15·2	13·1	1·1	180	97	21	23	–	–	–	–	3	–	5	1	2	34	2	BELFAST†

* See note † on first page of this return.

† Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the THIRTIETH Week of each of the Eleven Years, 1899–1909.

	1899	1900	1901	1902	1903	1904	1905	1906	1907	1908	Corrected Weekly Average in 5 Years 1904–1908.*	1909
TOTAL **Births** -	2494	2507	2384	2521	2519	2467	2480	2352	2273	2368	2444·7	2289
Males - - -	1240	1267	1234	1274	1280	1293	1285	1186	1160	1176	1249·0	1184
Females - -	1254	1240	1150	1247	1239	1174	1195	1166	1113	1192	1195·7	1105
TOTAL **Deaths** -	1884	1846	1582	1260	1191	1423	1285	1056	1101	1034	1207·8	957
Males - - -	1039	968	817	649	670	786	682	549	584	558	646·8	520
Females - -	845	878	765	611	521	637	603	507	517	476	561·0	437

* The numbers in this column are the average weekly numbers in the Thirtieth week of the five years 1904-1908, raised by 2·375 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	May 8.	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.	13 Weeks.
TOTAL **Births** -	2537	2339	2260	2131	1918	2421	2467	2068	2331	2236	2292	2206	2289	29495
TOTAL **Deaths** -	1304	1216	1295	1240	1072	1135	1060	1125	1029	1109	979	926	957	14447
Ages at Death: Under 1 year -	260	209	238	200	185	232	179	189	183	188	177	174	177	2591
1—5 years -	169	130	162	141	129	122	128	115	106	138	102	88	85	1615
5—20 " -	68	74	72	76	54	65	72	68	50	48	55	61	66	829
20—40 " -	143	177	153	161	143	138	137	130	125	144	115	114	127	1807
40—60 " -	253	260	284	257	225	246	219	266	226	240	233	201	200	3110
60 yrs. & upwds.	411	336	386	405	336	332	325	357	339	351	297	288	302	4495
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	73	53	53	63	47	62	48	51	33	40	33	24	9	589
Scarlet Fever - -	10	11	6	6	8	10	10	7	3	9	6	8	4	98
Diphtheria - -	13	8	16	17	7	7	6	7	7	7	4	6	19	124
Whooping-cough -	35	30	42	35	35	21	18	17	20	19	15	17	17	321
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	-	-	6	3	3	2	2	3	1	1	2	-	3	26
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery	13	8	10	16	17	16	5	17	10	14	13	22	26	187
All above diseases -	144	110	133	140	117	118	89	102	74	90	73	77	78	1345
Dis. of Resp. System	76	78	83	82	65	54	68	64	58	60	38	43	38	807
Pneumonia - - -	136	135	131	143	107	98	67	91	100	94	68	89	68	1327
Phthisis - - -	130	131	126	113	107	96	97	122	93	111	97	78	90	1391
Dis. of Circ. System -	156	163	168	168	138	171	161	157	158	164	144	128	132	2008
Violence - - -	59	49	39	44	46	41	48	41	45	57	65	37	42	613
Inquest Cases - -	128	113	118	111	105	109	103	109	121	114	119	82	98	1430
Deaths in Institutions	561	561	579	578	449	489	482	510	444	506	436	484	431	6510
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	50·6	48·5	54·9	57·5	54·2	50·2	56·3	55·8	55·9	58·5	60·0	61·9	59·9	55·7
Mean of Highest -	61·0	60·1	68·8	68·6	61·3	58·7	67·3	65·4	66·8	65·5	69·3	72·7	69·4	66·0
Mean of Lowest -	40·2	37·8	39·5	48·4	47·4	42·7	47·8	50·7	47·5	51·1	53·8	54·0	53·4	47·3
Mean Humidity of the Air.	60	67	66	72	81	84	79	81	80	77	82	71	79	75
Rain-fall (in inches) -	0·00	0·11	0·13	0·95	0·94	0·79	0·05	1·45	0·44	0·99	0·71	0·15	1·31	8·02
Registered Sunshine (in hours).	92·4	62·7	75·9	55·9	31·2	25·4	37·4	30·1	37·0	31·2	25·2	63·0	34·4	601·8
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - -	2175	2173	2234	2254	2223	2263	2445	2517	2587	2647	2737	2731	2667	2435
Diphtheria - - -	993	990	957	925	905	876	897	915	896	901	893	905	901	920
Typhus - - -	-	-	-	1	1	1	1	1	2	1	2	2	2	1
Enteric Fever - -	56	52	48	50	43	46	56	59	58	58	57	59	60	54

* The Metropolitan Asylums Board and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester: Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lander, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq., F.R.Met.Soc., Hull; the Meteorological Committee, Tynemouth; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the THIRTIETH Week of the Year 1909.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 30th week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1207·8	957	177	85	66	127	200	302
Small-pox*	0·4	-	-	-	-	-	-	-
Cowpox	-	-	-	-	-	-	-	-
Measles (Morbilli)	32·6	9	2	7	-		-	-
Scarlet Fever	10·2	4	-	1	3	-	-	-
Typhus	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-
Influenza	3·3	3	1	-	-	1	1	-
Whooping-cough	21·5	17	6	11	-	-	-	-
Diphtheria	8·0	19	1	13	5	-	-	-
Cerebro-spinal Fever ..	0·6	-	-	-	-		-	-
Pyrexia† (origin uncertain)	-	-	-	-	-	-	-	-
Enteric Fever	3·7	3	-	-	-	2	-	1
Asiatic Cholera	-	-	-	-	-	-	-	-
Epidemic Diarrhœa, Infective Enteritis	81·3	12	9	-	2	1	-	-
Diarrhœa, Dysentery ..	47·1	14	11	1	-	-	-	2
Tetanus	1·0	1	-	-	-	1	-	-
Rabies, Hydrophobia ..	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever)..	-	-	-	-	-	-	-	-
Venereal Dis.	4·5	5	2	-	-	-	3	-
Puerperal Septicæmia ..	2·3	5	-	-	-	4	1	-
Puerperal Pyæmia.. .	-	-	-	-	-	-	-	-
Puerperal Fever	0·2	2	-	-	-	2	-	-
Infective Endocarditis ..	2·9	-	-	-	-		-	-
Pneumonia: Lobar ..	9·4	16	1	3	1	3	2	6
Pneumonia: Broncho ..	26·6	27	6	11	1	1	4	4
Pneumonia: Epidemic ..	-	-	-	-	-	-	-	-
Pneumonia: Not defined	37·9	25	3	3	-	2	9	8
Erysipelas	3·1	2	-	-	-	-	-	2
Septicæmia (not Puerperal) ..	0·4	1	1	-	-	-	-	-
Pyæmia (not Puerperal)	0·6	-	-	-	-	-	-	-
Other Infective Processes	5·3	5	-	-	-	2	1	2
Tuberculous Phthisis ..	70·2	64	1	1	11	23	21	7
"*Phthisis*"	37·5	26	-	-	2	11	11	2
Tuberculous Meningitis ..	21·9	16	2	10	3	1	-	-
Tuberculous Peritonitis ..	10·0	9	2	4	1	-	1	1
Tabes Mesenterica	3·1	1	1	-	-	-	-	-
Tuberculous Dis., Other ..	15·2	9	-	3	2	3	1	-
Scrofula..	-	-	-	-	-	-	-	-
Alcoholism	7·4	4	-	-	-	2	-	2
Rheumatic Fever	4·7	4	-	1	2	1	-	-
Gout	1·4	1	-	-	-	-	1	-
Carcinoma	59·6	70	-	-	-	2	24	44
Sarcoma	6·8	5	-	-	2	-	3	-
Cancer (undefined) ..	30·7	31	-	-	-	3	10	18
Diabetes Mellitus	5·3	4	-	-	-	1	2	1
Premature Birth	38·9	42	42	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 30th week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)..	14·9	9	1	1	4	3	-	-
Gen. Par. of Insane, Insanity	12·1	14	-	-	-	7	5	2
Epilepsy	5·1	7	-	-	1	2	4	-
Convulsions	18·0	13	12	1	-	-	-	-
Locomotor Ataxy.. ..	1·2	-	-	-	-	-	-	-
Paraplegia, Dis of Cord.	5·1	4	-	-	-	-	1	3
Nervous Sys., Other Dis.	18·4	11	-	1	-	-	3	7
Valv. Dis., Endocarditis..	37·3	43	-	-	7	5	15	16
Cereb. Hæm. Cereb. Emb.	28·7	25	-	-	-	1	5	19
Apoplexy, Hemiplegia ..	11·7	4	-	-	-	-	1	3
Aneurysm	4·7	8	-	-	-	2	5	1
Embolism, Thrombosis (not Cerebral) ..	1·4	2	-	-	-	-	-	2
Heart & Blood Ves., Other Dis... ..	65·1	50	-	-	2	3	17	28
Croup (not Spasm: nor Memb.)	0·2	-	-	-	-	-	-	-
Bronchitis	35·4	30	6	4	-	1	2	17
Emphysema, Asthma ..	0·4	1	-	-	-	-	-	1
Pleurisy	3·5	3	1	-	1	-	1	-
Respiratory Dis, Other..	7·8	4	1	1	-	-	2	-
Tonsillitis, Quinsy.. ..	0·8	-	-	-	-	-	-	-
Enteritis (not Epid.) ..	18·2	12	6	3	-	-	1	2
Gastro-enteritis	10·9	11	10	-	-	-	-	1
Peritonitis (not Puerp.) ..	3·1	2	1	-	-	1	-	-
Cirrhosis of Liver.. ..	14·3	19	-	-	-	2	9	8
Liver Dis., Other	5·7	4	-	-	-	-	2	2
Digestive Sys., Other Dis.	33·8	24	1	-	3	4	10	6
Acute Nephritis	4·9	7	-	-	1	1	2	3
Bright's Dis., Albuminuria	28·3	32		-	-	8	5	19
Urinary Sys, Other Dis.	8·6	11	-	-	-	2	1	8
Generative Organs Dis...	5·7	4	-	-	-	2	1	1
Childbirth (Accid. of) ..	2·5	3	-	-	-	1	2	-
Old Age	39·3	41	-	-	-	-	-	41
Other Diseases	78·3	61	37	2	7	3	5	7
ACCIDENT.								
By Railways	2·7	-	-	-	-	-	-	-
By Vehicles and Horses..	7·6	11	-	2	3	4	-	2
In Ships, Boats, Docks, (exclusive of Drowning)	0·4	1	-	-	-	1	-	-
In Building Operations..	1·0	-	-	-	-	-	-	-
In Conflagrations	0·4	-	-	-	-	-	-	-
By Burns, Scalds, Explosions	5·3	2	-	1	-	1	-	-
By Drowning	7·2	4	-	-	1	2	1	-
By Suffocation in Bed ..	8·0	7	7	-	-	-	-	-
By Poisons or Poisonous Vapours	3·1	5	-	-	1	2	2	-
Other Deaths by Accident..	18·4	6	3	-		-	1	2
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	0·8	-	-	-	-	-	-	-
Suicide	11·9	6	-	-	-	3	2	1
Execution	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.
† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 31st July, 1909.

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexiæ†* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified causes of Death.
LONDON	4,536,267	2289	957	177	302	-	9	4	19	17	-	3	-	26	42	98	431	-
WEST DISTRICTS	805,311	319	167	33	41	-	4	-	4	3	-	-	-	3	8	17	76	-
NORTH DISTRICTS	1,055,908	510	218	33	81	-	-	1	5	3	-	2	-	2	8	17	91	-
CENTRAL DISTRICTS	209,465	101	44	12	9	-	-	-	1	3	-	-	-	5	2	4	27	-
EAST DISTRICTS	715,739	414	157	37	42	-	2	-	1	1	-	-	-	8	9	28	85	-
SOUTH DISTRICTS	1,749,844	945	325	62	116	-	3	2	7	7	-	1	-	8	14	30	106	-
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	46	-	13	-	-	1	1	-	-	-	-	-	1	2	46	-
WEST DISTRICTS.																		
North Paddington *H*	63,603	32	13	4	4	-	-	-	-	-	-	-	-	1	-	-	-	-
Central Paddington *W,3H*	50,053	19	20	6	2	-	1	-	-	1	-	-	-	2	1	1	13	-
South Paddington	30,320	7	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town 2*W,w,2H* ..	128,037	47	32	5	6	-	1	-	-	2	-	-	-	-	-	6	14	-
Brompton 2*H*	48,591	10	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
North Hammersmith 2*W,w,H* ..	49,192	20	5	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-
South Hammersmith *w,2H* ..	63,047	37	12	3	3	-	1	-	-	-	-	-	-	-	-	-	3	-
North-west Fulham *W*	45,180	33	12	3	4	-	1	-	-	-	-	-	-	-	2	4	9	-
North-east Fulham *F*	46,405	21	10	2	-	-	-	-	4	-	-	-	-	-	1	1	4	-
South Fulham *W*	45,704	21	5	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Chelsea North *W,w,3H*	42,514	21	15	1	6	-	-	-	-	-	-	-	-	-	1	1	15	-
Chelsea South *W,2H*	31,328	13	8	2	2	-	-	-	-	-	-	-	-	-	-	-	3	-
Mayfair and Knightsbridge	28,743	7	4	-	3	-	-	-	-	-	-	-	-	-	1	1	-	-
Belgrave *W,2H*	55,815	11	7	-	2	-	-	-	-	-	-	-	-	-	1	1	3	-
St. Margaret & St. John 6*H*	43,698	14	11	1	3	-	-	-	-	-	-	-	-	-	-	-	7	-
St. James and St. Anne *W,6H* ..	33,081	6	7	2	1	-	-	-	-	-	-	-	-	-	1	1	4	-
NORTH DISTRICTS.																		
All Souls Marylebone 7*H*	35,391	13	15	-	7	-	-	-	-	-	-	-	-	-	1	2	9	-
St. Mary Marylebone *W,4H* ..	37,948	34	4	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Christchurch Marylebone	39,536	20	7	4	3	-	-	-	-	1	-	-	-	1	-	-	-	-
St. John Marylebone 2*H*	20,426	9	3	1	-	-	-	-	1	-	-	-	-	-	1	1	-	-
Hampstead *W,F,6H*	81,942	33	14	3	5	-	-	1	1	-	-	-	-	-	-	-	7	-
West St. Pancras 2*H*	60,562	24	15	2	5	-	-	-	-	-	-	-	-	-	1	3	6	-
South St. Pancras *w,10H*	55,707	11	17	2	6	-	-	-	1	-	-	-	-	-	1	3	13	-
East St. Pancras *W,H*	60,320	35	15	4	7	-	-	-	-	-	-	-	-	-	2	3	9	-
North St. Pancras 2*W*	58,728	32	17	3	9	-	-	-	-	-	-	-	-	-	-	-	2	-
Tufnell *W*	31,995	13	14	-	6	-	-	-	1	-	-	-	-	-	-	-	10	-
Upper Holloway 2*W,w,H*	33,978	14	21	1	2	-	-	-	-	2	-	-	-	-	-	-	18	-
Tollington *W,w,H*	33,922	16	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lower Holloway	41,424	25	8	2	5	-	-	-	-	-	-	-	-	-	1	1	-	-
Barnsbury	54,478	33	5	1	2	-	-	-	-	-	-	-	-	1	-	1	-	-
Islington South-east *F*	75,397	47	20	7	8	-	-	-	-	-	-	1	-	-	1	1	-	-
Highbury 2*H*	63,797	23	6	-	3	-	-	-	-	-	-	1	-	-	-	-	-	-
Stoke Newington *H*	51,247	17	5	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-
North Hackney	50,398	22	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Central Hackney *w,F*	50,536	32	6	2	-	-	-	-	1	-	-	-	-	-	-	-	1	-
South-west Hackney 3*H*	59,921	27	7	-	3	-	-	-	-	-	-	-	-	-	-	-	5	-
South-east Hackney 2*W,H*	58,255	30	13	-	3	-	-	-	-	-	-	-	-	-	-	2	9	-
Hackney Union Workhouse, Brentwood	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 31st July, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
St. Giles and Bloomsbury 2*W*,2*H*..	31,436	17	2	–	1	–	–	–	–	–	–	–	–	–	–	–	2	–
Strand *W*,4*H*	21,674	3	7	3	2	–	–	–	–	–	–	–	–	–	–	1	4	–
Strand Union Workhouse, Edmonton	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Holborn *W*,5*H*	29,612	8	17	7	1	–	–	–	1	2	–	–	–	4	1	2	12	–
Clerkenwell *H*	63,704	36	7	2	2	–	–	–	–	1	–	–	–	–	–	–	–	–
St. Luke 3*H*,*L*	36,116	35	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Holborn Union Workhouse, Mitcham	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Botolph *H*	10,299	..	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Sepulchre and Allhallows *W*,2*H*	16,624	2	8	–	2	–	–	–	–	–	–	–	–	1	1	1	7	–
City of London Asylum, Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
EAST DISTRICTS.																		
Shoreditch South 2*H*	46,362	20	4	–	1	–	–	–	–	–	–	–	–	–	–	1	1	–
Shoreditch North-West *W*,*w*,*H* ..	36,127	31	13	4	3	–	–	–	–	–	–	–	–	1	–	2	9	–
Shoreditch North-East	36,148	26	6	2	2	–	–	–	–	–	–	–	–	–	1	2	–	–
Shoreditch Union Workhouse, Wood Green	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	30	24	6	8	–	–	–	–	–	–	–	–	2	–	2	16	–
Bethnal Green South-West *H* ..	64,542	42	8	1	4	–	–	–	–	1	–	–	–	–	1	3	–	–
Spitalfields..	27,969	11	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mile End New Town *W*,*H*	28,718	25	27	4	5	–	1	–	–	–	–	–	–	–	2	5	25	–
Goodman's Fields	22,081	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
St. George and St. John 2*W* ..	49,068	30	9	3	1	–	–	–	–	–	–	–	–	1	–	1	5	–
Shadwell and Ratcliff *w*,*H* ..	25,568	10	9	4	–	–	1	–	1	–	–	–	–	–	1	4	5	–
Limehouse *W*	32,369	20	4	2	–	–	–	–	–	–	–	–	–	–	2	2	–	–
Mile End Old Town South-Western *H*	63,698	38	3	2	1	–	–	–	–	–	–	–	–	–	1	1	–	–
Mile End Old Town North-Eastern *W*,*w*	49,129	24	18	3	8	–	–	–	–	–	–	–	–	–	–	1	11	–
Bow	41,989	30	7	3	1	–	–	–	–	–	–	–	–	1	–	–	–	–
Bromley 3*w*,*H*	68,319	35	18	2	7	–	–	–	–	–	–	–	–	3	1	4	11	–
Poplar *W*,*w*	58,514	32	6	1	1	–	–	–	–	–	–	–	–	–	–	–	2	–
Workhouse, Forest Gate (Parish of Poplar Borough).	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 31st July, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch and St. Saviour Southwark *W,2H*	23,319	11	12	-	3	-	-	1	1	-	-	-	-	-	3	3	10	-
Kent-road	21,904	12	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
St. George the Martyr West *W,2H,L*	39,094	28	4	1	2	-	-	-	-	-	-	-	-	-	-	1	1	-
Newington North	49,022	18	9	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-
Newington South *W*	72,841	52	6	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-
St. Olave *2W*	9,817	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bermondsey *W*	82,483	46	8	2	2	-	-	-	-	1	-	-	-	-	-	-	-	-
Rotherhithe *W,F*	38,460	18	12	3	3	-		-	-	-	-	-	-	2	-	-	8	-
Waterloo *2H*	27,440	27	7	-	1	-	-	-	-	-	-	-	-	-	1	1	1	-
Lambeth Church *H*	27,440	16	16	4	2	-	-	-	2	-	-	-	-	2	-	-	13	-
Kennington *2W*	52,518	18	13	2	3	-	-	-	-	-	-	-	-	-	-	1	8	-
Stockwell *HF*	63,826	41	11	1	4	-	-	-	2	-	-	-	-	-	1	1	2	-
Brixton *H*	73,673	32	9	3	1	-	1	-	-	1	-	-	-	-	-	-	1	-
Norwood *2WH*	56,998	31	9	3	2	-	1	-	1	-	-	-	-	-	-	-	-	-
East Battersea *H*	72,203	33	11	3	5	-	-	-	-	-	-	-	-	-	1	2	1	-
North-west Battersea	49,656	29	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
South-west Battersea *2W,H* ..	47,048	15	15	2	7	-	1	-	-	-	-	-	-	-	-	1	6	-
Clapham *2H*	51,361	15	6	1	2	-	-	-	-	-	-	-	-	-	1	1	-	-
Streatham *W,2w,2F,2L*	88,019	54	27	3	18	-	-	-	-	-	-	-	-	1	-	-	8	-
Springfield *2W,L*	27,959	20	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Southfields *H*	40,444	26	4	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Putney	24,139	13	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich	13,359	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	27	18	1	10	-	-	-	-	-	-	-	-	-	-	-	16	-
Camberwell North *W,2L*	65,584	41	11	4	2	-	-	-	-	1	-	-	-	-	-	-	6	-
St. George	47,331	24	10	2	5	-	-	-	-	-	-	-	-	1	-	-	-	-
Peckham North	48,913	26	7	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Peckham South *2W,w*	43,946	25	7	-	4	-	-	-	-	1	-	-	-	-	-	-	-	-
Deptford North	37,613	17	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Deptford Central *F*	45,481	20	9	3	3	-	-	-	1	1	-	-	-	1	2	3	1	-
Deptford South	34,625	17	6	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *H*	23,456	12	3	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-
Greenwich East *2W,H*	43,859	18	16	1	5	-	-	-	-	-	-	1	-	-	-	2	9	-
Eltham *w,H*	7,226	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *w,H*	25,490	12	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham *2W,w,F*	58,352	47	16	3	8	-	-	1	-	-	-	-	-	1	-	3	8	-
Sydenham *H*	43,653	17	7	1	4	-	-	-	-	1	-	-	-	-	-	-	-	-
Charlton *F,2H*	21,134	7	3	1	-	-	-	-	-	-	-	-	-	-	1	2	1	-
Woolwich *5H*	41,625	27	4	2	-	-	-	-	-	-	-	-	-	-	1	2	1	-
Plumstead West *W,H*	39,376	20	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *2W*	28,951	16	6	1	2	-	-	-	-	-	-	-	-	-	2	2	5	-
Workhouses:—																		
Belmont Workhouse	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.) ..	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
M. A. B. Small-pox Hospitals:—																		
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																		
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	3	-	-	-	-	1	1	-	-	-	-	-	-	-	3	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																		
Children's Infirmary, Carshalton..	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums:—																		
Caterham	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Darenth	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden	—	-	4	-	3	-	-	-	-	-	-	-	-	-	-	-	4	-
London County Lunatic Asylums:—																		
Banstead	—	-	8	-	2	-	-	-	-	-	-	-	-	-	-	-	8	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	3	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-
Manor	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Grove	—	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	5	-
Cane Hill	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Dartford Heath	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-
Hanwell	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
Colney Hatch	—	-	6	-	2	-	-	-	-	-	-	-	-	-	-	-	6	-
Claybury	—	-	6	-	2	-	-	-	-	-	-	-	-	-	-	-	6	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERATED POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 31st July, 1909.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING ..	368,603	2,045,135	1329	386	68	124	-	13	7	4	10	1	8	30	47	87	2
30 : 1	Carshalton 2F,3H	12,228	32,997	10	4	1	1	-	-	-	-	-	-	-	1	1	-	-
2	Epsom, part of* W,w,2F,H..	10,423	15,548	8	3	-	2	-	-	-	-	-	-	-	-	-	1	-
37 : 1	Godstone, part of* W,F,L ..	2,754	2,692	1	2	-	1	-	-	-	-	-	-	-	-	-	2	-
38 : 1	Coulsdon	11,069	8,166	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w,H ..	4,200	49,309	13	7	-	4	-	-	-	-	-	-	-	1	1	-	-
3	West Croydon 3W,F,H ..	2,168	42,888	26	11	-	4	-	-	-	1	-	-	-	2	2	8	-
4	North Croydon H	2,614	41,698	26	2	1	1	-	-	-	-	-	-	-	-	-	-	-
5	Penge w	770	22,465	2	3	-	2	-	-	-	-	-	-	-	-	-	-	-
6	Mitcham w	11,711	30,015	25	7	1	-	-	1	-	-	-	-	-	2	2	-	-
39 : 1	Wimbledon F,3H	3,221	41,652	22	6	-	2	-	-	-	1	1	-	-	-	-	1	-
2	Kingston 2W,H	6,224	42,068	28	15	3	4	-	-	-	-	1	-	-	2	3	5	-
3	Surbiton F,H	3,046	15,017	7	2	-	2	-	-	-	-	-	-	-	1	1	-	-
4	Esher, part of* H	5,402	13,100	6	2	1	1	-	-	-	-	1	-	-	-	-	-	-
5	Hampton H,F,L	4,564	23,456	11	4	1	1	-	-	-	-	-	-	-	-	-	-	-
40 : 1	Richmond W,H	2,491	31,672	13	5	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Mortlake F	2,518	17,821	16	5	2	1	-	-	-	-	-	-	-	-	1	-	-
41 : 1	Bromley F,3H	4,703	27,354	14	1	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Beckenham H	7,825	28,497	12	6	1	4	-	-	-	-	-	-	1	-	1	-	-
3	Orpington, part of* W,F ..	10,113	9,857	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Chislehurst 2H	7,333	16,446	4	4	-	1	-	1	-	-	-	-	-	-	-	-	-
42 : 1	Bexley w,F,H	8,678	21,151	23	3	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Erith F,H	3,854	25,296	19	2	1	-	-	-	-	-	1	-	-	-	-	-	-
3	Dartford W,F, part of* ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124 : 1	Sunbury w	11,054	18,683	17	4	1	1	-	-	-	-	-	-	-	1	2	-	-
2	Staines W,H	13,277	15,178	11	7	1	1	-	-	-	-	-	-	-	2	3	2	-
125 : 1	Hillingdon W,F,H	6,035	13,661	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Uxbridge H	12,757	8,984	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w 2F,H	8,066	16,358	12	2	-	1	-	-	-	-	-	-	-	-	-	-	-
126 : 1	Isleworth 3W,3F,H	6,859	30,863	28	13	1	4	-	-	-	-	-	-	-	-	-	6	-
2	Twickenham F,2H	2,421	20,991	12	4	1	2	-	-	-	-	-	-	-	-	-	1	-
3	Brentford 3F,2H	4,319	48,289	35	7	1	4	-	-	-	-	-	-	-	-	-	-	-
4	Chiswick H	1,249	29,809	15	4	1	2	-	-	-	-	-	-	-	-	1	-	-
5	Acton w,F,3H	6,132	48,914	41	14	1	2	-	3	2	-	-	-	-	1	1	5	-
127 : 1	Harrow F,H	13,809	25,523	19	5	-	2	-	-	-	-	-	-	-	-	1	1	-
2	Edgware 2F,2H	6,994	4,521	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Willesden W,F,2H	4,384	114,811	92	16	3	4	-	-	1	-	1	-	-	-	-	4	1
4	Hendon W,F	8,382	22,450	9	6	1	4	-	-	-	-	-	-	-	2	2	3	-
128 : 1	South Mimms 2F,H ..	17,755	7,308	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,970	12	5	-	5	-	-	-	-	-	-	-	-	-	2	-
3	Finchley F,3H	4,688	33,692	23	5	2	1	-	-	-	-	-	-	1	-	1	-	-
129 : 1	Hornsey F,H	2,875	72,056	33	12	-	5	-	-	1	1	1	-	-	3	4	2	-
2	Wood Green H	1,625	34,233	25	5	-	1	-	-	-	-	-	-	-	-	-	-	-
3	West Tottenham	995	48,741	37	4	3	-	-	1	-	-	-	-	-	-	-	-	-
4	East Tottenham 2H ..	2,019	53,962	39	12	1	5	-	-	-	-	-	-	-	-	-	5	-
5	Edmonton W,w,2F	7,491	61,892	58	18	4	7	-	-	-	-	-	1	-	1	2	7	-
6	Enfield 2W,F,H	12,601	42,738	22	9	3	2	-	1	-	-	-	-	1	-	-	2	-
7	Waltham Abbey F	11,017	6,549	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	11	1	-	1	-	-	-	-	-	-	-	-	-	-	-
135 : 1	Hatfield, part of* W ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey, part of *† H ..	9,195	7,051	2	3	1	-	-	-	-	-	-	-	-	1	1	-	-
2	Watford, part of*† W,2F ..	138	2,122	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
186 : 1	Stratford H	1,091	52,974	29	8	2	1	-	1	-	-	1	-	-	3	3	-	-
2	Forest Gate	787	52,745	22	7	1	3	-	-	-	-	-	-	-	1	1	-	-
3	Plaistow F,2H	1,249	90,921	60	15	3	4	-	3	-	-	-	-	2	2	3	3	-
4	Canning Town H	1,556	70,718	64	12	8	1	-	-	-	-	-	-	3	-	1	1	-
5	South East Ham 2F ..	1,991	37,342	25	4	-	1	-	-	1	-	-	-	-	-	-	1	-
6	North East Ham w,H ..	1,333	58,666	48	7	1	2	-	-	-	-	-	-	-	1	2	1	-
7	Wanstead F	1,679	9,170	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	28	8	2	3	-	-	-	-	-	-	-	-	1	2	-
9	North Leyton 2W,w,F ..	1,963	48,445	42	26	6	7	-	-	2	1	2	-	-	3	5	17	-
10	Walthamstow 2H,L ..	6,504	108,929	76	21	4	4	-	2	-	-	-	-	-	-	-	-	1
187 : 1	Chigwell 2F,3H	11,778	16,397	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Epping W,F, part of* ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189 : 1	Romford, part of* W,2F ..	6,556	6,091	3	5	1	2	-	-	-	-	-	-	-	-	-	2	-
2	Ilford F,L	8,496	41,244	30	9	2	3	-	-	-	-	1	-	-	-	1	-	-
3	Barking Town F	3,805	21,547	18	4	1	1	-	-	-	-	-	-	-	-	-	-	-
	Metropolitan Imbecile Asylum, Darenth.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Middlesex County Lunatic Asylum, Napsbury.	—	—	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30 : 2, excepting Ashtead parish; 37 : 1, Warlingham and Farley parishes; 39 : 4, excepting Esher parish; 41 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135 : 1, Northaw parish; 137 : 1, excepting the part in Watford Rural parish; 137 : 2, Oxhey parish; 189 : 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42 : 3, 137 : 2 and 187 : 2 and in the Croydon Mental Hospital in 37 : 1 are also included.

† Boundaries altered, 1 July, 1909

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended		BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox	Measles.	Scarlet Fever	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON - -	4,833,938	July	31	2289	957	10·3	-	9	4	19	17	3	26
CALCUTTA - -	1,014.438	July	3	-	429	22·5	5	-	-	-	-	111†	91‡
BOMBAY - -	982,000	"	6	307	471	25·0	4	1	-	-	-	63†	56‡
MADRAS - -	548,974	"	2	348	413	42·1	1	1	?	?	?	128	66
PARIS - - -	2,760,000	"	24	926	807	15·4	-	23	3	6	3	4	29
BRUSSELS - -	704,975	"	24	230	146	10·8	-	3	-	2	1	4	9
ANTWERP - -	314,135	"	24	121	65	10·8	-	6	1	-	1	-	9
AMSTERDAM -	565,553	"	17	247	134	12·4	-	7	-	-	4	1	5
COPENHAGEN -	448,000	"	24	209	94	10·9	-	4	-	1	3	-	1
STOCKHOLM -	339,582	"	17	126	87	13·3	-	-	-	1	2	-	5
CHRISTIANIA -	235,674	"	24	105	43	9·5	-	-	1	1	-	-	2
ST. PETERSBURG	1,573,000	"	17	616	982	32·6	3	26	3	6	5	15	422‡
MOSCOW - -	1,452,100	"	17	-	1088	39·1	5	20	20	9	4	1	501‡
BERLIN - -	2,101,275	"	3	839	551	13·7	-	11	21	15	9	1	34
HAMBURG - -	872,252	"	24	-	227	13·5	-	1	6	5	3	2	22
BRESLAU - -	502,676	"	17	-	194	20·1	-	1	-	2	3	-	42
MUNICH - -	566,000	"	24	-	178	16·4	-	7	2	-	1	2	24
VIENNA - -	2,064,037	"	24	796	588	14·8	-	6	5	3	3	-	64
PRAGUE - -	485,057	"	17	172	154	16·5	-	4	3	-	-	2	6
BUDAPEST - -	823,215	"	17	398	274	17·3	-	3	9	4	-	3	34
TRIESTE - -	217,706	"	24	141	91	21·7	-	2	-	-	1	-	11
ROME - - -	565,323	April	17	277	209	19·3	-	9	-	2	2	1§	7
VENICE - -	179,286	June	26	90	60	17·5	-	-	-	-	1	1	10
BUCAREST - -	296,585	July	3	177	138	24·3	-	-	1	-	-	1	26
NEW YORK -	4,564,792	"	10	2440	1257	14·4	-	31	7	27	8	12	176
CHICAGO - -	2,224,490	"	10	-	479	11·2	-	8	7	5	3	3	31
PHILADELPHIA -	1,565,569	June	26	-	438	14·5	-	8	2	9	5	4	37
RIO DE JANEIRO	637,089	"	27	-	224	18·3	2	-	-	-	3	-	?
CAIRO:—													
Egyptians -	666,587	"	17	617	1129	88·1	1	80	-	12	?	13	423
Foreigners -	35,219	"	17	9	24	35·8	-	-	-	-	-	-	13
ALEXANDRIA:—													
Egyptians -	341,965	"	17	217	319	48·5	-	18	2	2	-	10	125
Foreigners -	46,118	"	17	25	23	25·9	-	-	1	-	-	-	5

* Excluding deaths from croup in the Indian Cities.
† Including 41 deaths from plague in Calcutta and 23 in Bombay.
‡ Including 56 deaths from cholera in Calcutta, 12 in Bombay, 267 in St. Petersburg, and 1 in Moscow.
§ "Malarial" fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 31st July, 1909.

TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	76·0	47·3	61·4	1·31	BRADFORD - -	63·8	50·2	56·8	2·15
BRIGHTON - -	-	-	-	-	YORK - - -	-	-	-	-
PORTSMOUTH - -	70·5	54·5	61·1	1·26	HULL - - -	67·0	49·0	57·7	1·88
NORWICH - -	70·0	48·2	58·9	1·38	TYNEMOUTH - -	67·0	46·0	55·9	1·36
PLYMOUTH -	69·6	51·3	60·3	2·54	CARDIFF - - -	65·9	47·8	58·3	1·15
BRISTOL - - -	68·0	50·0	59·9	1·17	EDINBURGH - -	64·1	45·7	54·7	1·67
BIRMINGHAM - -	68·1	47·9	57·7	1·69	GLASGOW - -	69·0	44·7	56·5	1·38
NOTTINGHAM - -	68·2	46·2	58·0	1·80	DUBLIN { Phœnix Park.	67·5	42·0	55·6	1·27
LIVERPOOL OBSERVATORY.	65·0	53·0	58·1	1·29	DUBLIN { Fitzwilliam Square.†	67·3	45·1	56·4	1·20
MANCHESTER -	64·3	49·5	57·1	3·05					
BURNLEY - -	64·5	45·2	55·6	2·57					
HUDDERSFIELD -	66·0	50·3	57·3	2·55	BELFAST - - -	66·0	45·5	56·0	1·05

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to the seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°·8 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 31st July, 1909.

[*Under the Superintendence of the Astronomer Royal.*]

1909. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est.	Daily Range.	Mean daily value.	Departure from Average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
JULY.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 25	First Quarter.	29·346	64·8	52·0	12·8	57·9	− 4·8	52·0	5·9	13·1	0·6	81	110·0	44·4	59·86	SSW. & S.	SSW., SW. & WSW.	6·0	0·0	0·4	425	+175	0·01	20·8
MONDAY - 26	..	29·543	69·0	51·1	17·9	58·0	− 4·5	48·5	9·5	19·6	2·2	71	131·6	42·0	59·69	SW. & WSW.	WSW. & SW.	8·2	0·0	0·5	463	+215	0·06	6·2
TUESDAY - 27	..	29·723	65·0	47·3	17·7	56·2	− 6·2	53·5	2·7	11·6	0·0	91	108·0	38·2	59·50	SW. & SSW.	SSW. & SSE.	3·5	0·0	0·1	246	+ 2	0·81	15·0
WEDNESDAY 28	..	29·740	70·3	55·7	14·6	61·3	− 1·0	50·6	10·7	20·0	0·0	68	127·0	48·5	59·34	SSW., SW. & NNW.	NW. & WSW.	4·5	0·0	0·2	324	+ 84	0·11	0·7
THURSDAY - 29	..	29·727	71·2	54·1	17·1	60·9	− 1·4	52·1	8·8	19·9	4·2	73	120·4	47·2	59·28	WSW. & SW.	WSW. & SW.	4·6	0·0	0·3	410	+173	0·00	9·5
FRIDAY - 30	Greatest Dec. S.	29·676	69·4	56·8	12·6	59·7	− 2·6	57·4	2·3	13·3	0·0	92	112·0	49·0	59·33	WSW.	WSW. & NW.	4·9	0·0	0·3	358	+120	0·31	0·8
SATURDAY - 31	..	29·746	76·0	57·0	19·0	65·2	+ 3·0	57·7	7·5	16·9	1·9	77	134·8	49·9	59·44	SW., SSW. & WSW.	SW. & WSW.	9·2	0·0	0·6	434	+195	0·01	0·0
MEANS - -		29·643	69·4	53·4	16·0	59·9	− 2·5	53·1	6·8	16·3	1·3	79	120·5	45·6	59·49	SW.		..	..	..	Sum 2660	Sum +964	Sum 1·31	7·6
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. JULY.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.
SUNDAY - 25	Instrument defective.	2·5	15·7
MONDAY - 26	Instrument defective.	10·1	15·7
TUESDAY - 27	Instrument defective.	0·9	15·6
WEDNESDAY 28	Instrument defective in morning; afterwards w. P.	8·4	15·6
THURSDAY - 29	w. P. generally.	2·1	15·5
FRIDAY - 30	w. P. generally.	4·3	15·5
SATURDAY - 31	w. P. generally.	6·1	15·4
		Sum 34·4	Sum 109·0
No. of Col. - -	27	28	29

GENERAL REMARKS.

Overcast generally until 4h. 30m. P.M. with light rain in afternoon; then clearing to fine with little cloud; gusty wind prevalent. Solar halo at 6h. P.M.

Fine generally but variably cloudy with occasional slight rain; heavy showers after 4h. 30m. P.M. but fine soon after 5h. P.M. Solar halo at 2h. P.M. and accompanied by parhelion from 6h. to 7h. P.M.

Fine until about 6h. A.M. then becoming generally overcast; showery after 10h. A.M.; rain almost continuous after 1h. 30m. P.M.; thunder about 10h. P.M.

Nearly overcast until 10h. A.M. with frequent rain until 4h. A.M.; afterwards fine until 10h. P.M.; then rapidly becoming overcast.

Overcast generally until 2h. P.M. and from 5h. to 7h. P.M.; variably cloudy during the interval and after 7h. P.M.

Overcast with slight exceptions until 3h. P.M.; showers at 2h. and 8h. A.M. and very heavy rain from 1h. 30m. P.M. to 2h. 15m. P.M.; exceedingly heavy at first; fine generally after 3h. P.M.

Fine and partially cloudy generally but overcast and showery from 11h. A.M. to 1h. P.M.; brisk wind in afternoon.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·62 in. at the beginning of the week to 29·27 in. by 7h. P.M. on the 25th; increased to 29·80 in. by 8h. A.M. on the 27th; decreased to 29·50 in. by 4h. A.M. on the 28th; increased to 29·90 in. by 11h. P.M. on the same day; decreased to 29·63 in. by 1h. A.M. on the 30th; increased to 29·79 in. by 1h. A.M. on the 31st; decreased to 29·70 in. by 3h. P.M. on the same day; and increased to 29·80 in. by midnight on the same day.

Erratum in Report for week ending 1909, July 24. As the electrometer appears to have been defective, it will be better to delete the column relating to electricity.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 24th July, 1909.*

BOROUGHS.	Estimated Population in the middle of 1909.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	151,955	-	14	1	-	-	-	-	2	-	-
Kensington	183,683	-	9	5	-	-	-	-	4	-	-
Hammersmith	125,704	-	10	4	-	-	-	-	-	-	-
Fulham	176,406	-	11	7	-	1	-	-	3	2	-
Chelsea	75,249	-	8	2	-	-	-	-	1	-	-
City of Westminster ..	168,883	-	22	5	-	-	-	-	2	-	-
NORTH.											
St. Marylebone	126,027	-	16	1	-	-	-	-	-	-	1
Hampstead	94,185	-	10	2	-	-	-	-	-	-	-
St. Pancras	237,422	-	22	10	-	2	-	-	4	-	2
Islington	351,202	-	21	10	-	2	-	-	1	-	-
Stoke Newington	54,423	-	2	1	-	-	-	-	-	-	-
Hackney	237,601	-	9	-	-	-	-	-	5	-	-
CENTRAL.											
Holborn	53,802	-	8	-	-	-	-	-	4	-	-
Finsbury	95,289	-	6	2	-	-	-	-	4	-	-
City of London	18,193	-	-	2	-	-	-	-	-	-	-
EAST.											
Shoreditch	114,802	-	8	3	-	1	-	-	3	-	-
Bethnal Green	131,316	-	17	1	-	1	-	-	1	-	-
Stepney	312,525	-	22	16	-	1	-	-	12	1	-
Poplar	171,965	-	16	4	-	-	-	-	4	-	-
SOUTH.											
Southwark	211,125	-	22	7	-	3	-	-	3	-	-
Bermondsey	127,569	-	6	4	-	-	-	-	1	-	-
Lambeth	324,188	-	15	7	-	-	-	-	4	-	-
Battersea	186.036	-	9	4	-	-	-	-	2	2	-
Wandsworth	297,646	-	34	9	-	-	-	-	2	-	-
Camberwell	283,022	-	28	3	-	2	-	-	1	-	-
Deptford	118,583	-	4	5	-	-	-	-	1	1	-
Greenwich	111,014	-	3	4	-	-	-	-	-	-	-
Lewisham	160,749	-	11	9	-	-	-	-	3	-	-
Woolwich	133,374	-	20	2	-	-	-	-	1	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,833,938	-	383	130	-	13	-	-	68	6	3
Ages 0-1		-	6	-	-	-	-	-	1	-	2
" 1-5		-	108	44	-	-	-	-	2	-	1
" 5-		-	173	53	-	2	-	-	1	-	-
" 10-		-	52	14	-	1	-	-	2	-	-
" 15-		-	15	5	-	2	-	-	8	-	-
" 20-		-	11	6	-	4	-	-	4	2	-
" 25-		-	16	6	-	2	-	-	6	4	-
" 35-		-	2	1	-	1	-	-	13	-	-
" 45-		-	-	1	-	1	-	-	10	-	-
" 55-		-	-	-	-	-	-	-	12	-	-
" 65 and upwards		-	-	-	-	-	-	-	9	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY DARLING & SON, LTD., 34-40, BACON STREET, E.

1909

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 31. 1909. VOL. LXX.] WEEK ENDED SATURDAY, AUG. 7. [Price 1½*d.*

General Register Office, Somerset House,
August 9th, 1909.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 10·5 per 1000 of their aggregate population, which is estimated † at 16,445,281 persons in the middle of this year. In the preceding three weeks the rates had been 11·5, 10·6, and 10·8. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were :—from *all causes*, 14·0 in Tynemouth, 14·2 in Rhondda, 14·3 in Huddersfield and in Swansea, 14·8 in West Bromwich, 15·0 in Bootle, 15·1 in Liverpool, 16·6 in Great Yarmouth, and 18·0 in Newport (Mon.); from *measles*, 1·2 in Rhondda, 1·3 in Coventry and in Salford, 1·5 in Bootle, 4·0 in Newport (Mon.), and 4·4 in West Bromwich; from *scarlet fever*, 1·2 in Rhondda; and from *diarrhœa*, 1·6 in Nottingham. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2054 BIRTHS and 933 DEATHS were registered. Allowing for increase of population, the births were 458 and the deaths 404 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-five other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(14060—41.) Wt. 109—472. 700. 8/09. D & S. G. 31. Sch. 4. 2 II

causes, which had been 10·6, 10·0, and 10·3 per 1000 in the preceding three weeks, was 10·1 last week. The death-rate in the four weeks ended last Saturday averaged 10·3 per 1000, being 2·6 per 1000 below the mean rate in the corresponding periods of the five years 1904–8.

The 933 deaths included 19 from measles, 4 from scarlet fever, 3 from diphtheria, 26 from whooping-cough, 2 from enteric fever, and 27 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia: thus, to these diseases in the aggregate 81 deaths were referred, being 220 below the corrected average number in the thirty-first week of the preceding five years.

The deaths from *measles*, which had been 33, 24, and 9 in the preceding three weeks, were 19 last week, and were 9 below the corrected average; 3 deaths belonged to the Borough of Stepney, and 3 to Battersea. The deaths from *scarlet fever*, which had been 6, 8, and 4 in the preceding three weeks, were again 4 last week, the corrected average being 8. The deaths from *diphtheria*, which had been 4, 6, and 19 in the preceding three weeks, were 3 last week, and were 9 below the corrected average. The deaths from *whooping-cough*, which had been 15, 17, and 17 in the preceding three weeks, were 26 last week, and were 8 above the corrected average; 4 deaths belonged to Poplar. Two deaths from *enteric fever* were registered last week, as compared with 2, 0, and 3 in the preceding three weeks, the corrected average being 4. The deaths from *diarrhœa*, which had been 13, 22, and 26 in the preceding three weeks, were 27 last week, and were 203 below the corrected average; 3 deaths belonged to each of the Boroughs of Hackney, Finsbury, Stepney, and Poplar. Of the 27 deaths from diarrhœa, 25 were those of children under 5 years of age; 6 other deaths at this age were certified as due to *enteritis* and 8 to *gastro-enteritis*. One death was attributed directly to *influenza*, the deaths from this disease having been 3, 5, and 3 in the preceding three weeks.

Different forms of violence caused 38 deaths, concerning all but one of which inquests were held. Of these 38 deaths, 10 were cases of suicide, while the remaining 28 were attributed to accident or negligence. Eight of these latter were referred to vehicles in the streets, two to drowning, and five, of infants under one year of age, to suffocation in bed. Three deaths occurred while under anæsthetics administered for surgical purposes.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 2564 cases of scarlet fever, 901 of diphtheria, 2 of typhus, and 62 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 280 cases, against 415, 367, and 296; of diphtheria, 84 cases, against 97, 121, and 108; and of enteric fever, 7 cases, against 6, 10, and 6. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended July 31st, 1909.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 3261 births and 1328 deaths were registered. Allowing for increase of population, these numbers are 702 and 634 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 6 deaths from measles, 1 from scarlet fever, 1 from diphtheria, 5 from whooping-cough, and 5 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·98 inches, and that of the Thermometer 60°·8, the latter being 1°·4 below the week's average in the 65 years ended 1905. The direction of the wind was variable, the horizontal movement of the air being 26 per cent. below the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 54·4 hours; the measured rainfall amounted to 0·26 of an inch.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 7th August, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 17th July, 1909.	24th July, 1909.	31st July, 1909.	7th Aug. 1909.	Rate from Diseases in Cols. 11-17. Week ended 7th August, 1909.	Registered during the Week ended 7th Aug. 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS	**16,445,281**	**11·5**	**10·6**	**10·8**	**10·5**	**1·1**	**7472**	**3311**	**757**	**915**	**-**	**83**	**28**	**34**	**52**	**12**	**127**	**138**	**269**	**885**	**31**	**76 TOWNS.**
LONDON	4,833,938	10·6	10·0	10·3	10·1	0·9	2054	933‡	204	272	-	19	4	3	26	2	27	38	85	403	1	LONDON.
† CROYDON	161,078	7·1	5·8	6·2	8·1	-	85	25	4	11	-	-	-	-	-	-	-	1	3	5	-	CROYDON.
† WILLESDEN ..	160,424	4·9	3·6	5·2	6·5	0·3	73	20	4	4	-	-	-	-	-	-	1	-	2	2	-	WILLESDEN.
† HORNSEY	95,628	6·0	4·9	6·5	6·5	-	24	12	2	6	-	-	-	-	-	-	-	2	2	1	-	HORNSEY.
† TOTTENHAM ..	129,464	12·1	5·6	6·4	8·1	-	76	20	4	7	-	-	-	-	-	-	-	3	5	5	-	TOTTENHAM.
† WEST HAM ..	321,767	10·4	8·9	7·9	7·8	1·5	137	48	19	10	-	2	-	1	2	-	4	2	4	9	-	WEST HAM.
† EAST HAM.. ..	149,575	9·4	8·7	4·5	3·8	0·3	71	11	4	1	-	-	-	-	1	-	-	-	1	2	-	EAST HAM.
† LEYTON	129,614	8·9	7·2	8·9	6·4	0·8	59	16	3	3	-	1	1	-	-	-	-	2	2	2	-	LEYTON.
† WALTHAMSTOW	136,602	5·7	9·2	8·8	5·3	0·4	51	14	3	5	-	1	-	-	-	-	-	2	2	2	-	WALTHAMSTOW.
HASTINGS	68,165	8·4	6·9	6·9	11·5	-	20	15	2	9	-	-	-	-	-	-	-	1	1	3	-	HASTINGS.
BRIGHTON	130,926	11·2	10·0	11·5	8·4	0·4	32	21	-	8	-	-	-	1	-	-	-	1	5	5	-	BRIGHTON.
PORTSMOUTH ..	214,726	12·4	13·1	10·4	9·5	1·0	104	39	6	13	-	-	-	2	1	1	-	5	8	7	-	PORTSMOUTH.
BOURNEMOUTH ..	72,368	13·7	8·6	10·8	5·8	0·7	23	8	1	4	-	-	-	-	1	-	-	-	1	-	-	BOURNEMOUTH.
SOUTHAMPTON ..	124,667	7·1	12·1	10·9	8·8	0·8	43	21	2	6	-	-	-	1	1	-	-	2	2	8	-	SOUTHAMPTON.
READING	82,995	[illegible]·3	6·9	10·1	9·4	-	23	15	3	9	-	-	-	-	-	-	-	1	1	3	-	READING.
NORTHAMPTON ..	97,752	12·[illegible]	7·5	11·2	6·9	0·5	31	13	2	7	-	-	1	-	-	-	-	-	-	3	-	NORTHAMPTON.
IPSWICH	74,889	9·7	6·3	9·7	11·8	-	37	17	1	8	-	-	-	-	-	-	-	-	-	4	-	IPSWICH.
GREAT YARMOUTH	53,430	21·5	15·6	16·6	16·6	1·0	23	17	4	6	-	-	-	-	1	-	-	1	1	2	-	GREAT YARMOUTH.
NORWICH	124,136	16·4	10·1	8·4	10·1	1·3	49	24	7	10	-	2	-	-	-	-	1	2	3	5	-	NORWICH.
PLYMOUTH	124,180	8·0	10·1	8·4	9·2	0·8	47	22	6	13	-	-	-	-	2	-	-	1	3	5	-	PLYMOUTH.
DEVONPORT	83,103	11·9	11·3	5·6	11·9	1·9	31	19	3	4	-	-	-	1	-	1	1	-	-	5	-	DEVONPORT.
BRISTOL	377,642	8·7	10·1	10·4	7·7	0·7	141	56	9	20	-	-	1	2	-	1	1	-	1	15	-	BRISTOL.
HANLEY	68,831	17·4	9·8	12·9	9·1	0·8	14	12	5	2	-	1	-	-	-	-	-	1	2	1	-	HANLEY.
BURTON-ON-TRENT	54,453	7·7	8·6	4·8	9·6	-	17	10	1	4	-	-	-	-	-	-	-	1	1	3	-	BURTON-ON-TRENT.
WOLVERHAMPTON..	104,633	15·0	13·0	11·0	11·0	1·5	33	22	3	7	-	2	-	-	-	-	1	2	2	4	-	WOLVERHAMPTON.
WALSALL	99,399	8·4	14·2	13·1	12·1	1·0	38	23	8	7	-	2	-	-	-	-	-	-	1	1	-	WALSALL.
HANDSWORTH ..	70,186	5·9	11·9	6·7	5·9	-	31	8	2	2	-	-	-	-	-	-	-	-	-	2	-	HANDSWORTH.
WEST BROMWICH..	70,457	10·4	16·3	7·4	14·8	5·2	38	20	4	3	-	6	-	-	-	-	1	-	1	2	-	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

‡ Including 1 death from Cerebro-spinal fever.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 7th August, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 17th July, 1909.	24th July 1909.	31st July, 1909.	7th Aug. 1909.	Rate from Diseases in Cols. 11-17. Week ended 7th August. 1909.	Registered during the Week ended 7th Aug. 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
BIRMINGHAM ..	563,629	11·7	10·9	11·1	10·5	1·6	255	114	29	23	–	1	1	3	2	–	10	5	7	33	6	BIRMINGHAM.
KINGS NORTON ..	81,632	5·7	7·7	5·7	5·7	–	24	9	–	6	–	–	–	–	–	–	–	–	–	2	–	KINGS NORTON.
SMETHWICK	70,377	6·7	4·4	8·9	11·1	2·2	41	15	3	2	–	1	–	1	–	–	1	–	–	1	–	SMETHWICK.
ASTON MANOR ..	85,257	8·0	10·4	8·6	8·0	1·8	34	13	2	4	–	–	1	–	–	–	2	–	–	2	–	ASTON MANOR.
COVENTRY	80,163	18·2	12·4	13·7	13·7	2·6	35	21	3	5	–	2	–	–	1	–	1	–	1	4	–	COVENTRY.
LEICESTER	244,255	10·5	10·9	8·1	8·3	0·9	89	39	13	9	–	–	–	1	1	–	2	2	3	11	1	LEICESTER.
GRIMSBY	73,036	8·6	9·3	7·9	10·7	0·7	35	15	3	4	–	–	–	–	–	1	–	1	1	2	–	GRIMSBY.
NOTTINGHAM ..	263,443	11·5	11·5	12·3	11·3	1·6	100	57	12	20	–	–	–	–	–	–	8	–	3	11	–	NOTTINGHAM.
DERBY	129,411	7·3	10·1	8·1	6·0	0·4	57	15	6	1	–	–	–	–	1	–	–	2	2	3	–	DERBY.
STOCKPORT	103,706	7·5	11·6	12·6	9·1	–	51	18	9	4	–	–	–	–	–	–	–	–	–	3	–	STOCKPORT.
BIRKENHEAD ..	121,123	10·3	12·9	12·1	13·8	0·9	81	32	13	7	–	–	–	–	–	–	2	1	3	2	–	BIRKENHEAD.
WALLASEY	71,004	10·3	13·2	8·8	9·5	0·7	36	13	2	6	–	1	–	–	–	–	–	–	1	1	–	WALLASEY.
LIVERPOOL	760,357	17·1	14·4	14·9	15·1	2·2	423	220	53	46	–	12	2	3	–	–	15	5	9	79	9	LIVERPOOL.
BOOTLE	69,393	13·5	13·5	9·8	15·0	1·5	42	20	5	6	–	2	–	–	–	–	–	1	1	5	1	BOOTLE.
ST. HELENS	95,161	9·9	14·8	9·3	11·0	1·1	50	20	7	6	–	–	1	–	–	–	1	–	–	2	2	ST. HELENS.
WIGAN	90,678	11·5	13·2	16·1	13·8	2·9	47	24	7	6	–	–	1	–	2	–	2	1	2	4	–	WIGAN.
WARRINGTON ..	72,276	19·5	8·7	14·4	11·5	1·4	38	16	7	5	–	–	1	–	–	–	1	–	–	2	1	WARRINGTON.
BOLTON	187,824	13·0	9·7	11·7	10·8	0·6	84	39	8	8	–	–	–	1	–	–	1	5	5	6	–	BOLTON.
BURY	59,234	14·1	15·0	10·6	6·2	–	29	7	2	3	–	–	–	–	–	–	–	1	2	1	–	BURY.
MANCHESTER ..	655,435	12·6	12·7	13·8	13·1	1·7	369	165	43	43	–	6	3	1	–	–	11	8	11	44	1	MANCHESTER.
SALFORD	241,950	14·9	13·8	11·4	12·1	2·6	118	56	10	13	–	6	1	3	–	2	–	2	7	10	–	SALFORD.
OLDHAM	143,301	16·0	13·1	12·4	13·5	0·4	76	37	2	14	–	–	–	–	–	–	1	1	3	6	–	OLDHAM.
ROCHDALE	89,653	14·5	11·6	12·8	11·6	–	51	20	4	8	–	–	–	–	–	–	–	1	1	2	–	ROCHDALE.
BURNLEY	106,267	11·8	9·8	10·3	9·8	1·0	51	20	4	6	–	–	–	–	–	–	2	–	1	4	–	BURNLEY.
BLACKBURN	136,959	14·8	12·2	12·6	13·3	1·1	64	35	4	9	–	–	1	–	1	–	1	–	–	6	–	BLACKBURN.
PRESTON	118,519	13·6	12·3	12·8	11·0	0·4	63	25	4	6	–	–	–	–	–	–	1	3	4	3	–	PRESTON.
BARROW-IN-FURNESS.	62,996	7·4	9·9	9·1	5·8	–	35	7	3	–	–	–	–	–	–	–	–	–	1	1	–	BARROW-IN-FURNESS.

* See note † on first page of this return.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 7th August, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 17th July, 1909.	24th July, 1909.	31st July, 1909.	7th Aug. 1909.	Rate from Diseases in Cols. 11–17. Week ended 7th August, 1909.	Registered during the Week ended 7th Aug. 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,739	13·2	9·9	16·0	14·3	0·6	45	26	5	7	–	–	–	–	–	–	1	–	1	1	–	HUDDERSFIELD.
HALIFAX	111,911	14·0	8·4	11·6	8·4	0·5	45	18	4	5	–	–	–	1	–	–	–	–	–	3	–	HALIFAX.
BRADFORD	293,983	11·0	10·1	10·5	11·7	0·7	96	66	14	17	–	–	1	1	–	–	2	5	10	10	–	BRADFORD.
LEEDS	484,012	10·7	11·2	11·0	11·0	0·8	218	102	20	29	–	1	–	2	1	1	2	6	10	21	1	LEEDS.
SHEFFIELD	470,958	13·4	9·0	12·4	11·2	1·1	222	101	29	32	–	–	–	–	–	1	9	4	8	17	2	SHEFFIELD.
ROTHERHAM.. ..	65,070	5·6	10·4	18·4	12·0	0·8	35	15	2	2	–	–	–	–	–	1	–	–	1	3	1	ROTHERHAM.
YORK	87,004	7·2	4·8	7·8	6·6	–	31	11	4	3	–	–	–	–	–	–	–	–	–	2	–	YORK.
HULL	275,552	11·9	11·7	10·2	10·4	1·9	152	55	14	9	–	3	–	–	3	–	4	4	7	7	1	HULL.
MIDDLESBROUGH ..	105,255	20·3	14·4	14·4	11·4	3·0	64	23	8	5	–	–	–	2	2	–	2	–	–	5	1	MIDDLESBROUGH.
STOCKTON-ON-TEES	53,417	13·7	9·8	13·7	10·7	–	34	11	5	3	–	–	–	–	–	–	–	–	–	–	–	STOCKTON-ON-TEES.
WEST HARTLEPOOL	79,686	11·8	5·9	9·2	7·2	–	30	11	1	1	–	–	–	–	–	–	–	–	–	2	–	WEST HARTLEPOOL.
SUNDERLAND ..	159,378	13·7	13·7	14·1	10·5	1·0	83	32	6	7	–	–	1	1	–	–	1	–	1	9	1	SUNDERLAND.
SOUTH SHIELDS ..	117,627	14·2	11·5	15·1	10·6	0·9	58	24	8	2	–	1	–	–	1	–	–	3	3	5	1	SOUTH SHIELDS.
GATESHEAD	131,024	9·9	7·2	7·2	8·0	1·6	71	20	5	4	–	1	2	–	–	–	1	1	1	3	1	GATESHEAD.
NEWCASTLE-ON-TYNE.	281,584	12·8	9·1	10·6	13·5	0·6	127	73	19	24	–	–	–	–	2	1	–	2	5	14	–	NEWCASTLE-ON-TYNE.
TYNEMOUTH ..	55,808	16·8	14·9	14·9	14·0	–	37	15	8	3	–	–	–	–	–	–	–	–	–	2	–	TYNEMOUTH.
NEWPORT (MON.) ..	78,336	18·0	16·6	13·3	18·0	4·7	47	27	8	4	–	6	–	–	–	–	1	–	2	2	–	NEWPORT (MON.).
CARDIFF	195,303	10·9	10·1	9·3	11·7	1·3	87	44	5	16	–	–	2	2	–	–	1	1	6	10	–	CARDIFF.
RHONDDA	135,894	14·6	11·1	12·3	14·2	2·7	102	37	10	3	–	3	3	–	–	–	1	2	3	2	–	RHONDDA.
MERTHYR TYDFIL..	78,365	17·3	12·0	8·7	13·3	2·0	50	20	5	3	–	1	–	1	–	–	1	1	2	2	–	MERTHYR TYDFIL.
SWANSEA	98,308	16·4	16·4	14·9	14·3	1·1	55	27	3	5	–	–	–	–	–	–	2	2	2	6	–	SWANSEA.
GREATER LONDON	7,429,740	10·1	9·2	9·4	9·3	0·8	3261	1328	287	397	–	29	6	5	34	2	37	61	126	469	2	GREATER LONDON.
OUTER RING ..	2,595,802	9·3	7·8	7·8	7·9	0·6	1207	395	83	125	–	10	2	2	8	–	10	23	41	66	1	OUTER RING.
8 TOWNS IN OUTER RING.	1,284,152	8·4	7·1	6·9	6·7	0·6	576	166	43	47	–	4	1	1	3	–	5	12	21	28	–	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,311,650	10·3	8·5	8·6	9·1	0·7	631	229	40	78	–	6	1	1	5	–	5	11	20	38	1	REMAINDER OF OUTER RING.
EDINBURGH	355,366	12·8	11·2	13·6	12·5	1·9	149	85	20	25	–	1	1	1	5	1	4	–	?	36	–	EDINBURGH.
GLASGOW	872,021	11·4	12·4	10·5	11·9	1·3	418	199	35	39	–	3	2	2	5	2	7	10	?	57	8	GLASGOW.
DUBLIN (Registration Area).†	398,356	16·9	14·4	17·4	15·2	1·6	196	116	25	29	–	1	–	1	4	1	5	5	5	40	4	DUBLIN (Registration Area).†
BELFAST†	386,576	11·2	15·2	13·1	14·6	1·6	221	108	19	23	–	–	–	–	5	–	7	4	6	29	1	BELFAST†

* See note † on first page of this return.

† Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the THIRTY-FIRST Week of each of the Eleven Years, 1899–1909.

	1899	1900	1901	1902	1903	1904	1905	1906	1907	1908	Corrected Weekly Average in 5 Years 1904–1908.*	1909
TOTAL **Births** -	2577	2701	2844	2719	2481	2302	2522	2576	2500	2370	2512·3	2054
Males - - -	1338	1387	1414	1395	1303	1161	1315	1300	1307	1150	1276·2	1019
Females - -	1239	1314	1430	1324	1178	1141	1207	1276	1193	1220	1236·1	1035
TOTAL **Deaths** -	2200	1768	1747	1164	1149	1745	1404	1272	1052	1057	1337·0	933
Males - - -	1120	921	959	627	640	930	721	680	579	539	706·2	501
Females - -	1080	847	788	537	509	815	683	592	473	518	630·8	432

* The numbers in this column are the average weekly numbers in the Thirty-First week of the five years 1904-1908, raised by 2·375 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	May 15.	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	13 Weeks.
TOTAL **Births** -	2339	2260	2131	1918	2421	2167	2068	2331	2236	2292	2206	2289	2054	29012
TOTAL **Deaths** -	1216	1295	1240	1072	1135	1060	1125	1029	1109	979	926	957	933	14076
Ages at Death: Under 1 year -	209	238	200	185	232	179	189	183	188	177	174	177	204	2535
1—5 years -	130	162	141	129	122	128	115	106	138	102	88	85	83	1529
5—20 " -	74	72	76	54	65	72	68	50	48	55	61	66	55	816
20—40 " -	177	153	161	143	138	137	130	125	144	115	114	127	122	1786
40—60 " -	260	284	257	225	246	219	266	226	240	233	201	200	197	3054
60 yrs. & upwds.	366	386	405	336	332	325	357	339	351	297	288	302	272	4356
Deaths from—														
Small-pox† - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles - - -	53	53	63	47	62	48	51	33	40	33	24	9	19	535
Scarlet Fever - -	11	6	6	8	10	10	7	3	9	6	8	4	4	92
Diphtheria - -	8	16	17	7	7	6	7	7	7	4	6	19	3	114
Whooping-cough -	30	42	35	35	21	18	17	20	19	15	17	17	26	312
Typhus - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteric Fever - -	–	6	3	3	2	2	3	1	1	2	–	3	2	28
Pyrexia (origin uncertain).	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa, Dysentery	8	10	16	17	16	5	17	10	14	13	22	26	27	201
All above diseases -	110	133	140	117	118	89	102	74	90	73	77	78	81	1282
Dis. of Resp. System	78	83	82	65	54	68	64	58	60	38	43	38	53	784
Pneumonia - -	135	131	143	107	98	67	91	100	94	68	89	68	67	1258
Phthisis - - -	131	126	113	107	96	97	122	93	111	97	78	90	98	1359
Dis. of Circ. System -	163	168	168	138	171	161	157	158	164	144	128	132	134	1986
Violence - - -	49	39	44	46	41	48	41	45	57	65	37	42	38	592
Inquest Cases - -	113	118	111	105	109	103	109	121	114	119	82	98	85	1387
Deaths in Institutions	561	579	578	449	489	482	510	444	506	436	484	431	403	6352
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - -	48·5	54·9	57·5	54·2	50·2	56·3	55·8	55·9	58·5	60·0	61·9	59·9	60·8	56·5
Mean of Highest -	60·1	68·8	68·6	61·3	58·7	67·3	65·4	66·8	65·5	69·3	72·7	69·4	72·7	66·9
Mean of Lowest -	37·8	39·5	48·4	47·4	42·7	47·8	50·7	47·5	51·1	53·8	54·0	53·4	50·9	48·1
Mean Humidity of the Air.	67	66	72	81	84	79	81	80	77	82	71	79	76	77
Rain-fall (in inches) -	0·11	0·13	0·95	0·94	0·79	0·05	1·45	0·44	0·99	0·71	0·15	1·31	0·26	8·28
Registered Sunshine (in hours).	62·7	75·9	55·9	31·2	25·4	37·4	30·1	37·0	31·2	25·2	63·0	34·4	54·4	563·3
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means
Small-pox - - -	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlet Fever - -	2173	2234	2254	2223	2263	2445	2517	2587	2617	2737	2731	2667	2564	2465
Diphtheria - - -	990	957	925	905	876	897	915	896	901	893	905	901	901	912
Typhus - - -	–	–	1	1	1	1	1	2	1	2	2	2	2	1
Enteric Fever - -	52	48	50	43	46	56	59	58	58	57	59	60	62	54

* The Metropolitan Asylums Board and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office :—The Astronomer Royal, Greenwich ; D. Forbes, Esq., M.D., Brighton ; A. Mearns Fraser, Esq., M.D., Portsmouth ; A. W. Preston, Esq., F.R.Met.Soc., Norwich ; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth ; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol ; A. Cresswell, Esq., Edgbaston, Birmingham ; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham ; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool ; F. Gore, Esq., Prestwich, Manchester ; Thos. Holt, Esq., M.D., Burnley ; J. Firth, Esq., Huddersfield ; H. Lander, Esq., Bradford ; Oxley Grabham, Esq., M.A., York ; H. B. Witty, Esq., F.R.Met.Soc., Hull ; the Meteorological Committee, Tynemouth ; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the THIRTY-FIRST Week of the Year 1909.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 31st week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1337·0	933	204	83	55	122	197	272
Small-pox*	0·2	–	–	–	–	–	–	–
Cowpox	–	–	–	–	–	–	–	–
Measles (Morbilli)	28·1	19	6	13	–	–	–	–
Scarlet Fever	8·2	4	1	–	3	–	–	–
Typhus	–	–	–	–	–	–	–	–
Plague	–	–	–	–	–	–	–	–
Influenza	2·9	1	–	–	–	–	–	1
Whooping-cough	18·2	26	16	10	–	–	–	–
Diphtheria	11·5	3	–	2	1	–	–	–
Cerebro-spinal Fever ..	0·2	1	–	–	1	–	–	–
Pyrexia† (origin uncertain)	–	–	–	–	–	–	–	–
Enteric Fever	4·3	2	–	–	1	1	–	–
Asiatic Cholera	–	–	–	–	–	–	–	–
Epidemic Diarrhœa, Infective Enteritis	150·9	14	9	5	–	–	–	–
Diarrhœa, Dysentery ..	79·2	13	10	1	–	–	1	1
Tetanus	0·8	–	–	–	–	–	–	–
Rabies, Hydrophobia ..	–	–	–	–	–	–	–	–
Glanders	–	–	–	–	–	–	–	–
Anthrax (Splenic Fever)..	–	–	–	–	–	–	–	–
Venereal Dis.	8·4	4	3	1	–	–	–	–
Puerperal Septicæmia ..	4·1	3	–	–	–	3	–	–
Puerperal Pyæmia.. .	0·2	–	–	–	–	–	–	–
Puerperal Fever	0·4	–	–	–	–	–	–	–
Infective Endocarditis ..	3·1	1	–	–	–	–	1	–
Pneumonia: Lobar ..	8·4	10	1	1	–	1	1	6
Pneumonia: Broncho ..	28·1	26	11	9	1	1	3	1
Pneumonia: Epidemic ..	–	–	–	–	–	–	–	–
Pneumonia: Not defined	34·6	31	–	4	2	6	12	7
Erysipelas	3·1	7	2	1	–	1	1	2
Septicæmia (not Puerperal) ..	0·6	1	–	–	–	–	–	1
Pyæmia (not Puerperal)	0·8	2	1	–	–	–	–	1
Other Infective Processes	4·7	1	–	–	–	–	–	1
Tuberculous Phthisis ..	69·0	69	–	1	7	32	24	5
"*Phthisis*"	44·0	29	–	–	4	9	12	4
Tuberculous Meningitis ..	27·0	15	–	9	5	1	–	–
Tuberculous Peritonitis ..	8·6	10	3	4	1	1	1	–
Tabes Mesenterica	3·1	–	–	–	–	–	–	–
Tuberculous Dis., Other ..	16·0	14	2	5	1	3	2	1
Scrofula..	0·2	–	–	–	–	–	–	–
Alcoholism	7·2	6	–	–	–	2	3	1
Rheumatic Fever	3·1	3	–	–	1	1	–	1
Gout	1·6	2	–	–	–	–	1	1
Carcinoma	56·5	59	–	–	–	4	2	30
Sarcoma	6·1	5	–	–	–	–	3	2
Cancer (undefined) ..	32·6	18	–	–	–	–	6	12
Diabetes Mellitus	6·8	5	–	–	–	1	2	2
Premature Birth	48·7	38	38	–	–	–	–	–

CAUSES OF DEATH.	Corrected Average for the 31st week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)..	16·2	9	3	3	1	2	–	–
Gen. Par. of Insane, Insanity	12·5	5	–	–	–	2	3	–
Epilepsy	4·3	–	–	–	–	–	–	–
Convulsions	16·6	10	10	–	–	–	–	–
Locomotor Ataxy.. ..	1·6	–	–	–	–	–	–	–
Paraplegia, Dis. of Cord.	4·1	5	–	–	–	–	3	2
Nervous Sys., Other Dis.	17·6	8	1	1	2	–	1	3
Valv. Dis., Endocarditis..	31·3	39	–	–	3	5	10	21
Cereb. Hæm. Cereb. Emb.	28·5	23	–	–	1	1	5	16
Apoplexy, Hemiplegia ..	12·5	4	–	–	–	–	1	3
Aneurysm	5·1	5	–	–	–	2	2	1
Embolism, Thrombosis (not Cerebral) ..	0·8	3	–	–	–	–	1	2
Heart & Blood Ves., Other Dis... ..	65·1	60	–	–	4	2	20	34
Croup (not Spasm: nor Memb.)	0·2	–	–	–	–	–	–	–
Bronchitis	37·7	39	7	1	1	–	5	25
Emphysema, Asthma ..	1·2	3	–	–	–	–	1	2
Pleurisy	3·7	2	–	–	1	1	–	–
Respiratory Dis., Other..	8·4	9	1	2	–	1	3	2
Tonsillitis, Quinsy.. ..	0·8	1	–	–	1	–	–	–
Enteritis (not Epid.) ..	17·6	8	5	1	–	1	–	1
Gastro-enteritis	16·2	9	6	2	–	–	1	–
Peritonitis (not Puerp.) ..	2·0	2	1	–	–	–	1	–
Cirrhosis of Liver.. ..	14·1	7	–	–	1	–	4	2
Liver Dis., Other	5·1	6	–	–	–	2	2	2
Digestive Sys., Other Dis.	34·8	36	5	1	5	10	6	9
Acute Nephritis	7·0	6	–	–	1	1	1	3
Bright's Dis., Albuminuria	30·9	21	–	–	–	3	8	10
Urinary Sys., Other Dis.	9·6	10	–	–	–	1	4	5
Generative Organs Dis...	5·3	6	–	–	–	3	3	–
Childbirth (Accid. of) ..	3·7	7	–	–	2	4	1	–
Old Age	42·4	36	–	–	–	–	–	36
Other Diseases	89·1	74	55	2	2	3	7	5
ACCIDENT.								
By Railways	1·0	1	–	–	–	1	–	–
By Vehicles and Horses..	5·7	8	–	2	–	3	2	1
In Ships, Boats, Docks, (exclusive of Drowning)	0·4	–	–	–	–	–	–	–
In Building Operations..	1·8	–	–	–	–	–	–	–
In Conflagrations	0·6	–	–	–	–	–	–	–
By Burns, Scalds, Explosions	3·3	1	–	–	1	–	–	–
By Drowning	8·0	2	1	1	–	–	–	–
By Suffocation in Bed ..	7·2	5	5	–	–	–	–	–
By Poisons or Poisonous Vapours	3·5	3	1	–	1	1	–	–
Other Deaths by Accident..	14·9	8	–	1		2	1	4
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	1·0	–	–	–	–	–	–	–
Suicide	12·1	10	–	–	–	4	3	3
Execution	–	–	–	–	–	–	–	–

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 7th August, 1909.

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexiat* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified causes of Death.
LONDON	4,536,267	2054	933	204	272	-	19	4	3	26	-	2	-	27	38	85	403	1
WEST DISTRICTS	805,311	289	163	35	43	-	6	-	-	5	-	-	-	5	6	11	74	-
NORTH DISTRICTS	1,055,908	432	187	31	55	-	3	2	1	4	-	2	-	4	7	15	79	-
CENTRAL DISTRICTS	209,465	96	61	11	17	-	2	-	-	1	-	-	-	2	1	4	36	-
EAST DISTRICTS	715,739	363	181	47	38	-	4	1	-	5	-	-	-	8	14	30	95	-
SOUTH DISTRICTS	1,749,844	874	322	77	114	-	4	1	2	9	-	-	-	7	10	25	100	1
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	19	3	5	-	-	-	-	2	-	-	-	1	-	-	19	-
WEST DISTRICTS.																		
North Paddington *H*	63,603	35	6	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Central Paddington *W,3H*	50,053	16	20	2	9	-	-	-	-	1	-	-	-	-	1	1	14	-
South Paddington	30,320	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town *2W,w,2H* ..	128,037	52	43	7	11	-	1	-	-	2	-	-	-	1	1	2	22	-
Brompton *2H*	48,591	6	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
North Hammersmith *2W,w,H* ..	49,192	21	6	2	2	-	1	-	-	-	-	-	-	-	-	-	2	-
South Hammersmith *w,2H* ..	63,047	26	8	3	2	-	1	-	-	-	-	-	-	2	1	2	4	-
North-west Fulham *W*	45,180	30	7	3	1	-	-	-	-	-	-	-	-	1	-	-	4	-
North-east Fulham *F*	46,405	25	10	4	2	-	2	-	-	1	-	-	-	-	-	-	3	-
South Fulham *W*	45,704	12	4	2	1	-	1	-	-	1	-	-	-	-	-	1	-	-
Chelsea North *W,w,3H*	42,514	11	4	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Chelsea South *W,2H*	31,328	8	13	7	4	-	-	-	-	-	-	-	-	-	-	-	4	-
Mayfair and Knightsbridge	28,743	3	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Belgrave *W,2H*	55,815	17	14	1	2	-	-	-	-	-	-	-	-	1	1	2	8	-
St. Margaret & St. John *6H*	43,698	14	17	1	4	-	-	-	-	-	-	-	-	-	1	1	9	-
St. James and St. Anne *W,6H* ..	33,081	8	3	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-
NORTH DISTRICTS.																		
All Souls Marylebone *7H*	35,391	5	8	-	3	-	-	-	-	-	-	-	-	-	-	-	6	-
St. Mary Marylebone *W,4H* ..	37,948	42	5	2	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Christchurch Marylebone	39,536	6	2	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-
St. John Marylebone *2H*	20,426	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Hampstead *W,F,6H*	81,942	27	16	1	2	-	-	1	1	-	-	1	-	-	-	-	7	-
West St. Pancras *2H*	60,562	23	7	1	1	-	-	-	-	-	-	-	-	-	1	2	1	-
South St. Pancras *w,10H*	55,707	17	18	3	4	-	-	-	-	-	-	-	-	-	2	4	12	-
East St. Pancras *W,H*	60,320	14	18	2	8	-	1	-	-	-	-	-	-	1	-	1	5	-
North St. Pancras *2W*	58,728	30	11	-	5	-	1	-	-	-	-	-	-	-	1	1	5	-
Tufnell *W*	31,995	14	17	2	7	-	-	-	-	-	-	1	-	-	-	-	14	-
Upper Holloway *2W,w,H*	33,978	23	20	2	4	-	1	-	-	1	-	-	-	-	1	1	12	-
Tollington *W,w,H*	33,922	12	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Lower Holloway	41,424	17	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Barnsbury	54,478	20	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Islington South-east *F*	75,397	35	10	3	2	-	-	-	-	1	-	-	-	-	-	1	-	-
Highbury *2H*	63,797	28	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Stoke Newington *H*	51,247	14	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
North Hackney	50,398	22	5	1	2	-	-	-	-	2	-	-	-	-	-	1	-	-
Central Hackney *w,F*	50,536	25	5	2	-	-	-	1	-	-	-	-	-	1	-	-	2	-
South-west Hackney *3H*	59,921	33	11	4	2	-	-	-	-	-	-	-	-	1	-	-	2	-
South-east Hackney *2W,H*	58,255	19	17	3	7	-	-	-	-	-	-	-	-	-	1	3	10	-
Hackney Union Workhouse, Brentwood	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 7th August, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
St. Giles and Bloomsbury 2*W*,2*H* ..	31,436	19	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Strand *W*,4*H*	21,674	3	10	1	4	–	–	–	–	–	–	–	–	–	1	1	9	–
Strand Union Workhouse, Edmonton	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Holborn *W*,5*H*	29,612	10	19	7	3	–	–	–	–	1	–	–	–	–	–	2	15	–
Clerkenwell *H*	63,704	33	7	1	3	–	1	–	–	–	–	–	–	–	–	–	–	–
St. Luke 3*H*,*L*	36,116	26	8	1	2	–	–	–	–	–	–	–	–	2	–	–	–	–
Holborn Union Workhouse, Mitcham	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	2	–
St. Botolph *H*	10,299	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Sepulchre and Allhallows *W*,2*H*	16,624	3	11	–	2	–	1	–	–	–	–	–	–	–	–	1	10	–
City of London Asylum, Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
EAST DISTRICTS.																		
Shoreditch South 2*H*	46,362	14	6	3	1	–	–	–	–	–	–	–	–	–	–	1	–	–
Shoreditch North-West *W*,*w*,*H* ..	36,127	17	13	1	8	–	–	–	–	–	–	–	–	2	1	3	9	–
Shoreditch North-East	36,148	18	6	1	4	–	–	–	–	–	–	–	–	–	–	–	–	–
Shoreditch Union Workhouse, Wood Green	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	31	20	8	3	–	–	–	–	2	–	–	–	1	–	–	14	–
Bethnal Green South-West *H* ..	64,542	47	5	–	1	–	–	–	–	–	–	–	–	–	1	1	–	–
Spitalfields..	27,969	8	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mile End New Town *W*,*H*	28,718	15	37	8	2	–	–	–	–	–	–	–	–	–	5	9	37	–
Goodman's Fields	22,081	6	3	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
St. George and St. John 2*W* ..	49,068	31	9	4	1	–	–	–	–	–	–	–	–	1	–	2	1	–
Shadwell and Ratcliff *w*,*H* ..	25,568	6	15	6	–	–	3	1	–	–	–	–	–	1	–	1	10	–
Limehouse *W*	32,369	20	5	1	2	–	–	–	–	–	–	–	–	–	1	1	–	–
Mile End Old Town South-Western *H*	63,698	40	7	4	1	–	–	–	–	–	–	–	–	1	1	1	2	–
Mile End Old Town North-Eastern *W*,*w*	49,129	23	5	–	4	–	–	–	–	–	–	–	–	–	–	–	4	–
Bow	41,989	23	9	3	2	–	–	–	–	–	–	–	–	–	2	3	–	–
Bromley 3*w*,*H*	68,319	29	32	3	8	–	1	–	–	3	–	–	–	–	3	7	17	–
Poplar *W*,*w*	58,514	35	8	4	–	–	–	–	–	–	–	–	–	2	–	1	1	–
Workhouse, Forest Gate (Parish of Poplar Borough).	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 7th August, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch and St. Saviour Southwark *W,2H*	23,319	13	6	1	1	-	-	-	-	-	-	-	-	-	1	1	5	-
Kent-road	21,904	5	2	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-
St. George the Martyr West *W,2H,L*	39,094	19	3	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Newington North	49,022	24	8	4	1	-	-	-	-	-	-	-	-	-	1	3	-	-
Newington South *W*	72,841	33	12	4	2	-	-	-	-	-	-	-	-	-	-	-	2	-
St. Olave *2W*	9,817	4	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Bermondsey *W*	82,483	55	11	6	2	-	-	-	-	1	-	-	-	-	1	3	-	-
Rotherhithe *W,F*	38,460	17	12	-	4	-	-	-	-	1	-	-	-	1	-	-	8	-
Waterloo *2H*	27,440	26	4	1	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Lambeth Church *H*	27,440	17	13	2	1	-	1	-	-	-	-	-	-	-	-	-	12	-
Kennington *2W*	52,518	31	16	3	3	-	-	-	-	-	-	-	-	-	-	1	10	-
Stockwell *HF*	63,826	47	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Brixton *H*	73,673	34	8	1	4	-	-	-	1	-	-	-	-	-	-	1	1	-
Norwood *2WH*	56,998	23	9	-	7	-	-	-	-	-	-	-	-	-	-	-	-	-
East Battersea *H*	72,203	34	8	2	1	-	1	-	-	-	-	-	-	-	-	-	1	-
North-west Battersea	49,656	32	12	6	2	-	1	-	-	-	-	-	-	1	-	1	-	-
South-west Battersea *2W,H* ..	47,048	19	20	4	9	-	-	-	-	1	-	-	-	-	-	1	9	-
Clapham *2H*	51,361	23	9	2	5	-	-	-	-	-	-	-	-	-	-	-	2	-
Streatham *W,2w,2F,2L*	88,019	56	19	8	5	-	-	-	-	1	-	-	-	1	1	2	5	1
Springfield *2W,L*	27,959	18	5	2	1	-	-	-	-	-	-	-	-	1	-	-	1	-
Southfields *H*	40,444	30	9	1	4	-	-	-	-	-	-	-	-	-	1	-	-	-
Putney	24,139	12	7	-	3	-	-	-	-	-	-	-	-	-	2	2	-	-
Dulwich	13,359	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	22	20	5	8	-	-	-	-	1	-	-	-	-	-	1	14	-
Camberwell North *W,2L*	65,584	20	15	3	8	-	-	-	-	-	-	-	-	1	-	2	9	-
St. George	47,331	25	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Peckham North	48,913	25	7	2	3	-	-	-	-	-	-	-	-	-	-	1	-	-
Peckham South *2W,w*	43,946	16	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Deptford North	37,613	17	3	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-
Deptford Central *F*	45,481	23	9	3	2	-	-	-	1	1	-	-	-	-	-	-	1	-
Deptford South	34,625	11	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *H*	23,456	13	8	1	2	-	-	-	-	-	-	-	-	-	1	2	3	-
Greenwich East *2W,H*	43,859	20	11	1	7	-	-	-	-	-	-	-	-	1	-	1	6	-
Eltham *w,H*	7,226	7	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *w,H*	25,490	11	3	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-
Lewisham *2W,w,F*	58,352	36	12	3	8	-	-	-	-	2	-	-	-	-	-	-	4	-
Sydenham *H*	43,653	12	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Charlton *F,2H*	21,134	4	5	1	1	-	-	1	-	-	-	-	-	-	-	-	2	-
Woolwich *5H*	41,625	13	5	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Plumstead West *W,H*	39,376	11	6	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Plumstead East *2W*	28,951	13	3	1	1	-	-	-	-	1	-	-	-	-	-	-	2	-
Workhouses:—																		
Belmont Workhouse	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.) ..	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
M. A. B. Small-pox Hospitals:—																		
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																		
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																		
Children's Infirmary, Carshalton..	—	-	4	3	-	-	-	-	-	2	-	-	-	-	-	-	4	-
M. A. B. Imbecile Asylums:—																		
Caterham	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Darenth	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
London County Lunatic Asylums:—																		
Banstead	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Manor	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Grove	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cane Hill	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dartford Heath	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
Hanwell	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Colney Hatch	—	-	2	-	1	-	-	-	-	-	-	-	-	1	-	-	2	-
Claybury	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-

Table 6. LONDON.—OUTER RING (excluding Deaths in Public Institutions of persons not belonging to the Outer Ring, and including Deaths in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—Area; Enumerated Population; Births and Deaths registered during the Week ended Saturday, 7th August, 1909.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING ..	363,603	2,045,135	1,207	395	83	125	-	10	2	2	8	-	10	23	41	66	1
30 : 1	Carshalton 2F,3H	12,228	32,997	18	10	2	3	-	-	-	-	2	-	-	-	-	1	-
2	Epsom, *part of** W,w,2F,H..	10,423	15,548	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-
37 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38 : 1	Coulsdon	11,069	8,166	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w,H ..	4,200	49,309	21	5	-	3	-	-	-	-	-	-	-	-	1	-	-
3	West Croydon 3W,F,H ..	2,168	42,888	36	10	2	2	-	-	-	-	-	-	-	-	-	4	-
4	North Croydon H	2,614	41,698	28	12	2	7	-	-	-	-	-	-	-	1	2	3	-
5	Penge w	770	22,465	11	3	-	1	-	-	-	-	1	-	-	-	-	-	-
6	Mitcham w	11,711	30,015	30	8	4	2	-	-	-	-	-	-	-	-	-	-	-
39 : 1	Wimbledon F,3H	3,221	41,652	23	8	2	2	-	-	-	-	-	-	1	-	1	-	-
2	Kingston 2W,H	6,224	42,068	22	8	-	2	-	-	-	-	-	-	-	3	4	2	-
3	Surbiton F,H	3,046	15,017	6	2	-	2	-	-	-	-	-	-	-	1	1	-	-
4	Esher, *part of** H	5,402	13,100	7	4	1	2	-	-	-	-	-	-	-	-	-	-	-
5	Hampton H,F,L	4,564	23,456	15	3	-	2	-	-	-	-	-	-	-	-	-	-	-
40 : 1	Richmond W,H	2,491	31,672	12	5	1	1	-	-	-	-	-	-	-	1	1	-	-
2	Mortlake F	2,518	17,821	13	3	1	-	-	1	-	-	-	-	-	1	1	-	-
41 : 1	Bromley F,3H	4,703	27,354	15	4	1	-	-	-	-	-	-	-	-	1	1	-	-
2	Beckenham H	7,825	28,497	8	4	-	2	-	-	-	-	-	-	-	-	-	1	-
3	Orpington, *part of** W,F ..	10,113	9,857	16	4	2	1	-	-	-	-	-	-	-	-	-	2	-
4	Chislehurst 2H	7,333	16,446	4	4	2	1	-	-	-	-	-	-	-	-	-	-	-
42 : 1	Bexley w,F,H	8,678	21,151	9	4	-	2	-	-	-	-	-	-	-	-	-	-	-
2	Erith F,H	3,854	25,296	15	4	-	-	-	1	-	-	-	-	-	-	1	-	-
3	Dartford W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124 : 1	Sunbury w	11,054	18,683	11	4	1	1	-	-	-	-	-	-	1	-	-	-	-
2	Staines W,H	13,277	15,178	6	5	1	1	-	1	-	-	-	-	-	-	-	-	-
125 : 1	Hillingdon W,F,H	6,035	13,661	8	7	1	3	-	-	-	-	-	-	-	-	-	1	-
2	Uxbridge H	12,757	8,984	8	2	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w 2F,H	8,066	16,358	21	3	1	-	-	-	-	-	-	-	-	-	-	1	-
126 : 1	Isleworth 3W,3F,H	6,859	30,863	23	18	3	7	-	-	-	-	1	-	-	-	-	11	-
2	Twickenham F,2H	2,421	20,991	11	6	-	4	-	-	-	-	-	-	-	-	-	1	-
3	Brentford 3F,2H	4,319	48,289	31	11	2	4	-	-	-	-	-	-	-	-	-	-	-
4	Chiswick H	1,249	29,809	16	5	1	1	-	-	-	-	-	-	-	-	-	-	-
5	Acton w,F,3H	6,132	48,914	30	4	-	-	-	1	-	-	1	-	-	-	-	-	-
127 : 1	Harrow F,H	13,809	25,523	16	9	-	4	-	-	1	-	-	-	-	-	-	-	-
2	Edgware 2F,2H	6,094	4,521	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden W,F,2H	4,384	114,811	73	19	4	4	-	-	-	-	-	-	1	-	2	1	-
4	Hendon W,F	8,382	22,450	15	3	1	1	-	-	-	-	-	-	-	-	-	-	-
128 : 1	South Mimms 2F,H ..	17,755	7,308	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,970	4	6	2	1	-	-	-	-	-	-	1	1	2	2	-
3	Finchley F,3H	4,683	33,692	17	3	-	2	-	-	-	-	-	-	-	2	2	-	-
129 : 1	Hornsey F,H	2,875	72,056	24	11	1	6	-	-	-	-	-	-	1	-	-	-	-
2	Wood Green H	1,625	34,233	26	5	1	1	-	-	-	-	-	-	-	1	2	-	-
3	West Tottenham	995	48,741	35	7	2	4	-	-	-	-	-	-	-	2	3	4	-
4	East Tottenham 2H ..	2,019	53,962	41	12	2	2	-	-	-	-	-	-	-	1	2	7	-
5	Edmonton W,w,2F	7,491	61,892	44	18	5	6	-	-	-	-	-	-	-	-	1	2	-
6	Enfield 2W,F,H	12,601	42,738	30	8	3	3	-	1	-	-	-	-	-	-	-	-	1
7	Waltham Abbey F	11,017	6,549	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-
135 : 1	Hatfield, *part of** W ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey, *part of*†* H ..	9,195	7,051	5	3	-	2	-	-	-	-	-	-	-	1	2	1	-
2	Watford, *part of*†* W,2F ..	138	2,122	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
186 : 1	Stratford H	1,091	52,974	33	10	4	3	-	-	-	-	-	-	1	1	1	-	-
2	Forest Gate	787	52,745	14	6	2	1	-	1	-	-	-	-	-	-	-	-	-
3	Plaistow F,2H	1,249	90,921	55	13	7	4	-	1	-	1	1	-	2	1	2	1	-
4	Canning Town H	1,556	70,718	35	12	5	1	-	-	-	-	1	-	1	-	2	1	-
5	South East Ham 2F ..	1,991	37,342	36	7	4	1	-	-	-	-	1	-	-	-	1	-	-
6	North East Ham w,H ..	1,333	58,666	35	2	-	-	-	-	-	-	-	-	-	-	-	-	-
7	Wanstead F	1,679	9,179	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	30	13	3	4	-	-	-	-	-	-	-	-	-	4	-
9	North Leyton 2W,w,F ..	1,963	48,445	29	14	1	1	-	2	1	-	-	-	-	2	2	9	-
10	Walthamstow 2H,L ..	6,504	108,929	55	13	3	4	-	-	-	-	-	-	-	2	2	-	-
187 : 1	Chigwell 2F,3H	11,778	16,397	4	3	-	3	-	-	-	-	-	-	-	1	1	-	-
2	Epping W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189 : 1	Romford, *part of** W,2F ..	6,556	6,091	9	3	-	1	-	-	-	1	-	-	-	-	-	-	-
2	Ilford F,L	8,496	41,244	28	7	1	3	-	-	-	-	-	-	-	-	-	-	-
3	Barking Town F	3,805	21,547	11	5	1	1	-	1	-	-	-	-	1	-	1	-	-
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Surrey County Lunatic Asylum, Brookwood.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
	Middlesex County Lunatic Asylum, Napsbury.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
	Herts County Lunatic Asylum, Hill End.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Essex County Lunatic Asylum, Brentwood	—	—	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30 : 2, excepting Ashtead parish; 37 : 1, Warlingham and Farley parishes; 39 : 4, excepting Esher parish; 41 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135 : 1, Northaw parish; 137 : 1, excepting the part in Watford Rural parish; 137 : 2, Oxhey parish; 189 : 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42 : 3, 137 : 2 and 187 : 2 and in the Croydon Mental Hospital in 37 : 1 are also included.

† Boundaries altered, 1 July, 1909

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths.	Annual Death-rate per 1000 living.	Deaths from Small-pox	Measles.	Scarlet Fever	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœal Diseases.
London - -	4,833,938	August 7	2054	933	10·1	-	19	4	3	26	2	27
Calcutta - -	1,014,438	July 10	-	405	21·3	2	1	-	-	-	95†	57‡
Bombay - -	982,000	" 13	310	475	25·3	7	2	-	-	-	53†	58‡
Madras - -	548,974	" 9	350	420	42·8	1	2	?	?	?	128	69‡
Paris - - -	2,760,000	" 31	962	750	14·3	-	18	3	2	2	2	44
Brussels - -	704,975	" 31	245	172	12·7	-	3	3	1	1	-	8
Antwerp - -	314,135	" 31	121	69	11·4	-	7	-	1	1	-	15
Amsterdam -	565,553	" 24	243	119	11·0	-	3	-	2	2	-	6
Copenhagen -	448,000	" 31	207	108	12·6	-	2	2	-	3	-	7
Stockholm -	339,582	" 24	156	84	12·0	-	-	1	-	2	-	2
Christiania -	235,674	" 31	123	40	8·9	-	-	-	-	2	-	-
St. Petersburg	1,573,000	" 24	642	919	30·5	4	26	10	11	5	8	369‡
Moscow - -	1,452,100	" 24	-	1217	43·7	4	26	21	16	6	8	655
Berlin - -	2,099,010	" 10	847	567	14·1	-	14	18	14	9	-	40
Hamburg - -	872,252	" 31	-	194	11·6	-	-	4	8	3	-	17
Breslau - -	502,676	" 24	-	182	18·9	-	-	1	1	3	1	31
Munich - -	566,000	" 31	-	178	16·4	-	7	1	-	3	-	20
Vienna - -	2,064,037	" 31	803	575	14·5	-	4	4	1	4	-	71
Prague - -	485,057	" 24	169	182	19·5	-	2	5	1	-	1	8
		" 31	177	156	16·7	-	3	1	1	-	-	13
Budapest - -	823,215	" 24	389	312	19·7	-	3	1	3	-	3	42
Trieste - -	217,706	" 31	136	100	23·9	-	2	-	-	5	-	22
Rome - - -	565,323	April 24	2'9	216	19·9	-	8	-	1	-	1	11
Venice - -	179,286	July 3	87	69	20·1	-	-	-	2	1	-	9
Bucarest - -	296,585	" 10	207	137	24·1	-	-	1	1	-	1	28
New York -	4,564,792	" 17	2322	1397	16·0	-	13	8	27	12	8	251
Chicago - -	2,224,490	" 17	-	482	11·3	-	2	3	9	7	1	45
Philadelphia -	1,565,569	" 3	-	-	-	-	-	-	-	-	-	-
Rio de Janeiro	637,089	" 4	-	263	21·5	1	-	-	1	-	-	?
Cairo:—												
Egyptians -	666,587	June 24	543	970	75·7	-	74	-	13	?	16	389
Foreigners -	35,219	" 24	10	20	29·5	-	-	1	-	-	2	7
Alexandria:—												
Egyptians -	341,965	" 24	263	276	42·0	-	20	-	-	-	7	105
Foreigners -	46,118	" 24	26	20	22·6	-	1	2	1	-	-	4

* Excluding deaths from croup in the Indian Cities.
† Including 29 deaths from plague in Calcutta and 21 in Bombay.
‡ Including 28 deaths from cholera in Calcutta, 17 in Bombay, 1 in Madras, and 196 in St. Petersburg.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 7th August, 1909.

Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
London (Greenwich)	79·9	46·9	61·8	0·26	Bradford - -	75·8	42·0	57·5	0·95
Brighton - -	80·0	46·3	62·1	0·00	York - - -	80·0	49·8	60·6	0·91
Portsmouth - -	80·1	51·9	62·9	0·00	Hull - - -	80·0	47·0	60·5	2·71
Norwich - -	80·6	44·8	60·5	0·57	Tynemouth - -	76·0	47·0	59·0	0·36
Plymouth -	82·2	47·1	63·0	0·00	Cardiff - - -	79·0	45·2	60·1	0·46
Bristol - - -	79·0	45·0	60·8	0·74	Edinburgh - -	73·2	45·7	58·4	0·35
Birmingham - -	79·7	46·4	60·6	0·19	Glasgow - -	73·5	41·8	59·4	0·62
Nottingham - -	79·1	49·8	60·2	0·43	Dublin: Phœnix Park.	73·8	40·3	58·6	0·00
Liverpool Observatory.	69·0	51·0	58·5	0·25	Dublin: Fitz-william Square.†	71·6	48·1	59·7	0·00
Manchester -	76·4	44·8	58·9	0·41					
Burnley - -	75·5	43·2	56·8	0·31					
Huddersfield -	78·0	47·2	59·0	0·72	Belfast - - -	77·2	44·5	58·9	0·07

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to the seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°·8 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 7th August, 1909.

[*Under the Superintendence of the Astronomer Royal.*]

1909. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
AUGUST.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 1	Full	29·848	70·5	57·5	13·0	61·1	− 1·1	59·2	1·9	12·7	0·0	93	129·3	50·8	59·50	WSW., NE. & SE.	SE. & SW.	0·3	0·0	0·0	125	−117	0·24	0·0
MONDAY - 2	..	29·876	62·7	51·7	11·0	54·8	− 7·3	50·7	4·1	11·8	0·0	86	114·0	48·1	59·62	NW., N. & NNW.	N.	6·9	0·0	0·4	385	+139	0·02	4·0
TUESDAY - 3	..	30·053	65·3	46·9	18·4	54·7	− 7·4	45·4	9·3	19·5	2·7	71	134·7	38·2	59·69	N. & NNW.	N., SW. & SSW.	1·7	0·0	0·0	220	− 30	0·00	6·0
WEDNESDAY 4	Perigee	30·048	75·3	48·3	27·0	61·2	− 0·9	52·2	9·0	18·9	2·1	72	137·9	37·4	59·60	SSW. & SW.	SW.	0·6	0·0	0·0	196	− 56	0·00	6·0
THURSDAY - 5	..	30·079	77·1	49·9	27·2	63·1	+ 1·0	54·6	8·5	19·4	0·2	74	119·0	40·0	59·52	SW. & calm.	Variable, ESE & calm	0·1	0·0	0·0	119	−136	0·00	0·0
FRIDAY - 6	In Equator	30·031	77·8	50·1	27·7	64·5	+ 2·3	53·9	10·6	21·3	0·2	69	135·4	39·2	59·80	E., calm & NE.	ENE., ESE. & E.	1·0	0·0	0·0	153	−104	0·00	3·0
SATURDAY - 7	..	29·941	79·9	51·6	28·3	65·9	+ 3·7	55·9	10·0	20·1	0·8	70	136·8	40·5	60·01	Calm, NE. & ENE.	E. & ESE.	0·4	0·0	0·0	108	−151	0·00	6·0
MEANS - -		29·962	72·7	50·9	21·8	60·8	− 1·4	53·1	7·6	17·7	0·9	76	129·6	42·0	59·68	Variable		..	..	..	Sum 1306	Sum −455	Sum 0·26	3·6
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. AUGUST.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY - 1	w. P. generally; occasional w. N. between 3h. and 9h. P.M.	0·5	15·4	Overcast with slight exceptions till evening; fine and partially cloudy at night; frequent rain between 1h. 20m. and 6h. 15m. P.M.
MONDAY - 2	w. P. throughout.	1·3	15·3	Generally overcast; occasional showers and gusty wind between 10h. A.M. and 3h. P.M.
TUESDAY - 3	w. P. generally.	6·9	15·3	Fine; variably cloudy. Solar halo observed between 4h. and 5h. P.M.
WEDNESDAY 4	w. P. throughout.	7·7	15·2	Generally cloudy till 10h. A.M.; very fine afterwards and nearly cloudless at night.
THURSDAY - 5	w. P. throughout.	10·9	15·2	Very fine and warm; hazy interval between 10h. A.M. and noon.
FRIDAY - 6	w. P. throughout.	14·1	15·1	Very fine and warm.
SATURDAY - 7	w. P. throughout.	13·0	15·1	Very fine and warm.
		Sum 54·4	Sum 106·6	
No. of Col. - -	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·80 in. at the beginning of the week to 29·90 in. by 6h. A.M. on the 1st; decreased to 29·77 in. by 6h. A.M. on the 2nd; increased to 30·06 in. by 1h. P.M. on the 3rd; decreased to 30·02 in. by 6h. P.M. on the 4th; increased to 30·10 in. by 10h. A.M. on the 5th; decreased to 29·90 in. by 6h. P.M. on the 7th; and was 29·93 in. at midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 31st July, 1909.*

BOROUGHS.	Estimated Population in the middle of 1909.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	151,955	-	8	1	-	-	-	-	3	1	-
Kensington	183,683	-	6	7	-	1	-	-	1	-	-
Hammersmith	125,704	-	12	2	-	-	-	-	-	-	-
Fulham	176,406	-	7	3	-	-	-	-	1	2	1
Chelsea	75,249	-	5	-	-	-	-	-	1	-	-
City of Westminster ..	168,883	-	17	1	-	-	-	-	3	-	-
NORTH.											
St. Marylebone	126,027	-	19	4	-	-	-	-	-	-	-
Hampstead	94,185	-	14	3	-	1	-	-	-	-	-
St. Pancras	237,422	-	13	9	-	-	-	-	-	1	-
Islington	351,202	-	15	7	-	2	-	-	5	1	-
Stoke Newington	54,423	-	-	-	-	-	-	-	-	-	-
Hackney	237,601	-	7	5	-	1	-	-	3	-	-
CENTRAL.											
Holborn	53,802	-	1	2	-	-	-	-	2	-	-
Finsbury	95,289	-	3	3	-	-	-	-	2	-	-
City of London	18,193	-	-	-	-	-	-	-	-	-	-
EAST.											
Shoreditch	114,802	-	7	1	-	-	-	-	2	-	-
Bethnal Green	131,316	-	8	8	-	3	-	-	1	-	-
Stepney	312,525	-	20	6	-	-	-	-	6	-	-
Poplar	171,965	-	14	3	-	-	-	-	3	-	-
SOUTH.											
Southwark	211,125	-	10	5	-	-	-	-	2	-	-
Bermondsey	127,569	-	4	7	-	-	-	-	3	-	-
Lambeth	324,188	-	22	6	-	-	-	-	4	-	-
Battersea	186,036	-	18	7	-	-	-	-	1	-	-
Wandsworth	297,646	-	14	8	-	-	-	-	6	-	-
Camberwell	283,022	-	21	6	-	3	-	-	3	-	-
Deptford	118,583	-	2	3	-	-	-	-	1	-	-
Greenwich	111,014	-	11	9	-	1	-	-	-	-	-
Lewisham	160,749	-	11	7	-	-	-	-	1	1	-
Woolwich	133,374	-	21	3	-	-	-	-	2	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,833,938	-	316	126	-	12	-	-	56	6	1
Ages 0–1		-	2	5	-	-	-	-	1	-	-
„ 1–5		-	87	42	-	2	-	-	4	-	-
„ 5–		-	150	42	-	2	-	-	2	-	-
„ 10–		-	46	16	-	4	-	-	4	-	-
„ 15–		-	11	11	-	1	-	-	-	-	-
„ 20–		-	7	3	-	1	-	-	6	-	-
„ 25–		-	9	3	-	2	-	-	7	5	-
„ 35–		-	3	2	-	-	-	-	9	1	-
„ 45–		-	-	2	-	-	-	-	10	-	1
„ 55–		-	1	-	-	-	-	-	5	-	-
„ 65 and upwards		-	-	-	-	-	-	-	8	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY DARLING & SON, LTD., 34-40 BACON STREET, E.

1909

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 32. 1909. VOL. LXX.] WEEK ENDED SATURDAY, AUG. 14. [Price 1½*d.*

General Register Office, Somerset House,
August 16th, 1909.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 11·5 per 1000 of their aggregate population, which is estimated † at 16,445,281 persons in the middle of this year. In the preceding three weeks the rates had been 10·6, 10·8, and 10·5. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were :—from *all causes*, 15·2 in Liverpool and in Burnley, 15·3 in Oldham, 15·7 in Walsall, 15·8 in Halifax, 16·4 in Swansea, 17·3 in Rhondda, 19·2 in West Bromwich, and 23·3 in Newport (Mon.); from *measles*, 1·7 in Salford, 2·5 in Wolverhampton, 3·0 in West Bromwich, and 7·3 in Newport (Mon.); from *scarlet fever*, 1·3 in West Hartlepool and 1·4 in Warrington; from *diphtheria*, 1·3 in Kings Norton; from "*fever*," 2·1 in Grimsby; and from *diarrhœa*, 2·1 in Plymouth and in Swansea, 2·2 in West Bromwich, and 2·3 in Bootle and in Rhondda. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2316 BIRTHS and 1047 DEATHS were registered. Allowing for increase of population, the births were 17 above and the deaths 395 below the average numbers in the corresponding

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-five other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(14106—41.) Wt. 109—472. 700. 8/09. D & S. G. 31. Sch. 4. 2 I

weeks of the previous five years. The annual death-rate from all causes, which had been 10·0, 10·3, and 10·1 per 1000 in the preceding three weeks, rose last week to 11·3. The death-rate in the four weeks ended last Saturday averaged 10·4 per 1000, being 3·5 per 1000 below the mean rate in the corresponding periods of the five years 1904–8.

The 1047 deaths included 22 from measles, 9 from scarlet fever, 10 from diphtheria, 12 from whooping-cough, 2 from enteric fever, and 39 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia: thus, to these diseases in the aggregate 94 deaths were referred, being 287 below the corrected average number in the thirty-second week of the preceding five years.

The deaths from *measles*, which had been 24, 9, and 19 in the preceding three weeks, were 22 last week, and were 9 below the corrected average: 5 deaths belonged to the Borough of Fulham. The deaths from *scarlet fever*, which had been 8, 4, and 4 in the preceding three weeks, rose last week to 9, the corrected average being 12. The deaths from *diphtheria*, which had been 6, 19, and 3 in the preceding three weeks, were 10 last week, the corrected average being 9; 2 deaths belonged to Finsbury and 2 to Camberwell. The deaths from *whooping-cough*, which had been 17, 17, and 26 in the preceding three weeks, fell last week to 12, and were 10 below the corrected average. Two deaths from *enteric fever* were registered last week, as compared with 0, 3, and 2 in the preceding three weeks, the corrected average being 4. The deaths from *diarrhœa*, which had been 22, 26, and 27 in the preceding three weeks, rose last week to 39, but were 263 below the corrected average; 5 deaths belonged to Shoreditch, and 4 each to Bethnal Green, Stepney, Southwark, and Camberwell. Of the 39 deaths from diarrhœa, 38 were those of children under 5 years of age; 4 other deaths at this age were certified as due to *enteritis* and 6 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 6, having been 5, 3, and 1 in the preceding three weeks.

Different forms of violence caused 56 deaths, concerning all but two of which inquests were held. Of these 56 deaths, 10 were cases of suicide, and one of execution, while the remaining 45 were attributed to accident or negligence. Six of these latter were referred to vehicles in the streets, five to burns or scalds, six to drowning, five to heat stroke or to heat apoplexy, and six, of infants under one year of age, to suffocation in bed. Three deaths occurred while under anæsthetics administered for surgical purposes.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 2518 cases of scarlet fever, 855 of diphtheria, 1 of typhus, and 59 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 298 cases, against 367, 296, and 280; of diphtheria, 81 cases, against 121, 108, and 84; and of enteric fever, 9 cases, against 10, 6, and 7. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended August 7th, 1909.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 3631 births and 1498 deaths were registered. Allowing for increase of population, these numbers are 45 above and 619 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 5 deaths from measles, 2 from scarlet fever, 6 from diphtheria, 4 from whooping-cough, 2 from "fever," and 6 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·99 inches, and that of the Thermometer 66°·9, the latter being 4°·5 above the week's average in the 65 years ended 1905. The direction of the wind was variable, the horizontal movement of the air being 30 per cent. below the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 81·5 hours; no rain was recorded during the week.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 14th August, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1909.*	Death-Rates from all Causes. Week ended 24th July, 1909.	31st July, 1909.	7th Aug. 1909.	14th Aug., 1909.	Rate from Diseases in Cols. 11–17. Week ended 14th August, 1909.	Registered during the Week ended 14th Aug. 1909. Births.	Deaths.	The Deaths registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS	**16,445,281**	**10·6**	**10·8**	**10·5**	**11·5**	**1·3**	**8285**	**3632**	**821**	**1056**	**-**	**87**	**32**	**33**	**37**	**16**	**208**	**176**	**306**	**1066**	**21**	**76 TOWNS.**
LONDON	4,833,938	10·0	10·3	10·1	11·3	1·0	2316	1047	213	320	-	22	9	10	12	2	39	56	105	485	3	LONDON.
† CROYDON	161,078	5·8	6·2	8·1	8·7	0·6	68	27	4	12	-	1	-	-	-	-	1	-	-	8	-	CROYDON.
† WILLESDEN ..	160,424	3·6	5·2	6·5	8·1	-	76	25	4	11	-	-	-	-	-	-	-	-	-	1	1	WILLESDEN.
† HORNSEY	95,628	4·9	6·5	6·5	6·5	-	34	12	1	6	-	-	-	-	-	-	-	1	1	4	-	HORNSEY.
† TOTTENHAM ..	129,464	5·6	6·4	8·1	7·7	0·8	61	19	4	8	-	-	-	-	-	-	2	-	2	3	-	TOTTENHAM.
† WEST HAM ..	321,767	8·9	7·9	7·8	12·2	3·2	169	75	18	13	-	3	-	2	3	-	12	4	7	22	-	WEST HAM.
† EAST HAM.. ..	149,575	8·7	4·5	3·8	6·3	-	52	18	7	5	-	-	-	-	-	-	-	-	-	-	-	EAST HAM.
† LEYTON	129,614	7·2	8·9	6·4	2·8	0·4	59	7	2	1	-	-	1	-	-	-	-	-	1	2	-	LEYTON.
† WALTHAMSTOW	136,602	9·2	8·8	5·3	4·6	1·1	64	12	4	4	-	1	-	1	1	-	-	1	1	1	-	WALTHAMSTOW.
HASTINGS	68,165	6·9	6·9	11·5	12·2	-	22	16	3	6	-	-	-	-	-	-	-	1	1	2	-	HASTINGS.
BRIGHTON	130,926	10·0	11·5	8·4	10·8	-	60	27	-	10	-	-	-	-	-	-	-	1	1	10	-	BRIGHTON.
PORTSMOUTH ..	214,726	13·1	10·4	9·5	11·2	0·7	102	46	4	16	-	-	-	1	1	-	1	3	3	12	-	PORTSMOUTH.
BOURNEMOUTH ..	72,368	8·6	10·8	5·8	10·8	-	28	15	1	9	-	-	-	-	-	-	-	-	-	2	-	BOURNEMOUTH.
SOUTHAMPTON ..	124,667	12·1	10·9	8·8	9·2	0·8	56	22	3	12	-	-	-	1	-	-	1	1	1	7	-	SOUTHAMPTON.
READING	82,995	6·9	10·1	9·4	6·3	-	35	10	2	1	-	-	-	-	-	-	-	1	3	2	1	READING.
NORTHAMPTON ..	97,752	7·5	11·2	6·9	10·7	1·1	24	20	4	11	-	-	-	-	-	-	2	1	2	3	-	NORTHAMPTON.
IPSWICH	74,889	6·3	9·7	11·8	7·0	1·4	34	10	1	4	-	-	-	1	-	-	1	-	-	2	-	IPSWICH.
GREAT YARMOUTH	53,430	15·6	16·6	16·6	10·7	-	20	11	2	5	-	-	-	-	-	-	-	1	1	-	-	GREAT YARMOUTH.
NORWICH	124,136	10·1	8·4	10·1	11·3	1·3	69	27	6	10	-	-	-	-	-	-	3	-	1	4	-	NORWICH.
PLYMOUTH	124,180	10·1	8·4	9·2	14·3	3·4	52	34	9	8	-	-	-	1	1	1	5	-	1	2	-	PLYMOUTH.
DEVONPORT	83,103	11·3	5·6	11·9	10·0	-	57	16	3	8	-	-	-	-	-	-	-	-	1	3	-	DEVONPORT.
BRISTOL	377,642	10·1	10·4	7·7	9·5	1·4	174	69	16	26	-	-	1	2	1	-	6	6	7	15	-	BRISTOL.
HANLEY	68,831	9·8	12·9	9·1	12·9	0·8	58	17	5	2	-	-	-	-	-	-	1	2	2	1	-	HANLEY.
BURTON-ON-TRENT	54,453	8·6	4·8	9·6	14·4	-	27	15	3	7	-	-	-	-	-	-	-	-	-	3	-	BURTON-ON-TRENT.
WOLVERHAMPTON..	104,633	13·0	11·0	11·0	8·5	2·5	61	17	3	5	-	5	-	-	-	-	-	2	3	2	-	WOLVERHAMPTON.
WALSALL	99,399	11·2	13·1	12·1	15·7	2·6	54	30	11	7	-	2	-	-	2	-	1	1	3	4	-	WALSALL.
HANDSWORTH ..	70,186	11·9	6·7	5·9	8·9	1·5	31	12	1	3	-	-	-	-	-	-	2	1	2	-	-	HANDSWORTH.
WEST BROMWICH..	70,457	16·3	7·4	14·8	19·2	5·2	47	26	6	6	-	4	-	-	-	-	3	-	2	3	-	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 14th August, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 24th July 1909.	31st July, 1909.	7th Aug. 1909.	14th Aug., 1909.	Rate from Diseases in Cols. 11–17. Week ended 14th August. 1909.	Registered during the Week ended 14th Aug. 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
BIRMINGHAM ..	563,629	10·9	11·1	10·5	11·4	1·1	326	123	32	35	–	2	3	–	1	1	5	6	8	38	1	BIRMINGHAM.
KINGS NORTON ..	81,632	7·7	5·7	5·7	5·7	1·3	44	9	2	3	–	–	–	2	–	–	–	1	1	2	–	KINGS NORTON.
SMETHWICK	70,377	4·4	8·9	11·1	10·4	0·7	40	14	1	2	–	–	–	–	–	–	1	4	4	1	–	SMETHWICK.
ASTON MANOR ..	85,257	10·4	8·6	8·0	9·8	1·8	35	16	6	2	–	–	–	–	–	–	3	3	3	2	–	ASTON MANOR.
COVENTRY	80,163	12·4	13·7	13·7	11·1	2·0	47	17	3	2	–	1	1	–	1	–	–	–	–	4	1	COVENTRY.
LEICESTER	244,255	10·9	8·1	8·3	12·6	2·1	114	59	20	16	–	–	1	1	–	1	7	3	5	21	–	LEICESTER.
GRIMSBY	73,036	9·3	7·9	10·7	9·3	2·1	41	13	1	2	–	–	–	–	–	3	–	1	3	4	–	GRIMSBY.
NOTTINGHAM ..	263,443	11·5	12·3	11·3	11·9	2·0	144	60	17	19	–	1	–	–	–	–	9	2	2	16	–	NOTTINGHAM.
DERBY	129,411	10·1	8·1	6·0	10·5	1·2	68	26	7	5	–	–	–	1	–	–	2	1	1	8	–	DERBY.
STOCKPORT	103,706	11·6	12·6	9·1	11·1	2·0	48	22	7	6	–	–	–	1	–	–	3	–	1	4	–	STOCKPORT.
BIRKENHEAD ..	121,123	12·9	12·1	13·8	13·8	0·4	74	32	13	4	–	1	–	–	–	–	–	2	3	5	–	BIRKENHEAD.
WALLASEY	71,004	13·2	8·8	9·5	10·3	0·7	31	14	–	8	–	–	1	–	–	–	–	1	2	3	1	WALLASEY.
LIVERPOOL	760,357	14·4	14·9	15·1	15·2	2·2	459	222	66	48	–	4	3	–	–	–	25	8	15	83	5	LIVERPOOL.
BOOTLE	69,393	13·5	9·8	15·0	12·8	2·3	60	17	5	7	–	–	–	–	–	–	3	–	–	5	1	BOOTLE.
ST. HELENS	95,161	14·8	9·3	11·0	12·1	–	52	22	4	6	–	–	–	–	–	–	–	3	4	6	2	ST. HELENS.
WIGAN	90,678	13·2	16·1	13·8	12·7	2·9	52	22	9	4	–	1	–	–	1	–	3	2	4	4	–	WIGAN.
WARRINGTON ..	72,276	8·7	14·4	11·5	11·5	2·9	57	16	6	5	–	–	2	1	–	–	1	–	–	2	–	WARRINGTON.
BOLTON	187,824	9·7	11·7	10·8	13·6	1·7	92	49	13	13	–	–	–	–	1	1	4	1	3	9	–	BOLTON.
BURY	59,234	15·0	10·6	6·2	9·7	–	16	11	1	7	–	–	–	–	–	–	–	–	–	2	–	BURY.
MANCHESTER ..	655,435	12·7	13·8	13·1	13·6	1·8	377	171	47	41	–	3	2	–	2	2	14	6	11	53	1	MANCHESTER.
SALFORD	241,950	13·8	11·4	12·1	14·4	3·2	144	67	20	11	–	8	1	2	–	–	4	–	1	9	–	SALFORD.
OLDHAM	143,301	13·1	12·4	13·5	15·3	0·7	72	42	5	17	–	–	–	–	–	–	2	2	6	11	–	OLDHAM.
ROCHDALE	89,653	11·6	12·8	11·6	11·1	–	40	19	3	8	–	–	–	–	–	–	–	1	1	4	2	ROCHDALE.
BURNLEY	106,267	9·8	10·3	9·8	15·2	1·0	46	31	7	10	–	–	–	–	–	1	1	1	2	10	–	BURNLEY.
BLACKBURN	136,959	12·2	12·6	13·3	12·2	2·3	43	32	9	5	–	2	2	–	–	–	2	–	1	5	–	BLACKBURN.
PRESTON	118,519	12·3	12·8	11·0	5·7	1·3	31	13	3	2	–	–	–	–	1	1	1	3	3	1	–	PRESTON.
BARROW-IN-FURNESS.	62,996	9·9	9·1	5·8	5·8	–	48	7	2	1	–	–	–	–	–	–	–	1	1	2	–	BARROW-IN-FURNESS.

* See note † on first page of this return.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 14th August, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 24th July, 1909.	31st July, 1909.	7th Aug. 1909.	14th Aug., 1909.	Rate from Diseases in Cols. 11–17. Week ended 14th August, 1909.	Registered during the Week ended 14th Aug. 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,739	9·9	16·0	14·3	9·9	-	43	18	1	9	-	-	-	-	-	-	-	-	-	7	-	HUDDERSFIELD.
HALIFAX	111,911	8·4	11·6	8·4	15·8	0·9	28	34	4	17	-	-	-	-	-	-	2	5	7	8	-	HALIFAX.
BRADFORD	293,983	10·1	10·5	11·7	9·6	-	110	54	4	23	-	-	-	-	-	-	-	2	3	11	-	BRADFORD.
LEEDS	484,012	11·2	11·0	11·0	12·6	1·3	215	117	26	29	-	6	-	1	2	-	3	3	11	20	-	LEEDS.
SHEFFIELD	470,958	9·0	12·4	11·2	11·4	1·2	250	103	28	26	-	-	-	-	-	-	11	5	7	23	-	SHEFFIELD.
ROTHERHAM.. ..	65,070	10·4	18·4	12·0	11·2	-	40	14	4	7	-	-	-	-	-	-	-	-	-	-	1	ROTHERHAM.
YORK	87,004	4·8	7·8	6·6	9·0	0·6	26	15	3	7	-	-	-	-	-	-	1	1	2	2	-	YORK.
HULL	275,552	11·7	10·2	10·4	10·6	0·4	159	56	8	16	-	-	-	-	1	-	1	7	11	12	-	HULL.
MIDDLESBROUGH ..	105,255	14·4	14·4	11·4	13·9	3·5	59	28	6	6	-	-	1	2	2	1	1	1	3	10	-	MIDDLESBROUGH.
STOCKTON-ON-TEES	53,417	9·8	13·7	10·7	13·7	1·0	36	14	3	4	-	-	1	-	-	-	-	-	-	1	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL	79,686	5·9	9·2	7·2	12·4	1·3	24	19	2	6	-	-	2	-	-	-	-	-	-	5	-	WEST HARTLEPOOL.
SUNDERLAND ..	159,378	13·7	14·1	10·5	8·2	0·7	72	25	4	8	-	1	-	1	-	-	-	5	5	3	-	SUNDERLAND.
SOUTH SHIELDS ..	117,627	11·5	15·1	10·6	13·3	1·3	55	30	7	8	-	2	-	-	1	-	-	-	2	6	-	SOUTH SHIELDS.
GATESHEAD	131,024	7·2	7·2	8·0	10·7	1·2	76	27	6	6	-	1	-	1	-	-	1	1	1	2	1	GATESHEAD.
NEWCASTLE-ON-TYNE.	281,584	9·1	10·6	13·5	11·7	1·3	150	63	11	22	-	2	1	-	1	-	3	-	4	16	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH ..	55,808	14·9	14·9	14·0	12·1	-	29	13	1	5	-	-	-	-	-	-	-	1	1	2	-	TYNEMOUTH.
NEWPORT (MON.) ..	78,336	16·6	13·3	18·0	23·3	7·3	49	35	8	4	-	11	-	-	-	-	-	6	7	5	-	NEWPORT (MON.).
CARDIFF	195,303	10·1	9·3	11·7	12·3	2·1	96	46	13	9	-	-	-	1	2	1	4	2	4	6	-	CARDIFF.
RHONDDA	135,894	11·1	12·3	14·2	17·3	3·5	143	45	20	8	-	3	-	-	-	-	6	1	1	3	-	RHONDDA.
MERTHYR TYDFIL..	78,365	12·0	8·7	13·3	11·3	1·3	55	17	4	7	-	-	-	-	-	1	1	1	1	3	-	MERTHYR TYDFIL.
SWANSEA	98,308	16·4	14·9	14·3	16·4	2·1	59	31	9	4	-	-	-	-	-	-	4	-	1	4	-	SWANSEA.
GREATER LONDON	7,429,740	9·2	9·4	9·3	10·5	1·0	3631	1498	314	468	-	32	12	19	20	4	60	72	137	567	7	GREATER LONDON.
OUTER RING ..	2,595,802	7·8	7·8	7·9	9·1	1·1	1315	451	101	148	-	10	3	9	8	2	21	16	32	82	4	OUTER RING.
8 TOWNS IN OUTER RING.	1,284,152	7·1	6·9	6·7	7·9	1·1	583	195	44	60	-	5	1	3	4	-	15	6	12	41	1	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,311,650	8·5	8·6	9·1	10·2	1·0	732	256	57	88	-	5	2	6	4	2	6	10	20	41	3	REMAINDER OF OUTER RING.
EDINBURGH	355,366	11·2	13·6	12·5	11·3	1·5	129	77	14	27	-	1	2	-	5	-	2	3	?	31	2	EDINBURGH.
GLASGOW	872,021	12·4	10·5	11·9	12·9	1·2	449	216	46	49	-	3	2	1	1	5	8	13	?	89	1	GLASGOW.
DUBLIN (Registration Area).†	398,356	14·4	17·4	15·2	13·5	1·6	292	103	32	25	-	1	-	-	2	-	9	3	5	40	4	DUBLIN (Registration Area).†
BELFAST†	386,576	15·2	13·1	14·6	14·2	0·5	205	105	26	18	-	-	-	1	-	-	3	3	7	27	-	BELFAST†

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the THIRTY-SECOND Week of each of the Eleven Years, 1899–1909.

	1899	1900	1901	1902	1903	1904	1905	1906	1907	1908	Corrected Weekly Average in 5 Years 1904–1908.*	1909
TOTAL **Births** -	2214	2332	2322	1929	2563	2730	2215	2155	2055	2072	2298·7	2316
Males - - -	1139	1188	1240	940	1329	1369	1124	1149	1045	1064	1177·5	1172
Females - -	1075	1144	1082	989	1234	1361	1091	1006	1010	1008	1121·2	1144
TOTAL **Deaths** -	2068	1804	1636	1173	1255	1912	1555	1352	1097	1126	1441·9	1047
Males - - -	1130	1015	882	607	650	992	834	767	579	613	775·0	537
Females - -	938	789	754	569	605	920	721	585	518	513	666·9	510

* The numbers in this column are the average weekly numbers in the Thirty-Second week of the five years 1904-1908, raised by 2·375 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	May 22.	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	13 Weeks.
TOTAL **Births** -	2260	2131	1918	2421	2467	2068	2331	2236	2292	2206	2289	2054	2316	28989
TOTAL **Deaths** -	1295	1240	1072	1135	1060	1125	1029	1109	979	926	957	933	1047	13907
Ages at Death: Under 1 year -	238	200	185	232	179	189	183	188	177	174	177	204	213	2539
1—5 years -	162	141	129	122	128	115	106	138	102	88	85	83	111	1510
5—20 " -	72	76	54	65	72	68	50	48	55	61	66	55	61	803
20—40 " -	153	161	143	138	137	130	125	144	115	114	127	122	137	1746
40—60 " -	284	257	225	246	219	266	226	240	233	201	200	197	205	2999
60 yrs. & upwds.	386	405	336	332	325	357	339	351	297	288	302	272	320	4310
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	53	63	47	62	48	51	33	40	33	24	9	19	22	504
Scarlet Fever - -	6	6	8	10	10	7	3	9	6	8	4	4	9	90
Diphtheria - -	16	17	7	7	6	7	7	7	4	6	19	3	10	116
Whooping-cough -	42	35	35	21	18	17	20	19	15	17	17	26	12	294
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	6	3	3	2	2	3	1	1	2	-	3	2	2	30
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery	10	16	17	16	5	17	10	14	13	22	26	27	39	232
All above diseases -	133	140	117	118	89	102	74	90	73	77	78	81	94	1266
Dis. of Resp. System	83	82	65	54	68	64	58	60	38	43	38	53	53	759
Pneumonia - -	131	143	107	98	67	91	100	94	68	89	68	67	72	1195
Phthisis - - -	126	113	107	96	97	122	93	111	97	78	90	98	105	1333
Dis. of Circ. System -	168	168	138	171	161	157	158	164	144	128	132	134	155	1978
Violence - - -	39	44	46	41	48	41	45	57	65	37	42	38	56	599
Inquest Cases - -	118	111	105	109	103	109	121	114	119	82	98	85	105	1379
Deaths in Institutions	579	578	449	489	482	510	444	506	436	484	431	403	485	6276
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - -	54·9	57·5	54·2	50·2	56·3	55·8	55·9	58·5	60·0	61·9	59·9	60·8	66·9	57·9
Mean of Highest -	68·8	68·6	61·3	58·7	67·3	65·4	66·8	68·5	69·3	72·7	69·4	72·7	80·8	68·5
Mean of Lowest -	39·5	48·4	47·4	42·7	47·8	50·7	47·5	51·1	53·8	54·0	53·4	50·9	54·1	49·3
Mean Humidity of the Air.	66	72	81	84	79	81	80	77	82	71	79	76	70	77
Rain-fall (in inches) -	0·13	0·95	0·94	0·79	0·05	1·45	0·44	0·99	0·71	0·15	1·31	0·26	0·00	8·17
Registered Sunshine (in hours).	75·9	55·9	31·2	25·4	37·4	30·1	37·0	31·2	25·2	63·0	34·4	54·4	81·5	582·6
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - -	2234	2254	2223	2263	2445	2517	2587	2647	2737	2731	2667	2564	2518	2491
Diphtheria - - -	957	925	905	876	897	915	896	901	893	905	901	901	855	902
Typhus - - -	-	1	1	1	1	1	2	1	2	2	2	2	1	1
Enteric Fever - -	48	50	43	46	56	59	58	58	57	59	60	62	59	55

* The Metropolitan Asylums Board and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **3.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lander, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq., F.R.Met.Soc., Hull; the Meteorological Committee, Tynemouth; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the THIRTY-SECOND Week of the Year 1909.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 32nd week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	441·9	1047	213	111	61	137	205	320
Small-pox*	0·2	-	-	-	-	-	-	-
Cowpox	-	-	-	-	-	-	-	-
Measles (Morbilli)	30·7	22	4	16	2		-	-
Scarlet Fever	12·5	9	-	6	3	-	-	-
Typhus	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-
Influenza	1·8	6	-	-	-	3	2	1
Whooping-cough	22·1	12	9	3	-	-	-	-
Diphtheria	9·4	10	-	7	3	-	-	-
Cerebro-spinal Fever ..	0·2	-	-	-	-		-	-
Pyrexia† (origin uncertain)	0·4	-	-	-	-	-	-	-
Enteric Fever	3·9	2	-	-	1	1	-	-
Asiatic Cholera	-	-	-	-	-	-	-	-
Epidemic Diarrhœa, Infective Enteritis	198·2	23	21	2	-	-	-	-
Diarrhœa, Dysentery ..	103·8	16	13	2	-	-	-	1
Tetanus	0·6	-	-	-	-	-		-
Rabies, Hydrophobia ..	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever)..	-	-	-	-	-	-	-	-
Venereal Dis.	7·4	9	5	-	-	2	1	1
Puerperal Septicæmia ..	3·9	-	-	-	-	-		-
Puerperal Pyæmia.. .	-	-	-	-	-	-	-	-
Puerperal Fever	0·2	-	-	-	-	-	-	-
Infective Endocarditis ..	2·3	2	-	-	1	1	-	-
Pneumonia: Lobar ..	9·6	13	1	1	-		3	8
Pneumonia: Broncho ..	34·2	28	10	8	1	3	4	2
Pneumonia: Epidemic ..	-	-	-	-	-		-	-
Pneumonia: Not defined	33·4	31	5	6	1	6	8	5
Erysipelas	3·1	2	1	-	-	-	1	-
Septicæmia (not Puerperal) ..	0·4	2	-	-	-	1	1	-
Pyæmia (not Puerperal)	0·8	1	-	-	-	1	-	-
Other Infective Processes	5·9	2	-	1	-	-	1	-
Tuberculous Phthisis ..	68·6	73	1	-	7	38	22	5
"*Phthisis*"	39·9	32	-	1	5	19	1[illegible]	3
Tuberculous Meningitis ..	23·1	28	8	12	7	-	1	-
Tuberculous Peritonitis ..	14·1	8	2	4	1	-	-	1
Tabes Mesenterica	3·1	2	1	1	-	-	-	-
Tuberculous Dis., Other ..	17·8	15	1	6	4	3	1	-
Scrofula..	0·2	-	-	-	-	-	-	-
Alcoholism	10·9	3	-	-	-	-	-	1
Rheumatic Fever	3·5	1	-	-	1	-	-	-
Gout	1·2	2	-	-	-		1	1
Carcinoma	56·9	60	-	-	-	2	22	36
Sarcoma	5·3	10	1	-	-	4	3	2
Cancer (undefined) ..	32·4	32	-	-	-	2	10	20
Diabetes Mellitus	6·6	6	-	-	-	-	3	3
Premature Birth	46·7	39	39	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 32nd week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)..	14·9	8	1	4	1	-	2	-
Gen. Par. of Insane, Insanity	11·9	9	-	-	1	2	4	2
Epilepsy	5·3	9	-	-	1	3	5	-
Convulsions	16·4	12	11	1	-	-	-	-
Locomotor Ataxy.. ..	1·4	1	-	-	-	-	-	1
Paraplegia, Dis of Cord.	4·1	2	-	-	-	-	2	-
Nervous Sys., Other Dis.	15·4	12	-	-	-	2	3	7
Valv. Dis., Endocarditis..	37·1	38	-	-	2	8	1	15
Cereb. Hæm. Cereb. Emb.	27·0	30	-	-	-	-	10	20
Apoplexy, Hemiplegia ..	11·3	10	-	-	-	1	2	7
Aneurysm	3·3	5	-	-	-	-	-	5
Embolism, Thrombosis (not Cerebral) ..	0·6	-	-	-	-	-	-	-
Heart & Blood Ves., Other Dis... ..	65·7	72	-	-	2	4	16	50
Croup (not Spasm: nor Memb.)	0·6	-	-	-	-	-	-	-
Bronchitis	36·4	40	10	5	1	-	4	20
Emphysema, Asthma ..	1·4	3	-	-	1	-	2	-
Pleurisy	2·9	4	-	-	-	1	3	-
Respiratory Dis., Other..	7·6	6	2	1	-	-	-	3
Tonsillitis, Quinsy.. ..	0·8	1	-	-	1	-	-	-
Enteritis (not Epid.) ..	30·7	9	2	2	-	-	1	4
Gastro-enteritis	24·4	7	2	4	-	-	-	1
Peritonitis (not Puerp.) ..	2·3	3	-	1	-	1	-	1
Cirrhosis of Liver.. ..	13·9	9	-	-	-	-	5	4
Liver Dis., Other	5·7	4	-	-	1	1	1	1
Digestive Sys., Other Dis.	39·5	26	4	3	2	5	4	8
Acute Nephritis	5·5	7	-	-	1	3	3	-
Bright's Dis., Albuminuria	31·1	22		-	-	3	9	10
Urinary Sys., Other Dis.	11·1	10	-	-	-	2	3	5
Generative Organs Dis...	3·5	4	-	1	-	-	2	1
Childbirth (Accid. of) ..	3·3	2	-	-	-	2	-	-
Old Age	38·3	42	-	-	-	-	-	42
Other Diseases	89·8	83	52	9	4	4	4	10
ACCIDENT.								
By Railways	1·2	-	-	-	-	-	-	-
By Vehicles and Horses..	8·2	6	1	1	1	2	-	1
In Ships, Boats, Docks, (exclusive of Drowning)	0·6	-	-	-	-	-	-	-
In Building Operations..	1·2	2	-	-	-	1	1	-
In Conflagrations	0·2	-	-	-	-	-	-	-
By Burns, Scalds, Explosions	2·9	5	-	1	2	-	1	1
By Drowning	9·2	6	-	-	1	4	-	1
By Suffocation in Bed ..	8·6	6	6		-	-	-	-
By Poisons or Poisonous Vapours	1·2	3	-	-	1	2	-	-
Other Deaths by Accident..	17·6	17	-	2	1	4	5	5
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	1·0	-	-	-	-	-	-	-
Suicide	11·5	10	-	-	-	5	-	5
Execution	-	1	-	-	-	-	1	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.
† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH FEVER, DIARRHŒA, VIOLENCE, &c. registered in each SUB-DISTRICT during the Week ended Saturday, 14th August, 1909.

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexiat (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified causes of Death.
LONDON	4,536,267	2316	1047	213	320	-	22	9	10	12	-	2	-	39	56	105	485	3
WEST DISTRICTS	805,311	307	192	35	67	-	8	1	2	2	-	1	-	6	8	18	98	1
NORTH DISTRICTS	1,055,908	492	213	36	68	-	3	3	1	2	-	-	-	3	12	18	84	2
CENTRAL DISTRICTS	209,465	108	51	10	10	-	1	-	1	-	-	-	-	2	5	8	36	-
EAST DISTRICTS	715,739	429	202	53	51	-	3	-	-	3	-	-	-	14	11	26	110	-
SOUTH DISTRICTS	1,749,844	980	357	79	114	-	7	4	5	5	-	1	-	14	20	35	125	-
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	32	-	10	-	-	1	1	-	-	-	-	-	-	-	32	-
WEST DISTRICTS.																		
North Paddington *H*	63,603	27	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Central Paddington *W,3H*	50,053	22	19	3	9	-	-	-	-	-	-	-	-	-	-	2	9	-
South Paddington	30,320	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town *2W,w,2H* ..	128,037	48	37	10	13	-	1	-	-	1	-	-	-	-	2	2	21	1
Brompton *2H*	48,591	5	5	-	4	-	-	-	-	-	-	-	-	-	-	-	1	-
North Hammersmith *2W,w,H* ..	49,192	36	16	5	5	-	-	-	-	1	-	-	-	1	-	-	10	-
South Hammersmith *w,2H* ..	63,047	27	18	4	3	-	2	-	-	-	-	-	-	1	1	4	7	-
North-west Fulham *W*	45,180	44	16	3	3	-	2	-	-	-	-	1	-	3	1	2	9	-
North-east Fulham *F*	46,405	21	13	2	5	-	1	1	1	-	-	-	-	-	1	3	2	-
South Fulham *W*	45,704	21	8	2	3	-	2	-	-	-	-	-	-	-	-	1	-	-
Chelsea North *W,w,3H*	42,514	12	24	-	14	-	-	-	-	-	-	-	-	-	2	2	21	-
Chelsea South *W,2H*	31,328	13	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Mayfair and Knightsbridge	28,743	-	3	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Belgrave *W,2H*	55,815	18	11	-	4	-	-	-	-	-	-	-	-	-	1	1	6	-
St. Margaret & St. John *6H*	43,698	10	11	4	1	-	-	-	1	-	-	-	-	-	-	-	9	-
St. James and St. Anne *W,6H* ..	33,081	3	4	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-
NORTH DISTRICTS.																		
All Souls Marylebone *7H*	35,391	12	10	-	4	-	-	-	1	-	-	-	-	-	-	-	4	-
St. Mary Marylebone *W,4H* ..	37,948	47	6	2	3	-	-	-	-	-	-	-	-	-	-	-	1	-
Christchurch Marylebone	39,536	15	4	2	1	-	-	-	-	-	-	-	-	2	-	-	-	-
St. John Marylebone *2H*	20,426	4	6	2	3	-	-	-	-	-	-	-	-	-	-	-	1	-
Hampstead *W,F,6H*	81,942	32	15	1	5	-	-	3	-	-	-	-	-	-	1	1	7	-
West St. Pancras *2H*	60,562	23	6	1	1	-	-	-	-	-	-	-	-	-	-	-	2	-
South St. Pancras *w,10H*	55,707	19	23	3	5	-	-	-	-	1	-	-	-	-	1	1	16	-
East St. Pancras *W,H*	60,320	34	16	3	7	-	-	-	-	-	-	-	-	-	-	1	8	-
North St. Pancras *2W*	58,728	18	9	-	4	-	-	-	-	-	-	-	-	-	1	2	5	-
Tufnell *W*	31,995	17	11	-	3	-	-	-	-	-	-	-	-	-	-	-	10	-
Upper Holloway *2W,w,H*	33,978	21	24	3	6	-	1	-	-	-	-	-	-	-	1	1	19	-
Tollington *W,w,H*	33,922	19	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Lower Holloway	41,424	24	6	3	2	-	1	-	-	-	-	-	-	-	-	1	-	-
Barnsbury	54,478	29	10	2	3	-	-	-	-	-	-	-	-	-	2	2	-	-
Islington South-east *F*	75,397	32	13	2	4	-	-	-	-	-	-	-	-	-	1	3	-	1
Highbury *2H*	63,797	20	5	1	-	-	-	-	-	-	-	-	-	-	2	2	-	-
Stoke Newington *H*	51,247	19	8	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-
North Hackney	50,398	28	7	3	2	-	-	-	-	1	-	-	-	-	3	3	-	-
Central Hackney *w,F*	50,536	17	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
South-west Hackney *3H*	59,921	28	6	3	2	-	-	-	-	-	-	-	-	-	-	1	1	-
South-east Hackney *2W,H*	58,255	31	21	4	7	-	1	-	-	-	-	-	-	1	-	-	10	-
Hackney Union Workhouse, Brentwood	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 14th August, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
St. Giles and Bloomsbury 2*W*,2*H* ..	31,436	21	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Strand *W*,4*H*	21,674	3	3	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
Strand Union Workhouse, Edmonton	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Holborn *W*,5*H*	29,612	10	15	6	1	-	1	-	-	-	-	-	-	2	1	1	12	-
Clerkenwell *H*	63,704	30	7	3	2	-	-	-	-	-	-	-	-	-	-	1	-	-
St. Luke 3*H*,*L*	36,116	39	3	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Holborn Union Workhouse, Mitcham	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph *H*	10,299	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	2	20	-	4	-	-	-	1	-	-	-	-	-	4	6	19	-
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
Shoreditch South 2*H*	46,362	21	3	2	1	-	-	-	-	-	-	-	-	1	-	-	1	-
Shoreditch North-West *W*,*w*,*H* ..	36,127	24	17	4	6	-	-	-	-	-	-	-	-	2	2	6	12	-
Shoreditch North-East	36,148	24	9	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	31	40	9	11	-	-	-	-	1	-	-	-	4	4	6	32	-
Bethnal Green South-West *H* ..	64,542	33	6	4	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Spitalfields..	27,969	12	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Mile End New Town *W*,*H*	28,718	22	28	4	4	-	-	-	-	1	-	-	-	1	3	4	27	-
Goodman's Fields	22,081	14	3	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-
St. George and St. John 2*W* ..	49,068	33	22	5	5	-	-	-	-	-	-	-	-	2	-	1	11	-
Shadwell and Ratcliff *w*,*H* ..	25,568	12	9	3	1	-	-	-	-	-	-	-	-	-	-	1	6	-
Limehouse *W*	32,369	21	8	1	1	-	-	-	-	-	-	-	-	-	-	2	-	-
Mile End Old Town South-Western *H*	63,698	44	4	2	-	-	-	-	-	1	-	-	-	-	1	1	-	-
Mile End Old Town North-Eastern *W*,*w*	49,129	25	9	1	3	-	-	-	-	-	-	-	-	-	-	-	3	-
Bow	41,989	25	8	5	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Bromley 3*w*,*H*	68,319	44	21	4	10	-	1	-	-	-	-	-	-	1	1	2	16	-
Poplar *W*,*w*	58,514	44	13	2	2	-	1	-	-	-	-	-	-	-	-	3	2	-
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 14th August, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch and St. Saviour Southwark *W,2H*	23,319	9	16	2	2	-	-	-	-	-	-	-	-	1	1	1	15	-
Kent-road	21,904	26	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George the Martyr West *W,2H,L*	39,094	15	9	8	-	-	-	-	-	1	-	-	-	3	1	1	7	-
Newington North	49,022	27	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Newington South *W*	72,841	33	12	6	2	-	-	-	-	1	-	-	-	1	1	2	1	-
St. Olave *2W*	9,817	4	2	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Bermondsey *W*	82,483	39	10	5	1	-	-	-	-	1	-	-	-	3	-	1	-	-
Rotherhithe *W,F*	38,460	20	15	5	4	-		-	-	1	-	-	-	-	1	3	7	-
Waterloo *2H*	27,440	33	4	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Lambeth Church *H*	27,440	16	23	5	2	-	1	-	-	-	-	-	-	1	2	2	18	-
Kennington *2W*	52,518	26	16	2	8	-	-	-	-	-	-	-	-	1	-	-	10	-
Stockwell *HF*	63,326	50	4	-	2	-	-	-	1	-	-	-	-	-	-	-	1	-
Brixton *H*	73,673	25	10	1	6	-	-	-	-	-	-	-	-	-	-	-	-	-
Norwood *2WH*	56,998	24	7	2	4	-	-	-	-	-	-	-	-	-	1	-	-	-
East Battersea *H*	72,203	39	4	1	1	-	-	-	-	-	-	-	-	-	-	2	1	-
North-west Battersea	49,656	45	9	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-
South-west Battersea *2W,H* ..	47,048	19	11	-	4	-	1	-	-	-	-	-	-	-	-	1	8	-
Clapham *2H*	51,361	28	7	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Streatham *W,2w,2F,2L*	88,019	54	18	3	5	-	-	-	1	-	-	-	-	-	1	1	5	-
Springfield *2W,L*	27,959	24	4	-	3	-	-	-	-	-	-	-	-	-	1	1	-	-
Southfields *H*	40,444	31	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Putney	24,139	14	11	4	3	-	2	-	-	1	-	-	-	-	1	3	-	-
Dulwich	13,359	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	17	18	-	10	-	-	-	-	-	-	-	-	-	1	1	16	-
Camberwell North *W,2L*	65,584	27	22	4	9	-	-	-	-	-	-	-	-	1	2	2	11	-
St. George	47,331	21	7	1	3	-	-	-	1	-	-	-	-	-	-	1	-	-
Peckham North	43,913	30	11	2	5	-	-	-	-	-	-	-	-	1	-	-	-	-
Peckham South *2W,w*	43,946	20	4	1	3	-	-	-	-	-	-	-	-	1	-	-	-	-
Deptford North	37,613	23	4	2	1	-	-	-	-	-	-	-	-	1	1	-	-	-
Deptford Central *F*	45,481	23	13	3	-	-	-	4	-	-	-	-	-	-	1	1	5	-
Deptford South	34,625	14	3	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Greenwich West *H*	23,456	13	4	-	3	-	-	-	-	-	-	-	-	-	1	1	-	-
Greenwich East *2W,H*	43,859	27	11	1	5	-	-	-	-	-	-	-	-	-	-	1	3	-
Eltham *w,H*	7,226	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *w,H*	25,490	15	5	-	2	-		-	-	-	-	-	-	-	-	-	1	-
Lewisham *2W,w,F*	58,352	46	16	3	4	-	1	-	1	-	-	-	-	-	1	5	8	-
Sydenham *H*	43,653	26	9	1	6	-	-	-	-	-	-	-	-	-	1	1	-	-
Charlton *F,2H*	21,134	7	7	2	2	-	-	-	1	-	-	1	-	-	-	-	2	-
Woolwich *5H*	41,625	25	6	4	1	-	-	-	-	-	-	-	-	-	-	1	1	-
Plumstead West *W,H*	39,376	15	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *2W*	28,951	23	6	-	3	-	-	-	-	-	-	-	-	-	1	1	4	-
Workhouses:—																		
Belmont Workhouse	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Central London Sick Asylum .. (Westminster, St. Giles, and Strand Unions.)	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
M. A. B. Small-pox Hospitals:—																		
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																		
Gore Farm (temporary)	—	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
North-Eastern	—	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																		
Children's Infirmary, Carshalton..	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
M. A. B. Imbecile Asylums:—																		
Caterham	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Darenth	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Leavesden	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
London County Lunatic Asylums:—																		
Banstead	—	-	5	-	4	-	-	-	-	-	-	-	-	-	-	-	5	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Manor	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Grove	—	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	5	-
Cane Hill	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dartford Heath	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Hanwell	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4	-
Colney Hatch	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Claybury	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERATED POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 14th August, 1909.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING ..	368,603	4,045,135	1,315	451	101	148	-	10	3	9	8	2	21	16	32	82	4
30 : 1	Carshalton 2F,3H	12,228	32,997	17	9	5	2		-	-	-	-	-	-	-	-	-	-
2	Epsom, *part of** W,w,2F,H ..	10,423	15,548	4	4	-	2		-	-	-	-	-	-	-	1	-	-
37 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	9	4	-	1		-	-	-		-	-	-	-	3	-
38 : 1	Coulsdon	11,069	8,166	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w,H ..	4,200	49,309	19	6	-	2	-	-	-	-	-	-	-	-	-	-	-
3	West Croydon 3W,F,H ..	2,168	42,888	23	14	3	8	-	1	-	-	-	-	1	-	-	7	-
4	North Croydon H	2,614	41,698	23	6	1	4	-	-	-	-	-	-	-	-	-	-	-
5	Penge w	770	22,465	10	2	1	1	-	-	-	-	-	-	-	-	-	-	-
6	Mitcham w	11,711	30,015	31	17	7	3	-	-	1	1	-	1	2	-	2	-	-
39 : 1	Wimbledon F,3H	3,221	41,652	32	8	-	1	-	-	-	-	-	-	-	1	1	-	-
2	Kingston 2W,H	6,224	42,068	31	15	1	10	-	-	-	-	-	-	-	1	1	7	-
3	Surbiton F,H	3,046	15,017	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** H	5,402	13,100	7	3	1	1	-	-	-	-	1	-	-	-	-	-	-
5	Hampton H,F,L	4,564	23,456	12	6	1	3	-	-	-	-	-	-	-	-	-	2	1
40 : 1	Richmond W,H	2,491	31,672	14	3	1	2	-	-	-	-	-	-	-	-	-	1	-
2	Mortlake F	2,518	17,821	13	2	2	-	-	1	-	-	-	-	-	-	-	-	-
41 : 1	Bromley F,3H	4,703	27,354	10	6	-	-	-	-	-	2	-	-	-	-	1	3	-
2	Beckenham H	7,825	28,497	15	4	2	1	-	-	-	-	-	-	1	-	-	-	-
3	Orpington, *part of** W,F ..	10,113	9,857	5	4	2	1	-	-	-	-	-	-	-	-	-	3	-
4	Chislehurst 2H	7,333	16,446	5	3	-	1	-	-	-	-	-	-	-	1	1	1	-
42 : 1	Bexley w,F,H	8,678	21,151	6	4	1	-	-	-	-	-	1	-	-	-	-	-	-
2	Erith F,H	3,854	25,296	14	5	1	2	-	-	-	-	-	-	1	-	-	-	-
3	Dartford W,F, *part of** ..	—	—	-	-	-		-	-	-	-	-	-	-	-	-	-	-
124 : 1	Sunbury w	11,054	18,683	12	1	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Staines W,H	13,277	15,178	14	2	1	1	-	-	-	-	-	-	-	-	-	-	-
125 : 1	Hillingdon W,F,H	6,035	13,661	11	8	2	5	-	-	-	-	-	-	-	-	-	1	-
2	Uxbridge H	12,757	8,984	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w 2F,H	8,066	16,358	11	4	1	1	-	-	-	-	-	-	-	-	-	-	-
126 : 1	Isleworth 3W,3F,H	6,859	30,863	25	10	2	2	-	1	-	-	-	-	-	1	1	1	-
2	Twickenham F,2H	2,421	20,991	10	4	1	1	-	-	-	-	-	-	-	-	-	-	-
3	Brentford 3F,2H	4,319	48,289	36	11	1	6	-	-	-	-	-	-	-	-	-	-	-
4	Chiswick H	1,249	29,809	18	3	-	1	-	-	-	-	-	-	-	-	-	-	-
5	Acton w,F,3H	6,132	48,914	41	17	4	7	-	1	-	-	-	-	-	2	4	1	-
127 : 1	Harrow F,H	13,809	25,523	26	10	1	3	-	-	-	-	-	-	-	1	1	-	-
2	Edgware 2F,2H	6,994	4,521	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden W,F,2H	4,384	114,811	76	25	4	11	-	-	-	-	-	-	-	-	-	1	1
4	Hendon W,F	8,382	22,450	17	2	-	1	-	-	-	-	-	-	-	-	1	1	-
128 : 1	South Mimms 2F,H ..	17,755	7,308	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,970	12	8	4	1	-	1	-	-	-	-	-	1	1	1	-
3	Finchley F,3H	4,683	33,692	36	4	2	2	-	-	-	-	-	-	1	-	-	-	-
129 : 1	Hornsey F,H	2,875	72,056	34	9	1	5	-	-	1	-	-	-	-	1	1	1	-
2	Wood Green H	1,625	34,233	26	6	3	-	-	-	-	1	-	-	1	1	1	-	-
3	West Tottenham	995	48,741	31	9	2	2	-	-	-	-	-	-	2	-	1	-	-
4	East Tottenham 2H ..	2,019	53,962	30	11	3	5	-	-	-	-	-	-	-	-	-	4	-
5	Edmonton W,w,2F	7,491	61,892	61	17	2	7	-	-	-	-	1	-	-	-	1	8	-
6	Enfield 2W,F,H	12,661	42,738	25	10	1	3	-	-	-	1	-	-	-	-	-	1	-
7	Waltham Abbey F	11,017	6,549	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	8	4	2	1	-	1	-	-	-	-	-	-	-	-	1
135 : 1	Hatfield, *part of** W ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey, *part of*†* H ..	9,195	7,051	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford, *part of*†* W,2F ..	138	2,122	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
186 : 1	Stratford H	1,091	52,974	27	9	-	-	-	1	-	-	-	-	1	-	1	2	-
2	Forest Gate	787	52,745	30	10	2	6	-	-	-	-	-	-	-	-	-	-	-
3	Plaistow F,2H	1,249	90,921	67	26	11	1	-	1	-	2	3	-	7	3	4	4	-
4	Canning Town H	1,556	70,718	45	14	4	2	-	-	-	-	-	-	3	1	2	-	-
5	South East Ham 2F ..	1,991	37,342	24	9	4	1	-	-	-	-	-	-	-	-	-	-	-
6	North East Ham w,H ..	1,333	58,666	23	9	3	4	-	-	-	-	-	-	-	-	-	-	-
7	Wanstead F	1,679	9,170	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	24	7	2	3	-	-	-	-	-	-	1	-	-	5	-
9	North Leyton 2W,w,F ..	1,963	48,445	35	14	1	2	-	1	1	-	-	-	-	-	1	11	-
10	Walthamstow 2H,L ..	6,504	108,929	67	16	4	5	-	1	-	1	1	1	-	1	2	2	-
187 : 1	Chigwell 2F,3H	11,778	16,397	12	4	1	-	-	-	-	-	1	-	-	1	1	-	-
2	Epping W,F, *part of** ..	—	—	-	2	-	2	-	-	-	-	-	-	-	-	-	2	-
189 : 1	Romford, *part of** W,2F ..	6,556	6,091	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Ilford F,L	8,496	41,244	41	14	2	5	-	-	-	-	-	-	-	-	1	2	1
3	Barking Town F	3,805	21,547	17	3	-	1	-	-	-	1	-	-	-	-	1	1	-
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	3	-	1	-	-	-	-	-	-	-	-	-	3	-
	Kent County Lunatic Asylum, Maidstone.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
	Middlesex County Lunatic Asylum, Napsbury.	—	—	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30 : 2, excepting Ashtead parish; 37 : 1, Warlingham and Farley parishes; 39 : 4, excepting Esher parish; 41 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135 : 1, Northaw parish; 137 : 1, excepting the part in Watford Rural parish; 137 : 2, Oxhey parish; 189 : 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42 : 3, 137 : 2 and 187 : 2 and in the Croydon Mental Hospital in 37 : 1 are also included. † Boundaries altered, 1 July, 1909

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Small-pox	Measles.	Scarlet Fever	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrheal Diseases.
LONDON - -	4,833,938	August 14	2316	1047	11·3	-	22	9	10	12	2	39
CALCUTTA - -	1,014,438	July 17	-	401	21·1	2	1	-	-	2	94†	58‡
BOMBAY - -	982,000	" 20	338	530	28·2	3	2	-	-	1	77†	51‡
MADRAS - -	548,974	" 16	365	376	38·3	-	1	?	?	?	96	73‡
PARIS - - -	2,760,000	August 7	975	782	14·9	-	10	1	3	4	5	59
BRUSSELS - -	704,975	" 7	205	155	11·4	-	2	1	4	1	1	13
ANTWERP - -	314,135	" 7	111	70	11·6	-	3	-	-	1	-	11
AMSTERDAM -	565,553	July 31	256	109	10·1	-	-	-	-	9	-	3
COPENHAGEN -	448,000	August 7	206	90	10·5	-	-	2	-	2	-	2
STOCKHOLM -	339,582	July 31	150	83	12·7	-	1	-	1	-	-	3
CHRISTIANIA -	235,674	August 7	99	51	11·4	-	2	-	-	-	1	4
ST. PETERSBURG	1,573,000	July 31	777	800	26·5	8	24	4	7	5	5	264‡
MOSCOW - -	1,452,100	" 31	-	1113	40·0	14	22	19	15	5	2	544
BERLIN - -	2,099,490	" 17	784	543	13·5	-	10	11	7	5	1	38
HAMBURG - -	872,252	August 7	-	188	11·2	-	-	5	5	-	1	14
BRESLAU - -	502,676	July 31	-	208	21·6	-	1	1	1	-	-	44
MUNICH - -	566,000	August 7	-	154	14·1	-	5	-	2	1	-	23
VIENNA - -	2,064,037	" 7	841	493	12·4	-	3	4	-	3	1	50
PRAGUE - -	485,057	" 7	-	-	-	-	-	-	-	-	-	-
BUDAPEST - -	823,215	July 31	366	307	19·3	-	2	4	-	4	4	59
TRIESTE - -	217,706	August 7	135	114	27·2	-	-	1	-	-	1	23
ROME - - -	565,323	May 1	286	172	15·9	-	9	1	4	4	-	7
VENICE - -	179,286	July 10	84	60	17·5	-	1	-	1	1	2	11
BUCAREST - -	296,585	" 17	143	151	26·5	-	-	1	1	1	1	32
NEW YORK -	4,564,792	" 24	2518	1415	16 2	-	23	6	24	10	8	339
CHICAGO - -	2,224,490	" 24	-	534	12·5	-	4	5	4	1	5	84
PHILADELPHIA -	1,565,569	" 3	-	470	15·6	-	4	4	1	3	2	54
RIO DE JANEIRO	637,089	" 11	-	240	19·6	1	-	-	2	-	-	?
CAIRO:—												
Egyptians -	666,587	" 1	510	799	62·3	1	54	-	14	?	22	239
Foreigners -	35,219	" 1	8	23	34·0	-	-	-	-	-	1	8
ALEXANDRIA:—												
Egyptians -	341,965	" 1	218	292	44·4	-	15	-	5	-	8	97
Foreigners -	46,118	" 1	22	18	20·3	-	-	-	-	-	-	6

* Excluding deaths from croup in the Indian Cities.
† Including 33 deaths from plague in Calcutta and 25 in Bombay.
‡ Including 19 deaths from cholera in Calcutta, 17 in Bombay, 2 in Madras, and 145 in St. Petersburg.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 14th August, 1909.

Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	86 2	52·0	67·4	0·00	BRADFORD - -	80·2	51·0	63·3	0·03
BRIGHTON - -	83·0	51·0	67·2	0·00	YORK - - -	82·0	53·0	65·8	0·09
PORTSMOUTH - -	84 7	56 5	70·4	0·00	HULL - - -	82·0	50·0	64·9	0·00
NORWICH - -	83 2	47·4	64·0	0·00	TYNEMOUTH - -	76·0	51·0	62·8	0·25
PLYMOUTH -	82 9	51·8	68·8	0·00	CARDIFF - - -	79·9	52·9	66·1	0 00
BRISTOL - - -	81·5	53·0	67 2	0·00	EDINBURGH - -	74·9	49 6	61·8	0·11
BIRMINGHAM - -	81·4	54 4	67·1	0·00	GLASGOW - -	75·5	50·0	61·6	0·43
NOTTINGHAM - -	84·0	51·5	65 0	0·00	DUBLIN Phœnix Park.	77·0	43 5	62·4	0·11
LIVERPOOL OBSERVATORY.	72·0	53 0	61 3	0·00	DUBLIN Fitz-william Square.†	77·1	51·7	63·7	0 11
MANCHESTER -	80 0	50·8	64·6	0·09					
BURNLEY - -	76 5	47·5	61·2	0·23					
HUDDERSFIELD -	81·0	53 0	64·4	0·04	BELFAST - - -	75·0	48·0	62 5	0·04

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to the seventh page of this return) are the averages of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°·7 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 14th August, 1909.

[*Under the Superintendence of the Astronomer Royal.*]

1909. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Temperature. Of the Air. Low-est.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
AUGUST.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 8	Last Qr.	29·910	77·2	52·0	25·2	65·9	+ 3·6	52·7	13·2	21·9	1·6	63	138·1	39·9	60·31	NE. & ENE.	E. & ENE.	1·6	0·0	0·1	206	- 54	0·00	0·0
MONDAY - 9	..	29·866	80·2	52·6	27·6	64·1	+ 1·8	57·5	6·6	19·2	0·4	79	136·3	44·0	60·60	ENE. & NE.	NE. & ESE.	1·1	0·0	0·0	168	- 94	0·00	0·0
TUESDAY - 10	..	30·038	79·7	52·1	27·6	65·4	+ 3·1	53·8	11·6	21·8	0·4	66	129·2	40·6	60·91	Variable, calm & NE.	NE. & ESE.	0·8	0·0	0·0	148	-114	0·00	10·0
WEDNESDAY 11	..	30·092	80·9	52·2	28·7	65·5	+ 3·1	59·5	6·0	17·3	0·0	81	128·7	39·7	61·25	Calm & SW.	SW., NW. & NNW.	0·2	0·0	0·0	110	-152	0·00	0·0
THURSDAY - 12	Greatest Dec. N.	30·021	86·2	54·3	31·9	70·6	+ 8·1	56·2	14·4	28·7	0·0	60	135·0	44·6	61·55	Variable, SW. & WSW.	WSW. & SW.	0·9	0·0	0·0	184	- 77	0·00	0·0
FRIDAY - 13	..	29·951	80·0	59·2	20·8	69·2	+ 6·7	56·6	12·6	20·1	7·0	64	133·6	47·3	61·90	SW., W. & WNW.	NNW., NW. & N.	1·7	0·0	0·1	250	- 9	0·00	5·0
SATURDAY - 14	..	30·011	81·1	56·5	24·6	67·6	+ 5·1	60·1	7·5	19·4	0·0	77	135·9	47·8	62·21	NW., SW. & W.	Variable	1·4	0·0	0·1	217	- 39	0·00	0·0
MEANS - -		29·986	80·8	54·1	26·6	66·9	+ 4·5	56·6	10·3	21·2	1·3	70	133·8	43·4	61·25	Variable		..	..	..	Sum 1283	Sum -539	Sum 0·00	2·1
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. AUGUST.	Electricity. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY - 8	w. P. throughout.	13·6	15·0	Very fine and warm; low mist in early morning; frequent lightning at night.
MONDAY - 9	w. P. throughout.	9·4	15·0	Very fine and warm; mist prevalent between 2h. 15m. and 8h. 30m. A.M.
TUESDAY - 10	w. P. throughout.	13·2	14·9	Cloudless with slight exceptions till 5h. P.M.; generally overcast afterwards; very warm; low mist in early morning.
WEDNESDAY 11	w. P. throughout.	12·0	14·8	Generally cloudy and misty in early morning; very fine and warm after 6h. A.M.
THURSDAY - 12	w. P. throughout.	13·1	14·8	Cloudless with very slight exceptions; hot.
FRIDAY - 13	w. P. generally.	9·8	14·7	Very fine generally; partially cloudy; very warm.
SATURDAY - 14	w. P. throughout.	10·4	14·7	Very fine generally; variable amounts of cloud till evening; cloudless after 9h. P.M.; very warm.
		Sum 81·5	Sum 103·9	
No. of Col. - -	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·93 in. at the beginning of the week to 29·84 in. by 4h. P.M. on the 9th; increased to 30·13 in. by 8h. A.M. on the 11th; decreased to 29·93 in. by 6h. A.M. on the 13th; increased to 30·03 in. by 9h. A.M. on the 14th; and was 30·00 in. at midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 7th August, 1909.*

BOROUGHS.	Estimated Population in the middle of 1909.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	151,955	-	10	2	-	-	-	-	-	1	-
Kensington	183,683	-	6	6	-	-	-	-	3	1	-
Hammersmith	125,704	-	8	5	-	-	-	-	1	-	-
Fulham	176,406	-	6	7	-	1	-	-	5	-	-
Chelsea	75,249	-	6	1	-	-	-	-	-	-	-
City of Westminster ..	168,883	-	7	3	-	-	-	-	3	-	-
NORTH.											
St. Marylebone	126,027	-	10	-	-	1	-	-	3	-	-
Hampstead	94,185	-	4	-	-	-	-	-	-	-	-
St. Pancras	237,422	-	10	4	-	-	-	-	3	-	-
Islington	351,202	-	25	7	-	2	-	-	3	-	-
Stoke Newington	54,423	-	2	-	-	-	-	-	1	-	-
Hackney	237,601	-	14	3	-	2	-	-	6	-	-
CENTRAL.											
Holborn	53,802	-	2	-	-	-	-	-	1	-	-
Finsbury	95,289	-	-	5	-	-	-	-	3	-	-
City of London	18,193	-	1	-	-	1	-	-	-	-	-
EAST.											
Shoreditch	114,802	-	5	3	-	-	-	-	-	-	-
Bethnal Green	131,316	-	10	4	-	1	-	-	1	-	-
Stepney	312,525	-	17	7	-	1	-	-	7	1	-
Poplar	171,965	-	14	3	-	-	-	-	-	-	1
SOUTH.											
Southwark	211,125	-	13	3	-	-	-	-	4	-	-
Bermondsey	127,569	-	10	3	-	2	-	-	5	-	-
Lambeth	324,188	-	9	6	-	-	-	-	1	1	-
Battersea	186,036	-	19	4	-	-	-	-	4	-	-
Wandsworth	297,646	-	13	4	-	-	-	-	7	1	-
Camberwell	283,022	-	31	4	-	1	-	-	3	-	-
Deptford	118,583	-	2	3	-	-	-	-	6	-	-
Greenwich	111,014	-	6	1	-	-	-	-	1	-	-
Lewisham	160,749	-	8	4	-	1	1	-	-	-	-
Woolwich	133,374	-	22	2	-	1	-	-	1	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,833,938	-	290	95	-	14	1	-	72	5	1
Ages 0-1		-	3	2	-	-	-	-	-	-	-
„ 1-5		-	104	37	-	-	-	-	2	-	-
„ 5-		-	108	27	-	3	-	-	2	-	-
„ 10-		-	42	15	-	1	-	-	1	-	-
„ 15-		-	15	7	-	2	-	-	5	-	1
„ 20-		-	8	2	-	-	-	-	4	1	-
„ 25-		-	6	3	-	5	1	-	11	4	-
„ 35-		-	3	2	-	3	-	-	14	-	-
„ 45-		-	-	-	-	-	-	-	14	-	-
„ 55-		-	1	-	-	-	-	-	11	-	-
„ 65 and upwards		-	-	-	-	-	-	-	8	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY DARLING & SON, LTD., 34-40 BACON STREET, E.

1909

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 33. 1909. VOL. LXX.] WEEK ENDED SATURDAY, AUG. 21. [Price 1½d.

General Register Office, Somerset House,
August 23rd, 1909.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 11·8 per 1000 of their aggregate population, which is estimated † at 16,445,281 persons in the middle of this year. In the preceding three weeks the rates had been 10·8, 10·5, and 11·5. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were :—from *all causes*, 16·4 in Salford, 16·6 in Great Yarmouth, 16·7 in Liverpool and in Bury, 17·1 in Sheffield, 17·3 in Bootle, 17·9 in Blackburn, 18·8 in Middlesbrough, and 20·2 in Swansea; from *measles*, 1·1 in Salford and 3·3 in Newport (Mon.); from *diphtheria*, 1·1 in Salford and 1·7 in Barrow in Furness; and from *diarrhœa*, 4·2 in Nottingham, 4·3 in Aston Manor and in Warrington, 4·9 in Sheffield, 5·3 in Bootle, and 8·0 in Swansea. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2169 BIRTHS and 1027 DEATHS were registered. Allowing for increase of population, the births were 404 and the deaths 476 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes, which had been 10·3, 10·1, and 11·3 per 1000 in the pre-

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-five other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(14158—41.) Wt. 109—472. 700. 8/09. D & S. G. 31. Sch. 4. 2 K

ceding three weeks, was 11·1 last week. The death-rate in the four weeks ended last Saturday averaged 10·7 per 1000, being 4·1 per 1000 below the mean rate in the corresponding periods of the five years 1904–8.

The 1027 deaths included 17 from measles, 7 from scarlet fever, 6 from diphtheria, 13 from whooping-cough, 4 from enteric fever, and 76 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia: thus, to these diseases in the aggregate 123 deaths were referred, being 308 below the corrected average number in the thirty-third week of the preceding five years.

The deaths from *measles*, which had been 9, 19, and 22 in the preceding three weeks, were 17 last week, being 16 below the corrected average; 4 deaths belonged to the Borough of Fulham, and 3 to Wandsworth. The deaths from *scarlet fever*, which had been 4, 4, and 9 in the preceding three weeks, were 7 last week, the corrected average being 8; 2 deaths belonged to the City of Westminster. The deaths from *diphtheria*, which had been 19, 3, and 10 in the preceding three weeks, were 6 last week, being 5 below the corrected average; 2 deaths belonged to Kensington and 2 to Stepney. The deaths from *whooping-cough*, which had been 17, 26, and 12 in the preceding three weeks, were 13 last week, being 7 below the corrected average. The deaths from *enteric fever*, which had been 3, 2, and 2 in the preceding three weeks, were 4 last week, being equal to the corrected average. The deaths from *diarrhœa*, which had been 26, 27, and 39 in the preceding three weeks, rose to 76 last week, but were 279 below the corrected average; 9 deaths belonged to Stepney, 8 to Shoreditch, 7 to Lambeth, 6 each to Fulham and Bethnal Green, and 5 to Southwark. Of the 76 deaths from diarrhœa, 70 were those of children under 5 years of age; 13 other deaths at this age were certified as due to *enteritis* and 11 to *gastro-enteritis*. One death was attributed directly to *influenza*, the numbers having been 3, 1, and 6 in the preceding three weeks. The death of a house-painter, aged 49 years, was certified, after inquest, as due to chronic *lead-poisoning*.

Different forms of violence caused 53 deaths, concerning all but one of which inquests were held. Of these 53 deaths, 9 were cases of suicide, and one of execution, while the remaining 43 were attributed to accident or negligence. Five of these latter were referred to vehicles in the streets, three to burns or scalds, thirteen to drowning, two to heat stroke or to heat apoplexy, and two of infants under one year of age, to suffocation in bed. Three deaths occurred while under anæsthetics administered for surgical purposes.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 2411 cases of scarlet fever, 831 of diphtheria, and 53 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 245 cases, against 296, 280, and 298; of diphtheria, 83 cases, against 108, 84, and 81; and of enteric fever, 11 cases, against 6, 7, and 9. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended August 14th, 1909.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 3365 births and 1420 deaths were registered. Allowing for increase of population, these numbers are 724 and 798 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 4 deaths from measles, 1 from scarlet fever, 8 from diphtheria, 3 from whooping-cough, and 18 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·64 inches, and that of the Thermometer 63°·3, the latter being 1°·4 above the week's average in the 65 years ended 1905. The direction of the wind was variable, the horizontal movement of the air being 17 per cent. above the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 40·2 hours; the measured rainfall amounted to 0·82 of an inch.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 21st August, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1909.*	Death-Rates from all Causes. Week ended 31st July, 1909.	7th Aug. 1909.	14th Aug., 1909.	21st Aug., 1909.	Rate from Diseases in Cols. 11-17. Week ended 21st August, 1909.	Registered during the Week ended 21st Aug. 1909. Births.	Deaths.	The Deaths registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS	**16,445,281**	**10·8**	**10·5**	**11·5**	**11·8**	**1·9**	**7815**	**3721**	**1007**	**915**	**-**	**63**	**25**	**30**	**42**	**15**	**429**	**173**	**314**	**1030**	**24**	**76 TOWNS.**
LONDON	4,833,938	10·3	10·1	11·3	11·1	1·3	2169	1027	223	281	-	17	7	6	13	4	76	53	111	477	1	LONDON.
† CROYDON	161,078	6·2	8·1	8·7	6·5	0·3	79	20	2	7	-	-	1	-	-	-	-	-	-	5	-	CROYDON.
† WILLESDEN ..	160,424	5·2	6·5	8·1	7·2	1·0	70	22	8	7	-	-	1	-	-	-	2	-	1	6	-	WILLESDEN.
† HORNSEY	95,628	6·5	6·5	6·5	4·4	-	27	8	1	3	-	-	-	-	-	-	-	-	-	1	-	HORNSEY.
† TOTTENHAM ..	129,464	6·4	8·1	7·7	8·1	0·8	62	20	5	5	-	-	-	-	-	-	2	1	3	6	-	TOTTENHAM.
† WEST HAM ..	321,767	7·9	7·8	12·2	10·0	2·8	147	62	17	11	-	2	-	-	2	-	13	4	11	14	-	WEST HAM.
† EAST HAM.. ..	149,575	4·9	3·8	6·3	5·2	1·4	57	15	6	4	-	-	1	-	1	-	2	-	1	2	-	EAST HAM.
† LEYTON	129,614	8·9	6·4	2·8	6·4	1·2	52	16	3	3	-	1	-	-	1	-	1	-	-	2	-	LEYTON.
† WALTHAMSTOW	136,602	8·8	5·3	4·6	5·7	0·8	59	15	2	3	-	1	-	-	-	1	-	2	5	2	-	WALTHAMSTOW.
HASTINGS	68,165	6·9	11·5	12·2	12·2	0·8	25	16	-	9	-	-	1	-	-	-	-	1	1	2	-	HASTINGS.
BRIGHTON	130,926	11·5	8·4	10·8	11·5	0·8	53	29	1	14	-	-	-	-	1	-	1	1	2	7	-	BRIGHTON.
PORTSMOUTH ..	214,726	10·4	9·5	11·2	8·0	0·7	110	33	6	9	-	-	-	-	1	1	1	5	7	5	-	PORTSMOUTH.
BOURNEMOUTH ..	72,368	10·8	5·8	10·8	7·9	2·9	29	11	5	5	-	-	-	-	-	-	4	-	-	3	-	BOURNEMOUTH.
SOUTHAMPTON ..	124,667	10·9	8·8	9·2	8·8	1·3	59	21	5	4	-	-	-	-	1	-	2	1	2	5	-	SOUTHAMPTON.
READING	82,995	10·1	9·4	6·3	10·7	2·5	37	17	6	6	-	-	-	-	-	-	4	1	1	5	-	READING.
NORTHAMPTON ..	97,752	11·2	6·9	10·7	11·7	0·5	38	22	2	9	-	1	-	-	-	-	-	-	-	5	-	NORTHAMPTON.
IPSWICH	74,889	9·7	11·8	7·0	6·3	-	37	9	1	2	-	-	-	-	-	-	-	-	-	-	-	IPSWICH.
GREAT YARMOUTH	53,430	16·6	16·6	10·7	16·6	1·0	27	17	5	4	-	-	-	-	1	-	-	2	5	6	-	GREAT YARMOUTH.
NORWICH	124,136	8·4	10·1	11·3	9·2	0·8	60	22	5	5	-	-	1	-	-	-	1	1	2	4	-	NORWICH.
PLYMOUTH	124,180	8·4	9·2	14·3	11·8	2·5	55	28	11	4	-	-	-	1	-	-	5	1	1	6	-	PLYMOUTH.
DEVONPORT	83,103	5·6	11·9	10·0	9·4	1·3	38	15	6	2	-	-	-	-	-	-	2	1	2	2	-	DEVONPORT.
BRISTOL	377,642	10·4	7·7	9·5	10·4	1·5	177	75	24	19	-	2	-	2	-	-	7	1	7	25	-	BRISTOL.
HANLEY	68,831	12·9	9·1	12·9	12·1	3·0	34	16	7	2	-	1	-	1	1	-	1	-	-	2	-	HANLEY.
BURTON-ON-TRENT	54,453	4·8	9·6	14·4	9·6	1·0	21	10	3	2	-	-	-	-	-	-	1	-	-	2	-	BURTON-ON-TRENT.
WOLVERHAMPTON..	104,633	11·0	11·0	8·5	13·0	2·0	51	26	4	9	-	2	-	1	-	-	1	1	1	1	-	WOLVERHAMPTON.
WALSALL	99,399	13·1	12·1	15·7	13·6	3·7	61	26	10	4	-	1	-	-	1	1	4	1	2	6	-	WALSALL.
HANDSWORTH ..	70,186	6·7	5·9	8·9	8·9	0·7	20	12	2	4	-	-	-	-	-	-	1	1	1	2	-	HANDSWORTH.
WEST BROMWICH..	70,457	7·4	14·8	19·2	14·8	3·0	40	20	3	9	-	1	-	-	-	1	2	1	2	6	-	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 21st August, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 31st July, 1909.	7th Aug. 1909.	14th Aug., 1909.	21st Aug., 1909.	Rate from Diseases in Cols. 11–17. Week ended 21st August, 1909.	Registered during the Week ended 21st Aug. 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
BIRMINGHAM ..	563,629	11·1	10·5	11·4	10·8	2·6	288	117	40	23	–	3	5	–	2	–	18	4	5	48	–	BIRMINGHAM.
KINGS NORTON ..	81,632	5·7	5·7	5·7	8·9	0·6	37	14	–	5	–	–	–	1	–	–	–	1	1	2	1	KINGS NORTON.
SMETHWICK	70,377	8·9	11·1	10·4	13·3	2·2	42	18	5	5	–	1	–	–	–	–	2	–	–	1	–	SMETHWICK.
ASTON MANOR ..	85,257	8·6	8·0	9·8	14·1	4·9	32	23	12	3	–	–	1	–	–	–	7	2	3	1	–	ASTON MANOR.
COVENTRY	80,163	13·7	13·7	11·1	10·4	1·3	57	16	3	3	–	–	–	–	–	–	2	1	1	–	–	COVENTRY.
LEICESTER	244,255	8·1	8·3	12·6	11·5	3·4	103	54	21	15	–	–	–	–	1	–	15	3	6	7	1	LEICESTER.
GRIMSBY	73,036	7·9	10·7	9·3	7·9	–	31	11	2	2	–	–	–	–	–	–	–	1	1	2	1	GRIMSBY.
NOTTINGHAM ..	263,443	12·3	11·3	11·9	14·6	4·8	117	74	32	20	–	3	–	–	–	–	21	1	2	7	–	NOTTINGHAM.
DERBY	129,411	8·1	6·0	10·5	12·1	2·4	49	30	9	10	–	1	–	1	2	–	2	1	4	5	–	DERBY.
STOCKPORT	103,706	12·6	9·1	11·1	13·6	–	49	27	6	6	–	–	–	–	–	–	–	3	4	5	–	STOCKPORT.
BIRKENHEAD ..	121,123	12·1	13·8	13·8	11·6	1·7	59	27	11	7	–	–	–	–	–	–	4	–	1	2	–	BIRKENHEAD.
WALLASEY	71,004	8·8	9·5	10·3	12·5	–	28	17	1	5	–	–	–	–	–	–	–	2	3	1	–	WALLASEY.
LIVERPOOL	760,357	14·9	15·1	15·2	16·7	4·4	431	244	86	41	–	6	–	1	3	–	54	7	12	69	6	LIVERPOOL.
BOOTLE	69,393	9·8	15·0	12·8	17·3	6·0	42	23	7	2	–	–	–	1	–	–	7	1	1	3	1	BOOTLE.
ST. HELENS	95,161	9·3	11·0	12·1	11·0	1·6	69	20	5	3	–	–	–	–	2	–	1	1	1	2	–	ST. HELENS.
WIGAN	90,678	16·1	13·8	12·7	14·4	0·6	58	25	6	3	–	–	–	–	–	–	1	4	6	–	–	WIGAN.
WARRINGTON ..	72,276	14·4	11·5	11·5	13·0	4·3	39	18	10	4	–	–	–	–	–	–	6	–	–	3	1	WARRINGTON.
BOLTON	187,824	11·7	10·8	13·6	14·2	1·4	72	51	15	19	–	–	–	–	1	1	3	3	5	7	–	BOLTON.
BURY	59,234	10·6	6·2	9·7	16·7	1·8	24	19	5	7	–	–	–	–	–	–	2	–	1	6	–	BURY.
MANCHESTER ..	655,435	13·8	13·1	13·6	15·3	2·0	329	192	53	44	–	2	2	–	1	1	19	9	15	50	2	MANCHESTER.
SALFORD	241,950	11·4	12·1	14·4	16·4	3·2	146	76	15	16	–	5	–	5	–	–	5	5	7	20	–	SALFORD.
OLDHAM	143,301	12·4	13·5	15·3	12·4	0·7	62	34	4	9	–	–	1	–	–	–	1	–	–	5	–	OLDHAM.
ROCHDALE	89,653	12·8	11·6	11·1	8·7	1·2	29	15	3	3	–	–	–	–	–	–	2	1	1	1	–	ROCHDALE.
BURNLEY	106,267	10·3	9·8	15·2	15·2	2·5	55	31	14	7	–	–	1	–	–	–	4	1	1	5	–	BURNLEY.
BLACKBURN	136,959	12·6	13·3	12·2	17·9	1·9	81	47	9	11	–	–	1	1	–	–	3	2	2	13	–	BLACKBURN.
PRESTON	118,519	12·8	11·0	5·7	7·0	1·3	46	16	2	3	–	–	–	–	–	1	2	2	2	1	2	PRESTON.
BARROW-IN-FURNESS.	62,996	9·1	5·8	5·8	10·8	1·7	26	13	–	7	–	–	–	2	–	–	–	2	2	2	–	BARROW-IN-FURNESS.

* See note † on first page of this return.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 21st August, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1909.*	Death-Rates from all Causes. Week ended 31st July, 1909.	7th Aug., 1909.	14th Aug., 1909.	21st Aug., 1909.	Rate from Diseases in Cols. 11-17. Week ended 21st August, 1909.	Registered during the Week ended 21st Aug. 1909. Births.	Deaths.	The Deaths registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,739	16·0	14·3	9·9	11·0	0·6	49	20	4	5	-	-	-	-	-	-	1	3	3	6	-	HUDDERSFIELD.
HALIFAX	111,911	11·6	8·4	15·8	8·4	1·9	34	18	1	6	-	-	-	2	-	2	-	1	1	6	-	HALIFAX.
BRADFORD	293,983	10·5	11·7	9·6	8·9	0·4	95	50	8	15	-	-	-	-	-	-	2	2	4	11	-	BRADFORD.
LEEDS	484,012	11·0	11·0	12·6	12·6	1·3	231	117	33	23	-	1	1	1	1	-	8	5	9	25	1	LEEDS.
SHEFFIELD	470,958	12·4	11·2	11·4	17·1	5·0	237	154	68	30	-	1	-	-	-	-	44	3	6	19	2	SHEFFIELD.
ROTHERHAM.. ..	65,070	18·4	12·0	11·2	10·4	3·2	55	13	6	3	-	-	-	-	-	-	4	-	-	1	1	ROTHERHAM.
YORK	87,004	7·8	6·6	9·0	8·4	1·8	43	14	6	3	-	-	-	-	-	-	3	3	3	1	-	YORK.
HULL	275,552	10·2	10·4	10·6	11·2	1·9	138	59	13	17	-	-	-	-	2	1	7	1	2	19	-	HULL.
MIDDLESBROUGH ..	105,255	14·4	11·4	13·9	18·8	4·5	54	38	11	8	-	-	-	-	1	1	7	-	1	7	-	MIDDLESBROUGH.
STOCKTON-ON-TEES	53,417	13·7	10·7	13·7	10·7	1·0	20	11	3	4	-	1	-	-	-	-	-	-	1	1	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL	79,686	9·2	7·2	12·4	8·5	-	40	13	2	2	-	-	-	-	-	-	-	3	2	1	-	WEST HARTLEPOOL.
SUNDERLAND ..	159,378	14·1	10·5	8·2	12·1	1·3	80	37	12	10	-	2	-	-	-	-	2	2	3	3	2	SUNDERLAND.
SOUTH SHIELDS ..	117,627	15·1	10·6	13·3	12·9	1·8	59	29	5	8	-	-	1	1	-	-	2	1	1	8	1	SOUTH SHIELDS.
GATESHEAD	131,024	7·2	8·0	10·7	7·2	0·4	74	18	4	4	-	-	-	-	-	-	1	1	1	1	1	GATESHEAD.
NEWCASTLE-ON-TYNE.	281,584	10·6	13·5	11·7	13·3	1·5	122	72	14	15	-	1	-	2	1	-	4	2	8	18	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH ..	55,808	14·9	14·0	12·1	15·9	1·9	27	17	4	4	-	-	-	-	-	-	2	1	1	5	-	TYNEMOUTH.
NEWPORT (MON.) ..	78,336	13·3	18·0	23·3	15·3	4·0	39	23	7	2	-	5	-	-	-	-	1	2	2	4	-	NEWPORT (MON.).
CARDIFF	195,303	9·3	11·7	12·3	11·2	1·9	97	42	13	12	-	-	-	-	1	-	6	1	5	9	-	CARDIFF.
RHONDDA	135,894	12·3	14·2	17·3	13·8	2·3	98	36	16	7	-	1	-	1	-	-	4	3	3	3	-	RHONDDA.
MERTHYR TYDFIL..	78,365	8·7	13·3	11·3	13·3	1·3	66	20	8	3	-	-	-	-	-	-	2	1	1	2	-	MERTHYR TYDFIL.
SWANSEA	98,308	14·9	14·3	16·4	20·2	9·0	62	38	20	5	-	1	-	-	1	-	15	2	2	3	-	SWANSEA.
GREATER LONDON	7,429,740	9·4	9·3	10·5	10·0	1·3	3365	1420	313	387	-	25	11	14	20	5	114	70	155	550	1	GREATER LONDON.
OUTER RING ..	2,595,802	7·8	7·9	9·1	7·9	1·3	1196	393	90	106	-	8	4	8	7	1	38	17	44	73	-	OUTER RING.
8 TOWNS IN OUTER RING.	1,284,152	6·9	6·7	7·9	7·2	1·3	553	178	44	43	-	4	3	-	4	1	20	7	21	38	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,311,650	8·6	9·1	10·2	8·5	1·4	643	215	46	63	-	4	1	8	3	-	18	10	23	35	-	REMAINDER OF OUTER RING.
EDINBURGH	355,366	13·6	12·5	11·3	11·6	1·5	121	79	11	26	-	1	2	-	3	1	3	2	?	38	-	EDINBURGH.
GLASGOW	872,021	10·5	11·9	12·9	11·6	1·8	427	194‡	46	33	-	4	-	7	3	-	16	10	?	71	7	GLASGOW.
DUBLIN (Registration Area).†	398,356	17·4	15·2	13·5	19·8	3·0	205	151‡	44	39	-	-	1	1	1	-	20	3	5	61	3	DUBLIN (Registration Area).†
BELFAST†	386,576	13·1	14·6	14·2	15·6	2·8	245	116	37	20	-	-	-	-	4	-	17	3	6	31	-	BELFAST†

* See note † on first page of this return.

† Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the THIRTY-THIRD Week of each of the Eleven Years, 1899–1909.

	1899	1900	1901	1902	1903	1904	1905	1906	1907	1908	Corrected Weekly Average in 5 Years 1904–1908.*	1909
TOTAL **Births** -	2671	2621	2659	2821	2748	2525	2549	2550	2507	2434	2572·7	2169
Males - - -	1412	1301	1339	1340	1331	1315	1314	1308	1223	1235	1309·4	1130
Females - -	1259	1320	1320	1481	1417	1210	1235	1242	1284	1199	1263·3	1039
TOTAL **Deaths** -	2208	1706	1705	1385	1272	1923	1523	1581	1093	1215	1502·5	1027
Males - - -	1167	894	882	773	661	1027	835	814	550	642	792·0	572
Females - -	1041	812	823	612	611	896	688	770	543	573	710·5	455

* The numbers in this column are the average weekly numbers in the Thirty-Third week of the five years 1904–1908, raised by 2·375 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	May 29.	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	13 Weeks.
TOTAL **Births** -	2131	1918	2421	2467	2068	2331	2236	2292	2206	2289	2054	2316	2169	28898
TOTAL **Deaths** -	1240	1072	1135	1060	1125	1029	1109	979	926	957	933	1047	1027	13639
Ages at Death: Under 1 year -	200	185	232	179	189	183	188	177	174	177	204	213	223	2524
1—5 years -	141	129	122	128	115	106	138	102	88	85	83	111	105	1453
5—20 " -	76	54	65	72	68	50	48	55	61	66	55	61	60	791
20—40 " -	161	143	138	137	130	125	144	115	114	127	122	137	138	1731
40—60 " -	257	225	246	219	266	226	240	233	201	200	197	205	220	2935
60 yrs. & upwds.	405	336	332	325	357	339	351	297	288	302	272	320	281	4205
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	63	47	62	48	51	33	40	33	24	9	19	22	17	468
Scarlet Fever - -	6	8	10	10	7	3	9	6	8	4	4	9	7	91
Diphtheria - -	17	7	7	6	7	7	7	4	6	19	3	10	6	106
Whooping-cough -	35	35	21	18	17	20	19	15	17	17	26	12	13	265
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	3	3	2	2	3	1	1	2	-	3	2	2	4	28
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery	16	17	16	5	17	10	14	13	22	26	27	39	76	298
All above diseases -	140	117	118	89	102	74	90	73	77	78	81	94	123	1256
Dis. of Resp. System	82	65	54	68	64	58	60	38	43	38	53	53	53	729
Pneumonia - -	143	107	98	67	91	100	94	68	89	68	67	72	69	1133
Phthisis - - -	113	107	96	97	122	93	111	97	78	90	98	105	102	1309
Dis. of Circ. System -	163	138	171	161	157	158	164	144	128	132	134	155	130	1940
Violence - - -	44	46	41	48	41	45	57	65	57	42	38	56	53	613
Inquest Cases - -	111	105	109	103	109	121	114	119	82	98	85	105	111	1372
Deaths in Institutions	578	449	489	482	510	444	503	436	484	431	403	486	477	6175
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - -	57·5	54·2	50·2	56·3	55·8	55·9	58·5	60·0	61·9	59·9	60·8	66·9	65·3	58·6
Mean of Highest -	68·6	61·3	58·7	67·3	65·4	66·8	65·5	69·3	72·7	69·4	72·7	80·8	73·6	68·9
Mean of Lowest -	48·4	47·4	42·7	47·8	50·7	47·5	51·1	53·8	54·0	53·4	50·9	54·1	55·7	50·6
Mean Humidity of the Air.	72	81	84	79	81	80	77	82	71	79	76	70	79	78
Rain-fall (in inches) -	0·95	0·94	0·79	0·05	1·45	0·44	0·99	0·71	0·15	1·31	0·16	0·00	0·82	0·53
Registered Sunshine (in hours).	55·9	31·2	25·4	37·4	30·1	37·0	31·2	25·2	63·0	34·4	54·4	81·5	40·2	42·0
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - -	2254	2223	2263	2415	2517	2587	2647	2737	2731	2667	2564	2518	2411	2505
Diphtheria - - -	925	905	876	897	915	896	901	893	905	901	901	855	831	892
Typhus - - -	1	1	1	1	1	2	1	2	2	2	2	1	-	1
Enteric Fever - -	50	43	46	56	59	58	58	57	59	60	62	59	53	55

* The Metropolitan Asylums Board and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **3.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lander, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq., F.R.Met.Soc., Hull; the Meteorological Committee, Tynemouth; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the THIRTY-THIRD Week of the Year 1909.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 33rd week of the 5 years 1904–1908.	1909—Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1502·5	1027	223	105	60	138	220	281
Small-pox*	–	–	–	–	–	–	–	–
Cowpox	–	–	–	–	–	–	–	–
Measles (Morbilli)	33·2	17	2	15	–	–	–	–
Scarlet Fever	8·0	7	–	5	2	–	–	–
Typhus	–	–	–	–	–	–	–	–
Plague	–	–	–	–	–	–	–	–
Influenza	3·3	1	–	–	–	1	–	–
Whooping-cough	19·5	13	9	4	–	–	–	–
Diphtheria	11·3	6	2	2	2	–	–	–
Cerebro-spinal Fever ..	0·6	–	–	–	–	–	–	–
Pyrexia† (origin uncertain)	–	–	–	–	–	–	–	–
Enteric Fever	3·7	4	–	–	1	1	2	–
Asiatic Cholera	–	–	–	–	–	–	–	–
Epidemic Diarrhœa, Infective Enteritis	233·0	43	32	7	1	3	–	–
Diarrhœa, Dysentery ..	122·4	33	25	6	1	1	–	–
Tetanus	0·4	1	–	–	–	1	–	–
Rabies, Hydrophobia ..	–	–	–	–	–	–	–	–
Glanders	0·4	–	–	–	–	–	–	–
Anthrax (Splenic Fever)..	–	–	–	–	–	–	–	–
Venereal Dis.	9·4	6	3	–	–	1	2	–
Puerperal Septicæmia ..	1·6	3	–	–	–	3	–	–
Puerperal Pyæmia.. .	0·2	1	–	–	–	1	–	–
Puerperal Fever	0·2	1	–	–	–	–	1	–
Infective Endocarditis ..	2·0	2	–	–	1	–	1	–
Pneumonia: Lobar ..	9·8	11	1	1	–	5	4	–
Pneumonia: Broncho ..	29·9	32	9	10	2	2	5	4
Pneumonia: Epidemic ..	–	–	–	–	–	–	–	–
Pneumonia: Not defined	36·2	26	1	2	2	3	8	10
Erysipelas	3·7	3	1	–	–	–	1	1
Septicæmia (not Puerperal) ..	0·6	1	–	–	1	–	–	–
Pyæmia (not Puerperal)	0·6	1	–	–	–	1	–	–
Other Infective Processes	4·3	6	–	–	–	1	3	2
Tuberculous Phthisis ..	68·4	74	1	4	8	23	31	7
"*Phthisis*"	44·2	28	–	–	2	15	8	3
Tuberculous Meningitis ..	22·3	16	4	9	2	1	–	–
Tuberculous Peritonitis ..	13·1	4	–	3	–	–	1	–
Tabes Mesenterica	4·1	1	1	–	–	–	–	–
Tuberculous Dis., Other ..	17·2	6	1	1	2	2	–	–
Scrofula..	0·2	–	–	–	–	–	–	–
Alcoholism	10·9	5	–	–	–	1	3	1
Rheumatic Fever	3·3	5	–	–	3	1	1	–
Gout	0·6	3	–	–	–	–	–	3
Carcinoma	57·1	60	–	–	–	3	24	33
Sarcoma	6·1	7	–	2	1	1	2	1
Cancer (undefined) ..	28·5	33	–	–	–	3	9	21
Diabetes Mellitus	5·9	6	–	–	1	–	4	1
Premature Birth	48·7	27	27	–	–	–	–	–

CAUSES OF DEATH.	Corrected Average for the 33rd week of the 5 years 1904–1908.	1909—Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)..	16·8	9	6	1	1	1	–	–
Gen. Par. of Insane, Insanity	11·9	18	–	–	–	6	4	8
Epilepsy	6·8	7	1	–	1	4	1	–
Convulsions	17·0	10	8	2	–	–	–	–
Locomotor Ataxy.. ..	1·4	1	–	–	–	–	–	1
Paraplegia, Dis of Cord.	5·5	6	–	–	1	1	1	3
Nervous Sys., Other Dis.	16·4	13	–	–	1	1	7	4
Valv. Dis., Endocarditis..	38·5	31	–	–	1	5	14	11
Cereb. Hæm. Cereb. Emb.	28·1	24	–	–	–	3	4	17
Apoplexy, Hemiplegia ..	10·4	10	–	–	–	–	2	8
Aneurysm	3·7	3	–	–	–	–	2	1
Embolism, Thrombosis (not Cerebral) ..	0·8	–	–	–	–	–	–	–
Heart & Blood Ves., Other Dis... ..	57·9	62	–	1	1	5	18	37
Croup (not Spasm: nor Memb.)	0·4	–	–	–	–	–	–	–
Bronchitis	34·2	37	9	3	–	–	4	21
Emphysema, Asthma ..	1·8	3	–	–	–	1	–	2
Pleurisy	2·9	6	1	2	–	1	1	1
Respiratory Dis., Other..	7·4	7	1	2	–	1	3	–
Tonsillitis, Quinsy.. ..	0·6	1	–	1	–	–	–	–
Enteritis (not Epid.) ..	28·9	16	9	4	–	1	2	–
Gastro-enteritis	33·8	13	7	4	–	–	1	1
Peritonitis (not Puerp.) ..	1·6	1	–	1	–	–	–	–
Cirrhosis of Liver.. ..	13·9	13	–	–	–	1	7	5
Liver Dis., Other	5·9	8	–	–	–	3	2	3
Digestive Sys., Other Dis.	42·2	21	1	1	–	4	9	3
Acute Nephritis	6·3	5	–	–	–	1	3	1
Bright's Dis., Albuminuria	32·6	20	–	–	1	2	6	11
Urinary Sys., Other Dis.	8·6	2	–	–	–	–	1	1
Generative Organs Dis...	4·3	3	–	–	1	–	–	2
Childbirth (Accid. of) ..	3·3	5	–	–	–	4	1	–
Old Age	37·9	43	–	–	–	–	–	43
Other Diseases	102·1	83	57	4	5	7	7	3
ACCIDENT.								
By Railways	1·0	1	–	–	–	1	–	–
By Vehicles and Horses..	7·0	5	–	2	1	–	–	2
In Ships, Boats, Docks, (exclusive of Drowning)	0·4	–	–	–	–	–	–	–
In Building Operations..	1·0	1	–	–	–	–	1	–
In Conflagrations	–	–	–	–	–	–	–	–
By Burns, Scalds, Explosions	4·1	3	–	2	–	1	–	–
By Drowning	5·9	13	–	1	7	5	–	–
By Suffocation in Bed ..	4·5	2	2	–	–	–	–	–
By Poisons or Poisonous Vapours	2·0	3	–	1	–	–	2	–
Other Deaths by Accident..	16·2	15	2	2	3	3	2	3
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	0·8	–	–	–	–	–	–	–
Suicide	10·4	9	–	–	1	1	5	2
Execution	0·4	1	–	–	–	1	–	–

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 21st August, 1909.

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexiat* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified causes of Death.
LONDON	4,536,267	2169	1027	223	281	-	17	7	6	13	-	4	-	76	53	111	477	1
WEST DISTRICTS	805,311	330	180	33	46	-	6	2	3	2	-	2	-	12	12	20	72	-
NORTH DISTRICTS	1,055,908	449	195	36	65	-	3	1	2	2	-	-	-	10	11	19	82	-
CENTRAL DISTRICTS	209,465	94	56	13	10	-	-	-	-	-	-	-	-	2	5	9	42	-
EAST DISTRICTS	715,739	407	206	57	43	-	2	-	-	1	-	1	-	26	13	35	117	-
SOUTH DISTRICTS	1,749,844	889	353	84	106	-	6	4	1	7	-	1	-	26	12	28	127	1
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	37	-	11	-	-	-	-	1	-	-	-	-	-	-	37	-
WEST DISTRICTS.																		
North Paddington *H*	63,603	24	6	1	3	-	-	-	-	-	-	-	-	1	-	-	-	-
Central Paddington *W,3H*	50,053	18	23	4	5	-	-	-	-	-	-	-	-	2	4	5	13	-
South Paddington	30,320	5	7	1	4	-	-	-	-	-	-	-	-	-	1	1	-	-
Kensington Town *2W,w,2H* ..	128,037	57	30	4	10	-	1	-	-	-	-	1	-	2	-	1	17	-
Brompton *2H*	48,591	6	5	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
North Hammersmith *2W,w,H* ..	49,192	32	13	4	3	-	-	-	-	1	-	-	-	-	-	2	3	-
South Hammersmith *w,2H* ..	63,047	32	7	1	4	-	-	-	-	1	-	-	-	-	1	1	1	-
North-west Fulham *W*	45,180	36	17	5	2	-	-	-	-	-	-	-	-	5	2	4	8	-
North-east Fulham *F*	46,405	22	12	3	-	-	3	2	3	-	-	-	-	-	1	1	5	-
South Fulham *W*	45,704	21	7	1	1	-	1	-	-	-	-	-	-	1	-	-	-	-
Chelsea North *W,w,3H*	42,514	13	12	1	5	-	1	-	-	-	-	-	-	-	1	1	6	-
Chelsea South *W,2H*	31,328	10	6	-	1	-	-	-	-	-	-	-	-	-	1	2	2	-
Mayfair and Knightsbridge	28,743	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave *W,2H*	55,815	22	15	4	3	-	-	-	-	-	-	1	-	1	-	1	6	-
St. Margaret & St. John *6H*	43,698	22	18	4	4	-	-	-	-	-	-	-	-	-	1	1	9	-
St. James and St. Anne *W,6H* ..	33,081	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																		
All Souls Marylebone *7H*	35,391	10	14	1	3	-	-	-	-	-	-	-	-	-	-	-	10	-
St. Mary Marylebone *W,4H* ..	37,948	21	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Christchurch Marylebone	39,536	23	6	3	1	-	-	-	-	-	-	-	-	2	1	1	-	-
St. John Marylebone *2H*	20,426	1	4	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Hampstead *W,F,6H*	81,942	29	15	1	8	-	-	1	-	-	-	-	-	-	1	2	8	-
West St. Pancras *2H*	60,562	31	5	-	2	-	-	-	-	-	-	-	-	1	1	1	2	-
South St. Pancras *w,10H*	55,707	13	11	2	4	-	-	-	-	-	-	-	-	1	1	3	8	-
East St. Pancras *W,H*	60,320	30	12	2	5	-	1	-	-	-	-	-	-	-	1	1	6	-
North St. Pancras *2W*	58,728	33	11	2	-	-	-	-	-	-	-	-	-	-	-	1	3	-
Tufnell *W*	31,995	9	19	2	11	-	1	-	-	-	-	-	-	-	-	-	12	-
Upper Holloway *2W,w,H*	33,978	11	14	1	5	-	-	-	-	-	-	-	-	-	-	-	11	-
Tollington *W,w,H*	33,922	18	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lower Holloway	41,424	17	11	1	4	-	1	-	-	1	-	-	-	-	1	1	-	-
Barnsbury	54,478	22	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Islington South-east *F*	75,397	41	10	2	3	-	-	-	-	-	-	-	-	1	2	3	-	-
Highbury *2H*	63,797	23	3	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Stoke Newington *H*	51,247	24	12	4	5	-	-	-	-	-	-	-	-	-	-	2	-	-
North Hackney	50,398	16	5	-	2	-	-	-	-	-	-	-	-	-	2	2	-	-
Central Hackney *w,F*	50,536	22	7	3	1	-	-	-	2	-	-	-	-	1	-	1	2	-
South-west Hackney *3H*	59,921	34	8	3	2	-	-	-	-	1	-	-	-	-	-	-	4	-
South-east Hackney *2W,H*	58,255	21	24	3	7	-	-	-	-	-	-	-	-	2	1	1	15	-
Hackney Union Workhouse, Brentwood	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 21st August, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
St. Giles and Bloomsbury 2*W*,2*H* ..	31,436	16	5	–	2	–	–	–	–	–	–	–	–	–	–	–	1	–
Strand *W*,4*H*	21,674	4	8	2	1	–	–	–	–	–	–	–	–	–	–	–	6	–
Strand Union Workhouse, Edmonton	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Holborn *W*,5*H*	29,612	7	17	5	–	–	–	–	–	–	–	–	–	–	2	3	16	–
Clerkenwell *H*	63,704	25	3	2	1	–	–	–	–	–	–	–	–	1	–	–	–	–
St. Luke 3*H*,*L*	36,116	35	3	2	1	–	–	–	–	–	–	–	–	1	–	–	2	–
Holborn Union Workhouse, Mitcham	–	–	4	–	4	–	–	–	–	–	–	–	–	–	–	–	4	–
St. Botolph *H*	10,299	3	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
St. Sepulchre and Allhallows *W*,2*H*	16,624	4	12	2	–	–	–	–	–	–	–	–	–	–	3	4	10	–
City of London Asylum, Stone	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–
EAST DISTRICTS.																		
Shoreditch South 3*H*	46,362	25	5	3	1	–	–	–	–	–	–	–	–	2	1	2	1	–
Shoreditch North-West *W*,*w*,*H* ..	36,127	30	32	7	8	–	–	–	–	–	–	–	–	2	–	8	22	–
Shoreditch North-East	36,148	24	9	3	1	–	1	–	–	–	–	–	–	2	–	1	–	–
Shoreditch Union Workhouse, Wood Green	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	24	30	6	8	–	–	–	–	–	–	–	–	5	2	4	24	–
Bethnal Green South-West *H* ..	64,542	31	2	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–
Spitalfields..	27,969	18	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mile End New Town *W*,*H*	28,718	14	35	5	3	–	–	–	–	–	–	–	–	3	1	2	35	–
Goodman's Fields	22,081	4	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
St. George and St. John 2*W* ..	49,068	36	11	5	3	–	–	–	–	–	–	–	–	4	1	4	5	–
Shadwell and Ratcliff *w*,*H* ..	25,568	15	11	4	2	–	–	–	–	–	–	–	–	1	2	2	7	–
Limehouse *W*	32,369	18	3	2	1	–	–	–	–	–	–	–	–	2	–	–	–	–
Mile End Old Town South-Western *H*	63,698	58	4	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Mile End Old Town North-Eastern *W*,*w*	49,129	23	8	2	2	–	–	–	–	–	–	–	–	–	–	–	4	–
Bow	41,989	25	4	1	1	–	–	–	–	–	–	–	–	1	–	1	–	–
Bromley 3*w*,*H*	68,319	36	29	8	6	–	1	–	–	1	–	1	–	–	3	5	19	–
Poplar *W*,*w*	58,514	26	19	5	5	–	–	–	–	–	–	–	–	2	3	6	–	–
Workhouse, Forest Gate (Parish of Poplar Borough).	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 21st August, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch and St. Saviour Southwark *W,2H*	23,319	8	10	3	-	-	-	-	-	-	-	-	-	-	3	3	8	-
Kent-road	21,904	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George the Martyr West *W,2H,L*	39,094	21	8	8	-	-	-	-	-	1	-	-	-	3	-	-	4	-
Newington North	49,022	34	10	3	2	-	-	-	-	-	-	-	-	2	-	1	-	-
Newington South *W*	72,841	41	8	4	2	-	-	-	-	1	-	-	-	1	-	-	-	-
St. Olave *2W*	9,817	2	1	-	-	-		-	-	-	-	-	-	-	-	-	-	-
Bermondsey *W*	82,483	56	10	3	2	-	-	-	-	1	-	-	-	1	-	-	-	-
Rotherhithe *W,F*	38,460	28	13	7	4	-		-	-	1	-	-	-	2	-	2	3	-
Waterloo *2H*	27,440	34	3	1	-	-	1	-	-	-	-	-	-	-	-	1	1	-
Lambeth Church *H*	27,440	12	17	2	2	-	-	-	-	-	-	-	-	2	1	3	12	-
Kennington *2W*	52,518	43	23	6	6	-	1	-	-	-	-	-	-	2	-	-	15	-
Stockwell *HF*	63,826	39	19	5	7	-	-	1	1	-	-	-	-	2	-	-	3	1
Brixton *H*	73,673	19	12	4	2	-	-	-	-	-	-	-	-	1	-	-	2	-
Norwood *2WH*	56,998	18	6	-	5	-	-	-	-	-	-	-	-	-	1	1	-	-
East Battersea *H*	72,203	36	11	4	4	-	-	-	-	-	-	-	-	3	1	2	-	-
North-west Battersea	49,656	19	7	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-
South-west Battersea *2W,H* ..	47,048	18	15	-	7	-	-	-	-	-	-	-	-	1	-	1	11	-
Clapham *2H*	51,361	21	4	1	2	-	-	-	-	-	-	-	-	1	-	-	-	-
Streatham *W,2w,2F,2L*	88,019	41	25	1	12	-	-	1	-	-	-	1	-	1	-	1	12	-
Springfield *2W,L*	27,959	17	5	2	1	-	-	-	-	1	-	-	-	-	1	1	-	-
Southfields *H*	40,444	17	6	2	3	-	-	-	-	-	-	-	-	-		-	-	-
Putney	24,139	8	8	2	1	-	3	-	-	-	-	-	-	-	1	1	-	-
Dulwich	13,359	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	16	13	1	4	-	-	-	-	-	-	-	-	-	-	-	12	-
Camberwell North *W,2L*	65,584	23	15	-	3	-	-	-	-	-	-	-	-	-	1	1	12	-
St. George	47,331	32	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peckham North	48,913	18	8	1	5	-	-	-	-	-	-	-	-	1	1	1	-	-
Peckham South *2W,w*	43,946	22	5	4	-	-	-	-	-	1	-	-	-	-	-	1	-	-
Deptford North	37,613	26	5	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Deptford Central *F*	45,481	25	6	3	1	-	-	1	-	-	-	-	-	-	-	-	2	-
Deptford South	34,625	16	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *H*	23,456	20	2	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-
Greenwich East *2W,H*	43,859	24	20	5	7	-	-	-	-	-	-	-	-	1	-	1	10	-
Eltham *w,H*	7,226	4	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Lee *w,H*	25,490	6	2	1	1	-		-	-	-	-	-	-	-	-	-	-	-
Lewisham *2W,w,F*	58,352	35	19	3	8	-	-	-	-	1	-	-	-	1	1	1	10	-
Sydenham *H*	43,653	27	7	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Charlton *F,2H*	21,134	7	3	-	1	-	-	1	-	-	-	-	-	-	-	1	1	-
Woolwich *5H*	41,625	15	5	-	2	-	-	-	-	-	-	-	-	-	1	1	1	-
Plumstead West *W,H*	39,376	12	4	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Plumstead East *2W*	28,951	16	9	-	4	-	-	-	-	-	-	-	-	-	-	-	7	-
Workhouses:—																		
Belmont Workhouse	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asylum .. (Westminster, St. Giles, and Strand Unions.)	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
M. A. B. Small-pox Hospitals:—																		
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																		
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																		
Children's Infirmary, Carshalton..	—	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-
M. A. B. Imbecile Asylums:—																		
Caterham	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Darenth	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden	—	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	5	-
London County Lunatic Asylums:—																		
Banstead	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-
Manor	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Grove	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
Cane Hill	—	-	5	-	2	-	-	-	-	-	-	-	-	-	-	-	5	-
Dartford Heath	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
Hanwell	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
Colney Hatch	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Claybury	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERATED POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday 21st August, 1909.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING ..	368,603	4,045,135	1,196	393	90	106	-	8	4	8	7	1	38	17	44	73	-
30 : 1	Carshalton 2F,3H	12,228	32,997	21	1	-	-	-	-	-	-	-	-	-	1	1	-	-
2	Epsom, part of* W,w,2F,H..	10,423	15,548	10	9	-	3	-	-	-	-	-	-	1	-	-	3	-
37 : 1	Godstone, part of* W,F,L ..	2,751	2,692	3	2	-	1	-	-	-	-	-	-	-	-	-	2	-
38 : 1	Coulsdon	11,069	8,166	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w,H ..	4,200	49,309	19	8	1	3	-	-	-	-	-	-	-	-	-	-	-
3	West Croydon 3W,F,H ..	2,168	42,888	31	9	1	2	-	-	-	-	-	-	-	-	1	4	-
4	North Croydon H	2,614	41,698	29	4	-	2	-	-	1	-	-	-	-	-	-	1	-
5	Penge w	770	22,465	12	7	1	2	-	-	-	-	-	-	-	-	-	-	-
6	Mitcham w	11,711	30,015	26	9	2	2	-	-	-	1	1	-	-	-	1	-	-
39 : 1	Wimbledon F,3H	3,221	41,652	19	7	4	1	-	-	-	-	-	-	1	-	1	-	-
2	Kingston 2W,H	6,224	42,068	25	7	2	4	-	-	-	-	-	-	-	-	1	1	-
3	Surbiton F,H	3,046	15,017	10	3	-	1	-	-	-	1	-	-	-	-	-	2	-
4	Esher, part of* H	5,402	13,100	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	Hampton H,F,L	4,564	23,456	13	4	-	2	-	-	-	-	-	-	-	1	1	-	-
40 : 1	Richmond W,H	2,491	31,672	16	8	1	5	-	-	-	-	-	-	-	1	1	3	-
2	Mortlake F	2,518	17,821	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41 : 1	Bromley F,3H	4,703	27,354	21	4	1	1	-	-	-	-	-	-	-	-	-	1	-
2	Beckenham H	7,825	28,497	11	2	1	-	-	-	-	-	-	-	-	-	-	-	-
3	Orpington, part of* W,F ..	10,113	9,857	6	3	-	2	-	-	-	-	-	-	-	-	-	1	-
4	Chislehurst 2H	7,333	16,446	4	2	-	2	-	-	-	-	-	-	-	-	-	-	-
42 : 1	Bexley w,F,H	8,678	21,151	7	2	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Erith F,H	3,854	25,296	16	4	1	1	-	1	-	-	-	-	-	-	-	-	-
3	Dartford W,F, part of* ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124 : 1	Sunbury w	11,054	18,683	8	3	1	-	-	-	-	-	-	-	-	-	2	-	-
2	Staines W,H	13,277	15,178	7	3	1	2	-	-	-	-	-	-	1	1	1	1	-
125 : 1	Hillingdon W,F,H	6,035	13,661	6	6	1	2	-	-	-	-	-	-	-	1	1	2	-
2	Uxbridge H	12,757	8,984	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w 2F,H	8,066	16,358	14	4	1	1	-	-	-	-	-	-	-	2	2	-	-
126 : 1	Isleworth 3W,3F,H	6,859	30,863	14	11	2	3	-	-	-	-	-	-	1	-	1	6	-
2	Twickenham F,2H	2,421	26,991	13	1	1	-	-	-	-	-	-	-	1	-	-	-	-
3	Brentford 3F,2H	4,313	48,289	37	9	2	5	-	-	-	-	-	-	-	-	-	-	-
4	Chiswick H	1,249	29,809	15	6	-	1	-	-	-	-	-	-	-	-	-	-	-
5	Acton w,F,3H	6,133	48,914	42	10	3	2	-	1	-	1	-	-	1	1	1	2	-
127 : 1	Harrow F,H	13,809	25,523	22	4	1	1	-	-	-	-	-	-	-	-	-	-	-
2	Edgware 2F,2H	6,994	4,521	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden W,F,2H	4,384	114,811	70	22	8	7	-	-	1	-	-	-	2	-	1	6	-
4	Hendon W,F	8,382	22,450	10	2	-	2	-	-	-	-	-	-	-	-	-	-	-
128 : 1	South Mimms 2F,H ..	17,755	7,308	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,970	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Finchley F,3H	4,686	33,692	28	4	2	-	-	-	-	-	-	-	2	-	1	-	-
129 : 1	Hornsey F,H	2,875	72,056	27	8	1	2	-	-	-	1	-	-	-	-	-	1	-
2	Wood Green H	1,625	34,233	16	3	-	1	-	-	-	-	-	-	-	-	1	-	-
3	West Tottenham	995	48,741	23	5	3	1	-	-	-	-	-	-	2	-	1	-	-
4	East Tottenham 2H ..	2,019	53,962	39	14	2	2	-	-	-	-	-	-	-	1	2	5	-
5	Edmonton W,w,2F	7,491	61,892	45	13	6	4	-	-	-	-	-	-	2	-	2	3	-
6	Enfield 2W,F,H	12,601	42,738	26	16	6	3	-	-	-	-	1	-	4	1	1	1	-
7	Waltham Abbey F	11,017	6,549	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	4	2	1	1	-	-	-	-	-	-	1	-	-	-	-
135 : 1	Hatfield, part of* W ..	3,305	664	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey, part of*† H ..	9,195	7,051	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford, part of*† W,2F ..	138	2,122	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
186 : 1	Stratford H	1,091	52,974	26	12	5	3	-	1	-	-	1	-	4	-	1	-	-
2	Forest Gate	787	52,745	7	6	-	1	-	-	-	-	-	-	1	-	1	-	-
3	Plaistow F,2H	1,249	90,921	64	13	3	4	-	-	-	-	1	-	4	-	2	1	-
4	Canning Town H	1,556	70,718	50	18	9	-	-	1	-	-	-	-	4	3	5	-	-
5	South East Ham 2F ..	1,991	37,342	24	9	4	3	-	-	1	-	1	-	1	-	-	1	-
6	North East Ham w,H ..	1,333	58,666	33	5	2	-	-	-	-	-	-	-	1	-	1	-	-
7	Wanstead F	1,679	9,170	3	3	-	1	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	28	8	1	2	-	1	-	-	-	-	1	-	-	3	-
9	North Leyton 2W,w,F ..	1,963	48,445	24	24	2	6	-	-	-	-	1	-	-	1	2	15	-
10	Walthamstow 2H,L ..	6,504	108,929	70	17	2	4	-	1	-	1	-	1	-	2	5	1	-
187 : 1	Chigwell 2F,3H	11,778	16,397	10	4	1	-	-	-	1	-	-	-	-	1	1	-	-
2	Epping W,F, part of* ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189 : 1	Romford, part of* W,2F ..	6,556	6,091	4	5	-	1	-	-	-	1	-	-	-	-	1	2	-
2	Ilford F,L	8,496	41,244	21	12	3	3	-	1	-	-	1	-	-	-	-	-	-
3	Barking Town F	3,805	21,547	20	9	1	1	-	-	-	1	-	-	3	-	1	1	-
	Western Hosp., Fulham ..	—	—	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-
	Surrey County Lunatic Asylum, Brookwood.	—	—	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-
	Middlesex County Lunatic Asylum, Napsbury.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30 : 2, excepting Ashtead parish; 37 : 1, Warlingham and Farley parishes; 39 : 4, excepting Esher parish; 41 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135 : 1, Northaw parish; 137 : 1, excepting the part in Watford Rural parish; 137 : 2, Oxhey parish; 189 : 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42 : 3, 137 : 2 and 187 : 2 and in the Croydon Mental Hospital in 37 : 1 are also included. † Boundaries altered, 1 July, 1909

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Small-pox	Measles.	Scarlet Fever	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON - -	4,833,938	August 21	2169	1027	11·1	-	17	7	6	13	4	76
CALCUTTA - -	1,014,438	July 24	-	399	21·0	-	1	-	-	-	87†	46‡
BOMBAY - -	982,000	" 27	385	569	30·2	5	-	-	-	-	66†	87‡
MADRAS - -	548,974	" 23	316	388	39·6	1	1	?	?	?	127	55
PARIS - - -	2,760,000	August 14	956	782	14·9	-	13	5	6	5	4	65
BRUSSELS - -	704,975	14	220	162	12·2	-	2	1	-	-	-	19
ANTWERP - -	314,135	" 14	116	76	12·6	-	5	-	-	1	-	14
AMSTERDAM -	565,553	" 7	272	102	9·4	-	1	-	1	1	1	6
COPENHAGEN -	448,000	" 14	237	110	12·8	-	1	-	-	2	1	3
STOCKHOLM -	339,582	" 7	129	67	10·3	-	-	-	1	1	-	4
CHRISTIANIA -	235,674	" 14	117	57	12·6	-	2	1	1	-	-	2
ST. PETERSBURG	1,573,000	" 7	665	703	23·3	4	22	8	11	9	10	186‡
MOSCOW - -	1,452,100	" 7	-	952	34·2	4	20	11	6	4	8	414
BERLIN - -	2,100,046	July 24	829	534	13·3	-	15	13	9	11	4	50
HAMBURG - -	872,252	August 14	-	228	13·6	-	-	3	6	1	1	25
BRESLAU - -	502,676	" 7	-	180	18·7	-	1	-	1	4	-	47
MUNICH - -	566,000	" 14	-	-	-	-	-	-	-	-	-	-
VIENNA - -	2,064,037	" 14	809	582	14·7	-	3	4	1	3	2	86
PRAGUE - -	485,057	" 14	166	174	18·7	-	1	2	-	-	-	10
BUDAPEST - -	823,215	" 7	408	267	17·1	-	5	2	1	1	1	66
TRIESTE - -	217,706	" 14	123	123	29·4	-	1	1	-	-	2	23
ROME - - -	565,323	May 8	202	148	13·7	-	7	-	1	2	1	2
VENICE - -	179,286	July 17	-	-	-	-	-	-	-	-	-	-
BUCAREST - -	296,585	" 24	190	157	27·6	-	1	1	-	-	2	42
NEW YORK -	4,564,792	" 31	2340	1484	17·0	-	20	11	20	16	10	355
CHICAGO - -	2,224,490	" 31	-	570	13·4	-	5	5	6	8	4	145
PHILADELPHIA -	1,565,569	" 10	-	499	16·6	-	4	-	4	8	5	121
RIO DE JANEIRO	637,089	" 18	-	263	21·5	4	-	-	-	1	-	?
CAIRO:—												
Egyptians -	666,587	" 8	576	805	62·5	1	45	-	15	-	29	283
Foreigners -	35,219	" 8	5	23	34·0	-	1	-	-	-	-	3
ALEXANDRIA:—												
Egyptians -	341,965	" 8	241	293	44·2	-	9	1	2	-	5	117
Foreigners -	46,118	" 8	3	15	16·9	-	-	-	-	-	1	9

* Excluding deaths from croup in the Indian Cities.
† Including 17 deaths from plague in Calcutta and 15 in Bombay.
‡ Including 17 deaths from cholera in Calcutta, 25 in Bombay, and 85 in St. Petersburg.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday 21st August, 1909.

Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	85·7	50·7	64·6	0·82	BRADFORD - -	78·8	46·0	59·4	1·41
BRIGHTON - -	72·0	54·4	62·8	1·30	YORK - - -	81·3	48·0	61·4	1·52
PORTSMOUTH - -	78·2	54·5	64·1	1·46	HULL - - -	83·0	49·0	62·4	2·27
NORWICH - -	82·8	52·0	63·8	0·77	TYNEMOUTH - -	78·0	47·0	58·6	1·69
PLYMOUTH -	78·2	56·9	63·8	0·95	CARDIFF - - -	79·1	46·0	60·3	1·98
BRISTOL - - -	82·5	47·2	62·1	1·45	EDINBURGH - -	74·6	48·7	57·4	0·37
BIRMINGHAM - -	80·8	47·3	60·5	1·41	GLASGOW - -	75·0	47·4	58·9	0·58
NOTTINGHAM - -	81·1	49·5	61·5	1·80	DUBLIN Phœnix Park.	77·8	41·4	58·8	0·79
LIVERPOOL OBSERVATORY.	75·0	51·0	60·1	1·72	DUBLIN Fitz-william Square.†	75·0	49·5	60·2	0·68
MANCHESTER -	80·8	48·8	59·9	1·99					
BURNLEY - -	77·5	50·0	59·5	1·27					
HUDDERSFIELD -	80·5	49·0	60·5	1·31	BELFAST - - -	74·5	51·5	61·2	0·27

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to the seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°·7 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 21st August, 1909.

[*Under the Superintendence of the Astronomer Royal.*]

1909. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
AUGUST.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 15	New	29·860	85·7	57·7	28·0	70·9	+ 8·5	62·3	8·6	20·6	0·8	74	143·6	47·5	62·59	ESE., SSE. & SSW.	SW., SSW. & SSE.	0·9	0·0	0·0	149	−103	0·00	11·0
MONDAY - 16	..	29·568	79·0	59·1	19·9	66·7	+ 4·4	62·2	4·5	17·2	0·0	85	108·0	47·4	62·94	Variable, calm & SW.	SSW. & SW.	2·8	0·0	0·1	218	− 30	0·03	8·0
TUESDAY - 17	..	29·545	71·7	52·6	19·1	60·7	− 1·4	53·0	7·7	15·7	0·0	76	113·9	41·0	63·03	NW., W. & SW.	S., SE. & E.	3·1	0·0	0·1	207	− 37	0·36	13·7
WEDNESDAY 18	..	29·387	70·3	56·5	13·8	62·1	+ 0·2	54·8	7·3	14·4	0·2	77	127·2	50·0	62·99	E., SE. & S.	W., WNW. & SW.	6·8	0·0	0·4	371	+132	0·10	10·5
THURSDAY - 19	Apogee. In Eqr.	29·875	74·0	56·1	17·9	63·6	+ 1·9	56·1	7·5	16·3	2·5	77	131·6	49·6	62·88	SW.	WSW., W. & SW.	4·7	0·0	0·4	430	+193	0·00	13·8
FRIDAY - 20	..	29·770	66·1	57·1	9·0	60·6	− 0·9	58·7	1·9	7·0	0·0	93	89·8	51·7	62·64	SW.	SW.	4·9	0·0	0·3	398	+162	0·27	18·0
SATURDAY - 21	..	29·491	68·2	50·7	17·5	58·4	− 2·9	48·3	10·1	19·4	0·0	69	133·3	43·0	62·40	NW. & NNW.	WSW., W. & NNW.	1·6	0·0	0·0	205	− 31	0·06	4·0
MEANS - -		29·642	73·6	55·7	17·9	63·3	+ 1·4	56·5	6·8	15·8	0·5	79	121·1	47·2	62·79	Variable		..	..	..	Sum 1978	Sum +286	Sum 0·82	11·3
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. AUGUST.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.
SUNDAY - 15	w. P. throughout.	11·0	14·6
MONDAY - 16	w. P. till noon; v. P. and v. N. till 3h. P.M.; w. P. afterwards.	0·0	14·5
TUESDAY - 17	w. P. till 5h. P.M.; w. N. and w. P. afterwards.	5·6	14·5
WEDNESDAY 18	w. P. till 9h. A.M.; w. P. and w. N. till 1h. P.M.; w. P. afterwards.	8·9	14·4
THURSDAY - 19	w. P. throughout.	8·3	14·4
FRIDAY - 20	w. P. generally.	0·0	14·3
SATURDAY - 21	w. P. generally.	6·4	14·3
		Sum 40·2	Sum 101·0
No. of Col. - -	27	28	29

GENERAL REMARKS.

Very fine and hot; the amount of cloud was usually small.

Cloudless in early morning; generally overcast after 5h. A.M. with occasional slight showers. Solar halo observed at and about 10h. 30m. A.M.

Very fine till 9h. A.M.; cloudy till 4h. P.M.; overcast with rain afterwards. Solar halo seen at 8h. 30m. A.M.; occasional distant thunder between 9h. and 10h. P.M.

Overcast with rain till 2h. A.M.; very fine generally afterwards with occasional cloudy intervals; frequent sharp showers between 9h. A.M. and noon; brisk wind between 4h. and 7h. P.M.

Fine; variably cloudy.

Very fine in early morning; generally overcast after sunrise and frequent rain after 8h. 40m. A.M.; lightning and thunder between 9h. and 10h. P.M.

Overcast with occasional small rain till 7h. A.M.; fine with variable amounts of cloud afterwards; lightning observed in north between 10h. and 11h. P.M.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·00 in. at the beginning of the week to 29·55 in. by 3h. P.M. on the 16th; increased to 29·61 in. by 7h. A.M. on the 17th; decreased to 29·27 in. by 11h. A.M. on the 18th; increased to 29·96 in. by 11h. P.M. on the 19th; decreased to 29·44 in. by 6h. P.M. on the 21st; and was 29·48 in. at midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 14th August, 1909.*

BOROUGHS.	Estimated Population in the middle of 1909.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	151,955	-	10	2	-	-	-	-	2	-	-
Kensington	183,683	-	5	5	-	-	-	-	2	-	-
Hammersmith	125,704	-	8	1	-	1	-	-	2	-	-
Fulham	176,406	-	15	3	-	3	1	-	3	1	-
Chelsea	75,249	-	3	1	-	1	-	-	1	-	-
City of Westminster ..	168,883	-	7	3	-	1	-	-	1	-	-
NORTH.											
St. Marylebone	126,027	-	8	3	-	1	-	-	2	-	-
Hampstead	94,185	-	7	1	-	-	-	-	2	1	-
St. Pancras	237,422	-	18	2	-	-	-	-	4	-	-
Islington	351,202	-	16	4	-	2	-	-	5	1	-
Stoke Newington	54,423	-	1	-	-	-	-	-	-	-	-
Hackney	237.601	-	15	3	-	1	-	-	5	-	-
CENTRAL.											
Holborn	53,802	-	3	1	-	-	-	-	-	-	-
Finsbury	95,289	-	14	6	-	-	-	-	1	-	-
City of London	18,193	-	-	-	-	-	-	-	1	-	-
EAST.											
Shoreditch	114,802	-	8	2	-	-	-	-	1	1	-
Bethnal Green	131,316	-	13	4	-	-	-	-	2	-	-
Stepney	312,525	-	25	11	-	1	-	-	15	-	-
Poplar	171,965	-	13	3	-	2	-	-	2	-	-
SOUTH.											
Southwark	211,125	-	8	6	-	-	-	-	3	-	-
Bermondsey	127,569	-	14	4	-	-	-	-	3	-	-
Lambeth	324,188	-	16	6	-	1	-	-	1	1	-
Battersea	186.036	-	8	4	-	-	-	-	2	-	-
Wandsworth	297,646	-	10	5	-	2	-	-	3	-	-
Camberwell	283,022	-	12	4	-	1	-	-	5	-	-
Deptford	118,583	-	10	-	-	1	-	-	8	-	-
Greenwich	111,014	-	7	-	-	-	-	-	3	-	-
Lewisham	160,749	-	14	1	-	-	-	-	2	-	-
Woolwich	133,374	-	19	3	-	-	-	-	6	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,833,938	-	307	89	-	18	1	-	87	5	-
Ages 0-1		-	1	1	-	-	-	-	3	-	-
" 1-5		-	108	32	-	-	-	-	9	-	-
" 5-		-	127	23	-	2	-	-	1	-	-
" 10-		-	42	14	-	3	-	-	7	-	-
" 15-		-	13	7	-	2	-	-	5	1	-
" 20-		-	9	2	-	1	-	-	6	2	-
" 25-		-	5	8	-	3	-	-	17	1	-
" 35-		-	1	1	-	5	1	-	10	1	-
" 45-		-	1	1	-	1	-	-	9	-	-
" 55-		-	-	-	-	1	-	-	10	-	-
" 65 and upwards		-	-	-	-	-	-	-	10	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

Returns of London Water Districts.

(Furnished by the Metropolitan Water Board.)

The following is an account of the number of services and the average daily amount of water supplied during the month of July, 1909, inclusive of supply to the Borough of Croydon and to the Urban Districts of Tottenham and Enfield. The supply was in the ratio of 218 gallons to one service.

Districts.	Number of Services.		Average Daily Supply of Water in Gallons.	
	July, 1908.	July, 1909.	July, 1908.	July, 1909.
Total Supply - - -	1,081,179	1,092,780	247,135,383	238,629,443
New River - - - - - - -	213,507	215,461	47,789,910	46,058,329
Eastern - - - - - - -	242,565	245,309	47,359,226	47,084,838
Western { Chelsea, Grand Junction, West Middlesex } - -	221,530	223,656	62,522,373	59,372,203
Southern { Lambeth - - - Southwark and Vauxhall }	284,884	288,502	68,114,123	64,209,907
Kent - - - - - - - -	118,693	119,852	21,349,751	21,904,166

Note.—The Return for July, 1909, as compared with that for the corresponding month of 1908, shows an increase of 11,601 services, and a decrease of 8,505,940 gallons of water supplied daily.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 34. 1909. VOL. LXX.] WEEK ENDED SATURDAY, AUG. 28. [Price 1½*d.*

General Register Office, Somerset House,
August 30th, 1909.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 12·9 per 1000 of their aggregate population, which is estimated † at 16,445,281 persons in the middle of this year. In the preceding three weeks the rates had been 10·5, 11·5, and 11·8. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 17·1 in Huddersfield, 17·3 in South Shields and in Merthyr Tydfil, 17·6 in Rotherham and in Stockton on Tees, 18·3 in Middlesbrough, 18·4 in Liverpool and in Wigan, 19·5 in Bootle and in Warrington, 20·7 in Grimsby, and 26·5 in Swansea; from *measles*, 2·0 in Stockton on Tees, 2·2 in West Bromwich, and 4·7 in Newport (Mon.); from *scarlet fever*, 1·2 in Aston Manor; from *diphtheria*, 1·5 in Hanley and 1·9 in Tynemouth; from *whooping-cough*, 1·5 in Hanley and in Middlesbrough; from "*fever*," 1·4 in Grimsby; and from *diarrhœa*, 5·0 in Grimsby, 5·3 in Liverpool and in Bootle, 5·8 in Rhondda, 5·9 in Nottingham, 7·2 in Warrington, and 9·5 in Swansea. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2386 BIRTHS and 1153 DEATHS were registered. Allowing for increase of population, the births were 103 and

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-five other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(14203—41.) Wt. 109—472. 700. 8/09. D & S. G. 31. Sch. 4. 2 L

the deaths 320 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes, which had been 10·1, 11·3, and 11·1 per 1000 in the preceding three weeks, rose last week to 12·4. The death-rate in the four weeks ended last Saturday averaged 11·2 per 1000, being 4·4 per 1000 below the mean rate in the corresponding periods of the five years 1904–8.

The 1153 deaths included 12 from measles, 6 from scarlet fever, 5 from diphtheria, 15 from whooping-cough, 1 from enteric fever, and 159 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia: thus, to these diseases in the aggregate 198 deaths were referred, being 203 below the corrected average number in the thirty-fourth week of the preceding five years.

The deaths from *measles*, which had been 19, 22, and 17 in the preceding three weeks, fell to 12 last week, being 12 below the corrected average. The deaths from *scarlet fever*, which had been 4, 9, and 7 in the preceding three weeks, were 6 last week, being 2 below the corrected average; 2 deaths belonged to the Borough of St. Marylebone. The deaths from *diphtheria*, which had been 3, 10, and 6 in the preceding three weeks, were 5 last week, being 9 below the corrected average; 2 deaths belonged to Fulham. The deaths from *whooping-cough*, which had been 26, 12, and 13 in the preceding three weeks, were 15 last week, the corrected average being 18; 3 deaths belonged to Deptford. The deaths from *enteric fever*, which had been 2, 2, and 5 in the preceding three weeks, fell to 1 last week, being 4 below the corrected average. The deaths from *diarrhœa*, which had been 27, 39, and 76 in the preceding three weeks, rose to 159 last week, being 173 below the corrected average; 16 deaths belonged to Southwark, 16 to Lambeth, 11 each to Fulham and Bethnal Green, and 9 to Stepney. Of the 159 deaths from diarrhœa, 152 were those of children under 5 years of age; 7 other deaths at this age were certified as due to *enteritis* and 28 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 5, having been 1, 6, and 1 in the preceding three weeks.

Different forms of violence caused 56 deaths, concerning all but one of which inquests were held. Of these 56 deaths, 13 were cases of suicide, while the remaining 43 were attributed to accident or negligence. Twelve of these latter were referred to vehicles in the streets, two to drowning, one to heat apoplexy, and six, of infants under one year of age, to suffocation in bed. Three deaths occurred while under anæsthetics administered for surgical purposes.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 2347 cases of scarlet fever, 798 of diphtheria, and 55 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 284 cases, against 280, 298, and 245; of diphtheria, 86 cases, against 84, 81, and 83; and of enteric fever, 14 cases, against 7, 9, and 11. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended August 21st, 1909.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 3707 births and 1596 deaths were registered. Allowing for increase of population, these numbers are 240 and 582 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 5 deaths from measles, 1 from scarlet fever, 7 from diphtheria, 4 from whooping-cough, and 32 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·75 inches, and that of the Thermometer 58°·1, the latter being 2°·7 below the week's average in the 65 years ended 1905. The general direction of the wind was Westerly, the horizontal movement of the air being 14 per cent. below the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 30·2 hours; the measured rainfall amounted to 0·70 of an inch.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 28th August, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1909.*	Death-Rates from all Causes. Week ended 7th Aug. 1909.	14th Aug., 1909.	21st Aug., 1909.	28th Aug., 1909.	Rate from Diseases in Cols. 11–17. Week ended 28th August, 1909.	Registered during the Week ended 28th Aug. 1909. Births.	Deaths.	The Deaths registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS	**16,445,281**	**10·5**	**11·5**	**11·8**	**12·9**	**2·7**	**8316**	**4073**	**1316**	**962**	**–**	**50**	**30**	**29**	**57**	**7**	**680**	**156**	**338**	**1044**	**29**	**76 TOWNS.**
LONDON	4,833,938	10·1	11·3	11·1	12·4	2·1	2386	1153	338	289	–	12	6	5	15	1	159	56	131	464	1	LONDON.
CROYDON	161,078	8·1	8·7	6·5	7·4	0·6	84	23	5	6	–	–	–	1	1	–	–	–	1	5	–	CROYDON.
WILLESDEN ..	160,424	6·5	8·1	7·2	7·5	3·3	73	23	10	4	–	–	–	–	–	–	10	–	–	4	–	WILLESDEN.
HORNSEY	95,628	6·5	6·5	4·4	3·8	0·5	35	7	1	3	–	–	–	–	–	–	1	–	–	–	–	HORNSEY.
† TOTTENHAM ..	129,464	8·1	7·7	8·1	5·6	0·8	80	14	3	3	–	–	–	1	–	–	1	–	3	8	–	TOTTENHAM.
WEST HAM ..	321,767	7·8	12·2	10·0	12·5	5·2	175	77	31	11	–	–	–	–	4	–	28	2	5	9	–	WEST HAM.
EAST HAM.. ..	149,575	3·8	6·3	5·2	5·2	0·3	71	15	6	4	–	–	–	–	–	–	1	1	2	2	–	EAST HAM.
LEYTON	129,614	6·4	2·8	6·4	10·5	2·8	57	26	8	7	–	1	–	1	–	–	5	2	4	4	–	LEYTON.
WALTHAMSTOW	136,602	5·3	4·6	5·7	7·6	1·9	62	20	5	6	–	–	–	1	3	–	1	–	1	6	–	WALTHAMSTOW.
HASTINGS	68,165	11·5	12·2	12·2	6·9	–	11	9	2	–	–	–	–	–	–	–	–	1	1	1	–	HASTINGS.
BRIGHTON	130,926	8·4	10·8	11·5	12·3	0·8	52	31	4	14	–	–	–	–	–	–	2	3	4	7	–	BRIGHTON.
PORTSMOUTH ..	214,726	9·5	11·2	8·0	12·4	1·5	122	51	13	13	–	–	–	2	1	–	3	2	4	15	–	PORTSMOUTH.
BOURNEMOUTH ..	72,368	5·8	10·8	7·9	11·5	0·7	30	16	3	7	–	–	–	–	–	–	1	–	1	2	–	BOURNEMOUTH.
SOUTHAMPTON ..	124,667	8·8	9·2	8·8	14·2	2·9	61	34	9	9	–	–	–	–	1	–	6	–	1	12	–	SOUTHAMPTON.
READING	82,995	9·4	6·3	10·7	8·2	2·5	33	13	7	4	–	–	–	–	–	–	4	–	–	4	–	READING.
NORTHAMPTON ..	97,752	6·9	10·7	11·7	7·5	0·5	36	14	1	6	–	–	–	–	–	–	1	–	1	5	–	NORTHAMPTON.
IPSWICH	74,889	11·8	7·0	6·3	9·7	0·7	32	14	2	5	–	–	1	–	–	–	–	–	–	6	–	IPSWICH.
GREAT YARMOUTH	53,430	16·6	10·7	16·6	13·7	1·0	25	14	2	3	–	–	–	–	1	–	–	3	4	4	–	GREAT YARMOUTH.
NORWICH	124,136	10·1	11·3	9·2	13·0	4·2	53	31	11	11	–	–	–	1	–	–	9	1	2	6	–	NORWICH.
PLYMOUTH	124,180	9·2	14·3	11·8	10·9	2·1	60	26	12	6	–	–	–	–	–	–	5	1	5	1	–	PLYMOUTH.
DEVONPORT	83,103	11·9	10·0	9·4	11·3	3·8	45	18	7	4	–	1	–	–	–	1	4	1	1	3	–	DEVONPORT.
BRISTOL	377,642	7·7	9·5	10·4	12·0	1·0	171	87	21	26	–	2	–	–	–	–	5	7	15	24	–	BRISTOL.
HANLEY	68,831	9·1	12·9	12·1	15·9	7·6	35	21	5	3	–	2	1	2	2	–	3	–	–	5	–	HANLEY.
BURTON-ON-TRENT	54,453	9·6	14·4	9·6	10·5	1·0	23	11	3	3	–	–	–	–	–	–	1	1	1	3	–	BURTON-ON-TRENT.
WOLVERHAMPTON..	104,633	11·0	8·5	13·0	11·0	3·0	44	22	8	6	–	3	–	–	–	–	3	–	–	4	–	WOLVERHAMPTON.
WALSALL	99,399	12·1	15·7	13·6	15·7	5·2	57	30	12	9	–	1	–	–	1	–	8	–	2	6	–	WALSALL.
HANDSWORTH ..	70,186	5·9	8·9	8·9	3·7	–	37	5	2	1	–	–	–	–	–	–	–	–	1	1	–	HANDSWORTH.
WEST BROMWICH..	70,457	14·8	19·2	14·8	10·4	3·7	35	14	4	2	–	3	–	–	–	–	2	1	1	1	1	WEST BROMWICH.

* See note † on first page of this return.

[illegible] TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 28th August, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 7th Aug. 1909.	14th Aug., 1909.	21st Aug., 1909.	28th Aug., 1909.	Rate from Diseases in Cols. 11–17. Week ended 28th August. 1909.	Registered during the Week ended 28th Aug. 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
BIRMINGHAM ..	563,629	10·5	11·4	10·8	13·9	3·0	293	150	60	31	–	–	2	1	2	–	27	3	7	36	4	BIRMINGHAM.
KINGS NORTON ..	81,632	5·7	5·7	8·9	7·0	0·6	45	11	4	4	–	–	–	–	–	–	1	2	2	–	–	KINGS NORTON.
SMETHWICK	70,377	11·1	10·4	13·3	11·9	5·2	31	16	5	1	–	–	–	–	1	1	5	–	–	2	–	SMETHWICK.
ASTON MANOR ..	85,257	8·0	9·8	14·1	15·3	4·3	26	25	6	3	–	1	2	1	–	–	3	–	–	6	–	ASTON MANOR.
COVENTRY	80,163	13·7	11·1	10·4	11·7	1·3	44	18	2	5	–	–	–	1	–	–	1	–	2	3	–	COVENTRY.
LEICESTER	244,255	8·3	12·6	11·5	12·8	4·9	92	60	27	10	–	–	–	–	–	–	23	1	2	6	1	LEICESTER.
GRIMSBY	73,036	10·7	9·3	7·9	20·7	7·1	54	29	10	5	–	–	–	–	1	2	7	1	3	5	1	GRIMSBY.
NOTTINGHAM ..	263,443	11·3	11·9	14·6	16·6	5·9	113	84	44	22	–	–	–	–	–	–	30	3	4	12	–	NOTTINGHAM.
DERBY	129,411	6·0	10·5	12·1	11·7	2·0	62	29	11	4	–	–	–	–	3	–	2	1	4	3	–	DERBY.
STOCKPORT	103,706	9·1	11·1	13·6	14·1	3·0	58	28	11	8	–	–	–	–	–	–	6	–	–	6	–	STOCKPORT.
BIRKENHEAD ..	121,123	13·8	13·8	11·6	16·4	2·6	68	38	16	9	–	–	–	–	–	–	6	–	3	8	1	BIRKENHEAD.
WALLASEY	71,004	9·5	10·3	12·5	7·3	1·5	36	10	5	1	–	–	–	–	–	–	2	–	–	1	–	WALLASEY.
LIVERPOOL	760,357	15·1	15·2	16·7	18·4	5·7	460	269	98	49	–	1	3	1	–	–	78	8	15	80	5	LIVERPOOL.
BOOTLE	69,393	15·0	12·8	17·3	19·5	6·0	31	26	8	4	–	–	1†	–	–	–	7	1	2	6	–	BOOTLE.
ST. HELENS	95,161	11·0	12·1	11·0	15·9	2·2	49	29	9	8	–	–	–	–	–	–	4	2	3	5	–	ST. HELENS.
WIGAN	90,678	13·8	12·7	14·4	18·4	4·6	61	32	13	8	–	–	–	–	–	–	8	–	1	4	–	WIGAN.
WARRINGTON ..	72,276	11·5	11·5	13·0	19·5	7·9	44	27	7	6	–	–	1	–	–	–	10	1	1	4	–	WARRINGTON.
BOLTON	187,824	10·8	13·6	14·2	15·0	1·9	86	54	21	12	–	–	–	1	2	1	3	2	7	12	2	BOLTON.
BURY	59,234	6·2	9·7	16·7	9·7	4·4	24	11	6	3	–	–	–	–	–	–	5	–	–	3	–	BURY.
MANCHESTER ..	655,435	13·1	13·6	15·3	14·8	2·7	364	186	49	43	–	1	3	2	–	1	27	6	9	43	2	MANCHESTER.
SALFORD	241,950	12·1	14·4	16·4	15·5	3·7	117	72	24	14	–	2	1	–	1	–	13	1	6	13	1	SALFORD.
OLDHAM	143,301	13·5	15·3	12·4	13·8	1·5	77	38	6	12	–	3	–	–	1	–	–	–	2	4	–	OLDHAM.
ROCHDALE	89,653	11·6	11·1	8·7	12·8	–	31	22	–	10	–	–	–	–	–	–	–	–	–	7	–	ROCHDALE.
BURNLEY	106,267	9·8	15·2	15·2	11·3	2·9	50	23	11	5	–	1	1	–	1	–	3	1	2	1	–	BURNLEY.
BLACKBURN	136,959	13·3	12·2	17·9	11·8	0·4	65	31	9	12	–	–	1	–	–	–	–	–	–	5	–	BLACKBURN.
PRESTON	118,519	11·0	5·7	7·0	11·0	0·4	60	25	6	10	–	–	–	–	–	–	1	–	1	8	1	PRESTON.
BARROW-IN-FURNESS.	62,996	5·8	5·8	10·8	7·4	–	31	9	–	3	–	–	–	–	–	–	–	1	1	3	–	BARROW-IN-FURNESS.

* See note † on first page of this return.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 28th August, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 7th Aug. 1909.	14th Aug., 1909.	21st Aug., 1909.	28th Aug., 1909.	Rate from Diseases in Cols. 11-17. Week ended 28th August, 1909.	Registered during the Week ended 28th Aug. 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,739	14·3	9·9	11·0	17·1	1·7	40	31	4	12	-	-	-	-	-	-	3	2	3	4	-	HUDDERSFIELD.
HALIFAX	111,911	8·4	15·8	8·4	7·9	0·9	23	17	2	5	-	-	1	-	1	-	-	-	1	2	-	HALIFAX.
BRADFORD	293,983	11·7	9·6	8·9	10·6	1·1	103	60	9	19	-	1	-	1	1	-	3	3	8	10	-	BRADFORD.
LEEDS	484,012	11·0	12·6	12·6	12·0	2·5	240	111	44	26	-	2	1	1	3	-	16	4	7	19	-	LEEDS.
SHEFFIELD	470,958	11·2	11·4	17·1	14·5	4·8	281	131	50	27	-	-	-	2	-	-	41	4	8	24	1	SHEFFIELD.
ROTHERHAM.. ..	65,070	12·0	11·2	10·4	17·6	4·8	43	22	6	4	-	-	-	-	1	-	5	4	4	3	1	ROTHERHAM.
YORK	87,004	6·6	9·0	8·4	12·6	1·2	53	21	10	4	-	-	-	-	-	-	2	-	-	1	-	YORK.
HULL	275,552	10·4	10·6	11·2	13·8	2·5	169	73	22	21	-	-	-	1	-	-	12	7	9	19	-	HULL.
MIDDLESBROUGH ..	105,255	11·4	13·9	18·8	18·3	4·0	59	37	16	3	-	-	-	-	3	-	5	1	2	5	1	MIDDLESBROUGH.
STOCKTON-ON-TEES	53,417	10·7	13·7	10·7	17·6	3·9	31	18	6	5	-	2	1	-	-	-	1	1	1	5	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL	79,686	7·2	12·4	8·5	5·9	1·3	27	9	2	3	-	1	-	-	1	-	-	-	-	3	-	WEST HARTLEPOOL.
SUNDERLAND ..	159,378	10·5	8·2	12·1	12·4	2·0	93	38	14	8	-	-	-	-	1	-	5	4	5	10	2	SUNDERLAND.
SOUTH SHIELDS ..	117,627	10·6	13·3	12·9	17·3	1·3	66	39	12	6	-	-	1	-	-	-	2	3	4	6	2	SOUTH SHIELDS.
GATESHEAD	131,024	8·0	10·7	7·2	10·3	1·2	71	26	6	6	-	1	-	1	-	-	1	1	1	3	2	GATESHEAD.
NEWCASTLE-ON-TYNE.	281,584	13·5	11·7	13·3	10·9	1·1	151	59	18	14	-	1	2	-	1	-	2	-	3	11	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH ..	55,808	14·0	12·1	15·9	15·9	4·7	44	17	5	2	-	-	-	2	-	-	3	2	2	2	-	TYNEMOUTH.
NEWPORT (MON.) ..	78,336	18·0	23·3	15·3	16·0	6·0	48	24	7	6	-	7	-	-	-	-	2	-	1	4	-	NEWPORT (MON.).
CARDIFF	195,303	11·7	12·3	11·2	13·6	2·9	95	51	18	11	-	-	-	-	3	-	8	2	4	9	-	CARDIFF.
RHONDDA	135,894	14·2	17·3	13·8	16·1	5·8	111	42	24	5	-	-	-	-	-	-	15	-	1	-	-	RHONDDA.
MERTHYR TYDFIL..	78,365	13·3	11·3	13·3	17·3	1·3	45	26	10	1	-	-	1	-	-	-	1	-	2	3	-	MERTHYR TYDFIL.
SWANSEA	98,308	14·3	16·4	20·2	26·5	10·6	66	50	28	7	-	1	-	-	1	-	18	2	4	3	-	SWANSEA.
GREATER LONDON	7,429,740	9·3	10·5	10·0	11·2	2·2	3707	1596	478	391	-	18	7	16	27	1	238	74	174	538	1	GREATER LONDON.
OUTER RING ..	2,595,802	7·9	9·1	7·9	8·9	2·2	1321	443	140	102	-	6	1	11	12	-	79	18	43	74	-	OUTER RING.
8 TOWNS IN OUTER RING.	1,284,152	6·7	7·9	7·2	8·3	2·4	637	205	69	44	-	1	-	4	8	-	47	5	16	38	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,311,650	9·1	10·2	8·5	9·5	1·9	684	238	71	58	-	5	1	7	4	-	32	13	27	36	-	REMAINDER OF OUTER RING.
EDINBURGH	355,366	12·5	11·3	11·6	10·4	0·7	128	71	13	21	-	-	1	-	1	-	3	2	?	26	3	EDINBURGH.
GLASGOW	872,021	11·9	12·9	11·6	13·3	2·2	449	222‡	67	40	-	-	2	2	3	1	28	8	?	67	5	GLASGOW.
DUBLIN (Registration Area).†	398,356	15·2	13·5	19·8	20·4	4·8	261	156	55	29	-	-	-	1	5	1	30	2	2	54	4	DUBLIN (Registration Area).†
BELFAST†	386,576	14·6	14·2	15·6	17·4	4·5	182	129	50	21	-	-	1	-	4	-	28	3	5	27	-	BELFAST†

* See note † on first page of this return.

† Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast respectively.

‡ Including 1 death from Cerebro-spinal meningitis.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the THIRTY-FOURTH Week of each of the Eleven Years, 1899–1909.

	1899	1900	1901	1902	1903	1904	1905	1906	1907	1908	Corrected Weekly Average in 5 Years 1904–1908.*	1909
TOTAL **Births** -	2646	2677	2643	2598	2473	2575	2530	2466	2307	2276	2488·5	2386
Males - - -	1354	1349	1347	1316	1255	1323	1282	1243	1208	1166	1273·9	1205
Females - -	1292	1328	1296	1252	1218	1252	1248	1223	1099	1110	1214·6	1181
TOTAL **Deaths** -	2100	1691	1676	1269	1266	1682	1497	1654	1053	1306	1473·2	1153
Males - - -	1104	905	895	676	668	878	813	871	564	708	785·0	623
Females - -	996	786	781	593	598	804	684	783	492	598	688·2	530

* The numbers in this column are the average weekly numbers in the Thirty-Fourth week of the five years 1904-1908, raised by 2·375 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	June 5.	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	13 Weeks.
TOTAL **Births** -	1918	2421	2467	2068	2331	2236	2292	2206	2289	2054	2316	2169	2386	29153
TOTAL **Deaths** -	1072	1135	1060	1125	1029	1109	979	926	957	933	1047	1027	1153	13552
Ages at Death: Under 1 year -	185	232	179	189	183	188	177	174	177	204	213	223	338	2662
1—5 years -	129	122	128	115	106	138	102	88	85	83	111	105	122	1434
5—20 " -	54	65	72	68	50	48	55	61	66	55	61	60	57	772
20—40 " -	143	138	137	130	125	144	115	114	127	122	137	138	147	1717
40—60 " -	225	246	219	266	226	240	233	201	200	197	205	220	200	2878
60 yrs. & upwds.	336	332	325	357	339	351	297	288	302	272	320	281	289	4089
Deaths from—														
Small-pox† - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	47	62	48	51	33	40	33	24	9	19	22	17	12	417
Scarlet Fever - -	8	10	10	7	3	9	6	8	4	4	9	7	6	91
Diphtheria - -	7	7	6	7	7	7	4	6	19	3	10	6	5	94
Whooping-cough -	35	21	18	17	20	19	15	17	17	26	12	13	15	245
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	3	2	2	3	1	1	2	-	3	2	2	5	1	27
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery	17	16	5	17	10	14	13	22	26	27	39	76	159	441
All above diseases -	117	118	89	102	74	90	73	77	78	81	94	121	193	1315
Dis. of Resp. System	65	54	68	64	58	60	38	43	38	53	53	52	41	687
Pneumonia - -	107	98	67	91	100	94	68	89	68	67	72	69	62	1052
Phthisis - - -	107	96	97	122	93	111	97	78	99	98	105	102	104	1300
Dis. of Circ. System -	138	171	161	157	158	164	144	128	132	134	155	130	137	1909
Violence - - -	46	41	48	41	45	57	65	37	42	38	56	53	56	625
Inquest Cases - -	105	109	103	109	121	114	119	82	98	85	105	111	131	1392
Deaths in Institutions	449	489	482	510	444	506	436	484	431	403	486	477	464	6061
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	54·2	50·2	56·3	55·8	55·9	58·5	60·0	61·9	59·9	60·8	66·9	63·3	58·1	58·6
Mean of Highest -	61·3	58·7	67·3	65·4	66·8	68·5	69·3	72·7	69·4	72·7	80·8	73·6	67·8	68·8
Mean of Lowest -	47·4	42·7	47·8	50·7	47·5	51·1	53·8	54·0	53·4	50·9	54·1	55·7	51·1	50·8
Mean Humidity of the Air.	81	84	79	81	80	77	82	71	79	76	70	79	83	79
Rain-fall (in inches) -	0·94	0·79	0·05	1·45	0·44	0·99	0·71	0·15	1·31	0·26	0·00	0·82	0·70	0·66
Registered Sunshine (in hours).	31·2	5·4	37·4	30·1	37·0	31·2	25·2	63·0	34·4	54·4	81·5	40·2	30·2	40·1
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - -	2223	2263	2445	2517	2587	2647	2737	2731	2667	2564	2518	2411	2347	2512
Diphtheria - - -	905	876	897	915	896	901	893	905	901	901	855	831	798	883
Typhus - - -	1	1	1	1	2	1	2	2	2	2	1	-	-	1
Enteric Fever - -	43	46	56	59	58	58	57	59	60	62	59	53	55	56

* The Metropolitan Asylums Board and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office :—The Astronomer Royal, Greenwich ; D. Forbes, Esq., M.D., Brighton ; A. Mearns Fraser, Esq., M.D., Portsmouth ; A. W. Preston, Esq., F.R.Met.Soc., Norwich ; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth ; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol ; A. Cresswell, Esq., Edgbaston, Birmingham ; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham ; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool ; F. Gore, Esq., Prestwich, Manchester ; Thos. Holt, Esq., M.D., Burnley ; J. Firth, Esq., Huddersfield ; H. Lander, Esq., Bradford ; Oxley Grabham, Esq., M.A., York ; H. B. Witty, Esq., F.R.Met.Soc., Hull ; the Meteorological Committee, Tynemouth ; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the THIRTY-FOURTH Week of the Year 1909.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 34th week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1473·2	1153	338	122	57	147	200	289
Small-pox*	–	–	–	–	–	–	–	–
Cowpox	–	–	–	–	–	–	–	–
Measles (Morbilli)	23·5	12	2	9	1	–	–	–
Scarlet Fever	8·4	6	–	4	2	–	–	–
Typhus	–	–	–	–	–	–	–	–
Plague	–	–	–	–	–	–	–	–
Influenza	4·1	5	–	–	–	1	3	1
Whooping-cough	18·4	15	6	9	–	–	–	–
Diphtheria	13·9	5	–	5	–	–	–	–
Cerebro-spinal Fever ..	0·4	–	–	–	–		–	–
Pyrexia† (origin uncertain)	–	–	–	–	–	–	–	–
Enteric Fever	4·5	1	–	–	1	–	–	–
Asiatic Cholera	–	–	–	–	–	–	–	–
Epidemic Diarrhœa, Infective Enteritis	224·8	93	74	16	2	1	–	–
Diarrhœa, Dysentery ..	107·5	66	47	15	–	–	1	3
Tetanus	1·0	1	–	–	–	1	–	–
Rabies, Hydrophobia ..	–	–	–	–	–	–	–	–
Glanders	0·2	–	–	–	–	–	–	–
Anthrax (Splenic Fever)..	–	–	–	–	–	–	–	–
Venereal Dis.	7·4	8	7	–	–	–	1	–
Puerperal Septicæmia ..	1·8	4	–	–	–	3	1	–
Puerperal Pyæmia.. .	0·6	–	–	–	–	–	–	–
Puerperal Fever	0·6	–	–	–	–	–	–	–
Infective Endocarditis ..	3·3	5	–	–	–	4	1	–
Pneumonia: Lobar ..	6·6	9	–	–	–	1	6	2
Pneumonia: Broncho ..	28·5	30	12	8	1	–	4	5
Pneumonia: Epidemic ..	–	–	–	–	–	–	–	–
Pneumonia: Not defined	33·0	23	2	1	1	4	8	7
Erysipelas	3·5	–	–	–	–	–	–	–
Septicæmia (not Puerperal) ..	1·4	–	–	–	–	–	–	–
Pyæmia (not Puerperal)	1·0	–	–	–	–	–	–	–
Other Infective Processes	4·3	3	1	–	–	2	–	–
Tuberculous Phthisis ..	77·2	76	2	1	1	35	26	11
"*Phthisis*"	42·6	28	–	–	1	15	9	3
Tuberculous Meningitis ..	14·7	25	6	16	3	–	–	–
Tuberculous Peritonitis ..	13·7	11	4	5	1	–	1	–
Tabes Mesenterica	3·9	1	–	–	1	–	–	–
Tuberculous Dis., Other ..	15·8	17	3	4	4	2	2	2
Scrofula..	–	–	–	–	–	–	–	–
Alcoholism	12·1	3	–	–	–	1	–	2
Rheumatic Fever	3·7	6	–	–	3	2	–	1
Gout	2·0	1	–	–	–	–	–	1
Carcinoma	62·2	59	–	–	–	5	21	33
Sarcoma	5·1	4	–	–	–	2	2	–
Cancer (undefined) ..	34·8	30	–	–	–	2	12	16
Diabetes Mellitus	8·0	11	–	–	–	3	1	7
Premature Birth	52·8	50	50	–	–	–	–	–

CAUSES OF DEATH.	Corrected Average for the 34th week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)..	14·9	14	4	8	–	2	–	–
Gen. Par. of Insane, Insanity	9·4	4	–	–	–	–	2	2
Epilepsy	5·7	3	–	–	–	–	2	1
Convulsions	17·0	11	10	1	–	–	–	–
Locomotor Ataxy.. ..	0·6	1	–	–	–	–	1	–
Paraplegia, Dis. of Cord.	5·3	3	–	–	–	2	1	–
Nervous Sys., Other Dis.	16·4	9	–	–	–	3	2	4
Valv. Dis., Endocarditis..	39·7	36	–	1	5	8	9	13
Cereb. Hæm. Cereb. Emb.	29·1	30	–	–	–	–	6	24
Apoplexy, Hemiplegia ..	11·9	9	–	–	–	–	3	6
Aneurysm	3·3	6	–	–	–	1	4	1
Embolism, Thrombosis (not Cerebral) ..	0·8	–	–	–	–	–	–	–
Heart & Blood Ves., Other Dis... ..	65·3	56	–	1	2	8	11	34
Croup (not Spasm: nor Memb.)	0·2	–	–	–	–	–	–	–
Bronchitis	28·7	31	9	2	–	–	6	14
Emphysema, Asthma ..	1·4	3	–	–	–	2	–	1
Pleurisy	3·3	3	–	1	–	1	–	1
Respiratory Dis., Other..	5·9	4	1	1	–	1	–	1
Tonsillitis, Quinsy.. ..	0·6	1	–	–	–	–	1	–
Enteritis (not Epid.) ..	31·9	12	6	1	1	1	2	1
Gastro-enteritis	34·0	30	23	5	1	–	–	1
Peritonitis (not Puerp.) ..	2·5	1	–	–	–	–	1	–
Cirrhosis of Liver.. ..	13·1	15	–	–	–	3	8	4
Liver Dis., Other	6·8	6	–	–	–	–	4	2
Digestive Sys., Other Dis.	33·0	35	8	3	6	2	5	11
Acute Nephritis	7·4	3	–	–	1	1	1	–
Bright's Dis., Albuminuria	26·2	32	–	–	2	10	10	10
Urinary Sys., Other Dis.	9·6	4	–	–	–	–	2	2
Generative Organs Dis...	4·3	5	–	–	–	1	3	1
Childbirth (Accid. of) ..	2·5	2	–	–	–	2	–	–
Old Age	42·6	43	–	–	–	–	–	43
Other Diseases	99·6	77	53	3	5	4	4	8
ACCIDENT.								
By Railways	1·2	3	–	–	1	1	1	–
By Vehicles and Horses..	4·9	12	1	2	6	–	2	1
In Ships, Boats, Docks, (exclusive of Drowning)	0·2	1	–	–	–	–	1	–
In Building Operations..	1·6	1	–	–	–	–	1	–
In Conflagrations	–	–	–	–	–	–	–	–
By Burns, Scalds, Explosions	4·7	1	–	–	–	–	–	1
By Drowning	5·5	2	–	–	1	–	–	1
By Suffocation in Bed ..	5·7	6	6	–	–	–	–	–
By Poisons or Poisonous Vapours	2·9	3	–	–	2	–	1	–
Other Deaths by Accident..	15·6	14	1	–	2	2	4	5
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	0·8	–	–	–	–	–	–	–
Suicide	9·8	13	–	–	–	8	3	2
Execution	–	–	–	–	–	–	–	–

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday 28th August, 1909.

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexiat* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified causes of Death.
LONDON	4,536,267	2386	1153	338	289	-	12	6	5	15	-	1	-	159	56	131	464	1
WEST DISTRICTS	805,311	340	172	51	51	-	2	-	2	1	-	-	-	25	3	12	75	-
NORTH DISTRICTS	1,055,908	529	233	50	70	-	1	2	2	1	-	1	-	23	8	28	96	-
CENTRAL DISTRICTS	209,465	106	53	13	9	-	-	-	-	-	-	-	-	8	5	8	23	-
EAST DISTRICTS	715,739	450	233	89	48	-	5	-	-	3	-	-	-	37	10	33	117	-
SOUTH DISTRICTS	1,749,844	961	437	135	103	-	4	3	1	10	-	-	-	65	29	49	123	1
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	25	-	8	-	-	1	-	-	-	-	-	1	1	1	25	-
WEST DISTRICTS.																		
North Paddington *H*	63,603	28	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Central Paddington *W,3H*	50,053	21	16	4	4	-	-	-	-	-	-	-	-	1	-	2	7	-
South Paddington	30,320	4	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town *2W,w,2H* ..	128,037	42	30	12	9	-	-	-	-	1	-	-	-	6	1	2	15	-
Brompton *2H*	48,591	10	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
North Hammersmith *2W,w,H* ..	49,192	34	12	4	4	-	-	-	-	-	-	-	-	2	-	1	6	-
South Hammersmith *w,2H* ..	63,047	34	11	2	5	-	-	-	-	-	-	-	-	-	1	1	4	-
North-west Fulham *W*	45,180	44	25	10	8	-	-	-	-	-	-	-	-	7	-	1	12	-
North-east Fulham *F*	46,405	25	8	2	1	-	-	-	2	-	-	-	-	-	-	2	2	-
South Fulham *W*	45,704	32	6	3	1	-	-	-	-	-	-	-	-	2	-	1	-	-
Chelsea North *W,w,3H*	42,514	13	14	1	4	-	-	-	-	-	-	-	-	-	-	-	10	-
Chelsea South *W,2H*	31,328	12	17	5	6	-	-	-	-	-	-	-	-	4	-	-	5	-
Mayfair and Knightsbridge	28,743	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave *W,2H*	55,815	15	7	1	3	-	-	-	-	-	-	-	-	1	-	1	3	-
St. Margaret & St. John *6H*	43,698	14	15	4	3	-	2	-	-	-	-	-	-	2	1	1	10	-
St. James and St. Anne *W,6H* ..	33,081	8	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
NORTH DISTRICTS.																		
All Souls Marylebone *7H*	35,391	17	12	-	2	-	-	-	-	-	-	-	-	-	-	2	10	-
St. Mary Marylebone *W,4H* ..	37,948	32	4	-	2	-	-	-	-	-	-	-	-	-	2	3	-	-
Christchurch Marylebone	39,536	20	7	2	3	-	-	-	-	-	-	-	-	4	-	-	-	-
St. John Marylebone *2H*	20,426	3	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead *W,F,6H*	81,942	22	14	2	3	-	-	2	1	-	-	-	-	1	1	1	8	-
West St. Pancras *2H*	60,562	36	14	6	2	-	-	-	-	-	-	-	-	2	-	1	3	-
South St. Pancras *w,10H*	55,707	37	18	7	-	-	-	-	1	-	-	-	-	1	2	5	14	-
East St. Pancras *W,H*	60,320	34	13	5	3	-	-	-	-	-	-	-	-	-	-	1	5	-
North St. Pancras *2W*	58,728	28	12	1	6	-	-	-	-	-	-	-	-	-	-	2	8	-
Tufnell *W*	31,995	22	22	1	8	-	-	-	-	-	-	-	-	1	-	1	14	-
Upper Holloway *2W,w,H*	33,978	13	19	3	9	-	1	-	-	-	-	-	-	-	-	-	17	-
Tollington *W,w,H*	33,922	12	3	1	2	-	-	-	-	-	-	-	-	1	-	-	-	-
Lower Holloway	41,424	25	6	1	1	-	-	-	-	-	-	-	-	1	-	1	-	-
Barnsbury	54,478	39	7	5	1	-	-	-	-	1	-	-	-	2	-	-	-	-
Islington South-east *F*	75,397	35	15	2	4	-	-	-	-	-	-	-	-	3	-	2	-	-
Highbury *2H*	63,797	31	4	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Stoke Newington *H*	51,247	22	6	2	2	-	-	-	-	-	-	-	-	-	1	-	-	-
North Hackney	50,398	21	7	-	3	-	-	-	-	-	-	-	-	-	-	1	-	-
Central Hackney *w,F*	50,536	23	11	2	1	-	-	-	-	-	-	1	-	2	-	2	1	-
South-west Hackney *3H*	59,921	26	10	1	7	-	-	-	-	-	-	-	-	-	1	2	3	-
South-east Hackney *2W,H*	58,255	31	24	8	7	-	-	-	-	-	-	-	-	5	1	3	12	-
Hackney Union Workhouse, Brentwood	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 28th August, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
St. Giles and Bloomsbury 2*W*,2*H* ..	31,436	22	8	2	2	–	–	–	–	–	–	–	–	–	2	3	3	–
Strand *W*,4*H*	21,674	2	5	1	–	–	–	–	–	–	–	–	–	1	1	1	5	–
Strand Union Workhouse, Edmonton	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Holborn *W*,5*H*	29,612	9	10	3	–	–	–	–	–	–	–	–	–	3	–	–	8	–
Clerkenwell *H*	63,704	37	7	2	1	–	–	–	–	–	–	–	–	–	1	3	–	–
St. Luke 3*H*,*L*	36,116	34	7	3	1	–	–	–	–	–	–	–	–	3	–	–	–	–
Holborn Union Workhouse, Mitcham	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Botolph *H*	10,299	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Sepulchre and Allhallows *W*,2*H*	16,624	2	15	2	4	–	–	–	–	–	–	–	–	1	1	1	12	–
City of London Asylum, Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
EAST DISTRICTS.																		
Shoreditch South 3*H*	46,362	28	8	4	–	–	1	–	–	–	–	–	–	2	1	3	2	–
Shoreditch North-West *W*,*w*,*H* ..	36,127	28	21	7	7	–	–	–	–	1	–	–	–	2	1	3	14	–
Shoreditch North-East	36,148	23	8	3	3	–	–	–	–	1	–	–	–	2	–	2	–	–
Shoreditch Union Workhouse, Wood Green	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	38	28	11	5	–	–	–	–	–	–	–	–	7	–	2	19	–
Bethnal Green South-West *H* ..	64,542	30	11	7	2	–	1	–	–	–	–	–	–	2	–	2	–	–
Spitalfields..	27,969	15	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Mile End New Town *W*,*H*	28,718	27	45	9	2	–	–	–	–	–	–	–	–	6	4	6	44	–
Goodman's Fields	22,081	10	1	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
St. George and St. John 2*W* ..	49,068	30	17	8	3	–	2	–	–	–	–	–	–	1	–	3	7	–
Shadwell and Ratcliff *w*,*H* ..	25,568	15	15	6	1	–	–	–	–	–	–	–	–	6	–	–	10	–
Limehouse *W*	32,369	20	4	1	2	–	–	–	–	–	–	–	–	1	–	1	–	–
Mile End Old Town South-Western *H*	63,698	49	8	4	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Mile End Old Town North-Eastern *W*,*w*	49,129	30	15	8	3	–	–	–	–	–	–	–	–	3	1	2	3	–
Bow	41,989	26	12	7	2	–	–	–	–	–	–	–	–	3	–	1	–	–
Bromley 3*w*,*H*	68,319	38	28	8	11	–	–	–	–	1	–	–	–	1	3	7	18	–
Poplar *W*,*w*	58,514	43	9	4	3	–	1	–	–	–	–	–	–	1	–	–	–	–
Workhouse, Forest Gate (Parish of Poplar Borough).	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 28th August, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch and St. Saviour Southwark *W,2H*	23,319	13	27	10	3	-	-	-	-	-	-	-	-	-	1	2	22	-
Kent-road	21,904	9	10	7	-	-	-	-	-	-	-	-	-	6	1	2	-	-
St. George the Martyr West *W,2H,L*	39,094	21	18	10	1	-	-	-	-	1	-	-	-	4	6	7	5	-
Newington North	49,022	26	8	4	1	-	-	-	-	-	-	-	-	3	-	-	-	-
Newington South *W*	72,841	42	11	5	2	-	1	-	-	1	-	-	-	2	2	2	-	-
St. Olave *2W*	9,817	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Bermondsey *W*	82,483	49	15	8	-	-	-	-	-	1	-	-	-	2	1	2	-	-
Rotherhithe *W,F*	38,460	19	14	6	2	-		-	-	-	-	-	-	2	-	-	6	-
Waterloo *2H*	27,440	23	8	4	-	-	-	-	-	-	-	-	-	4	-	-	2	-
Lambeth Church *H*	27,440	12	21	8	1	-	-	-	-	-	-	-	-	5	2	2	14	-
Kennington *2W*	52,518	39	22	4	7	-	1	-	-	1	-	-	-	3	-	-	13	-
Stockwell *HF*	63,826	43	8	3	2	-	-	1	-	1	-	-	-	3	1	1	2	-
Brixton *H*	73,673	35	12	5	4	-	-	-	-	-	-	-	-	3	-	-	-	-
Norwood *2WH*	56,998	26	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
East Battersea *H*	72,203	24	9	1	4	-	-	-	-	1	-	-	-	-	1	2	-	-
North-west Battersea	49,656	32	12	5	2	-	-	-	-	-	-	-	-	1	1	4	-	-
South-west Battersea *2W,H* ..	47,048	17	12	1	3	-	-	-	-	-	-	-	-	1	-	-	6	-
Clapham *2H*	51,361	27	11	2	3	-	-	-	-	-	-	-	-	-	2	3	1	-
Streatham *W,2w,2F,2L*	88,019	53	14	4	7	-	-	-	-	-	-	-	-	1	1	2	3	-
Springfield *2W,L*	27,959	25	6	1	2	-	-	-	-	-	-	-	-	1	1	1	-	-
Southfields *H*	40,444	27	9	2	6	-	1	-	-	-	-	-	-	2	1	2	1	-
Putney	24,139	11	6	2	1	-	-	-	-	-	-	-	-	-	1	1	-	-
Dulwich	13,359	6	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	21	25	2	13	-	-	-	-	-	-	-	-	-	-	-	17	1
Camberwell North *W,2L*	65,584	34	24	4	6	-	-	-	-	-	-	-	-	1	1	3	11	-
St. George	47,331	22	8	3	1	-	-	-	-	-	-	-	-	5	-	-	-	-
Peckham North	48,913	22	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peckham South *2W,w*	43,946	24	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Deptford North	37,613	28	17	5	1	-	-	-	-	-	-	-	-	3	2	4	-	-
Deptford Central *F*	45,481	20	16	3	-	-	-	1	-	2	-	-	-	3	-	1	1	-
Deptford South	34,625	13	5	1	3	-	-	-	-	1	-	-	-	-	-	-	-	-
Greenwich West *H*	23,456	13	8	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-
Greenwich East *2W,H*	43,859	34	14	5	3	-	-	-	-	-	-	-	-	4	2	3	6	-
Eltham *w,H*	7,226	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Lee *w,H*	25,490	15	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham *2W,w,F*	58,352	33	15	4	6	-	-	-	1	1	-	-	-	1	1	2	6	-
Sydenham *H*	43,653	27	8	3	3	-	-	-	-	-	-	-	-	2	-	1	-	-
Charlton *F,2H*	21,134	9	10	6	-	-	1	1	-	-	-	-	-	3	-	-	2	-
Woolwich *5H*	41,625	27	5	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead West *W,H*	39,376	14	5	-	3	-	-	-	-	-	-	-	-	-	1	1	-	-
Plumstead East *2W*	28,951	11	6	1	4	-	-	-	-	-	-	-	-	-	-	1	2	-
Workhouses:—																		
Belmont Workhouse	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asylum .. (Westminster, St. Giles, and Strand Unions.)	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
M. A. B. Small-pox Hospitals:—																		
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																		
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																		
Children's Infirmary, Carshalton..	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums:—																		
Caterham	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
London County Lunatic Asylums:—																		
Banstead	—	-	3	-	1	-	-	-	-	-	-	-	-	-	1	1	3	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
Manor	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Long Grove	—	-	5	-	1	-	-	-	-	-	-	-	-	1	-	-	5	-
Cane Hill	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
Dartford Heath	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Hanwell	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Colney Hatch	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Claybury	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERATED POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday 28th August, 1909.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING ..	363,603	2,045,135	1,321	443	140	102	–	6	1	11	12	–	79	18	43	74	–
30 : 1	Carshalton 2F,3H	12,228	32,997	16	5	–	2	–	–	–	2	–	–	–	–	1	2	–
2	Epsom, *part of** W,w,2F,H..	10,423	15,548	5	4	–	2	–	–	–	–	–	–	–	–	–	1	–
37 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
38 : 1	Coulsdon	11,069	8,166	5	1	1	–	–	–	–	–	–	–	–	–	–	–	–
2	South Croydon w,H ..	4,200	49,309	28	2	1	–	–	–	–	–	–	–	–	–	–	–	–
3	West Croydon 3W,F,H ..	2,168	42,888	37	14	2	4	–	–	–	1	–	–	–	–	2	6	–
4	North Croydon H	2,614	41,698	19	8	2	2	–	–	–	–	1	–	–	–	–	–	–
5	Penge w	770	23,465	6	1	–	–	–	–	–	–	–	–	–	–	–	–	–
6	Mitcham w	11,711	30,015	28	8	1	3	–	–	1	–	–	–	1	–	1	–	–
39 : 1	Wimbledon F,3H	3,221	41,652	27	3	1	2	–	–	–	–	–	–	–	–	1	1	–
2	Kingston 2W,H	6,224	42,068	28	12	1	2	–	–	–	–	–	–	–	–	–	3	–
3	Surbiton F,H	3,046	15,017	10	2	–	2	–	–	–	–	–	–	–	–	–	–	–
4	Esher, *part of** H	5,402	13,100	5	6	2	1	–	1	–	–	1	–	–	–	1	–	–
5	Hampton H,F,L	4,564	23,456	15	7	1	3	–	–	–	–	–	–	–	1	2	–	–
40 : 1	Richmond W,H	2,491	31,672	16	5	2	1	–	–	–	–	–	–	1	–	–	1	–
2	Mortlake F	2,518	17,821	10	5	2	1	–	–	–	–	–	–	1	1	1	–	–
41 : 1	Bromley F,3H	4,703	27,354	14	5	2	1	–	–	–	1	–	–	–	–	–	2	–
2	Beckenham H	7,825	28,497	9	7	2	1	–	–	–	–	–	–	2	1	1	1	–
3	Orpington, *part of** W,F ..	10,113	9,857	6	1	–	1	–	–	–	–	–	–	–	–	–	–	–
4	Chislehurst 2H	7,333	16,446	3	4	–	2	–	–	–	–	–	–	–	1	1	1	–
42 : 1	Bexley w,F,H	8,678	21,151	13	3	1	1	–	–	–	–	–	–	1	–	–	–	–
2	Erith F,H	3,854	25,296	13	4	3	–	–	–	–	–	–	–	2	–	–	–	–
3	Dartford W,F, *part of** ..	—	—	–	1	–	1	–	–	–	–	–	–	–	–	–	1	–
124 : 1	Sunbury w	11,054	18,683	6	10	5	3	–	–	–	–	–	–	3	1	1	–	–
2	Staines W,H	13,277	15,178	8	1	–	–	–	–	–	–	–	–	–	–	–	–	–
125 : 1	Hillingdon W,F,H	6,035	13,661	13	4	3	–	–	–	–	–	–	–	–	–	–	1	–
2	Uxbridge H	12,757	8,984	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–
3	Hayes w 2F,H	8,066	16,358	10	5	5	–	–	–	–	–	–	–	2	–	–	–	–
126 : 1	Isleworth 3W,3F,H	6,859	30,863	21	7	4	3	–	–	–	–	–	–	1	1	2	1	–
2	Twickenham F,2H	2,421	20,991	20	3	–	2	–	–	–	–	1	–	–	–	–	–	–
3	Brentford 3F,2H	4,319	48,289	27	10	4	3	–	–	–	–	–	–	2	–	1	–	–
4	Chiswick H	1,249	29,809	26	8	6	–	–	–	–	1	–	–	4	–	1	–	–
5	Acton w,F,3H	6,132	48,914	32	13	6	1	–	3	–	–	–	–	–	–	1	–	–
127 : 1	Harrow F,H	13,809	25,523	29	4	1	1	–	–	–	–	1	–	–	–	–	–	–
2	Edgware 2F,2H	6,994	4,521	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
3	Willesden W,F,2H	4,384	111,811	73	23	10	4	–	–	–	–	–	–	10	–	–	4	–
4	Hendon W,F	8,382	22,450	11	4	1	–	–	–	–	–	–	–	–	1	1	–	–
128 : 1	South Mimms 2F,H ..	17,755	7,308	9	2	–	–	–	–	–	1	–	–	–	–	–	–	–
2	Barnet W,2H	3,324	17,970	11	4	1	3	–	–	–	–	–	–	–	–	1	3	–
3	Finchley F,3H	4,688	33,692	22	9	–	5	–	–	–	–	–	–	1	–	–	1	–
129 : 1	Hornsey F,H	2,875	72,056	35	7	1	3	–	–	–	–	–	–	1	–	–	–	–
2	Wood Green H	1,625	34,233	27	4	–	–	–	–	–	–	–	–	–	–	–	–	–
3	West Tottenham	995	48,741	31	2	1	1	–	–	–	–	–	–	1	–	–	–	–
4	East Tottenham 2H ..	2,019	53,962	49	11	2	2	–	–	–	–	–	–	–	1	3	7	–
5	Edmonton W,w,2F	7,491	61,892	49	18	3	4	–	–	–	–	1	–	4	–	4	6	–
6	Enfield 2W,F,H	12,601	42,738	37	8	5	–	–	1	–	1	–	–	2	1	1	1	–
7	Waltham Abbey F	11,017	6,549	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8	Cheshunt F,H	8,479	12,292	6	1	–	1	–	–	–	–	–	–	–	–	–	–	–
135 : 1	Hatfield, *part of** W ..	3,305	664	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
137 : 1	Bushey, *part of** H ..	9,195	7,051	2	1	–	–	–	–	–	–	–	–	–	1	1	–	–
2	Watford, *part of** W,2F ..	138	2,122	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
186 : 1	Stratford H	1,091	52,974	29	12	4	3	–	–	–	–	–	–	2	–	2	–	–
2	Forest Gate	787	52,745	21	7	3	1	–	–	–	–	2	–	1	–	–	–	–
3	Plaistow F,2H	1,249	90,921	63	24	12	4	–	–	–	–	1	–	10	2	2	1	–
4	Canning Town H	1,556	70,718	62	26	12	1	–	–	–	–	1	–	15	–	1	–	–
5	South East Ham 2F ..	1,991	37,342	27	7	3	2	–	–	–	–	–	–	1	–	1	–	–
6	North East Ham w,H ..	1,333	58,666	44	6	3	1	–	–	–	–	–	–	–	1	1	–	–
7	Wanstead F	1,679	9,170	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
8	South Leyton 2W	631	50,467	22	15	3	9	–	–	–	–	–	–	3	1	2	8	–
9	North Leyton 2W,w,F ..	1,963	48,445	35	22	5	7	–	1	–	1	–	–	2	1	2	10	–
10	Walthamstow 2H,L ..	6,504	108,929	79	16	5	2	–	–	–	–	3	–	1	–	2	–	–
187 : 1	Chigwell 2F,3H	11,778	16,397	10	6	–	1	–	–	–	1	–	–	–	1	1	1	–
2	Epping W,F, *part of** ..	—	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
189 : 1	Romford, *part of** W,2F ..	6,556	6,091	4	4	1	1	–	–	–	–	–	–	–	–	–	3	–
2	Ilford F,L	8,496	41,244	36	7	3	–	–	–	–	–	–	–	–	–	–	–	–
3	Barking Town F	3,805	21,547	8	9	4	1	–	–	–	–	–	–	5	1	1	–	–
	Western Hosp., Fulham ..	—	—	–	1	–	–	–	–	–	1	–	–	–	–	–	1	–
	N.E. Hospital, Tottenham..	—	—	–	1	–	–	–	–	–	1	–	–	–	–	–	1	–
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
	London County Lunatic Asylum, Claybury.	—	—	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
	Kent County Lunatic Asylum, Maidstone.	—	—	–	3	–	1	–	–	–	–	–	–	–	–	–	3	–
	Herts County Lunatic Asylum, Hill End.	—	—	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
	Essex County Lunatic Asylum, Brentwood	—	—	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30 : 2, excepting Ashtead parish; 37 : 1, Warlingham and Farley parishes; 39 : 4, excepting Esher parish; 41 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135 : 1, Northaw parish; 137 : 1, excepting the part in Watford Rural parish; 137 : 2, Oxhey parish; 189 : 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42 : 3, 137 : 2 and 187 : 2 and in the Croydon Mental Hospital in 37 : 1 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Small-pox	Measles.	Scarlet Fever	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON - -	4,833,938	August 28	2386	1153	12·4	-	12	6	5	15	1	159
CALCUTTA - -	1,014,438	July 31	-	374	19·6	-	1	-	-	-	78†	71‡
BOMBAY - -	982,000	August 3	339	557	29·6	5	1	-	-	-	77†	88‡
MADRAS - -	548,974	July 30	301	353	36·0	-	4	?	?	?	124	48
PARIS - - -	2,760,000	August 21	860	763	14·6	1	9	1	2	2	-	70
BRUSSELS - -	704,975	" 21	213	191	14·1	-	5	5	-	-	-	31
ANTWERP - -	314,135	" 21	93	78	12·9	-	6	1	-	1	-	14
AMSTERDAM -	565,553	" 14	267	96	8·9	-	4	-	1	1	2	5
COPENHAGEN -	448,000	" 21	232	100	11·6	-	1	2	1	2	-	8
STOCKHOLM -	339,582	" 14	135	57	8·7	-	-	-	-	2	-	4
CHRISTIANIA -	235,674	" 21	150	54	11·9	-	2	-	1	1	-	-
ST. PETERSBURG	1,573,000	" 14	938	694	23·0	4	33	13	12	11	2	167‡
MOSCOW - -	1,452,100	" 14	-	922	33·1	2	14	22	17	12	8	393
BERLIN - -	2,100,775	July 31	844	520	12·9	-	12	11	8	8	2	57
HAMBURG - -	872,252	August 21	-	214	12·8	-	2	3	4	-	1	24
BRESLAU - -	502,676	" 14	-	241	25·0	-	1	1	1	4	1	68
MUNICH - -	566,000	" 14	283	178	16·4	-	2	-	2	-	2	22
VIENNA - -	2,064,037	" 21	823	573	14·4	-	1	3	2	4	1	100
PRAGUE - -	485,057	" 21	193	131	14·0	-	-	-	1	-	-	17
BUDAPEST - -	823,215	" 14	393	304	19·2	-	2	4	1	1	4	76
TRIESTE - -	217,706	" 21	151	114	27·2	-	2	-	-	1	1	38
ROME - - -	565,323	May 15	214	194	17·9	-	15	-	-	3	2	6
VENICE - -	179,286	July 24	92	77	22·4	-	-	-	1	-	-	13
BUCAREST - -	296,585	" 31	-	-	-	-	-	-	-	-	-	-
NEW YORK -	4,564,792	August 7	2474	1439	16·4	-	16	4	15	16	14	359
CHICAGO - -	2,224,490	" 7	-	526	12·3	-	4	3	9	6	1	140
PHILADELPHIA -	1,565,569	July 17	-	505	16·8	-	1	2	8	3	3	93
		" 24	-	483	16·0	-	1	1	4	4	4	125
RIO DE JANEIRO	637,089	" 25	-	240	19·6	3	1	-	-	1	-	?
CAIRO:—												
Egyptians -	666,587	" 15	527	624	48·5	1	29	-	13	?	18	219
Foreigners -	35,219	" 15	10	9	13·3	-	-	-	-	?	-	2
ALEXANDRIA:—												
Egyptians -	341,965	" 15	221	281	42·4	-	10	2	3	?	6	97
Foreigners -	46,118	" 15	9	24	27·1	-	-	-	2	?	-	5

* Excluding deaths from croup in the Indian Cities.
† Including 18 deaths from plague in Calcutta and 38 in Bombay.
‡ Including 28 deaths from cholera in Calcutta, 37 in Bombay, and 70 in St. Petersburg.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday 28th August, 1909.

Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	72·1	45·2	59·4	0·70	BRADFORD - -	65·2	46·0	55·9	0·47
BRIGHTON - -	68·0	47·8	59·3	1·55	YORK - - -	68·0	46·0	57·8	0·17
PORTSMOUTH - -	70·0	49·0	59·9	0·97	HULL - - -	70·0	46·0	58·5	0·42
NORWICH - -	-	-	-	-	TYNEMOUTH - -	65·0	42·0	54·0	0·71
PLYMOUTH -	68·0	47·0	59·2	1·06	CARDIFF - - -	67·0	46·0	57·5	0·47
BRISTOL - - -	69·2	44·0	58·1	0·55	EDINBURGH - - -	63·3	44·3	53·7	0·78
BIRMINGHAM - -	68·9	45·9	57·2	0·05	GLASGOW - - -	65·0	39·4	55·4	1·20
NOTTINGHAM - -	67·2	41·0	56·3	0·22	DUBLIN Phœnix Park.	66·1	40·0	56·2	0·25
LIVERPOOL OBSERVATORY.	61·0	50·0	56·8	0·26	DUBLIN Fitzwilliam Square.†	67·1	47·9	57·4	0·31
MANCHESTER -	67·0	43·8	56·3	0·78					
BURNLEY - -	63·0	41·5	54·4	0·71					
HUDDERSFIELD -	65·3	46·0	56·1	0·34	BELFAST - - -	63·5	48·0	56·0	1·07

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to the seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°·6 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 28th August, 1909.

[*Under the Superintendence of the Astronomer Royal.*]

1909. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone
AUGUST.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 22	..	29·548	66·1	46·3	19·8	54·5	− 6·6	46·8	7·7	18·9	0·6	76	127·0	36·0	62·10	WNW., WSW. & W.	W., NW. & SW.	2·6	0·0	0·1	2·3	+ 44	0·00	0·0
MONDAY - 23	..	29·638	67·1	45·2	21·9	57·3	− 3·6	53·9	3·4	11·9	0·6	89	122·2	36·0	61·80	SW., SSW. & S.	SSW. & SW.	3·0	0·0	0·2	305	+ 61	0·03	9·5
TUESDAY - 24	First Qr.	29·608	71·5	56·5	15·0	61·4	+ 0·6	57·8	3·6	14·7	0·0	88	130·0	55·0	61·51	SSW., SW. & WSW.	SW. & WSW.	2·5	0·0	0·1	253	+ 4	0·47	4·5
WEDNESDAY 25	..	29·539	69·2	55·6	13·6	59·8	− 0·9	57·0	2·8	11·0	0·0	90	128·0	51·9	61·40	WSW. & SW.	WNW., W. & NW.	1·9	0·0	0·0	225	− 33	0·20	0·0
THURSDAY - 26	..	29·855	61·6	53·1	8·5	55·6	− 5·1	53·1	2·5	8·4	0·6	91	82·9	44·0	61·31	NNW. & N.	N., calm & SSW.	1·4	0·0	0·1	193	− 76	0·00	0·0
FRIDAY - 27	Greatest Dec. S.	29·950	67·1	47·5	19·6	57·6	− 3·0	49·2	8·4	13·0	1·3	74	119·1	39·3	61·20	NNW. & WSW.	W. & N.	0·9	0·0	0·0	150	−126	0·00	0·0
SATURDAY - 28	..	30·029	72·1	53·3	18·8	60·3	− 0·1	52·2	8·1	18·9	0·8	75	114·1	38·8	61·01	N., calm & WSW.	WSW., W. & SW.	0·7	0·0	0·0	153	−126	0·00	5·0
MEANS - -		29·745	67·8	51·1	16·7	58·1	− 2·7	52·9	5·2	13·8	0·6	83	117·6	43·0	61·48	SW. & NW.		..	..	..	Sum 1562	Sum −252	Sum 0·70	2·7
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. AUGUST.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY - 22	w. P. generally; occasional v.N. between noon and 3h. P.M.	9·3	14·2	Very fine generally with occasional cloudy intervals till evening; cloudless at night; light showers in afternoon.
MONDAY - 23	w. P. throughout.	2·0	14·1	Cloudless in early morning; overcast with slight exceptions after 2h. A.M.; frequent rain between noon and 9h. P.M.; lightning observed at 9h. 30m. P.M.
TUESDAY - 24	w. P. generally.	1·1	14·1	Generally overcast; frequent rain.
WEDNESDAY 25	w. P. till 11h. A.M.; v. P. and v. N. till 5h. P.M.; w. P. generally afterwards.	3·0	14·0	Generally overcast with occasional fine intervals; frequent showers accompanied by lightning and thunder between 10h. 30m. A.M. and 2h. P.M. Solar halo observed at 3h. P.M.
THURSDAY - 26	w. P. throughout.	0·0	13·9	Overcast with slight exceptions; a very dull day; a little fine rain at and about 5h. A.M.
FRIDAY - 27	w. P. throughout.	3·6	13·9	Variably cloudy.
SATURDAY - 28	w. P. throughout.	11·2	13·8	Partially cloudy in early morning; very fine after 7h. A.M. Lunar halo at night.
		Sum 30·2	Sum 98·0	
No. of Col. - -	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·48 in. at the beginning of the week to 29·65 in. by 11h. P.M. on the 23rd; decreased to 29·53 in. by midnight on the 24th; increased to 30·06 in. by 9h. A.M. on the 28th; and decreased to 30·00 in. by midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 21st August, 1909.*

BOROUGHS.	Estimated Population in the middle of 1909.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	151,955	-	7	1	-	-	-	-	1	-	-
Kensington	183,683	-	5	3	-	1	-	-	3	-	-
Hammersmith	125,704	-	7	3	-	-	-	-	1	2	-
Fulham	176,406	-	6	3	-	1	-	-	5	1	-
Chelsea	75,249	-	2	1	-	-	-	-	-	-	-
City of Westminster ..	168,883	-	8	1	-	-	-	-	1	-	-
NORTH.											
St. Marylebone	126,027	-	23	3	-	-	-	-	4	-	-
Hampstead	94,185	-	1	1	-	-	-	-	-	-	-
St. Pancras	237,422	-	9	12	-	1	-	-	1	-	-
Islington	351,202	-	24	3	-	1	-	-	3	-	-
Stoke Newington	54,423	-	2	-	-	-	-	-	1	-	-
Hackney	237,601	-	11	3	-	-	-	-	1	-	-
CENTRAL.											
Holborn	53,802	-	-	-	-	1	-	-	1	-	-
Finsbury	95,289	-	4	7	-	-	-	-	1	-	-
City of London	18,193	-	-	-	-	-	-	-	-	-	-
EAST.											
Shoreditch	114,802	-	8	1	-	-	-	-	-	-	-
Bethnal Green	131,316	1	16	3	-	-	-	-	4	-	-
Stepney	312,525	-	13	6	-	1	-	-	9	-	-
Poplar	171,965	-	9	3	-	-	-	-	1	-	-
SOUTH.											
Southwark	211,125	-	6	1	-	1	-	-	4	-	-
Bermondsey	127,569	-	4	1	-	1	-	-	2	-	-
Lambeth	324,188	-	19	4	-	2	-	-	2	-	-
Battersea	186,036	-	9	3	-	3	-	-	4	1	-
Wandsworth	297,646	-	7	1	-	5	-	-	5	1	-
Camberwell	283,022	-	12	7	-	-	-	-	2	-	-
Deptford	118,583	-	6	1	-	1	-	-	2	-	-
Greenwich	111,014	-	-	2	-	1	-	-	2	-	-
Lewisham	160,749	-	8	5	-	-	-	-	2	1	-
Woolwich	133,374	-	22	3	-	-	-	-	-	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,833,938	1	248	82	-	20	-	-	62	6	-
Ages 0-1		-	2	7	-	2	-	-	3	-	-
„ 1-5		-	75	31	-	3	-	-	4	-	-
„ 5-		-	93	18	-	4	-	-	1	-	-
„ 10-		-	47	14	-	-	-	-	4	-	-
„ 15-		1	11	4	-	2	-	-	2	-	-
„ 20-		-	8	5	-	2	-	-	4	1	-
„ 25-		-	9	2	-	3	-	-	7	4	-
„ 35-		-	2	1	-	3	-	-	10	-	-
„ 45-		-	1	-	-	1	-	-	13	1	-
„ 55-		-	-	-	-	-	-	-	9	-	-
„ 65 and upwards		-	-	-	-	-	-	-	5	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY DARLING & SON, LTD., 34-40 BACON STREET, E.

1909

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 35. 1909. VOL. LXX.] WEEK ENDED SATURDAY, SEPT. 4. [Price 1½*d*.

General Register Office, Somerset House,
September 6th, 1909.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 12·9 per 1000 of their aggregate population, which is estimated † at 16,445,281 persons in the middle of this year. In the preceding three weeks the rates had been 11·5, 11·8, and 12·9. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 17·2 in Salford, 17·3 in Bootle, in Wigan, and in Middlesbrough, 17·8 in Liverpool, 18·1 in St. Helens, 18·4 in Nottingham, 18·7 in Tynemouth, and 28·1 in Swansea; from *measles*, 1·1 in Swansea and 2·7 in Newport (Mon.); from *whooping-cough*, 1·1 in Cardiff and in Swansea, 1·2 in Derby, 1·3 in Coventry, and 1·6 in St. Helens; from "*fever*," 1·2 in Wigan; and from *diarrhœa*, 4·0 in Wigan, 4·2 in Walsall, 4·5 in Middlesbrough, 4·8 in Nottingham, 5·0 in Rhondda, 5·3 in Bootle, 5·7 in Grimsby, 6·3 in Devonport, and 6·9 in Swansea. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2317 BIRTHS and 1149 DEATHS were registered. Allowing for increase of population, the births were 53 and the deaths 279 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-five other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(14245—41.) Wt. 109—472. 700. 9/09. D & S. G. 31. Sch. 4. 2 M

causes, which had been 11·3, 11·1, and 12·4 per 1000 in the preceding three weeks, was again 12·4 last week. The death-rate in the four weeks ended last Saturday averaged 11·8 per 1000, being 4·0 per 1000 below the mean rate in the corresponding periods of the five years 1904–8.

The 1149 deaths included 10 from measles, 2 from scarlet fever, 9 from diphtheria, 27 from whooping-cough, 2 from enteric fever, and 139 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia: thus, to these diseases in the aggregate 189 deaths were referred, being 171 below the corrected average number in the thirty-fifth week of the preceding five years.

The deaths from *measles*, which had been 22, 17, and 12 in the preceding three weeks, further fell to 10 last week, and were 10 below the corrected average. The deaths from *scarlet fever*, which had been 9, 7, and 6 in the preceding three weeks, further fell to 2 last week, and were 8 below the corrected average. The deaths from *diphtheria*, which had been 10, 6, and 5 in the preceding three weeks, rose to 9 last week, but were 2 below the corrected average. The deaths from *whooping-cough*, which had been 12, 13, and 15 in the preceding three weeks, further rose to 27 last week, and were 8 above the corrected average; 3 deaths belonged to the Borough of Finsbury and 3 to Deptford. The deaths from *enteric fever*, which had been 2, 5, and 1 in the preceding three weeks, were 2 last week, the corrected average being 6. The deaths from *diarrhœa*, which had been 39, 76, and 159 in the preceding three weeks, fell to 139 last week, and were 155 below the corrected average; 14 deaths belonged to Southwark, 11 to Fulham, 11 to Bethnal Green, 10 to Lambeth, and 9 to Camberwell. Of the 139 deaths from diarrhœa, 134 were those of children under 5 years of age; 16 other deaths at this age were certified as due to *enteritis* and 22 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 2, having been 6, 1, and 5 in the preceding three weeks.

Different forms of violence caused 51 deaths, concerning all of which inquests were held. Of these 51 deaths, 15 were cases of suicide, and 2 of homicide, while the remaining 34 were attributed to accident or negligence. Six of these latter were referred to vehicles in the streets, four to burns or scalds, two to drowning, and seven, of infants under one year of age, to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 2377 cases of scarlet fever, 831 of diphtheria, and 62 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 349 cases, against 298, 245, and 284; of diphtheria, 124 cases, against 81, 83, and 86; and of enteric fever, 17 cases, against 9, 11, and 14. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended August 28th, 1909.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 3645 births and 1638 deaths were registered. Allowing for increase of population, these numbers are 83 and 447 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 6 deaths from measles, 2 from scarlet fever, 3 from diphtheria, 3 from whooping-cough, and 45 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·78 inches, and that of the Thermometer 54°·5, the latter being 5°·4 below the week's average in the 65 years ended 1905. The general direction of the wind was Westerly, the horizontal movement of the air being 9 per cent. above the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 41·7 hours; the measured rainfall amounted to 0·30 of an inch.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 4th September, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 14th Aug., 1909.	21st Aug., 1909.	28th Aug., 1909.	4th Sept., 1909.	Rate from Diseases in Cols. 11–17. Week ended 4th September, 1909.	Registered during the Week ended 4th Sept., 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS	**16,445,281**	**11·5**	**11·8**	**12·9**	**12·9**	**2·4**	**8147**	**4066**	**1283**	**1005**	**–**	**35**	**17**	**33**	**65**	**16**	**602**	**152**	**306**	**1086**	**33**	**76 TOWNS.**
LONDON	4,833,938	11·3	11·1	12·4	12·4	2·0	2317	1149	336	287	–	10	2	9	27	2	139	51	125	494	1	LONDON.
† CROYDON	161,078	8·7	6·5	7·4	9·7	0·6	73	30	7	15	–	–	–	1	–	–	1	4	6	6	–	CROYDON.
† WILLESDEN ..	160,424	8·1	7·2	7·5	7·8	1·3	74	24	8	3	–	–	–	–	–	–	4	–	1	4	–	WILLESDEN.
† HORNSEY	95,628	6·5	4·4	3·8	3·8	–	32	7	2	2	–	–	–	–	–	–	–	1	1	1	–	HORNSEY.
† TOTTENHAM ..	129,464	7·7	8·1	5·6	10·1	0·8	83	25	9	5	–	–	–	–	–	–	2	–	1	9	–	TOTTENHAM.
† WEST HAM ..	321,767	12·2	10·0	12·5	10·7	3·4	199	66	31	9	–	–	–	–	2	–	19	–	7	13	–	WEST HAM.
† EAST HAM.. ..	149,575	6·3	5·2	5·2	9·8	2·8	63	28	9	8	–	–	–	1	–	–	7	–	–	6	–	EAST HAM.
† LEYTON	129,614	2·8	6·4	10·5	8·0	1·2	60	20	10	4	–	1	–	–	–	–	2	–	–	3	–	LEYTON.
† WALTHAMSTOW	136,602	4·6	5·7	7·6	5·3	1·5	54	14	4	3	–	–	–	–	1	–	3	1	1	2	–	WALTHAMSTOW.
HASTINGS	68,165	12·2	12·2	6·9	9·9	0·8	31	13	2	5	–	–	–	–	–	–	1	–	–	4	–	HASTINGS.
BRIGHTON	130,926	10·8	11·5	12·3	12·3	–	65	31	4	17	–	–	–	–	–	–	–	1	4	14	–	BRIGHTON.
PORTSMOUTH ..	214,726	11·2	8·0	12·4	9·7	0·5	119	40	6	14	–	–	1	–	–	–	1	–	2	7	1	PORTSMOUTH.
BOURNEMOUTH ..	72,368	10·8	7·9	11·5	7·2	0·7	24	10	1	7	–	–	–	–	–	–	1	–	1	1	–	BOURNEMOUTH.
SOUTHAMPTON ..	124,667	9·2	8·8	14·2	10·5	2·5	49	25	7	6	–	–	–	–	–	–	6	1	1	7	–	SOUTHAMPTON.
READING	82,995	6·3	10·7	8·2	8·2	1·9	23	13	7	3	–	–	–	–	–	–	3	–	–	1	–	READING.
NORTHAMPTON ..	97,752	10·7	11·7	7·5	9·1	1·1	33	17	6	3	–	–	–	–	–	–	2	–	1	1	1	NORTHAMPTON.
IPSWICH	74,889	7·0	6·3	9·7	9·7	–	38	14	1	4	–	–	–	–	–	–	–	–	–	4	–	IPSWICH.
GREAT YARMOUTH	53,430	10·7	16·6	13·7	7·8	2·9	20	8	3	4	–	–	–	–	1	–	2	–	1	–	–	GREAT YARMOUTH.
NORWICH	124,136	11·3	9·2	13·0	13·0	2·9	67	31	8	10	–	–	–	–	–	–	7	1	2	2	–	NORWICH.
PLYMOUTH	124,180	14·3	11·8	10·9	14·7	3·8	53	35	14	8	–	–	–	1	2	–	6	2	2	7	–	PLYMOUTH.
DEVONPORT	83,103	10·0	9·4	11·3	15·7	6·3	47	25	10	7	–	–	–	–	–	–	10	–	–	2	–	DEVONPORT.
BRISTOL	377,642	9·5	10·4	12·0	11·6	1·8	150	84	26	20	–	–	–	–	1	2	10	4	6	29	–	BRISTOL.
HANLEY	68,831	12·9	12·1	15·9	13·6	2·3	42	18	7	4	–	–	–	–	1	–	2	–	1	1	–	HANLEY.
BURTON-ON-TRENT	54,453	14·4	9·6	10·5	4·8	–	17	5	1	1	–	–	–	–	–	–	–	–	–	2	–	BURTON-ON-TRENT.
WOLVERHAMPTON..	104,633	8·5	13·0	11·0	16·9	2·5	39	34	9	11	–	1	–	1	–	–	3	1	2	7	1	WOLVERHAMPTON.
WALSALL	99,399	15·7	13·6	15·7	11·5	4·7	51	22	9	4	–	–	–	–	1	–	8	2	3	2	–	WALSALL.
HANDSWORTH ..	70,186	8·9	8·9	3·7	8·9	1·5	24	12	4	2	–	1	–	–	–	–	1	–	–	–	–	HANDSWORTH.
WEST BROMWICH..	70,457	19·2	14·8	10·4	12·6	4·4	45	17	7	2	–	–	–	1	–	–	5	2	2	–	–	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 4th September, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1909.*	Death-Rates from all Causes. Week ended 14th Aug., 1909.	21st Aug., 1909.	28th Aug., 1909.	4th Sept., 1909.	Rate from Diseases in Cols. 11–17. Week ended 4th September, 1909.	Registered during the Week ended 4th Sept., 1909. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
BIRMINGHAM ..	563,629	11·4	10·8	13·9	13·9	3·9	274	150	62	33	–	–	1	–	4	1	36	9	9	34	5	BIRMINGHAM.
KINGS NORTON ..	81,632	5·7	8·9	7·0	7·7	0·6	27	12	2	6	–	–	–	1	–	–	–	–	–	–	–	KINGS NORTON.
SMETHWICK	70,377	10·4	13·3	11·9	11·1	3·0	33	15	5	3	–	1	–	1	–	1	1	1	2	2	–	SMETHWICK.
ASTON MANOR ..	85,257	9·8	14·1	15·3	4·9	1·2	50	8	6	–	–	–	–	–	–	–	2	–	–	–	–	ASTON MANOR.
COVENTRY	80,163	11·1	10·4	11·7	11·7	2·6	45	18	4	4	–	1	–	1	2	–	–	2	2	3	2	COVENTRY.
LEICESTER	244,255	12·6	11·5	12·8	11·5	2·3	93	54	17	20	–	1	1	–	2	–	7	1	1	13	–	LEICESTER.
GRIMSBY	73,036	9·3	7·9	20·7	14·3	5·7	42	20	11	2	–	–	–	–	–	–	8	–	1	3	1	GRIMSBY.
NOTTINGHAM ..	263,443	11·9	14·6	16·6	18·4	4·9	136	93	42	20	–	–	–	1	–	–	24	5	10	19	–	NOTTINGHAM.
DERBY	129,411	10·5	12·1	11·7	13·7	3·6	65	34	11	8	–	–	–	1	3	–	5	–	2	4	–	DERBY.
STOCKPORT	103,706	11·1	13·6	14·1	10·1	1·0	44	20	7	6	–	–	–	–	–	–	2	1	2	3	–	STOCKPORT.
BIRKENHEAD ..	121,123	13·8	11·6	16·4	15·9	3·4	86	37	12	8	–	1	1	–	–	–	6	–	1	7	–	BIRKENHEAD.
WALLASEY	71,004	10·3	12·5	7·3	5·9	–	27	8	3	5	–	–	–	–	–	–	–	–	–	1	1	WALLASEY.
LIVERPOOL	760,357	15·2	16·7	18·4	17·8	3·8	449	259	87	56	–	2	–	4	1	–	48	9	17	73	5	LIVERPOOL.
BOOTLE	69,393	12·8	17·3	19·5	17·3	5·3	36	23	7	3	–	–	–	–	–	–	7	1	1	9	–	BOOTLE.
ST. HELENS	95,161	12·1	11·0	15·9	18·1	2·7	57	33	5	6	–	–	–	–	3	1	1	3	3	8	1	ST. HELENS.
WIGAN	90,678	12·7	14·4	18·4	17·3	5·2	50	30	9	7	–	–	–	–	–	2	7	1	4	6	1	WIGAN.
WARRINGTON ..	72,276	11·5	13·0	19·5	12·3	3·6	42	17	6	4	–	–	1	–	–	–	4	2	2	2	1	WARRINGTON.
BOLTON	187,824	13·6	14·2	15·0	13·0	1·4	97	47	10	11	–	1	1	–	–	1	2	1	4	10	1	BOLTON.
BURY	59,234	9·7	16·7	9·7	13·2	0·9	23	15	3	4	–	–	–	–	–	–	1	–	–	3	–	BURY.
MANCHESTER ..	655,435	13·6	15·3	14·8	15·0	2·5	356	188	51	54	–	1	1	1	–	–	28	11	13	62	2	MANCHESTER.
SALFORD	241,950	14·4	16·4	15·5	17·2	5·4	110	80	27	14	–	2	3	2	–	1	17	2	3	19	–	SALFORD.
OLDHAM	143,301	15·3	12·4	13·8	15·3	1·1	56	42	5	13	–	1	–	1	–	–	1	1	3	8	–	OLDHAM.
ROCHDALE	89,653	11·1	8·7	12·8	16·3	1·7	44	28	5	10	–	–	1	–	–	1	1	1	2	6	1	ROCHDALE.
BURNLEY	106,267	15·2	15·2	11·3	15·7	2·5	49	32	10	8	–	–	1	–	–	–	4	5	5	7	1	BURNLEY.
BLACKBURN	136,959	12·2	17·9	11·8	10·7	0·8	70	28	6	8	–	–	–	–	–	–	2	3	3	3	–	BLACKBURN.
PRESTON	118,519	5·7	7·0	11·0	11·9	0·8	57	27	8	6	–	–	1	–	–	–	1	2	2	5	2	PRESTON.
BARROW-IN-FURNESS.	62,996	5·8	10·8	7·4	8·3	–	32	10	1	5	–	–	–	–	–	–	–	–	–	2	–	BARROW-IN-FURNESS.

* See note † on first page of this return

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 4th September, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 14th Aug., 1909.	21st Aug., 1909.	28th Aug., 1909.	4th Sept., 1909.	Rate from Diseases in Cols. 11–17. Week ended 4th September, 1909.	Registered during the Week ended 4th Sept., 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,739	9·9	11·0	17·1	14·3	2·8	52	26	7	4	–	–	–	1	–	–	4	1	1	2	–	HUDDERSFIELD.
HALIFAX	111,911	15·8	8·4	7·9	7·5	1·4	37	16	2	4	–	–	–	–	1	–	2	–	1	6	1	HALIFAX.
BRADFORD	293,983	9·6	8·9	10·6	10·8	0·2	97	61	11	18	–	–	–	–	–	–	1	2	3	13	–	BRADFORD.
LEEDS	484,012	12·6	12·6	12·0	14·1	2·3	242	131	40	44	–	3	–	3	1	2	12	3	8	26	–	LEEDS.
SHEFFIELD	470,958	11·4	17·1	14·5	14·2	3·3	273	128	45	30	–	–	–	–	1	1	28	3	3	22	–	SHEFFIELD.
ROTHERHAM.. ..	65,070	11·2	10·4	17·6	7·2	2·4	32	9	3	4	–	–	–	–	–	–	3	–	–	1	–	ROTHERHAM.
YORK	87,004	9·0	8·4	12·6	10·2	–	43	17	2	7	–	–	–	–	–	–	–	1	3	4	–	YORK.
HULL	275,552	10·6	11·2	13·8	15·1	4·5	159	80	32	14	–	–	–	1	3	1	19	1	3	15	–	HULL.
MIDDLESBROUGH ..	105,255	13·9	18·8	18·3	17·3	5·4	61	35	13	7	–	–	–	–	2	–	9	–	–	1	–	MIDDLESBROUGH.
STOCKTON-ON-TEES	53,417	13·7	10·7	17·6	9·8	–	30	10	1	6	–	–	–	–	–	–	–	1	1	1	–	STOCKTON-ON-TEES.
WEST HARTLEPOOL	79,686	12·4	8·5	5·9	10·5	1·3	33	16	8	–	–	–	–	–	–	–	2	1	1	2	–	WEST HARTLEPOOL.
SUNDERLAND ..	159,378	8·2	12·1	12·4	15·4	1·0	59	47	15	13	–	–	–	–	–	–	3	1	1	7	1	SUNDERLAND.
SOUTH SHIELDS ..	117,627	13·3	12·9	17·3	12·0	2·7	58	27	12	3	–	–	–	–	–	–	6	1	2	4	1	SOUTH SHIELDS.
GATESHEAD	131,024	10·7	7·2	10·3	15·5	1·6	74	39	8	9	–	1	1	–	–	–	2	–	–	3	1	GATESHEAD.
NEWCASTLE-ON-TYNE.	281,584	11·7	13·3	10·9	14·6	0·9	153	79	29	17	–	–	–	–	–	–	5	1	5	17	–	NEWCASTLE-ON-TYNE.
TYNEMOUTH ..	55,808	12·1	15·9	15·9	18·7	3·7	37	20	8	5	–	–	–	–	–	–	4	–	1	5	–	TYNEMOUTH.
NEWPORT (MON.) ..	78,336	23·3	15·3	16·0	14·0	5·3	38	21	7	5	–	4	–	–	–	–	4	–	1	3	–	NEWPORT (MON.).
CARDIFF	195,303	12·3	11·2	13·6	11·5	3·7	98	43	15	5	–	–	–	1	4	–	9	1	4	5	–	CARDIFF.
RHONDDA	135,894	17·3	13·8	16·1	14·6	5·8	114	38	23	4	–	1	1	–	–	–	13	–	1	–	1	RHONDDA.
MERTHYR TYDFIL..	78,365	11·3	13·3	17·3	16·6	2·0	52	25	11	6	–	–	–	–	–	–	3	2	4	1	–	MERTHYR TYDFIL.
SWANSEA	98,308	16·4	20·2	26·5	28·1	9·0	63	53	21	8	–	2	–	–	2	–	13	1	1	7	–	SWANSEA.
GREATER LONDON	7,429,740	10·5	10·0	11·2	11·5	2·0	3645	1638	497	420	–	17	4	14	33	2	222	66	161	583	1	GREATER LONDON.
OUTER RING ..	2,595,802	9·1	7·9	8·9	9·8	2·1	1328	489	161	133	–	7	2	5	6	–	83	15	36	89	–	OUTER RING.
8 TOWNS IN OUTER RING.	1,284,152	7·9	7·2	8·3	8·7	1·8	638	214	80	49	–	1	–	2	3	–	38	6	17	44	–	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,311,650	10·2	8·5	9·5	10·9	2·3	690	275	81	84	–	6	2	3	3	–	45	9	19	45	–	REMAINDER OF OUTER RING.
EDINBURGH	355,366	11·3	11·6	10·4	14·1	1·8	140	96	14	28	–	1	1	2	5	–	3	7	?	42	5	EDINBURGH.
GLASGOW	872,021	12·9	11·6	13·3	14·0	2·2	432	234‡	58	48	–	1	3	6	1	1	24	4	?	76	7	GLASGOW.
DUBLIN (Registration Area).†	398,356	13·5	19·8	20·4	19·0	3·3	208	145	44	30	–	–	2	3	–	–	20	7	6	57	2	DUBLIN (Registration Area).†
BELFAST†	386,576	14·2	15·6	17·4	16·1	3·0	174	119	43	25	–	–	–	–	2	–	20	2	6	25	–	BELFAST†

* See note † on first page of this return.

† Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast respectively.
‡ Including 1 death from Cerebro-spinal meningitis.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the THIRTY-FIFTH Week of each of the Eleven Years, 1899–1909.

	1899	1900	1901	1902	1903	1904	1905	1906	1907	1908	Corrected Weekly Average in 5 Years 1904–1908.*	1909
TOTAL **Births** -	2532	2763	2483	2633	2451	2160	2372	2475	2346	2221	2369·8	2317
Males - - -	1331	1443	1284	1328	1248	1161	1198	1232	1154	1164	1209·9	1178
Females - -	1201	1320	1199	13'5	1206	999	1174	1243	1192	1057	1159·9	1139
TOTAL **Deaths** -	1931	1776	1623	1385	1245	1459	1548	1570	1068	1327	1427·5	1149
Males - - -	996	943	866	779	662	767	821	823	572	696	753·3	594
Females - -	935	833	757	606	583	692	727	747	496	631	674·2	555

* The numbers in this column are the average weekly numbers in the Thirty-Fifth week of the five years 1904-1908, raised by 2·375 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	June 12.	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug 21.	Aug. 28.	Sept. 4.	13 Weeks.
TOTAL **Births** -	2421	2167	2068	2331	2236	2292	2206	2289	2054	2316	2169	2386	2317	29552
TOTAL **Deaths** -	1135	1060	1125	1029	1109	979	926	957	935	1047	1027	1153	1149	13629
Ages at Death: Under 1 year -	232	179	189	183	188	177	174	177	204	213	223	338	336	2813
1—5 years -	122	128	115	106	138	102	88	85	83	111	105	122	114	1419
5—20 " -	65	72	68	50	48	55	61	66	55	61	60	57	45	763
20—40 " -	138	137	130	125	144	115	114	127	122	137	138	147	137	1711
40—60 " -	246	219	266	226	249	233	201	209	197	205	220	209	239	2883
60 yrs. & upwds.	332	325	357	339	351	297	288	302	272	320	281	289	287	4010
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	62	48	51	33	40	33	24	9	19	22	17	12	10	330
Scarlet Fever - -	10	10	7	3	9	6	8	4	4	9	7	6	2	85
Diphtheria - -	7	6	7	7	7	4	6	19	3	10	6	5	9	93
Whooping-cough -	21	18	17	20	19	15	17	17	23	12	13	15	27	237
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	2	2	3	1	1	2	-	3	2	2	5	1	2	26
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery	16	5	17	10	14	13	22	26	27	39	76	159	139	593
All above diseases -	118	89	102	74	90	73	77	78	81	94	124	198	189	1387
Dis. of Resp. System	54	68	64	58	60	38	43	38	53	53	52	41	35	657
Pneumonia - -	98	67	91	100	94	68	89	68	67	72	69	62	68	1013
Phthisis - - -	96	97	122	93	111	97	78	90	98	105	102	104	109	1302
Dis. of Circ. System -	171	161	157	158	164	144	128	132	134	155	130	137	137	1908
Violence - - -	41	48	41	45	57	65	37	42	38	56	53	56	51	639
Inquest Cases - -	109	103	109	121	114	119	82	98	85	105	111	131	125	1412
Deaths in Institutions	489	482	510	444	506	436	484	431	403	486	477	464	494	6106
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	50·2	56·3	55·8	55·9	58·5	60·0	61·9	59·9	60·8	66·9	63·3	58·1	54·5	58·6
Mean of Highest -	58·7	67·3	65·4	66·8	65·5	69·3	72·7	69·4	72·7	80·8	73·6	67·8	64·5	69·0
Mean of Lowest -	42·7	47·8	50·7	47·5	51·1	53·8	54·0	53·4	50·9	54·1	55·7	51·1	46·3	50·7
Mean Humidity of the Air.	84	79	81	80	77	82	71	79	76	70	79	83	75	78
Rain-fall (in inches) -	0·79	0·05	1·45	0·44	0·99	0·71	0·15	1·31	0·26	0·00	0·82	0·70	0·30	7·97
Registered Sunshine (in hours).	5·4	37·4	30·1	37·0	31·2	25·2	63·0	34·4	54·4	81·5	40·2	30·2	41·7	511·7
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - -	2263	2415	2517	2587	2647	2737	2731	2667	2564	2518	2411	2347	2377	2524
Diphtheria - - -	876	897	915	896	901	893	905	901	901	855	831	798	831	877
Typhus - - -	1	1	1	2	1	2	2	2	2	1	-	-	-	1
Enteric Fever - -	46	56	59	53	58	57	59	60	62	59	53	55	62	57

* The Metropolitan Asylums Board and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lander, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq., F.R.Met.Soc., Hull; the Meteorological Committee, Tynemouth: and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the THIRTY-FIFTH Week of the Year 1909.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 35th week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.			
ALL CAUSES	1427·5	1149	336	114	45	137	230	287
Small-pox*	–	–	–	–	–	–	–	–
Cowpox	–	1	1	–	–	–	–	–
Measles (Morbilli)	19·7	10	3	7	–	–	–	–
Scarlet Fever	10·4	2	–	1	1	–	–	–
Typhus	–	–	–	–	–	–	–	–
Plague	–	–	–	–	–	–	–	–
Influenza	3·1	2	1	–	–	–	–	1
Whooping-cough	19·5	27	13	14	–	–	–	–
Diphtheria	10·6	9	1	5	3	–	–	–
Cerebro-spinal Fever ..	0·2	–	–	–	–	–	–	–
Pyrexia† (origin un certain)	0·2	–	–	–	–	–	–	–
Enteric Fever	6·3	2	–	–	–	2	–	–
Asiatic Cholera	–	–	–	–	–	–	–	–
Epidemic Diarrhœa, Infective Enteritis	201·7	82	62	18	–	–	1	1
Diarrhœa, Dysentery ..	91·9	57	46	8	1	–	1	1
Tetanus	1·2	1	1	–	–	–	–	–
Rabies, Hydrophobia ..	–	–	–	–	–	–	–	–
Glanders	0·4	–	–	–	–	–	–	–
Anthrax (Splenic Fever)..	–	–	–	–	–	–	–	–
Venereal Dis.	5·1	7	3	1	–	2	1	–
Puerperal Septicæmia ..	1·0	1	–	–	–	1	–	–
Puerperal Pyæmia.. .	0·4	–	–	–	–	–	–	–
Puerperal Fever	0·4	1	–	–	–	1	–	–
Infective Endocarditis ..	2·3	2	–	–	–	1	–	1
Pneumonia: Lobar ..	10·0	6	2	1	–	–	–	3
Pneumonia: Broncho ..	29·3	31	14	8	–	1	6	2
Pneumonia: Epidemic ..	–	–	–	–	–	–	–	–
Pneumonia: Not defined	30·5	31	3	4	2	7	7	8
Erysipelas	3·7	4	1	–	–	1	1	1
Septicæmia (not Puerperal) ..	2·3	2	1	–	–	1	–	–
Pyæmia (not Puerperal)	1·0	–	–	–	–	–	–	–
Other Infective Processes	2·9	5	1	–	–	1	1	2
Tuberculous Phthisis ..	70·0	78	1	2	3	36	28	8
"*Phthisis*"	38·1	31	–	1	3	12	11	4
Tuberculous Meningitis ..	18·8	9	4	2	3	–	–	–
Tuberculous Peritonitis ..	15·2	10	3	5	2	–	–	–
Tabes Mesenterica	2·3	1	1	–	–	–	–	–
Tuberculous Dis., Other ..	19·5	15	4	5	–	2	4	–
Scrofula..	0·2	–	–	–	–	–	–	–
Alcoholism	8·4	5	–	–	–	1	4	–
Rheumatic Fever	3·9	3	–	–	1	–	2	–
Gout	1·8	–	–	–	–	–	–	–
Carcinoma	64·7	60	–	–	–	1	22	37
Sarcoma	7·4	7	–	–	–	3	4	–
Cancer (undefined) ..	30·3	33	–	–	–	2	12	19
Diabetes Mellitus	8·0	14	–	–	1	7	4	2
Premature Birth	45·2	39	39	–	–	–	–	–

CAUSES OF DEATH.	Corrected Average for the 35th week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.			
Meningitis (not tuberc.)..	16·8	9	4	2	1	1	1	–
Gen. Par. of Insane, Insanity	10·6	13	–	–	–	2	4	7
Epilepsy	5·1	5	–	1	1	2	–	1
Convulsions	19·5	17	14	3	–	–	–	–
Locomotor Ataxy.. ..	0·2	3	–	–	–	–	3	–
Paraplegia, Dis. of Cord.	4·7	3	–	–	–	–	1	2
Nervous Sys., Other Dis.	18·2	15	–	1	3	2	2	7
Valv. Dis., Endocarditis..	39·3	37	–	–	4	5	15	13
Cereb. Hæm. Cereb. Emb.	33·4	32	–	–	–	–	10	22
Apoplexy, Hemiplegia ..	15·8	14	–	–	–	1	5	8
Aneurysm	4·3	4	–	–	–	1	1	2
Embolism, Thrombosis (not Cerebral) ..	0·6	2	–	–	–	1	–	1
Heart & Blood Ves., Other Dis... ..	64·7	48	–	–	2	3	15	28
Croup (not Spasm: nor Memb.)	0·2	–	–	–	–	–	–	–
Bronchitis	40·7	24	5	3	–	–	2	14
Emphysema, Asthma ..	1·6	2	–	–	–	1	–	1
Pleurisy	3·7	4	–	1	–	1	1	1
Respiratory Dis., Other..	8·4	5	2	–	1	–	–	2
Tonsillitis, Quinsy.. ..	0·6	1	–	1	–	–	–	–
Enteritis (not Epid.) ..	28·1	17	12	4	–	–	–	1
Gastro-enteritis	29·7	22	16	6	–	–	–	–
Peritonitis (not Puerp.) ..	2·0	1	1	–	–	–	–	–
Cirrhosis of Liver.. ..	11·3	13	–	–	–	1	6	6
Liver Dis., Other	5·7	5	–	–	–	1	2	2
Digestive Sys., Other Dis.	36·2	43	7	1	6	9	10	10
Acute Nephritis	5·7	4	–	–	–	1	2	1
Bright's Dis., Albuminuria	30·3	27	–	–	1	3	13	10
Urinary Sys., Other Dis.	9·2	8	–	–	1	–	1	6
Generative Organs Dis...	3·3	3	–	–	–	2	1	–
Childbirth (Accid. of) ..	3·5	7	–	–	–	6	1	–
Old Age	41·6	39	–	–	–	–	–	39
Other Diseases	94·8	83	61	5	1	5	6	5
ACCIDENT.								
By Railways	1·2	2	–	–	1	–	1	–
By Vehicles and Horses..	8·0	6	–	–	1	2	1	2
In Ships, Boats, Docks, (exclusive of Drowning)	0·8	–	–	–	–	–	–	–
In Building Operations..	0·4	1	–	–	–	1	–	–
In Conflagrations	–	–	–	–	–	–	–	–
By Burns, Scalds, Explosions	3·3	4	–	4	–	–	–	–
By Drowning	5·1	2	–	–	–	–	2	–
By Suffocation in Bed ..	6·3	7	7	–	–	–	–	–
By Poisons or Poisonous Vapours	1·4	5	–	–	–	1	3	1
Other Deaths by Accident..	12·9	7	2	–	2	1	1	1
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	1·4	2	–	–	–	–	2	–
Suicide	9·0	15	–	–	–	2	9	4
Execution	–	–	–	–	–	–	–	–

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.
† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 4th September, 1909.

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexiat (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified causes of Death.
LONDON	4,536,267	2317	1149	336	287	-	10	2	9	27	-	2	-	139	51	125	494	1
WEST DISTRICTS	805,311	314	196	55	57	-	3	-	2	3	-	1	-	25	7	19	80	-
NORTH DISTRICTS	1,055,908	497	188	47	53	-	1	1	-	3	-	-	-	12	11	22	69	-
CENTRAL DISTRICTS	209,465	92	57	14	14	-	-	-	-	3	-	-	-	7	2	5	37	-
EAST DISTRICTS	715,739	428	206	79	42	-	2	-	-	5	-	-	-	32	12	36	100	-
SOUTH DISTRICTS	1,749,844	986	462	137	103	-	4	1	7	13	-	1	-	63	19	43	168	1
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	40	4	18	-	-	-	-	-	-	-	-	-	-	-	40	-
WEST DISTRICTS.																		
North Paddington *H*	63,603	27	8	3	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Central Paddington *W,3H*	50,053	18	19	4	6	-	-	-	-	-	-	-	-	2	1	4	13	-
South Paddington	30,320	4	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town *2W,w,2H* ..	128,037	59	33	9	9	-	-	-	-	-	-	-	-	4	-	1	19	-
Brompton *2H*	48,591	7	9	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-
North Hammersmith *2W,w,H* ..	49,192	28	13	6	-	-	-	-	-	-	-	-	-	3	1	2	2	-
South Hammersmith *w,2H* ..	63,047	22	12	1	5	-	-	-	-	1	-	-	-	-	1	1	1	-
North-west Fulham *W*	45,180	36	21	7	3	-	-	-	-	-	-	-	-	6	-	3	6	-
North-east Fulham *F*	46,405	21	16	5	4	-	1	-	2	1	-	1	-	1	-	1	3	-
South Fulham *W*	45,704	21	9	5	2	-	-	-	-	-	-	-	-	5	-	1	-	-
Chelsea North *W,w,3H*	42,514	16	19	5	8	-	1	-	-	1	-	-	-	-	1	1	17	-
Chelsea South *W,2H*	31,328	13	5	3	2	-	-	-	-	-	-	-	-	1	-	-	2	-
Mayfair and Knightsbridge	28,743	4	2	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Belgrave *W,2H*	55,815	17	15	2	4	-	-	-	-	-	-	-	-	-	1	1	10	-
St. Margaret & St. John *6H*	43,698	14	11	4	3	-	-	-	-	-	-	-	-	2	2	3	6	-
St. James and St. Anne *W,6H* ..	33,081	7	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
NORTH DISTRICTS.																		
All Souls Marylebone *7H*	35,391	7	9	1	1	-	-	-	-	-	-	-	-	-	-	-	7	-
St. Mary Marylebone *W,4H* ..	37,948	44	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Christchurch Marylebone	39,536	19	6	2	2	-	-	-	-	-	-	-	-	1	1	1	-	-
St. John Marylebone *2H*	20,426	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Hampstead *W,F,6H*	81,942	17	10	3	3	-	1	1	-	-	-	-	-	-	-	-	3	-
West St. Pancras *2H*	60,562	41	10	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
South St. Pancras *w,10H*	55,707	24	22	4	6	-	-	-	-	1	-	-	-	2	-	-	15	-
East St. Pancras *W,H*	60,320	42	13	3	7	-	-	-	-	-	-	-	-	1	2	3	3	-
North St. Pancras *2W*	58,728	25	14	3	2	-	-	-	-	-	-	-	-	-	1	1	5	-
Tufnell *W*	31,995	12	18	2	6	-	-	-	-	-	-	-	-	1	1	1	11	-
Upper Holloway *2W,w,H*	33,978	13	10	3	3	-	-	-	-	1	-	-	-	-	1	1	10	-
Tollington *W,w,H*	33,922	11	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Lower Holloway	41,424	20	3	1	1	-	-	-	-	-	-	-	-	-	-	2	-	-
Barnsbury	54,478	28	7	2	2	-	-	-	-	-	-	-	-	-	-	2	-	-
Islington South-east *F*	75,397	42	6	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Highbury *2H*	63,797	17	5	3	-	-	-	-	-	-	-	-	-	2	-	2	-	-
Stoke Newington *H*	51,247	23	9	3	4	-	-	-	-	1	-	-	-	-	-	-	-	-
North Hackney	50,398	24	7	3	1	-	-	-	-	-	-	-	-	1	1	1	-	-
Central Hackney *w,F*	50,536	30	5	2	1	-	-	-	-	-	-	-	-	1	1	2	-	-
South-west Hackney *3H*	59,921	30	8	1	4	-	-	-	-	-	-	-	-	1	1	3	3	-
South-east Hackney *2W,H*	58,255	22	18	5	4	-	-	-	-	-	-	-	-	2	2	3	9	-
Hackney Union Workhouse, Brentwood	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 4th September, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
St. Giles and Bloomsbury 2*W*,2*H* ..	31,436	17	6	-	3	-	-	-	-	-	-	-	-	-	-	1	2	-
Strand *W*,4*H*	21,674	3	14	2	3	-	-	-	-	-	-	-	-	2	1	1	11	-
Strand Union Workhouse, Edmonton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn *W*,5*H*	29,612	5	18	10	-	-	-	-	-	2	-	-	-	2	-	1	14	-
Clerkenwell *H*	63,704	38	5	1	1	-	-	-	-	1	-	-	-	2	-	-	-	-
St. Luke 3*H*,*L*	36,116	24	4	1	3	-	-	-	-	-	-	-	-	1	-	-	1	-
Holborn Union Workhouse, Mitcham	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph *H*	10,299	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	3	9	-	3	-	-	-	-	-	-	-	-	-	1	2	9	-
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
Shoreditch South 3*H*	46,362	20	8	4	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Shoreditch North-West *W*,*w*,*H* ..	36,127	19	13	3	4	-	-	-	-	1	-	-	-	1	1	2	11	-
Shoreditch North-East	36,148	18	10	5	1	-	1	-	-	-	-	-	-	1	2	2	-	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	40	36	22	6	-	-	-	-	-	-	-	-	12	2	5	20	-
Bethnal Green South-West *H* ..	64,542	48	5	3	1	-	-	-	-	-	-	-	-	2	-	1	-	-
Spitalfields..	27,969	10	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Mile End New Town *W*,*H*	28,718	23	29	11	6	-	-	-	-	-	-	-	-	6	2	5	28	-
Goodman's Fields	22,081	14	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
St. George and St. John 2*W* ..	49,068	28	9	4	1	-	-	-	-	1	-	-	-	3	-	1	4	-
Shadwell and Ratcliff *w*,*H* ..	25,568	12	14	9	1	-	-	-	-	-	-	-	-	1	-	-	11	-
Limehouse *W*	32,369	11	12	4	1	-	-	-	-	-	-	-	-	2	1	7	-	-
Mile End Old Town South-Western *H*	63,698	49	5	1	2	-	-	-	-	-	-	-	-	-	-	1	1	-
Mile End Old Town North-Eastern *W*,*w*	49,129	24	13	2	4	-	1	-	-	-	-	-	-	-	2	4	4	-
Bow	41,989	25	6	3	2	-	-	-	-	-	-	-	-	1	1	1	-	-
Bromley 3*w*,*H*	68,319	44	29	3	7	-	-	-	-	1	-	-	-	2	1	5	18	-
Poplar *W*,*w*	58,514	43	12	4	4	-	-	-	-	-	-	-	-	1	-	1	2	-
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 4th September, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death
SOUTH DISTRICTS.																		
Christchurch and St. Saviour Southwark *W,2H*	23,319	11	15	5	2	-	-	-	-	-	-	-	-	1	1	1	12	-
Kent-road	21,904	15	4	2	-	-	-	-	-	-	-	-	-	3	-	2	-	-
St. George the Martyr West *W,2H,L*	39,094	10	20	8	3	-	-	-	-	1	-	-	-	5	1	2	9	-
Newington North	49,022	26	8	5	1	-	-	-	-	-	-	-	-	3	-	-	-	-
Newington South *W*	72,841	42	13	6	3	-	-	-	-	-	-	-	-	2	-	1	1	1
St. Olave *2W*	9,817	5	4	3	1	-	-	-	-	-	-	-	-	1	-	-	1	-
Bermondsey *W*	82,483	57	15	8	2	-	-	-	-	2	-	-	-	1	-	1	-	-
Rotherhithe *W,F*	38,460	13	20	6	5	-	-	-	-	-	-	-	-	3	-	-	13	-
Waterloo *2H*	27,440	32	7	4	-	-	-	-	-	-	-	-	-	3	-	-	4	-
Lambeth Church *H*	27,440	12	24	3	2	-	-	-	-	-	-	-	-	2	2	3	21	-
Kennington *2W*	52,518	25	17	4	4	-	1	-	-	-	-	-	-	3	1	2	12	-
Stockwell *HF*	63,826	43	11	3	1	-	-	-	4	-	-	-	-	2	-	-	7	-
Brixton *H*	73,673	29	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Norwood *2WH*	56,998	28	10	2	3	-	-	-	-	-	-	-	-	1	-	-	-	-
East Battersea *H*	72,203	42	12	6	3	-	-	-	-	-	-	-	-	2	-	1	-	-
North-west Battersea	49,656	33	12	8	-	-	2	-	-	-	-	-	-	4	1	2	-	-
South-west Battersea *2W,H* ..	47,048	21	29	2	9	-	-	-	-	2	-	-	-	1	2	7	20	-
Clapham *2H*	51,361	21	8	1	2	-	-	-	-	-	-	-	-	1	-	1	-	-
Streatham *W,2w,2F,2L*	88,019	64	19	4	7	-	-	-	-	-	-	-	-	-	1	2	4	-
Springfield *2W,L*	27,959	13	6	3	-	-	-	-	-	-	-	-	-	1	1	1	-	-
Southfields *H*	40,444	28	9	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Putney	24,139	9	2	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-
Dulwich	13,359	6	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	14	21	1	7	-	-	-	-	1	-	-	-	-	-	-	16	-
Camberwell North *W,2L*	65,584	36	23	3	6	-	1	-	-	-	-	-	-	2	3	4	13	-
St. George	47,331	39	13	6	2	-	-	-	1	-	-	-	-	2	1	2	-	-
Peckham North	48,913	36	7	2	-	-	-	-	-	-	-	-	-	3	-	-	-	-
Peckham South *2W,w*	43,946	21	4	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-
Deptford North	37,613	25	12	8	1	-	-	-	-	2	-	-	-	4	-	-	-	-
Deptford Central *F*	45,481	24	15	4	2	-	-	1	1	3	-	-	-	2	1	1	4	-
Deptford South	34,625	12	3	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Greenwich West *H*	23,456	20	7	3	1	-	-	-	-	-	-	-	-	2	-	-	1	-
Greenwich East *2W,H*	43,859	28	26	8	7	-	-	-	-	-	-	1	-	3	-	2	13	-
Eltham *w,H*	7,226	6	3	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Lee *w,H*	25,490	9	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham *2W,w,F*	58,352	33	18	4	7	-	-	-	1	-	-	-	-	1	-	2	9	-
Sydenham *H*	43,653	31	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Charlton *F,2H*	21,134	14	5	2	-	-	-	-	-	-	-	-	-	2	-	-	1	-
Woolwich *5H*	41,625	19	10	4	2	-	-	-	-	2	-	-	-	1	1	1	-	-
Plumstead West *W,H*	39,376	17	8	1	4	-	-	-	-	-	-	-	-	-	1	1	-	-
Plumstead East *2W*	28,951	17	8	-	5	-	-	-	-	-	-	-	-	-	1	1	7	-
Workhouses:—																		
Belmont Workhouse	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asylum .. (Westminster, St. Giles, and Strand Unions.)	—	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	2	-
M. A. B. Small-pox Hospitals:—																		
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																		
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																		
Children's Infirmary, Carshalton..	—	-	3	3	-	-	-	-	-	-	-	-	-	-	-	-	3	-
M. A. B. Imbecile Asylums:—																		
Caterham	—	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	4	-
Darenth	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden	—	-	6	-	4	-	-	-	-	-	-	-	-	-	-	-	6	-
London County Lunatic Asylums:—																		
Banstead	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-
Manor	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Long Grove	—	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-
Cane Hill	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
Dartford Heath	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
Hanwell	—	-	5	-	2	-	-	-	-	-	-	-	-	-	-	-	5	-
Colney Hatch	—	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	3	-
Claybury	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERATED POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday 4th September, 1909.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING ..	368,603	2,045,135	1,328	489	161	133	-	7	2	5	6	-	83	15	36	89	-
30 : 1	Carshalton 2F,3H	12,228	32,997	15	10	6	1	-	-	-	-	-	-	2	-	-	-	-
2	Epsom, *part of** W,w,2F,H..	10,423	15,548	7	2	-	2	-	-	-	-	-	-	-	-	-	1	-
37 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
38 : 1	Coulsdon	11,069	8,166	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w,H ..	4,200	49,309	22	6	3	1	-	-	-	-	-	-	-	1	2	-	-
3	West Croydon 3W,F,H ..	2,168	42,888	27	17	4	7	-	-	-	1	-	-	1	2	3	7	-
4	North Croydon H	2,644	41,698	24	9	1	7	-	-	-	-	-	-	-	1	1	1	-
5	Penge w	770	22,465	9	4	1	2	-	-	-	-	-	-	1	-	-	-	-
6	Mitcham w	11,711	30,015	31	6	3	1	-	-	-	-	-	-	-	-	-	-	-
39 : 1	Wimbledon F,3H	3,221	41,652	16	9	1	3	-	-	-	-	1	-	-	-	-	-	-
2	Kingston 2W,H	6,224	42,068	20	13	4	4	-	-	-	-	-	-	2	-	1	5	-
3	Surbiton F,H	3,046	15,017	8	3	2	1	-	-	-	-	1	-	-	-	-	1	-
4	Esher, *part of** H	5,402	13,100	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	Hampton H,F,L	4,564	23,456	16	7	1	1	-	-	-	-	-	-	1	1	2	1	-
40 : 1	Richmond W,H	2,491	31,672	11	7	1	4	-	-	-	-	-	-	1	-	-	3	-
2	Mortlake F	2,518	17,821	21	6	2	1	-	1	-	-	-	-	2	-	1	-	-
41 : 1	Bromley F,3H	4,703	27,354	15	6	-	3	-	-	-	-	-	-	-	-	-	1	-
2	Beckenham H	7,825	28,497	10	6	3	3	-	-	-	-	-	-	2	-	-	1	-
3	Orpington, *part of** W,F ..	10,113	9,857	10	7	-	6	-	-	-	-	-	-	-	-	-	6	-
4	Chislehurst 2H	7,333	16,446	8	5	1	2	-	-	-	-	-	-	-	-	1	-	-
42 : 1	Bexley w,F,H	8,678	21,151	16	3	3	-	-	-	-	-	-	-	1	-	-	-	-
2	Erith F,H	3,854	25,296	14	6	1	2	-	-	-	-	-	-	1	-	1	-	-
3	Dartford W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124 : 1	Sunbury w	11,054	18,683	10	4	2	2	-	-	-	-	-	-	1	-	1	-	-
2	Staines W,H	13,277	15,178	10	6	3	1	-	-	-	-	-	-	3	-	-	1	-
125 : 1	Hillingdon W,F,H	6,035	13,661	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Uxbridge H	12,757	8,984	4	3	1	1	-	-	-	-	-	-	-	1	1	-	-
3	Hayes w 2F,H	8,066	16,358	13	3	3	-	-	-	-	-	-	-	1	-	-	-	-
126 : 1	Isleworth 3W,3F,H	6,859	30,863	29	14	2	4	-	-	-	-	-	-	-	-	1	4	-
2	Twickenham F,2H	2,421	20,991	13	8	2	3	-	-	-	-	-	-	2	1	1	-	-
3	Brentford 3F,2H	4,319	48,289	34	11	1	5	-	-	-	-	-	-	2	-	-	-	-
4	Chiswick H	1,249	29,809	12	4	3	1	-	1	-	-	-	-	2	-	-	-	-
5	Acton w,F,3H	6,132	48,914	47	16	9	-	-	-	1	1	-	-	6	-	-	2	-
127 : 1	Harrow F,H	13,809	25,523	23	2	-	2	-	-	-	-	-	-	-	-	-	-	-
2	Edgware 2F,2H	6,994	4,521	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden W,F,2H	4,384	114,811	74	24	8	3	-	-	-	-	-	-	4	-	1	4	-
4	Hendon W,F	8,382	22,450	23	4	-	1	-	-	-	-	-	-	-	-	-	1	-
128 : 1	South Mimms 2F,H ..	17,755	7,308	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,970	9	3	-	1	-	1	-	-	-	-	-	-	-	-	-
3	Finchley F,3H	4,688	33,692	28	5	-	3	-	-	-	-	-	-	-	1	1	-	-
129 : 1	Hornsey F,H	2,875	72,056	32	7	2	2	-	-	1	-	-	-	-	1	1	1	-
2	Wood Green H	1,625	34,233	26	2	1	1	-	-	-	-	-	-	-	-	-	-	-
3	West Tottenham	995	48,741	36	7	2	2	-	-	-	-	-	-	1	-	1	-	-
4	East Tottenham 2H ..	2,019	53,962	47	12	6	1	-	-	-	-	-	-	2	1	1	3	-
5	Edmonton W,w,2F	7,491	61,892	52	22	9	3	-	-	-	-	-	-	6	-	2	9	-
6	Enfield 2W,F,H	12,601	42,738	19	12	4	2	-	3	-	2	1	-	2	-	-	2	-
7	Waltham Abbey F	11,017	6,549	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	7	6	-	2	-	-	-	-	-	-	-	1	1	-	-
135 : 1	Hatfield, *part of** W ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey, *part of** H ..	9,195	7,051	5	3	1	2	-	-	-	-	-	-	-	-	-	-	-
2	Watford, *part of** W,2F ..	138	2,122	2	2	-	2	-	-	-	-	-	-	-	-	-	2	-
186 : 1	Stratford H	1,091	52,974	35	13	8	2	-	-	-	-	-	-	5	-	2	2	-
2	Forest Gate	787	52,745	24	6	1	1	-	-	-	-	1	-	2	-	-	-	-
3	Plaistow F,2H	1,249	90,921	70	17	7	4	-	-	-	-	-	-	4	-	3	1	-
4	Canning Town H	1,556	70,718	70	21	15	1	-	-	-	-	1	-	8	-	2	1	-
5	South East Ham 2F ..	1,991	37,342	33	13	7	1	-	-	-	1	-	-	7	-	-	1	-
6	North East Ham w,H ..	1,333	58,666	30	10	2	3	-	-	-	-	-	-	-	-	-	-	-
7	Wanstead F	1,679	9,179	1	4	-	1	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	26	12	5	5	-	1	-	-	-	-	2	-	-	4	-
9	North Leyton 2W,w,F ..	1,963	48,445	34	22	5	5	-	-	-	-	-	-	-	-	-	13	-
10	Walthamstow 2H,L ..	6,504	108,929	63	16	4	3	-	-	-	-	1	-	3	1	2	-	-
187 : 1	Chigwell 2F,3H	11,778	16,397	5	3	1	2	-	-	-	-	-	-	-	1	1	-	-
2	Epping W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189 : 1	Romford, *part of** W,2F ..	6,556	69,091	4	6	1	3	-	-	-	-	-	-	-	2	2	3	-
2	Ilford F,L	8,496	41,244	39	12	4	2	-	-	-	-	-	-	3	-	-	1	-
3	Barking Town F	3,805	21,547	9	10	5	1	-	-	-	-	-	-	3	-	-	-	-
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
	N.E. Hospital, Tottenham..	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Surrey County Lunatic Asylum, Brookwood.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
	Middlesex County Lunatic Asylum, Napsbury.	—	—	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
	Essex County Lunatic Asylum, Brentwood	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30 : 2, excepting Ashtead parish; 37 : 1, Warlingham and Farley parishes; 39 : 4, excepting Esher parish; 41 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135 : 1, Northaw parish; 137 : 1, excepting the part in Watford Rural parish; 137 : 2, Oxhey parish; 189 : 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42 : 3, 137 : 2 and 187 : 2 and in the Croydon Mental Hospital in 37 : 1 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Small-pox	Measles.	Scarlet Fever	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON - -	4,833,938	September 4	2317	1149	12·4	-	10	2	9	27	2	139
CALCUTTA - -	1,009,008	August 7	-	388	19·9	2	-	-	-	-	83†	52‡
BOMBAY - -	982,000	" 10	339	582	30·9	4	1	-	-	-	82†	97‡
MADRAS - -	548,974	" 6	369	344	35·1	1	4	?	?	?	91	58
PARIS - - -	2,760,000	" 28	925	729	13·9	-	13	1	3	1	1	72
BRUSSELS - -	704,975	" 28	214	189	13·9	-	3	3	1	3	1	44
ANTWERP - -	314,135	" 28	103	89	14·7	-	5	-	-	-	-	23
AMSTERDAM -	565,553	" 21	272	99	9·1	-	2	1	1	1	-	7
		" 28	270	103	9·5	-	6	1	-	1	-	7
COPENHAGEN -	448,000	" 28	272	86	10·0	-	-	2	-	1	-	4
STOCKHOLM -	339,582	" 21	168	74	11·3	-	-	1	1	-	-	3
CHRISTIANIA -	235,674	" 28	82	48	10·6	-	1	-	1	2	-	4
ST. PETERSBURG	1,573,000	" 21	807	600	19·9	6	24	7	13	5	6	136‡
MOSCOW - -	1,452,100	" 21	-	838	30·1	2	18	13	6	10	4	316‡
BERLIN - -	2,100,907	" 7	811	521	12·9	-	5	8	13	9	4	68
HAMBURG - -	872,252	" 28	-	188	11·2	-	-	6	6	2	1	25
BRESLAU - -	502,676	" 21	-	226	23·4	-	1	-	1	2	1	77
MUNICH - -	566,000	" 21	-	148	13·6	-	-	3	-	2	1	20
VIENNA - -	2,064,037	" 28	806	574	14·5	-	1	5	-	-	-	118
PRAGUE - -	485,057	" 28	181	133	14·3	-	-	1	-	-	1	8
BUDAPEST - -	823,215	" 21	403	290	18·3	-	-	3	-	1	6	86
TRIESTE - -	217,706	" 28	125	103	24·6	-	1	-	-	1	1	25
ROME - - -	565,323	May 22	223	178	16·4	-	8	2	-	1	2§	8
VENICE - -	179,286	July 31	-	-	-	-	-	-	-	-	-	-
BUCAREST - -	296,535	" 31	196	163	28·7	-	2	2	-	1	1	40
		August 7	181	175	30·8	-	-	2	1	-	5	43
NEW YORK -	4,564,792	" 14	2316	1474	16·8	-	16	6	20	13	9	384
CHICAGO - -	2,224,490	" 14	-	595	13·9	-	3	4	4	6	4	185
PHILADELPHIA -	1,565,569	July 31	-	507	16·8	-	6	1	7	6	4	121
RIO DE JANEIRO	637,089	August 1	-	228	18·7	1	-	-	-	-	-	-
CAIRO :—												
Egyptians -	666,587	July 22	549	567	44·0	-	20	-	9	-	13	213
		" 29	514	557	43·3	-	18	-	11	?	22	179
Foreigners -	35,219	" 22	8	15	22·1	-	-	1	-	-	2	4
		" 29	10	12	17·7	-	1	-	-	-	-	4
ALEXANDRIA :—												
Egyptians -	341,965	" 22	223	261	39·3	-	7	-	2	-	7†	102
		" 29	246	254	38·3	-	2	2	-	-	4	72
Foreigners -	46,118	" 22	17	21	23·7	-	-	-	-	-	-	6
		" 29	31	21	23·7	-	-	-	-	-	-	5

* Excluding deaths from croup in the Indian Cities.
† Including 15 deaths from plague in Calcutta, 27 in Bombay, and 1 in Alexandria.
‡ Including 7 deaths from cholera in Calcutta, 39 in Bombay, 70 in St. Petersburg, and 1 in Moscow
§ Including 1 death from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 4th September, 1909.

Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	71·7	37·1	55·4	0·30	BRADFORD - -	65·4	37·2	53·0	0·30
BRIGHTON - -	67·0	43·1	56·3	0·25	YORK - - -	68·0	43·0	54·7	0·38
PORTSMOUTH - -	66·0	44·0	56·0	0·36	HULL - - -	72·0	41·0	55·3	0·63
NORWICH - -	68·2	41·0	54·5	0·42	TYNEMOUTH - -	68·0	40·0	53·4	0·36
PLYMOUTH -	65·2	42·6	55·0	0·14	CARDIFF - - -	62·9	43·9	54·1	0·75
BRISTOL - - -	65·0	41·4	54·7	0·68	EDINBURGH - -	59·6	42·7	52·4	0·23
BIRMINGHAM - -	63·9	41·5	53·2	0·54	GLASGOW - -	61·3	35·8	53·3	0·50
NOTTINGHAM - -	65·8	35·0	52·6	0·48	DUBLIN Phœnix Park.	63·2	41·0	53·7	0·52
LIVERPOOL OBSERVATORY.	63·0	48·0	55·5	0·70	DUBLIN Fitz-william Square.†	63·2	45·5	54·9	0·43
MANCHESTER -	65·6	38·8	53·3	0·52					
BURNLEY - -	61·5	34·4	51·6	0·73					
HUDDERSFIELD -	65·0	38·3	53·0	0·46	BELFAST - - -	63·8	44·5	55·1	1·47

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to the seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°·5 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 4th September, 1909.

[Under the Superintendence of the Astronomer Royal.]

1909. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Temperature. Of the Air. Low-est.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Great-est.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Great-est.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
AUGUST.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 29	..	29·795	71·7	49·0	22·7	59·7	− 0·6	51·8	7·9	18·6	1·4	75	128·7	38·1	60·90	SW. & WSW.	SW.	2·6	0·0	0·1	268	− 13	0·00	10·0
MONDAY - 30	..	29·643	64·3	52·0	12·3	56·1	− 4·0	44·5	11·6	19·4	0·0	65	116·4	46·6	60·76	WSW. & NNW.	NNW, WNW. & WSW.	3·6	0·0	0·2	326	+ 48	0·02	6·5
TUESDAY - 31	Full	29·594	60·0	44·7	15·3	51·2	− 8·7	42·4	8·8	17·1	1·8	72	94·2	41·7	60·61	WSW, WNW. & NW.	NNW., N. & SW.	4·6	0·0	0·4	366	+ 94	0·00	1·5
SEPTEMBER. WEDNESDAY 1	Perigee	29·720	59·0	43·0	16·0	50·3	− 9·5	44·1	6·2	15·0	2·4	79	109·0	33·9	60·41	WSW. & NW.	WSW, WNW. & NW.	3·1	0·0	0·1	292	+ 27	0·06	0·0
THURSDAY - 2	In Equator	29·931	64·8	37·1	27·7	50·0	− 9·7	43·4	6·6	21·1	0·2	78	122·5	29·7	59·98	NNW., SW. & N.	N., variable & SW.	0·3	0·0	0·0	126	−133	0·00	0·0
FRIDAY - 3	..	30·041	69·9	44·1	25·8	56·8	− 2·8	46·8	10·0	20·3	2·6	69	133·3	33·3	59·56	SW. & WSW.	WSW., W. & SW.	2·0	0·0	0·1	271	+ 20	0·00	7·5
SATURDAY - 4	..	29·740	62·0	54·1	7·9	57·3	− 2·2	53·1	4·2	7·4	0·2	86	90·1	48·2	59·10	SW. & WSW.	SW. & WSW.	4·8	0·0	0·2	361	+117	0·22	4·5
MEANS - -		29·781	64·5	46·3	18·2	54·5	− 5·4	46·6	7·9	17·0	1·2	75	113·5	38·8	60·19	SW. & NNW.		..	..	..	Sum 2010	Sum +160	Sum 0·30	4·3
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. AUGUST.		Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.
SUNDAY -	29	w. P. throughout.	11·4	13·8
MONDAY -	30	w.P. till 9h. A.M.; m. P. generally till 10h. P.M.; w.P. afterwards.	5·4	13·7
TUESDAY -	31	w. P. till 9h. A.M.; m. P. generally afterwards.	4·4	13·6
SEPTEMBER. WEDNESDAY	1	w.P. till 6h. A.M.; m. P. till 2h. P.M.; s.P. and s. N. till 4h. P.M.; m. P. generally afterwards.	4·6	13·5
THURSDAY -	2	w.P. till 8h. A.M.; m. P. till 5h. P.M.; w. P. generally afterwards.	7·0	13·5
FRIDAY -	3	w.P. till 8h. A.M.; m. P. generally with occasional w. P. afterwards.	8·9	13·4
SATURDAY -	4	w.P. till noon; v.N. and w. P. till 2h. P.M.; w. P. afterwards.	0·0	13·4
			Sum 41·7	Sum 94·9
No. of Col. - -		27	28	29

GENERAL REMARKS.

Very fine till evening; overcast with slight exceptions after 8h. P.M.

Generally overcast with occasional light showers in morning; fine after 7h. 30m. A.M. with large amounts of cloud. Solar halo observed at intervals between 9h. 45m. A.M. and 4h. P.M.

Generally cloudy; light showers in afternoon.

Fine with variable amounts of cloud till noon; generally overcast till 7h. P.M.; very fine with little cloud afterwards; nearly continuous rain between 2h. and 5h. 30m. P.M.

Very fine generally; occasional cloudy intervals; fog prevalent between 5h. 30m. and 10h. A.M.

Very fine; cloudless with slight exceptions till 10h. A.M.; variable amounts of cloud prevalent afterwards.

Generally overcast and dull with small range of temperature; frequent rain after 11h. 30m. A.M.; heavy shower at midnight.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the hermometer which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·00 in. at the beginning of the week to 29·46 in. by 5h. A.M. on Aug. 31st; increased to 30·07 in. by 9h. A.M. on Sept. 3rd; and decreased to 29·54 in. by midnight on Sept. 4th.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 28th August, 1909.*

BOROUGHS.	Estimated Population in the middle of 1909.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	151,955	-	6	4	-	-	-	-	1	-	-
Kensington	183,683	-	9	2	-	-	-	-	2	-	-
Hammersmith	125,704	-	7	6	-	2	-	-	-	-	-
Fulham	176,406	-	5	3	-	-	-	-	2	1	-
Chelsea	75,249	-	-	-	-	-	-	-	-	-	-
City of Westminster ..	168,883	-	7	4	-	3	-	-	1	-	-
NORTH.											
St. Marylebone	126,027	-	10	4	-	-	-	-	3	-	-
Hampstead	94,185	-	2	1	-	-	-	-	-	-	-
St. Pancras	237,422	-	7	5	-	2	-	-	3	-	-
Islington	351,202	-	32	7	-	3	-	-	4	-	1
Stoke Newington	54,423	-	3	1	-	-	-	-	-	1	-
Hackney	237,601	-	12	-	-	1	-	-	4	2	-
CENTRAL.											
Holborn	53,802	-	3	-	-	-	-	-	1	-	-
Finsbury	95,289	-	5	2	-	-	-	-	5	-	-
City of London	18,193	-	-	-	-	-	-	-	-	-	-
EAST.											
Shoreditch	114,802	-	9	2	-	-	-	-	1	-	-
Bethnal Green	131,316	-	13	5	-	-	-	-	5	-	-
Stepney	312,525	-	23	9	1	-	1	-	7	-	-
Poplar	171,965	-	16	3	-	3	-	-	1	-	-
SOUTH.											
Southwark	211,125	-	12	5	-	-	-	-	3	-	-
Bermondsey	127,569	-	11	5	-	-	-	-	4	-	-
Lambeth	324,188	-	17	2	-	1	-	-	7	-	-
Battersea	186,036	-	5	4	-	4	-	-	-	-	-
Wandsworth	297,646	-	12	1	-	2	-	-	2	1	-
Camberwell	283,022	-	14	2	-	2	-	-	2	1	-
Deptford	118,583	-	4	-	-	1	-	-	2	-	-
Greenwich	111,014	-	5	4	-	-	-	-	-	-	-
Lewisham	160,749	-	14	-	-	-	-	-	1	1	-
Woolwich	133,374	-	20	4	-	-	-	-	3	-	-
Port of London	—	-	-	-	-	1	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,833,938	-	283	85	1	25	1	-	64	7	1
Ages 0-1		-	2	1	-	2	-	-	4	-	-
" 1-5		-	73	44	-	-	-	-	12	-	1
" 5-		-	122	21	-	2	-	-	3	-	-
" 10-		-	55	6	-	4	-	-	1	-	-
" 15-		-	13	7	-	5	-	-	4	-	-
" 20-		-	9	3	-	2	-	-	2	1	-
" 25-		-	7	2	-	4	-	-	9	4	-
" 35-		-	1	1	-	5	-	-	11	2	-
" 45-		-	-	-	1	1	1	-	7	-	-
" 55-		-	-	-	-	-	-	-	6	-	-
" 65 and upwards		-	1	-	-	-	-	-	5	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY DARLING & SON, LTD., 34-40 BACON STREET, E.

1909

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 36. 1909. VOL. LXX.] WEEK ENDED SATURDAY, SEPT. 11. [Price 1½*d*.

General Register Office, Somerset House,
September 13th, 1909.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 12·8 per 1000 of their aggregate population, which is estimated † at 16,445,281 persons in the middle of this year. In the preceding three weeks the rates had been 11·8, 12·9, and 12·9. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 17·6 in Liverpool, 17·8 in Wigan, 18·0 in Bootle, in Newport (Mon.), and in Rhondda, 18·1 in Norwich, 18·5 in Great Yarmouth, 18·9 in Hanley, and 19·6 in Tynemouth; from *measles*, 1·3 in Newport (Mon.), and 3·3 in Coventry; from *scarlet fever*, 1·9 in Tynemouth; from *whooping-cough*, 1·2 in Derby, 1·3 in Coventry, and 1·5 in Wolverhampton; and from *diarrhœa*, 4·3 in Warrington, 4·4 in West Ham, 4·5 in Bootle, and 5·8 in Wigan. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2096 BIRTHS and 1139 DEATHS were registered. Allowing for increase of population, the births were 257 and the deaths 294 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-five other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(14298—41.) Wt. 109—472. 700. 9/09. D & S. G. 31. Sch. 4. 2 N

causes, which had been 11·1, 12·4, and 12·4 per 1000 in the preceding three weeks, was 12·3 last week. The death-rate in the four weeks ended last Saturday averaged 12·1 per 1000, being 3·7 per 1000 below the mean rate in the corresponding periods of the five years 1904–8.

The 1139 deaths included 8 from measles, 5 from scarlet fever, 8 from diphtheria, 26 from whooping-cough, 2 from enteric fever, and 154 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia: thus, to these diseases in the aggregate 203 deaths were referred, being 129 below the corrected average number in the thirty-sixth week of the preceding five years.

The deaths from *measles*, which had been 17, 12, and 10 in the preceding three weeks, further fell to 8 last week, and were 8 below the corrected average. The deaths from *scarlet fever*, which had been 7, 6, and 2 in the preceding three weeks, were 5 last week, and were 3 below the corrected average: 2 deaths belonged to the Borough of Lambeth. The deaths from *diphtheria*, which had been 6, 5, and 9 in the preceding three weeks, were 8 last week, and were 4 below the corrected average. The deaths from *whooping-cough*, which had been 13, 15, and 27 in the preceding three weeks, were 26 last week, and were 10 above the corrected average; 7 deaths belonged to Deptford. The deaths from *enteric fever*, which had been 5, 1, and 2 in the preceding three weeks, were again 2 last week, and were 5 below the corrected average. The deaths from *diarrhœa*, which had been 76, 159, and 139 in the preceding three weeks, were 154 last week, and were 119 below the corrected average; 17 deaths belonged to Bethnal Green, 13 each to Poplar and to Lambeth, 12 each to Shoreditch and to Camberwell, 11 to Fulham, 10 to Hackney, and 10 to Stepney. Of the 154 deaths from diarrhœa, 147 were those of children under 5 years of age; 20 other deaths at this age were certified as due to *enteritis* and 17 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 2, having been 1, 5, and 2 in the preceding three weeks. The death of a house painter, aged 47 years, was certified, after Coroner's inquest, as due to chronic *lead-poisoning*.

Different forms of violence caused 37 deaths, concerning all of which inquests were held. Of these 37 deaths, 5 were cases of suicide, while the remaining 32 were attributed to accident or negligence. Seven of these latter were referred to vehicles in the streets, four to burns or scalds, three to drowning, and three, of infants under one year of age, to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 2436 cases of scarlet fever, 843 of diphtheria, and 68 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 411 cases, against 245, 284, and 349; of diphtheria, 116 cases, against 83, 86, and 124; and of enteric fever, 13 cases, against 11, 14, and 17. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended September 4th, 1909.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 3361 births and 1619 deaths were registered. Allowing for increase of population, these numbers are 344 and 462 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 4 deaths from measles, 1 from scarlet fever, 5 from whooping-cough, 1 from "fever," and 34 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·74 inches, and that of the Thermometer 54°·5, the latter being 4°·3 below the week's average in the 65 years ended 1905. The direction of the wind was variable, the horizontal movement of the air being 27 per cent. above the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 35·0 hours; the measured rainfall amounted to 0·32 of an inch.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 11th September, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 21st Aug., 1909.	28th Aug., 1909.	4th Sept., 1909.	11th Sept., 1909.	Rate from Diseases in Cols. 11-17. Week ended 11th September, 1909.	Registered during the Week ended 11th Sept., 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17	18.	19.	20.	21.	Cols.
76 TOWNS	**16,445,281**	**11·8**	**12·9**	**12·9**	**12·8**	**2·3**	**7762**	**4027**	**1182**	**1047**	**-**	**39**	**38**	**30**	**73**	**14**	**526**	**136**	**278**	**1101**	**28**	**76 TOWNS**
LONDON	4,833,938	11·1	12·4	12·4	12·3	2·2	2096	1139	349	305	-	8	5	8	26	2	154	37	90	489	-	LONDON.
† CROYDON	161,078	6·5	7·4	9·7	10·0	0·3	71	31	4	14	-	-	-	-	-	-	1	1	3	5	-	CROYDON.
† WILLESDEN ..	160,424	7·2	7·5	7·8	5·2	0·7	62	16	4	4	-	-	-	-	-	-	2	1	1	5	-	WILLESDEN.
† HORNSEY	95,628	4·4	3·8	3·8	4·9	0·5	28	9	-	5	-	-	-	-	-	-	1	-	-	1	-	HORNSEY.
† TOTTENHAM ..	129,464	8·1	5·6	10·1	8·5	1·6	66	21	6	6	-	-	1	-	-	-	3	-	-	6	-	TOTTENHAM.
† WEST HAM ..	321,767	10·0	12·5	10·7	13·8	5·5	156	85	33	15	-	-	3	-	4	-	27	5	6	11	-	WEST HAM.
† EAST HAM.. ..	149,575	5·2	5·2	9·8	9·8	2·8	74	28	10	6	-	-	-	1	1	-	6	1	3	5	-	EAST HAM.
† LEYTON	129,614	6·4	10·5	8·0	10·5	2·8	65	26	6	9	-	2	-	1	1	1	2	-	3	6	-	LEYTON.
† WALTHAMSTOW	136,602	5·7	7·6	5·3	8·8	1·9	53	23	6	5	-	-	-	-	3	-	2	2	7	1	-	WALTHAMSTOW.
HASTINGS	68,165	12·2	6·9	9·9	11·5	2·3	21	15	2	4	-	1	-	1	-	-	1	1	1	3	-	HASTINGS.
BRIGHTON	130,926	11·5	12·3	12·3	12·7	0·8	48	32	10	11	-	-	-	-	1	1	-	-	4	8	2	BRIGHTON.
PORTSMOUTH ..	214,726	8·0	12·4	9·7	11·9	0·2	125	49	10	17	-	-	-	-	-	-	1	4	6	12	2	PORTSMOUTH.
BOURNEMOUTH ..	72,368	7·9	11·5	7·2	9·4	-	16	13	3	6	-	-	-	-	-	-	-	-	-	2	-	BOURNEMOUTH.
SOUTHAMPTON ..	124,667	8·8	14·2	10·5	15·9	3·8	55	38	12	8	-	-	-	-	2	-	7	-	1	10	-	SOUTHAMPTON.
READING	82,995	10·7	8·2	8·2	10·1	2·5	30	16	4	5	-	-	-	-	-	-	4	-	-	3	-	READING.
NORTHAMPTON ..	97,752	11·7	7·5	9·1	9·1	0·5	36	17	4	7	-	-	-	-	-	-	1	-	-	2	1	NORTHAMPTON.
IPSWICH	74,889	6·3	9·7	9·7	13·2	0·7	45	19	-	9	-	-	1	-	-	-	-	2	4	3	-	IPSWICH.
GREAT YARMOUTH	53,430	16·6	13·7	7·8	18·5	2·0	27	19	3	9	-	1	-	-	1	-	-	1	1	2	-	GREAT YARMOUTH.
NORWICH	124,136	9·2	13·0	13·0	18·1	2·9	41	43	14	15	-	1	-	-	-	-	6	-	3	3	1	NORWICH.
PLYMOUTH	124,180	11·8	10·9	14·7	10·9	2·1	60	26	5	11	-	-	1	1	-	-	3	-	-	5	-	PLYMOUTH.
DEVONPORT	83,103	9·4	11·3	15·7	7·5	1·3	33	12	3	4	-	-	-	-	1	-	1	1	1	1	-	DEVONPORT.
BRISTOL	377,642	10·4	12·0	11·6	12·6	2·1	178	91	28	25	-	1	-	-	1	-	13	2	5	30	-	BRISTOL.
HANLEY	68,831	12·1	15·9	13·6	18·9	4·5	28	25	9	9	-	1	-	1	-	-	4	1	1	7	-	HANLEY.
BURTON-ON-TRENT	54,453	9·6	10·5	4·8	5·7	1·0	27	6	3	1	-	-	-	-	-	-	1	1	1	-	-	BURTON-ON-TRENT.
WOLVERHAMPTON..	104,633	13·0	11·0	16·9	14·0	4·5	36	28	7	5	-	2	-	-	3	-	4	-	1	5	-	WOLVERHAMPTON.
WALSALL	99,399	13·6	15·7	11·5	8·9	2·6	52	17	6	2	-	-	-	-	1	-	4	1	1	2	-	WALSALL.
HANDSWORTH ..	70,186	8·9	3·7	8·9	9·7	3·0	30	13	3	4	-	-	1	1	-	-	2	1	1	2	-	HANDSWORTH.
WEST BROMWICH..	70,457	14·8	10·4	12·6	11·8	1·5	41	16	3	3	-	1	-	-	1	-	-	-	-	3	1	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 11th September, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 21st Aug., 1909.	28th Aug., 1909.	4th Sept., 1909.	11th Sept., 1909.	Rate from Diseases in Cols. 11-17. Week ended 11th September, 1909.	Registered during the Week ended 11th Sept., 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
BIRMINGHAM ..	563,629	10·8	13·9	13·9	13·4	2·1	301	145	46	32	-	-	3	1	-	1	18	2	4	37	5	BIRMINGHAM.
KINGS NORTON ..	81,632	8·9	7·0	7·7	6·4	0·6	42	10	1	4	-	-	1	-	-	-	-	1	1	1	-	KINGS NORTON.
SMETHWICK	70,377	13·3	11·9	11·1	5·9	1·5	38	8	2	1	-	-	-	1	-	-	1	-	-	3	-	SMETHWICK.
ASTON MANOR ..	85,257	14·1	15·3	4·9	9·2	0·6	31	15	4	6	-	-	-	-	-	-	1	-	1	-	-	ASTON MANOR.
COVENTRY	80,163	10·4	11·7	11·7	16·3	5·2	62	25	6	6	-	5	-	-	2	-	1	-	-	4	1	COVENTRY.
LEICESTER	244,255	11·5	12·8	11·5	11·5	2·6	106	54	24	11	-	-	1	1	1	-	9	-	2	9	-	LEICESTER.
GRIMSBY	73,036	7·9	20·7	14·3	10·7	3·6	44	15	6	2	-	-	-	-	-	-	5	-	2	2	-	GRIMSBY.
NOTTINGHAM ..	263,443	14·6	16·6	18·4	14·4	4·2	120	73	27	21	-	-	-	1	-	1	19	3	4	17	-	NOTTINGHAM.
DERBY	129,411	12·1	11·7	13·7	16·9	2·4	69	42	10	9	-	1	-	-	3	-	2	4	5	11	-	DERBY.
STOCKPORT	103,706	13·6	14·1	10·1	13·1	2·5	43	26	4	8	-	-	1	-	-	-	4	1	2	3	-	STOCKPORT.
BIRKENHEAD ..	121,123	11·6	16·4	15·9	13·8	2·2	93	32	12	6	-	-	-	-	-	-	5	4	5	10	-	BIRKENHEAD.
WALLASEY	71,004	12·5	7·3	5·9	6·6	0·7	30	9	1	4	-	-	-	-	-	1	-	-	-	2	-	WALLASEY.
LIVERPOOL	760,357	16·7	18·4	17·8	17·6	4·0	437	256	69	59	-	2	1	3	2	2	49	3	5	86	4	LIVERPOOL.
BOOTLE	69,393	17·3	19·5	17·3	18·0	5·3	32	24	10	4	-	1	-	-	-	-	6	-	-	2	1	BOOTLE.
ST. HELENS	95,161	11·0	15·9	18·1	16·4	2·7	59	30	9	7	-	-	-	-	-	-	5	-	-	5	1	ST. HELENS.
WIGAN	90,678	14·4	18·4	17·3	17·8	6·9	41	31	15	2	-	-	-	-	1	1	10	2	2	3	-	WIGAN.
WARRINGTON ..	72,276	13·0	19·5	12·3	13·0	5·8	42	18	4	4	-	-	-	-	1	1	6	-	1	3	-	WARRINGTON.
BOLTON	187,824	14·2	15·0	13·0	11·9	2·2	80	43	10	12	-	-	1	-	1	-	6	1	3	9	-	BOLTON.
BURY	59,234	16·7	9·7	13·2	10·6	1·8	18	12	5	2	-	-	-	-	-	-	2	-	-	-	1	BURY.
MANCHESTER ..	655,435	15·3	14·8	15·0	14·5	2·1	321	182	48	38	-	1	4	2	1	-	18	3	10	54	-	MANCHESTER.
SALFORD	241,950	16·4	15·5	17·2	14·7	3·4	132	68	20	12	-	1	4	1	2	1	7	1	2	19	-	SALFORD.
OLDHAM	143,301	12·4	13·8	15·3	11·6	1·1	81	32	9	9	-	1	-	1	-	-	1	1	1	6	-	OLDHAM.
ROCHDALE	89,653	8·7	12·8	16 3	7·6	1·2	39	13	1	1	-	1	-	1	-	-	-	-	-	1	-	ROCHDALE.
BURNLEY	106,267	15·2	11·3	15·7	11·3	1·5	47	23	8	6	-	-	-	-	-	-	3	-	-	2	-	BURNLEY.
BLACKBURN	136,959	17·9	11·8	10·7	15·2	0·4	54	40	6	9	-	-	-	-	-	-	1	2	3	10	-	BLACKBURN.
PRESTON	118,519	7·0	11·0	11·9	12·8	0·9	64	29	3	14	-	-	-	-	-	-	2	1	1	2	3	PRESTON.
BARROW-IN-FURNESS.	62,996	10·8	7·4	8·3	5·0	-	30	6	-	4	-	-	-	-	-	-	-	-	-	1	-	BARROW-IN-FURNESS.

* See note † on first page of this return

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 11th September, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1909.*	Death-Rates from all Causes. Week ended 21st Aug., 1909.	28th Aug., 1909.	4th Sept., 1909.	11th Sept., 1909.	Rate from Diseases in Cols. 11–17. Week ended 11th September, 1909.	Registered during the Week ended 11th Sept., 1909. Births.	Deaths.	The Deaths registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,739	11·0	17·1	14·3	16·0	1·1	43	29	5	9	-	-	1	-	-	-	1	1	2	5	-	HUDDERSFIELD.
HALIFAX	111,911	8·4	7·9	7·5	7·9	0·5	34	17	3	7	-	-	1	-	-	-	-	1	1	4	-	HALIFAX.
BRADFORD	293,983	8·9	10·6	10·8	13·8	0·9	114	78	16	24	-	-	-	-	1	-	4	2	8	19	-	BRADFORD.
LEEDS	484,012	12·6	12·0	14·1	11·0	1·3	200	102	32	28	-	-	-	-	2	-	10	4	10	20	-	LEEDS.
SHEFFIELD	470,958	17·1	14·5	14·2	14·3	2·2	239	129	42	30	-	-	-	-	-	-	20	5	9	21	-	SHEFFIELD.
ROTHERHAM.. ..	65,070	10·4	17·6	7·2	12·0	1·6	36	15	6	2	-	-	-	-	-	-	2	-	-	1	-	ROTHERHAM.
YORK	87,004	8·4	12·6	10·2	9·0	1·2	50	15	6	2	-	-	-	-	-	1	1	1	1	3	-	YORK.
HULL	275,552	11·2	13·8	15·1	13·8	2·8	135	73	24	23	-	1	-	-	2	-	12	7	12	14	-	HULL.
MIDDLESBROUGH ..	105,255	18·8	18·3	17·3	11·9	4·0	67	24	8	3	-	-	-	-	2	-	6	1	1	4	-	MIDDLESBROUGH.
STOCKTON-ON-TEES	53,417	10·7	17·6	9·8	12·7	2·0	18	13	2	5	-	1	-	-	-	-	1	1	1	4	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL	79,686	8·5	5·9	10·5	13·1	-	34	20	6	9	-	-	-	-	-	-	-	-	1	6	-	WEST HARTLEPOOL.
SUNDERLAND ..	159,378	12·1	12·4	15·4	16·0	2·3	71	49	12	16	-	-	-	1	1	1	4	5	6	11	2	SUNDERLAND.
SOUTH SHIELDS ..	117,627	12·9	17·3	12·0	12·9	1·3	64	29	11	7	-	-	2	-	-	-	1	1	1	4	1	SOUTH SHIELDS.
GATESHEAD	131,024	7·2	10·3	15·5	9·2	0·8	65	23	9	6	-	-	1	-	-	-	1	-	-	8	2	GATESHEAD.
NEWCASTLE-ON-TYNE.	281,584	13·3	10·9	14·6	15·4	2·8	152	83	27	20	-	1	2	2	1	-	9	2	6	16	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH ..	55,808	15·9	15·9	18·7	19·6	4·7	29	21	3	6	-	-	2	1	-	-	2	1	1	5	-	TYNEMOUTH.
NEWPORT (MON.) ..	78,336	15·3	16·0	14·0	18·0	2·7	43	27	9	6	-	2	-	-	-	-	2	1	1	5	-	NEWPORT (MON.).
CARDIFF	195,303	11·2	13·6	11·5	11·7	1·9	84	44	13	13	-	1	-	-	2	-	4	1	3	11	-	CARDIFF.
RHONDDA	135,894	13·8	16·1	14·6	18·0	4·6	110	47	19	6	-	1	1	-	-	-	10	9	11	4	-	RHONDDA.
MERTHYR TYDFIL..	78,365	13·3	17·3	16·6	16·0	2·0	61	24	12	3	-	1	-	-	-	-	2	2	2	1	-	MERTHYR TYDFIL.
SWANSEA	98,308	20·2	26·5	28·1	16·4	2·7	57	31	10	5	-	-	-	-	2	-	3	-	3	2	-	SWANSEA.
GREATER LONDON	7,429,740	10·0	11·2	11·5	11·4	2·2	3361	1619	492	445	-	14	10	10	40	4	232	57	131	565	3	GREATER LONDON.
OUTER RING ..	2,595,802	7·9	8·9	9·8	9·6	2·1	1265	480	143	140	-	6	5	2	14	2	78	20	41	76	3	OUTER RING.
8 TOWNS IN OUTER RING.	1,284,152	7·2	8·3	8·7	9·7	2·5	575	239	69	64	-	2	4	2	9	1	44	10	23	40	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,311,650	8·5	9·5	10·9	9·6	1·8	690	241	74	76	-	4	1	-	5	1	34	10	18	36	3	REMAINDER OF OUTER RING.
EDINBURGH	355,366	11·6	10·4	14·1	10·0	0·6	122	68	11	21	-	1	-	1	-	-	2	6	?	35	-	EDINBURGH.
GLASGOW	872,021	11·6	13·3	14·0	13·0	2·2	427	218‡	58	57	-	2	5	6	2	1	20	7	?	72	9	GLASGOW.
DUBLIN (Registration Area).†	398,356	19·8	20·4	19·0	16·8	2·7	226	128	29	37	-	2	-	1	1	2	15	3	4	52	5	DUBLIN (Registration Area).†
BELFAST†	386,576	15·6	17·4	16·1	16·7	3·1	204	124	44	25	-	-	-	2	5	-	16	-	5	36	1	BELFAST†

* See note † on first page of this return.

† Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast respectively

‡ Including 1 death from Cerebro-spinal meningitis

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the THIRTY-SIXTH Week of each of the Eleven Years, 1899–1909.

	1899	1900	1901	1902	1903	1904	1905	1906	1907	1908	Corrected Weekly Average in 5 Years 1904–1908.*	1909
TOTAL **Births** -	2442	2628	2582	2515	2505	2504	2328	2329	2207	2124	2353·0	2096
Males - - -	1212	1307	1369	1280	1300	1291	1194	1185	1142	1087	1207·8	1033
Females - -	1230	1321	1213	1235	1205	1213	1134	1144	1065	1037	1145·2	1063
TOTAL **Deaths** -	1934	1582	1471	1477	1344	1354	1432	1892	1080	1240	1432·8	1139
Males - - -	967	861	759	786	735	754	757	972	560	700	766·3	586
Females - -	967	721	712	691	609	600	675	920	520	540	666·5	553

* The numbers in this column are the average weekly numbers in the Thirty-Sixth week of the five years 1904-1908, raised by 2·375 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	June 19.	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	13 Weeks.
TOTAL **Births** -	2467	2068	2331	2236	2292	2206	2289	2054	2316	2169	2386	2317	2096	29227
TOTAL **Deaths** -	1060	1125	1029	1109	979	926	957	935	1047	1027	1153	1149	1139	13633
Ages at Death: Under 1 year -	179	189	183	188	177	174	177	204	213	223	338	336	349	2930
1—5 years -	128	115	106	136	102	88	85	83	111	105	122	114	104	1401
5—20 " -	72	68	50	48	55	61	66	55	61	60	57	45	52	750
20—40 " -	137	130	125	144	115	114	127	122	137	138	147	137	130	1703
40—60 " -	219	266	226	240	233	201	209	197	205	220	200	230	199	2836
60 yrs. & upwds.	325	357	339	351	297	288	302	272	320	281	289	287	305	4013
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	48	51	33	40	33	24	9	19	22	17	12	10	8	326
Scarlet Fever - -	10	7	3	9	6	8	4	4	9	7	6	2	5	80
Diphtheria - -	6	7	7	7	4	6	19	3	10	6	5	9	8	97
Whooping-cough -	18	17	20	19	15	17	17	26	12	13	15	27	26	242
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	2	3	1	1	2	-	3	2	2	5	1	2	2	26
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery	5	17	10	14	13	22	26	27	39	76	159	139	154	701
All above diseases -	89	102	74	90	73	77	78	81	94	124	198	189	203	1472
Dis. of Resp. System	68	64	58	60	38	43	38	53	53	52	41	35	48	651
Pneumonia - -	67	91	100	94	68	89	68	67	72	69	62	68	57	972
Phthisis - - -	97	122	93	111	97	78	90	98	105	102	104	109	90	1296
Dis. of Circ. System -	161	157	158	164	144	128	132	134	155	130	137	137	145	1882
Violence - - -	48	41	45	57	65	37	42	38	56	53	56	51	37	626
Inquest Cases - -	103	109	121	114	119	82	98	85	105	111	131	125	90	1393
Deaths in Institutions	482	510	444	506	436	484	431	403	486	477	464	494	489	6105
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean- - - -	56·3	55·8	55·9	58·5	60·0	61·9	59·9	60·8	66·9	63·3	58·1	54·5	54·5	59·0
Mean of Highest -	67·3	65·4	66·8	68·5	69·3	72·7	69·4	72·7	80·8	73·6	67·8	64·5	63·1	69·4
Mean of Lowest -	47·8	50·7	47·5	51·1	53·8	54·0	53·4	50·9	54·1	55·7	51·1	46·3	47·3	51·1
Mean Humidity of the Air.	79	81	80	77	82	71	79	76	70	79	83	75	83	78
Rain-fall (in inches) -	0·05	1·45	0·44	0·99	0·71	0·15	1·31	0·26	0·00	0·82	0·70	0·30	0·32	7·50
Registered Sunshine (in hours).	37·4	30·1	37·0	31·2	25·2	63·0	34·4	54·4	81·5	40·2	30·2	41·7	35·0	541·3
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - -	2445	2517	2587	2647	2737	2731	2667	2564	2518	2411	2347	2377	2436	2537
Diphtheria - - -	897	915	896	901	893	905	901	901	855	831	798	831	843	874
Typhus - - -	1	1	2	1	2	2	2	2	1	-	-	-	-	1
Enteric Fever - -	56	59	58	58	57	59	60	62	59	53	55	62	68	59

* The Metropolitan Asylums Board and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE 3.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office :—The Astronomer Royal, Greenwich ; D. Forbes, Esq., M.D., Brighton ; A. Mearns Fraser, Esq., M.D., Portsmouth ; A. W. Preston, Esq., F.R.Met.Soc., Norwich ; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth ; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol ; A. Cresswell, Esq., Edgbaston, Birmingham ; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham ; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool ; F. Gore, Esq., Prestwich, Manchester ; Thos. Holt, Esq., M.D., Burnley ; J. Firth, Esq., Huddersfield ; H. Lander, Esq., Bradford ; Oxley Grabham, Esq., M.A., York ; H. B. Witty, Esq. F.R.Met.Soc., Hull ; the Meteorological Committee, Tynemouth ; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the THIRTY-SIXTH Week of the Year 1909.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 36th week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1432·8	1139	349	104	52	130	199	305
Small-pox*	–	–	–	–	–	–	–	–
Cowpox	–	–	–	–	–	–	–	–
Measles (Morbilli)	15·8	8	–	8	–	–	–	–
Scarlet Fever	8·0	5	–	2	3	–	–	–
Typhus	–	–	–	–	–	–	–	–
Plague	–	–	–	–	–	–	–	–
Influenza	2·9	2	–	–	–	–	1	1
Whooping-cough	16·0	26	11	14	1	–	–	–
Diphtheria	12·1	8	1	4	3	–	–	–
Cerebro-spinal Fever ..	0·6	–	–	–	–	–	–	–
Pyrexia† (origin uncertain)	–	–	–	–	–	–	–	–
Enteric Fever	6·6	2	–	–	1	1	–	–
Asiatic Cholera	–	–	–	–	–	–	–	–
Epidemic Diarrhœa, Infective Enteritis	185·9	84	72	12	–	–	–	–
Diarrhœa, Dysentery ..	87·4	70	51	12	1	1	1	4
Tetanus	0·2	1	1	–	–	–	–	–
Rabies, Hydrophobia ..	–	–	–	–	–	–	–	–
Glanders	–	–	–	–	–	–	–	–
Anthrax (Splenic Fever)..	–	–	–	–	–	–	–	–
Venereal Dis.	9·8	10	7	–	–	1	2	–
Puerperal Septicæmia ..	2·9	1	–	–	–	1	–	–
Puerperal Pyæmia.. .	0·4	1	–	–	–	1	–	–
Puerperal Fever	0·2	–	–	–	–	–	–	–
Infective Endocarditis ..	2·7	–	–	–	–	–	–	–
Pneumonia: Lobar ..	11·5	8	–	1	–	1	3	3
Pneumonia: Broncho ..	27·8	25	9	6	3	3	2	2
Pneumonia: Epidemic ..	–	–	–	–	–	–	–	–
Pneumonia: Not defined	37·3	24	5	3	4	5	4	3
Erysipelas	4·3	3	1	–	–	–	1	1
Septicæmia (not Puerperal) ..	1·2	1	–	–	–	–	1	–
Pyæmia (not Puerperal)	0·6	–	–	–	–	–	–	–
Other Infective Processes	5·3	7	–	–	–	2	–	5
Tuberculous Phthisis ..	74·3	56	1	1	1	29	19	5
"*Phthisis*"	50·4	34	–	–	2	14	16	2
Tuberculous Meningitis ..	21·9	15	4	6	2	3	–	–
Tuberculous Peritonitis ..	11·5	7	4	1	2	–	–	–
Tabes Mesenterica	3·7	1	1	–	–	–	–	–
Tuberculous Dis., Other ..	17·8	12	–	5	2	2	2	1
Scrofula..	–	–	–	–	–	–	–	–
Alcoholism	12·3	4	–	–	–	1	2	1
Rheumatic Fever	3·9	4	1	–	1	1	–	1
Gout	1·4	1	–	–	–	–	–	1
Carcinoma	59·4	63	–	–	1	3	27	32
Sarcoma	5·1	7	–	1	1	2	1	2
Cancer (undefined) ..	34·6	28	–	–	–	–	12	16
Diabetes Mellitus	5·9	8	–	–	–	–	4	4
Premature Birth	44·4	38	38	–	–	–	–	–

CAUSES OF DEATH.	Corrected Average for the 36th week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)..	14·3	12	2	6	–	3	1	–
Gen. Par. of Insane, Insanity	10·9	10	–	–	–	5	3	2
Epilepsy	5·5	1	–	–	–	1	–	–
Convulsions	15·2	12	12	–	–	–	–	–
Locomotor Ataxy.. ..	2·3	2	–	–	–	–	1	1
Paraplegia, Dis. of Cord.	4·3	3	–	–	1	–	1	1
Nervous Sys., Other Dis.	15·4	13	–	–	–	4	3	6
Valv. Dis., Endocarditis..	34·2	47	–	–	5	8	10	24
Cereb. Hæm. Cereb. Emb.	31·3	23	–	–	–	2	7	14
Apoplexy, Hemiplegia ..	13·5	12	–	–	–	–	3	9
Aneurysm	6·3	2	–	–	–	–	1	1
Embolism, Thrombosis (not Cerebral) ..	1·6	2	–	–	–	–	2	–
Heart & Blood Ves., Other Dis... ..	66·1	59	–	–	3	5	12	39
Croup (not Spasm: nor Memb.)	–	–	–	–	–	–	–	–
Bronchitis	39·1	42	8	5	–	2	5	22
Emphysema, Asthma ..	2·3	–	–	–	–	–	–	–
Pleurisy	2·5	1	–	–	–	–	–	1
Respiratory Dis., Other..	7·2	5	–	1	–	2	–	2
Tonsillitis, Quinsy.. ..	0·6	–	–	–	–	–	–	–
Enteritis (not Epid.) ..	28·3	27	14	6	1	–	3	3
Gastro-enteritis	25·2	19	16	1	–	–	–	2
Peritonitis (not Puerp.) ..	2·3	2	–	–	2	–	–	–
Cirrhosis of Liver.. ..	17·2	10	–	–	–	–	4	6
Liver Dis., Other	5·3	6	–	–	–	–	1	5
Digestive Sys., Other Dis.	41·8	36	6	1	3	7	8	11
Acute Nephritis	4·9	4	1	–	–	–	–	3
Bright's Dis., Albuminuria	30·3	28	–	–	1	3	13	11
Urinary Sys., Other Dis.	12·1	11	–	–	–	2	3	6
Generative Organs Dis...	3·5	3	–	–	–	2	1	–
Childbirth (Accid. of) ..	3·1	1	–	–	–	1	–	–
Old Age	44·8	38	–	–	–	–	–	38
Other Diseases	100·1	107	79	4	1	9	8	6
ACCIDENT.								
By Railways	1·4	1	–	–	–	–	1	–
By Vehicles and Horses..	5·1	7	–	–	1	–	3	3
In Ships, Boats, Docks, (exclusive of Drowning)	0·2	1	–	–	–	–	1	–
In Building Operations..	2·0	2	–	–	1	1	–	–
In Conflagrations	0·2	–	–	–	–	–	–	–
By Burns, Scalds, Explosions	4·3	4	–	3	1	–	–	–
By Drowning	6·6	3	–	–	2	–	1	–
By Suffocation in Bed ..	5·7	3	3	–	–	–	–	–
By Poisons or Poisonous Vapours	2·7	–	–	–	–	–	–	–
Other Deaths by Accident..	17·2	11	1	1	2	1	2	4
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	0·6	–	–	–	–	–	–	–
Suicide	9·2	5	–	–	–	1	3	1
Execution	–	–	–	–	–	–	–	–

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 11th September, 1909.

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia† (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified causes of Death.
LONDON	4,536,267	2096	1139	349	305	-	8	5	8	26	-	2	-	154	57	90	489	-
WEST DISTRICTS	805,311	296	172	53	48	-	1	1	-	3	-	1	-	24	6	10	72	-
NORTH DISTRICTS	1,055,908	470	236	61	79	-	1	-	1	2	-	-	-	18	11	23	93	-
CENTRAL DISTRICTS	209,465	102	54	15	15	-	-	-	-	1	-	1	-	8	1	6	36	-
EAST DISTRICTS	715,739	371	218	90	36	-	6	-	-	4	-	-	-	53	8	19	118	-
SOUTH DISTRICTS	1,749,844	857	417	128	119	-	-	3	6	16	-	-	-	51	11	32	128	-
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	42	2	8	-	-	1	1	-	-	-	-	-	-	-	42	-
WEST DISTRICTS.																		
North Paddington *H*	63,603	25	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Central Paddington *W,3H*	50,053	22	22	3	6	-	-	-	-	-	-	-	-	3	1	1	11	-
South Paddington	30,320	5	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town *2W,w,2H* ..	128,037	54	27	12	7	-	-	-	-	-	-	-	-	4	3	3	16	-
Brompton *2H*	48,591	6	6	2	2	-	-	-	-	-	-	-	-	-	1	1	2	-
North Hammersmith *2W,w,H* ..	49,192	18	11	4	2	-	-	-	-	2	-	-	-	1	-	-	6	-
South Hammersmith *w,2H* ..	63,047	27	24	8	5	-	-	-	-	-	-	-	-	4	1	2	9	-
North-west Fulham *W*	45,180	40	15	8	3	-	-	-	-	1	-	-	-	7	-	-	5	-
North-east Fulham *F*	46,405	10	8	1	3	-	1	1	-	-	-	1	-	-	-	1	3	-
South Fulham *W*	45,704	26	10	3	4	-	-	-	-	-	-	-	-	2	-	1	-	-
Chelsea North *W,w,3H*	42,514	17	11	-	5	-	-	-	-	-	-	-	-	-	-	1	8	-
Chelsea South *W,2H*	31,328	6	6	2	3	-	-	-	-	-	-	-	-	2	-	-	1	-
Mayfair and Knightsbridge	28,743	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave *W,2H*	55,815	13	10	2	3	-	-	-	-	-	-	-	-	-	-	-	4	-
St. Margaret & St. John *6H*	43,698	18	11	6	-	-	-	-	-	-	-	-	-	-	-	-	5	-
St. James and St. Anne *W,6H* ..	33,081	7	3	-	1	-	-	-	-	-	-	-	-	1	-	-	2	-
NORTH DISTRICTS.																		
All Souls Marylebone *7H*	35,391	13	22	1	7	-	-	-	-	-	-	-	-	-	2	2	15	-
St. Mary Marylebone *W,4H* ..	37,948	46	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Christchurch Marylebone	39,536	16	5	2	1	-	-	-	-	-	-	-	-	-	2	2	-	-
St. John Marylebone *2H*	20,426	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead *W,F,6H*	81,942	22	19	4	6	-	-	-	-	-	-	-	-	-	2	3	9	-
West St. Pancras *2H*	60,562	20	11	3	4	-	-	-	-	1	-	-	-	-	1	1	3	-
South St. Pancras *w,10H*	55,707	15	19	8	4	-	-	-	-	-	-	-	-	3	2	2	11	-
East St. Pancras *W,H*	60,320	32	12	2	7	-	-	-	-	-	-	-	-	-	1	1	8	-
North St. Pancras *2W*	58,728	22	13	3	4	-	-	-	-	-	-	-	-	1	-	3	4	-
Tufnell *W*	31,995	15	19	5	5	-	-	-	-	-	-	-	-	-	-	1	12	-
Upper Holloway *2W,w,H*	33,978	17	24	5	8	-	-	-	-	-	-	-	-	-	-	1	18	-
Tollington *W,w,H*	33,922	11	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Lower Holloway	41,424	21	10	3	3	-	1	-	-	-	-	-	-	3	-	-	-	-
Barnsbury	54,478	24	10	4	4	-	-	-	-	-	-	-	-	-	-	1	-	-
Islington South-east *F*	75,397	30	12	3	5	-	-	-	-	-	-	-	-	-	-	-	-	-
Highbury *2H*	63,797	21	6	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Stoke Newington *H*	51,247	24	6	1	4	-	-	-	-	-	-	-	-	-	-	2	-	-
North Hackney	50,398	21	6	1	3	-	-	-	-	1	-	-	-	1	1	1	-	-
Central Hackney *w,F*	50,536	22	6	4	-	-	-	-	-	-	-	-	-	2	-	1	-	-
South-west Hackney *3H*	59,921	38	9	5	2	-	-	-	-	-	-	-	-	2	-	1	1	-
South-east Hackney *2W,H*	58,255	34	22	7	8	-	-	-	1	-	-	-	-	6	-	1	12	-
Hackney Union Workhouse, Brentwood	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 11th September, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
St. Giles and Bloomsbury 2*W*,2*H* ..	31,436	9	5	-	2	-	-	-	-	-	-	-	-	-	-	-	5	-
Strand *W*,4*H*	21,674	6	7	-	3	-	-	-	-	-	-	-	-	-	-	-	4	-
Strand Union Workhouse, Edmonton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn *W*,5*H*	29,612	12	14	6	2	-	-	-	-	1	-	-	-	4	-	1	11	-
Clerkenwell *H*	63,704	40	7	3	2	-	-	-	-	-	-	-	-	1	-	-	-	-
St. Luke 3*H*,*L*	36,116	29	4	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Holborn Union Workhouse, Mitcham	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	3	-
St. Botolph *H*	10,299	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	6	14	4	2	-	-	-	-	-	-	1	-	3	1	4	13	-
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
Shoreditch South 3*H*	46,362	26	9	8	-	-	-	-	-	1	-	-	-	2	-	1	1	-
Shoreditch North-West *W*,*w*,*H* ..	36,127	27	18	6	6	-	-	-	-	-	-	-	-	4	1	2	13	-
Shoreditch North-East	36,148	11	5	-	3	-	1	-	-	-	-	-	-	-	-	2	-	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	31	40	22	5	-	-	-	-	-	-	-	-	16	-	1	28	-
Bethnal Green South-West *H* ..	64,542	39	7	4	1	-	-	-	-	-	-	-	-	4	-	-	1	-
Spitalfields..	27,969	8	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Mile End New Town *W*,*H*	28,718	15	34	10	2	-	1	-	-	-	-	-	-	3	3	7	32	-
Goodman's Fields	22,081	5	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
St. George and St. John 2*W* ..	49,068	23	11	4	-	-	-	-	-	-	-	-	-	3	-	-	4	-
Shadwell and Ratcliff *w*,*H* ..	25,568	14	14	9	-	-	-	-	-	1	-	-	-	6	-	-	10	-
Limehouse *W*	32,369	20	6	4	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Mile End Old Town South-Western *H*	63,698	51	6	2	2	-	-	-	-	-	-	-	-	-	1	2	-	-
Mile End Old Town North-Eastern *W*,*w*	49,129	33	20	6	7	-	2	-	-	-	-	-	-	1	-	1	12	-
Bow	41,989	20	6	2	1	-	-	-	-	-	-	-	-	2	1	1	-	-
Bromley 3*w*,*H*	68,319	30	20	5	4	-	1	-	-	-	-	-	-	5	-	-	13	-
Poplar *W*,*w*	58,514	18	17	5	3	-	1	-	-	1	-	-	-	6	2	2	4	-
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 11th September, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death
SOUTH DISTRICTS.																		
Christchurch and St. Saviour Southwark *W,2H*	23,319	6	29	10	4	-	-	-	1	1	-	-	-	2	2	4	24	-
Kent-road	21,904	12	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George the Martyr West *W,2H,L*	39,094	30	19	12	1	-	-	-	-	-	-	-	-	7	1	1	8	-
Newington North	49,022	31	7	2	4	-	-	-	-	-	-	-	-	1	-	-	-	-
Newington South *W*	72,841	42	15	8	3	-	-	-	-	-	-	-	-	1	-	4	-	-
St. Olave *2W*	9,817	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bermondsey *W*	82,483	48	15	4	3	-	-	-	-	-	-	-	-	2	-	-	-	-
Rotherhithe *W,F*	38,460	15	8	2	2	-	-	-	-	1	-	-	-	1	-	-	5	-
Waterloo *2H*	27,440	31	8	3	-	-	-	-	-	-	-	-	-	2	-	-	3	-
Lambeth Church *H*	27,440	8	21	4	1	-	-	-	1	-	-	-	-	3	4	6	11	-
Kennington *2W*	52,518	31	16	2	6	-	-	-	-	-	-	-	-	1	-	3	14	-
Stockwell *HF*	63,826	33	18	4	7	-	-	1	1	-	-	-	-	3	1	3	3	-
Brixton *H*	73,673	24	11	5	3	-	-	-	-	2	-	-	-	3	-	-	-	-
Norwood *2WH*	56,998	18	6	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
East Battersea *H*	72,203	34	8	3	2	-	-	-	-	1	-	-	-	1	-	-	1	-
North-west Battersea	49,656	17	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
South-west Battersea *2W,H* ..	47,048	12	14	3	7	-	-	-	-	1	-	-	-	1	-	1	10	-
Clapham *2H*	51,361	25	12	1	7	-	-	-	-	-	-	-	-	1	-	-	2	-
Streatham *W,2w,2F,2L*	88,019	49	19	4	8	-	-	1	-	1	-	-	-	1	-	2	3	-
Springfield *2W,L*	27,959	25	8	4	3	-	-	-	-	-	-	-	-	2	-	-	3	-
Southfields *H*	40,444	26	5	4	1	-	-	-	-	-	-	-	-	3	-	-	-	-
Putney	24,139	8	5	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich	13,359	2	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	25	20	5	8	-	-	-	-	-	-	-	-	-	-	-	11	-
Camberwell North *W,2L*	65,584	27	29	7	7	-	-	-	-	1	-	-	-	5	-	1	8	-
St. George	47,331	12	6	4	-	-	-	-	-	-	-	-	-	3	-	-	-	-
Peckham North	48,913	32	10	5	3	-	-	-	-	-	-	-	-	2	1	2	-	-
Peckham South *2W,w*	43,946	16	7	4	2	-	-	-	-	1	-	-	-	1	-	-	-	-
Deptford North	37,613	20	8	4	-	-	-	-	-	1	-	-	-	1	1	1	-	-
Deptford Central *F*	45,481	23	13	5	1	-	-	-	1	6	-	-	-	2	1	1	1	-
Deptford South	34,625	17	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *H*	23,456	12	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich East *2W,H*	43,859	21	12	2	5	-	-	-	-	-	-	-	-	1	-	1	3	-
Eltham *w,H*	7,226	9	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *w,H*	25,490	6	4	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham *2W,w,F*	58,352	28	13	4	5	-	-	-	-	-	-	-	-	1	-	-	7	-
Sydenham *H*	43,653	22	6	1	2	-	-	-	-	-	-	-	-	-	-	-	1	-
Charlton *F,2H*	21,134	7	8	1	2	-	-	1	2	-	-	-	-	-	-	-	4	-
Woolwich *5H*	41,625	20	7	1	2	-	-	-	-	-	-	-	-	-	-	1	2	-
Plumstead West *W,H*	39,376	20	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *2W*	28,951	10	8	-	3	-	-	-	-	-	-	-	-	-	-	1	4	-
Workhouses:—																		
Belmont Workhouse	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asylum .. (Westminster, St. Giles, and Strand Unions.)	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
M. A. B. Small-pox Hospitals:—																		
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																		
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	3	-	-	-	-	1	1	-	-	-	-	-	-	-	3	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																		
Children's Infirmary, Carshalton..	—	-	4	2	-	-	-	-	-	-	-	-	-	-	-	-	4	-
M. A. B. Imbecile Asylums:—																		
Caterham	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Darenth	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
Leavesden	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Lunatic Asylums:—																		
Banstead	—	-	6	-	3	-	-	-	-	-	-	-	-	-	-	-	6	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-
Manor	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
Long Grove	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4	-
Cane Hill	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Dartford Heath	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hanwell	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4	-
Colney Hatch	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
Claybury	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERATED POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 11th September, 1909.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years & upwds.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING ..	368,603	2,015,135	1,265	480	143	140	-	6	5	2	14	2	78	20	41	76	3
30 : 1	Carshalton 2F,3H	12,228	32,997	18	6	2	2	-	-	-	-	-	-	-	2	2	-	-
2	Epsom, *part of** W,w,2F,H..	10,423	15,548	3	7	-	3	-	-	-	-	-	-	-	-	1	4	-
37 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38 : 1	Coulsdon	11,069	8,166	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w,H ..	4,200	49,309	21	11	1	5	-	-	-	-	-	-	1	1	3	-	-
3	West Croydon 2W,F,H ..	2,168	42,888	26	15	2	7	-	-	-	-	-	-	-	-	-	5	-
4	North Croydon H	2,644	41,698	24	5	1	2	-	-	-	-	-	-	-	-	-	-	-
5	Penge w	770	22,465	13	1	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Mitcham w	11,711	30,015	37	9	4	2	-	-	-	-	-	-	1	1	1	-	-
39 : 1	Wimbledon F,3H	3,221	41,652	20	9	3	3	-	-	-	-	-	-	2	-	-	-	-
2	Kingston 2W,H	6,224	42,068	19	9	3	3	-	-	-	-	-	-	1	-	-	5	-
3	Surbiton F,H	3,046	15,017	7	2	-	1	-	-	-	-	1	-	-	-	-	-	-
4	Esher, *part of** H	5,402	13,100	7	2	1	1	-	-	-	-	-	-	-	-	-	-	-
5	Hampton H,F,L	4,564	23,456	14	5	2	3	-	-	-	-	-	-	-	-	-	-	-
40 : 1	Richmond W,H	2,491	31,672	8	4	1	1	-	-	-	-	-	1	1	-	-	2	-
2	Mortlake F	2,518	17,821	15	3	1	1	-	-	-	-	-	-	1	-	-	-	-
41 : 1	Bromley F,3H	4,703	27,354	15	5	1	3	-	-	-	-	-	-	1	-	-	-	1
2	Beckenham H	7,825	28,497	16	1	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Orpington, *part of** W,F ..	10,113	9,857	4	1	-	1	-	-	-	-	-	-	-	-	-	1	-
4	Chislehurst 2H	7,333	16,446	13	2	-	1	-	-	-	-	-	-	-	-	-	1	-
42 : 1	Bexley w,F,H	8,678	21,151	16	3	2	-	-	-	-	-	-	-	-	1	1	-	-
2	Erith F,H	3,854	25,296	14	3	1	2	-	-	-	-	-	-	-	-	-	-	-
3	Dartford W,F, *part of** ..	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
124 : 1	Sunbury w	11,054	18,683	11	3	2	-	-	-	-	-	-	-	1	-	-	-	-
2	Staines W,H	13,277	15,178	11	9	4	3	-	-	-	-	-	-	2	-	-	3	-
125 : 1	Hillingdon W,F,H	6,035	13,661	9	5	1	3	-	-	-	-	-	-	-	-	-	1	-
2	Uxbridge H	12,757	8,984	9	2	2	-	-	-	-	-	-	-	2	-	-	-	-
3	Hayes w 2F,H	8,066	16,358	14	3	1	1	-	-	-	-	-	-	1	-	-	-	-
126 : 1	Isleworth 3W,3F,H	6,859	30,863	16	15	4	6	-	2	-	-	-	-	1	1	2	5	-
2	Twickenham F,2H	2,421	20,991	11	6	1	-	-	-	-	-	2	-	-	1	1	1	-
3	Brentford 3F,2H	4,319	48,289	31	18	7	3	-	-	-	-	-	-	4	-	1	1	1
4	Chiswick H	1,249	29,809	19	11	3	3	-	1	-	-	-	-	1	1	1	-	-
5	Acton w,F,3H	6,132	48,914	37	10	6	2	-	-	1	-	-	-	4	-	-	1	1
127 : 1	Harrow F,H	13,809	25,523	18	6	3	1	-	-	-	-	1	-	-	-	-	-	-
2	Edgware 2F,2H	6,994	4,521	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden W,F,2H	4,384	114,811	62	17	5	4	-	-	-	-	-	-	3	1	1	6	-
4	Hendon W,F	8,382	22,450	12	6	2	-	-	-	-	-	-	-	1	-	-	-	-
128 : 1	South Mimms 2F,H ..	17,755	7,308	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,970	7	2	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Finchley F,3H	4,688	33,692	32	7	1	3	-	-	-	-	-	-	-	-	-	1	-
129 : 1	Hornsey F,H	2,875	72,056	28	8	-	5	-	-	-	-	-	-	1	-	-	-	-
2	Wood Green H	1,625	34,233	28	7	1	4	-	-	-	-	-	-	1	1	2	1	-
3	West Tottenham	995	48,741	37	6	3	2	-	-	-	-	-	-	1	-	-	-	-
4	East Tottenham 2H ..	2,019	53,962	29	11	3	3	-	-	-	-	-	-	2	-	-	2	-
5	Edmonton W,w,2F	7,491	61,892	51	17	4	4	-	-	-	-	1	-	4	-	2	4	-
6	Enfield 2W,F,H	12,601	42,738	23	12	4	2	-	1	-	-	-	-	2	1	2	4	-
7	Waltham Abbey F	11,017	6,549	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-
135 : 1	Hatfield, *part of** W ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey, *part of** H ..	9,195	7,051	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford, *part of** W,2F ..	138	2,122	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
186 : 1	Stratford H	1,091	52,974	30	13	4	2	-	-	-	-	-	-	2	-	1	-	-
2	Forest Gate	787	52,745	17	7	1	1	-	-	-	-	2	-	1	-	-	-	-
3	Plaistow F,2H	1,249	90,921	55	36	19	7	-	-	3	-	2	-	11	-	-	5	-
4	Canning Town H	1,556	70,718	54	24	9	3	-	-	-	-	-	-	13	4	4	1	-
5	South East Ham 2F ..	1,991	37,342	33	13	6	2	-	-	-	-	-	-	4	1	2	-	-
6	North East Ham w,H ..	1,333	58,666	41	10	4	2	-	-	-	1	1	-	2	-	1	-	-
7	Wanstead F	1,679	9,179	8	3	1	1	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	25	18	5	7	-	2	-	1	1	-	2	-	1	5	-
9	North Leyton 2W,w,F ..	1,963	48,445	40	17	1	5	-	-	-	-	1	1	-	1	3	10	-
10	Walthamstow 2H,L ..	6,504	108,929	58	25	6	8	-	-	-	-	2	-	2	2	8	-	-
187 : 1	Chigwell 2F,3H	11,778	16,397	8	6	1	1	-	-	-	-	-	-	1	-	-	-	-
2	Epping W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189 : 1	Romford, *part of** W,2F ..	6,556	6,091	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Ilford F,L	8,496	41,244	37	9	2	4	-	-	-	-	-	-	-	-	-	-	-
3	Barking Town F	3,805	21,547	21	5	2	1	-	-	-	-	-	-	1	1	1	-	-
	N.E. Hospital, Tottenham..	—	—	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-
	London County Lunatic Asylum, Colney Hatch.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
	London County Lunatic Asylum, Claybury.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
	Middlesex County Lunatic Asylum, Napsbury.	—	—	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
	Essex County Lunatic Asylum, Brentwood.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30 : 2, excepting Ashtead parish; 37 : 1, Warlingham and Farley parishes; 39 : 4, excepting Esher parish; 41 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135 : 1, Northaw parish; 137 : 1, excepting the part in Watford Rural parish; 137 : 2, Oxhey parish; 189 : 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42 : 3, 137 : 2 and 187 : 2 and in the Croydon Mental Hospital in 37 : 1 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Small-pox	Measles.	Scarlet Fever	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON - -	4,833,938	September 11	2096	1139	12·3	-	8	5	8	26	2	154
CALCUTTA - -	1,009,008	August 14	-	388	19·9	-	2	-	1	-	76†	44‡
BOMBAY - -	982,000	" 17	353	617	32·8	2	-	-	-	-	95†	106‡
MADRAS - -	548,974	" 13	405	359	36·6	-	1	?	?	?	103	65‡
PARIS - - -	2,760,000	September 4	866	752	14·3	-	7	-	3	5	1	70
BRUSSELS - -	704,975	" 4	227	186	13·7	-	1	-	1	-	2	41
ANTWERP - -	314,135	" 4	114	75	12·4	-	4	-	-	-	-	26
AMSTERDAM -	565,553	" 4	282	130	12·0	-	6	-	1	3	1	12
COPENHAGEN -	448,000	" 4	224	91	10·6	-	-	1	-	-	1	8
STOCKHOLM -	339,582	August 23	159	74	11·3	-	-	1	2	2	-	3
CHRISTIANIA -	235,674	September 4	90	50	11·0	-	1	1	4	-	-	1
ST. PETERSBURG	1,573,000	August 28	801	669	22·2	5	29	7	13	11	6	152‡
MOSCOW - -	1,452,100	" 28	-	823	29·6	4	13	19	10	9	4	267
BERLIN - -	2,100,172	" 14	851	508	12·6	-	7	10	4	4	7	56
	2,100,974	" 21	837	564	14·0	-	4	16	9	14	2	80
HAMBURG - -	872,252	September 4	-	207	12·3	-	-	1	4	5	-	33
BRESLAU - -	502,676	August 28	-	232	24·1	-	1	-	3	4	-	69
MUNICH - -	566,000	" 28	255	166	15·3	-	2	-	-	1	-	26
VIENNA - -	2,064,037	September 4	765	553	13·9	-	1	1	2	3	1	130
PRAGUE - -	485,057	" 4	160	137	14·7	-	-	2	-	1	1	18
BUDAPEST - -	823,215	August 28	442	306	19·3	-	5	3	3	3	-	64
TRIESTE - -	217,706	September 4	133	96	22·9	-	2	-	-	3	2	24
ROME - - -	565,323	May 29	231	175	16·1	-	8	-	2	1	3§	9
VENICE - -	179,286	July 31	-	-	-	-	-	-	-	-	-	-
BUCAREST - -	296,585	August 14	122	171	30·1	-	-	5	1	1	2	38
		" 21	176	138	24·3	-	-	6	2	-	3	33
NEW YORK -	4,564,792	" 21	2224	1281	14·6	-	12	4	10	8	15	289
CHICAGO - -	2,224,490	" 21	-	649	15·2	-	6	3	5	5	3	209
PHILADELPHIA -	1,565,569	" 7	-	450	14·9	-	1	-	9	1	9	99
RIO DE JANEIRO	637,089	" 8	-	250	20·5	1	1	-	-	-	1	?
CAIRO :—												
Egyptians -	666,587	" 5	523	728	56·5	-	19	-	11	?	20	243
		" 12	523	621	48·2	-	12	-	14	?	26	208
Foreigners -	35,219	" 5	12	25	36·9	-	-	-	-	?	4	3
		" 12	9	21	31·0	-	-	-	-	-	-	6
ALEXANDRIA :—												
Egyptians -	341,965	" 5	211	312	47·0	-	-	1	4	?	6†	99
		" 12	235	298	44·9	-	4	-	1	?	3	77
Foreigners -	46,118	" 5	9	17	19·2	-	-	-	-	?	-	3
		" 12	14	19	21·4	-	-	-	1	?	1	5

* Excluding deaths from croup in the Indian Cities.
† Including 18 deaths from plague in Calcutta, 35 in Bombay, and 1 in Alexandria.
‡ Including 7 deaths from cholera in Calcutta, 43 in Bombay, 1 in Madras, and 77 in St. Petersburg.
§ Including 1 death from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 11th September, 1909.

Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	71·0	40·6	55·2	0·32	BRADFORD - -	62·6	37·0	50·9	0·68
BRIGHTON - -	66·8	43·8	57·6	0·89	YORK - - -	67·0	38·0	53·4	0·23
PORTSMOUTH - -	68·0	45·0	57·1	1·33	HULL - - -	67·0	40·0	52·9	0·33
NORWICH - -	68·8	40·0	54·3	0·35	TYNEMOUTH - -	65·0	39·0	51·0	0·73
PLYMOUTH -	66·1	44·9	55·9	0·20	CARDIFF - - -	63·9	43·3	53·2	0·31
BRISTOL - - -	65·2	39·0	53·2	0·55	EDINBURGH - -	62·6	42·1	51·5	0·46
BIRMINGHAM - -	66·7	41·2	52·6	0·21	GLASGOW - -	65·5	40·0	52·1	0·60
NOTTINGHAM - -	65·1	42·2	53·2	0·59					
LIVERPOOL OBSERVATORY.	61·0	46·0	53·6	0·45	DUBLIN { Phœnix Park.	61·5	34·3	50·9	0·59
MANCHESTER -	62·8	37·6	52·3	0·85	DUBLIN { Fitzwilliam Square.†	61·4	40·7	52·9	0·54
BURNLEY - -	60·0	33·2	50·2	0·84					
HUDDERSFIELD -	63·2	39·0	51·9	0·63	BELFAST - - -	61·0	42·5	53·1	0·80

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to the seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°·4 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 11th September, 1909.

[*Under the Superintendence of the Astronomer Royal.*]

1909. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
SEPTEMBER.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 5	..	29·848	64·3	47·9	16·4	54·7	− 4·7	45·0	9·7	16·8	0·2	70	116·0	39·9	59·12	N. & NNW.	NW., W. & SSW.	2·1	0·0	0·1	255	+ 14	0·01	1·0
MONDAY - 6	Last Qr.	29·547	71·0	48·1	22·9	58·3	− 0·9	53·4	4·9	16·6	2·9	84	121·5	41·1	59·08	SSW. & SW.	SW. & WSW.	8·3	0·0	0·5	462	+222	0·03	6·5
TUESDAY - 7	..	29·510	63·2	48·9	14·3	54·9	− 4·1	46·5	8·4	16·1	3·8	74	115·4	43·0	59·00	SW. & W.	W., N. & NNW.	4·0	0·0	0·3	376	+136	0·01	4·5
WEDNESDAY 8	Greatest Dec. N.	29·776	56·0	40·6	15·4	48·4	−10·4	46·7	1·7	7·6	0·2	94	98·0	29·4	58·85	NNW., WSW. & N.	N. & NNE.	2·3	0·0	0·1	213	− 32	0·14	0·0
THURSDAY - 9	..	29·938	61·8	46·6	15·2	53·4	− 5·2	47·8	5·6	13·9	0·2	81	105·0	38·5	58·55	N.	NNE., NE. & ENE.	2·7	0·0	0·1	277	+ 27	0·00	0·0
FRIDAY - 10	..	29·790	60·0	45·4	14·6	53·5	− 4·9	51·1	2·4	7·2	1·5	91	73·8	37·5	58·30	NE. & NNE.	NE. & NNE.	7·0	0·0	0·3	382	+130	0·03	0·0
SATURDAY - 11	..	29·747	65·4	53·3	12·1	58·4	+ 0·3	53·8	4·6	11·2	0·0	85	111·2	45·1	58·03	NNE., E. & SE.	SE. & E.	3·8	0·0	0·1	228	− 25	0·10	6·0
MEANS - -		29·737	63·1	47·3	15·8	54·5	− 4·3	49·2	5·3	12·8	1·3	83	105·8	39·2	58·70	SW. & N.		..	..	..	Sum 2193	Sum +472	Sum 0·32	2·6
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. SEPTEMBER.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY - 5	w. P. generally.	11·4	13·3	Generally overcast till 3h. A.M. with heavy shower till 0h. 15m. A.M.; very fine with small amounts of cloud afterwards.
MONDAY - 6	w. P. throughout.	5·6	13·2	Generally overcast with frequent slight rain till noon; very fine afterwards with gusty wind in afternoon. Solar halo observed at 3h. P.M.
TUESDAY - 7	w.P. till 9h. A.M.; m. P.generally after with v.P. and v.N. between 2h. and 6h. P.M.	5·6	13·2	Very fine till 11h. A.M.; generally cloudy or overcast till 10h.30m. P.M.; very fine after; frequent light showers between 2h. and 5h. 30m. P.M.
WEDNESDAY 8	m. P. generally; w. P. and v. N. between 1h. and 5h. P.M.	3·9	13·1	Very fine till 10h. A.M.; overcast with frequent rain till 7h. P.M.; very fine with little cloud till 11h. P.M. then overcast.
THURSDAY - 9	w. P. throughout.	2·9	13·0	Generally overcast in morning; cloudy with fine intervals between 8h. A.M. and 8h. P.M.; cloudless at night.
FRIDAY - 10	w. P. throughout.	0·0	13·0	Cloudless till 4h. A.M.; overcast afterwards with rain between 5h. 15m. and 9h. A.M.
SATURDAY - 11	w. P. throughout.	5·6	12·9	Overcast with slight exceptions till 10h.30m. A.M.; fine but cloudy till 2h. P.M.; very fine afterwards and nearly cloudless at night; rain between 3h. and 8h. A.M.
		Sum 35·0	Sum 91 7	
No. of Col. - -	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the hermometer which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·54 in. at the beginning of the week to 29·89 in. by 7h. P.M. on Sept. 5th; decreased to 29·46 in. by 9h. A.M. on Sept. 7th; increased to 29·96 in. by 10h. A.M. on Sept. 9th; decreased to 29·64 in. by 6h. A.M. on Sept. 11th; and increased to 29·80 in. by midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 4th September, 1909.*

BOROUGHS.	Estimated Population in the middle of 1909.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	151,955	-	14	4	-	-	-	-	2	-	-
Kensington	183,683	-	5	5	-	-	-	-	2	-	-
Hammersmith	125,704	-	5	9	-	-	-	-	1	-	-
Fulham	176,406	-	11	3	-	-	-	-	1	-	-
Chelsea	75,249	-	7	1	-	-	-	-	-	-	-
City of Westminster ..	168,883	-	5	3	-	-	-	-	2	-	-
NORTH.											
St. Marylebone	126,027	-	17	2	-	-	-	-	-	-	-
Hampstead	94,185	-	4	2	-	-	-	-	1	-	-
St. Pancras	237,422	-	20	9	-	-	-	-	4	-	-
Islington	351,202	-	39	12	-	2	-	-	9	-	-
Stoke Newington	54,423	-	-	1	-	-	-	-	-	-	-
Hackney	237,601	-	21	1	-	1	-	-	4	-	-
CENTRAL.											
Holborn	53,802	-	1	-	-	-	-	-	2	-	-
Finsbury	95,289	-	5	3	-	-	-	-	1	-	-
City of London	18,193	-	-	-	-	-	-	-	-	-	-
EAST.											
Shoreditch	114,802	-	5	1	-	-	-	-	3	-	-
Bethnal Green	131,316	-	14	3	-	-	-	-	4	-	-
Stepney	312,525	-	12	7	-	4	-	-	5	-	-
Poplar	171,965	-	19	1	-	1	-	-	6	-	-
SOUTH.											
Southwark	211,125	-	7	6	-	-	-	-	4	-	-
Bermondsey	127,569	-	11	2	-	-	-	-	5	-	-
Lambeth	324,188	-	20	17	-	-	-	-	6	-	-
Battersea	186,036	-	14	5	-	-	-	-	2	-	-
Wandsworth	297,646	-	9	7	-	5	1	-	1	1	-
Camberwell	283,022	-	26	10	-	1	-	-	2	-	-
Deptford	118,583	-	8	4	-	1	-	-	3	-	-
Greenwich	111,014	-	5	2	-	2	-	-	1	1	3
Lewisham	160,749	-	9	8	-	-	-	-	-	-	-
Woolwich	133,374	-	28	5	-	1	-	-	2	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,833,938	-	341	133	-	18	1	-	73	2	3
Ages 0-1		-	2	3	-	-	-	-	3	-	-
„ 1-5		-	91	39	-	2	-	-	3	-	-
„ 5-		-	153	54	-	-	1	-	3	-	-
„ 10-		-	61	23	-	4	-	-	1	-	3
„ 15-		-	18	5	-	2	-	-	3	-	-
„ 20-		-	6	4	-	1	-	-	2	-	-
„ 25-		-	7	3	-	4	-	-	13	1	-
„ 35-		-	2	1	-	4	-	-	14	1	-
„ 45-		-	1	-	-	1	-	-	11	-	-
„ 55-		-	-	1	-	-	-	-	10	-	-
„ 65 and upwards		-	-	-	-	-	-	-	10	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY DARLING & SON, LTD., 34-40 BACON STREET, E

1909

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 37. 1909. VOL. LXX.] WEEK ENDED SATURDAY, SEPT. 18. [Price 1½*d.*

General Register Office, Somerset House,
September 20th, 1909.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 13·0 per 1000 of their aggregate population, which is estimated † at 16,445,281 persons in the middle of this year. In the preceding three weeks the rates had been 12·9, 12·9, and 12·8. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 17·0 in Portsmouth and in West Bromwich, 17·1 in Oldham, 17·3 in Newport (Mon.), 17·6 in Great Yarmouth and in Rotherham, 17·8 in Wigan, 18·0 in Swansea, 20·2 in Warrington, 20·6 in Merthyr Tydfil, and 21·8 in Bootle; from *measles*, 1·6 in Swansea, 2·0 in Coventry, and 2·7 in Newport (Mon.); from *whooping-cough*, 1·2 in Wigan, and 2·0 in Merthyr Tydfil; from "*fever*," 1·0 in Portsmouth and in Walsall, 1·4 in Warrington, and 1·6 in Rotherham; and from *diarrhœa*, 4·0 in Hull, 4·2 in Rhondda, 4·3 in Warrington, 4·5 in Bootle, and 4·8 in Rotherham. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2223 BIRTHS and 1151 DEATHS were registered. Allowing for increase of population, the births were 207 and the deaths 168 below the average numbers in the corresponding

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-five other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(14351—41.) Wt. 109—472. 700. 9/09. D & S. G. 31. Sch. 4. 2 O

weeks of the previous five years. The annual death-rate from all causes, which had been 12·4, 12·4, and 12·3 per 1000 in the preceding three weeks, was 12·4 last week. The death-rate in the four weeks ended last Saturday averaged 12·4 per 1000, being 2·9 per 1000 below the mean rate in the corresponding periods of the five years 1904–8.

The 1151 deaths included 5 from measles, 2 from scarlet fever, 7 from diphtheria, 13 from whooping-cough, 1 from enteric fever, 1 from ill-defined pyrexia and 129 from diarrhœa; but not one death from small-pox or from typhus: thus, to these diseases in the aggregate 158 deaths were referred, being 102 below the corrected average number in the thirty-seventh week of the preceding five years.

The deaths from *measles*, which had been 12, 10, and 8 in the preceding three weeks, further fell to 5 last week, and were 3 below the corrected average. The deaths from *scarlet fever*, which had been 6, 2, and 5 in the preceding three weeks, were 2 last week, and were 7 below the corrected average. The deaths from *diphtheria*, which had been 5, 9, and 8 in the preceding three weeks, were 7 last week, the corrected average being 10; 2 deaths belonged to the Borough of Paddington. The deaths from *whooping-cough*, which had been 15, 27, and 26 in the preceding three weeks, fell to 13 last week, and were 5 below the corrected average; 3 deaths belonged to Stepney. One death from *enteric fever* was registered last week, as compared with 1, 2, and 2 in the preceding three weeks, the corrected average being 6. The deaths from *diarrhœa*, which had been 159, 139, and 154 in the preceding three weeks, fell to 129 last week, and were 79 below the corrected average; 12 deaths belonged to Stepney, 11 to Poplar, 9 to Lambeth, and 8 each to Islington, Shoreditch, Southwark, and Camberwell. Of the 129 deaths from diarrhœa, 125 were those of children under 5 years of age; 21 other deaths at this age were certified as due to *enteritis* and 12 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 5, having been 5, 2, and 2 in the preceding three weeks.

Different forms of violence caused 43 deaths, concerning all of which inquests were held. Of these 43 deaths, 11 were cases of suicide, while the remaining 32 were attributed to accident or negligence. Four of these latter were referred to vehicles in the streets, three to building operations, six to drowning, and three, of infants under one year of age, to suffocation in bed. One death occurred while under an anæsthetic administered for surgical purposes.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 2553 cases of scarlet fever, 832 of diphtheria, and 67 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 421 cases, against 284, 349, and 411; of diphtheria, 97 cases, against 86, 124, and 116; and of enteric fever, 9 cases, against 14, 17, and 13. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended September 11th, 1909.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 3531 births and 1656 deaths were registered. Allowing for increase of population, these numbers are 303 and 259 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 4 deaths from diphtheria, 3 from whooping-cough, 1 from "fever," and 31 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·94 inches, and that of the Thermometer 55°·3, the latter being 2°·2 below the week's average in the 65 years ended 1905. The general direction of the wind was North-Easterly, the horizontal movement of the air being 5 per cent. below the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 20·9 hours; the measured rainfall amounted to 0·58 of an inch.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 18th September, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 28th Aug., 1909.	4th Sept., 1909.	11th Sept., 1909.	18th Sept., 1909.	Rate from Diseases in Cols. 11–17. Week ended 18th September, 1909.	Registered during the Week ended 18th Sept., 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17	18.	19.	20.	21.	Cols.
76 TOWNS	**16,445,281**	**12·9**	**12·9**	**12·8**	**13·0**	**2·0**	**8010**	**4101**	**1155**	**1071**	**–**	**32**	**23**	**27**	**59**	**30**	**461**	**146**	**315**	**1112**	**23**	**76 TOWNS.**
LONDON	4,833,938	12·4	12·4	12·3	12·4	1·7	2223	1151	309	297	–	5	2	7	13	2	129	43	113	480	–	LONDON.
† CROYDON	161,078	7·4	9·7	10·0	11·3	1·0	76	35	8	12	–	–	–	–	–	–	3	–	1	8	–	CROYDON.
WILLESDEN ..	160,424	7·5	7·8	5·2	7·5	0·7	71	23	6	7	–	–	–	–	–	–	2	2	3	8	–	WILLESDEN.
HORNSEY	95,628	3·8	3·8	4·9	5·5	–	36	10	2	5	–	–	–	–	–	–	–	–	–	–	–	HORNSEY.
TOTTENHAM ..	129,464	5·6	10·1	8·5	10·9	1·6	75	27	10	4	–	–	–	–	1	–	3	2	3	8	–	TOTTENHAM.
WEST HAM ..	321,767	12·5	10·7	13·8	13·5	4·7	158	83	29	14	–	–	–	1	6	–	22	3	8	20	–	WEST HAM.
EAST HAM.. ..	149,575	5·2	9·8	9·8	11·2	1·7	69	32	10	8	–	–	–	1	–	–	4	1	1	7	–	EAST HAM.
LEYTON	129,614	10·5	8·0	10·5	9·7	0·8	69	24	5	7	–	–	–	1	–	–	1	–	–	5	–	LEYTON.
WALTHAMSTOW	136,602	7·6	5·3	8·8	4·2	0·4	54	11	3	3	–	–	–	–	–	–	1	–	–	3	–	WALTHAMSTOW.
HASTINGS	68,165	6·9	9·9	11·5	13·0	0·8	17	17	4	8	–	–	–	–	–	–	1	1	1	3	–	HASTINGS.
BRIGHTON	130,926	12·3	12·3	12·7	13·1	2·4	49	33	9	13	–	–	–	–	1	–	5	1	3	8	–	BRIGHTON.
PORTSMOUTH ..	214,726	12·4	9·7	11·9	17·0	2·4	118	70	16	16	–	–	1	–	–	4	5	6	8	20	–	PORTSMOUTH.
BOURNEMOUTH ..	72,368	11·5	7·2	9·4	11·5	0·7	24	16	3	5	–	–	–	–	–	–	1	–	–	3	–	BOURNEMOUTH.
SOUTHAMPTON ..	124,667	14·2	10·5	15·9	9·2	0·8	66	22	6	4	–	–	–	–	–	–	2	2	5	4	–	SOUTHAMPTON.
READING	82,995	8·2	8·2	10·1	10·1	0·6	38	16	1	9	–	–	–	–	–	–	1	1	2	2	–	READING.
NORTHAMPTON ..	97,752	7·5	9·1	9·1	7·5	2·1	24	14	3	7	–	–	1	–	–	–	3	–	–	3	–	NORTHAMPTON.
IPSWICH	74,889	9·7	9·7	13·2	10·4	0·7	28	15	4	4	–	–	–	–	–	–	1	1	2	2	–	IPSWICH.
GREAT YARMOUTH	53,430	13·7	7·8	18·5	17·6	1·0	23	18	3	6	–	–	–	–	1	–	–	2	6	2	–	GREAT YARMOUTH.
NORWICH	124,136	13·0	13·0	18·1	16·4	3·8	54	39	12	17	–	–	–	1	–	1	7	–	1	4	–	NORWICH.
PLYMOUTH	124,180	10·9	14·7	10·9	12·6	2·1	51	30	13	7	–	–	1	–	–	–	4	1	3	2	–	PLYMOUTH.
DEVONPORT	83,103	11·3	15·7	7·5	10·0	4·4	36	16	7	6	–	–	–	1	–	–	6	–	–	3	–	DEVONPORT.
BRISTOL	377,642	12·0	11·6	12·6	10·5	1·4	168	76	21	27	–	–	–	2	–	–	8	2	3	27	–	BRISTOL.
HANLEY	68,831	15·9	13·6	18·9	12·1	2·3	42	16	6	4	–	1	–	–	–	–	2	1	4	1	–	HANLEY.
BURTON-ON-TRENT	54,453	10·5	4·8	5·7	8·6	1·9	22	9	2	2	–	–	–	1	–	–	1	–	1	3	2	BURTON-ON-TRENT.
WOLVERHAMPTON..	104,633	11·0	16·9	14·0	14·5	1·5	50	29	8	8	–	–	1	–	1	–	1	2	2	6	1	WOLVERHAMPTON.
WALSALL	99,399	15·7	11·5	8·9	13·1	4·7	46	25	11	6	–	–	–	–	1	2	6	–	3	2	–	WALSALL.
HANDSWORTH ..	70,186	3·7	8·9	9·7	12·6	1·5	37	17	2	8	–	–	–	–	1	–	1	1	1	2	–	HANDSWORTH.
WEST BROMWICH..	70,457	10·4	12·6	11·8	17·0	0·7	37	23	4	5	–	1	–	–	–	–	–	1	2	3	–	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

ended Saturday, 18th September, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1909.*	Death-Rates from all Causes. Week ended 28th Aug., 1909.	4th Sept., 1909.	11th Sept., 1909.	18th Sept., 1909.	Rate from Diseases in Cols. 11-17. Week ended 18th September, 1909.	Registered during the Week ended 18th Sept., 1909. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
BIRMINGHAM ..	563,629	13·9	13·9	13·4	13·9	2·5	263	150	49	40	-	1	3	-	4	2	17	2	2	43	4	BIRMINGHAM.
KINGS NORTON ..	81,632	7·0	7·7	6·4	7·0	0·6	39	11	1	8	-	-	-	1	-	-	-	-	-	1	1	KINGS NORTON.
SMETHWICK	70,377	11·9	11·1	5·9	7·4	3·7	40	10	4	-	-	-	-	-	1	-	4	1	1	-	-	SMETHWICK.
ASTON MANOR ..	85,257	15·3	4·9	9·2	6·7	1·2	45	11	6	-	-	-	-	-	1	1	-	-	-	-	-	ASTON MANOR.
COVENTRY	80,163	11·7	11·7	16·3	11·1	3·9	47	17	6	1	-	3	-	-	-	-	3	-	-	5	-	COVENTRY.
LEICESTER	244,255	12·8	11·5	11·5	14·1	2·3	104	66	24	18	-	-	1	-	3	-	7	2	2	16	-	LEICESTER.
GRIMSBY	73,036	20·7	14·3	10·7	11·4	3·6	41	16	8	4	-	-	-	-	-	-	5	1	11	2	-	GRIMSBY.
NOTTINGHAM ..	263,443	16·6	18·4	14·4	12·9	2·8	126	65	21	16	-	1	-	-	1	1	11	2	4	15	-	NOTTINGHAM.
DERBY	129,411	11·7	13·7	16·9	11·7	1·6	57	29	5	9	-	-	-	-	2	-	2	1	2	7	-	DERBY.
STOCKPORT	103,706	14·1	10·1	13·1	14·1	3·0	49	28	10	6	-	-	-	-	-	-	6	-	2	3	-	STOCKPORT.
BIRKENHEAD ..	121,123	16·4	15·9	13·8	12·9	2·2	76	30	11	11	-	-	-	-	-	-	5	1	1	1	-	BIRKENHEAD.
WALLASEY	71,004	7·3	5·9	6·6	11·7	2·2	40	16	5	7	-	-	-	-	-	-	3	1	1	3	-	WALLASEY.
LIVERPOOL	760,357	18·4	17·8	17·6	16·6	2·5	459	242	67	43	-	-	3	1	1	1	31	15	21	88	3	LIVERPOOL.
BOOTLE	69,393	19·5	17·3	18·0	21·8	6·0	34	29	13	7	-	2	-	-	-	-	6	-	-	10	1	BOOTLE.
ST. HELENS	95,161	15·9	18·1	16·4	13·7	1·6	64	25	5	5	-	-	1	-	1	-	1	1	1	4	-	ST. HELENS.
WIGAN	90,678	18·4	17·3	17·8	17·8	1·7	50	31	10	7	-	-	-	-	2	-	1	1	1	6	-	WIGAN.
WARRINGTON ..	72,276	19·5	12·3	13·0	20·2	5·8	48	28	6	6	-	-	-	-	-	2	6	-	-	5	1	WARRINGTON.
BOLTON	187,824	15·0	13·0	11·9	13·0	1·1	98	47	8	15	-	-	-	-	-	-	4	2	5	8	-	BOLTON.
BURY	59,234	9·7	13·2	10·6	9·7	-	21	11	1	2	-	-	-	-	-	-	-	-	-	-	-	BURY.
MANCHESTER ..	655,435	14·8	15·0	14·5	15·4	2·4	348	194	59	39	-	3	2	3	2	1	19	8	11	55	2	MANCHESTER.
SALFORD	241,950	15·5	17·2	14·7	15·1	2·6	104	70	15	27	-	1	2	1	-	2	6	1	3	21	-	SALFORD.
OLDHAM	143,301	13·8	15·3	11·6	17·1	1·5	78	47	9	11	-	-	-	-	2	-	2	3	3	7	-	OLDHAM.
ROCHDALE	89,653	12·8	16·3	7·6	16·9	-	36	29	6	11	-	-	-	-	-	-	-	-	1	3	1	ROCHDALE.
BURNLEY	106,267	11·3	15·7	11·3	14·2	1·0	63	29	5	10	-	-	-	-	-	1	1	2	3	3	-	BURNLEY.
BLACKBURN	136,959	11·8	10·7	15·2	14·5	0·8	65	38	9	12	-	-	-	1	1	-	-	-	-	3	-	BLACKBURN.
PRESTON	118,519	11·0	11·9	12·8	9·2	0·4	58	21	8	7	-	-	-	-	-	-	1	1	1	1	-	PRESTON.
BARROW-IN-FURNESS.	62,996	7·4	8·3	5·0	9·1	-	27	11	-	6	-	-	-	-	-	-	-	-	-	1	-	BARROW-IN-FURNESS.

* See note † on first page of this return.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 18th September, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1909.*	Death-Rates from all Causes. Week ended 28th Aug., 1909.	4th Sept., 1909.	11th Sept., 1909.	18th Sept., 1909.	Rate from Diseases in Cols. 11-17. Week ended 18th September, 1909.	Registered during the Week ended 18th Sept., 1909. Births.	Deaths.	The Deaths registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,739	17·1	14·3	16·0	12·1	1·1	54	22	2	10	-	-	-	-	1	-	1	1	1	6	-	HUDDERSFIELD.
HALIFAX	111,911	7·9	7·5	7·9	10·3	0·5	37	22	2	6	-	-	-	1	-	-	-	1	2	4	-	HALIFAX.
BRADFORD	293,983	10·6	10·8	13·8	9·4	0·9	95	53	8	18	-	1	-	2	-	2	-	1	2	21	-	BRADFORD.
LEEDS	484,012	12·0	14·1	11·0	14·2	1·3	211	132	42	26	-	-	1	-	3	1	7	4	14	28	-	LEEDS.
SHEFFIELD	470,958	14·5	14·2	14·3	13·4	2·9	240	121	37	37	-	-	2	-	2	2	20	5	9	32	2	SHEFFIELD.
ROTHERHAM.. ..	65,070	17·6	7·2	12·0	17·6	6·4	44	22	14	3	-	-	-	-	-	2	6	-	1	2	-	ROTHERHAM.
YORK	87,004	12·6	10·2	9·0	9·0	0·6	39	15	5	4	-	-	-	-	-	-	1	-	-	1	-	YORK.
HULL	275,552	13·8	15·1	13·8	15·3	4·4	153	81	30	20	-	1	-	-	1	-	21	4	6	11	1	HULL.
MIDDLESBROUGH ..	105,255	18·3	17·3	11·9	13·4	2·5	69	27	6	8	-	-	1	-	1	-	3	-	-	3	-	MIDDLESBROUGH.
STOCKTON-ON-TEES	53,417	17·6	9·8	12·7	10·7	-	29	11	1	2	-	-	-	-	-	-	-	-	-	1	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL	79,686	5·9	10·5	13·1	13·1	0·7	30	20	5	4	-	-	-	-	-	-	1	1	1	-	-	WEST HARTLEPOOL.
SUNDERLAND ..	159,378	12·4	15·4	16·0	13·7	2·0	90	42	16	12	-	-	-	-	-	1	5	2	6	9	-	SUNDERLAND.
SOUTH SHIELDS ..	117,627	17·3	12·0	12 9	16·0	1·8	62	36	9	8	-	-	-	1	-	-	3	3	3	5	1	SOUTH SHIELDS.
GATESHEAD	131,024	10·3	15·5	9·2	12·3	1·6	55	31	10	6	-	1	-	-	-	-	3	-	-	3	2	GATESHEAD.
NEWCASTLE-ON-TYNE.	281,584	10·9	14·6	15·4	14·3	1·1	145	77	19	20	-	-	1	-	2	-	3	3	10	11	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH ..	55,808	15·9	18·7	19·6	13·1	0·9	33	14	5	2	-	-	-	-	-	-	1	1	1	-	-	TYNEMOUTH.
NEWPORT (MON.) ..	78,336	16·0	14·0	18·0	17·3	5·3	52	26	11	8	-	4	-	-	-	1	3	-	1	5	1	NEWPORT (MON.).
CARDIFF	195,303	13·6	11·5	11·7	11·5	1·1	101	43	11	14	-	1	-	-	-	-	3	-	3	10	-	CARDIFF.
RHONDDA	135,894	16·1	14·6	18·0	16·5	5·4	98	43	16	4	-	2	-	1	-	-	11	-	-	1	-	RHONDDA.
MERTHYR TYDFIL..	78,365	17·3	16·6	16·0	20·6	6·0	60	31	9	2	-	1	-	-	3	1	4	2	2	5	-	MERTHYR TYDFIL.
SWANSEA	98,308	26·5	28·1	16·4	18·0	3·7	72	34	9	10	-	3	-	-	-	-	4	-	1	4	-	SWANSEA.
GREATER LONDON	7,429,740	11·2	11·5	11·4	11·6	1·7	3531	1656	466	434	-	5	2	14	23	3	196	62	150	573	1	GREATER LONDON.
OUTER RING ..	2,595,802	8·9	9·8	9·6	10·1	1·7	1308	505	157	137	-	-	-	7	10	1	67	19	37	93	1	OUTER RING.
8 TOWNS IN OUTER RING.	1,284,152	8·3	8·7	9·7	9·9	1·9	608	245	73	60	-	-	-	3	7	-	36	8	16	59	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,311,650	9·5	10·9	9·6	10·3	1·6	700	260	84	77	-	-	-	4	3	1	31	11	21	34	1	REMAINDER OF OUTER RING.
EDINBURGH	355,366	10·4	14·1	10·0	14·1	0·7	135	96	13	32	-	-	1	-	2	-	2	1	?	30	1	EDINBURGH.
GLASGOW	872,021	13·3	14·0	13·0	12·1	1·8	408	203	37	42	-	4	5	3	3	2	13	14	?	73	4	GLASGOW.
DUBLIN (Registration Area).†	398,356	20·4	19·0	16·8	17·3	1·6	207	132	24	28	-	1	-	1	2	2	6	3	9	54	2	DUBLIN (Registration Area).†
BELFAST†	386,576	17·4	16·1	16·7	12·5	3·0	181	93	24	19	-	-	-	-	7	-	15	2	3	21	-	BELFAST†

* See note † on first page of this return.

† Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the THIRTY-SEVENTH Week of each of the Eleven Years, 1899–1909.

	1899	1900	1901	1902	1903	1904	1905	1906	1907	1908	Corrected Weekly Average in 5 Years 1904–1908.*	1909
TOTAL **Births** -	2675	2519	2442	2370	2584	2514	2374	2319	2333	2330	2430·4	2223
Males - - -	1382	1296	1227	1251	1319	1287	1215	1178	1198	1204	1245·3	1145
Females - -	1293	1223	1215	1119	1265	1227	1159	1141	1135	1126	1185·1	1078
TOTAL **Deaths** -	1643	1470	1398	1471	1402	1360	1187	1589	1083	1221	1318·6	1151
Males - - -	883	789	758	786	736	703	633	831	562	647	691·2	581
Females - -	760	681	640	685	666	657	554	758	521	574	627·4	570

* The numbers in this column are the average weekly numbers in the Thirty-Seventh week of the five years 1904-1908, raised by 2·375 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	June 26.	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	13 Weeks.
TOTAL **Births** -	2068	2331	2236	2292	2206	2289	2054	2316	2169	2386	2317	2096	2223	28983
TOTAL **Deaths** -	1125	1029	1109	979	926	957	933	1047	1027	1153	1149	1139	1151	13724
Ages at Death: Under 1 year -	189	183	188	177	174	177	204	213	223	338	336	349	309	3060
1—5 years -	115	106	138	102	88	85	83	111	105	122	114	104	109	1382
5—20 " -	68	50	48	55	61	66	55	61	60	57	45	52	68	746
20—40 " -	130	125	144	115	114	127	122	137	138	147	137	130	147	1713
40—60 " -	266	226	240	233	201	200	197	205	220	200	230	199	221	2838
60 yrs. & upwds.	357	339	351	297	288	302	272	320	281	289	287	305	297	3985
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	51	33	40	33	24	9	19	22	17	12	10	8	5	283
Scarlet Fever - -	7	3	9	6	8	4	4	9	7	6	2	5	2	72
Diphtheria - -	7	7	7	4	6	19	3	10	6	5	9	8	7	98
Whooping-cough -	17	20	19	15	17	17	26	12	13	15	27	26	13	237
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	3	1	1	2	-	3	2	2	5	1	2	2	1	25
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Diarrhœa, Dysentery	17	10	14	13	22	26	27	39	76	159	139	154	129	825
All above diseases -	102	74	90	73	77	78	81	94	124	198	189	203	158	1511
Dis. of Resp. System	64	58	60	38	43	38	53	53	52	41	35	48	51	634
Pneumonia - -	91	100	94	68	89	68	67	72	69	62	68	57	79	984
Phthisis - - -	122	93	111	97	78	90	98	105	102	104	109	90	101	1300
Dis. of Circ. System -	157	158	164	144	128	132	134	155	130	137	137	145	151	1872
Violence - - -	41	45	57	65	37	42	38	56	53	56	51	37	43	621
Inquest Cases - -	109	121	114	119	82	98	85	105	111	131	125	90	113	1403
Deaths in Institutions	510	444	506	436	484	431	403	486	477	464	495	489	480	6105
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	55·8	55·9	58·5	60·0	61·9	59·9	60·8	66·9	63·3	58·1	54·5	54·5	55·3	58·9
Mean of Highest -	65·4	66·8	68·5	69·3	72·7	69·4	72·7	80·8	73·6	67·8	64·5	63·1	62·9	69·0
Mean of Lowest -	50·7	47·5	51·1	53·8	54·0	53·4	50·9	54·1	55·7	51·1	46·3	47·3	49·1	51·2
Mean Humidity of the Air.	81	80	77	82	71	79	76	70	79	83	75	83	86	79
Rain-fall (in inches) -	1·45	0·44	0·99	0·71	0·15	1·31	0·26	0·00	0·82	0·70	0·30	0·32	0·58	8·03
Registered Sunshine (in hours).	30·1	37·0	31·2	25·2	63·0	34·4	54·4	81·5	40·2	30·2	41·7	35·0	20·9	524·8
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - -	2517	2587	2647	2737	2731	2667	2564	2518	2411	2347	2377	2436	2553	2546
Diphtheria - - -	915	896	901	893	905	901	901	855	831	798	831	843	832	869
Typhus - - -	1	2	1	2	2	2	2	1	-	-	-	-	-	1
Enteric Fever - -	59	58	58	57	59	60	62	59	53	55	62	68	67	60

* The Metropolitan Asylums Board and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE 3.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq, M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lander, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq. F.R.Met.Soc., Hull; the Meteorological Committee, Tynemouth: and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the THIRTY-SEVENTH Week of the Year 1909.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 37th week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.			
ALL CAUSES	1318·6	1151	309	109	68	147	221	297
Small-pox*	–	–	–	–	–	–	–	–
Cowpox	–	–	–	–	–	–	–	–
Measles (Morbilli)	8·0	5	2	3	–	–	–	–
Scarlet Fever	9·0	2	–	1	1	–	–	–
Typhus	–	–	–	–	–	–	–	–
Plague	–	–	–	–	–	–	–	–
Influenza	3·5	5	1	–	1	–	2	1
Whooping-cough	18·4	13	10	3	–	–	–	–
Diphtheria	10·4	7	–	5	2	–	–	–
Cerebro-spinal Fever ..	–	–	–	–	–	–	–	–
Pyrexia† (origin uncertain)	–	1	–	–	–	–	1	–
Enteric Fever	6·1	1	–	1	–	–	–	–
Asiatic Cholera	–	–	–	–	–	–	–	–
Epidemic Diarrhœa, Infective Enteritis	142·1	71	52	18	1	–	–	–
Diarrhœa, Dysentery ..	65·7	58	43	12	–	–	–	3
Tetanus	0·4	1	1	–	–	–	–	–
Rabies, Hydrophobia ..	–	–	–	–	–	–	–	–
Glanders	0·2	–	–	–	–	–	–	–
Anthrax (Splenic Fever)..	–	–	–	–	–	–	–	–
Venereal Dis.	9·4	10	7	1	1	–	1	–
Puerperal Septicæmia ..	2·3	4	–	–	–	4	–	–
Puerperal Pyæmia.. .	–	–	–	–	–	–	–	–
Puerperal Fever	0·6	–	–	–	–	–	–	–
Infective Endocarditis ..	2·5	3	–	–	1	–	2	–
Pneumonia: Lobar ..	9·4	12	1	1	1	3	2	4
Pneumonia: Broncho ..	27·0	38	16	9	4	–	4	5
Pneumonia: Epidemic ..	–	–	–	–	–	–	–	–
Pneumonia: Not defined	37·5	29	5	5	1	4	4	10
Erysipelas	5·1	2	2	–	–	–	–	–
Septicæmia (not Puerperal) ..	0·8	2	–	–	2	–	–	–
Pyæmia (not Puerperal)	0·8	–	–	–	–	–	–	–
Other Infective Processes	4·3	2	1	1	–	–	–	–
Tuberculous Phthisis ..	80·1	71	–	–	4	33	24	10
"*Phthisis*"	46·3	30	–	1	5	10	11	3
Tuberculous Meningitis ..	18·8	18	2	10	6	–	–	–
Tuberculous Peritonitis ..	12·1	13	4	2	3	2	1	1
Tabes Mesenterica	5·1	4	4	–	–	–	–	–
Tuberculous Dis., Other ..	17·6	9	3	1	4	–	–	1
Scrofula..	0·4	–	–	–	–	–	–	–
Alcoholism	10·0	9	–	–	–	3	5	1
Rheumatic Fever	3·3	4	–	–	2	–	2	–
Gout	1·4	3	–	–	–	–	1	2
Carcinoma	51·8	66	–	–	–	1	32	33
Sarcoma	4·7	4	–	–	2	–	1	1
Cancer (undefined) ..	35·4	27	–	–	–	1	17	9
Diabetes Mellitus	5·9	8	–	–	1	3	2	2
Premature Birth	49·1	44	44	–	–	–	–	–

CAUSES OF DEATH.	Corrected Average for the 37th week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.			
Meningitis (not tuberc.)..	13·1	14	4	6	2	–	1	1
Gen. Par. of Insane, Insanity	11·1	12	–	–	–	5	5	2
Epilepsy	4·3	6	–	–	–	4	1	1
Convulsions	17·8	4	2	2	–	–	–	–
Locomotor Ataxy.. ..	1·2	3	–	–	–	–	3	–
Paraplegia, Dis. of Cord.	3·5	2	–	–	–	–	–	2
Nervous Sys., Other Dis.	15·6	17	1	–	–	2	9	5
Valv. Dis., Endocarditis..	37·7	50	–	–	5	17	14	14
Cereb. Hæm. Cereb. Emb.	37·3	24	–	–	–	1	2	21
Apoplexy, Hemiplegia ..	12·9	8	–	–	–	–	2	6
Aneurysm	4·1	7	–	–	–	–	3	4
Embolism, Thrombosis (not Cerebral) ..	0·4	1	–	–	–	–	1	–
Heart & Blood Ves., Other Dis... ..	65·1	61	–	–	3	5	19	34
Croup (not Spasm: nor Memb.)	0·4	–	–	–	–	–	–	–
Bronchitis	38·5	41	4	6	–	2	4	25
Emphysema, Asthma ..	1·8	1	–	–	–	1	–	–
Pleurisy	1·8	2	1	1	–	–	–	–
Respiratory Dis., Other..	6·6	7	2	1	1	–	–	3
Tonsillitis, Quinsy.. ..	0·8	–	–	–	–	–	–	–
Enteritis (not Epid.) ..	20·1	25	17	4	–	3	–	1
Gastro-enteritis	26·8	14	8	4	1	–	–	1
Peritonitis (not Puerp.) ..	1·4	2	–	–	–	1	1	–
Cirrhosis of Liver.. ..	12·5	9	–	–	–	2	6	1
Liver Dis., Other	5·3	3	–	–	–	–	2	1
Digestive Sys., Other Dis.	35·6	32	4	3	3	4	9	9
Acute Nephritis	7·0	5	–	1	–	3	–	1
Bright's Dis., Albuminuria	33·8	37	–	–	–	5	12	20
Urinary Sys., Other Dis.	9·2	9	–	–	–	1	1	7
Generative Organs Dis...	4·1	7	–	–	–	4	2	1
Childbirth (Accid. of) ..	3·5	4	–	–	–	4	–	–
Old Age	44·0	45	–	–	–	–	–	45
Other Diseases	85·7	80	60	7	5	5	2	1
ACCIDENT.								
By Railways	2·0	–	–	–	–	–	–	–
By Vehicles and Horses..	7·2	4	–	–	2	2	–	–
In Ships, Boats, Docks, (exclusive of Drowning)	0·2	1	–	–	–	1	–	–
In Building Operations..	1·4	3	–	–	–	2	1	–
In Conflagrations	–	–	–	–	–	–	–	–
By Burns, Scalds, Explosions	3·9	–	–	–	–	–	–	–
By Drowning	2·9	6	–	–	2	2	1	1
By Suffocation in Bed ..	5·9	3	3	–	–	–	–	–
By Poisons or Poisonous Vapours	2·3	1	–	–	–	1	–	–
Other Deaths by Accident..	12·3	14	5	–	1	1	3	4
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	2·0	–	–	–	–	–	–	–
Suicide	10·0	11	–	–	1	5	5	–
Execution	–	–	–	–	–	–	–	–

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 18th September, 1909.

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia*† (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified causes of Death.
LONDON	4,536,267	2223	1151	309	297	-	5	2	7	13	-	1	1	129	43	113	480	-
WEST DISTRICTS	805,311	307	174	40	46	-	-	-	2	-	-	-	-	23	9	15	86	-
NORTH DISTRICTS	1,055,908	471	212	51	59	-	1	-	-	1	-	1	-	14	5	20	88	-
CENTRAL DISTRICTS	209,465	94	68	19	17	-	-	-	-	-	-	-	-	8	6	15	33	-
EAST DISTRICTS	715,739	434	239	89	45	-	3	-	1	5	-	-	-	41	9	27	104	-
SOUTH DISTRICTS	1,749,844	917	426	110	121	-	1	2	4	7	-	-	1	43	14	36	137	-
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	32	-	9	-	-	-	-	-	-	-	-	-	-	-	32	-
WEST DISTRICTS.																		
North Paddington *H*	63,603	18	7	2	3	-	-	-	-	-	-	-	-	1	-	1	-	-
Central Paddington *W,3H*	50,053	26	24	7	4	-	-	-	-	-	-	-	-	5	3	3	19	-
South Paddington	30,320	8	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town *2W,w,2H* ..	128,037	54	46	7	14	-	-	-	-	-	-	-	-	5	1	3	29	-
Brompton *2H*	48,591	8	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North Hammersmith *2W,w,H* ..	49,192	19	8	4	1	-	-	-	-	-	-	-	-	2	1	2	1	-
South Hammersmith *w,2H* ..	63,047	25	14	2	1	-	-	-	-	-	-	-	-	1	3	3	6	-
North-west Fulham *W*	45,180	35	14	4	5	-	-	-	-	-	-	-	-	3	-	-	5	-
North-east Fulham *F*	46,405	21	8	3	-	-	-	-	2	-	-	-	-	1	-	-	2	-
South Fulham *W*	45,704	24	6	1	4	-	-	-	-	-	-	-	-	1	-	-	-	-
Chelsea North *W,w,3H*	42,514	10	12	1	5	-	-	-	-	-	-	-	-	1	-	1	10	-
Chelsea South *W,2H*	31,328	8	10	3	3	-	-	-	-	-	-	-	-	2	-	1	3	-
Mayfair and Knightsbridge	28,743	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave *W,2H*	55,815	24	7	1	1	-	-	-	-	-	-	-	-	-	1	1	3	-
St. Margaret & St. John *6H*	43,698	18	8	2	1	-	-	-	-	-	-	-	-	1	-	-	5	-
St. James and St. Anne *W,6H* ..	33,081	5	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-
NORTH DISTRICTS.																		
All Souls Marylebone *7H*	35,391	8	11	1	1	-	-	-	-	-	-	1	-	-	-	-	6	-
St. Mary Marylebone *W,4H* ..	37,948	42	7	3	2	-	-	-	-	-	-	-	-	-	-	-	1	-
Christchurch Marylebone	39,536	28	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
St. John Marylebone *2H*	20,426	7	3	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Hampstead *W,F,6H*	81,942	21	15	2	5	-	-	-	-	-	-	-	-	-	-	1	4	-
West St. Pancras *2H*	60,562	32	18	2	3	-	-	-	-	-	-	-	-	-	2	4	2	-
South St. Pancras *w,10H*	55,707	20	22	8	3	-	-	-	-	-	-	-	-	4	-	-	18	-
East St. Pancras *W,H*	60,320	27	13	1	5	-	-	-	-	-	-	-	-	1	-	1	7	-
North St. Pancras *2W*	58,728	20	11	2	4	-	-	-	-	-	-	-	-	-	-	-	6	-
Tufnell *W*	31,995	20	14	3	7	-	-	-	-	-	-	-	-	-	-	-	11	-
Upper Holloway *2W,w,H*	33,978	26	14	3	3	-	-	-	-	-	-	-	-	-	-	-	12	-
Tollington *W,w,H*	33,922	10	4	2	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Lower Holloway	41,424	17	3	-	1	-	-	-	-	-	-	-	-	-	-	2	-	-
Barnsbury	54,478	24	8	5	-	-	-	-	-	-	-	-	-	3	-	-	-	-
Islington South-east *F*	75,397	36	12	5	3	-	-	-	-	-	-	-	-	2	-	1	-	-
Highbury *2H*	63,797	25	12	2	7	-	-	-	-	-	-	-	-	2	-	1	-	-
Stoke Newington *H*	51,247	18	6	-	3	-	-	-	-	-	-	-	-	-	-	-	1	-
North Hackney	50,398	23	6	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-
Central Hackney *w,F*	50,536	17	10	5	2	-	1	-	-	-	-	-	-	2	-	1	1	-
South-west Hackney *3H*	59,921	30	8	3	2	-	-	-	-	-	-	-	-	-	1	1	5	-
South-east Hackney *2W,H*	58,255	20	13	2	5	-	-	-	-	-	-	-	-	-	1	5	13	-
Hackney Union Workhouse, Brentwood	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c. registered in each SUB-DISTRICT during the Week ended Saturday, 18th September, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	* The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
St. Giles and Bloomsbury 2*W*,2*H* ..	31,436	16	7	2	3	-	-	-	-	-	-	-	-	-	-	1	3	-
Strand *W*,4*H*	21,674	-	11	3	1	-	-	-	-	-	-	-	-	1	-	-	8	-
Strand Union Workhouse, Edmonton	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Holborn *W*,5*H*	29,612	12	12	6	-	-	-	-	-	-	-	-	-	6	-	1	9	-
Clerkenwell *H*	63,704	27	12	3	4	-	-	-	-	-	-	-	-	-	1	4	1	-
St. Luke 3*H*,*L*	36,116	32	5	1	1	-	-	-	-	-	-	-	-	-	1	2	-	-
Holborn Union Workhouse, Mitcham	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
St. Botolph *H*	10,299	4	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	3	16	3	5	-	-	-	-	-	-	-	-	1	4	6	9	-
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
Shoreditch South 3*H*	46,362	25	12	4	1	-	-	-	-	-	-	-	-	1	-	1	1	-
Shoreditch North-West *W*,*w*,*H* ..	36,127	26	17	3	10	-	-	-	-	-	-	-	-	2	-	3	9	-
Shoreditch North-East ..	36,148	24	13	6	3	-	-	-	-	-	-	-	-	5	-	-	-	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	35	28	13	5	-	-	-	1	1	-	-	-	7	-	-	19	-
Bethnal Green South-West *H* ..	64,542	31	8	5	1	-	-	-	-	-	-	-	-	2	1	3	2	-
Spitalfields..	27,969	11	7	3	1	-	1	-	-	-	-	-	-	1	-	-	-	-
Mile End New Town *W*,*H*	28,718	22	33	8	5	-	-	-	-	-	-	-	-	3	1	4	32	-
Goodman's Fields	22,081	8	5	4	-	-	-	-	-	1	-	-	-	-	1	2	-	-
St. George and St. John 2*W* ..	49,068	23	10	5	-	-	-	-	-	1	-	-	-	3	1	2	5	-
Shadwell and Ratcliff *w*,*H* ..	25,568	14	18	8	-	-	-	-	-	1	-	-	-	4	1	2	12	-
Limehouse *W*	32,369	15	7	1	-	-	-	-	-	-	-	-	-	1	1	1	-	-
Mile End Old Town South-Western *H*	63,698	51	12	8	-	-	-	-	-	1	-	-	-	2	-	-	-	-
Mile End Old Town North-Eastern *W*,*w*	49,129	34	15	5	4	-	-	-	-	-	-	-	-	-	-	1	6	-
Bow	41,989	39	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Bromley 3*w*,*H*	68,319	45	32	10	11	-	-	-	-	-	-	-	-	7	1	3	17	-
Poplar *W*,*w*	58,514	31	21	6	4	-	1	-	-	-	-	-	-	3	2	5	1	-
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 18th September, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch and St. Saviour Southwark *W,2H*	23,319	5	22	5	4	-	-	-	-	-	-	-	-	4	1	1	17	-
Kent-road	21,904	20	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George the Martyr West *W,2H,L*	39,094	18	8	5	-	-	-	-	-	1	-	-	-	2	1	2	4	-
Newington North	49,022	32	9	2	2	-	-	-	-	-	-	-	-	1	1	2	-	-
Newington South *W*	72,841	43	12	6	2	-	-	-	-	-	-	-	-	1	-	1	1	-
St. Olave *2W*	9,817	8	3	1	2	-	-	-	-	-	-	-	-	-	-	-	1	-
Bermondsey *W*	82,483	57	13	6	2	-	-	-	-	-	-	-	-	3	-	1	-	-
Rotherhithe *W,F*	38,460	17	16	5	2	-	-	-	-	-	-	-	-	2	1	2	9	-
Waterloo *2H*	27,440	27	10	5	1	-	1	-	1	-	-	-	-	1	-	-	4	-
Lambeth Church *H*	27,440	18	17	1	3	-	-	-	-	-	-	-	-	3	1	1	10	-
Kennington *2W*	52,518	30	23	5	6	-	-	-	-	-	-	-	-	2	-	-	14	-
Stockwell *HF*	63,826	33	8	5	-	-	-	-	-	-	-	-	-	2	-	-	2	-
Brixton *H*	73,673	41	16	3	9	-	-	-	-	-	-	-	1	-	-	1	1	-
Norwood *2WH*	56,998	28	11	3	3	-	-	-	-	-	-	-	-	2	-	1	-	-
East Battersea *H*	72,203	40	9	4	1	-	-	-	-	-	-	-	-	3	-	2	-	-
North-west Battersea	49,656	20	11	5	2	-	-	-	-	-	-	-	-	1	1	1	-	-
South-west Battersea *2W,H* ..	47,048	11	18	1	8	-	-	-	-	2	-	-	-	-	-	2	14	-
Clapham *2H*	51,361	21	9	2	3	-	-	-	-	-	-	-	-	-	-	-	1	-
Streatham *W,2w,2F,2L*	88,019	56	28	6	12	-	-	-	2	-	-	-	-	-	-	-	8	-
Springfield *2W,L*	27,959	23	6	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Southfields *H*	40,444	29	6	2	-	-	-	-	-	1	-	-	-	1	-	-	2	-
Putney	24,139	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich	13,359	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	22	15	1	5	-	-	-	-	1	-	-	-	-	-	-	11	-
Camberwell North *W,2L*	65,584	23	16	1	6	-	-	-	-	-	-	-	-	-	-	2	9	-
St. George	47,331	41	12	3	3	-	-	-	-	-	-	-	-	2	-	-	-	-
Peckham North	48,913	25	7	1	1	-	-	-	-	-	-	-	-	3	-	-	-	-
Peckham South *2W,w*	43,946	19	8	2	3	-	-	-	-	-	-	-	-	2	-	2	-	-
Deptford North	37,613	12	6	3	3	-	-	-	-	-	-	-	-	1	1	1	-	-
Deptford Central *F*	45,481	14	9	4	1	-	-	1	-	-	-	-	-	1	-	1	1	-
Deptford South	34,625	18	9	1	6	-	-	-	-	-	-	-	-	-	-	1	-	-
Greenwich West *H*	23,456	14	8	2	3	-	-	-	-	-	-	-	-	-	3	3	2	-
Greenwich East *2W,H*	43,859	21	20	4	9	-	-	-	-	-	-	-	-	2	2	4	11	-
Eltham *w,H*	7,226	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Lee *w,H*	25,490	7	2	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Lewisham *2W,w,F*	58,352	27	16	5	5	-	-	-	-	1	-	-	-	1	-	-	6	-
Sydenham *H*	43,653	19	5	1	2	-	-	-	-	-	-	-	-	-	1	1	-	-
Charlton *F,2H*	21,134	6	6	-	2	-	-	1	1	-	-	-	-	-	-	-	4	-
Woolwich *5H*	41,625	25	7	3	3	-	-	-	-	-	-	-	-	-	-	-	1	-
Plumstead West *W,H*	39,376	16	9	2	1	-	-	-	-	1	-	-	-	1	1	3	-	-
Plumstead East *2W*	28,951	16	7	1	2	-	-	-	-	-	-	-	-	1	-	-	3	-
Workhouses:—																		
Belmont Workhouse	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
M. A. B. Small-pox Hospitals:—																		
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																		
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																		
Children's Infirmary, Carshalton..	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums:—																		
Caterham	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
Darenth	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
Leavesden	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-
London County Lunatic Asylums:—																		
Banstead	—	-	4	-	3	-	-	-	-	-	-	-	-	-	-	-	4	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
Manor	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Grove	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cane Hill	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Dartford Heath	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
Hanwell	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
Colney Hatch	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4	-
Claybury	—	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERATED POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 18th September, 1909.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING ..	368,603	2,045,135	1,308	505	157	137	-	-	-	7	10	1	67	19	37	93	1
30 : 1	Carshalton 2F,3H	12,228	32,997	14	5	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Epsom, part of* W,w,2F,H..	10,423	15,548	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-
37 : 1	Godstone, part of* W,F,L ..	2,754	2,692	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
38 : 1	Coulsdon	11,069	8,166	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w,H ..	4,200	49,309	19	9	2	2	-	-	-	-	-	-	1	-	-	-	-
3	West Croydon 3W,F,H ..	2,168	42,888	34	19	6	5	-	-	-	-	-	-	1	-	-	8	-
4	North Croydon H	2,644	41,698	23	7	1	4	-	-	-	-	-	-	1	-	1	-	-
5	Penge w	770	22,465	9	4	3	-	-	-	-	-	-	-	-	-	1	-	-
6	Mitcham w	11,711	30,015	28	4	1	-	-	-	-	-	-	-	-	-	-	-	-
39 : 1	Wimbledon F,3H	3,221	41,652	31	11	3	3	-	-	-	-	1	-	-	1	1	2	-
2	Kingston 2W,H	6,224	42,068	19	6	2	2	-	-	-	-	-	-	1	-	-	1	-
3	Surbiton F,H	3,046	15,017	4	4	-	1	-	-	-	-	-	-	-	-	-	-	-
4	Esher, part of* H	5,402	13,100	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	Hampton H,F,L	4,564	23,456	16	7	3	2	-	-	-	-	-	-	1	-	-	1	-
40 : 1	Richmond W,H	2,491	31,672	20	4	-	4	-	-	-	-	-	-	-	1	1	-	-
2	Mortlake F	2,518	17,821	24	8	2	3	-	-	-	-	-	-	1	1	1	-	-
41 : 1	Bromley F,3H	4,703	27,354	15	9	2	1	-	-	-	-	-	-	1	1	1	-	-
2	Beckenham H	7,825	28,497	12	7	3	1	-	-	-	-	-	-	-	-	1	-	-
3	Orpington, part of* W,F ..	10,113	9,857	9	3	2	1	-	-	-	-	-	-	2	-	-	-	-
4	Chislehurst 2H	7,333	16,446	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-
42 : 1	Bexley w,F,H	8,678	21,151	12	4	1	1	-	-	-	-	-	-	1	-	-	-	-
2	Erith F,H	3,854	25,296	7	6	4	-	-	-	-	1	-	-	-	-	-	-	-
3	Dartford W,F, part of* ..	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
124 : 1	Sunbury w	11,054	18,683	16	4	1	1	-	-	-	-	-	-	3	-	-	-	-
2	Staines W,H	13,277	15,178	11	3	3	-	-	-	-	-	-	-	-	-	-	-	-
125 : 1	Hillingdon W,F,H	6,035	13,661	11	5	1	3	-	-	-	-	-	-	-	-	-	1	-
2	Uxbridge H	12,757	8,984	8	2	1	-	-	-	-	-	-	-	-	-	-	1	-
3	Hayes w 2F,H	8,066	16,358	22	7	3	3	-	-	-	-	1	-	-	-	-	-	-
126 : 1	Isleworth 3W,3F,H	6,859	30,863	20	16	2	8	-	-	-	-	-	-	1	-	-	8	-
2	Twickenham F,2H	2,421	20,991	16	3	-	3	-	-	-	1	-	-	-	-	-	-	-
3	Brentford 3F,2H	4,319	48,289	28	19	8	3	-	-	-	-	-	-	3	2	3	1	-
4	Chiswick H	1,249	29,809	17	5	1	2	-	-	-	-	-	-	1	1	1	-	-
5	Acton w,F,3H	6,122	48,914	43	18	8	2	-	-	-	-	-	-	3	2	2	2	-
127 : 1	Harrow F,H	13,809	25,523	22	4	1	2	-	-	-	-	-	-	-	-	-	-	-
2	Edgware 2F,2H	6,994	4,521	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden W,F,2H	4,384	114,811	71	22	6	7	-	-	-	-	-	-	2	2	3	7	-
4	Hendon W,F	8,382	22,450	12	4	-	2	-	-	-	-	-	-	1	-	1	-	-
128 : 1	South Mimms 2F,H ..	17,755	7,308	4	3	-	2	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,970	8	4	1	1	-	-	-	-	-	-	-	1	1	1	1
3	Finchley F,3H	4,683	33,692	23	6	1	3	-	-	-	-	-	-	-	-	-	1	-
129 : 1	Hornsey F,H	2,875	72,056	36	11	2	5	-	-	-	1	-	-	-	-	-	1	-
2	Wood Green H	1,625	34,233	23	6	2	4	-	-	-	-	-	-	-	-	1	-	-
3	West Tottenham	995	48,741	40	10	5	2	-	-	-	-	-	-	1	-	1	-	-
4	East Tottenham 2H ..	2,019	53,962	35	14	4	2	-	-	-	-	1	-	1	1	1	5	-
5	Edmonton W,w,2F	7,491	61,892	48	16	10	2	-	-	-	1	-	-	8	-	4	5	-
6	Enfield 2W,F,H	12,601	42,738	19	7	2	4	-	-	-	-	-	-	2	1	1	1	-
7	Waltham Abbey F	11,017	6,549	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	9	1	1	-	-	-	-	-	-	-	-	-	-	-	-
135 : 1	Hatfield, part of* W ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey, part of* H ..	9,195	7,051	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Watford, part of* W,2F ..	138	2,122	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
186 : 1	Stratford H	1,091	52,974	29	14	7	2	-	-	-	-	1	-	3	2	3	2	-
2	Forest Gate	787	52,745	19	6	2	2	-	-	-	-	-	-	-	-	-	-	-
3	Plaistow F,2H	1,249	90,921	59	29	12	4	-	-	-	1	4	-	12	-	1	2	-
4	Canning Town H	1,556	70,718	51	18	7	2	-	-	-	-	-	-	7	1	3	-	-
5	South East Ham 2F ..	1,991	37,342	34	13	5	-	-	-	-	1	-	-	3	-	-	1	-
6	North East Ham w,H ..	1,333	58,666	35	13	5	7	-	-	-	-	-	-	1	1	1	-	-
7	Wanstead F	1,679	9,179	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	25	16	4	8	-	-	-	-	-	-	1	-	1	4	-
9	North Leyton 2W,w,F ..	1,963	48,445	44	29	2	3	-	-	-	1	1	-	-	-	-	22	-
10	Walthamstow 2H,L ..	6,504	108,929	70	10	4	4	-	-	-	-	1	-	1	-	-	-	-
187 : 1	Chigwell 2F,3H	11,778	16,397	11	2	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Epping W,F, part of* ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189 : 1	Romford, part of* W,2F ..	6,556	6,091	6	5	2	-	-	-	-	-	-	-	-	-	-	3	-
2	Ilford F,L	8,496	41,244	28	19	4	7	-	-	-	-	-	-	1	-	1	3	-
3	Barking Town F	3,805	21,547	18	6	2	1	-	-	-	-	-	1	2	-	-	1	-
	N.E. Hospital, Tottenham..	—	—	-	2	-	-	-	-	-	-	-	-	-	1	1	2	-
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
	Surrey County Lunatic Asylum, Brookwood.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Herts County Lunatic Asylum, Hill End.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Essex County Lunatic Asylum, Brentwood	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30 : 2, excepting Ashtead parish; 37 : 1, Warlingham and Farley parishes; 39 : 4, excepting Esher parish; 41 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135 : 1, Northaw parish; 137 : 1, excepting the part in Watford Rural parish; 137 : 2, Oxhey parish; 189 : 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42 : 3, 137 : 2 and 187 : 2 and in the Croydon Mental Hospital in 37 : 1 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Small-pox	Measles.	Scarlet Fever	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON - -	4,833,938	September 18	2223	1151	12·4	-	5	2	7	13	2	129
CALCUTTA - -	1,009,008	August 21	-	404	20·8	-	2	-	-	1	79†	45‡
BOMBAY - -	982,000	" 24	346	582	30·9	4	2	-	-	-	76†	110‡
MADRAS - -	548,974	" 20	415	344	35·1	1	1	?	?	?	83	43‡
PARIS - - -	2,760,000	September 11	-	-	-	-	-	-	-	-	-	-
BRUSSELS - -	704,975	" 11	206	197	14·5	-	2	1	-	1	-	43
ANTWERP - -	314,135	" 11	103	88	14·6	-	6	-	2	1	-	27
AMSTERDAM -	565,553	" 11	250	114	10·5	-	2	-	-	-	1	8‡
COPENHAGEN -	448,000	" 11	219	105	12·2	-	-	-	1	2	-	2
STOCKHOLM -	339,582	" 4	154	66	10·1	-	-	-	1	1	-	3
CHRISTIANIA -	235,674	" 11	96	45	9·9	-	1	-	1	-	-	2
ST. PETERSBURG	1,573,000	" 4	618	677	22·4	1	10	17	14	14	8	157‡
MOSCOW - -	1,452,100	" 4	-	889	31·9	2	11	22	14	21	4	323
BERLIN - -	2,101,916	August 28	786	568	14·1	-	4	11	8	11	3	93
HAMBURG - -	872,252	September 11	-	209	12·5	-	-	6	8	3	1	31
BRESLAU - -	502,676	" 4	-	243	25·2	-	-	1	3	3	-	93
MUNICH - -	566,000	" 4	264	153	14·0	-	-	1	1	-	-	22
		" 11	-	178	16·4	-	1	3	-	3	-	31
VIENNA - -	2,064,037	" 11	779	546	13·8	-	2	4	3	1	-	93
PRAGUE - -	485,057	" 11	213	174	18·6	-	-	1	-	-	1	19
BUDAPEST - -	823,215	" 4	340	261	16·5	-	3	1	3	2	2	58
TRIESTE - -	217,706	" 11	133	101	24·1	-	-	-	-	-	-	20
ROME - - -	565,323	June 5	274	195	18·0	-	3	3	-	2	1§	28
		" 12	271	212	19·6	-	10	-	1	3	4§	24
VENICE - -	179,286	July 31	-	-	-	-	-	-	-	-	-	-
BUCAREST - -	296,585	August 28	144	142	25·0	-	-	9	1	-	1	26
		September 4	171	123	21·6	-	-	6	-	-	2	30
NEW YORK -	4,564,792	August 28	2246	1331	15·2	-	9	5	14	13	14	248
CHICAGO - -	2,224,490	" 28	-	619	14·5	-	1	4	12	6	3	198
PHILADELPHIA -	1,565,569	" 14	-	-	-	-	-	-	-	-	-	-
RIO DE JANEIRO	637,089	" 15	-	247	20·2	-	-	-	1	1	-	?
CAIRO:—												
Egyptians -	666,587	" 19	502	582	45·2	-	6	-	19	?	16	169
Foreigners -	35,219	" 19	5	18	26·6	-	-	-	-	?	2	3
ALEXANDRIA:—												
Egyptians -	341,965	" 19	246	289	43·6	-	3	-	3	?	12†	82
Foreigners -	46,118	" 19	9	15	16·9	-	-	-	-	?	-	3

* Excluding deaths from croup in the Indian Cities.
† Including 13 deaths from plague in Calcutta, 33 in Bombay, and 1 in Alexandria.
‡ Including 4 deaths from cholera in Calcutta, 49 in Bombay, 1 in Madras, 1 in Amsterdam, and 59 in St. Petersburg.
§ Including 1 and 3 deaths from malarial fever in Rome.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 18th September, 1909.

Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	69·0	44·3	56·2	0·58	BRADFORD - -	62·8	41·4	52·7	0·14
BRIGHTON - -	70·7	46·9	57·8	0·17	YORK - - -	63·0	41·0	53·1	0·08
PORTSMOUTH - -	70·6	47·0	58·0	0·20	HULL - - -	62·0	43·0	54·5	0·63
NORWICH - -	-	-	-	—	TYNEMOUTH - -	59·0	38·0	51·0	0·07
PLYMOUTH -	67·8	43·6	56·5	0·05	CARDIFF - - -	62·1	45·0	54·3	0·00
BRISTOL - - -	64·0	44·3	54·1	0·04	EDINBURGH - -	62·8	39·6	50·6	0·19
BIRMINGHAM - -	62·5	44·8	53·5	0·24	GLASGOW - -	67·0	35·8	52·7	0·00
NOTTINGHAM - -	63·7	44·4	54·9	0·39	DUBLIN Phœnix Park.	63·8	32·6	49·0	0·00
LIVERPOOL OBSERVATORY.	63·0	41·0	53·4	0·02	DUBLIN Fitz-william Square.†	63·3	40·9	51·8	0·00
MANCHESTER -	63·3	40·6	52·4	0·02					
BURNLEY - -	62·0	35·0	50·4	0·06					
HUDDERSFIELD -	62·4	42·3	52·7	0·18	BELFAST - - -	66·0	34·5	52·4	0·00

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to the seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°·3 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

[*Under the Superintendence of the Astronomer Royal.*]

1909. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
SEPTEMBER.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 12	..	29·801	66·4	51·6	14·8	58·4	+ 0·4	52·9	5·5	11·3	0·6	82	123·0	44·2	58·11	ENE. & NE.	N. & NNW.	1·2	0·0	0·0	207	- 45	0·00	0·0
MONDAY - 13	..	29·849	57·0	52·1	4·9	53·7	- 4·1	51·3	2·4	4·8	0·8	92	65·1	49·0	58·03	N. & NNW.	NNE. & N.	6·4	0·0	0·4	402	+153	0·40	0·0
TUESDAY - 14	New	30·110	56·5	46·7	9·8	51·7	- 6·0	44·2	7·5	10·7	2·2	76	74·0	37·6	58·00	NNE. & & NE.	NE. & NNE.	4·7	0·0	0·2	330	+ 83	0·00	0·0
WEDNESDAY 15	..	30·039	63·4	44·3	19·1	53·5	- 4·1	48·5	5·0	13·9	1·5	83	111·4	34·5	57·87	N., NNE. & NE.	NE. & E.	1·1	0·0	0·0	198	- 48	0·00	0·0
THURSDAY - 16	In Eqr. Apogee.	29·898	63·6	51·3	12·3	56·4	- 1·1	54·1	2·3	8·3	0·8	92	121·1	48·8	57·71	NNE. & SE.	ESE. & E.	0·5	0·0	0·0	172	- 74	0·11	0·0
FRIDAY - 17	..	29·900	69·0	53·1	15·9	59·1	+ 1·9	56·3	2·8	10·8	0·4	91	117·8	44·2	57·66	E. & ENE.	E. & ENE.	1·5	0·0	0·0	176	- 69	0·07	1·0
SATURDAY - 18	..	29·968	64·1	47·0	17·1	54·6	- 2·3	49·7	4·9	12·6	1·0	84	121·2	37·0	57·68	NNE. & NE.	NNE. & N.	0·8	0·0	0·0	152	- 94	0·00	0·0
MEANS - -		29·938	62·9	49·4	13·4	55·3	- 2·2	51·0	4·3	10·3	1·0	86	104·8	42·2	57·87	NE.		..	..	..	Sum 1637	Sum - 94	Sum 0·58	0·1
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date. September.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	General Remarks.
SUNDAY - 12	w. P. throughout.	8·7	12·9	Very fine, with small amounts of cloud till 3h. P.M.; variably cloudy afterwards. Slight fog in early morning.
MONDAY - 13	w. P. generally: occasional w. N. in morning.	0·0	12·8	Overcast with slight exceptions. Frequent rain till evening. Brisk wind in afternoon.
TUESDAY - 14	w. P. generally.	0·0	12·7	Overcast generally till 8h. P.M.; fine and partially cloudy afterwards.
WEDNESDAY 15	w. P. generally.	2·6	12·7	Fine but generally cloudy.
THURSDAY - 16	w. P. throughout.	1·6	12·6	Generally overcast with occasional fine intervals. Rain between 2h. and 8h. A.M.
FRIDAY - 17	w. P. generally; occasional w. N.	3·6	12·5	Fine interval between 10h. A.M. and 2h. P.M., otherwise overcast with slight exceptions. Rain in early morning and light showers with occasional distant thunder between 1h. and 2h. P.M.
SATURDAY - 18	w. P. throughout.	4·4	12·5	Generally overcast till 10h. A.M.; fine with variable amounts of cloud till 7h. P.M.; nearly cloudless at night.
		Sum 20·9	Sum 88·7	
No. of Col. - -	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1936.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and - "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 23, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·80 in. at the beginning of the week to 30·13 in. by 8h. P.M. on the 14th; decreased to 29·88 in. by 5h. P.M. on the 16th.; and increased to 29·98 in. by midnight on the 18th.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 11th September, 1909.*

BOROUGHS.	Estimated Population in the middle of 1909.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	151,955	-	10	5	-	1	-	-	4	-	-
Kensington	183,683	-	10	1	-	-	-	-	-	-	-
Hammersmith	125,704	-	5	8	-	1	-	-	2	-	-
Fulham	176,406	-	10	3	-	1	-	-	2	-	-
Chelsea	75,249	-	9	-	-	-	-	-	2	-	-
City of Westminster ..	168,883	-	18	5	-	1	-	-	-	1	-
NORTH.											
St. Marylebone	126,027	-	11	2	-	1	-	-	2	-	-
Hampstead	94,185	-	5	1	-	1	-	-	-	-	-
St. Pancras	237,422	-	25	10	-	-	-	-	2	-	-
Islington	351,202	-	40	10	-	1	-	-	6	-	1
Stoke Newington	54,423	-	-	3	-	-	-	-	-	-	-
Hackney	237,601	-	25	5	-	1	-	-	6	-	-
CENTRAL.											
Holborn	53,802	-	-	-	-	2	-	-	-	-	-
Finsbury	95,289	-	2	7	-	1	-	-	1	-	-
City of London	18,193	-	-	-	-	-	-	-	-	-	-
EAST.											
Shoreditch	114,802	-	14	1	-	1	-	-	2	-	-
Bethnal Green	131,316	-	17	3	-	1	-	-	2	-	-
Stepney	312,525	-	22	6	-	-	-	-	7	-	-
Poplar	171,965	-	23	5	-	-	-	-	3	1	-
SOUTH.											
Southwark	211,125	-	18	3	-	-	-	-	6	-	-
Bermondsey	127,569	-	11	3	-	-	-	-	3	-	-
Lambeth	324,188	-	26	11	-	1	-	-	3	-	-
Battersea	186,036	-	15	7	-	3	-	-	2	-	-
Wandsworth	297,646	-	20	6	-	2	-	-	4	-	-
Camberwell	283,022	-	30	6	-	3	-	-	6	1	-
Deptford	118,583	-	6	3	-	1	-	-	3	-	-
Greenwich	111,014	-	5	3	-	1	-	-	-	-	-
Lewisham	160,749	-	10	9	-	-	-	-	1	-	-
Woolwich	133,374	-	26	2	-	-	-	-	3	2	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,833,938	-	413	128	-	24	-	-	72	5	1
Ages 0-1		-	5	5	-	-	-	-	3	-	-
„ 1-5		-	103	45	-	2	-	-	1	-	1
„ 5-		-	199	46	-	2	-	-	1	-	-
„ 10-		-	76	20	-	5	-	-	5	-	-
„ 15-		-	18	5	-	2	-	-	4	-	-
„ 20-		-	7	-	-	2	-	-	6	2	-
„ 25-		-	4	5	-	6	-	-	6	2	-
„ 35-		-	1	-	-	2	-	-	13	1	-
„ 45-		-	-	2	-	2	-	-	20	-	-
„ 55-		-	-	-	-	1	-	-	7	-	-
„ 65 and upwards		-	-	-	-	-	-	-	6	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

Returns of London Water Districts.

(Furnished by the Metropolitan Water Board.)

The following is an account of the number of services and the average daily amount of water supplied during the month of August, 1909, inclusive of supply to the Borough of Croydon and to the Urban Districts of Tottenham and Enfield. The supply was in the ratio of 221 gallons to one service.

Districts.	Number of Services.		Average Daily Supply of Water in Gallons.	
	August, 1908.	August, 1909.	August, 1908.	August, 1909.
Total Supply - - -	1,082,268	1,093,563	234,842,515	242,099,952
New River - - - - - - -	213,783	215,530	45,115,411	46,464,336
Eastern - - - - - - -	242,822	245,535	45,774,968	49,656,484
Western { Chelsea, Grand Junction, West Middlesex } - -	221,663	223,735	56,965,775	57,789,300
Southern { Lambeth - - - , Southwark and Vauxhall }	285,214	288,813	66,343,668	65,666,523
Kent - - - - - - - - -	118,786	119,950	20,642,693	22,523,309

Note.—The Return for August, 1909, as compared with that for the corresponding month of 1908, shows an increase of 11,295 services, and of 7,257,437 gallons of water supplied daily.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 38. 1909. VOL. LXX.] WEEK ENDED SATURDAY, SEPT. 25. [Price 1½*d.*

General Register Office, Somerset House,
September 27th, 1909.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 12·6 per 1000 of their aggregate population, which is estimated † at 16,445,281 persons in the middle of this year. In the preceding three weeks the rates had been 12·9, 12·8, and 13·0. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 16·0 in Merthyr Tydfil, 16·2 in Burnley, 16·3 in Liverpool, 16·4 in Wolverhampton, 16·5 in Manchester and in Rhondda, 16·6 in Warrington, 16·7 in Hull, 17·4 in Rochdale, 17·5 in Oldham, and 17·8 in Middlesbrough; from *measles*, 1·3 in Coventry and in Newport (Mon.), and 2·3 in Hanley; from *diphtheria*, 1·3 in Devonport and 1·4 in Warrington; from *whooping-cough*, 1·2 in Derby and 2·0 in Great Yarmouth; and from *diarrhœa*, 2·5 in Southampton, 2·8 in Hull, 2·9 in Stockton on Tees, 3·0 in Middlesbrough, 3·1 in Rhondda, and 3·2 in Brighton. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2220 BIRTHS and 1127 DEATHS were registered. Allowing for increase of population, the births were 101 and the deaths 189 below the average numbers in the corresponding

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-five other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(14378—41.) Wt. 109—472. 700. 9/09. D & S. G. 31. Sch. 4. 2 P

weeks of the previous five years. The annual death-rate from all causes, which had been 12·4, 12·3, and 12·4 per 1000 in the preceding three weeks, was 12·2 last week. The death-rate in the four weeks ended last Saturday averaged 12·3 per 1000, being 2·5 per 1000 below the mean rate in the corresponding periods of the five years 1904–8.

The 1127 deaths included 5 from measles, 8 from scarlet fever, 16 from diphtheria, 14 from whooping-cough, 2 from enteric fever, and 114 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia: thus, to these diseases in the aggregate 159 deaths were referred, being 57 below the corrected average number in the thirty-eighth week of the preceding five years.

The deaths from *measles*, which had been 10, 8, and 5 in the preceding three weeks, were again 5 last week, being 4 below the corrected average. The deaths from *scarlet fever*, which had been 2, 5, and 2 in the preceding three weeks, rose to 8 last week, being equal to the corrected average; 3 deaths belonged to the Borough of Bethnal Green. The deaths from *diphtheria*, which had been 9, 8, and 7 in the preceding three weeks, rose to 16 last week, being equal to the corrected average; 3 deaths belonged to Finsbury, and 2 each to Stepney, Camberwell, and Lewisham. The deaths from *whooping-cough*, which had been 27, 26, and 13 in the preceding three weeks, were 14 last week, the corrected average being 16. The deaths from *enteric fever*, which had been 2, 2, and 1 in the preceding three weeks, were 2 last week, being 5 below the corrected average. The deaths from *diarrhœa*, which had been 139, 154, and 129 in the preceding three weeks, fell to 114 last week, being 46 below the corrected average; 9 deaths belonged to Poplar, 8 each to Islington and Southwark, 7 each to Fulham, Shoreditch, and Stepney, and 6 each to Bethnal Green and Lewisham. Of the 114 deaths from diarrhœa, 111 were those of children under 5 years of age; 23 other deaths at this age were certified as due to *enteritis* and 20 to *gastro-enteritis*. One death was attributed directly to *influenza*, the numbers in the preceding three weeks having been 2, 2, and 5.

Different forms of violence caused 37 deaths, concerning all of which inquests were held. Of these 37 deaths, 9 were cases of suicide, and 1 of homicide, while the remaining 27 were attributed to accident or negligence. Four of these latter were referred to vehicles in the streets, three to burns and scalds, and three, of infants under one year of age, to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 2686 cases of scarlet fever, 857 of diphtheria, and 78 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 438 cases, against 349, 411, and 421; of diphtheria, 122 cases, against 124, 116, and 97; and of enteric fever, 19 cases, against 17, 13, and 9. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended September 18th, 1909.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 3477 births and 1628 deaths were registered. Allowing for increase of population, these numbers are 182 and 271 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 1 death from measles, 4 from diphtheria, 8 from whooping-cough, 1 from "fever," and 31 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·87 inches, and that of the Thermometer 56°·3, the latter being 0°·5 above the week's average in the 65 years ended 1905. The direction of the wind was variable, the horizontal movement of the air being 29 per cent. below the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 27·7 hours; the measured rainfall amounted to 0·57 of an inch.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 25th September, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 4th Sept., 1909.	Week ended 11th Sept., 1909.	Week ended 18th Sept., 1909.	Week ended 25th Sept., 1909.	Rate from Diseases in Cols. 11–17. Week ended 25th September 1909.	Registered during the Week ended 25th Sept., 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17	18.	19.	20.	21.	Cols.
76 TOWNS	**16,445,281**	**12·9**	**12·8**	**13·0**	**12·6**	**1·6**	**8004**	**3974**	**1100**	**997**	**–**	**30**	**26**	**37**	**51**	**17**	**348**	**155**	**303**	**1147**	**31**	**76 TOWNS.**
LONDON	4,833,938	12·4	12·3	12·4	12·2	1·7	2220	1127	301	279	–	5	8	16	14	2	114	37	89	540	3	LONDON.
CROYDON	161,078	9·7	10·0	11·3	9·7	1·0	80	30	8	8	–	–	–	–	1	–	2	1	2	4	–	CROYDON.
WILLESDEN ..	160,424	7·8	5·2	7·5	11·7	0·3	90	36	10	11	–	–	–	–	–	–	1	4	2	11	–	WILLESDEN.
HORNSEY	95,628	3·8	4·9	5·5	4·9	–	18	9	1	5	–	–	–	–	–	–	–	1	1	1	–	HORNSEY.
TOTTENHAM ..	129,464	10·1	8·5	10·9	7·2	0·4	77	18	4	4	–	–	–	–	–	–	1	–	1	4	–	TOTTENHAM.
WEST HAM ..	321,767	10·7	13·8	13·5	12·8	3·2	153	79	27	21	–	1	2	–	2	–	15	3	9	17	–	WEST HAM.
EAST HAM.. ..	149,575	9·8	9·8	11·2	10·1	1·4	60	29	5	12	–	–	1	–	1	–	2	–	1	7	–	EAST HAM.
LEYTON	129,614	8·0	10·5	9·7	4·0	–	62	10	3	2	–	–	–	–	–	–	–	1	1	2	–	LEYTON.
WALTHAMSTOW	136,602	5·3	8·8	4·2	8·0	1·9	64	21	3	3	–	–	–	2	2	–	1	1	3	6	–	WALTHAMSTOW.
HASTINGS	68,165	9·9	11·5	13·0	9·2	–	18	12	2	7	–	–	–	–	–	–	–	1	1	5	–	HASTINGS.
BRIGHTON	130,926	12·3	12·7	13·1	15·1	4·0	49	38	10	8	–	–	–	1	–	1	8	4	8	16	–	BRIGHTON.
PORTSMOUTH ..	214,726	9·7	11·9	17·0	12·9	1·2	125	53	13	18	–	–	–	3	–	1	1	1	4	12	–	PORTSMOUTH.
BOURNEMOUTH ..	72,368	7·2	9·4	11·5	12·2	–	25	17	2	3	–	–	–	–	–	–	–	1	1	1	–	BOURNEMOUTH.
SOUTHAMPTON ..	124,667	10·5	15·9	9·2	13·4	2·9	68	32	13	7	–	–	–	–	–	1	6	2	2	10	–	SOUTHAMPTON.
READING	82,995	8·2	10·1	10·1	10·7	0·6	44	17	5	7	–	–	–	–	–	1	–	–	1	2	2	READING.
NORTHAMPTON ..	97,752	9·1	9·1	7·5	13·3	0·5	42	25	3	10	–	–	–	–	–	1	–	1	1	5	–	NORTHAMPTON.
IPSWICH	74,889	9·7	13·2	10·4	13·9	–	32	20	7	8	–	–	–	–	–	–	–	1	1	4	–	IPSWICH.
GREAT YARMOUTH	53,430	7·8	18·5	17·6	8·8	2·0	34	9	3	3	–	–	–	–	2	–	–	1	1	2	–	GREAT YARMOUTH.
NORWICH	124,136	13·0	18·1	16·4	13·0	1·3	67	31	7	10	–	–	–	–	–	–	3	–	1	3	1	NORWICH.
PLYMOUTH	124,180	14·7	10·9	12·6	14·7	0·4	62	35	9	14	–	–	–	–	1	–	–	1	2	10	–	PLYMOUTH.
DEVONPORT	83,103	15·7	7·5	10·0	10·7	1·9	46	17	3	6	–	–	–	2	1	–	–	–	1	1	–	DEVONPORT.
BRISTOL	377,642	11·6	12·6	10·5	9·8	1·0	158	71	15	17	–	2	1	–	1	–	3	4	8	20	–	BRISTOL.
HANLEY	68,831	13·6	18·9	12·1	15·2	3·8	45	20	4	4	–	3	1	–	–	–	1	1	1	3	–	HANLEY.
BURTON-ON-TRENT	54,453	4·8	5·7	8·6	8·6	1·0	22	9	2	3	–	–	–	–	–	–	1	–	1	2	–	BURTON-ON-TRENT.
WOLVERHAMPTON..	104,633	16·9	14·0	14·5	16·4	2·0	40	33	11	8	–	1	–	–	–	–	3	2	3	7	–	WOLVERHAMPTON.
WALSALL	99,399	11·5	8·9	13·1	11·0	2·1	57	21	9	3	–	–	–	–	1	–	3	–	2	–	–	WALSALL.
HANDSWORTH ..	70,186	8·9	9·7	12·6	7·4	0·7	30	10	2	3	–	–	–	–	–	–	1	1	1	–	–	HANDSWORTH.
WEST BROMWICH..	70,457	12·6	11·8	17·0	11·8	2·2	40	16	3	3	–	–	–	–	–	1	2	1	1	4	–	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 25th September, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 4th Sept., 1909.	11th Sept., 1909.	18th Sept., 1909.	25th Sept., 1909.	Rate from Diseases in Cols. 11-17. Week ended 25th September, 1909.	Registered during the Week ended 25th Sept., 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
BIRMINGHAM ..	563,629	13·9	13·4	13·9	15·1	1·9	296	163	57	40	–	1	2	1	1	1	15	2	5	40	2	BIRMINGHAM.
KINGS NORTON ..	81,632	7·7	6·4	7·0	4·5	0·6	46	7	1	–	–	–	–	1	–	–	–	1	1	–	–	KINGS NORTON.
SMETHWICK	70,377	11·1	5·9	7·4	12·6	3·0	41	17	5	4	–	–	–	–	1	–	3	–	1	1	–	SMETHWICK.
ASTON MANOR ..	85,257	4·9	9·2	6·7	8·0	–	43	13	4	4	–	–	–	–	–	–	–	–	2	3	–	ASTON MANOR.
COVENTRY	80,163	11·7	16·3	11·1	8·5	2·0	38	13	1	6	–	2	–	1	–	–	–	2	2	3	–	COVENTRY.
LEICESTER	244,255	11·5	11·5	14·1	11·3	2·1	122	53	13	14	–	–	–	–	2	–	8	1	2	11	–	LEICESTER.
GRIMSBY	73,036	14·3	10·7	11·4	11·4	0·7	41	16	3	4	–	–	–	–	–	1	–	1	2	1	–	GRIMSBY.
NOTTINGHAM ..	263,443	18·4	14·4	12·9	12·7	1·2	132	64	21	21	–	–	–	–	–	–	6	4	4	13	–	NOTTINGHAM.
DERBY	129,411	13·7	16·9	11·7	14·5	2·8	54	36	14	4	–	1	–	–	3	–	3	1	5	5	–	DERBY.
STOCKPORT	103,706	10·1	13·1	14·1	12·6	1·5	54	25	7	3	–	–	–	–	–	–	3	1	1	6	–	STOCKPORT.
BIRKENHEAD ..	121,123	15·9	13·8	12·9	14 6	1·7	45	34	9	9	–	1	–	1	–	1	1	3	4	7	–	BIRKENHEAD.
WALLASEY	71,004	5·9	6·6	11·7	8·1	–	43	11	4	5	–	–	–	–	–	–	–	–	–	1	–	WALLASEY.
LIVERPOOL	760,357	17·8	17·6	16·6	16·3	2·0	444	237	75	52	–	2	1	1	2	1	22	7	11	77	9	LIVERPOOL.
BOOTLE	69,393	17·3	18·0	21·8	13·5	1·5	44	18	3	2	–	–	–	–	–	–	2	1	1	4	1	BOOTLE.
ST. HELENS	95,161	18·1	16·4	13·7	13·7	1·6	62	25	16	2	–	–	–	–	–	–	3	3	3	2	1	ST. HELENS.
WIGAN	90,678	17·3	17·8	17·8	14·4	2·3	51	25	10	5	–	–	1	–	–	–	3	–	1	3	–	WIGAN.
WARRINGTON ..	72,276	12·3	13·0	20 2	16·6	2·9	37	23	7	3	–	–	–	2	–	–	2	–	1	4	1	WARRINGTON.
BOLTON	187,824	13·0	11·9	13·0	12·2	1·4	101	44	17	13	–	–	–	–	–	–	5	1	4	4	–	BOLTON.
BURY	59,234	13·2	10·6	9·7	15·0	0·9	28	17	3	3	–	–	–	–	1	–	–	1	2	1	–	BURY.
MANCHESTER ..	655,435	15·0	14·6	15·4	16·5	2·4	296	207	56	52	–	5	5	–	2	1	17	1	8	64	1	MANCHESTER.
SALFORD	241,950	17·2	14·7	15·1	13·4	1·1	103	62	17	16	–	–	1	–	–	–	4	6	11	12	–	SALFORD.
OLDHAM	143,301	15·3	11·6	17·1	17·5	2·2	81	48	12	13	–	1	–	–	–	–	5	–	1	7	–	OLDHAM.
ROCHDALE	89,653	16 3	7·6	16·9	17·4	2·3	52	30	8	5	–	–	–	1	1	–	2	1	4	5	–	ROCHDALE.
BURNLEY	106,267	15·7	11·3	14·2	16·2	2·5	49	33	9	11	–	–	–	–	1	–	4	3	4	5	–	BURNLEY.
BLACKBURN	136,959	10·7	15·2	14·5	9·5	1·5	67	25	4	7	–	–	–	1	–	1	2	1	1	3	1	BLACKBURN.
PRESTON	118,519	11·9	12·8	9·2	14·5	0·4	67	33	9	15	–	–	–	1	–	–	–	3	3	3	–	PRESTON.
BARROW-IN-FURNESS.	62,996	8·3	5·0	9·1	14·9	0·8	19	18	2	2	–	–	–	–	–	1	–	1	1	7	1	BARROW-IN-FURNESS.

* See note † on first page of this return.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 25th September, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1909.*	Death-Rates from all Causes. Week ended 4th Sept., 1909.	11th Sept., 1909.	18th Sept., 1909.	25th Sept., 1909.	Rate from Diseases in Cols. 11-17. Week ended 25th September, 1909.	Registered during the Week ended 25th Sept., 1909. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,739	14·3	16·0	12·1	13·2	1·1	44	24	7	3	-	-	-	-	1	-	1	-	-	2	-	HUDDERSFIELD.
HALIFAX	111,911	7·5	7·9	10·3	11·6	-	34	25	3	11	-	-	-	-	-	-	-	2	2	6	-	HALIFAX.
BRADFORD	293,983	10·8	13·8	9·4	13·8	0·7	104	78	11	25	-	-	-	-	1	1	2	5	13	15	1	BRADFORD.
LEEDS	484,012	14·1	11·0	14·2	10·8	1·0	200	100	30	29	-	-	-	-	1	-	8	-	5	18	1	LEEDS.
SHEFFIELD	470,958	14·2	14·3	13·4	12·5	1·2	248	113	34	25	-	-	1	-	-	-	10	7	11	29	1	SHEFFIELD.
ROTHERHAM.. ..	65,070	7·2	12·0	17·6	13·6	2·4	30	17	3	5	-	-	-	-	-	-	3	4	4	6	1	ROTHERHAM.
YORK	87,004	10·2	9·0	9·0	9·0	0·6	33	15	2	6	-	-	-	-	-	-	1	1	1	4	-	YORK.
HULL	275,552	15·1	13·8	15·3	16·7	3·4	156	88	25	22	-	-	-	1	1	1	15	6	8	16	-	HULL.
MIDDLESBROUGH ..	105,255	17·3	11·9	13·4	17·8	3·5	50	36	13	6	-	-	-	-	1	-	6	1	1	7	1	MIDDLESBROUGH.
STOCKTON-ON-TEES	53,417	9·8	12·7	10·7	11·7	4·9	35	12	6	1	-	1	-	-	1	-	3	-	1	1	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL	79,686	10·5	13·1	13·1	5·9	0·7	32	9	2	3	-	-	-	1	-	-	-	-	1	-	-	WEST HARTLEPOOL.
SUNDERLAND ..	159,378	15·4	16·0	13·7	10·8	0·7	81	33	5	12	-	-	-	-	2	-	-	3	4	12	1	SUNDERLAND.
SOUTH SHIELDS ..	117,627	12·0	12·9	16·0	10·2	1·3	69	23	7	5	-	-	-	1	1	-	1	1	1	6	-	SOUTH SHIELDS.
GATESHEAD	131,024	15·5	9·2	12·3	9·2	0·8	54	23	6	3	-	-	-	-	1	-	1	1	1	4	1	GATESHEAD.
NEWCASTLE-ON-TYNE.	281,584	14·6	15·4	14·3	12·0	1·1	151	65	21	17	-	-	1	-	1	-	4	-	5	12	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH ..	55,808	18·7	19·6	13·1	14·0	0·9	30	15	2	3	-	-	-	-	-	-	1	-	-	1	1	TYNEMOUTH.
NEWPORT (MON.) ..	78,336	14·0	18·0	17·3	14·6	3·3	58	22	8	2	-	2	-	-	-	-	3	-	-	7	-	NEWPORT (MON.).
CARDIFF	195,303	11·5	11·7	11·5	11·7	-	90	44	10	12	-	-	-	-	-	-	-	1	2	6	-	CARDIFF.
RHONDDA	135,894	14·6	18·0	16·5	16·5	3·5	102	43	21	1	-	1	-	-	-	-	8	3	4	-	-	RHONDDA.
MERTHYR TYDFIL..	78,365	16·6	16·0	20·6	16·0	2·0	44	24	6	4	-	1	1	-	-	-	1	4	4	4	-	MERTHYR TYDFIL.
SWANSEA	98,308	28·1	16·4	18·0	12·2	1·1	75	23	6	-	-	-	-	-	-	-	2	1	-	-	-	SWANSEA.
GREATER LONDON	7,429,740	11·5	11·4	11·6	11·4	1·7	3477	1628	452	427	-	7	11	22	28	3	167	58	137	627	4	GREATER LONDON.
OUTER RING ..	2,595,802	9·8	9·6	10·1	10·1	1·6	1257	501	151	148	-	2	3	6	14	1	53	21	48	87	1	OUTER RING.
8 TOWNS IN OUTER RING.	1,284,152	8·7	9·7	9·9	9·4	1·4	604	232	61	66	-	1	3	2	6	-	22	11	20	52	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,311,650	10·9	9·6	10·3	10·7	1·8	653	269	90	82	-	1	-	4	8	1	31	10	28	35	1	REMAINDER OF OUTER RING.
EDINBURGH	355,366	14·1	10·0	14·1	10·9	1·2	111	74	10	18	-	1	4	-	2	-	1	1	?	32	3	EDINBURGH.
GLASGOW	872,021	14·0	13·0	12·1	14·4	1·8	424	241‡	46	55	-	2	2	7	3	5	11	14	?	75	5	GLASGOW.
DUBLIN (Registration Area).†	398,356	19·0	16·8	17·3	19·5	1·3	215	149‡	34	40	-	-	1	2	-	1	6	2	2	50	2	DUBLIN (Registration Area).†
BELFAST†	386,576	16·1	16·7	12·5	16·3	3·0	186	121	35	30	-	-	1	-	7	1	13	1	2	21	-	BELFAST†

* See note † on first page of this return.

† Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast respectively.
‡ Including 1 death from Cerebro-spinal meningitis in Glasgow, and 1 in Dublin.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the THIRTY-EIGHTH Week of each of the Eleven Years, 1899–1909.

	1899	1900	1901	1902	1903	1904	1905	1906	1907	1908	Corrected Weekly Average in 5 Years 1904–1908.*	1909
TOTAL **Births** -	2531	2448	2355	2598	2403	2272	2400	2260	2178	2228	2321·5	2220
Males - - -	1302	1235	1191	1329	1225	1123	1185	1107	1140	1177	1173·7	1089
Females - -	1229	1213	1164	1269	1178	1149	1215	1153	1038	1051	1147·8	1131
TOTAL **Deaths** -	1649	1449	1360	1520	1365	1223	1195	1548	1182	1280	1316·1	1127
Males - - -	859	768	747	850	718	643	592	799	625	673	682·2	624
Females - -	790	681	613	670	647	580	603	749	557	607	633·9	503

* The numbers in this column are the average weekly numbers in the Thirty-Eighth week of the five years 1904-1908, raised by 2·375 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	July 3.	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	13 Weeks.
TOTAL **Births** -	2331	2236	2292	2206	2289	2054	2316	2169	2386	2317	2096	2223	2220	29135
TOTAL **Deaths** -	1029	1109	979	926	957	933	1047	1027	1153	1149	1139	1151	1127	13726
Ages at Death: Under 1 year -	183	188	177	174	177	204	213	223	338	336	349	309	301	3172
1—5 years -	106	138	102	88	85	83	111	105	122	114	104	109	108	1375
5—20 " -	50	48	55	61	66	55	61	60	57	45	52	68	56	734
20—40 " -	125	144	115	114	127	122	137	138	147	137	130	147	131	1714
40—60 " -	226	240	233	201	200	197	205	220	200	230	199	221	252	2824
60 yrs. & upwds.	339	351	297	288	302	272	320	281	289	287	305	297	279	3907
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	33	40	33	24	9	19	22	17	12	10	8	5	5	237
Scarlet Fever - -	3	9	6	8	4	4	9	7	6	2	5	2	8	73
Diphtheria - -	7	7	4	6	19	3	10	6	5	9	8	7	16	107
Whooping-cough -	20	19	15	17	17	26	12	13	15	27	26	13	14	234
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	1	1	2	-	3	2	2	5	1	2	2	1	2	24
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Diarrhœa, Dysentery	10	14	13	22	26	27	39	76	159	139	154	129	114	922
All above diseases -	74	90	73	77	78	81	94	124	198	189	203	158	159	1598
Dis. of Resp. System	58	60	38	43	38	53	53	52	41	35	48	51	56	626
Pneumonia - -	100	94	68	89	68	67	72	69	62	68	57	79	93	986
Phthisis - - -	93	111	97	78	90	98	105	102	104	109	90	101	115	1293
Dis. of Circ. System -	158	164	144	128	132	134	155	130	137	137	145	151	129	1844
Violence - - -	45	57	65	37	42	38	56	53	53	51	37	43	37	617
Inquest Cases - -	121	114	119	82	98	85	105	111	131	125	90	113	89	1383
Deaths in Institutions	444	506	436	484	431	403	486	477	464	495	489	480	540	6135
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - -	55·9	58·5	60·0	61·9	59·9	60·8	66·9	63·3	58·1	54·5	54·5	55·3	56·3	58·9
Mean of Highest -	66·8	65·5	69·3	72·7	69·4	72·7	80·8	73·6	67·8	64·5	63·1	62·9	65·5	69·0
Mean of Lowest -	47·5	51·1	53·8	54·0	53·4	50·9	54·1	55·7	51·1	46·3	47·3	49·4	48·4	51·0
Mean Humidity of the Air.	80	77	82	71	79	76	70	79	83	75	83	86	87	79
Rain-fall (in inches) -	0·44	0·99	0·71	0·15	1·31	0·26	0·00	0·82	0·70	0·30	0·32	0·58	0·57	7·15
Registered Sunshine (in hours).	37·0	31·2	25·2	63·0	34·4	54·4	81·5	40·2	30·2	41·7	35·0	20·9	27·7	522·4
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - -	2587	2647	2737	2731	2667	2564	2518	2411	2347	2377	2436	2553	2686	2559
Diphtheria - - -	896	901	893	905	901	901	855	831	798	831	843	832	857	865
Typhus - - -	2	1	2	2	2	2	1	-	-	-	-	-	-	1
Enteric Fever - -	58	58	57	59	60	62	59	53	55	62	68	67	78	61

* The Metropolitan Asylums Board and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office :—The Astronomer Royal, Greenwich ; D. Forbes, Esq., M.D., Brighton ; A. Mearns Fraser, Esq., M.D., Portsmouth ; A. W. Preston, Esq., F.R.Met.Soc., Norwich ; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth ; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol ; A. Cresswell, Esq., Edgbaston, Birmingham ; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq , M.D., Nottingham ; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool ; F. Gore, Esq., Prestwich, Manchester ; Thos. Holt, Esq., M.D., Burnley ; J. Firth, Esq., Huddersfield ; H. Lander, Esq., Bradford ; Oxley Grabham, Esq., M.A., York ; H. B. Witty, Esq. F.R.Met.Soc., Hull ; the Meteorological Committee, Tynemouth ; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the THIRTY-EIGHTH Week of the Year 1909.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 38th week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1316·1	1127	301	108	56	13	252	279
Small-pox*	–	–	–	–	–	–	–	–
Cowpox	–	–	–	–	–	–	–	–
Measles (Morbilli)	8·8	5	–	5	–	–	–	–
Scarlet Fever	7·6	8	–	5	2	1	–	–
Typhus	–	–	–	–	–	–	–	–
Plague	–	–	–	–	–	–	–	–
Influenza	4·5	1	–	–	–	–	1	–
Whooping-cough	16·4	14	4	10	–	–	–	–
Diphtheria	16·0	16	2	9	5	–	–	–
Cerebro-spinal Fever ..	–	–	–	–	–		–	–
Pyrexia† (origin uncertain)	–	–	–	–	–	–	–	–
Enteric Fever	7·2	2	–	–	–	2	–	–
Asiatic Cholera	–	–	–	–	–	–	–	–
Epidemic Diarrhœa, Infective Enteritis	106·9	55	46	8	–	–	–	1
Diarrhœa, Dysentery ..	53·0	59	47	10	–	–	–	2
Tetanus	0·6	1	–	–	–	1	–	–
Rabies, Hydrophobia ..	–	–	–	–	–	–	–	–
Glanders	0·4	–	–	–	–	–	–	–
Anthrax (Splenic Fever)..	–	–	–	–	–	–	–	–
Venereal Dis.	7·0	8	6	–	–	1	–	1
Puerperal Septicæmia ..	2·9	1	–	–	–	1	–	–
Puerperal Pyæmia.. .	0·2	–	–	–	–	–	–	–
Puerperal Fever	0·6	1	–	–	–	1	–	–
Infective Endocarditis ..	3·1	4	–	–	1	3	–	–
Pneumonia: Lobar ..	13·1	13	2		2	5	3	4
Pneumonia: Broncho ..	33·0	38	19	8	2	1	2	6
Pneumonia: Epidemic ..	–	–	–	–	–	–	–	–
Pneumonia: Not defined	36·9	39	3	3	–	4	16	13
Erysipelas	2·5	4	–	–	–	1	1	2
Septicæmia (not Puerperal) ..	0·8	–	–	–	–	–	–	–
Pyæmia (not Puerperal)	0·4	–	–	–	–	–	–	–
Other Infective Processes	7·0	4	1	1	1	1	–	–
Tuberculous Phthisis ..	81·1	89	1	3	9	41	26	9
"*Phthisis*"	42·4	26	1	–	2	10	9	4
Tuberculous Meningitis ..	15·2	16	5	8	2	1	–	–
Tuberculous Peritonitis ..	11·5	11	2	2	4	2	–	1
Tabes Mesenterica	1·4	–	–	–	–	–	–	–
Tuberculous Dis., Other ..	16·2	17	3	7	1	1	4	1
Scrofula..	0·4	–	–	–	–	–	–	–
Alcoholism	10·9	2	–	–	–	–	2	–
Rheumatic Fever	4·5	4	–	1	–	–	3	–
Gout	1·8	1	–	–	–	–	–	1
Carcinoma	61·6	67	–	–	–	3	38	26
Sarcoma	6·6	3	–	–	–	2	1	–
Cancer (undefined) ..	32·4	36	–	–	–	1	15	20
Diabetes Mellitus	9·0	5	–	–	–	1	3	1
Premature Birth	44·0	33	33	–	–	–	–	–

CAUSES OF DEATH.	Corrected Average for the 38th week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)..	11·7	12	6	3	2	–	1	–
Gen. Par. of Insane, Insanity	11·5	8	–	–	–	3	4	1
Epilepsy	5·7	4	–	–	–	1	1	2
Convulsions	16·2	11	9	1	1	–	–	–
Locomotor Ataxy.. ..	2·0	5	–	–	–	–	3	2
Paraplegia, Dis. of Cord.	5·7	6	–	–	–	1	4	1
Nervous Sys., Other Dis.	13·7	13	–	–	1	2	3	7
Valv. Dis., Endocarditis..	42·4	28	–	–	4	5	10	9
Cereb. Hæm. Cereb. Emb.	31·1	29	–	–	–	1	10	18
Apoplexy, Hemiplegia ..	14·7	9	–	–	–	–	3	6
Aneurysm	5·5	7	–	–	–	1	4	2
Embolism, Thrombosis (not Cerebral) ..	0·8	1	–	–	–	–	–	1
Heart & Blood Ves., Other Dis... ..	66·1	55	–	–	3	3	22	27
Croup (not Spasm: nor Memb.)	–	–	–	–	–	–	–	–
Bronchitis	47·1	42	11	3	–	1	4	23
Emphysema, Asthma ..	1·2	2	–	–	–	–	1	1
Pleurisy	3·7	4	–	1	–	–	1	2
Respiratory Dis., Other..	11·7	8	2	–	1	1	2	2
Tonsillitis, Quinsy.. ..	0·8	–	–	–	–	–	–	–
Enteritis (not Epid.) ..	20·5	28	20	3	–	2	3	–
Gastro-enteritis	26·0	22	16	4	–	1	1	–
Peritonitis (not Puerp.) ..	4·1	1	1	–	–	–	–	–
Cirrhosis of Liver.. ..	12·7	9	–	–	–	–	6	3
Liver Dis., Other	5·7	4	–	–	–	1	2	1
Digestive Sys., Other Dis.	33·2	31	3	3	3	5	8	9
Acute Nephritis	6·1	10	–	1	–	3	3	3
Bright's Dis., Albuminuria	34·0	36	–	–	–	2	16	18
Urinary Sys., Other Dis.	11·9	13	–	–	–	–	7	6
Generative Organs Dis...	4·1	1	1	–	–	–	–	–
Childbirth (Accid. of) ..	3·9	3	–	–	–	3	–	–
Old Age	47·5	35	–	–	–	–	–	35
Other Diseases	97·2	67	49	4	7	1	4	2
ACCIDENT.								
By Railways	1·2	3	–	–	–	2	–	1
By Vehicles and Horses..	6·8	4	–	1	1	–	1	1
In Ships, Boats, Docks, (exclusive of Drowning)	0·2	1	–	–	–	1	–	–
In Building Operations..	1·4	–	–	–	–	–	–	–
In Conflagrations	–	–	–	–	–	–	–	–
By Burns, Scalds, Explosions	2·7	3	1	2	–	–	–	–
By Drowning	5·3	–	–	–	–	–	–	–
By Suffocation in Bed ..	5·5	3	3	–	–	–	–	–
By Poisons or Poisonous Vapours	2·3	2	–	–	1	1	–	–
Other Deaths by Accident..	14·1	11	3	2	1	–	2	3
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	0·8	1	1	–	–	–	–	–
Suicide	9·4	9	–	–	–	6	2	1
Execution	–	–	–	–	–	–	–	–

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 25th September, 1909.

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexiæ* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified causes of Death.
LONDON	4,536,267	2220	1127	301	279	-	5	8	16	14	-	2	-	114	37	89	540	3
WEST DISTRICTS	805,311	355	188	56	51	-	-	-	-	2	-	1	-	23	4	7	115	-
NORTH DISTRICTS	1,055,908	437	216	50	61	-	-	-	2	2	-	-	-	12	10	27	77	-
CENTRAL DISTRICTS	209,465	94	67	16	13	-	-	-	3	-	-	-	-	6	3	7	48	1
EAST DISTRICTS	715,739	413	215	71	53	-	3	-	1	1	-	-	-	32	4	19	129	-
SOUTH DISTRICTS	1,749,844	901	411	108	91	-	2	8	9	9	-	-	-	41	16	29	141	2
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	30	-	10	-	-	-	1	-	-	1	-	-	-	-	30	-
WEST DISTRICTS.																		
North Paddington *H*	63,603	35	9	2	4	-	-	-	-	-	-	-	-	1	-	-	1	-
Central Paddington *W,3H*	50,053	26	26	9	7	-	-	-	-	-	-	-	-	5	1	1	19	-
South Paddington	30,320	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town *2W,w,2H* ..	128,037	63	33	4	9	-	-	-	-	-	-	-	-	1	1	1	24	-
Brompton *2H*	48,591	5	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
North Hammersmith *2W,w,H* ..	49,192	40	17	7	3	-	-	-	-	1	-	-	-	4	-	-	14	-
South Hammersmith *w,2H* ..	63,047	29	14	6	2	-	-	-	-	-	-	-	-	2	1	1	7	-
North-west Fulham *W*	45,180	39	12	7	3	-	-	-	-	-	-	1	-	4	-	-	2	-
North-east Fulham *F*	46,405	18	6	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
South Fulham *W*	45,704	37	10	2	4	-	-	-	-	-	-	-	-	-	-	1	-	-
Chelsea North *W,w,3H*	42,514	15	21	3	10	-	-	-	-	-	-	-	-	1	-	-	20	-
Chelsea South *W,2H*	31,328	9	10	4	1	-	-	-	-	1	-	-	-	3	1	2	9	-
Mayfair and Knightsbridge	28,743	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave *W,2H*	55,815	12	10	2	1	-	-	-	-	-	-	-	-	1	-	1	6	-
St. Margaret & St. John *6H*	43,698	16	14	6	1	-	-	-	-	-	-	-	-	1	-	-	12	-
St. James and St. Anne *W,6H* ..	33,081	7	2	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-
NORTH DISTRICTS.																		
All Souls Marylebone *7H*	35,391	11	8	2	3	-	-	-	-	-	-	-	-	-	-	3	4	-
St. Mary Marylebone *W,4H* ..	37,918	45	6	-	4	-	-	-	-	-	-	-	-	-	-	1	2	-
Christchurch Marylebone	39,536	10	6	2	1	-	-	-	-	1	-	-	-	1	-	2	-	-
St. John Marylebone *2H*	20,426	4	2	-	2	-	-	-	-	-	-	-	-	-	1	1	-	-
Hampstead *W,F,6H*	81,942	17	15	1	2	-	-	-	1	-	-	-	-	-	1	1	7	-
West St. Pancras *2H*	60,562	24	8	1	2	-	-	-	-	-	-	-	-	-	2	2	1	-
South St. Pancras *w,10H*	55,707	17	17	1	4	-	-	-	-	-	-	-	-	-	1	2	10	-
East St. Pancras *W,H*	60,320	26	22	5	8	-	-	-	-	-	-	-	-	1	2	4	11	-
North St. Pancras *2W*	58,728	22	8	3	2	-	-	-	-	-	-	-	-	-	-	-	4	-
Tufnell *W*	31,995	15	10	1	4	-	-	-	-	1	-	-	-	-	-	-	7	-
Upper Holloway *2W,w,H*	33,978	22	18	6	1	-	-	-	-	-	-	-	-	1	-	1	13	-
Tollington *W,w,H*	33,922	19	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Lower Holloway	41,424	24	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Barnsbury	54,478	29	7	3	2	-	-	-	-	-	-	-	-	2	-	1	-	-
Islington South-east *F*	75,397	25	19	5	6	-	-	-	-	-	-	-	-	2	1	3	-	-
Highbury *2H*	63,797	25	12	3	6	-	-	-	-	-	-	-	-	2	-	-	-	-
Stoke Newington *H*	51,247	22	11	3	3	-	-	-	-	-	-	-	-	1	-	-	-	-
North Hackney	50,398	17	8	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Central Hackney *w,F*	50,536	19	8	2	3	-	-	-	1	-	-	-	-	1	1	2	1	-
South-west Hackney *3H*	59,921	31	6	2	-	-	-	-	-	-	-	-	-	-	1	3	2	-
South-east Hackney *2W,H*	58,255	33	17	6	5	-	-	-	-	-	-	-	-	1	-	1	15	-
Hackney Union Workhouse, Brentwood	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 25th September, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
St. Giles and Bloomsbury 2*W*,2*H* ..	31,436	18	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Strand *W*,4*H*	21,674	4	12	1	2	-	-	-	-	-	-	-	-	1	-	-	10	-
Strand Union Workhouse, Edmonton	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Holborn *W*,5*H*	29,612	14	25	10	1	-	-	-	-	-	-	-	-	4	-	-	22	-
Clerkenwell *H*	63,704	24	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Luke 3*H*,*L*	36,116	28	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Holborn Union Workhouse, Mitcham	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-
St. Botolph *H*	10,299	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	5	17	4	4	-	-	-	3	-	-	-	-	1	3	6	12	1
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
Shoreditch South 3*H*	46,362	22	5	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Shoreditch North-West *W*,*w*,*H* ..	36,127	23	22	3	11	-	-	-	-	-	-	-	-	3	-	3	20	-
Shoreditch North-East	36,148	25	5	2	1	-	-	-	-	-	-	-	-	2	-	-	-	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	50	29	13	4	-	-	-	-	-	-	-	-	7	-	-	19	-
Bethnal Green South-West *H* ..	64,542	27	10	2	3	-	1	-	-	-	-	-	-	2	-	1	2	-
Spitalfields..	27,969	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mile End New Town *W*,*H*	28,718	20	40	12	4	-	1	-	1	-	-	-	-	3	2	5	40	-
Goodman's Fields	22,081	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George and St. John 2*W* ..	49,068	23	19	8	6	-	-	-	-	-	-	-	-	2	-	2	9	-
Shadwell and Ratcliff *w*,*H* ..	25,568	18	9	7	-	-	-	-	-	-	-	-	-	4	1	2	6	-
Limehouse *W*	32,369	19	4	1	-	-	-	-	-	1	-	-	-	2	-	-	-	-
Mile End Old Town South-Western *H*	63,698	59	8	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Mile End Old Town North-Eastern *W*,*w*	49,129	25	13	3	8	-	-	-	-	-	-	-	-	1	-	-	7	-
Bow	41,989	16	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bromley 3*w*,*H*	68,319	52	31	9	9	-	1	-	-	-	-	-	-	4	1	5	23	-
Poplar *W*,*w*	58,514	20	12	6	2	-	-	-	-	-	-	-	-	2	-	1	1	-
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 25th September, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch and St. Saviour Southwark *W,2H*	23,319	16	26	8	2	-	-	-	-	-	-	-	-	6	1	1	19	-
Kent-road	21,904	10	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
St. George the Martyr West *W,2H,L*	39,094	14	6	4	-	-	-	-	-	2	-	-	-	2	-	-	5	-
Newington North	49,022	29	9	5	1	-	-	-	-	-	-	-	-	2	-	-	-	-
Newington South *W*	72,841	45	14	4	4	-	-	-	-	-	-	-	-	1	2	3	1	-
St. Olave *2W*	9,817	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bermondsey *W*	82,483	42	11	5	1	-	-	-	-	-	-	-	-	3	1	3	-	-
Rotherhithe *W,F*	38,460	25	10	2	3	-	-	-	-	-	-	-	-	-	1	1	5	-
Waterloo *2H*	27,440	36	10	5	-	-	1	-	-	-	-	-	-	1	-	-	4	-
Lambeth Church *H*	27,440	11	17	1	-	-	-	-	1	-	-	-	-	-	1	2	11	-
Kennington *2W*	52,518	24	17	1	5	-	1	-	-	-	-	-	-	-	1	2	12	-
Stockwell *HF*	63,826	37	10	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Brixton *H*	73,673	31	12	6	3	-	-	-	-	-	-	-	-	2	1	1	2	-
Norwood *2WH*	56,998	25	9	1	3	-	-	-	-	2	-	-	-	-	2	2	-	-
East Battersea *H*	72,203	32	12	4	1	-	-	-	-	-	-	-	-	3	-	-	1	-
North-west Battersea	49,656	26	4	3	-	-	-	-	-	-	-	-	-	-	-	2	-	-
South-west Battersea *2W,H* ..	47,048	17	18	4	5	-	-	-	-	1	-	-	-	-	1	1	13	-
Clapham *2H*	51,361	24	11	4	3	-	-	-	-	-	-	-	-	1	-	1	-	-
Streatham *W,2w,2F,2L*	88,019	69	23	5	7	-	-	1	1	-	-	-	-	2	-	1	4	1
Springfield *2W,L*	27,959	20	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Southfields *H*	40,444	22	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Putney	24,139	10	4	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Dulwich	13,359	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	11	22	4	4	-	-	-	-	-	-	-	-	-	-	-	16	-
Camberwell North *W,2L*	65,584	32	20	3	6	-	-	-	1	-	-	-	-	-	-	-	10	-
St. George	47,331	27	7	2	4	-	-	-	-	-	-	-	-	3	-	-	-	1
Peckham North	48,913	20	10	5	2	-	-	-	-	-	-	-	-	1	-	-	-	-
Peckham South *2W,w*	43,946	15	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Deptford North	37,613	21	7	2	-	-	-	-	-	1	-	-	-	2	-	-	-	-
Deptford Central *F*	45,481	26	11	2	2	-	-	3	1	-	-	-	-	-	-	-	4	-
Deptford South	34,625	18	2	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Greenwich West *H*	23,456	12	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich East *2W,H*	43,859	17	16	4	2	-	-	-	-	-	-	-	-	1	-	-	7	-
Eltham *w,H*	7,226	2	4	-	-	-	-	-	-	-	-	-	-	-	1	3	1	-
Lee *w,H*	25,490	10	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham *2W,w,F*	58,352	42	26	4	8	-	-	3	3	1	-	-	-	3	1	2	16	-
Sydenham *H*	43,653	25	6	2	4	-	-	-	-	-	-	-	-	2	-	-	-	-
Charlton *F,2H*	21,134	4	7	-	2	-	-	1	2	-	-	-	-	1	1	1	4	-
Woolwich *5H*	41,625	24	13	2	5	-	-	-	-	2	-	-	-	1	2	3	1	-
Plumstead West *W,H*	39,376	13	7	1	2	-	-	-	-	-	-	-	-	1	-	-	-	-
Plumstead East *2W*	28,951	8	8	-	6	-	-	-	-	-	-	-	-	-	-	-	5	-
Workhouses:—																		
Belmont Workhouse	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asylum .. (Westminster, St. Giles, and Strand Unions.)	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
M. A. B. Small-pox Hospitals:—																		
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																		
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																		
Children's Infirmary, Carshalton..	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
M. A. B. Imbecile Asylums:—																		
Caterham	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden	—	-	3	-	-	-	-	-	-	-	-	1	-	-	-	-	3	-
London County Lunatic Asylums:—																		
Banstead	—	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Manor	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-
Long Grove	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-
Cane Hill	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dartford Heath	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Hanwell	—	-	6	-	2	-	-	-	-	-	-	-	-	-	-	-	6	-
Colney Hatch	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Claybury	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERATED POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 25th September, 1909.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING ..	368,603	2,045,135	1,257	501	151	148	-	2	3	6	14	1	53	21	48	87	1
30 : 1	Carshalton 2F,3H	12,228	32,997	16	9	1	4	-	-	-	-	-	-	1	-	1	1	-
2	Epsom, *part of** W,w,2F,H..	10,423	15,548	9	2	1	-	-	-	-	1	-	-	-	-	-	1	-
37 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38 : 1	Coulsdon	11,069	8,166	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w,H ..	4,200	49,309	30	8	2	3	-	-	-	-	1	-	-	-	-	-	-
3	West Croydon 3W,F,H ..	2,168	42,888	34	19	4	3	-	-	-	-	-	-	2	-	1	6	-
4	North Croydon H	2,614	41,698	16	6	2	3	-	-	-	-	-	-	-	1	1	1	-
5	Penge w	770	22,465	7	6	-	2	-	-	-	-	-	-	-	1	1	-	-
6	Mitcham w	11,711	30,015	16	5	-	1	-	-	-	-	1	-	-	-	-	-	-
39 : 1	Wimbledon F,3H	3,221	41,652	24	7	1	3	-	-	-	-	-	-	-	-	-	-	-
2	Kingston 2W,H	6,224	42,068	27	12	5	5	-	-	-	-	-	-	3	-	1	2	-
3	Surbiton F,H	3,046	15,017	11	4	3	-	-	-	-	-	1	-	-	-	-	-	-
4	Esher, *part of** H	5,402	13,100	13	3	2	1	-	-	-	-	-	-	1	-	-	-	-
5	Hampton H,F,L	4,564	23,456	18	3	1	1	-	-	-	-	-	-	-	-	1	-	-
40 : 1	Richmond W,H	2,491	31,672	14	9	6	1	-	-	-	-	-	-	1	-	2	-	-
2	Mortlake F	2,518	17,821	9	5	2	1	-	-	-	-	-	-	1	-	-	-	-
41 : 1	Bromley F,3H	4,703	27,354	17	8	2	4	-	-	-	-	-	-	-	-	-	1	-
2	Beckenham H	7,825	28,497	12	6	1	2	-	-	-	-	-	-	-	-	-	-	-
3	Orpington, *part of** W,F ..	10,113	9,857	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
4	Chislehurst 2H	7,333	16,446	15	4	1	1	-	-	-	-	-	-	-	-	1	1	-
42 : 1	Bexley w,F,H	8,678	21,151	9	6	1	3	-	-	-	-	-	-	2	-	-	-	-
2	Erith F,H	3,854	25,296	15	7	1	3	-	-	-	-	-	-	-	1	1	1	-
3	Dartford W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124 : 1	Sunbury w	11,054	18,683	6	6	5	-	-	-	-	-	-	-	1	-	1	-	-
2	Staines W,H	13,277	15,178	11	5	3	2	-	-	-	-	-	-	-	-	-	-	1
125 : 1	Hillingdon W,F,H	6,035	13,661	9	7	3	4	-	-	-	-	-	-	-	-	-	2	-
2	Uxbridge H	12,757	8,984	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w 2F,H	8,066	16,358	13	8	1	3	-	-	-	-	-	-	-	-	-	-	-
126 : 1	Isleworth 3W,3F,H	6,859	30,863	19	15	4	4	-	-	-	-	1	-	4	2	3	6	-
2	Twickenham F,2H	2,421	20,991	8	7	2	3	-	-	-	-	-	-	1	-	1	-	-
3	Brentford 3F,2H	4,319	48,289	26	11	4	3	-	-	-	-	-	-	-	1	1	-	-
4	Chiswick H	1,249	29,809	14	4	-	3	-	-	-	-	1	-	-	-	-	-	-
5	Acton w,F,3H	6,132	48,914	35	13	9	2	-	-	-	-	1	-	4	-	1	-	-
127 : 1	Harrow F,H	13,809	25,523	31	6	2	2	-	-	-	-	1	-	-	1	1	-	-
2	Edgware 2F,2H	6,934	4,521	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Willesden W,F,2H	4,384	114,811	90	36	11	11	-	-	-	-	-	-	2	4	2	11	-
4	Hendon W,F	8,382	22,450	27	6	2	-	-	-	-	-	-	-	-	-	-	-	-
128 : 1	South Mimms 2F,H ..	17,755	7,308	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,970	10	2	-	1	-	-	-	-	-	-	-	-	1	-	-
3	Finchley F,3H	4,683	33,692	27	5	3	1	-	-	-	-	-	-	1	-	-	-	-
129 : 1	Hornsey F,H	2,875	72,056	18	9	1	5	-	-	-	1	-	-	-	1	1	1	-
2	Wood Green H	1,625	34,233	14	5	1	3	-	-	-	-	-	-	-	1	2	-	-
3	West Tottenham	995	48,741	32	4	-	2	-	-	-	-	-	-	-	-	-	-	-
4	East Tottenham 2H ..	2,019	53,962	45	15	4	1	-	-	-	-	-	-	1	-	2	5	-
5	Edmonton W,w,2F	7,491	61,892	44	16	7	4	-	-	-	-	-	-	5	1	4	4	-
6	Enfield 2W,F,H	12,601	42,738	30	12	6	-	-	1	-	-	1	-	3	1	1	-	-
7	Waltham Abbey F	11,017	6,549	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,232	4	1	1	-	-	-	-	-	-	-	1	-	-	-	-
135 : 1	Hatfield, *part of** W ..	3,305	664	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey, *part of** H ..	9,195	7,051	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Watford, *part of** W,2F ..	138	2,122	2	1	-	1	-	-	-	-	-	-	-	-	-	1	-
186 : 1	Stratford H	1,091	52,974	34	12	6	2	-	-	-	-	1	-	2	-	-	-	-
2	Forest Gate	787	52,745	20	2	-	1	-	-	-	-	-	-	-	-	1	-	-
3	Plaistow F,2H	1,249	90,921	64	26	5	6	-	1	2	-	-	-	2	2	3	3	-
4	Canning Town H	1,556	70,718	35	25	15	4	-	-	-	-	1	-	11	-	4	-	-
5	South East Ham 2F ..	1,991	37,342	32	9	3	2	-	-	1	-	1	-	2	-	-	1	-
6	North East Ham w,H ..	1,333	58,666	28	14	1	8	-	-	-	-	-	-	-	-	1	-	-
7	Wanstead F	1,679	9,179	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	28	14	4	5	-	-	-	-	-	-	-	-	-	7	-
9	North Leyton 2W,w,F ..	1,963	48,445	34	17	1	6	-	-	-	-	-	-	-	2	3	16	-
10	Walthamstow 2H,L ..	6,504	108,929	76	19	4	4	-	-	-	2	2	-	1	-	2	1	-
187 : 1	Chigwell 2F,3H	11,778	16,397	4	3	-	1	-	-	-	2	-	-	-	-	-	2	-
2	Epping W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189 : 1	Romford, *part of** W,2F ..	6,556	6,091	1	2	1	1	-	-	-	-	-	-	-	-	-	1	-
2	Ilford F,L	8,496	41,214	28	11	2	4	-	-	-	-	1	1	-	-	-	2	-
3	Barking Town F	3,805	21,547	13	8	4	-	-	-	-	-	-	-	1	1	2	-	-
	London County Lunatic Asylum, Long Grove, Epsom.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Surrey County Lunatic Asylum, Brookwood.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Middlesex County Lunatic Asylum, Napsbury.	—	—	-	4	-	2	-	-	-	-	-	-	-	-	-	4	-
	Essex County Lunatic Asylum, Brentwood	—	—	-	3	-	-	-	-	-	-	-	-	-	1	1	3	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30 : 2, excepting Ashtead parish; 37 : 1, Warlingham and Farley parishes; 39 : 4, excepting Esher parish; 41 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135 : 1, Northaw parish; 137 : 1, excepting the part in Watford Rural parish; 137 : 2, Oxhey parish; 189 : 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42 : 3, 137 : 2 and 187 : 2 and in the Croydon Mental Hospital in 37 : 1 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Small-pox	Measles.	Scarlet Fever	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhoeal Diseases.
LONDON - -	4,833,938	September 25	2220	1127	12·2	-	5	8	16	14	2	114
CALCUTTA - -	1,009,008	August 28	-	407	20·9	1	3	-	1	2	78†	52‡
BOMBAY - -	982,000	" 31	363	593	31·5	2	-	-	-	-	80†	91‡
MADRAS - -	548,974	" 27	430	337	34·4	-	4	?	?	?	97	45
PARIS - - -	2,760,000	September 11	894	715	13·6	-	6	1	3	3	6	50
		18	854	774	14·7	-	4	2	4	5	2	53
BRUSSELS - -	704,975	" 18	196	187	13·8	-	-	1	-	-	1	31
ANTWERP - -	314,135	" 18	119	54	8·9	-	2	-	-	-	-	11
AMSTERDAM -	565,553	" 18	270	115	10·6	-	-	-	1	4	1	3
COPENHAGEN -	448,000	" 18	216	87	10·1	-	-	1	3	-	2	3
STOCKHOLM -	339,582	" 11	172	70	10·7	-	1	-	-	-	-	3
CHRISTIANIA -	235,674	" 18	127	42	9·3	-	1	-	1	-	-	1
ST. PETERSBURG	1,573,000	" 11	571	701	23·2	6	23	15	6	11	10	145‡
MOSCOW - -	1,452,100	" 11	-	852	30·6	2	10	22	15	6	10	347‡
BERLIN - -	2,102,893	" 4	774	581	14·4	-	4	10	10	13	3	100
HAMBURG - -	872,252	" 18	-	239	14·2	-	-	2	14	-	-	36
BRESLAU - -	502,676	11	-	246	25·5	-	1	-	4	2	-	66
MUNICH - -	566,000	" 18	-	152	13·9	-	2	-	-	4	1	13
VIENNA - -	2,064,037	" 18	823	563	14·2	-	-	6	2	1	1	105
PRAGUE - -	485,057	" 18	185	150	16·1	-	-	-	-	-	1	12
BUDAPEST - -	823,215	" 11	422	295	18·6	-	-	5	2	2	4	54
TRIESTE - -	217,706	" 18	139	94	22·5	-	-	1	-	-	-	23
ROME - - -	565,323	June 19	254	195	18·0	-	4	1	2	1	3§	23
VENICE - -	179,286	July 31	-	-	-	-	-	-	-	-	-	-
BUCAREST - -	296,585	September 11	164	136	23·9	-	-	4	1	-	4	19
NEW YORK -	4,564,792	" 4	2423	1252	14·3	-	4	6	11	11	11	239
CHICAGO - -	2,224,490	" 4	-	616	14·4	-	1	5	7	3	4	186
PHILADELPHIA -	1,565,569	August 14	-	413	13·7	-	2	-	1	3	7	92
RIO DE JANEIRO	637,089	" 22	-	241	19·7	-	1	-	1	1	1	?
CAIRO:—												
Egyptians -	666,587	" 26	513	523	40·6	-	7	1	21	?	10	127
Foreigners -	35,219	" 26	4	15	22·1	-	-	-	-	?	2	6
ALEXANDRIA:—												
Egyptians -	341,965	" 26	227	258	38·9	-	1	-	2	-	3	85
Foreigners -	46,118	" 26	6	23	25·9	-	-	-	-	-	3†	8

* Excluding deaths from croup in the Indian Cities.
† Including 7 deaths from plague in Calcutta, 31 in Bombay, and 1 in Alexandria.
‡ Including 5 deaths from cholera in Calcutta, 43 in Bombay, 45 in St. Petersburg, and 1 in Moscow.
§ Including 1 death from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 25th September, 1909.

Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	68·6	40·6	56·9	0·57	BRADFORD - -	65·4	40·0	53·2	1·53
BRIGHTON - -	69·0	48·0	58·7	0·58	YORK - - -	70·0	40·0	55·1	0·36
PORTSMOUTH - -	69·0	46·5	59·3	0·25	HULL - - -	67·0	43·0	55·7	0·03
NORWICH - -	-	-	-	-	TYNEMOUTH - -	68·0	43·0	52·1	0·55
PLYMOUTH -	67·3	46·5	57·7	0·10	CARDIFF - - -	66·6	43·4	56·0	0·70
BRISTOL - - -	68·0	39·6	56·8	1·73	EDINBURGH - -	61·7	41·5	51·0	1·17
BIRMINGHAM - -	67·3	46·2	56·2	0·73	GLASGOW - -	61·0	39·0	51·7	0·46
NOTTINGHAM - -	67·1	44·4	55·7	0·82	DUBLIN Phœnix Park	65·9	36·6	52·0	0·07
LIVERPOOL OBSERVATORY	64·0	47·0	54·8	0·23	DUBLIN Fitzwilliam Square,†	64·5	43·8	54·1	0·07
MANCHESTER -	67·8	39·8	54·8	0·41					
BURNLEY - -	64·0	38·0	52·3	0·40					
HUDDERSFIELD -	67·0	40·7	53·2	0·80	BELFAST - - -	65·2	40·5	53·2	0·26

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to the seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°·2 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 25th September, 1909.

[*Under the Superintendence of the Astronomer Royal.*]

1909. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Temperature. Of the Air. Low-est.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Great-est.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Great-est.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
SEPTEMBER.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 19	..	29·924	65·8	45·1	20·7	55·4	− 1·1	50·5	4·9	11·9	1·1	84	94·0	35·7	57·78	Calm, SW. & WSW.	NW, WNW. & WSW.	0·2	0·0	0·0	150	− 95	0·00	0·0
MONDAY - 20	..	29·849	64·2	45·7	18·5	53·9	− 2·3	50·1	3·8	10·3	1·3	87	99·9	36·1	57·85	WSW. & SW.	N., NE. & E.	0·6	0·0	0·0	175	− 69	0·00	0·0
TUESDAY - 21	..	29·744	62·7	40·6	22·1	50·7	− 5·2	45·8	4·9	15·9	1·0	83	116·2	30·2	57·61	Calm & E.	SE., SSE. & ESE.	0·4	0·0	0·0	113	− 131	0·00	2·0
WEDNESDAY 22	First Qr.	29·732	68·0	46·2	21·8	57·8	+ 2·2	54·6	3·2	9·7	0·0	89	108·0	37·6	57·51	E.	E.	0·7	0·0	0·0	174	− 71	0·20	0·0
THURSDAY - 23	Greatest Dec. S.	29·867	64·7	55·3	9·4	58·4	+ 3·0	57·6	0·8	3·6	0·0	97	81·1	48·0	57·29	ENE., NE. & calm.	Calm, S. & SSW.	1·6	0·0	0·0	120	− 125	0·08	1·0
FRIDAY - 24	..	29·999	68·6	52·3	16·3	60·0	+ 4·7	53·0	7·0	14·6	0·4	78	124·8	44·5	57·51	SSW. & S.	SW. & SSW.	3·1	0·0	0·2	282	+ 35	0·00	3·0
SATURDAY - 25	..	29·937	64·2	53·7	10·5	57·6	+ 2·4	55·3	2·3	7·2	0·6	92	92·0	45·6	57·64	SW., SSW. & WSW.	WSW., NW. & NNW.	1·6	0·0	0·0	202	− 47	0·29	0·0
MEANS - -		29·865	65·5	48·4	17·0	56·3	+ 0·5	52·4	3·8	10·5	0·6	87	102·3	39·7	57·60	Variable		..	..	..	Sum 1216	Sum −593	Sum 0·57	0·9
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. SEPTEMBER.	Electricity. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.
SUNDAY - 19	w. P. throughout.	5·1	12·4
MONDAY - 20	w. P. throughout.	3·4	12·3
TUESDAY - 21	w. P. throughout.	3·8	12·3
WEDNESDAY 22	w. P. till 9h. P.M.; v. P. and v. N. afterwards.	7·7	12·2
THURSDAY - 23	w. P. generally; occasional v. P. and v. N. till 10h. A.M.	0·2	12·1
FRIDAY - 24	w. P. throughout.	6·8	12·1
SATURDAY - 25	w. P. generally; occasional v. P. and v. N. in afternoon.	0·7	12·0
		Sum 27·7	Sum 85·4
No. of Col. - -	27	28	29

GENERAL REMARKS.

Generally cloudy till noon; very fine afterwards.

Very fine in morning with little cloud; variably cloudy after 11h. A.M.

Very fine in afternoon; otherwise generally cloudy.

Variably cloudy till 8h. A.M.: very fine with little cloud till 3h. P.M.; partially cloudy till 8h. P.M.; overcast with occasional lightning and thunder afterwards and rain from 9h. 30m. P.M.

Overcast with occasional rain till 8h. P.M.; very fine afterwards; thick mist prevalent in early morning; occasional lightning and thunder between 8h. 40m. and 9h. 30m. A.M.

Very fine till 2h. P.M.; cloudy interval till 5h. P.M.; very fine again till 8h. P.M.; then nearly overcast.

Generally overcast; frequent rain between 6h. A.M. and 5h. 30m. P.M.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·98 in. at the beginning of the week to 29·69 in. by 4h. A.M. on the 22nd; increased to 30·02 in. by 11h. A.M. on the 24th; decreased to 29·92 in. by 4h. P.M. on the 25th; and was 29·95 in. at midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 18th September, 1909.*

BOROUGHS.	Estimated Population in the middle of 1909.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	151,955	-	11	5	-	-	-	-	3	-	-
Kensington	183,683	-	13	2	-	2	-	-	5	-	-
Hammersmith	125,704	-	7	4	-	1	-	-	-	-	-
Fulham	176,406	-	13	9	-	-	-	-	2	-	-
Chelsea	75,249	-	1	-	-	-	-	-	1	-	-
City of Westminster ..	168,883	-	6	2	-	-	-	-	2	-	-
NORTH.											
St. Marylebone	126,027	-	16	-	-	-	-	-	2	-	-
Hampstead	94,185	-	3	-	-	-	-	-	-	1	-
St. Pancras	237,422	-	17	12	-	-	-	-	6	1	-
Islington	351,202	-	33	8	-	2	-	-	7	-	-
Stoke Newington	54,423	-	3	-	-	-	-	-	2	-	-
Hackney	237,601	-	31	4	-	-	-	-	7	2	-
CENTRAL.											
Holborn	53,802	-	2	-	-	-	-	-	2	-	-
Finsbury	95,289	-	7	6	-	-	-	-	2	-	-
City of London	18,193	-	1	-	-	-	-	-	1	-	-
EAST.											
Shoreditch	114,802	-	9	1	-	-	-	-	4	-	-
Bethnal Green	131,316	-	21	4	-	-	-	-	3	-	1
Stepney	312,525	-	31	6	-	2	-	-	11	-	-
Poplar	171,965	-	25	3	-	3	-	-	3	-	-
SOUTH.											
Southwark	211,125	-	20	4	-	1	-	-	2	-	-
Bermondsey	127,569	-	10	1	-	-	-	-	2	-	-
Lambeth	324,188	-	30	4	-	1	-	-	2	-	-
Battersea	186,036	-	19	7	-	3	-	-	6	-	-
Wandsworth	297,646	-	18	3	-	-	-	-	2	-	-
Camberwell	283,022	-	31	7	-	-	-	-	3	1	-
Deptford	118,583	-	11	9	-	1	1	-	4	1	-
Greenwich	111,014	-	12	5	-	2	-	-	4	-	-
Lewisham	160,749	-	16	4	-	1	-	-	1	-	-
Woolwich	133,374	-	16	1	-	-	-	-	2	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,833,938	-	433	111	-	19	1	-	91	6	1
Ages 0-1		-	2	2	-	1	-	-	3	-	1
" 1-5		-	118	37	-	1	-	-	3	-	-
" 5-		-	192	42	-	5	1	-	5	-	-
" 10-		-	77	15	-	2	-	-	5	-	-
" 15-		-	17	7	-	-	-	-	3	-	-
" 20-		-	12	4	-	5	-	-	9	3	-
" 25-		-	11	1	-	3	-	-	9	3	-
" 35-		-	4	2	-	2	-	-	12	-	-
" 45-		-	-	1	-	-	-	-	22	-	-
" 55-		-	-	-	-	-	-	-	7	-	-
" 65 and upwards		-	-	-	-	-	-	-	13	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY DARLING & SON, LTD., 34-40 BACON STREET, E.

1909

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 39. 1909. VOL. LXX.] WEEK ENDED SATURDAY, OCT. 2. [Price 1½*d.*

General Register Office, Somerset House,
October 4th, 1909.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 12·3 per 1000 of their aggregate population, which is estimated † at 16,445,281 persons in the middle of this year. In the preceding three weeks the rates had been 12·8, 13·0, and 12·6. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 16·2 in Liverpool, 16·6 in Stockport, 16·7 in Wigan, 16·8 in Salford, 17·6 in Great Yarmouth, 18·7 in Huddersfield, 19·1 in Burnley, and 20·0 in Oldham; from *diphtheria*, 2·3 in Hanley; and from *diarrhœa*, 2·2 in Handsworth, 2·3 in Hull, 3·1 in Rhondda, and 4·5 in Bootle. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2057 BIRTHS and 1079 DEATHS were registered. Allowing for increase of population, the births were 318 and the deaths 237 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes, which had been 12·3, 12·4, and 12·2 per 1000 in the preceding three weeks, fell last week to 11·6. The death-rate in the

* The figures for London include deaths of Londoners in the Metropolitan Work houses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-five other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(14416—41.) Wt. 109—472. 700. 10/09. D & S. G. 31. Sch. 4. 2 Q

four weeks ended last Saturday averaged 12·1 per 1000, being 2·4 per 1000 below the mean rate in the corresponding periods of the five years 1904–8.

The 1079 deaths included 3 from measles, 10 from scarlet fever, 13 from diphtheria, 14 from whooping-cough, 4 from enteric fever, and 74 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia: thus, to these diseases in the aggregate 118 deaths were referred, being 69 below the corrected average number in the thirty-ninth week of the preceding five years.

The deaths from *measles*, which had been 8, 5, and 5 in the preceding three weeks, fell to 3 last week, and were 10 below the corrected average. The deaths from *scarlet fever*, which had been 5, 2, and 8 in the preceding three weeks, rose to 10 last week, the corrected average being 11. The deaths from *diphtheria*, which had been 8, 7, and 16 in the preceding three weeks, were 13 last week, and were 3 below the corrected average; 3 deaths belonged to the Borough of Lewisham. The deaths from *whooping-cough*, which had been 26, 13, and 14 in the preceding three weeks, were again 14 last week, the corrected average being 15; 3 deaths belonged to Deptford. The deaths from *enteric fever*, which had been 2, 1, and 2 in the preceding three weeks, rose to 4 last week, but were 6 below the corrected average. The deaths from *diarrhœa*, which had been 154, 129, and 114 in the preceding three weeks, further fell to 74 last week, and were 48 below the corrected average; 7 deaths belonged to Stepney, and 6 each to Islington, Poplar, and Lambeth. Of the 74 deaths from diarrhœa, 73 were those of children under 5 years of age; 11 other deaths at this age were certified as due to *enteritis* and 19 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 2, having been 2, 5, and 1 in the preceding three weeks.

Different forms of violence caused 45 deaths, concerning all of which inquests were held. Of these 45 deaths, 5 were cases of suicide, and 1 of homicide, while the remaining 39 were attributed to accident or negligence. Nine of these latter were referred to vehicles in the streets, two to a conflagration, five to burns or scalds, three to drowning, and three, including two of infants under one year of age, to suffocation in bed. Two deaths occurred while under anæsthetics administered for surgical purposes.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 2737 cases of scarlet fever, 908 of diphtheria, and 75 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 373 cases, against 411, 421, and 438; of diphtheria, 144 cases, against 116, 97, and 122; and of enteric fever, 6 cases, against 13, 9, and 19. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended September 25th, 1909.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 3189 births and 1516 deaths were registered. Allowing for increase of population, these numbers are 533 and 346 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 1 death from measles, 1 from scarlet fever, 1 from diphtheria, 4 from whooping-cough, and 23 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·78 inches, and that of the Thermometer 53°·1, the latter being 1°·5 below the week's average in the 65 years ended 1905. The direction of the wind was variable, the horizontal movement of the air being 49 per cent. below the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 6·0 hours; the measured rainfall amounted to 0·72 of an inch.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 2nd October, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 11th Sept., 1909.	18th Sept., 1909.	25th Sept., 1909.	2nd Oct., 1909.	Rate from Diseases in Cols. 11-17. Week ended 2nd October, 1909.	Registered during the Week ended 2nd Oct., 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17	18.	19.	20.	21.	Cols.
76 TOWNS	**16,445,281**	**12·8**	**13·0**	**12·6**	**12·3**	**1·4**	**7626**	**3879**	**963**	**1116**	**-**	**17**	**32**	**43**	**55**	**21**	**263**	**148**	**277**	**1105**	**26**	**76 TOWNS.**
LONDON	4,833,938	12·3	12·4	12·2	11·6	1·3	2057	1079	260	322	-	3	10	13	14	4	74	45	92	509	1	LONDON.
† CROYDON	161,078	10·0	11·3	9·7	8·4	0·3	71	26	10	6	-	-	1	-	-	-	-	1	3	4	-	CROYDON.
† WILLESDEN ..	160,424	5·2	7·5	11·7	6·5	1·6	73	20	4	6	-	-	1	-	-	-	4	1	2	3	-	WILLESDEN.
† HORNSEY	95,628	4·9	5·5	4·9	4·9	-	25	9	-	3	-	-	-	-	-	-	-	-	2	-	-	HORNSEY.
† TOTTENHAM ..	129,464	8·5	10·9	7·2	10·9	1·6	49	27	5	9	-	-	-	1	2	-	1	1	3	8	-	TOTTENHAM.
† WEST HAM ..	321,767	13·8	13·5	12·8	9·7	0·8	148	60	13	17	-	-	1	-	2	-	2	1	3	22	-	WEST HAM.
† EAST HAM.. ..	149,575	9·8	11·2	10·1	7·0	-	52	20	5	2	-	-	-	-	-	-	-	1	3	2	-	EAST HAM.
† LEYTON	129,614	10·5	9·7	4·0	10·5	1·2	66	26	9	6	-	-	-	-	-	-	3	2	2	6	-	LEYTON.
† WALTHAMSTOW	136,602	8·8	4·2	7·6	6·9	0·4	62	18	3	4	-	-	-	-	1	-	-	2	4	5	-	WALTHAMSTOW.
HASTINGS	68,165	11·5	13·0	9·2	14·5	1·5	15	19	3	10	-	-	-	-	-	-	2	1	1	6	-	HASTINGS.
BRIGHTON	130,926	12·7	13·1	15·1	10·4	1·2	50	26	5	10	-	-	-	-	1	-	2	-	1	8	-	BRIGHTON.
PORTSMOUTH ..	214,726	11·9	17·0	12·9	12·6	1·5	97	52	14	15	-	-	1	-	-	1	4	5	9	11	-	PORTSMOUTH.
BOURNEMOUTH ..	72,368	9·4	11·5	12·2	10·1	-	14	14	1	9	-	-	-	-	-	-	-	1	2	3	-	BOURNEMOUTH.
SOUTHAMPTON ..	124,667	15·9	9·2	13·4	13·4	2·5	61	32	8	13	-	-	-	-	2	-	4	-	1	8	-	SOUTHAMPTON.
READING	82,995	10·1	10·1	10·7	10·7	0·6	23	17	-	9	-	-	1	-	-	-	-	1	1	6	-	READING.
NORTHAMPTON ..	97,752	9·1	7·5	13·3	11·2	1·1	35	21	6	7	-	-	-	1	-	-	1	-	1	3	-	NORTHAMPTON.
IPSWICH	74,889	13·2	10·4	13·9	11·1	0·7	39	16	2	2	-	1	-	-	-	-	-	-	1	2	-	IPSWICH.
GREAT YARMOUTH	53,430	18·5	17·6	8·8	17·6	1·0	27	18	3	6	-	-	-	-	-	-	1	2	2	2	-	GREAT YARMOUTH.
NORWICH	124,136	18·1	16·4	13·0	12·2	1·7	48	29	6	8	-	-	1	-	-	1	2	2	3	3	-	NORWICH.
PLYMOUTH	124,180	10·9	12·6	14·7	12·2	0·8	52	29	3	9	-	-	-	-	2	-	-	2	3	4	-	PLYMOUTH.
DEVONPORT	83,103	7·5	10·0	10·7	9·4	1·9	34	15	1	5	-	-	-	1	-	-	2	1	1	4	-	DEVONPORT.
BRISTOL	377,642	12·6	10·5	9·8	12·7	2·1	177	92	21	36	-	2	1	2	2	-	8	3	7	25	-	BRISTOL.
HANLEY	68,831	18·9	12·1	15·2	15·9	5·3	39	21	8	-	-	2	-	3	1	-	1	2	2	2	-	HANLEY.
BURTON-ON-TRENT	54,453	5·7	8·6	8·6	11·5	-	22	12	3	5	-	-	-	-	-	-	-	-	-	4	-	BURTON-ON-TRENT.
WOLVERHAMPTON..	104,633	14·0	14·5	16·4	11·5	0·5	44	23	7	8	-	-	-	-	-	-	1	2	3	4	-	WOLVERHAMPTON.
WALSALL	99,399	8·9	13·1	11·0	13·1	1·6	39	25	8	4	-	-	-	-	-	-	3	1	1	1	-	WALSALL.
HANDSWORTH ..	70,186	9·7	12·6	7·4	11·1	3·0	33	15	7	4	-	-	-	-	1	-	3	-	1	-	-	HANDSWORTH.
WEST BROMWICH ..	70,457	11·8	17·0	11·8	13·3	2·2	34	18	2	5	-	1	-	-	-	-	2	-	1	5	1	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 2nd October, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 11th Sept., 1909.	18th Sept., 1909.	25th Sept., 1909.	2nd Oct., 1909.	Rate from Diseases in Cols. 11–17. Week ended 2nd October, 1909.	Registered during the Week ended 2nd Oct. 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
BIRMINGHAM ..	563,629	13·4	13·9	15·1	12·0	1·5	275	130	48	26	–	–	3	2	3	–	8	4	5	28	7	BIRMINGHAM.
KINGS NORTON ..	81,632	6·4	7·0	4·5	7·0	0·6	33	11	1	6	–	–	–	1	–	–	–	–	–	–	1	KINGS NORTON.
SMETHWICK	70,377	5·9	7·4	12·6	9·6	0·7	40	13	5	2	–	–	–	–	–	–	1	1	1	2	–	SMETHWICK.
ASTON MANOR ..	85,257	9·2	6·7	8·0	9·2	–	41	15	7	5	–	–	–	–	–	–	–	–	–	3	–	ASTON MANOR.
COVENTRY	80,163	16·3	11·1	8·5	15·0	0·7	44	23	6	10	–	1	–	–	–	–	–	–	–	4	–	COVENTRY.
LEICESTER	244,255	11·5	14·1	11·3	10·0	0·9	106	47	7	16	–	–	–	–	2	–	2	2	3	7	–	LEICESTER.
GRIMSBY	73,036	10·7	11·4	11·4	10·7	–	53	15	6	1	–	–	–	–	–	–	–	1	1	1	1	GRIMSBY.
NOTTINGHAM ..	263,443	14·4	12·9	12·7	15·0	0·8	141	76	20	26	–	–	–	–	–	–	4	1	5	12	–	NOTTINGHAM.
DERBY	129,411	16·9	11·7	14·5	9·7	1·6	53	24	6	4	–	–	–	1	2	1	–	–	–	7	–	DERBY.
STOCKPORT	103,706	13·1	14·1	12·6	16·6	3·0	59	33	11	7	–	–	2	–	1	–	3	–	–	12	–	STOCKPORT.
BIRKENHEAD ..	121,123	13·8	12·9	14·6	9·0	0·4	67	21	5	7	–	–	–	–	–	–	1	2	3	7	–	BIRKENHEAD.
WALLASEY	71,004	6·6	11·7	8·1	11·7	0·7	31	16	3	6	–	–	–	–	–	–	1	1	1	1	–	WALLASEY.
LIVERPOOL	760,357	17·6	16·6	16·3	16·2	2·1	414	236	74	52	–	2	2	2	1	1	22	3	9	80	5	LIVERPOOL.
BOOTLE	69,393	18·0	21·8	13·5	15·8	5·3	41	21	4	10	–	–	–	–	–	1	6	1	1	5	–	BOOTLE.
ST. HELENS	95,161	16·4	13·7	13·7	14·8	0·5	68	27	7	9	–	–	–	–	–	–	1	–	–	7	2	ST. HELENS.
WIGAN	90,678	17·8	17·8	14·4	16·7	1·7	44	29	8	8	–	–	–	–	2	–	1	1	3	3	–	WIGAN.
WARRINGTON ..	72,276	13·0	20·2	16·6	13·7	0·7	42	19	4	11	–	–	–	–	–	–	1	–	–	1	–	WARRINGTON.
BOLTON	187,824	11·9	13·0	12·2	15·5	1·9	76	56	14	13	–	–	–	1	–	–	6	3	5	10	1	BOLTON.
BURY	59,234	10·6	10·6	15·0	9·7	0·9	28	11	2	3	–	–	–	–	–	1	–	1	1	2	–	BURY.
MANCHESTER ..	655,435	14·6	15·4	16·5	15·7	1·4	344	197	55	53	–	–	2	2	2	1	10	6	17	47	1	MANCHESTER.
SALFORD	241,950	14·7	15·1	13·4	16·8	1·7	129	78	17	23	–	–	2	1	–	2	3	5	7	23	–	SALFORD.
OLDHAM	143,301	11·6	17·1	17·5	20·0	1·8	76	55	14	15	–	–	–	–	1	–	4	1	2	4	–	OLDHAM.
ROCHDALE	89,653	7·6	16·9	17·4	13·4	1·7	45	23	7	5	–	–	–	1	1	–	1	1	1	6	–	ROCHDALE.
BURNLEY	106,267	11·3	14·2	16·2	19·1	1·5	36	39	13	8	–	–	–	–	1	–	2	1	1	5	–	BURNLEY.
BLACKBURN	136,959	15·2	14·5	9·5	11·4	0·4	51	30	8	9	–	–	–	–	–	–	1	1	2	5	–	BLACKBURN.
PRESTON	118,519	12·8	9·2	14·5	13·6	0·4	62	31	9	11	–	1	–	–	–	–	–	2	3	4	1	PRESTON.
BARROW-IN-FURNESS.	62,996	5·0	9·1	14·9	8·3	1·7	20	10	2	2	–	–	–	1	–	–	1	–	1	3	1	BARROW-IN-FURNESS.

* See note † on first page of this return.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 2nd October, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1909.*	Death-Rates from all Causes. Week ended 11th Sept., 1909.	18th Sept., 1909.	25th Sept., 1909.	2nd Oct., 1909.	Rate from Diseases in Cols. 11–17. Week ended 2nd October, 1909.	Registered during the Week ended 2nd Oct., 1909. Births.	Deaths.	The Deaths registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,739	16·0	12·1	13·2	18·7	1·1	35	34	3	12	-	-	-	1	-	-	1	2	2	5	-	HUDDERSFIELD.
HALIFAX	111,911	7·9	10·3	11·6	10·7	0·9	35	23	1	8	-	-	-	-	1	-	1	2	2	4	-	HALIFAX.
BRADFORD	293,983	13·8	9·4	13·8	9·9	0·7	88	56	7	19	-	-	-	-	2	-	2	1	2	13	-	BRADFORD.
LEEDS	484,012	11·0	14·2	10·8	12·3	0·6	193	114	19	32	-	-	-	2	1	1	2	2	6	19	-	LEEDS.
SHEFFIELD	470,958	14·3	13·4	12·5	11·6	2·2	277	105	25	23	-	-	1	1	1	3	14	5	8	24	1	SHEFFIELD.
ROTHERHAM.. ..	65,070	12·0	17·6	13·6	5·6	-	39	7	1	4	-	-	-	-	-	-	-	1	1	1	-	ROTHERHAM.
YORK	87,004	9·0	9·0	9·0	13·2	0·6	37	22	3	10	-	-	-	-	-	-	1	-	-	6	-	YORK.
HULL	275,552	13·8	15·3	16·7	11·5	2·3	172	61	21	19	-	-	-	-	-	-	12	1	4	16	-	HULL.
MIDDLESBROUGH ..	105,255	11·9	13·4	17·8	13·9	2·5	52	28	3	8	-	-	-	1	1	1	2	2	2	4	-	MIDDLESBROUGH.
STOCKTON-ON-TEES	53,417	12·7	10·7	11·7	14·6	1·0	17	15	4	4	-	-	-	-	-	-	1	2	2	2	1	STOCKTON-ON-TEES.
WEST HARTLEPOOL	79,686	13·1	13·1	5·9	8·5	-	35	13	3	3	-	-	-	-	-	-	-	-	-	-	-	WEST HARTLEPOOL.
SUNDERLAND ..	159,378	16·0	13·7	10·8	13·7	3·3	85	42	8	12	-	-	2	1	1	2	4	2	3	11	1	SUNDERLAND.
SOUTH SHIELDS ..	117,627	12·9	16·0	10·2	10·2	0·9	55	23	5	8	-	-	-	-	-	-	2	1	1	4	-	SOUTH SHIELDS.
GATESHEAD	131,024	9·2	12·3	9·2	14·7	1·2	57	37	6	13	-	-	-	-	1	-	2	3	4	8	-	GATESHEAD.
NEWCASTLE-ON-TYNE.	281,584	15·4	14·3	12·0	13·5	1·9	148	73	23	16	-	2	1	2	-	-	5	4	6	23	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH ..	55,808	19·6	13·1	14·0	14·0	-	36	15	4	3	-	-	-	-	-	-	-	-	1	3	1	TYNEMOUTH.
NEWPORT (MON.) ..	78,336	18·0	17·3	14·6	12·6	1·3	50	19	5	5	-	-	-	-	1	-	1	1	1	1	-	NEWPORT (MON.).
CARDIFF	195,303	11·7	11·5	11·7	11·7	1·1	112	44	9	10	-	-	-	1	-	1	2	2	2	10	-	CARDIFF.
RHONDDA	135,894	18·0	16·5	16·5	12·3	3·5	92	32	13	6	-	-	-	1	-	-	8	1	2	-	-	RHONDDA.
MERTHYR TYDFIL..	78,365	16·0	20·6	16·0	15·3	1·3	42	23	10	4	-	-	-	-	-	-	2	1	-	1	-	MERTHYR TYDFIL.
SWANSEA	98,308	16·4	18·0	12·2	14·9	3·2	64	28	10	9	-	2	-	-	2	-	2	-	1	1	-	SWANSEA.
GREATER LONDON	7,429,740	11·4	11·6	11·4	10·6	1·2	3189	1516	374	455	-	4	14	15	23	4	107	64	135	604	1	GREATER LONDON.
OUTER RING ..	2,595,802	9·6	10·1	10·1	8·8	1·0	1132	437	114	133	-	1	4	2	9	-	33	19	43	95	-	OUTER RING.
8 TOWNS IN OUTER RING.	1,284,152	9·7	9·9	9·4	8·4	0·8	546	206	49	53	-	-	3	1	5	-	10	9	22	50	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,311,650	9·6	10·3	10·7	9·2	1·2	586	231	65	80	-	1	1	1	4	-	23	10	21	45	-	REMAINDER OF OUTER RING.
EDINBURGH	355,366	10·0	14·1	10·9	12·8	2·2	125	87	14	28	-	-	2	2	3	-	8	5	?	38	8	EDINBURGH.
GLASGOW	872,021	13·0	12·1	14·4	12·6	1·1	363	210‡	41	50	-	-	2	4	1	2	9	8	?	72	12	GLASGOW.
DUBLIN (Registration Area).†	398,356	16·8	17·3	19·5	17·5	1·2	250	134	20	44	-	-	-	-	2	2	5	4	4	56	3	DUBLIN (Registration Area).†
BELFAST†	386,576	16·7	12·5	16·3	13·4	2·3	194	99	30	14	-	-	-	-	4	2	11	3	10	24	-	BELFAST†

* See note † on first page of this return.

† Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast respectively.

‡ Including 3 deaths from Cerebro-spinal meningitis.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the THIRTY-NINTH Week of each of the Eleven Years, 1899–1909.

	1899	1900	1901	1902	1903	1904	1905	1906	1907	1908	Corrected Weekly Average in 5 Years 1904–1908.*	1909
TOTAL **Births** -	2309	2239	2581	2457	2296	2537	2171	2374	2341	2178	2375·3	2057
Males - - -	1223	1138	1317	1216	1186	1285	1066	1187	1195	1092	1192·7	1063
Females - -	1176	1101	1264	1241	1110	1252	1105	1187	1146	1086	1182·6	994
TOTAL **Deaths** -	1456	1471	1304	1489	1244	1279	1251	1422	1251	1225	1316·1	1079
Males - - -	752	709	692	782	680	673	637	759	648	618	682·8	579
Females - -	704	762	612	707	564	606	614	663	603	607	633·3	500

* The numbers in this column are the average weekly numbers in the Thirty-Ninth week of the five years 1904-1908, raised by 2·375 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	13 Weeks.
TOTAL **Births** -	2236	2292	2206	2289	2054	2316	2169	2386	2317	2096	2223	2220	2057	28861
TOTAL **Deaths** -	1109	979	926	957	935	1047	1027	1153	1149	1139	1151	1126	1079	13775
Ages at Death: Under 1 year -	188	177	174	177	204	213	223	338	336	349	309	301	260	3249
1—5 years -	138	102	88	85	83	111	105	122	114	104	109	108	80	1349
5—20 " -	48	55	61	66	55	61	60	57	45	52	68	56	71	755
20—40 " -	144	115	114	127	122	137	138	147	137	130	147	131	115	1701
40—60 " -	240	233	201	200	197	205	220	200	230	199	221	251	231	2828
60 yrs. & upwds.	351	297	288	302	272	320	281	289	287	305	297	279	322	3890
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	40	33	24	9	19	22	17	12	10	8	5	5	3	207
Scarlet Fever - -	9	6	8	4	4	9	7	6	2	5	2	8	10	80
Diphtheria - -	7	4	6	19	3	10	6	5	9	8	7	16	13	113
Whooping-cough -	19	15	17	17	26	12	13	15	27	26	13	14	14	228
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	1	2	-	3	2	2	5	1	2	2	1	2	4	27
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	1	-	-	1
Diarrhœa, Dysentery	14	13	22	26	27	39	76	159	139	154	129	114	74	986
All above diseases -	90	73	77	78	81	94	124	198	189	203	158	159	118	1642
Dis. of Resp. System	60	38	43	38	53	53	52	41	35	48	51	56	60	628
Pneumonia - -	94	68	89	68	67	72	69	62	68	57	79	92	72	957
Phthisis - - -	111	97	78	90	98	105	102	104	109	90	101	115	112	1312
Dis. of Circ. System -	164	144	128	132	134	155	130	137	137	145	151	129	147	1833
Violence - - -	57	65	37	42	38	56	53	56	51	37	43	37	45	617
Inquest Cases - -	114	119	82	98	85	105	111	131	125	90	113	89	92	1354
Deaths in Institutions	506	436	484	431	403	486	477	464	495	489	480	539	509	6199
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	58·5	60·0	61·9	59·9	60·8	66·9	63·3	58·1	54·5	54·5	55·3	56·3	53·1	58·7
Mean of Highest -	65·5	69·3	72·7	69·4	72·7	80·8	73·6	67·8	64·5	63·1	62·9	65·5	60·1	68·5
Mean of Lowest -	51·1	53·8	54·0	53·4	50·9	54·1	55·7	51·1	46·3	47·3	49·4	48·4	47·4	51·0
Mean Humidity of the Air.	77	82	71	79	76	70	79	83	75	83	86	87	94	80
Rain-fall (in inches) -	0·99	0·71	0·15	1·31	0·26	0·00	0·82	0·70	0·30	0·32	0·58	0·57	0·72	7·43
Registered Sunshine (in hours).	31·2	25·2	63·0	34·4	54·4	81·5	40·2	30·2	41·7	35·0	20·9	27·7	6·0	491·4
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - -	2647	2737	2731	2667	2564	2518	2411	2347	2377	2436	2553	2686	2737	2570
Diphtheria - - -	901	893	905	901	901	855	831	798	831	843	832	857	908	866
Typhus - - -	1	2	2	2	2	1	-	-	-	-	-	-	-	1
Enteric Fever - -	58	57	59	60	62	59	53	55	62	68	67	78	75	63

* The Metropolitan Asylums Board and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell, Esq. Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lander, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq. F.R.Met.Soc., Hull; the Meteorological Committee, Tynemouth: and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the THIRTY-NINTH Week of the Year 1909.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 39th week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.			
ALL CAUSES	1316·1	1079	260	80	71	115	231	322
Small-pox*	–	–	–	–	–	–	–	–
Cowpox	0·2	–	–	–	–	–	–	–
Measles (Morbilli)	12·7	3	–	3	–	–	–	–
Scarlet Fever	10·9	10	1	5	4	–	–	–
Typhus	–	–	–	–	–	–	–	–
Plague	–	–	–	–	–	–	–	–
Influenza	6·3	2	–	–	1	–	1	–
Whooping-cough	14·7	14	4	9	1	–	–	–
Diphtheria	16·4	13	2	5	6	–	–	–
Cerebro-spinal Fever ..	0·2	–	–	–	–	–	–	–
Pyrexia† (origin uncertain)	0·4	–	–	–	–	–	–	–
Enteric Fever	9·8	4	–	–	1	2	1	–
Asiatic Cholera	–	–	–	–	–	–	–	–
Epidemic Diarrhœa, Infective Enteritis	80·9	42	35	7	–	–	–	–
Diarrhœa, Dysentery ..	41·4	32	27	4	–	–	–	1
Tetanus	0·6	–	–	–	–	–	–	–
Rabies, Hydrophobia ..	–	–	–	–	–	–	–	–
Glanders	–	–	–	–	–	–	–	–
Anthrax (Splenic Fever)..	0·2	–	–	–	–	–	–	–
Venereal Dis.	6·1	6	5	–	–	–	1	–
Puerperal Septicæmia ..	2·7	1	–	–	–	1	–	–
Puerperal Pyæmia.. .	–	–	–	–	–	–	–	–
Puerperal Fever	0·2	1	–	–	–	1	–	–
Infective Endocarditis ..	3·7	3	–	–	1	2	–	–
Pneumonia: Lobar ..	11·3	13	–	1	–	1	5	6
Pneumonia: Broncho ..	37·5	21	8	5	2	–	2	4
Pneumonia: Epidemic ..	–	–	–	–	–	–	–	–
Pneumonia: Not defined	38·1	38	5	3	1	3	8	18
Erysipelas	4·7	5	–	2	–	–	1	2
Septicæmia (not Puerperal) ..	1·2	1	1	–	–	–	–	–
Pyæmia (not Puerperal)	0·4	1	1	–	–	–	–	–
Other Infective Processes	5·9	3	–	–	–	1	1	1
Tuberculous Phthisis ..	89·3	83	–	1	6	38	29	9
"*Phthisis*"	48·3	29	–	–	2	15	9	3
Tuberculous Meningitis ..	19·5	14	4	5	5	–	–	–
Tuberculous Peritonitis ..	11·9	6	1	1	–	3	1	–
Tabes Mesenterica	2·5	5	4	1	–	–	–	–
Tuberculous Dis., Other ..	17·2	11	4	–	2	4	1	–
Scrofula..	0·2	–	–	–	–	–	–	–
Alcoholism	10·4	5	–	–	–	2	3	–
Rheumatic Fever	4·3	5	–	–	3	2	–	–
Gout	2·5	1	–	–	–	–	–	1
Carcinoma	56·7	53	–	–	–	2	24	27
Sarcoma	4·9	10	–	–	1	3	5	1
Cancer (undefined) ..	31·5	37	–	–	–	–	18	19
Diabetes Mellitus	7·6	10	–	–	2	1	1	6
Premature Birth	44·4	34	34	–	–	–	–	–

CAUSES OF DEATH.	Corrected Average for the 39th week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.			
Meningitis (not tuberc.)..	12·3	12	3	1	3	4	–	1
Gen. Par. of Insane, Insanity	15·8	9	1	–	–	1	3	4
Epilepsy	5·9	1	–	–	–	1	–	–
Convulsions	19·0	10	9	1	–	–	–	–
Locomotor Ataxy.. ..	2·0	2	–	–	–	–	2	–
Paraplegia, Dis. of Cord.	6·3	–	–	–	–	–	–	–
Nervous Sys., Other Dis.	13·9	8	1	–	1	–	4	2
Valv. Dis., Endocarditis..	40·3	36	–	–	6	6	13	11
Cereb. Hæm. Cereb. Emb.	30·5	31	–	–	–	1	7	23
Apoplexy, Hemiplegia ..	13·5	14	–	–	–	–	3	11
Aneurysm	6·3	6	–	–	–	–	6	–
Embolism, Thrombosis (not Cerebral) ..	0·6	1	–	–	–	–	–	1
Heart & Blood Ves., Other Dis... ..	79·9	59	–	–	1	1	16	41
Croup (not Spasm: nor Memb.)	0·6	–	–	–	–	–	–	–
Bronchitis	53·8	46	14	1	–	1	4	26
Emphysema, Asthma ..	1·8	2	–	–	–	–	1	1
Pleurisy	3·9	2	–	–	–	1	–	1
Respiratory Dis, Other..	4·9	10	1	1	–	1	3	4
Tonsillitis, Quinsy.. ..	1·2	–	–	–	–	–	–	–
Enteritis (not Epid.) ..	21·3	18	9	2	2	–	3	2
Gastro-enteritis	20·1	23	15	4	1	–	1	2
Peritonitis (not Puerp.) ..	2·5	2	–	–	–	–	1	1
Cirrhosis of Liver.. ..	14·7	9	–	–	–	–	6	3
Liver Dis., Other	6·1	8	–	–	–	–	4	4
Digestive Sys., Other Dis.	33·0	28	6	1	7	–	7	7
Acute Nephritis	8·4	3	–	1	–	–	1	1
Bright's Dis., Albuminuria	35·8	33	–	–	–	3	16	14
Urinary Sys., Other Dis.	10·9	15	–	–	–	–	2	13
Generative Organs Dis...	2·7	1	–	–	–	1	–	–
Childbirth (Accid. of) ..	4·7	3	–	–	–	3	–	–
Old Age	45·5	38	–	–	–	–	–	38
Other Diseases	85·2	88	62	6	2	4	5	9
ACCIDENT.								
By Railways	1·6	1	–	–	–	–	1	–
By Vehicles and Horses..	7·6	9	–	1	4	–	1	3
In Ships, Boats, Docks, (exclusive of Drowning)	0·6	–	–	–	–	–	–	–
In Building Operations..	1·0	1	–	–	–	–	1	–
In Conflagrations	–	2	–	–	1	1	–	–
By Burns, Scalds, Explosions	3·5	5	–	4	1	–	–	–
By Drowning	3·1	3	–	1	–	1	1	–
By Suffocation in Bed ..	6·6	3	2	1	–	–	–	–
By Poisons or Poisonous Vapours	2·7	5	–	–	2	2	1	–
Other Deaths by Accident..	15·6	10	1	3	–	–	5	1
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	0·6	1	–	–	–	–	1	–
Suicide	12·1	5	–	–	2	2	1	–
Execution	–	–	–	–	–	–	–	–

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 2nd October, 1909.

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexiæ* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified causes of Death.
LONDON	4,536,267	2057	1079	260	322	–	3	10	13	14	–	4	–	74	45	92	509	1
WEST DISTRICTS	805,311	262	177	41	60	–	–	1	3	1	–	1	–	15	11	18	90	–
NORTH DISTRICTS	1,055,908	445	240	51	93	–	–	1	–	3	–	–	–	11	9	25	89	–
CENTRAL DISTRICTS	209,465	88	62	16	6	–	–	–	1	1	–	–	–	5	4	6	46	–
EAST DISTRICTS	715,739	417	199	62	39	–	2	1	–	6	–	–	–	19	7	14	96	–
SOUTH DISTRICTS	1,749,844	845	369	89	119	–	1	7	9	3	–	3	–	24	14	29	156	1
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	–	32	1	5	–	–	–	–	–	–	–	–	–	–	–	32	–
WEST DISTRICTS.																		
North Paddington *H*	63,603	21	8	–	4	–	–	–	–	–	–	1	–	–	2	2	–	–
Central Paddington *W,3H*	50,053	22	31	7	9	–	–	–	–	–	–	–	–	1	3	3	19	–
South Paddington	30,320	4	3	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Kensington Town *2W,w,2H* ..	128,037	43	32	6	11	–	–	–	–	–	–	–	–	4	1	3	23	–
Brompton *2H*	48,591	6	9	–	6	–	–	–	–	–	–	–	–	1	–	1	2	–
North Hammersmith *2W,w,H* ..	49,192	13	14	4	7	–	–	–	–	–	–	–	–	1	–	1	3	–
South Hammersmith *w,2H* ..	63,047	19	7	2	–	–	–	–	–	–	–	–	–	1	1	2	2	–
North-west Fulham *W*	45,180	33	17	7	4	–	–	1	1	–	–	–	–	3	1	2	12	–
North-east Fulham *F*	46,405	22	10	2	4	–	–	–	2	–	–	–	–	–	–	–	2	–
South Fulham *W*	45,704	24	5	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Chelsea North *W,w,3H*	42,514	13	14	–	7	–	–	–	–	–	–	–	–	–	–	–	13	–
Chelsea South *W,2H*	31,328	6	6	5	–	–	–	–	–	–	–	–	–	3	1	2	4	–
Mayfair and Knightsbridge	28,743	4	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Belgrave *W,2H*	55,815	15	7	2	2	–	–	–	–	–	–	–	–	–	1	1	1	–
St. Margaret & St. John *6H*	43,698	10	7	3	1	–	–	–	–	–	–	–	–	1	1	1	6	–
St. James and St. Anne *W,6H* ..	33,081	7	6	2	1	–	–	–	–	–	–	–	–	–	–	–	3	–
NORTH DISTRICTS.																		
All Souls Marylebone *7H*	35,391	13	15	1	2	–	–	–	–	–	–	–	–	–	–	1	9	–
St. Mary Marylebone *W,4H* ..	37,948	35	10	2	4	–	–	–	–	–	–	–	–	–	–	–	2	–
Christchurch Marylebone	39,536	13	3	2	–	–	–	–	–	–	–	–	–	–	2	3	–	–
St. John Marylebone *2H*	20,426	4	4	–	2	–	–	–	–	–	–	–	–	–	–	–	2	–
Hampstead *W,F,6H*	81,942	22	7	1	4	–	–	–	–	–	–	–	–	–	–	1	2	–
West St. Pancras *2H*	60,562	22	9	–	7	–	–	–	–	–	–	–	–	–	–	–	–	–
South St. Pancras *w,10H*	55,707	22	14	4	1	–	–	–	–	1	–	–	–	1	–	–	11	–
East St. Pancras *W,H*	60,320	32	20	4	9	–	–	–	–	–	–	–	–	1	1	2	7	–
North St. Pancras *2W*	58,728	21	12	2	5	–	–	–	–	–	–	–	–	–	–	–	8	–
Tufnell *W*	31,995	11	18	4	10	–	–	–	–	–	–	–	–	2	1	3	13	–
Upper Holloway *2W,w,H*	33,978	15	20	4	6	–	–	–	–	2	–	–	–	–	1	2	14	–
Tollington *W,w,H*	33,922	10	3	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Lower Holloway	41,424	19	8	3	3	–	–	–	–	–	–	–	–	1	–	–	–	–
Barnsbury	54,478	19	6	1	3	–	–	–	–	–	–	–	–	1	–	2	–	–
Islington South-east *F*	75,397	27	17	5	6	–	–	–	–	–	–	–	–	1	–	3	–	–
Highbury *2H*	63,797	22	10	1	7	–	–	–	–	–	–	–	–	–	–	1	1	–
Stoke Newington *H*	51,247	18	8	1	4	–	–	–	–	–	–	–	–	–	1	2	–	–
North Hackney	50,398	20	12	5	4	–	–	–	–	–	–	–	–	1	–	–	–	–
Central Hackney *w,F*	50,536	24	10	3	4	–	–	1	–	–	–	–	–	1	1	1	2	–
South-west Hackney *3H*	59,921	49	13	4	5	–	–	–	–	–	–	–	–	1	1	3	2	–
South-east Hackney *2W,H*	58,255	27	21	4	5	–	–	–	–	–	–	–	–	1	1	1	16	–
Hackney Union Workhouse, Brentwood	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c. registered in each SUB-DISTRICT during the Week ended Saturday, 2nd October, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
St. Giles and Bloomsbury 2*W*,2*H* ..	31,436	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Strand *W*,4*H*	21,674	5	7	-	2	-	-	-	-	-	-	-	-	-	-	1	6	-
Strand Union Workhouse, Edmonton	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Holborn *W*,5*H*	29,612	10	19	12		-	-	-	-	1	-	-	-	3	-	-	17	-
Clerkenwell *H*	63,704	35	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Luke 3*H*,*L*	36,116	29	5	1	1	-	-	-	-	-	-	-	-	1	1	1	2	-
Holborn Union Workhouse, Mitcham	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
St. Botolph *H*	10,299	3	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	2	20	2	-	-	-	-	1	-	-	-	-	1	3	4	16	-
City of London Asylum, Stone	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
EAST DISTRICTS.																		
Shoreditch South 3*H*	46,362	26	6	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Shoreditch North-West *W*,*w*,*H* ..	36,127	20	23	6	8	-	-	-	-	1	-	-	-	1	-	-	13	-
Shoreditch North-East	36,148	24	7	4	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	22	21	7	2	-	-	1	-	3	-	-	-	4	-	-	15	-
Bethnal Green South-West *H* ..	64,542	43	5	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Spitalfields..	27,969	17	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Mile End New Town *W*,*H*	28,718	20	31	10	1	-	-	-	-	-	-	-	-	5	3	5	25	-
Goodman's Fields	22,081	7	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George and St. John 2*W* ..	49,068	23	9	3	3	-	-	-	-	-	-	-	-	1	-	-	2	-
Shadwell and Ratcliff *w*,*H* ..	25,568	12	11	6	-	-	1	-	-	1	-	-	-	2	-	-	11	-
Limehouse *W*	32,369	17	4	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-
Mile End Old Town South-Western *H*	63,698	62	6	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Mile End Old Town North-Eastern *W*,*w*	49,129	23	15	1	7	-	-	-	-	-	-	-	-	-	-	-	9	-
Bow	41,989	28	9	3	-	-	-	-	-	-	-	-	-	1	1	1	-	-
Bromley 3*w*,*H*	68,319	37	34	5	8	-	-	-	-	-	-	-	-	2	3	3	20	-
Poplar *W*,*w*	58,514	36	13	6	2	-	-	-	-	-	-	-	-	3	-	2	1	-
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 2nd October, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch and St. Saviour Southwark *W,2H*	23,319	5	14	3	3	-	-	-	1	-	-	-	-	-	1	3	12	-
Kent-road	21,904	10	3	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-
St. George the Martyr West *W,2H,L*	39,094	19	7	2	2	-	-	-	-	1	-	-	-	1	-	1	2	-
Newington North	49,022	25	6	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Newington South *W*	72,841	36	10	3	2	-	-	-	-	-	-	-	-	2	-	1	1	-
St. Olave *2W*	9,817	2	3	-	2	-	-	-	-	-	-	-	-	-	1	1	1	-
Bermondsey *W*	82,483	43	16	5	4	-	-	-	-	-	-	-	-	1	1	2	-	-
Rotherhithe *W,F*	38,460	29	11	3	4	-		-	-	-	-	-	-	2	-	-	7	-
Waterloo *2H*	27,440	23	8	6	1	-	-	-	-	-	-	-	-	3	-	1	4	-
Lambeth Church *H*	27,440	11	20	2	7	-	-	-	-	-	-	-	-	2	1	2	17	-
Kennington *2W*	52,518	22	26	6	11	-	-	-	-	-	-	-	-	-	1	2	19	-
Stockwell *HF*	63,826	29	15	5	2	-	-	1	2	-	-	1	-	2	-	1	6	-
Brixton *H*	73,673	19	5	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Norwood *2WH*	56,998	21	10	2	6	-	-	-	-	-	-	-	-	-	-	-	-	1
East Battersea *H*	72,203	42	7	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-
North-west Battersea	49,656	32	6	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
South-west Battersea *2W,H*	47,048	10	17	4	5	-	-	-	-	-	-	-	-	-	1	1	16	-
Clapham *2H*	51,361	22	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Streatham *W,2w,2F,2L*	88,019	54	23	5	8	-	-	1	1	-	-	-	-	1	2	2	9	-
Springfield *2W,L*	27,959	24	11	4	1	-	-	-	-	-	-	1	-	1	1	2	1	-
Southfields *H*	40,444	23	2	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Putney	24,139	11	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich	13,359	6	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	16	15	1	9	-	-	-	-	-	-	-	-	-	-	-	13	-
Camberwell North *W,2L*	65,584	32	15	1	6	-	-	-	-	-	-	-	-	-	-	1	10	-
St. George	47,331	23	9	4	1	-	-	-	-	-	-	-	-	1	-	2	-	-
Peckham North	48,913	24	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peckham South *2W,w*	43,946	10	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Deptford North	37,613	23	12	5	4	-	-	-	-	1	-	-	-	1	-	-	-	-
Deptford Central *F*	45,481	26	3	-	1	-	1	-	-	-	-	-	-	-	-	1	1	-
Deptford South	34,625	12	3	-	2	-	-	-	-	-	-	-	-	-	1	1	-	-
Greenwich West *H*	23,456	8	6	2	3	-	-	-	-	-	-	-	-	1	-	1	-	-
Greenwich East *2W,H*	43,859	28	17	1	5	-	-	-	-	-	-	-	-	-	-	-	14	-
Eltham *w,H*	7,226	4	2	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-
Lee *w,H*	25,490	10	1	1	-	-		-	-	-	-	-	-	-	-	-	-	-
Lewisham *2W,w,F*	58,352	34	21	5	5	-	-	3	5	-	-	-	-	1	1	1	15	-
Sydenham *H*	43,653	20	9	1	4	-	-	-		-	-	-	-	-	1	1	-	-
Charlton *F,2H*	21,134	6	6	2	-	-	-	2	-	-	-	1	-	-	1	1	4	-
Woolwich *5H*	41,625	18	5	1	3	-	-	-	-	-	-	-	-	1	1	1	1	-
Plumstead West *W,H*	39,376	20	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *2W*	28,951	13	4	-	3	-	-	-	-	-	-	-	-	-	-	-	2	-
Workhouses:—																		
Belmont Workhouse	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
M. A. B. Small-pox Hospitals:—																		
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																		
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																		
Children's Infirmary, Carshalton	—	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-
M. A. B. Imbecile Asylums:—																		
Caterham	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Darenth	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden	—	-	8	-	2	-	-	-	-	-	-	-	-	-	-	-	8	-
London County Lunatic Asylums:—																		
Banstead	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Manor	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Grove	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cane Hill	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
Dartford Heath	—	-	6	-	1	-	-	-	-	-	-	-	-	-	-	-	6	-
Hanwell	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	
Colney Hatch	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Claybury	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERATED POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 2nd October, 1909.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of
	LONDON—OUTER RING ..	368,603	2,045,135	1132	437	114	133	-	1	4	2	9	-	33	19	43	95	
30 : 1	Carshalton 2F,3H	12,228	32,997	14	8	2	5	-	1	-	-	-	-	1	-	-	1	
2	Epsom, *part of** W,v,2F,H..	10,423	15,548	14	5	-	2	-	-	-	-	-	-	-	-	-	4	
37 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
38 : 1	Coulsdon	11,069	8,166	3	1	-	-	-	-	-	-	-	-	-	-	-	-	
2	South Croydon w,H ..	4,200	49,309	14	9	2	2	-	-	-	-	-	-	-	-	-	-	
3	West Croydon 3W,F,H ..	2,168	42,888	38	17	6	6	-	-	1	-	-	-	-	-	2	8	
4	North Croydon H	2,644	41,698	19	4	2	1	-	-	-	-	-	-	-	1	1	-	
5	Penge w	770	23,465	4	6	1	4	-	-	-	-	-	-	-	-	-	-	
6	Mitcham w	11,711	30,015	28	8	3	1	-	-	-	-	-	-	2	-	1	-	
39 : 1	Wimbledon F,3H	3,221	41,652	16	11	5	1	-	-	-	-	1	-	3	-	-	1	
2	Kingston 2W,H	6,224	42,068	23	10	-	2	-	-	-	-	-	-	-	1	1	3	
3	Surbiton F,H	3,046	15,017	4	1	-	1	-	-	-	-	-	-	-	-	-	-	
4	Esher, *part of** H	5,402	13,100	9	3	1	2	-	-	-	-	-	-	-	1	2	-	
5	Hampton H,F,L	4,564	23,456	10	3	1	-	-	-	-	-	-	-	-	-	-	-	
40 : 1	Richmond W,H	2,491	31,672	14	4	2	1	-	-	-	-	-	-	-	-	-	1	
2	Mortlake F	2,518	17,821	12	1	1	-	-	-	-	-	-	-	1	-	-	-	
41 : 1	Bromley F,3H	4,703	27,354	10	6	2	2	-	-	-	-	-	-	1	1	1	1	
2	Beckenham H	7,825	28,497	14	10	4	4	-	-	-	-	-	-	-	1	2	1	
3	Orpington, *part of** W,F ..	10,113	9,857	8	4	-	3	-	-	-	-	-	-	-	-	-	3	
4	Chislehurst 2H	7,333	16,446	7	1	-	-	-	-	-	-	-	-	-	-	-	-	
42 : 1	Bexley w,F,H	8,678	21,151	19	1	1	-	-	-	-	-	-	-	-	-	1	-	
2	Erith F,H	3,854	25,296	8	9	3	1	-	-	-	-	-	-	1	2	2	1	
3	Dartford W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
124 : 1	Sunbury w	11,054	18,683	5	3	-	1	-	-	-	-	-	-	-	-	-	-	
2	Staines W,H	13,277	15,178	7	3	-	1	-	-	-	-	-	-	-	-	-	-	
125 : 1	Hillingdon W,F,H	6,035	13,661	10	3	1	1	-	-	-	-	-	-	-	-	-	-	
2	Uxbridge H	12,757	8,984	4	5	2	1	-	-	-	-	1	-	-	-	-	-	
3	Hayes w 2F,H	8,066	16,358	13	3	2	-	-	-	-	-	-	-	2	-	-	-	
126 : 1	Isleworth 3W,3F,H	6,859	30,863	16	12	4	4	-	-	-	-	-	-	2	1	1	5	
2	Twickenham F,2H	2,421	20,991	9	5	3	1	-	-	-	-	-	-	-	-	1	1	
3	Brentford 3F,2H	4,319	48,289	43	6	1	2	-	-	-	-	-	-	1	-	-	1	
4	Chiswick H	1,249	29,809	14	2	2	-	-	-	-	-	-	-	-	-	-	-	
5	Acton w,F,3H	6,132	48,914	35	13	4	6	-	-	-	-	-	-	2	-	-	-	
127A: 1	Harrow F,H	13,809	25,523	16	6	2	3	-	-	-	1	-	-	1	-	-	1	
2	Edgware 2F,2H	6,994	4,521	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Hendon W,F	8,382	22,450	15	4	-	1	-	-	-	-	-	-	-	-	-	2	
127B: 1	Willesden† W,F,2H	4,384	114,811	73	19	4	6	-	-	1	-	-	-	4	1	2	2	
128 : 1	South Mimms 2F,H ..	17,755	7,308	1	2	-	1	-	-	-	-	-	-	-	-	-	-	
2	Barnet W,2H	3,324	17,970	5	3	1	1	-	-	-	-	-	-	-	-	-	1	
3	Finchley F,3H	4,688	33,692	20	4	1	2	-	-	-	-	-	-	1	-	-	-	
129 : 1	Hornsey F,H	2,875	72,056	25	9	-	3	-	-	-	-	-	-	-	-	2	-	
2	Wood Green H	1,626	34,233	14	2	-	1	-	-	-	-	-	-	-	-	-	1	
3	West Tottenham	995	48,741	20	10	2	3	-	-	-	-	2	-	-	-	1	-	
4	East Tottenham 2H ..	2,019	53,962	29	11	2	4	-	-	-	-	-	-	-	1	2	2	
5	Edmonton W,w,2F	7,491	61,892	52	21	6	8	-	-	-	-	-	-	3	-	1	7	
6	Enfield 2W,F,H	12,601	42,738	16	13	2	4	-	-	-	-	2	-	-	2	4	2	
7	Waltham Abbey F	11,017	6,549	3	3	1	1	-	-	-	-	-	-	-	-	-	-	
8	Cheshunt F,H	8,479	12,292	6	-	-	-	-	-	-	-	-	-	-	-	-	-	
135 : 1	Hatfield, *part of** W ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
137 : 1	Bushey, *part of** H ..	9,195	7,051	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Watford, *part of** W,2F ..	138	2,122	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
186 : 1	Stratford H	1,091	52,974	31	11	4	2	-	-	-	-	-	-	-	1	1	2	
2	Forest Gate	787	52,745	16	4	1	-	-	-	-	-	1	-	-	-	-	-	
3	Plaistow F,2H	1,249	90,921	53	11	2	3	-	-	1	-	1	-	-	-	-	2	
4	Canning Town H	1,556	70,718	48	16	6	1	-	-	-	-	-	-	2	-	2	-	
5	South East Ham 2F ..	1,991	37,342	25	10	3	-	-	-	-	-	-	-	-	-	2	-	
6	North East Ham w,H ..	1,333	58,666	27	8	2	2	-	-	-	-	-	-	-	1	1	-	
7	Wanstead F	1,679	9,179	5	1	-	-	-	-	-	-	-	-	-	-	-	-	
8	South Leyton 2W	631	50,467	20	14	3	7	-	-	-	-	-	-	1	1	1	6	
9	North Leyton 2W,w,F ..	1,963	48,445	46	33	6	11	-	-	-	-	1	-	2	1	1	26	
10	Walthamstow 2H,L ..	6,504	108,929	65	14	3	4	-	-	-	-	-	-	-	2	4	-	
187 : 1	Chigwell 2F,3H	11,778	16,397	8	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Epping W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
189 : 1	Romford, *part of** W,2F ..	6,556	6,091	3	2	-	1	-	-	-	-	-	-	-	-	-	2	
2	Ilford F,L	8,496	41,244	24	6	3	2	-	-	-	-	-	-	-	1	3	-	
3	Barking Town F	3,805	21,547	15	11	5	2	-	-	1	-	-	-	3	-	-	1	
	N.E. Hospital, Tottenham..	—	—	-	1	-	-	-	-	-	1	-	-	-	-	-	1	
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	
	Middlesex County Lunatic Asylum, Napsbury.	—	—	-	4	-	3	-	-	-	-	-	-	-	-	1	4	
	Herts County Lunatic Asylum, Hill End.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30 : 2, excepting Ashtead parish; 37 : 1, Warlingham and Farley parishes; 39 : 4, excepting Esher parish; 41 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135 : 1, Northaw parish; 137 : 1, excepting the part in Watford Rural parish; 137 : 2, Oxhey parish; 189 : 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42 : 3, 137 : 2 and in 187 : 2 and in the Croydon Mental Hospital in 37 : 1 are also included. † On 1st October, 1909, Willesden sub-district of Hendon district was created a Registration District.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths.	Annual Death-rate per 1000 living.	Deaths from Small-pox	Measles.	Scarlet Fever	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON - -	4,833,938	October 2	2057	1079	11·6	-	3	10	13	14	4	74
CALCUTTA - -	1,009,008	September 4	-	401	20·6	1	-	-	2	-	62†	33‡
BOMBAY - -	982,000	" 7	372	602	32·0	1	1	-	-	-	78†	87‡
MADRAS - -	548,974	" 3	461	332	33·8	2	1	?	?	?	93	48
PARIS - - -	2,760,000	" 25	874	720	13·7	-	7	1	4	6	6	48
BRUSSELS - -	704,975	" 25	310	164	12·1	-	-	1	1	1	1	29
ANTWERP - -	314,135	" 25	121	59	22·3	-	-	-	-	-	-	15
AMSTERDAM -	565,553	" 25	258	121	11·2	-	2	-	-	3	1	4
COPENHAGEN -	448,000	" 25	264	94	10·9	-	-	-	-	1	-	11
STOCKHOLM -	339,582	" 18	162	86	13·2	-	-	-	-	3	-	2
CHRISTIANIA -	235,674	" 25	143	48	10·6	-	1	-	-	1	-	-
ST. PETERSBURG	1,573,000	" 18	810	717	23·8	4	10	18	11	9	5	194‡
MOSCOW - -	1,452,100	" 18	-	824	29·6	-	12	20	12	6	3	323‡
BERLIN - -	2,102,056	" 11	806	580	14·4	-	4	10	8	10	1	103
HAMBURG - -	872,252	" 25	-	258	15·4	-	1	4	12	1	-	41
BRESLAU - -	502,676	" 18	-	182	18·9	-	1	-	-	2	-	45
MUNICH - -	566,000	" 25	-	184	16·9	-	-	2	2	1	-	31
VIENNA - -	2,064,037	" 25	806	561	14·1	-	-	1	3	1	2	107
PRAGUE - -	485,057	" 25	168	162	17·4	-	1	-	1	-	1	21
BUDAPEST - -	823,215	" 18	480	266	16·8	-	1	2	2	2	9	39
TRIESTE - -	217,706	" 25	157	112	26·8	-	1	-	-	1	2	32
ROME - - -	565,323	June 26	243	168	15·5	-	5	-	1	1	2	18
VENICE - -	179,286	July 31	-	-	-	-	-	-	-	-	-	-
BUCAREST - -	296,585	September 18	-	-	-	-	-	-	-	-	-	-
NEW YORK -	4,564,792	" 11	2311	1317	15·0	-	6	4	23	17	25	220
CHICAGO - -	2,224,490	" 11	-	562	13·2	-	1	4	7	8	6	143
PHILADELPHIA -	1,565,569	August 21	-	401	13·3	-	3	-	2	2	4	74
RIO DE JANEIRO	637,089	" 29	-	241	19·7	1	-	-	2	1	1†	?
CAIRO:—												
Egyptians -	666,587	September 2	530	505	39·2	1	2	-	22	?	12	153
Foreigners -	35,219	" 2	9	9	13·3	-	-	-	-	?	-	1
ALEXANDRIA:—												
Egyptians -	341,965	" 2	227	248	37·4	-	-	-	2	?	8	70
Foreigners -	46,118	" 2	10	21	23·7	-	-	-	2	?	3	4

* Excluding deaths from croup in the Indian Cities.
† Including 9 deaths from plague in Calcutta, 27 in Bombay, and 1 in Rio de Janeiro.
‡ Including 5 deaths from cholera in Calcutta, 27 in Bombay, 90 in St. Petersburg, and 2 in Moscow.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 2nd October, 1909.

Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	66·0	43·1	53·8	0·72	BRADFORD - -	64·6	44·2	52·4	0·75
BRIGHTON - -	64·0	45·7	55·5	0·89	YORK - - -	66·0	43·0	53·7	0·67
PORTSMOUTH - -	66·0	47·3	56·0	1·68	HULL - - -	68·0	45·0	53·7	0·21
NORWICH - -	-	-	-	-	TYNEMOUTH - -	66·0	48·0	53·3	0·52
PLYMOUTH	64·9	45·1	56·2	0·84	CARDIFF - - -	64·1	47·1	54·7	2·90
BRISTOL - -	66·0	46·0	55·2	1·46	EDINBURGH - -	62·5	43·8	50·6	0·71
BIRMINGHAM - -	66·0	46·8	53·5	1·34	GLASGOW - -	62·4	38·0	50·9	0·58
NOTTINGHAM - -	62·5	46·1	53·3	0·64	DUBLIN Phœnix Park	65·0	40·9	53·6	0·99
LIVERPOOL OBSERVATORY	65·0	48·0	54·4	1·26	DUBLIN Fitzwilliam Square†	65·3	46·0	55·3	1·03
MANCHESTER -	64·8	47·8	54·2	0·92					
BURNLEY - -	63·0	45·0	52·6	0·66					
HUDDERSFIELD -	63·3	44·3	52·2	0·66	BELFAST - - -	60·0	39·0	52·1	0·76

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to the seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°·1 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 2nd October, 1909.

[*Under the Superintendence of the Astronomer Royal.*]

1909. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est.	Daily Range.	Mean daily value.	Departure from Average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
SEPTEMBER.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 26	..	30·021	62·8	46·6	16·2	52·6	− 2·6	50·4	2·2	10·9	0·0	92	92·2	37·5	57·58	NNW. & N.	NNW., N. & NNE.	2·3	0·0	0·1	240	− 10	0·16	0·0
MONDAY - 27	..	30·025	58·2	43·1	15·1	49·7	− 5·4	44·9	4·8	11·8	1·1	83	104·0	34·5	57·59	NNW., N. & NE.	NE., SE. & S.	0·2	0·0	0·0	125	−126	0·00	3·0
TUESDAY - 28	..	29·861	54·1	43·1	11·0	49·5	− 5·4	49·3	0·2	2·7	0·0	99	64·0	34·9	57·31	Calm & variable.	S. & SSE.	0·0	0·0	0·0	99	−155	0·22	0·0
WEDNESDAY 29	Full. Perigee.	29·693	57·0	50·4	6·6	53·2	− 1·5	52·8	0·4	3·2	0·0	99	76·9	43·2	57·00	S., SSE. & SE.	ESE., E. & NE.	0·1	0·0	0·0	118	−139	0·34	0·0
THURSDAY - 30	In Eqr.	29·733	57·0	48·1	8·9	51·7	− 2·7	50·7	1·0	4·6	0·0	96	78·5	35·4	56·80	N., variable & calm.	SSW., calm & SE.	0·1	0·0	0·0	89	−172	0·00	0·0
OCTOBER. FRIDAY - 1	..	29·448	66·0	49·2	16·8	57·5	+ 3·4	56·0	1·5	8·5	0·0	95	102·4	36·4	56·78	ESE., ENE. & SE.	SE., calm & variable.	0·0	0·0	0·0	100	−165	0·00	1·0
SATURDAY - 2	..	29·669	65·8	51·4	14·4	57·2	+ 3·5	55·1	2·1	11·0	0·0	93	108·0	42·8	56·72	S., SW. & W.	WSW. & SW.	0·8	0·0	0·0	157	−113	0·00	0·2
MEANS - -		29·779	60·1	47·4	12·7	53·1	− 1·5	51·3	1·7	7·5	0·2	94	89·4	37·8	57·11	Variable		..	..	..	Sum 928	Sum −880	Sum 0·72	0·6
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. SEPTEMBER.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.
SUNDAY - 26	w. P. generally.	0·8	12·0
MONDAY - 27	w. P. throughout.	1·0	11·9
TUESDAY - 28	w. P. generally; occasional w. N. after 10h. A.M.	0·0	11·8
WEDNESDAY 29	w. P. generally; occasional w. N.	0·0	11·8
THURSDAY - 30	w. P. throughout.	0·3	11·7
OCTOBER. FRIDAY - 1	w. P. throughout.	0·0	11·6
SATURDAY - 2	w. P. generally.	3·9	11·6
		Sum 6·0	Sum 82·4
No. of Col. - -	27	28	29

GENERAL REMARKS.

Generally overcast with occasional showers till afternoon; fine and partially cloudy after 3h. P.M.; heavy rain at and about 2h. P.M. Lunar halo observed at night.

Generally overcast; occasional fine intervals. Solar halo observed at 11h. A.M.

Overcast with slight exceptions; nearly continuous rain after 8h. A.M.

Generally overcast with frequent rain till evening; fine interval after 9h. P.M.

Fine with low fog in early morning; overcast between 6h. A.M. and 6h. P.M.; fine with variable amounts of cloud afterwards; very humid.

Generally cloudy; light showers in morning; very humid.

Generally overcast till 10h. 30m. A.M.; fine with variable amounts of cloud afterwards; low fog in early morning.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·95 in. at the beginning of the week to 30·06 in. by 8h. P.M. on Sept. 26th; decreased to 29·67 in. by 5h. P.M. on Sept. 29th; increased to 29·78 in. by 10h. A.M. on Sept. 30th; decreased to 29·41 in. by 4h. P.M. on Oct. 1st; and increased to 29·76 in. by midnight on Oct. 2nd.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 25th September, 1909.*

BOROUGHS.	Estimated Population in the middle of 1909.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	151,955	-	20	2	-	1	-	-	2	-	-
Kensington	183,683	-	17	7	-	-	-	-	4	-	-
Hammersmith	125,704	-	3	2	-	-	-	-	-	-	-
Fulham	176,406	-	14	3	-	-	-	-	2	-	-
Chelsea	75,249	-	10	3	-	1	-	-	1	-	-
City of Westminster ..	168,883	-	11	3	-	-	-	-	2	-	-
NORTH.											
St. Marylebone	126,027	-	15	4	-	2	-	-	1	-	-
Hampstead	94,185	-	6	3	-	2	-	-	-	-	-
St. Pancras	237,422	-	26	8	-	-	-	-	4	1	1
Islington	351,202	-	21	9	-	6	-	-	7	-	-
Stoke Newington	54,423	-	-	-	-	-	-	-	-	-	-
Hackney	237,601	-	30	2	-	-	-	-	7	-	-
CENTRAL.											
Holborn	53,802	-	1	1	-	-	-	-	-	1	-
Finsbury	95,289	-	1	4	-	2	-	-	6	-	-
City of London	18,193	-	-	2	-	-	-	-	-	-	-
EAST.											
Shoreditch	114,802	-	9	3	-	2	-	-	3	-	-
Bethnal Green	131,316	-	34	-	-	1	-	-	3	-	-
Stepney	312,525	-	26	12	-	1	-	-	13	-	-
Poplar	171,965	-	17	8	-	2	-	-	5	-	-
SOUTH.											
Southwark	211,125	-	23	2	-	-	-	-	3	-	-
Bermondsey	127,569	-	8	7	-	-	-	-	2	-	-
Lambeth	324,188	-	24	6	-	2	-	-	4	-	-
Battersea	186,036	-	17	6	-	2	-	-	6	-	-
Wandsworth	297,646	-	23	5	-	1	-	-	1	1	-
Camberwell	283,022	-	28	12	-	-	-	-	5	-	-
Deptford	118,583	-	7	2	-	5	1	-	3	-	-
Greenwich	111,014	-	4	3	-	-	1	-	3	1	-
Lewisham	160,749	-	25	8	-	-	-	-	2	1	-
Woolwich	133,374	-	27	7	-	-	-	-	3	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,833,938	-	447	134	-	30	2	-	92	5	1
Ages 0-1		-	4	3	-	-	-	-	3	-	1
„ 1-5		-	146	43	-	1	-	-	5	-	-
„ 5-		-	188	48	-	5	2	-	3	-	-
„ 10-		-	82	11	-	6	-	-	5	-	-
„ 15-		-	10	8	-	2	-	-	9	-	-
„ 20-		-	6	9	-	3	-	-	9	1	-
„ 25-		-	9	5	-	7	-	-	8	2	-
„ 35-		-	1	4	-	5	-	-	10	2	-
„ 45-		-	1	1	-	1	-	-	16	-	-
„ 55-		-	-	2	-	-	-	-	11	-	-
„ 65 and upwards		-	-	-	-	-	-	-	13	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY DARLING & SON, LTD., 34-40 BACON STREET, E

1909

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 40. 1909. VOL. LXX.] WEEK ENDED SATURDAY, OCT. 9. [Price 1½*d.*

General Register Office, Somerset House,
October 11th, 1909.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 12·9 per 1000 of their aggregate population, which is estimated † at 16,445,281 persons in the middle of this year. In the preceding three weeks the rates had been 13·0, 12·6, and 12·3. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 17·0 in St. Helens, 17·2 in Burnley, 18·0 in Newport (Mon.), 19·0 in Wigan and in Salford, 19·3 in Huddersfield and in Merthyr Tydfil, 19·5 in Bootle, and 21·1 in Bury; from *measles*, 1·3 in Coventry and in Merthyr Tydfil, and 2·0 in Newport (Mon.); from *diphtheria*, 1·5 in Hanley; from "*fever*," 1·5 in West Bromwich; and from *diarrhœa*, 2·1 in Walsall, 2·4 in Gateshead, 2·5 in Hull, and 2·9 in Great Yarmouth. One death from *small-pox* was registered in London, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2292 BIRTHS and 1127 DEATHS were registered. Allowing for increase of population, the births were 73 and the deaths 137 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-five other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(14466—41.) Wt. 109—472. 700. 10/09. D & S. G. 31. Sch. 4. 2 R

causes, which had been 12·4, 12·2, and 11·6 per 1000 in the preceding three weeks, was 12·2 last week. The death-rate in the four weeks ended last Saturday averaged 12·1 per 1000, being 2·0 per 1000 below the mean rate in the corresponding periods of the five years 1904–8.

The 1127 deaths included 1 from small-pox, 6 from measles, 10 from scarlet fever, 4 from diphtheria, 21 from whooping-cough, 2 from enteric fever, and 60 from diarrhœa; but not one death from typhus or from ill-defined pyrexia: thus, to these diseases in the aggregate 104 deaths were referred, being 45 below the corrected average number in the fortieth week of the preceding five years.

The death from *small-pox* belonged to the Borough of Stepney. The deaths from *measles*, which had been 5, 5, and 3 in the preceding three weeks, rose to 6 last week, but were 4 below the corrected average. The deaths from *scarlet fever*, which had been 2, 8, and 10 in the preceding three weeks, were again 10 last week, the corrected average being 11; 3 deaths belonged to the Borough of Bethnal Green. The deaths from *diphtheria*, which had been 7, 16, and 13 in the preceding three weeks, fell to 4 last week, and were 11 below the corrected average. The deaths from *whooping-cough*, which had been 13, 14, and 14 in the preceding three weeks, rose to 21 last week, and were 9 above the corrected average; 3 deaths belonged to Stepney and 3 to Poplar. The deaths from *enteric fever*, which had been 1, 2, and 4 in the preceding three weeks, were 2 last week, and were 6 below the corrected average. The deaths from *diarrhœa*, which had been 129, 114, and 74 in the preceding three weeks, fell to 60 last week, and were 33 below the corrected average; 7 deaths belonged to Poplar, 6 to Stepney, and 5 each to Shoreditch, Bethnal Green, and Camberwell. Of the 60 deaths from diarrhœa, 53 were those of children under 5 years of age; 17 other deaths at this age were certified as due to *enteritis* and 10 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 7, having been 5, 1, and 2 in the preceding three weeks.

Different forms of violence caused 35 deaths, concerning all but one of which inquests were held. Of these 35 deaths, 9 were cases of suicide, and 2 of homicide, while the remaining 24 were attributed to accident or negligence. Two of these latter were referred to burns or scalds, one to a conflagration, three to drowning, and two, of infants under one year of age, to suffocation in bed. One death occurred while under an anæsthetic administered for surgical purposes.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 2745 cases of scarlet fever, 928 of diphtheria, and 82 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 1 case, against 0, 0, and 0; of scarlet fever, 324 cases, against 421, 438, and 373; of diphtheria, 114 cases, against 97, 122, and 144; and of enteric fever, 14 cases, against 9, 19, and 6. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended October 2nd, 1909.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 3606 births and 1584 deaths were registered. Allowing for increase of population, these numbers are 109 and 222 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 1 death from scarlet fever, 4 from diphtheria, 1 from whooping-cough, 1 from "fever," and 21 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·63 inches, and that of the Thermometer 55°·8, the latter being 3°·3 above the week's average in the 65 years ended 1905. The general direction of the wind was South-Westerly, the horizontal movement of the air being 24 per cent. above the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 33·7 hours; the measured rainfall amounted to 1·01 inches.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 9th October, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1909.*	Death-Rates from all Causes. Week ended 18th Sept., 1909.	25th Sept. 1909.	2nd Oct., 1909.	9th Oct., 1909.	Rate from Diseases in Cols. 11-17. Week ended 9th October, 1909.	Registered during the Week ended 9th Oct., 1909. Births.	Deaths.	The Deaths registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17	18.	19.	20.	21.	Cols.
76 TOWNS	**16,445,281**	**13·0**	**12·6**	**12·3**	**12·9**	**1·3**	**7920**	**4066**	**1012**	**1146**	**1**	**30**	**40**	**28**	**49**	**24**	**230**	**145**	**321**	**1149**	**32**	**76 TOWNS.**
LONDON	4,833,938	12·4	12·2	11·6	12·2	1·1	2292	1127	274	317	1	6	10	4	21	2	60	35	108	514	-	LONDON.
CROYDON	161,078	11·3	9·7	8·4	6·5	0·3	72	20	2	6	-	-	-	-	-	-	1	-	2	1	-	CROYDON.
WILLESDEN ..	160,424	7·5	11·7	6·5	9·8	0·7	61	30	7	10	-	-	-	-	-	-	2	3	2	8	-	WILLESDEN.
HORNSEY	95,628	5·5	4·9	4·9	7·1	1·1	29	13	5	4	-	-	-	1	-	-	1	-	1	3	-	HORNSEY.
TOTTENHAM ..	129,464	10·9	7·2	10·9	12·1	1·2	92	30	11	5	-	-	-	-	-	-	3	-	4	6	-	TOTTENHAM.
WEST HAM ..	321,767	13·5	12·8	9·7	10·7	1·1	159	66	23	17	-	-	-	-	2	-	5	2	4	18	-	WEST HAM.
EAST HAM.. ..	149,575	11·2	10·1	7·0	5·9	0·3	67	17	1	7	-	-	-	-	-	-	1	-	1	4	-	EAST HAM.
LEYTON	129,614	9·7	4·0	10·5	8·0	0·4	62	20	7	6	-	-	-	1	-	-	-	-	-	3	-	LEYTON.
WALTHAMSTOW	136,602	4·2	7·6	6·9	8·0	1·1	65	21	4	4	-	-	2	-	1	-	-	-	-	2	-	WALTHAMSTOW.
HASTINGS	68,165	13·0	9·2	14·5	9·2	-	24	12	2	5	-	-	-	-	-	-	-	1	1	2	-	HASTINGS.
BRIGHTON	130,926	13·1	15·1	10·4	12·3	0·4	42	31	3	18	-	-	-	-	-	-	1	-	-	6	-	BRIGHTON.
PORTSMOUTH ..	214,726	17·0	12·9	12·6	11·4	1·5	103	47	7	20	-	-	1	-	-	1	4	1	3	15	-	PORTSMOUTH.
BOURNEMOUTH ..	72,368	11·5	12·2	10·1	10·1	-	22	14	2	4	-	-	-	-	-	-	-	-	-	3	-	BOURNEMOUTH.
SOUTHAMPTON ..	124,667	9·2	13·4	13·4	9·6	0·8	50	23	4	9	-	-	-	1	-	-	1	2	2	8	-	SOUTHAMPTON.
READING	82,995	10·1	10·7	10·7	8·8	1·3	33	14	3	3	-	1	-	1	-	-	-	2	2	3	-	READING.
NORTHAMPTON ..	97,752	7·5	13·3	11·2	9·6	1·1	40	18	4	7	-	-	-	-	-	1	1	-	1	-	-	NORTHAMPTON.
IPSWICH	74,889	10·4	13·9	11·1	13·2	2·1	31	19	2	6	-	1	-	-	-	1	1	1	2	1	-	IPSWICH.
GREAT YARMOUTH	53,430	17·6	8·8	17·6	12·7	2·9	21	13	5	3	-	-	-	-	-	-	3	1	1	3	-	GREAT YARMOUTH.
NORWICH	124,136	16·4	13·0	12·2	14·7	1·3	69	35	7	12	-	-	-	-	-	-	3	-	-	7	-	NORWICH.
PLYMOUTH	124,180	12·6	14·7	12·2	13·0	-	51	31	6	12	-	-	-	-	-	-	-	-	2	5	-	PLYMOUTH.
DEVONPORT	83,103	10·0	10·7	9·4	8·8	0·6	38	14	6	3	-	-	-	1	-	-	-	-	1	2	-	DEVONPORT.
BRISTOL	377,642	10·5	9·8	12·7	11·0	1·0	171	80	17	26	-	1	1	1	-	1	3	3	9	20	-	BRISTOL.
HANLEY	68,831	12·1	15·2	15·9	14·4	3·8	44	19	5	4	-	1	-	2	-	-	2	-	-	3	-	HANLEY.
BURTON-ON-TRENT	54,453	8·6	8·6	11·5	9·6	-	27	10	2	4	-	-	-	-	-	-	-	-	-	1	-	BURTON-ON-TRENT.
WOLVERHAMPTON..	104,633	14·5	16·4	11·5	10·0	1·5	31	20	5	4	-	2	-	-	1	-	-	1	4	3	-	WOLVERHAMPTON.
WALSALL	99,399	13·1	11·0	13·1	12·6	3·1	60	24	8	7	-	1	1	-	-	-	4	2	2	6	-	WALSALL.
HANDSWORTH ..	70,186	12·6	7·4	11·1	9·7	0·7	25	13	3	3	-	-	-	-	-	-	1	-	-	-	1	HANDSWORTH.
WEST BROMWICH..	70,457	17·0	11·8	13·3	12·6	3·0	42	17	4	6	-	-	-	-	-	2	2	-	-	4	2	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 9th October, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 18th Sept., 1909.	25th Sept., 1909.	2nd Oct., 1909.	9th Oct., 1909.	Rate from Diseases in Cols. 11-17. Week ended 9th October, 1909.	Registered during the Week ended 9th Oct. 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
BIRMINGHAM ..	563,629	13·9	15·1	12·0	14·0	1·6	291	151	43	34	-	-	6	1	-	-	10	7	10	54	1	BIRMINGHAM.
KINGS NORTON ..	81,632	7·0	4·5	7·0	10·2	1·3	30	16	2	7	-	-	-	1	-	-	1	1	1	2	-	KINGS NORTON.
SMETHWICK	70,377	7·4	12·6	9·6	10·4	2·2	32	14	3	3	-	-	1	-	-	-	2	1	1	1	-	SMETHWICK.
ASTON MANOR ..	85,257	6·7	8·0	9·2	11·0	0·6	45	18	4	7	-	-	-	-	-	-	1	-	1	4	1	ASTON MANOR.
COVENTRY	80,163	11·1	8·5	15·0	15·6	3·3	39	24	3	6	-	2	1	-	1	-	1	1	1	3	1	COVENTRY.
LEICESTER	244,255	14·1	11·3	10·0	10·2	0·6	94	48	12	15	-	-	-	1	-	1	1	2	6	4	-	LEICESTER.
GRIMSBY	73,036	11·4	11·4	10·7	12·9	2·1	39	18	8	4	-	-	-	-	-	1	2	-	1	3	1	GRIMSBY.
NOTTINGHAM ..	263,443	12·9	12·7	15·0	13·9	1·4	116	70	19	30	-	-	-	-	1	-	6	2	5	7	-	NOTTINGHAM.
DERBY	129,411	11·7	14·5	9·7	11·7	1·2	66	29	7	9	-	-	-	-	2	-	1	2	2	9	-	DERBY.
STOCKPORT	103,706	14·1	12·6	16·6	15·1	0·5	48	30	5	13	-	-	-	-	-	-	1	-	-	8	-	STOCKPORT.
BIRKENHEAD ..	121,123	12·9	14·6	9·0	11·2	-	73	26	7	8	-	-	-	-	-	-	-	1	1	6	-	BIRKENHEAD.
WALLASEY	71,004	11·7	8·1	11·7	11·0	-	27	15	3	5	-	-	-	-	-	-	-	-	-	-	-	WALLASEY.
LIVERPOOL	760,357	16·6	16·3	16·2	16·8	1·7	411	245	62	49	-	2	2	-	4	3	14	7	15	76	6	LIVERPOOL.
BOOTLE	69,393	21·8	13·5	15·8	19·5	-	47	26	12	5	-	-	-	-	-	-	-	1	1	4	1	BOOTLE.
ST. HELENS	95,161	13·7	13·7	14·8	17·0	1·6	48	31	11	6	-	-	-	-	-	-	3	4	5	5	-	ST. HELENS.
WIGAN	90,678	17·8	14·4	16·7	19·0	2·3	58	33	10	7	-	-	1	-	-	1	2	-	-	8	-	WIGAN.
WARRINGTON ..	72,276	20·2	16·6	13·7	14·4	0·7	44	20	5	3	-	-	-	1	-	-	-	-	-	9	1	WARRINGTON.
BOLTON	187,824	13·0	12·2	15·5	13·0	1·4	86	47	18	13	-	1	2	-	-	-	2	-	6	6	-	BOLTON.
BURY	59,234	10·6	15·0	9·7	21·1	1·8	30	24	5	7	-	-	-	-	1	-	1	1	1	4	-	BURY.
MANCHESTER ..	655,435	15·4	16·5	15·7	15·8	1·7	327	198	47	53	-	1	3	1	1	2	13	14	22	62	5	MANCHESTER.
SALFORD	241,950	15·1	13·4	16·8	19·0	3·4	124	88	25	19	-	-	4	3	-	-	9	1	3	25	-	SALFORD.
OLDHAM	143,301	17·1	17·5	20·0	16·0	0·7	67	44	10	11	-	-	-	1	1	-	-	1	1	9	-	OLDHAM.
ROCHDALE	89,653	16·9	17·4	13·4	15·1	-	28	26	3	6	-	-	-	-	-	-	-	1	5	5	1	ROCHDALE.
BURNLEY	106,267	14·2	16·2	19·1	17·2	2·0	47	35	6	9	-	-	-	-	1	1	2	-	2	7	-	BURNLEY.
BLACKBURN	136,959	14·5	9·5	11·4	16·8	1·1	59	44	6	11	-	-	-	1	1	1	-	2	4	10	1	BLACKBURN.
PRESTON	118,519	9·2	14·5	13·6	16·7	2·2	60	38	16	8	-	1	-	-	1	1	2	-	-	3	1	PRESTON.
BARROW-IN-FURNESS.	62,996	9·1	14·9	8·3	13·2	0·8	43	16	4	6	-	-	-	-	-	-	1	1	1	2	-	BARROW-IN-FURNESS.

* See note † on first page of this return.

TABLE 1 (*con.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 9th October, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 18th Sept., 1909.	25th Sept., 1909.	2nd Oct., 1909.	9th Oct., 1909.	Rate from Diseases in Cols. 11–17. Week ended 9th October, 1909.	Registered during the Week ended 9th Oct., 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11	12.	13	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,739	12·1	13·2	18·7	19·3	1·1	50	35	8	10	–	–	1	–	–	–	1	2	2	8	–	HUDDERSFIELD.
HALIFAX	111,911	10·3	11·6	10·7	14·0	1·4	46	30	5	13	–	–	–	–	2	–	1	–	2	8	–	HALIFAX.
BRADFORD	293,983	9·4	13·8	9·9	12·6	0·7	93	71	12	24	–	–	1	1	1	–	1	3	7	9	–	BRADFORD.
LEEDS	484,012	14·2	10·8	12·3	13·1	1·2	209	122	27	35	–	1	1	1	2	–	6	3	8	21	–	LEEDS.
SHEFFIELD	470,958	13·4	12·5	11·6	11·3	1·1	241	102	27	31	–	1	–	1	–	–	8	7	11	22	1	SHEFFIELD.
ROTHERHAM.. ..	65,070	17·6	13·6	5·6	6·4	0·8	35	8	1	3	–	–	–	–	–	–	1	–	–	–	–	ROTHERHAM.
YORK	87,004	9·0	9·0	13·2	10·8	0·6	50	18	4	9	–	–	–	–	–	1	–	–	–	4	–	YORK.
HULL	275,552	15·3	16·7	11·5	15·1	2·6	146	80	22	21	–	–	–	–	–	1	13	4	10	15	1	HULL.
MIDDLESBROUGH ..	105,255	13·4	17·8	13·9	15·9	1·5	61	32	8	9	–	–	–	–	1	–	2	3	3	6	–	MIDDLESBROUGH.
STOCKTON-ON-TEES	53,417	10·7	11·7	14·6	11·7	1·0	24	12	4	5	–	–	–	–	1	–	–	–	2	2	–	STOCKTON-ON-TEES.
WEST HARTLEPOOL	79,686	13·1	5·9	8·5	11·1	0·7	31	17	5	7	–	–	1	–	–	–	–	1	1	2	–	WEST HARTLEPOOL.
SUNDERLAND ..	159,378	13·7	10·8	13·7	13·7	1·3	80	42	12	12	–	–	–	1	–	2	1	3	4	7	2	SUNDERLAND.
SOUTH SHIELDS ..	117,627	16·0	10·2	10·2	14·6	–	59	33	7	11	–	–	–	–	–	–	–	3	4	7	–	SOUTH SHIELDS.
GATESHEAD	131,024	12·3	9·2	14·7	15·5	2·8	90	39	12	9	–	–	–	1	–	–	6	2	2	3	4	GATESHEAD.
NEWCASTLE-ON-TYNE.	281,584	14·3	12·0	13·5	12·4	2·0	125	67	19	13	–	3	1	1	2	–	4	1	6	14	–	NEWCASTLE-ON-TYNE.
TYNEMOUTH ..	55,808	13·1	14·0	14·0	12·1	–	34	13	1	9	–	–	–	–	–	–	–	1	1	1	–	TYNEMOUTH.
NEWPORT (MON.) ..	78,336	17·3	14·6	12·6	18·0	2·0	53	27	8	9	–	3	–	–	–	–	–	1	1	8	–	NEWPORT (MON.).
CARDIFF	195,303	11·5	11·7	11·7	13·6	0·5	78	51	14	10	–	–	–	–	–	–	2	3	4	12	–	CARDIFF.
RHONDDA	135,894	16·5	16·5	12·3	14·6	1·9	105	38	13	4	–	–	–	–	–	–	5	1	1	1	–	RHONDDA.
MERTHYR TYDFIL..	78,365	20·6	16·0	15·3	19·3	3·3	49	29	10	6	–	2	–	–	–	1	2	1	2	7	1	MERTHYR TYDFIL.
SWANSEA	98,308	18·0	12·2	14·9	14·9	2·1	59	28	8	10	–	–	–	–	1	–	3	2	3	5	–	SWANSEA.
GREATER LONDON	7,429,740	11·6	11·4	10·6	11·1	1·1	3606	1584	399	461	1	6	13	10	25	3	94	49	146	596	1	GREATER LONDON.
OUTER RING ..	2,595,802	10·1	10·1	8·8	9·2	1·0	1314	457	125	144	–	–	3	6	4	1	34	14	38	82	1	OUTER RING.
8 TOWNS IN OUTER RING.	1,284,152	9·9	9·4	8·4	8·8	0·8	607	217	60	59	–	–	2	2	3	–	13	5	14	45	–	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,311,650	10·3	10·7	9·2	9·5	1·1	707	240	65	85	–	–	1	4	1	1	21	9	24	37	1	REMAINDER OF OUTER RING.
EDINBURGH	355,366	14·1	10·9	12·8	11·2	0·9	164	76‡	13	23	–	–	3	–	–	1	2	–	?	27	4	EDINBURGH.
GLASGOW	872,021	12·1	14·4	12·6	12·7	1·4	444	213	36	55	–	3	2	8	1	2	8	6	?	76	10	GLASGOW.
DUBLIN (Registration Area).†	398,356	17·3	19·5	17·5	16·8	1·3	193	128‡	26	34	–	1	–	1	3	–	5	5	5	46	1	DUBLIN (Registration Area).†
BELFAST†	386,576	12·5	16·3	13·4	12·8	2·2	208	95	21	27	–	–	–	–	3	2	11	1	6	19	1	BELFAST†

* See note † on first page of this return. † Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast respectively.
‡ Including 1 death from Cerebro-spinal meningitis in Edinburgh and 1 from Cerebro-spinal fever in Dublin.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FORTIETH Week of each of the Eleven Years, 1899–1909.

	1899	1900	1901	1902	1903	1904	1905	1906	1907	1908	Corrected Weekly Average in 5 Years 1904–1908.*	1909
TOTAL **Births** -	2540	2319	2499	2335	2378	2470	2380	2251	2162	2288	2365·1	2292
Males - - -	1285	1150	1269	1204	1209	1253	1214	1140	1070	1186	1200·5	1157
Females - -	1255	1169	1230	1131	1169	1217	1166	1111	1092	1102	1164·6	1135
TOTAL **Deaths** -	1564	1391	1280	1381	1283	1243	1189	1404	1212	1125	1263·9	1127
Males - - -	799	719	665	707	662	641	618	683	646	574	647·4	578
Females - -	765	672	615	674	621	602	571	721	566	551	616·5	549

* The numbers in this column are the average weekly numbers in the Fortieth week of the five years 1904-1908, raised by 2·375 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	13 Weeks.
TOTAL **Births** -	2292	2206	2289	2054	2316	2169	2386	2317	2096	2223	2220	2057	2292	28917
TOTAL **Deaths** -	979	926	957	935	1047	1027	1153	1149	1139	1151	1126	1079	1127	13793
Ages at Death: Under 1 year -	177	174	177	204	213	223	338	336	349	309	301	260	274	3335
1—5 years -	102	88	85	83	111	105	122	114	104	109	108	80	97	1308
5—20 " -	55	61	66	55	61	60	57	45	52	68	56	71	50	757
20—40 " -	115	114	127	122	137	138	147	137	130	147	131	115	129	1689
40—60 " -	233	201	200	197	205	220	200	230	199	221	251	231	200	2848
60 yrs. & upwds.	297	288	302	272	320	281	289	287	305	297	279	322	317	3856
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Measles - - -	33	24	9	19	22	17	12	10	8	5	5	3	6	173
Scarlet Fever - -	6	8	4	4	9	7	6	2	5	2	8	10	10	81
Diphtheria - -	4	6	19	3	10	6	5	9	8	7	16	13	4	110
Whooping-cough -	15	17	17	26	12	13	15	27	26	13	14	14	21	230
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	2	-	3	2	2	5	1	2	2	1	2	4	2	28
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Diarrhœa, Dysentery	13	22	26	27	39	76	159	139	154	129	114	74	60	1032
All above diseases -	73	77	78	81	94	124	198	189	203	158	159	118	104	1656
Dis. of Resp. System	38	43	38	53	53	52	41	35	48	51	56	60	73	641
Pneumonia - -	68	89	68	67	72	69	62	68	57	79	92	72	113	976
Phthisis - - -	97	78	90	98	105	102	104	109	90	101	115	112	103	1304
Dis. of Circ. System -	144	128	132	134	155	130	137	137	145	151	129	147	147	1816
Violence - - -	65	37	42	38	56	53	56	51	37	43	37	45	35	595
Inquest Cases - -	119	82	98	85	105	111	131	125	90	113	89	92	108	1318
Deaths in Institutions	436	484	431	403	486	477	464	495	489	480	539	509	514	6207
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	60·0	61·9	59·9	60·8	66·9	63·3	58·1	54·5	54·5	55·3	56·3	53·1	55·8	58·5
Mean of Highest -	69·3	72·7	69·4	72·7	80·8	73·6	67·8	64·5	63·1	62·9	65·5	60·1	64·6	68·2
Mean of Lowest -	53·8	54·0	53·4	50·9	54·1	55·7	51·1	46·3	47·3	49·4	48·4	47·4	47·5	50·7
Mean Humidity of the Air.	82	71	79	76	70	79	83	75	83	86	87	94	81	80
Rain-fall (in inches) -	0·71	0·15	1·31	0·26	0·00	0·82	0·70	0·30	0·32	0·58	0·57	0·72	1·01	7·45
Registered Sunshine (in hours).	25·2	63·0	34·4	54·4	81·5	40·2	30·2	41·7	35·0	20·9	27·7	6·0	33·7	493·9
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - -	2737	2731	2667	2564	2518	2411	3347	2377	2436	2553	2686	2737	2745	2578
Diphtheria - - -	893	905	901	901	855	831	798	831	843	832	857	908	928	868
Typhus - - -	2	2	2	2	1	-	-	-	-	-	-	-	-	1
Enteric Fever - -	57	59	60	62	59	53	55	62	68	67	78	75	82	64

* The Metropolitan Asylums Board and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office :—The Astronomer Royal, Greenwich ; D. Forbes, Esq., M.D., Brighton ; A. Mearns Fraser, Esq., M.D., Portsmouth ; A. W. Preston, Esq., F.R.Met.Soc., Norwich ; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth ; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol ; A. Cresswell, Esq., Edgbaston, Birmingham ; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham ; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool ; F. Gore, Esq., Prestwich, Manchester ; Thos. Holt, Esq., M.D., Burnley ; J. Firth, Esq., Huddersfield ; H. Lander, Esq., Bradford ; Oxley Grabham, Esq., M.A., York ; H. B. Witty, Esq. F.R.Met.Soc., Hull ; the Meteorological Committee, Tynemouth ; and E. Walford Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the FORTIETH Week of the Year 1909.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 40th week of the 5 years 1904–1908.	1909—Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1263·9	1127	274	97	50	129	260	317
Small-pox*	–	1	–	–	–	1	–	–
Cowpox	0·2	–	–	–	–	–	–	–
Measles (Morbilli)	9·8	6	4	2	–	–	–	–
Scarlet Fever	10·6	10	1	6	3	–	–	–
Typhus	–	–	–	–	–	–	–	–
Plague	–	–	–	–	–	–	–	–
Influenza	7·0	7	1	–	–	–	2	4
Whooping-cough	12·5	21	10	11	–	–	–	–
Diphtheria	15·2	4	–	4	–	–	–	–
Cerebro-spinal Fever ..	–	–	–	–	–	–	–	–
Pyrexia† (origin uncertain)	0·2	–	–	–	–	–	–	–
Enteric Fever	8·2	2	–	–	–	2	–	–
Asiatic Cholera	–	–	–	–	–	–	–	–
Epidemic Diarrhœa, Infective Enteritis	57·3	35	23	8	3	–	1	–
Diarrhœa, Dysentery ..	35·4	25	16	6	1	–	1	1
Tetanus	0·6	–	–	–	–	–	–	–
Rabies, Hydrophobia ..	–	–	–	–	–	–	–	–
Glanders	–	–	–	–	–	–	–	–
Anthrax (Splenic Fever)..	–	–	–	–	–	–	–	–
Venereal Dis.	6·8	2	2	–	–	–	–	–
Puerperal Septicæmia ..	3·1	5	–	–	1	4	–	–
Puerperal Pyæmia.. .	0·2	1	–	–	–	1	–	–
Puerperal Fever	0·2	–	–	–	–	–	–	–
Infective Endocarditis ..	3·5	3	–	–	2	–	1	–
Pneumonia: Lobar ..	10·0	12	1	1	–	2	4	4
Pneumonia: Broncho ..	32·1	54	28	16	–	1	3	6
Pneumonia: Epidemic ..	–	–	–	–	–	–	–	–
Pneumonia: Not defined	47·1	47	10	8	1	10	9	9
Erysipelas	4·9	3	2	–	–	–	–	1
Septicæmia (not Puerperal) ..	1·2	–	–	–	–	–	–	–
Pyæmia (not Puerperal)	0·4	1	–	–	–	–	1	–
Other Infective Processes	4·9	4	–	–	–	1	2	1
Tuberculous Phthisis ..	75·3	81	–	4	5	29	33	10
"*Phthisis*"	46·7	22	–	–	2	7	8	5
Tuberculous Meningitis ..	14·9	9	3	4	1	1	–	–
Tuberculous Peritonitis ..	9·6	6	2	1	1	1	1	–
Tabes Mesenterica	4·1	1	–	1	–	–	–	–
Tuberculous Dis., Other ..	19·0	12	4	3	3	2	–	–
Scrofula..	0·2	–	–	–	–	–	–	–
Alcoholism	9·2	5	–	–	–	–	3	2
Rheumatic Fever	5·5	4	–	–	–	4	–	–
Gout	1·8	–	–	–	–	–	–	–
Carcinoma	55·7	68	–	–	–	3	37	28
Sarcoma	6·6	6	–	–	–	–	1	5
Cancer (undefined) ..	32·1	22	–	–	–	–	12	10
Diabetes Mellitus	7·0	10	–	–	–	4	5	1
Premature Birth	44·6	44	44	–	–	–	–	–

CAUSES OF DEATH.	Corrected Average for the 40th week of the 5 years 1904–1908.	1909—Deaths of Persons of the Ages: All Ages.	Under 20. 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)..	11·1	6	2	1	1	2	–	–
Gen. Par. of Insane, Insanity	14·1	15	1	–	–	2	6	6
Epilepsy	7·2	4	–	1	–	2	1	–
Convulsions	17·4	10	9	1	–	–	–	–
Locomotor Ataxy.. ..	2·0	3	–	–	–	–	3	–
Paraplegia, Dis. of Cord.	4·7	4	–	–	–	–	1	3
Nervous Sys., Other Dis.	16·2	13	–	–	–	2	6	5
Valv. Dis., Endocarditis..	41·6	44	–	–	5	12	14	13
Cereb. Hæm. Cereb. Emb.	29·9	24	–	–	1	2	8	13
Apoplexy, Hemiplegia ..	11·7	15	–	–	–	1	2	12
Aneurysm	4·9	4	–	–	–	–	4	–
Embolism, Thrombosis (not Cerebral) ..	0·6	–	–	–	–	–	–	–
Heart & Blood Ves., Other Dis... ..	76·8	60	–	–	1	3	18	38
Croup (not Spasm: nor Memb.)	0·4	–	–	–	–	–	–	–
Bronchitis	60·4	59	16	3	1	2	5	32
Emphysema, Asthma ..	4·5	1	–	–	–	–	–	1
Pleurisy	4·1	3	–	–	–	–	2	1
Respiratory Dis., Other..	8·6	10	–	2	1	–	4	3
Tonsillitis, Quinsy.. ..	1·2	2	–	–	1	–	1	–
Enteritis (not Epid.) ..	22·1	24	13	4	–	3	3	1
Gastro-enteritis	14·3	12	9	1	1	1	–	–
Peritonitis (not Puerp.) ..	2·0	3	–	–	2	–	1	–
Cirrhosis of Liver.. ..	11·7	9	–	–	–	–	5	4
Liver Dis., Other	4·1	2	–	–	–	–	1	1
Digestive Sys., Other Dis.	39·3	37	9	3	2	5	11	7
Acute Nephritis	5·7	11	–	–	–	3	7	1
Bright's Dis., Albuminuria	31·1	29	–	–	1	4	9	15
Urinary Sys., Other Dis.	7·4	12	–	–	–	1	2	9
Generative Organs Dis...	6·3	4	–	–	–	1	2	1
Childbirth (Accid. of) ..	3·5	2	–	–	–	2	–	–
Old Age	45·7	47	–	–	–	–	–	47
Other Diseases	98·1	90	57	4	7	3	11	8
ACCIDENT.								
By Railways	1·6	1	–	–	–	–	–	1
By Vehicles and Horses..	5·5	1	–	–	–	–	1	–
In Ships, Boats, Docks, (exclusive of Drowning)	–	–	–	–	–	–	–	–
In Building Operations..	0·8	1	–	–	–	–	–	1
In Conflagrations	–	1	–	–	–	–	–	1
By Burns, Scalds, Explosions	4·9	2	–	2	–	–	–	–
By Drowning	3·7	3	–	–	1	1	1	–
By Suffocation in Bed ..	6·8	2	2	–	–	–	–	–
By Poisons or Poisonous Vapours	1·4	2	–	–	–	–	1	1
Other Deaths by Accident..	13·9	11	3	–	2	2	2	2
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	1·2	2	2	–	–	–	–	–
Suicide	11·7	9	–	–	–	2	4	3
Execution	–	–	–	–	–	–	–	–

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 9th October, 1909.

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia*† (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified causes of Death.
LONDON	4,536,267	2292	1127	274	317	1	6	10	4	21	-	2	-	60	35	108	514	-
WEST DISTRICTS	805,311	325	177	39	43	-	-	1	1	1	-	-	-	11	7	16	87	-
NORTH DISTRICTS	1,055,908	509	244	52	83	-	-	1	1	3	-	-	-	4	10	31	98	-
CENTRAL DISTRICTS	209,465	128	60	21	9	-	-	-	-	-	-	-	-	5	2	6	37	-
EAST DISTRICTS	715,739	442	216	70	48	-	4	-	1	7	-	1	-	23	6	23	111	-
SOUTH DISTRICTS	1,749,844	888	386	92	120	-	2	7	-	10	-	-	-	16	9	31	137	-
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	44	-	14	1	-	1	1	-	-	1	-	1	1	1	44	-
WEST DISTRICTS.																		
North Paddington *H*	63,603	22	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Central Paddington *W,3H*	50,053	19	25	7	3	-	-	-	-	-	-	-	-	3	2	4	13	-
South Paddington	30,320	10	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Kensington Town *2W,w,2H* ..	128,037	63	33	5	12	-	-	-	-	-	-	-	-	1	-	1	21	-
Brompton *2H*	48,591	8	4	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-
North Hammersmith *2W,w,H* ..	49,192	27	13	4	4	-	-	-	1	-	-	-	-	1	-	-	6	-
South Hammersmith *w,2H* ..	63,047	26	15	7	2	-	-	-	-	-	-	-	-	-	-	1	8	-
North-west Fulham *W*	45,180	35	8	4	1	-	-	-	-	-	-	-	-	3	1	1	4	-
North-east Fulham *F*	46,405	32	3	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-
South Fulham *W*	45,704	23	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Chelsea North *W,w,3H*	42,514	9	24	1	7	-	-	-	-	-	-	-	-	2	1	4	18	-
Chelsea South *W,2H*	31,328	7	8	3	2	-	-	-	-	-	-	-	-	-	1	1	4	-
Mayfair and Knightsbridge	28,743	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave *W,2H*	55,815	18	20	3	5	-	-	-	-	-	-	-	-	1	-	1	9	-
St. Margaret & St. John *6H*	43,698	14	11	2	5	-	-	-	-	-	-	-	-	-	-	1	2	-
St. James and St. Anne *W,6H* ..	33,081	7	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																		
All Souls Marylebone *7H*	35,391	15	14	2	3	-	-	-	-	-	-	-	-	-	-	1	9	-
St. Mary Marylebone *W,4H* ..	37,948	44	8	3	3	-	-	-	-	-	-	-	-	-	-	1	3	-
Christchurch Marylebone	39,536	17	5	1	3	-	-	-	-	-	-	-	-	-	-	1	-	-
St. John Marylebone *2H*	20,426	6	3	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Hampstead *W,F,6H*	81,942	28	24	4	8	-	-	-	-	-	-	-	-	-	3	3	8	-
West St. Pancras *2H*	60,562	38	12	5	3	-	-	-	-	-	-	-	-	1	1	3	5	-
South St. Pancras *w,10H*	55,707	17	22	3	6	-	-	-	1	-	-	-	-	1	1	1	16	-
East St. Pancras *W,H*	60,320	25	15	3	6	-	-	-	-	-	-	-	-	-	-	1	12	-
North St. Pancras *2W*	58,728	24	9	2	3	-	-	-	-	-	-	-	-	-	-	-	4	-
Tufnell *W*	31,995	16	20	-	9	-	-	-	-	-	-	-	-	-	-	1	16	-
Upper Holloway *2W,w,H*	33,978	16	15	4	3	-	-	-	-	-	-	-	-	-	-	2	7	-
Tollington *W,w,H*	33,922	18	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Lower Holloway	41,424	25	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Barnsbury	54,478	32	11	2	5	-	-	-	-	-	-	-	-	-	1	3	-	-
Islington South-east *F*	75,397	50	13	4	4	-	-	-	-	-	-	-	-	1	1	2	-	-
Highbury *2H*	63,797	35	9	3	3	-	-	-	-	1	-	-	-	-	-	-	-	-
Stoke Newington *H*	51,247	14	11	2	3	-	-	-	-	-	-	-	-	-	1	1	-	-
North Hackney	50,398	15	6	2	2	-	-	-	-	1	-	-	-	1	1	1	-	-
Central Hackney *w,F*	50,536	17	9	4	2	-	-	1	-	-	-	-	-	-	-	1	2	-
South-west Hackney *3H*	59,921	30	16	6	6	-	-	-	-	-	-	-	-	-	-	3	2	-
South-east Hackney *2W,H*	58,255	27	17	1	7	-	-	-	-	1	-	-	-	-	1	5	13	-
Hackney Union Workhouse, Brentwood	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 9th October, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
St. Giles and Bloomsbury 2*W*,2*H* ..	31,436	24	3	1	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Strand *W*,4*H*	21,674	5	8	2	2	–	–	–	–	–	–	–	–	–	–	1	7	–
Strand Union Workhouse, Edmonton	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–	2	–
Holborn *W*,5*H*	29,612	11	15	8	1	–	–	–	–	–	–	–	–	–	–	1	10	–
Clerkenwell *H*	63,704	39	10	4	1	–	–	–	–	–	–	–	–	2	–	2	–	–
St. Luke 3*H*,*L*	36,116	46	4	3	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Holborn Union Workhouse, Mitcham	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Botolph *H*	10,299	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Sepulchre and Allhallows *W*,2*H*	16,624	2	18	3	2	–	–	–	–	–	–	–	–	3	2	2	16	–
City of London Asylum, Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
EAST DISTRICTS.																		
Shoreditch South 3*H*	46,362	21	7	4	2	–	–	–	–	1	–	–	–	1	–	1	–	–
Shoreditch North-West *W*,*w*,*H* ..	36,127	36	19	4	8	–	1	–	–	–	–	–	–	2	2	2	16	–
Shoreditch North-East	36,148	27	6	3	1	–	–	–	–	–	–	–	–	–	1	1	–	–
Shoreditch Union Workhouse, Wood Green	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	42	37	13	8	–	1	–	–	–	–	1	–	8	2	8	20	–
Bethnal Green South-West *H* ..	64,542	34	5	1	1	–	–	–	–	–	–	–	–	–	–	–	2	–
Spitalfields..	27,969	9	3	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Mile End New Town *W*,*H*	28,718	17	40	12	4	–	1	–	–	–	–	–	–	2	1	3	32	–
Goodman's Fields	22,081	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
St. George and St. John 2*W* ..	49,068	39	13	4	3	–	–	–	–	–	–	–	–	3	–	1	9	–
Shadwell and Ratcliff *w*,*H* ..	25,568	16	7	2	–	–	–	–	–	–	–	–	–	1	–	1	5	–
Limehouse *W*	32,369	13	5	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Mile End Old Town South-Western *H*	63,698	58	5	2	–	–	–	–	–	1	–	–	–	1	–	–	–	–
Mile End Old Town North-Eastern *W*,*w*	49,129	28	15	3	5	–	–	–	–	1	–	–	–	–	–	–	8	–
Bow	41,989	27	5	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Bromley 3*w*,*H*	68,319	33	25	9	7	–	1	–	–	–	–	–	–	2	–	2	14	–
Poplar *W*,*w*	58,514	38	23	8	5	–	–	–	1	3	–	–	–	3	–	3	4	–
Workhouse, Forest Gate (Parish of Poplar Borough).	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–

ABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 9th October, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch and St. Saviour Southwark *W,2H*	23,319	5	11	5	3	-	-	-	-	-	-	-	-	1	-	-	9	-
Kent-road	21,904	16	4	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-
St. George the Martyr West *W,2H,L*	39,094	16	11	1	2	-	-	-	-	1	-	-	-	1	-	2	5	-
Newington North	49,022	22	8	2	1	-	-	-	-	-	-	-	-	-	-	2	-	-
Newington South *W*	72,841	35	12	5	2	-	-	-	-	-	-	-	-	-	-	1	-	-
St. Olave *2W*	9,817	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Bermondsey *W*	82,483	57	14	6	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Rotherhithe *W,F*	38,460	20	13	1	5	-	-	-	-	-	-	-	-	1	1	1	9	-
Waterloo *2H*	27,440	24	14	3	2	-	2	-	-	1	-	-	-	1	-	2	1	-
Lambeth Church *H*	27,440	17	18	2	6	-	-	-	-	-	-	-	-	-	2	2	16	-
Kennington *2W*	52,518	22	22	3	11	-	-	-	-	-	-	-	-	-	1	3	13	-
Stockwell *HF*	63,826	29	11	2	4	-	-	1	-	1	-	-	-	-	1	1	1	-
Brixton *H*	73,673	25	10	3	2	-	-	-	-	-	-	-	-	1	-	2	2	-
Norwood *2WH*	56,998	21	12	-	4	-	-	-	-	-	-	-	-	-	-	-	1	-
East Battersea *H*	72,203	35	11	3	3	-	-	-	-	2	-	-	-	-	-	-	-	-
North-west Battersea	49,656	38	4	3	-	-	-	-	-	-	-	-	-	1	-	1	-	-
South-west Battersea *2W,H* ..	47,048	7	16	2	6	-	-	-	-	-	-	-	-	-	1	2	13	-
Clapham *2H*	51,361	27	12	4	4	-	-	-	-	-	-	-	-	-	-	-	1	-
Streatham *W,2w,2F,2L*	88,019	61	13	3	5	-	-	-	-	-	-	-	-	2	-	-	4	-
Springfield *2W,L*	27,959	17	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Southfields *H*	40,444	25	10	3	6	-	-	-	-	-	-	-	-	-	-	1	1	-
Putney	24,139	12	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich	13,359	5	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	17	11	2	4	-	-	-	-	-	-	-	-	-	-	1	9	-
Camberwell North *W,2L*	65,584	24	27	7	8	-	-	-	-	1	-	-	-	3	-	1	18	-
St. George	47,331	19	7	3	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Peckham North	48,913	39	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Peckham South *2W,w*	43,946	28	6	4	-	-	-	-	-	1	-	-	-	1	-	-	-	-
Deptford North	37,613	20	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Deptford Central *F*	45,481	25	15	2	1	-	-	6	-	1	-	-	-	1	1	1	6	-
Deptford South	34,625	14	3	1	-	-	-	-	-	-	-	-	-	-	1	3	-	-
Greenwich West *H*	23,456	6	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich East *2W,H*	43,859	25	18	6	4	-	-	-	-	-	-	-	-	1	-	-	10	-
Eltham *w,H*	7,226	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *w,H*	25,490	14	6	-	3	-	-	-	-	-	-	-	-	-	-	1	-	-
Lewisham *2W,w,F*	58,352	41	22	6	11	-	-	-	-	1	-	-	-	-	1	1	11	-
Sydenham *H*	43,653	20	5	2	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Charlton *F,2H*	21,134	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Woolwich *5H*	41,625	21	5	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Plumstead West *W,H*	39,376	17	6	1	3	-	-	-	-	1	-	-	-	-	-	-	-	-
Plumstead East *2W*	28,951	6	7	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-
Workhouses:—																		
Belmont Workhouse	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.) ..	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Small-pox Hospitals:—																		
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-
M. A. B. Fever Hospitals:—																		
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	2	-	-	-	-	1	1	-	-	-	-	-	-	-	2	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																		
Children's Infirmary, Carshalton ..	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
M. A. B. Imbecile Asylums:—																		
Caterham	—	-	6	-	1	-	-	-	-	-	-	-	-	-	-	-	6	-
Darenth	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Leavesden	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
London County Lunatic Asylums:—																		
Banstead	—	-	4	-	3	-	-	-	-	-	-	-	-	-	-	-	4	-
Ewell (Epileptic Colony)	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Horton	—	-	5	-	1	-	-	-	-	-	-	1	-	-	-	-	5	-
Manor	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Grove	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Cane Hill	—	-	5	-	2	-	-	-	-	-	-	-	-	-	-	-	5	-
Dartford Heath	—	-	4	-	2	-	-	-	-	-	-	-	-	-	1	1	4	-
Hanwell	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
Colney Hatch	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
Claybury	—	-	6	-	3	-	-	-	-	-	-	-	-	1	-	-	6	-

Table 6. LONDON.—OUTER RING (excluding Deaths in Public Institutions of persons not belonging to the Outer Ring, and including Deaths in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—Area; Enumerated Population; Births and Deaths registered during the Week ended Saturday, 9th October, 1909.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING ..	368,603	2,045,135	1314	457	125	144	-	-	3	6	4	1	34	14	38	82	1
30 : 1	Carshalton 2F,3H	12,228	32,997	12	3	-	1	-	-	1	-	-	-	-	-	-	2	-
2	Epsom, *part of** W,w,2F,H..	10,423	15,548	5	4	-	-	-	-	-	-	-	-	-	1	1	2	-
37 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38 : 1	Coulsdon	11,069	8,166	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w,H ..	4,200	49,309	20	7	1	1	-	-	-	-	-	-	1	-	2	-	-
3	West Croydon 3W,F,H ..	2,168	42,888	29	11	-	5	-	-	-	-	-	-	-	1	1	1	-
4	North Croydon H	2,644	41,698	23	3	1	1	-	-	-	-	-	-	-	-	-	1	-
5	Penge w	770	22,465	7	2	-	1	-	-	-	-	-	-	-	-	-	-	-
6	Mitcham w	11,711	30,015	28	10	3	2	-	-	-	-	-	-	-	1	1	-	-
39 : 1	Wimbledon F,3H	3,221	41,652	22	3	-	3	-	-	-	-	-	-	-	-	-	-	-
2	Kingston 2W,H	6,224	42,068	22	6	1	2	-	-	-	-	-	-	1	-	1	2	-
3	Surbiton F,H	3,046	15,017	8	1	1	-	-	-	-	-	-	-	1	-	-	-	-
4	Esher, *part of** H	5,402	13,100	8	3	1	2	-	-	-	-	-	-	-	-	-	-	-
5	Hampton H,F,L	4,564	23,456	15	7	3	3	-	-	-	-	1	-	-	2	5	-	-
40 : 1	Richmond W,H	2,491	31,672	9	9	2	4	-	-	-	-	-	-	1	-	-	-	-
2	Mortlake F	2,518	17,821	22	7	3	3	-	-	-	-	-	-	2	-	-	-	-
41 : 1	Bromley F,3H	4,703	27,354	14	4	-	4	-	-	-	-	-	-	-	-	-	-	-
2	Beckenham H	7,825	28,497	22	9	5	1	-	-	-	-	-	-	1	-	-	-	-
3	Orpington, *part of** W,F ..	10,113	9,857	6	1	1	-	-	-	-	-	-	-	1	-	-	-	-
4	Chislehurst 2H	7,333	16,446	12	3	1	2	-	-	-	-	-	-	-	-	-	1	-
42 : 1	Bexley w,F,H	8,678	21,151	20	4	2	1	-	-	-	-	-	-	-	-	-	-	-
2	Erith F,H	3,854	25,296	20	5	1	2	-	-	-	-	-	-	-	-	1	-	-
3	Dartford W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124 : 1	Sunbury w	11,054	18,683	9	3	1	1	-	-	-	-	-	-	-	-	-	-	-
2	Staines W,H	13,277	15,178	8	6	2	1	-	-	-	-	-	-	1	-	-	-	1
125 : 1	Hillingdon W,F,H	6,035	13,661	12	2	1	1	-	-	-	-	-	-	-	-	-	1	-
2	Uxbridge H	12,757	8,984	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w 2F,H	8,066	16,358	11	1	1	-	-	-	-	-	-	-	-	-	1	-	-
126 : 1	Isleworth 3W,3F,H	6,859	30,863	19	14	4	5	-	-	-	-	-	-	2	1	2	4	-
2	Twickenham F,2H	2,421	20,991	14	4	-	4	-	-	-	-	-	-	-	-	-	-	-
3	Brentford 3F,2H	4,319	48,289	28	16	4	5	-	-	-	1	-	1	1	-	1	2	-
4	Chiswick H	1,249	29,809	12	5	3	-	-	-	-	-	-	-	-	-	-	-	-
5	Acton w,F,3H	6,132	48,914	37	18	8	4	-	-	-	-	-	-	4	-	-	-	-
127A: 1	Harrow F,H	13,809	25,523	26	4	1	1	-	-	-	-	-	-	1	-	-	-	-
2	Edgware 2F,2H	6,994	4,521	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hendon W,F	8,382	22,450	21	5	1	4	-	-	-	-	-	-	-	-	-	1	-
127B: 1	Willesden† W,F,2H	4,384	114,811	61	29	7	10	-	-	-	-	-	-	2	3	2	7	-
128 : 1	South Mimms 2F,H ..	17,765	7,308	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,970	13	2	-	-	-	-	-	-	-	-	-	-	-	1	-
3	Finchley F,3H	4,638	33,692	24	9	4	3	-	-	-	-	-	-	1	-	-	-	-
129 : 1	Hornsey F,H	2,875	72,056	29	11	5	4	-	-	-	1	-	-	1	-	1	1	-
2	Wood Green H	1,625	34,233	21	7	2	3	-	-	-	-	-	-	-	1	1	1	-
3	West Tottenham	995	48,741	49	9	3	2	-	-	-	-	-	-	-	-	3	-	-
4	East Tottenham 2H ..	2,019	53,962	43	21	8	3	-	-	-	-	-	-	3	1	2	6	-
5	Edmonton W,w,2F	7,491	61,892	46	18	5	5	-	-	-	1	-	-	2	-	2	7	-
6	Enfield 2W,F,H	12,601	42,738	34	8	1	2	-	-	-	-	-	-	1	1	1	1	-
7	Waltham Abbey F	11,017	6,549	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
135 : 1	Hatfield, *part of** W ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey, *part of** H ..	9,195	7,051	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford, *part of** W,2F ..	138	2,122	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
186 : 1	Stratford H	1,091	52,974	22	12	7	3	-	-	-	-	-	-	1	1	3	2	-
2	Forest Gate	787	52,745	26	8	4	1	-	-	-	-	-	-	-	-	-	-	-
3	Plaistow F,2H	1,249	90,921	74	21	9	4	-	-	-	-	1	-	3	-	-	4	-
4	Canning Town H	1,556	70,718	37	13	3	3	-	-	-	-	1	-	1	-	-	-	-
5	South East Ham 2F ..	1,991	37,342	30	5	-	2	-	-	-	-	-	-	1	-	1	-	-
6	North East Ham w,H ..	1,333	58,666	37	8	1	3	-	-	-	-	-	-	-	-	-	-	-
7	Wanstead F	1,679	9,170	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	24	16	5	6	-	-	-	-	-	-	-	-	-	5	-
9	North Leyton 2W,w,F ..	1,963	48,445	38	21	2	8	-	-	-	1	-	-	-	1	1	15	-
10	Walthamstow 2H,L ..	6,504	108,929	80	22	4	4	-	-	1	-	1	-	-	-	-	-	-
187 : 1	Chigwell 2F,3H	11,778	16,397	8	3	-	2	-	-	1	-	-	-	-	-	-	1	-
2	Epping W,F, *part of** ..	—	—	-	2	-	2	-	-	-	-	-	-	-	-	-	2	-
189 : 1	Romford, *part of** W,2F ..	6,556	6,091	6	4	2	-	-	-	-	-	-	-	-	-	1	1	-
2	Ilford F,L	8,496	41,244	31	8	1	2	-	-	-	2	-	-	-	-	2	1	-
3	Barking Town F	3,805	21,547	14	7	-	2	-	-	-	-	-	-	-	-	2	-	-
	N.E. Hospital, Tottenham..	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Surrey County Lunatic Asylum, Brookwood.	—	—	-	4	-	3	-	-	-	-	-	-	1	-	-	4	-
	Middlesex County Lunatic Asylum, Napsbury.	—	—	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
	Essex County Lunatic Asylum, Brentwood.	—	—	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30 : 2, excepting Ashtead parish; 37 : 1, Warlingham and Farley parishes; 39 : 4, excepting Esher parish; 41 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135 : 1, Northaw parish; 137 : 1, excepting the part in Watford Rural parish; 137 : 2, Oxhey parish; 189 : 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42 : 3, 137 : 2 and 187 : 2 and in the Croydon Mental Hospital in 37 : 1 are also included. † On 1st October, 1909, Willesden sub-district of Hendon district was created a Registration District.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox	Measles.	Scarlet Fever	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON - -	4,833,938	October 9	2292	1127	12·2	1	6	10	4	21	2	60
CALCUTTA - -	1,009,008	September 11	-	403	20·7	-	-	-	-	-	72†	40‡
BOMBAY - -	982,000	" 14	353	591	31·4	-	-	-	-	-	58†	75‡
MADRAS - -	548,974	" 10	485	361	36·8	1	1	?	?	?	95	38
PARIS - - -	2,760,000	October 2	934	751	14·3	-	6	-	4	1	7	34
BRUSSELS - -	704,975	" 2	198	196	14·5	-	1	-	4	-	2	26
ANTWERP - -	314,135	" 2	109	77	12·7	-	1	-	-	1	-	25
AMSTERDAM -	565,553	" 2	282	92	8·5	-	2	-	-	2	1	2
COPENHAGEN -	448,000	" 2	197	94	10·9	-	-	1	-	-	-	5
STOCKHOLM -	339,582	September 25	178	94	14·4	-	-	-	1	2	-	2
CHRISTIANIA -	235,674	October 2	134	38	8·4	-	1	-	1	2	-	1
ST. PETERSBURG	1,573,000	September 25	1083	715	23·7	4	18	13	14	7	3	184‡
MOSCOW - -	1,452,100	" 25	-	891	32·0	2	10	17	18	9	8	421‡
BERLIN - -	2,103,770	" 18	850	582	14·4	-	2	10	11	11	-	91
HAMBURG - -	872,252	October 2	-	218	13·0	-	-	1	5	4	-	40
BRESLAU - -	502,676	September 25	-	226	23·4	-	-	-	2	3	-	64
MUNICH - -	566,000	October 2	-	172	15·8	-	-	1	-	6	-	38
VIENNA - -	2,064,037	" 2	749	580	14·6	-	1	2	3	-	3	91
PRAGUE - -	485,057	" 2	173	152	16·3	-	-	1	2	-	2	16
BUDAPEST - -	823,215	September 25	479	262	16·5	-	3	-	3	-	7	45
TRIESTE - -	217,706	October 2	131	102	24·4	-	2	-	-	2	-	23
ROME - - -	565,323	July 3	223	190	17·5	-	8	1	2	1	1	26
VENICE - -	179,286	August 21	77	81	23·6	-	-	-	1	1	1	27
BUCAREST - -	296,585	September 18	150	133	23·4	-	-	6	2	-	7	23
NEW YORK -	4,564,792	" 18	2167	1284	14·7	-	7	4	16	17	24	228
CHICAGO - -	2,224,490	" 18	-	603	14·2	-	-	4	10	5	3	148
PHILADELPHIA -	1,565,569	August 28	-	408	13·5	-	1	-	8	2	5	73
		September 4	-	372	12·3	-	1	-	3	3	2	66
RIO DE JANEIRO	637,089	" 5	-	228	18·7	1	2	-	-	-	3	?
CAIRO:—												
Egyptians -	666,587	" 9	518	510	39·6	2	2	-	18	?	10	134
Foreigners -	35,219	" 9	7	15	22·1	-	-	-	1	?	-	4
ALEXANDRIA:—												
Egyptians -	341,965	" 9	262	267	40·2	-	1	-	2	?	9	89
Foreigners -	46,118	" 9	5	27	30·4	-	-	-	-	?	-	5

* Excluding deaths from croup in the Indian Cities.
† Including 5 deaths from plague in Calcutta and 9 in Bombay.
‡ Including 9 deaths from cholera in Calcutta, 22 in Bombay, 93 in St. Petersburg, and 2 in Moscow.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 9th October, 1909.

TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	63·0	39·2	56·0	1·01	BRADFORD - -	64·0	40·0	54·2	1·07
BRIGHTON - -	63·0	41·9	56·7	0·86	YORK - - -	67·0	40·0	53·6	0·65
PORTSMOUTH - -	64 5	41·5	53·3	0·80	HULL - - -	67·0	40·0	54·9	0·66
NORWICH - -	64·4	39·0	55·5	0·55	TYNEMOUTH - -	64·0	40·0	53·4	0·40
PLYMOUTH - -	65 0	41·0	56·8	1·24	CARDIFF - - -	63·7	40·1	51·3	0·77
BRISTOL - - -	65·3	40·0	56 0	0 80	EDINBURGH - -	63·9	40·5	53·8	0·37
BIRMINGHAM - -	65·5	40 3	54·2	0 53	GLASGOW - -	64·0	43·0	54·8	0·27
NOTTINGHAM - -	64·8	38·1	51 6	0·61	DUBLIN Phœnix Park	66·0	38 9	53·2	0·40
LIVERPOOL OBSERVATORY	64·0	44·0	54 6	1·04	DUBLIN Fitzwilliam Square†	66·7	44·0	55·6	0·26
MANCHESTER -	62·8	36 8	53·2	1·78					
BURNLEY - -	61·4	38·5	53·1	1·22					
HUDDERSFIELD -	63·0	41·2	53·3	0·90	BELFAST - - -	63·0	39·0	53·4	0·34

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to the seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°·1 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 9th October, 1909.

[*Under the Superintendence of the Astronomer Royal.*]

1909 Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est.	Daily Range.	Mean daily value.	Departure from Average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
OCTOBER.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 3	..	29·552	66·2	57·2	9·0	60·9	+ 7·6	59·2	1·7	6·3	1·3	94	82·0	55·3	56·90	SW., SSW. & S.	SW.	3·6	0·0	0·3	340	+ 67	0·09	2·3
MONDAY - 4	..	29·525	68·0	56·3	11·7	60·8	+ 7·8	56·1	4·7	11·5	0·4	85	111·0	50·9	57·05	SW. & WSW.	SW.	4·0	0·0	0·3	341	+ 60	0·11	5·7
TUESDAY - 5	..	29·266	66·0	48·3	17·7	56·6	+ 3·8	52·5	4·1	10·3	0·4	86	103·4	41·1	57·30	SW. & SSW.	SW. & WSW.	5·4	0·0	0·4	401	+130	0·21	9·8
WEDNESDAY 6	Greatest Dec. N.	29·737	62·0	42·2	19·8	51·8	− 0·7	43·7	8·1	17·7	1·5	74	106·6	33·9	57·40	WSW. & SW.	WSW., SW. & SSW.	1·3	0·0	0·0	256	− 12	0·00	0·0
THURSDAY - 7	Last Qr. ..	29·669	62·0	42·2	19·8	54·0	+ 1·7	47·9	6·1	13·5	0·7	80	102·5	31·3	57·15	S. & SSW.	S. & SSW.	7·0	0·0	0·5	365	+102	0·04	11·5
FRIDAY - 8	..	29·594	65·0	46·9	18·1	55·7	+ 3·7	48·5	7·2	12·2	0·9	77	112·6	37·2	56·80	SSW. & SW.	WSW., NW. & W.	6·1	0·0	0·4	401	+143	0·56	4·5
SATURDAY - 9	..	30·082	62·9	39·2	23·7	51·1	− 0·5	42·7	8·4	16·1	2·1	73	108·5	28·6	56·70	W. & SW.	SW., SSW. & S.	0·7	0·0	0·0	199	− 57	0·00	1·5
MEANS - -		29·632	64·6	47·5	17·1	55·8	+ 3·3	50·1	5·8	12·5	1·0	81	103·8	39·8	57·04	SW.		..	..	..	Sum 2303	Sum +442	Sum 1·01	5·0
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. OCTOBER.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.
SUNDAY - 3	w. P. throughout.	0·1	11·5
MONDAY - 4	w. P. generally.	2·1	11·4
TUESDAY - 5	w. P. generally.	4·1	11·4
WEDNESDAY 6	w. P. throughout.	9·9	11·3
THURSDAY - 7	w. P. throughout.	4·7	11·2
FRIDAY - 8	w. P. generally; occasional w. N.	4·7	11·1
SATURDAY - 9	w. P. throughout.	8·1	11·1
		Sum 33·7	Sum 79·0
No. of Col. - -	27	28	29

GENERAL REMARKS.

Generally overcast; frequent slight rain after 8h. A.M.

Cloudy with slight exceptions; occasional rain.

Generally cloudy till noon; very fine generally afterwards; occasional sharp showers; brisk wind between 9h. 30m. A.M. and 5h. 15m. P.M. Solar halo observed at 2h. P.M.

Very fine throughout.

Very fine with little cloud in morning; variably cloudy between 10h. A.M. and 3h. P.M.; generally overcast with frequent slight rain afterwards; gusty wind prevalent between 11h. A.M. and 9h. P.M.

Overcast with occasional heavy showers in morning; fine and variably cloudy till evening; nearly cloudless at night. Solar halo observed at 10h. A.M.; gusty wind 7h. to 9h. A.M.

Cloudless in morning; very fine with small amounts of cloud generally till 3h. P.M.; cloudy till evening; overcast at night; light rain between 9h. 30m. and 10h. 30m. P.M.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·76 in. at the beginning of the week to 29·77 in. by 1h. A.M. on the 3rd; decreased to 29·50 in. by 5h. P.M. on the same day; increased to 29·59 in. by 9h. A.M. on the 4th; decreased to 29·19 in. by 3h. P.M. on the 5th; increased to 29·82 in. by 10h. P.M. on the 6th; decreased to 29·35 in. by 6h. A.M. on the 8th; increased to 30·13 in. by 9h. A.M. on the 8th; and decreased to 30·02 in. by midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 2nd October, 1909.*

BOROUGHS.	Estimated Population in the middle of 1909.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	151,955	-	26	4	-	-	-	-	2	-	-
Kensington	183,683	-	11	3	-	2	-	-	3	-	1
Hammersmith	125,704	-	10	3	-	2	-	-	4	-	-
Fulham	176,406	-	15	6	-	-	-	-	3	1	-
Chelsea	75,249	-	4	-	-	-	-	-	-	-	-
City of Westminster ..	168,883	-	10	19	-	-	-	-	2	-	2
NORTH.											
St. Marylebone	126,027	-	11	1	-	-	-	-	2	-	-
Hampstead	94,185	-	6	1	-	-	-	-	1	-	-
St. Pancras	237,422	-	15	4	-	-	-	-	3	-	-
Islington	351,202	-	40	9	-	1	-	-	10	1	-
Stoke Newington	54,423	-	2	-	-	-	-	-	-	-	-
Hackney	237,601	-	14	5	-	1	-	-	6	-	-
CENTRAL.											
Holborn	53,802	-	1	2	-	-	-	-	-	-	-
Finsbury	95,289	-	6	5	-	-	-	-	4	-	-
City of London	18,193	-	1	1	-	-	-	-	-	-	-
EAST.											
Shoreditch	114,802	-	7	4	-	-	-	-	4	-	-
Bethnal Green	131,316	-	16	5	-	1	-	-	3	-	-
Stepney	312,525	-	20	12	-	3	-	-	10	-	-
Poplar	171,965	-	20	4	-	1	-	-	7	-	-
SOUTH.											
Southwark	211,125	-	18	4	-	2	-	-	6	-	-
Bermondsey	127,569	-	14	4	-	-	-	-	1	-	-
Lambeth	324,188	-	26	8	-	-	1	-	2	-	-
Battersea	186,036	-	13	8	-	2	-	-	4	-	-
Wandsworth	297,646	-	13	11	-	2	-	-	5	2	-
Camberwell	283,022	-	27	8	-	2	-	-	6	-	-
Deptford	118,583	-	10	4	-	1	-	-	6	-	-
Greenwich	111,014	-	8	1	-	-	-	-	1	-	-
Lewisham	160,749	-	33	16	-	1	-	-	-	-	-
Woolwich	133,374	-	16	8	-	-	-	-	5	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,833,938	-	413	160	-	21	1	-	100	4	3
Ages 0-1		-	2	6	-	-	-	-	3	-	-
" 1-5		-	126	55	-	1	-	-	7	-	1
" 5-		-	164	50	-	1	-	-	2	-	1
" 10-		-	79	28	-	4	-	-	2	-	-
" 15-		-	17	8	-	2	-	-	4	-	-
" 20-		-	10	2	-	3	-	-	7	2	-
" 25-		-	14	6	-	6	-	-	13	2	1
" 35-		-	1	2	-	3	-	-	24	-	-
" 45-		-	-	2	-	1	1	-	16	-	-
" 55-		-	-	1	-	-	-	-	13	-	-
" 65 and upwards		-	-	-	-	-	-	-	9	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

TABLE 11.—DEATHS of PERSONS BELONGING to the COUNTY of LONDON and the METROPOLITAN BOROUGHS, REGISTERED in the 13 WEEKS ENDED 2nd OCTOBER, 1909.

BOROUGHS.	Deaths from											Deaths of Infants under 1 Year of Age.	Deaths under 1 Year to 1000 Births registered.†
	ALL CAUSES.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric Fever.	*Pyrexia** (origin uncertain).	Diarrhœa.	Phthisis.		
COUNTY OF LONDON -	13,009	-	204	79	110	223	-	26	1	957	1,276	3,137	109
West.													
PADDINGTON - - -	335	-	2	2	3	2	-	1	-	17	34	64	93
KENSINGTON - - -	470	-	14	2	7	7	-	1	-	31	37	102	128
HAMMERSMITH - -	317	-	12	1	3	12	-	1	-	24	33	83	118
FULHAM - - -	444	-	25	2	4	8	-	2	-	64	43	133	128
CHELSEA - - -	195	-	2	-	2	3	-	-	-	9	21	35	111
CITY OF WESTMINSTER -	396	-	4	2	6	3	-	1	-	6	38	59	99
North.													
ST. MARYLEBONE - -	321	-	-	3	1	3	-	1	-	14	29	50	53
HAMPSTEAD - - -	141	-	2	1	3	2	-	1	-	-	9	18	55
ST. PANCRAS - - -	672	-	6	6	4	3	-	1	-	27	74	144	106
ISLINGTON - - -	899	-	11	2	4	5	-	3	-	43	99	178	92
STOKE NEWINGTON - -	123	-	1	-	1	3	-	-	-	1	13	24	97
HACKNEY - - -	566	-	1	1	-	7	-	-	-	46	62	149	105
Central.													
HOLBORN - - -	187	-	1	-	1	8	-	-	-	6	25	29	87
FINSBURY - - -	350	-	13	3	8	10	-	1	-	31	32	75	89
CITY OF LONDON - -	56	-	1	-	1	-	-	-	-	1	5	7	117
East.													
SHOREDITCH - - -	459	-	11	2	-	11	-	-	-	58	48	155	179
BETHNAL GREEN - -	463	-	6	10	1	9	-	-	-	68	39	144	151
STEPNEY - - -	974	-	25	6	10	16	-	1	-	80	101	314	135
POPLAR - - -	595	-	17	7	4	12	-	1	-	65	49	164	133
South.													
SOUTHWARK - - -	721	-	4	2	7	13	-	1	-	72	75	207	144
BERMONDSEY - - -	445	-	1	5	4	13	-	-	-	39	49	133	138
LAMBETH - - -	849	-	14	6	12	9	-	1	1	73	80	199	95
BATTERSEA - - -	445	-	12	2	2	9	-	2	-	25	47	101	98
WANDSWORTH - -	674	-	11	2	4	9	-	2	-	34	60	162	91
CAMBERWELL - -	684	-	2	3	9	11	-	1	-	51	66	158	98
DEPTFORD - - -	321	-	-	3	-	21	-	1	-	22	29	73	102
GREENWICH - - -	288	-	1	2	3	1	-	3	-	27	25	67	105
LEWISHAM - - -	328	-	-	1	4	7	-	-	-	16	22	65	73
WOOLWICH - - -	291	-	5	3	2	6	-	-	-	7	32	45	62

In the above Table, all deaths of persons in, or on the way to, Hospitals and other Public Institutions as well as those of persons under treatment in surgical homes, or dying by accident or otherwise in the streets, have been distributed, as far as practicable, to the Boroughs in which the deceased had previously resided. The deaths of 477 London residents who died outside London in Metropolitan Workhouses, Hospitals, and Lunatic and Imbecile Asylums, have been similarly distributed. Of the deaths shown in Table 5 during the 13 weeks the previous residence was outside London in 766 cases and these have been excluded from this Table.

* Called "Simple Continued Fever" previous to 1901.

† The number of births used in this calculation is the number registered in the several Boroughs, no correction being made for births occurring in Public Institutions.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 41. 1909. VOL. LXX.] WEEK ENDED SATURDAY, OCT. 16. [Price 1½*d.*

General Register Office, Somerset House,
October 18th, 1909.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 12·2 per 1000 of their aggregate population, which is estimated † at 16,445,281 persons in the middle of this year. In the preceding three weeks the rates had been 12·6, 12·3, and 12·9. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 16·3 in Smethwick and in Middlesbrough, 17·2 in Salford, 17·3 in Wigan, 17·5 in Liverpool, 17·8 in Grimsby, 18·6 in Merthyr Tydfil, and 18·9 in Oldham; from *measles*, 1·5 in Rhondda; from *diphtheria*, 3·0 in Hanley; from *whooping-cough*, 2·0 in Great Yarmouth; from "*fever*," 1·4 in Grimsby; and from *diarrhœa*, 2·0 in Middlesbrough, 2·1 in Grimsby, 2·2 in South Shields, and 3·9 in Great Yarmouth. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2243 BIRTHS and 1114 DEATHS were registered. Allowing for increase of population, the births were 130 and the deaths 167 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-five other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(14505—41.) Wt. 109—472. 700. 10/09. D & S. G. 31. Sch. 4. 2 S

causes, which had been 12·2, 11·6, and 12·2 per 1000 in the preceding three weeks, was 12·0 last week. The death-rate in the four weeks ended last Saturday averaged 12·0 per 1000, being 2·0 per 1000 below the mean rate in the corresponding periods of the five years 1904–8.

The 1114 deaths included 10 from measles, 10 from scarlet fever, 10 from diphtheria, 9 from whooping-cough, 7 from enteric fever, and 48 from diarrhœa; but not one death from small-pox, from typhus or from ill-defined pyrexia: thus, to these diseases in the aggregate 94 deaths were referred, being 45 below the corrected average number in the forty-first week of the preceding five years.

The deaths from *measles*, which had been 5, 3, and 6 in the preceding three weeks, rose to 10 last week, the corrected average being 11; 5 deaths belonged to the Borough of Stepney, and 3 to Poplar. The deaths from *scarlet fever*, which had been 8, 10, and 10 in the preceding three weeks, were again 10 last week, and were 4 below the corrected average. The deaths from *diphtheria*, which had been 16, 13, and 4 in the preceding three weeks, were 10 last week, and were 4 below the corrected average. The deaths from *whooping-cough*, which had been 14, 14, and 21 in the preceding three weeks, fell to 9 last week, and were 2 below the corrected average. The deaths from *enteric fever*, which had been 2, 4, and 2 in the preceding three weeks, rose to 7 last week, but were 5 below the corrected average. The deaths from *diarrhœa*, which had been 114, 74, and 60 in the preceding three weeks, further fell to 48 last week, and were 29 below the corrected average; 4 deaths belonged to Kensington, and 4 each to Fulham, Islington, Battersea, and Camberwell. Of the 48 deaths from diarrhœa, 43 were those of children under 5 years of age; 8 other deaths at this age were certified as due to *enteritis* and 17 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 7, having been 1, 2, and 7 in the preceding three weeks. The death of a carman, aged 25 years, was certified as due to *glanders*.

Different forms of violence caused 47 deaths, concerning all of which inquests were held. Of these 47 deaths, 10 were cases of suicide, while the remaining 37 were attributed to accident or negligence. Seven of these latter were referred to vehicles in the streets, three to burns or scalds, three to drowning, and five, of infants under one year of age, to suffocation in bed. Two deaths occurred while under anæsthetics administered for surgical purposes.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 2 cases of small-pox, 2810 of scarlet fever, 955 of diphtheria, and 85 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 2 cases, against 0, 0, and 1; of scarlet fever, 371 cases, against 438, 373, and 324; of diphtheria, 130 cases, against 122, 144, and 114; and of enteric fever, 13 cases, against 19, 6, and 14. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended October 9th, 1909.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 3402 births and 1561 deaths were registered, Allowing for increase of population, these numbers are 339 and 258 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 4 deaths from measles, 1 from scarlet fever, 11 from diphtheria, 7 from whooping-cough, 1 from "fever," and 10 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·67 inches, and that of the Thermometer 56°·4, the latter being 6°·0 above the week's average in the 65 years ended 1905. The general direction of the wind was South-Westerly, the horizontal movement of the air being 41 per cent. above the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 22·5 hours; the measured rainfall amounted to 0·59 of an inch.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 16th October, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1909.*	Death-Rates from all Causes. Week ended 25th Sept., 1909.	2nd Oct., 1909.	9th Oct., 1909.	16th Oct., 1909.	Rate from Diseases in Cols. 11–17. Week ended 16th October, 1909.	Registered during the Week ended 16th Oct., 1909. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	2.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17	18.	19.	20.	21.	Cols.
76 TOWNS	**16,445,281**	**12·6**	**12·3**	**12·9**	**12·2**	**1·2**	**7852**	**3845**	**985**	**1072**	**–**	**40**	**34**	**51**	**27**	**27**	**208**	**154**	**307**	**1056**	**27**	**76 TOWNS.**
LONDON	4,833,938	12·2	11·6	12·2	12·0	1·0	2243	1114	276	318	–	10	10	10	9	7	48	47	109	479	–	LONDON.
† CROYDON	161,078	9·7	8·4	6·5	7·1	0·3	68	22	3	5	–	–	–	–	–	–	1	–	3	5	–	CROYDON.
† WILLESDEN ..	160,424	11·7	6·5	9·8	6·8	1·3	87	21	8	7	–	–	–	1	–	–	3	2	3	3	–	WILLESDEN.
† HORNSEY	95,628	4·9	4·9	7·1	6·0	–	13	11	1	5	–	–	–	–	–	–	–	1	1	2	–	HORNSEY.
† TOTTENHAM ..	129,464	7·2	10·9	12·1	10·1	0·8	67	25	3	7	–	1	–	1	–	–	–	–	2	6	–	TOTTENHAM.
† WEST HAM ..	321,767	12·8	9·7	10·7	11·3	2·4	161	70	24	22	–	1	3	2	1	1	7	3	5	17	–	WEST HAM.
† EAST HAM.. ..	149,575	10·1	7·0	5·9	8·0	0·3	66	23	6	5	–	–	–	–	1	–	–	–	–	3	–	EAST HAM.
† LEYTON	129,614	4·0	10·5	8·0	7·2	–	56	18	5	6	–	–	–	–	–	–	–	1	1	2	–	LEYTON.
† WALTHAMSTOW	136,602	7·6	6·9	8·0	9·2	0·4	59	24	8	3	–	–	–	–	1	–	–	2	2	4	–	WALTHAMSTOW.
HASTINGS	68,165	9·2	14·5	9·2	9·2	–	21	12	1	7	–	–	–	–	–	–	–	–	–	2	–	HASTINGS.
BRIGHTON	130,926	15·1	10·4	12·3	10·0	0·4	51	25	4	14	–	–	–	–	–	–	1	1	4	9	–	BRIGHTON.
PORTSMOUTH ..	214,726	12·9	12·6	11·4	11·2	1·7	104	46	12	13	–	–	1	1	–	2	3	2	3	10	–	PORTSMOUTH.
BOURNEMOUTH ..	72,368	12·2	10·1	10·1	8·6	–	16	12	2	4	–	–	–	–	–	–	–	–	1	2	–	BOURNEMOUTH.
SOUTHAMPTON ..	124,667	13·4	13·4	9·6	12·5	–	59	30	–	13	–	–	–	–	–	–	–	1	4	8	–	SOUTHAMPTON.
READING	82,995	10·7	10·7	8·8	8·8	1·3	32	14	3	6	–	–	–	–	–	–	2	–	–	3	–	READING.
NORTHAMPTON ..	97,752	13·3	11·2	9·6	9·1	0·5	43	17	1	5	–	1	–	–	–	–	–	1	2	2	–	NORTHAMPTON.
IPSWICH	74,889	13·9	11·1	13·2	7·7	0·7	25	11	2	4	–	–	–	–	–	–	1	1	1	2	–	IPSWICH.
GREAT YARMOUTH	53,430	8·8	17·6	12·7	15·6	5·9	32	16	6	3	–	–	–	–	2	–	4	–	–	2	–	GREAT YARMOUTH.
NORWICH	124,136	13·0	12·2	14·7	10·5	–	63	25	6	9	–	–	–	–	–	–	–	1	1	9	–	NORWICH.
PLYMOUTH	124,180	14·7	12·2	13·0	9·7	0·4	60	23	7	11	–	–	–	–	–	–	1	–	2	2	–	PLYMOUTH.
DEVONPORT	83,103	10·7	9·4	8·8	12·5	1·9	40	20	3	7	–	–	–	1	–	–	2	–	–	3	–	DEVONPORT.
BRISTOL	377,642	9·8	12·7	11·0	12·6	1·1	151	91	18	36	–	3	–	1	1	–	3	1	7	26	–	BRISTOL.
HANLEY	68,831	15·2	15·9	14·4	12·9	6·1	36	17	2	2	–	1	–	4	–	1	2	1	1	6	–	HANLEY.
BURTON-ON-TRENT	54,453	8·6	11·5	9·6	9·6	–	17	10	2	2	–	–	–	–	–	–	–	–	–	2	–	BURTON-ON-TRENT.
WOLVERHAMPTON..	104,633	16·4	11·5	10·0	14·0	0·5	41	28	3	9	–	–	–	–	–	1	–	1	1	8	–	WOLVERHAMPTON
WALSALL	99,399	11·0	13·1	12·6	12·6	1·6	49	24	6	11	–	–	–	–	–	–	3	–	–	4	–	WALSALL.
HANDSWORTH ..	70,186	7·4	11·1	9·7	6·7	0·7	22	9	–	6	–	–	–	–	–	–	1	–	–	–	–	HANDSWORTH.
WEST BROMWICH ..	70,457	11·8	13·3	12·6	14·8	0·7	47	20	7	3	–	–	1	–	–	–	–	2	2	4	1	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 16th October, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 25th Sept., 1909.	2nd Oct., 1909.	9th Oct., 1909.	16th Oct., 1909.	Rate from Diseases in Cols. 11-17. Week ended 16th October, 1909.	Registered during the Week ended 16th Oct. 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
BIRMINGHAM ..	563,629	15·1	12·0	14·0	12·4	1·7	271	134	35	23	-	-	2	2	1	1	12	7	10	42	6	BIRMINGHAM.
KINGS NORTON ..	81,632	4·5	7·0	10·2	9·6	0·6	46	15	4	7	-	-	1	-	-	-	-	-	-	1	-	KINGS NORTON.
SMETHWICK	70,377	12·6	9·6	10·4	16·3	1·5	39	22	8	7	-	-	-	-	-	1	1	1	1	3	-	SMETHWICK.
ASTON MANOR ..	85,257	8·0	9·2	11·0	8·0	0·6	32	13	5	2	-	-	-	-	-	-	1	-	-	-	-	ASTON MANOR.
COVENTRY	80,163	8·5	15·0	15·6	10·4	2·0	51	16	3	2	-	-	1	-	-	-	2	1	1	2	-	COVENTRY.
LEICESTER	244,255	11·3	10·0	10·2	11·5	0·2	80	54	8	16	-	-	-	-	-	-	1	4	5	12	-	LEICESTER.
GRIMSBY	73,036	11·4	10·7	12·9	17·8	4·3	39	25	10	2	-	-	-	1	-	2	3	2	3	3	-	GRIMSBY.
NOTTINGHAM ..	263,443	12·7	15·0	13·9	13·3	2·0	108	67	16	29	-	-	-	2	-	1	7	2	7	12	-	NOTTINGHAM.
DERBY	129,411	14·5	9·7	11·7	11·3	0·4	56	28	5	11	-	-	-	-	1	-	-	3	6	5	-	DERBY.
STOCKPORT	103,706	12·6	16·6	15·1	11·1	0·5	51	22	6	10	-	-	-	-	-	-	1	1	1	1	-	STOCKPORT.
BIRKENHEAD ..	121,123	14·6	9·0	11·2	14·6	2·6	67	34	9	9	-	1	-	1	1	-	3	1	3	6	-	BIRKENHEAD.
WALLASEY	71,004	8·1	11·7	11·0	14·7	-	46	20	3	11	-	-	-	-	-	-	-	-	1	3	1	WALLASEY.
LIVERPOOL	760,357	16·3	16·2	16·8	17·5	2·1	435	255	83	49	-	2	5	5	1	1	17	10	17	79	3	LIVERPOOL.
BOOTLE	69,393	13·5	15·8	19·5	12·0	0·8	38	16	4	4	-	1	-	-	-	-	-	-	-	1	-	BOOTLE.
ST. HELENS	95,161	13·7	14·8	17·0	15·3	2·2	58	28	9	6	-	-	1	-	1	-	2	2	2	3	2	ST. HELENS.
WIGAN	90,678	14·4	16·7	19·0	17·3	0·6	60	30	8	6	-	-	-	-	-	-	1	1	2	4	1	WIGAN.
WARRINGTON ..	72,276	16·6	13·7	14·4	7·2	0·7	53	10	3	4	-	-	1	-	-	-	-	1	1	4	1	WARRINGTON.
BOLTON	187,824	12·2	15·5	13·0	10·5	1·1	89	38	13	7	-	-	-	-	-	1	3	1	5	6	-	BOLTON.
BURY	59,234	15·0	9·7	21·1	8·8	1·8	24	10	3	5	-	-	-	-	-	-	2	1	2	1	-	BURY.
MANCHESTER ..	655,435	16·5	15·7	15·8	14·2	1·4	354	178	52	44	-	3	2	3	1	1	7	10	14	38	3	MANCHESTER.
SALFORD	241,950	13·4	16·8	19·0	17·2	2·2	138	80	29	13	-	1	2	2	-	-	5	4	6	18	1	SALFORD.
OLDHAM	143,301	17·5	20·0	16·0	13·9	2·2	58	52	11	15	-	-	-	1	-	-	5	2	3	7	-	OLDHAM.
ROCHDALE	89,653	17·4	13·4	15·1	12·8	0·6	39	22	3	8	-	-	-	-	1	-	-	-	-	4	-	ROCHDALE.
BURNLEY	106,267	16·2	19·1	17·2	12·8	1·5	43	26	7	8	-	-	-	-	-	-	3	-	-	2	-	BURNLEY.
BLACKBURN	136,959	9·5	11·4	16·8	12·9	1·1	59	34	11	10	-	-	1	-	-	-	2	1	1	4	1	BLACKBURN.
PRESTON	118,519	14·5	13·6	16·7	8·4	2·6	50	19	5	4	-	1	-	-	-	1	4	-	-	5	-	PRESTON.
BARROW-IN-FURNESS.	62,996	14·9	8·3	13·2	10·8	0·8	23	13	2	5	-	-	-	-	-	-	1	-	-	2	-	BARROW-IN-FURNESS.

* See note † on first page of this return.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 16th October, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 25th Sept., 1909.	2nd Oct., 1909.	9th Oct., 1909.	16th Oct., 1909.	Rate from Diseases in Cols. 11-17. Week ended 16th October, 1909.	Registered during the Week ended 16th Oct., 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS,
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,739	13·2	18·7	19·3	11·6	1·1	43	21	3	6	–	–	–	–	–	1	1	–	–	3	–	HUDDERSFIELD.
HALIFAX	111,911	11·6	10·7	14·0	12·6	–	36	27	4	9	–	–	–	–	–	–	–	2	3	6	–	HALIFAX.
BRADFORD	293,983	13·8	9·9	12·6	12·1	0·2	121	68	10	25	–	–	–	–	1	–	–	4	9	16	1	BRADFORD.
LEEDS	484,012	10·8	12·3	13·1	11·3	0·6	204	105	26	31	–	–	–	1	–	–	5	1	7	22	1	LEEDS.
SHEFFIELD	470,958	12·5	11·6	11·3	11·5	0·8	232	104	25	33	–	–	1	2	–	1	3	4	9	29	–	SHEFFIELD.
ROTHERHAM.. ..	65,070	13·6	5·6	6·4	10·4	1·6	38	13	3	1	–	–	–	–	–	1	1	1	1	2	–	ROTHERHAM.
YORK	87,004	9·0	13·2	10·8	10·8	–	44	18	6	6	–	–	–	–	–	–	–	–	1	3	–	YORK.
HULL	275,552	16·7	11·5	15·1	15·5	2·1	158	82	24	13	–	2	1	3	–	–	5	6	8	18	–	HULL.
MIDDLESBROUGH ..	105,255	17·8	13·9	15·9	16·3	3·0	64	33	11	8	–	–	–	–	1	1	4	–	2	4	–	MIDDLESBROUGH.
STOCKTON-ON-TEES	53,417	11·7	14·6	11·7	8·8	–	26	9	2	3	–	–	–	–	–	–	–	1	1	–	–	STOCKTON-ON-TEES.
WEST HARTLEPOOL	79,686	5·9	8·5	11·1	7·2	0·7	37	11	4	1	–	–	–	–	–	–	1	3	3	1	1	WEST HARTLEPOOL.
SUNDERLAND ..	159,378	10·8	13·7	13·7	12·8	2·0	99	39	9	13	–	1	1	–	–	–	4	2	2	4	–	SUNDERLAND.
SOUTH SHIELDS ..	117,627	10·2	10·2	14·6	14·2	3·1	51	32	13	11	–	–	–	1	–	1	5	–	–	4	1	SOUTH SHIELDS.
GATESHEAD	131,024	9·2	14·7	15·5	7·6	1·6	72	19	7	3	–	–	–	1	–	–	3	–	–	5	2	GATESHEAD.
NEWCASTLE-ON-TYNE.	281,584	12·0	13·5	12·4	12·4	1·3	116	67	19	15	–	4	–	1	–	1	1	1	5	19	–	NEWCASTLE-ON-TYNE.
TYNEMOUTH ..	55,808	14·0	14·0	12·1	12·1	2·8	47	13	2	1	–	1	–	1	–	–	1	1	2	3	1	TYNEMOUTH.
NEWPORT (MON.) ..	78,336	14·6	12·6	18·0	8·7	0·7	43	13	3	4	–	1	–	–	–	–	–	–	–	2	–	NEWPORT (MON.).
CARDIFF	195,303	11·7	11·7	13·6	9·6	0·3	81	36	6	10	–	–	–	–	–	–	1	1	1	9	–	CARDIFF.
RHONDDA	135,894	16·5	12·3	14·6	15·0	4·6	91	39	17	5	–	4	–	2	1	–	5	–	–	3	–	RHONDDA.
MERTHYR TYDFIL..	78,365	16·0	15·3	19·3	18·6	2·0	51	28	10	6	–	1	–	1	–	–	1	1	1	6	–	MERTHYR TYDFIL.
SWANSEA	98,308	12·2	14·9	14·9	15·4	2·1	62	29	7	5	–	–	–	–	2	–	2	3	6	4	–	SWANSEA.
GREATER LONDON	7,429,740	11·4	10·6	11·1	11·0	1·1	3402	1561	385	466	–	16	14	25	19	9	69	64	147	565	1	GREATER LONDON.
OUTER RING ..	2,595,802	10·1	8·8	9·2	9·0	1·2	1159	447	109	148	–	6	4	15	10	2	21	17	38	86	1	OUTER RING.
8 TOWNS IN OUTER RING.	1,284,152	9·4	8·4	8·8	8·7	1·0	577	214	58	60	–	2	3	4	3	1	11	9	17	42	–	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,311,650	10·7	9·2	9·5	9·3	1·4	582	233	51	88	–	4	1	11	7	1	10	8	21	44	1	REMAINDER OF OUTER RING.
EDINBURGH	355,366	10·9	12·8	11·2	12·6	0·7	142	86	16	28	–	–	1	2	–	–	2	4	?	30	3	EDINBURGH.
GLASGOW	872,021	14·4	12·6	12·7	13·7	1·6	386	229‡	40	48	–	7	3	8	–	3	6	12	?	87	8	GLASGOW.
DUBLIN (Registration Area).†	398,356	19·5	17·5	16·8	16·0	0·9	184	122	26	43	–	–	1	1	–	1	4	1	1	44	4	DUBLIN (Registration Area).†
BELFAST†	386,576	16·3	13·4	12·8	14·0	1·3	228	104	24	25	–	–	–	–	2	3	5	2	6	27	–	BELFAST†

* See note † on first page of this return.

† Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast respectively.
‡ Including 1 death from Cerebro-spinal meningitis.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FORTY-FIRST Week of each of the Eleven Years, 1899–1909.

	1899	1900	1901	1902	1903	1904	1905	1906	1907	1908	Corrected Weekly Average in 5 Years 1904–1908.*	1909
TOTAL **Births** -	2549	2429	2676	2489	2437	2491	2386	2355	2183	2177	2373·5	2243
Males - - -	1317	1198	1368	1287	1266	1268	1210	1256	1116	1113	1221·0	1138
Females - -	1232	1231	1308	1202	1171	1223	1176	1099	1067	1064	1152·5	1105
TOTAL **Deaths** -	1637	1305	1309	1552	1351	1270	1255	1295	1315	1122	1231·1	1114
Males - - -	882	679	667	775	727	639	667	695	685	620	676·9	589
Females - -	755	626	642	777	624	631	588	600	630	502	604·2	525

* The numbers in this column are the average weekly numbers in the Forty-First week of the five years 1904–1908, raised by 2·375 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	13 Weeks.
TOTAL **Births** -	2206	2289	2054	2316	2169	2386	2317	2096	2223	2220	2057	2292	2243	28868
TOTAL **Deaths** -	926	957	933	1047	1027	1153	1149	1139	1151	1126	1079	1127	1114	13928
Ages at Death: Under 1 year -	174	177	204	213	223	338	336	349	309	301	260	274	276	3434
1—5 years -	88	85	83	111	105	122	114	104	109	108	80	97	98	1304
5—20 " -	61	66	55	61	60	57	45	52	68	56	71	50	54	756
20—40 " -	114	127	122	137	138	147	137	130	147	131	115	129	140	1714
40—60 " -	201	200	197	205	220	200	230	199	221	251	231	200	228	2843
60 yrs. & upwds.	288	302	272	320	281	289	287	305	297	279	322	317	318	3877
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Measles - - -	24	9	19	22	17	12	10	8	5	5	3	6	10	150
Scarlet Fever - -	8	4	4	9	7	6	2	5	2	8	10	10	10	85
Diphtheria - -	6	19	3	10	6	5	9	8	7	16	13	4	10	116
Whooping-cough -	17	17	26	12	13	15	27	26	13	14	14	21	9	224
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	-	3	2	2	5	1	2	2	1	2	4	2	7	33
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	1	-	-	-	-	1
Diarrhœa, Dysentery	22	26	27	39	76	159	139	154	129	114	74	60	48	1067
All above diseases -	77	78	81	94	124	198	189	203	158	159	118	104	94	1677
Dis. of Resp. System	43	38	53	53	52	41	35	48	51	56	60	73	64	667
Pneumonia - -	89	68	67	72	69	62	68	57	79	92	72	113	103	1011
Phthisis - - -	78	90	98	105	102	104	109	90	101	115	112	103	93	1305
Dis. of Circ. System -	128	132	134	155	130	137	137	145	151	129	147	147	151	1823
Violence - - -	37	42	38	56	53	56	51	37	43	37	45	35	47	577
Inquest Cases - -	82	98	85	105	111	131	125	90	113	89	92	108	109	1338
Deaths in Institutions	484	431	403	486	477	464	495	489	480	539	509	513	479	6249
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - -	61·9	59·9	60·8	66·9	63·3	58·1	54·5	54·5	55·3	56·3	53·1	55·8	53·4	58·2
Mean of Highest -	72·7	69·4	72·7	80·8	73·6	67·8	64·5	63·1	62·9	65·5	60·1	64·6	63·3	67·8
Mean of Lowest -	54·0	53·4	50·9	54·1	55·7	51·1	46·3	47·3	49·4	48·4	47·4	47·5	49·8	50·4
Mean Humidity of the Air.	71	79	76	70	79	83	75	83	86	87	94	81	84	81
Rain-fall (in inches) -	0·15	1·31	0·26	0·00	0·82	0·70	0·30	0·32	0·58	0·57	0·72	1·01	0·59	7·33
Registered Sunshine (in hours).	63·0	34·4	54·4	81·5	40·2	30·2	41·7	35·0	20·9	27·7	6·0	33·7	22·5	491·2
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Scarlet Fever - -	2731	2667	2564	2518	2411	2347	2377	2436	2553	2686	2737	2745	2810	2583
Diphtheria - - -	905	901	901	855	831	798	831	843	832	857	908	928	955	873
Typhus - - -	2	2	2	1	-	-	-	-	-	-	-	-	-	1
Enteric Fever - -	59	60	62	59	53	55	62	68	67	78	75	82	85	67

* The Metropolitan Asylums Board and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lander, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq. F.R.Met.Soc., Hull; the Meteorological Committee, Tynemouth; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the FORTY-FIRST Week of the Year 1909.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 41st week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1281·1	1114	276	98	54	140	228	318
Small-pox*	–	–	–	–	–	–	–	–
Cowpox	–	–	–	–	–	–	–	–
Measles (Morbilli)	10·6	10	2	7	1	–	–	–
Scarlet Fever	14·3	10	2	7	1	–	–	–
Typhus	–	–	–	–	–	–	–	–
Plague	–	–	–	–	–	–	–	–
Influenza	12·7	7	1	–	–	2	1	3
Whooping-cough	10·9	9	4	5	–	–	–	–
Diphtheria	14·1	10	–	8	2	–	–	–
Cerebro-spinal Fever ..	–	–	–	–	–	–	–	–
Pyrexia† (origin uncertain)	–	–	–	–	–	–	–	–
Enteric Fever	11·7	7	–	–	1	5	1	–
Asiatic Cholera	–	–	–	–	–	–	–	–
Epidemic Diarrhœa, Infective Enteritis	45·5	23	19	2	–	–	1	1
Diarrhœa, Dysentery ..	31·9	25	17	5	–	–	–	3
Tetanus	0·6	2	–	–	–	1	1	–
Rabies, Hydrophobia ..	–	–	–	–	–	–	–	–
Glanders	–	1	–	–	–	1	–	–
Anthrax (Splenic Fever)..	–	–	–	–	–	–	–	–
Venereal Dis.	6·8	12	9	1	–	1	1	–
Puerperal Septicæmia ..	3·1	5	–	–	–	3	2	–
Puerperal Pyæmia.. .	–	–	–	–	–	–	–	–
Puerperal Fever	0·4	–	–	–	–	–	–	–
Infective Endocarditis ..	3·7	1	–	–	–	1	–	–
Pneumonia: Lobar ..	10·9	10	–	–	1	2	4	3
Pneumonia: Broncho ..	43·0	43	16	17	2	1	2	5
Pneumonia: Epidemic ..	–	–	–	–	–	–	–	–
Pneumonia: Not defined	44·4	50	8	6	2	4	16	14
Erysipelas	5·7	4	2	–	–	–	2	–
Septicæmia (not Puerperal) ..	2·3	2	2	–	–	–	–	–
Pyæmia (not Puerperal)	0·6	–	–	–	–	–	–	–
Other Infective Processes	3·9	7	2	1	–	1	–	3
Tuberculous Phthisis ..	80·9	71	2	–	7	33	27	2
"*Phthisis*"	47·5	27	–	–	2	11	10	4
Tuberculous Meningitis ..	19·7	10	2	6	2	–	–	–
Tuberculous Peritonitis ..	10·2	5	3	–	–	1	1	–
Tabes Mesenterica	2·0	2	2	–	–	–	–	–
Tuberculous Dis., Other ..	18·2	18	1	6	4	6	1	–
Scrofula..	–	–	–	–	–	–	–	–
Alcoholism	9·8	5	–	–	–	1	3	1
Rheumatic Fever	7·4	3	–	–	1	1	–	1
Gout	1·2	–	–	–	–	–	–	–
Carcinoma	59·8	71	–	–	–	6	27	38
Sarcoma	6·6	6	–	–	–	3	2	1
Cancer (undefined) ..	33·8	21	–	–	–	–	10	11
Diabetes Mellitus	9·8	5	–	–	1	1	–	3
Premature Birth	42·2	52	52	–	–	–	–	–

CAUSES OF DEATH.	Corrected Average for the 41st week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)..	11·1	9	4	2	2	1	–	–
Gen. Par. of Insane, Insanity	13·7	12	–	–	1	1	5	5
Epilepsy	7·0	6	1	–	2	1	1	1
Convulsions	18·0	12	12	–	–	–	–	–
Locomotor Ataxy.. ..	1·6	–	–	–	–	–	–	–
Paraplegia, Dis. of Cord.	5·1	4	–	–		–	2	2
Nervous Sys., Other Dis.	15·4	6	–	–	–	–	4	2
Valv. Dis., Endocarditis..	43·6	37	–	–	2	5	16	14
Cereb. Hæm. Cereb. Emb.	31·7	34	–	–	1	2	11	20
Apoplexy, Hemiplegia ..	13·9	9	–	–	–	1	2	6
Aneurysm	5·3	1	–	–	–	–	–	1
Embolism, Thrombosis (not Cerebral) ..	1·0	1	–	–	–	–	–	1
Heart & Blood Ves., Other Dis... ..	73·3	69	–	1	–	10	18	40
Croup (not Spasm: nor Memb.)	0·6	–	–	–	–	–	–	–
Bronchitis	68·2	54	15	6	1	–	5	27
Emphysema, Asthma ..	3·7	1	–	–	–	–	–	1
Pleurisy	3·9	–	–	–	–	–	–	–
Respiratory Dis, Other..	8·2	9	3	2	–	1	–	3
Tonsillitis, Quinsy.. ..	0·8	1	–	1	–	–	–	–
Enteritis (not Epid.) ..	16·2	12	8	–	–	2	–	2
Gastro-enteritis	11·7	17	17	–	–	–	–	–
Peritonitis (not Puerp.) ..	3·9	6	1	–	4	–	–	1
Cirrhosis of Liver.. ..	17·4	13	–	–	–	1	6	6
Liver Dis., Other	4·5	8	–	–	–	2	3	3
Digestive Sys., Other Dis.	33·2	34	5	2	6	6	6	9
Acute Nephritis	4·7	10	–	–	1	2	2	5
Bright's Dis., Albuminuria	31·5	31	–	–	1	–	13	17
Urinary Sys., Other Dis.	13·5	7	–	–	–	2	2	3
Generative Organs Dis...	4·5	1	–	–	–	1	–	–
Childbirth (Accid. of) ..	2·0	1	–	–	–	1	–	–
Old Age	52·2	41	–	–	–	–	–	41
Other Diseases	86·4	87	57	7	4	8	4	7
ACCIDENT.								
By Railways	1·4	3	–	–	–	1	2	–
By Vehicles and Horses..	7·4	7	–	3	1	–	2	1
In Ships, Boats, Docks, (exclusive of Drowning)	1·2	1	–	–	–	–	1	–
In Building Operations..	0·4	–	–	–	–	–	–	–
In Conflagrations	–	–	–	–	–	–	–	–
By Burns, Scalds, Explosions	2·9	3	–	1	–	–	–	2
By Drowning	4·3	3	–	1	1	1	–	–
By Suffocation in Bed ..	5·9	5	5	–	–	–	–	–
By Poisons or Poisonous Vapours	2·9	2	–	–	–	1	1	–
Other Deaths by Accident..	11·3	13	2	1	–	2	5	3
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	0·6	–	–	–	–	–	–	–
Suicide	8·8	10	–	–	–	3	5	2
Execution	–	–	–	–	–	–	–	–

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 16th October, 1909.

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexiæ*† (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified causes of Death.
LONDON	4,536,267	2243	1114	276	318	-	10	10	10	9	-	7	-	48	47	09	479	-
WEST DISTRICTS	805,311	321	207	47	59		-	-	2	-	-	2	-	11	9	25	88	-
NORTH DISTRICTS	1,055,908	465	223	41	80	-	1	1	1	-	-	3	-	9	12	24	79	-
CENTRAL DISTRICTS	209,465	96	55	15	8	-	-	-	-	-	-	-	-	-	4	9	37	-
EAST DISTRICTS	715,739	430	180	49	44	-	7	-	2	2	-	1	-	10	6	19	98	-
SOUTH DISTRICTS	1,749,844	931	425	123	120	-	2	7	5	7	-	1	-	18	16	31	153	-
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	24	1	7	-	-	2	-	-	-	-	-	-	-	1	24	-
WEST DISTRICTS.																		
North Paddington *H*	63,603	23	6	1	-	-	-		-	-	-	-	-	-	-	-	-	-
Central Paddington *W,3H*	50,053	19	21	1	8	-	-	-	-	-	-	-	-	-	2	4	13	-
South Paddington	30,320	6	12	2	5	-	-	-	-	-	-	-	-	-	1	2	-	-
Kensington Town *2W,w,2H* ..	128,037	57	35	11	11	-	-	-	-	-	-	-	-	3	-	2	9	-
Brompton *2H*	48,591	6	8	2	4	-	-	-	-	-	-	-	-	1	-	-	-	-
North Hammersmith *2W,w,H* ..	49,192	32	9	6	1	-	-	-	-	-	-	-	-	1	-	-	4	-
South Hammersmith *w,2H* ..	63,047	23	19	1	8	-	-	-	-	-	-	-	-	-	2	5	8	-
North-west Fulham *W*	45,180	34	22	7	4	-	-	-	-	-	-	-	-	3	1	1	13	-
North-east Fulham *F*	46,405	23	15	-	5	-	-	-	1	-	-	2	-	-	1	3	4	-
South Fulham *W*	45,704	25	9	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Chelsea North *W,w,3H*	42,514	15	7	1	1	-	-	-	-	-	-	-	-	-	-	2	3	-
Chelsea South *W,2H*	31,328	10	8	5	2	-	-	-	-	-	-	-	-	3	-	2	5	-
Mayfair and Knightsbridge	28,743	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave *W,2H*	55,815	23	21	6	2	-	-	-	1	-	-	-	-	-	1	1	10	-
St. Margaret & St. John *6H*	43,698	11	9	-	4	-	-	-	-	-	-	-	-	-	1	2	6	-
St. James and St. Anne *W,6H* ..	33,081	9	6	1	3	-	-	-	-	-	-	-	-	-	-	-	3	-
NORTH DISTRICTS.																		
All Souls Marylebone *7H*	35,391	17	15	2	2	-	-	-	-	-	-	-	-	1	-	-	7	-
St. Mary Marylebone *W,4H* ..	37,948	43	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Christchurch Marylebone	39,536	17	3	1	1	-	-	-	-	-	-	-	-	1	-	1	-	-
St. John Marylebone *2H*	20,426	7	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead *W,F,6H*	81,942	22	15	-	10	-	-	-	-	-	-	1	-	-	1	1	4	-
West St. Pancras *2H*	60,562	14	14	4	6	-	-	-	-	-	-	-	-	-	1	3	1	-
South St. Pancras *w,10H*	55,707	9	19	4	2	-	-	-	-	-	-	1	-	1	4	4	12	-
East St. Pancras *W,H*	60,320	24	15	4	4	-	-	-	-	-	-	-	-	-	-	2	5	-
North St. Pancras *2W*	58,728	35	10	1	5	-	-	-	-	-	-	-	-	-	-	-	5	-
Tufnell *W*	31,995	16	22	2	9	-	-	-	-	-	-	-	-	-	1	1	18	-
Upper Holloway *2W,w,H*	33,978	12	13	2	6	-	-	-	-	-	-	1	-	-	-	1	12	-
Tollington *W,w,H*	33,922	13	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Lower Holloway	41,424	17	8	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Barnsbury	54,478	26	6	3	-	-	-	-	-	-	-	-	-	2	-	1	-	-
Islington South-east *F*	75,397	29	13	3	9	-	-	-	-	-	-	-	-	-	-	-	-	-
Highbury *2H*	63,797	17	12	2	3	-	1	-	-	-	-	-	-	1	1	1	-	-
Stoke Newington *H*	51,247	23	8	1	3	-	-	-	-	-	-	-	-	1	1	2	-	-
North Hackney	50,398	24	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Central Hackney *w,F*	50,536	26	12	4	1	-	-	1	1	-	-	-	-	1	1	3	2	-
South-west Hackney *3H*	59,921	27	10	2	2	-	-	-	-	-	-	-	-	1	1	1	1	-
South-east Hackney *2W,H*	58,255	44	17	4	7	-	-	-	-	-	-	-	-	-	1	3	12	-
Hackney Union Workhouse, Brentwood	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1909.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 16th October, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
St. Giles and Bloomsbury 2*W*,2*H* ..	31,436	22	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Strand *W*,4*H*	21,674	3	8	2	-	-	-	-	-	-	-	-	-	-	1	1	7	-
Strand Union Workhouse, Edmonton	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Holborn *W*,5*H*	29,612	12	18	7	1	-	-	-	-	-	-	-	-	-	-	1	14	-
Clerkenwell *H*	63,704	28	9	3	3	-	-	-	-	-	-	-	-	-	2	3	-	-
St. Luke 3*H*,*L*	36,116	31	3	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
Holborn Union Workhouse, Mitcham	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph *H*	10,299	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	-	14	3	2	-	-	-	-	-	-	-	-	-	1	4	13	-
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
Shoreditch South 3*H*	46,362	24	5	2	2	-	-	-	-	-	-	-	-	1	-	-	2	-
Shoreditch North-West *W*,*w*,*H* ..	36,127	20	19	3	6	-	-	-	-	-	-	-	-	-	1	5	16	-
Shoreditch North-East	36,148	22	5	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	38	25	5	8	-	1	-	1	-	-	-	-	3	1	2	20	-
Bethnal Green South-West *H* ..	64,542	33	9	5	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Spitalfields..	27,969	10	4	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Mile End New Town *W*,*H*	28,718	26	32	8	3	-	1	-	-	-	-	1	-	3	-	-	27	-
Goodman's Fields	22,081	7	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George and St. John 2*W* ..	49,068	39	13	3	4	-	-	-	-	-	-	-	-	1	-	3	4	-
Shadwell and Ratcliff *w*,*H* ..	25,568	12	9	7	-	-	1	-	-	1	-	-	-	-	-	-	7	-
Limehouse *W*	32,369	31	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Mile End Old Town South-Western *H*	63,698	47	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Mile End Old Town North-Eastern *W*,*w*	49,129	36	16	3	5	-	-	-	1	-	-	-	-	1	-	-	8	-
Bow	41,989	18	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bromley 3*w*,*H*	68,319	34	19	3	7	-	1	-	-	1	-	-	-	1	4	5	12	-
Poplar *W*,*w*	58,514	33	9	2	3	-	1	-	-	-	-	-	-	-	-	2	-	-
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 16th October, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch and St. Saviour Southwark *W,2H*	23,319	7	22	4	5	-	-	-	-	-	-	-	-	1	-	1	16	-
Kent-road	21,904	17	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George the Martyr West *W,2H,L*	39,094	16	16	6	2	-	-	-	-	1	-	1	-	1	1	2	6	-
Newington North	49,022	20	6	1	3	-	-	-	-	1	-	-	-	-	-	1	-	-
Newington South *W*	72,841	42	12	4	4	-	-	-	-	-	-	-	-	2	1	2	4	-
St. Olave *2W*	9,817	10	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Bermondsey *W*	82,483	56	16	11	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Rotherhithe *W,F*	38,460	19	9	3	1	-	-	-	-	-	-	-	-	1	-	-	5	-
Waterloo *2H*	27,440	32	6	1	3	-	-	-	-	-	-	-	-	-	-	1	4	-
Lambeth Church *H*	27,440	11	19	5	-	-	-	-	-	-	-	-	-	1	2	3	11	-
Kennington *2W*	52,518	29	19	3	7	-	-	-	1	-	-	-	-	-	1	1	14	-
Stockwell *HF*	63,826	31	17	4	4	-	-	2	1	-	-	-	-	-	-	1	5	-
Brixton *H*	73,673	38	10	3	3	-	-	-	-	-	-	-	-	-	-	-	3	-
Norwood *2WH*	56,998	29	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
East Battersea *H*	72,203	31	14	5	5	-	-	-	-	-	-	-	-	2	-	1	-	-
North-west Battersea	49,656	30	10	6	2	-	-	-	-	-	-	-	-	1	-	-	-	-
South-west Battersea *2W,H* ..	47,048	10	15	1	6	-	-	-	-	1	-	-	-	-	1	3	13	-
Clapham *2H*	51,361	31	9	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Streatham *W,2w,2F,2L*	88,019	59	24	7	10	-	1	1	2	-	-	-	-	1	-	1	7	-
Springfield *2W,L*	27,959	21	6	1	3	-	-	-	-	-	-	-	-	-	-	-	1	-
Southfields *H*	40,444	14	6	3	2	-	-	-	-	1	-	-	-	-	-	-	-	-
Putney	24,139	13	4	1	2	-	-	-	-	-	-	-	-	-	1	1	-	-
Dulwich	13,359	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	18	25	5	11	-	-	-	-	1	-	-	-	-	1	1	16	-
Camberwell North *W,2L*	65,584	24	24	5	10	-	-	-	-	-	-	-	-	2	1	1	12	-
St. George	47,331	23	7	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Peckham North	48,913	19	10	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Peckham South *2W,w*	43,946	24	4	1	1	-	-	-	-	-	-	-	-	-	2	3	-	-
Deptford North	37,613	30	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Deptford Central *F*	45,481	31	13	7	1	-	1	3	1	-	-	-	-	-	-	-	5	-
Deptford South	34,625	19	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *H*	23,456	13	5	2	2	-	-	-	-	-	-	-	-	-	-	-	1	-
Greenwich East *2W,H*	43,859	20	19	5	6	-	-	-	-	1	-	-	-	1	1	1	8	-
Eltham *w,H*	7,226	7	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *w,H*	25,490	7	6	-	3	-	-	-	-	-	-	-	-	-	-	-	3	-
Lewisham *2W,w,F*	58,352	35	16	6	1	-	-	-	-	-	-	-	-	1	1	2	9	-
Sydenham *H*	43,653	19	8	2	3	-	-	-	-	-	-	-	-	-	1	1	1	-
Charlton *F,2H*	21,134	9	5	1	1	-	-	1	-	-	-	-	-	1	-	-	2	-
Woolwich *5H*	41,625	27	13	4	5	-	-	-	-	1	-	-	-	-	-	2	-	-
Plumstead West *W,H*	39,376	21	7	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *2W*	28,951	16	8	2	2	-	-	-	-	-	-	-	-	1	2	2	6	-
Workhouses:—																		
Belmont Workhouse	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asylum .. (Westminster, St. Giles, and Strand Unions.)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Small-pox Hospitals:—																		
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																		
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	2	1	-	-	-	2	-	-	-	-	-	-	-	-	2	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																		
Children's Infirmary, Carshalton..	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums:—																		
Caterham	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-
Darenth	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Leavesden	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
London County Lunatic Asylums:—																		
Banstead	—	-	6	-	1	-	-	-	-	-	-	-	-	-	-	-	6	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Manor	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Long Grove	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Cane Hill	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
Dartford Heath	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hanwell	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Colney Hatch	—	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	3	-
Claybury	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE **6.** LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERATED POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 16th October, 1909.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include — Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years & upwds.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING ..	368,603	2,045,135	1159	447	109	148	-	6	4	15	10	2	21	17	38	86	1
30 : 1	Carshalton 2F,3H	12,228	32,997	12	8	1	4	-	-	-	2	-	-	-	-	-	2	1
2	Epsom, *part of** W,w,2F,H ..	10,423	15,548	8	4	1	2	-	-	-	-	-	-	-	-	-	-	-
37 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	2	2	-	2	-	-	-	-	-	-	-	-	1	1	-
38 : 1	Coulsdon	11,069	8,166	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w,H ..	4,200	49,309	15	10	1	1	-	-	-	-	-	-	1	-	-	-	-
3	West Croydon 3W,F,H ..	2,168	42,888	27	12	2	3	-	-	-	-	-	-	-	1	4	7	-
4	North Croydon H	2,614	41,698	26	2	-	1	-	-	-	-	-	-	-	-	-	-	-
5	Penge w	770	22,465	7	3	-	1	-	-	-	1	-	-	-	1	1	-	-
6	Mitcham w	11,711	30,015	24	7	2	1	-	-	-	-	-	-	1	1	2	-	-
39 : 1	Wimbledon F,3H	3,221	41,652	21	4	2	2	-	-	-	-	-	-	1	-	-	-	-
2	Kingston 2W,H	6,224	42,068	24	9	2	3	-	-	-	-	1	-	-	1	1	2	-
3	Surbiton F,H	3,046	15,017	6	5	1	3	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** H	5,402	13,100	3	3	-	-	-	-	-	-	-	-	-	-	1	-	-
5	Hampton H,F,L	4,564	23,456	8	2	2	-	-	-	-	-	-	-	1	-	-	-	-
40 : 1	Richmond W,H	2,491	31,672	5	6	-	5	-	-	-	-	-	-	-	-	-	-	-
2	Mortlake F	2,518	17,821	10	7	1	2	-	-	-	1	-	-	-	2	3	1	-
41 : 1	Bromley F,3H	4,703	27,354	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Beckenham H	7,825	28,497	7	5	1	4	-	-	-	-	-	-	-	-	-	-	-
3	Orpington, *part of** W,F ..	10,113	9,857	4	1	1	-	-	-	-	-	-	-	1	-	-	-	-
4	Chislehurst 2H	7,333	16,446	7	2	2	-	-	-	-	-	-	-	-	-	-	-	-
42 : 1	Bexley w,F,H	8,678	21,151	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Erith F,H	3,854	25,296	15	5	2	2	-	-	-	-	1	-	-	-	-	-	-
3	Dartford W,F, *part of** ..	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
124 : 1	Sunbury w	11,054	18,683	11	3	1	2	-	-	-	-	-	-	1	-	-	-	-
2	Staines W,H	13,277	15,178	17	6	2	4	-	-	-	-	1	-	-	-	1	3	-
125 : 1	Hillingdon W,F,H	6,035	13,661	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Uxbridge H	12,757	8,984	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w 2F,H	8,066	16,358	12	6	2	2	-	-	-	-	-	-	1	-	-	-	-
126 : 1	Isleworth 3W,3F,H	6,859	30,863	16	5	-	2	-	-	-	-	-	-	-	-	-	2	-
2	Twickenham F,2H	2,421	26,991	13	9	4	3	-	-	-	-	-	-	1	-	-	1	-
3	Brentford 3F,2H	4,319	48,289	30	13	1	8	-	-	-	1	-	-	-	1	2	1	-
4	Chiswick H	1,249	29,809	10	3	1	1	-	-	-	-	-	-	-	-	-	-	-
5	Acton w,F,3H	6,132	48,914	38	10	1	4	-	-	-	1	1	-	-	-	1	-	-
127A : 1	Harrow F,H	13,809	25,523	15	4	2	1	-	-	-	-	1	-	-	-	-	-	-
2	Edgware 2F,2H	6,994	4,521	2	2	-	-	-	-	-	1	1	-	-	-	-	1	-
3	Hendon W,F	8,382	22,450	11	7	1	3	-	-	-	-	-	-	-	-	1	3	-
127B : 1	Willesden† W,F,2H	4,384	114,811	87	21	8	7	-	-	-	1	-	-	3	2	3	3	-
128 : 1	South Mimms 2F,H ..	17,755	7,308	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,970	7	5	-	2	-	2	-	-	-	-	-	-	-	-	-
3	Finchley F,3H	4,638	33,692	14	6	2	1	-	-	-	-	-	-	-	-	-	1	-
129 : 1	Hornsey F,H	2,875	72,056	13	11	1	5	-	-	1	1	-	-	-	1	1	2	-
2	Wood Green H	1,625	34,233	26	8	5	1	-	-	-	1	-	-	1	-	-	-	-
3	West Tottenham	995	48,741	31	8	2	2	-	1	-	-	-	-	-	-	1	-	-
4	East Tottenham 2H ..	2,019	53,962	36	15	1	3	-	-	-	1	-	-	-	-	1	4	-
5	Edmonton W,w,2F	7,491	61,892	54	19	1	9	-	-	-	-	-	-	-	1	2	11	-
6	Enfield 2W,F,H	12,601	42,738	23	9	1	2	-	2	-	-	-	-	-	-	1	1	-
7	Waltham Abbey F	11,017	6,549	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
135 : 1	Hatfield, *part of** W ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey, *part of** H ..	9,195	7,051	10	2	2	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford, *part of** W,2F ..	138	2,122	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
186 : 1	Stratford H	1,091	52,974	34	6	5	-	-	1	-	-	-	-	1	-	-	-	-
2	Forest Gate	787	52,745	18	7	1	3	-	-	-	1	1	-	-	1	1	-	-
3	Plaistow F,2H	1,249	90,921	55	25	10	9	-	-	1	1	-	1	3	1	2	2	-
4	Canning Town H	1,556	70,718	54	18	6	1	-	-	1	-	-	-	3	-	1	1	-
5	South East Ham 2F ..	1,991	37,342	34	6	-	2	-	-	-	-	-	-	-	-	-	-	-
6	North East Ham w,H ..	1,333	58,666	32	14	5	2	-	-	-	-	-	-	-	-	-	-	-
7	Wanstead F	1,679	9,179	4	1	-	-	-	-	-	1	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	28	13	3	9	-	-	-	-	-	-	-	-	-	9	-
9	North Leyton 2W,w,F ..	1,963	48,445	28	26	6	9	-	-	-	-	1	-	-	2	2	14	-
10	Walthamstow 2H,L ..	6,504	108,929	71	23	7	2	-	-	-	-	1	1	-	2	2	1	-
187 : 1	Chigwell 2F,3H	11,778	16,397	8	4	-	1	-	-	-	1	-	-	-	-	1	-	-
2	Epping W,F, *part of** ..	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
189 : 1	Romford, *part of** W,2F ..	6,556	6,091	3	4	-	1	-	-	-	-	-	-	-	-	1	3	-
2	Ilford F,L	8,496	41,244	26	6	2	2	-	-	-	-	-	-	1	-	1	-	-
3	Barking Town F	3,805	21,547	22	7	2	2	-	-	-	-	1	-	1	-	-	-	-
	Park Hospital, Lewisham ..	—	—	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-
	Kent County Lunatic Asylum, Maidstone.	—	—	-	3	-	1	-	-	-	-	-	-	-	-	-	3	-
	Middlesex County Lunatic Asylum, Napsbury.	—	—	-	3	-	-	-	-	-	-	-	-	-	-	-	3	-
	Essex County Lunatic Asylum, Brentwood	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30 : 2, excepting Ashtead parish; 37 : 1, Warlingham and Farley parishes; 39 : 4, excepting Esher parish; 41 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135 : 1, Northaw parish; 137 : 1, excepting the part in Watford Rural parish; 137 : 2, Oxhey parish; 189 : 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42 : 3, 137 : 2 and 187 : 2 and in the Croydon Mental Hospital in 37 : 1 are also included. † On 1st October, 1909, Willesden sub-district of Hendon district was created a Registration District.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox	Measles.	Scarlet Fever	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON - -	4,833,938	October 16	2243	1114	12·0	-	10	10	10	9	7	48
CALCUTTA - -	1,009,008	September 18	-	421	21·6	-	2	-	-	-	87†	36‡
BOMBAY - -	982,000	" 21	364	578	30·7	1	1	-	-	-	65†	74‡
MADRAS - -	548,974	" 17	461	365	37·2	2	-	?	?	?	101†	50
PARIS - - -	2,760,000	October 9	925	774	14·7	-	11	-	5	-	5	43
BRUSSELS - -	704,975	" 9	195	189	13·9	-	2	-	1	2	2	23
ANTWERP - -	314,135	" 9	111	78	12·9	-	-	-	-	-	-	22
AMSTERDAM -	565,553	" 9	256	115	10·6	-	4	-	-	-	-	3
COPENHAGEN -	448,000	" 9	226	117	13·6	-	1	1	1	-	1	6
STOCKHOLM -	339,582	" 2	161	88	13·5	-	-	-	1	1	-	4
CHRISTIANIA -	235,674	" 9	114	62	13·7	-	-	-	1	-	-	1
ST. PETERSBURG	1,573,000	" 2	692	714	23·7	10	16	8	16	10	5	193‡
MOSCOW - -	1,452,100	" 2	-	1044	37·5	3	10	35	24	18	11	457‡
BERLIN - -	2,104,031	September 25	914	594	14·7	-	5	11	12	8	-	81
HAMBURG - -	872,252	October 9	-	227	13·5	-	1	-	8	3	1	31
BRESLAU - -	502,676	" 2	-	209	21·7	-	3	2	1	5	-	46
MUNICH - -	566,000	" 9	-	181	16·6	-	-	1	1	4	-	26
VIENNA - -	2,064,037	" 9	859	554	13·8	-	3	5	3	1	2	79
PRAGUE - -	485,057	" 9	195	127	13·6	-	-	7	-	-	-	15
BUDAPEST - -	823,215	" 2	446	258	16·3	-	2	4	2	2	4	50
TRIESTE - -	217,706	" 9	106	109	25·8	-	-	-	-	1	2	26
ROME - - -	565,323	July 10	..	-	-	-	-	-	-	-	-	-
VENICE - -	179,286	August 28	86	72	20·9	-	-	-	-	-	-	23
BUCAREST - -	296,585	September 25	188	124	21·8	-	-	5	1	-	2	33
NEW YORK -	4,564,792	" 25	2403	1224	14·0	-	5	5	20	3	24	190
CHICAGO - -	2,224,490	" 25	-	600	14·1	-	3	4	6	3	5	138
PHILADELPHIA -	1,565,569	" 11	-	385	12·8	-	3	1	4	6	1	61
RIO DE JANEIRO	637,089	" 12	-	228	18·7	-	2	-	-	1	-	?
CAIRO:—												
Egyptians -	666,587	" 16	514	456	35·4	1	-	-	24	?	9	126
Foreigners -	35,219	" 16	3	8	11·8	-	-	-	-	-	1	-
ALEXANDRIA:—												
Egyptians -	341,965	" 16	280	267	40·2	1	-	-	3	-	3	71
Foreigners -	46,118	" 16	20	21	23·7	-	-	-	-	-	1	4

* Excluding deaths from croup in the Indian Cities.
† Including 9 deaths from plague in Calcutta, 12 in Bombay, and 2 in Madras.
‡ Including 8 deaths from cholera in Calcutta, 20 in Bombay, 88 in St. Petersburg, and 2 in Moscow.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 16th October, 1909.

TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	65·9	39·7	56·6	0·59	BRADFORD - -	63·6	43·2	53·7	0·91
BRIGHTON - -	62·0	42·7	57·1	1·40	YORK - - -	64·0	41·0	52·7	0·70
PORTSMOUTH - -	64·0	43·5	57·6	2·12	HULL - - -	65·0	42·0	54·4	1·16
NORWICH -	63·4	40·0	55·1	0·61	TYNEMOUTH - -	62·0	42·0	51·5	0·37
PLYMOUTH -	61·2	46·4	56·4	2·19	CARDIFF - - -	61·1	45·0	54·8	2·70
BRISTOL - - -	62·2	45·0	55·9	2·71	EDINBURGH - -	62·2	41·7	50·9	2·57
BIRMINGHAM - -	63·9	41·9	53·5	1·43	GLASGOW - -	61·0	43·9	52·0	2·61
NOTTINGHAM - -	64·2	40·8	54·5	0·92	DUBLIN Phœnix Park.	62·3	41·1	52·5	0·77
LIVERPOOL OBSERVATORY	63·0	43·0	52·9	1·02	DUBLIN Fitzwilliam Square.†	63·5	45·9	54·1	0·62
MANCHESTER -	62·4	42·8	53·1	1·32					
BURNLEY - -	62·9	42·4	53·3	1·51					
HUDDERSFIELD -	64·0	42·2	53·5	1·45	BELFAST - - -	59·8	40·0	51·1	1·01

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to the seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°·0 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the week ended Saturday, 16th October, 1909.

[*Under the Superintendence of the Astronomer Royal.*]

1909. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
OCTOBER.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 10	..	29·879	64·2	50·3	13·9	56·8	+ 5·5	52·4	4·4	10·1	1·6	85	108·0	45·5	56·49	S. & SSE.	SSW. & S.	3·6	0·0	0·2	307	+ 51	0·07	21·5
MONDAY - 11	..	29·672	65·9	53·1	12·8	58·7	+ 7·8	52·3	6·4	13·5	1·2	80	114·2	47·0	56·29	S. & SSE.	S., SSW. & SW.	2·7	0·0	0·2	304	+ 47	0·15	16·0
TUESDAY - 12	..	29·650	63·9	46·2	17·7	55·6	+ 5·0	48·8	6·8	13·0	0·6	78	106·2	35·1	56·36	SW., SSW. & S.	SSW. & S.	4·4	0·0	0·1	266	+ 5	0·00	12·5
WEDNESDAY 13	In Eqr. Apogee.	29·600	62·3	47·2	15·1	54·1	+ 3·8	49·3	4·8	9·1	1·9	84	88·6	39·0	56·31	S. & SSW.	SSW. & SW.	8·3	0·0	0·5	382	+115	0·10	11·5
THURSDAY - 14	New	29·829	62·1	39·7	22·4	52·6	+ 2·5	44·6	8·0	17·1	1·4	74	108·0	28·0	56·32	SW., SSW. & WSW.	SW. & SSW.	3·5	0·0	0·2	337	+ 66	0·00	1·7
FRIDAY - 15	..	29·582	60·8	54·2	6·6	57·6	+ 7·7	54·0	3·6	8·1	2·5	88	69·9	50·0	56·12	SSW. & SW.	SW.	9·0	0·0	1·2	633	+360	0·15	19·3
SATURDAY - 16	..	29·509	61·0	57·8	6·2	59·6	+ 9·8	58·8	0·8	4·7	0·0	97	85·9	55·8	56·03	SW.	SW. & SSW.	3·4	0·0	0·3	379	+109	0·12	7·5
MEANS - -		29·674	63·3	49·8	13·5	56·4	+ 6·0	51·5	5·0	10·8	1·3	84	97·3	43·0	56·28	SSW.		..	..	..	Sum 2608	Sum +753	Sum 0·59	12·9
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. OCTOBER.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY - 10	w. P. throughout.	1·1	11·0	Generally cloudy; frequent slight rain after 5h. P.M.
MONDAY - 11	w. P. generally; v. P. and v. N. between 6h. and 7h. P.M.	4·2	10·9	Cloudy with occasional slight rain in morning; fine and variably cloudy till 4h. P.M.; overcast with slight exceptions afterwards; frequent rain between 6h. and 8h. P.M.
TUESDAY - 12	w. P. throughout.	6·5	10·9	Fine; partially cloudy.
WEDNESDAY 13	w. P. generally.	0·9	10·8	Generally cloudy with occasional fine intervals; gusty wind prevalent between 6h. and 11h. A.M. and frequent sharp showers between 10h. A.M. and noon. Solar halo observed at 9h. A.M.
THURSDAY - 14	w. P. throughout.	9·7	10·8	Cloudy till 2h. A.M.; very fine with small amounts of cloud generally till evening; cloudy after 7h. P.M.
FRIDAY - 15	w. P. throughout.	0·0	10·7	Overcast with slight exceptions; frequent rain after 7h. 45m. A.M.; gusty wind prevalent throughout the day.
SATURDAY - 16	w. P. throughout.	0·1	10·6	Overcast with slight exceptions; frequent rain till 4h. P.M.
		Sum 22·5	Sum 75·7	
No. of Col. - -	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30·02 in. at the beginning of the week to 29·62 in. by 3h. P.M. on the 11th; increased to 29·69 in. by 9h. A.M. on the 12th; decreased to 29·52 in. by 11h. A.M. on the 13th; increased to 29·84 in. by 6h. P.M. on the 14th; and decreased to 29·43 in. by midnight on the 16th.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 9th October, 1909.*

BOROUGHS.	Estimated Population in the middle of 1909.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	151,955	-	16	6	-	3	-	-	5	-	-
Kensington	183,683	-	10	3	-	-	-	-	1	-	-
Hammersmith	125,704	-	8	7	-	-	-	-	2	-	-
Fulham	176,406	-	7	3	-	1	-	-	-	1	-
Chelsea	75,249	-	6	4	-	1	-	-	1	-	-
City of Westminster ..	168,883	-	9	5	-	-	-	-	-	-	-
NORTH.											
St. Marylebone	126,027	-	5	-	-	1	-	-	6	-	-
Hampstead	94,185	-	3	-	-	1	-	-	1	-	-
St. Pancras	237,422	-	10	8	-	2	-	-	3	-	-
Islington	351,202	-	34	5	-	1	-	-	3	-	-
Stoke Newington	54,423	-	-	-	-	-	-	-	2	-	-
Hackney	237,601	-	8	4	-	1	-	-	12	-	-
CENTRAL.											
Holborn	53,802	-	6	-	-	2	-	-	1	-	-
Finsbury	95,289	-	5	2	-	1	-	-	5	-	-
City of London	18,193	-	1	-	-	-	-	-	-	-	-
EAST.											
Shoreditch	114,802	-	8	6	-	-	-	-	3	-	-
Bethnal Green	131,316	-	16	1	-	-	-	-	5	1	-
Stepney	312,525	1	20	14	-	2	-	-	10	-	-
Poplar	171,965	-	13	2	-	-	-	-	6	1	-
SOUTH.											
Southwark	211,125	-	15	8	-	-	-	-	10	-	-
Bermondsey	127,569	-	7	2	-	-	-	-	2	-	-
Lambeth	324,188	-	25	5	-	-	-	-	2	1	-
Battersea	186,036	-	7	4	-	1	-	-	1	-	1
Wandsworth	297,646	-	12	10	-	1	-	-	5	-	-
Camberwell	283,022	-	34	7	-	-	-	-	5	-	-
Deptford	118,583	-	3	6	-	-	-	-	4	-	-
Greenwich	111,014	-	6	3	-	1	-	-	1	-	-
Lewisham	160,749	-	22	14	-	-	-	-	1	-	-
Woolwich	133,374	-	12	2	-	-	-	-	1	1	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,833,938	1	328	131	-	19	-	-	98	5	1
Ages 0-1		-	1	6	-	-	-	-	5	-	1
„ 1-5		-	106	41	-	3	-	-	4	-	-
„ 5-		-	129	59	-	1	-	-	3	-	-
„ 10-		-	61	11	-	1	-	-	9	-	-
„ 15-		-	13	6	-	2	-	-	5	-	-
„ 20-		-	8	4	-	4	-	-	3	-	-
„ 25-		-	7	2	-	7	-	-	7	3	-
„ 35-		1	2	2	-	1	-	-	21	1	-
„ 45-		-	1	-	-	-	-	-	22	1	-
„ 55-		-	-	-	-	-	-	-	12	-	-
„ 65 and upwards		-	-	-	-	-	-	-	7	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

Returns of London Water Districts.

(Furnished by the Metropolitan Water Board.)

The following is an account of the number of services and the average daily amount of water supplied during the month of September, 1909, inclusive of supply to the Borough of Croydon and to the Urban Districts of Tottenham and Enfield. The supply was in the ratio of 210 gallons to one service.

Districts.	Number of Services.		Average Daily Supply of Water in Gallons.	
	September, 1908.	September, 1909.	September, 1908.	September, 1909.
Total Supply - - -	1,083,490	1,094,713	229,040,642	229,454,967
New River - - - - - - -	213,881	215,693	44,357,275	44,336,806
Eastern - - - - - - -	243,119	245,808	44,138,900	46,307,700
Western { Chelsea, Grand Junction, West Middlesex } - -	221,963	224,003	55,386,263	55,989,762
Southern { Lambeth - - - , Southwark and Vauxhall }	285,652	289,183	65,118,381	62,450,591
Kent - - - - - - - -	118,875	120,026	20,039,823	20,370,108

Note.—The Return for September, 1909, as compared with that for the corresponding month of 1908, shows an increase of 11,223 services, and of 414,325 gallons of water supplied daily.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 42. 1909. VOL. LXX.] WEEK ENDED SATURDAY, OCT. 23. [Price 1½*d.*

General Register Office, Somerset House,
October 25th, 1909.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 12·0 per 1000 of their aggregate population, which is estimated † at 16,445,281 persons in the middle of this year. In the preceding three weeks the rates had been 12·3, 12·9, and 12·2. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 17·0 in Liverpool, 17·8 in Tynemouth, 18·2 in Hanley, 18·8 in Bootle, 18·9 in Oldham, 19·2 in St. Helens, 19·3 in Huddersfield and in Middlesbrough, 19·5 in Great Yarmouth, and 20·6 in Merthyr Tydfil; from *measles*, 1·3 in Birkenhead; from *scarlet fever*, 1·5 in Blackburn; and from *diarrhœa*, 1·6 in St. Helens, 1·7 in Wigan and in Hull, and 1·9 in Devonport and in Tynemouth. Two deaths from *small-pox* was registered in Hull, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2221 BIRTHS and 1067 DEATHS were registered. Allowing for increase of population, the births were 188 and the deaths 244 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-five other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(14558—41.) Wt. 109—472. 700. 10/09. D & S. G. 31. Sch. 4. 2 T

causes, which had been 11·6, 12·2, and 12·0 per 1000 in the preceding three weeks, fell last week to 11·5. The death-rate in the four weeks ended last Saturday averaged 11·8 per 1000, being 2·2 per 1000 below the mean rate in the corresponding periods of the five years 1904–8.

The 1067 deaths included 7 from measles, 3 from scarlet fever, 9 from diphtheria, 8 from whooping-cough, 5 from enteric fever, and 34 from diarrhœa; but not one death from small-pox, from typhus or from ill-defined pyrexia: thus, to these diseases in the aggregate 66 deaths were referred, being 60 below the corrected average number in the forty-second week of the preceding five years.

The deaths from *measles*, which had been 3, 6, and 10 in the preceding three weeks, were 7 last week, and were 11 below the corrected average. The deaths from *scarlet fever*, which had been 10 in each of the preceding three weeks, fell to 3 last week, and were 9 below the corrected average. The deaths from *diphtheria*, which had been 13, 4, and 10 in the preceding three weeks, were 9 last week, the corrected average being 10. The deaths from *whooping-cough*, which had been 14, 21, and 9 in the preceding three weeks, fell to 8 last week, and were 5 below the corrected average. The deaths from *enteric fever*, which had been 4, 2, and 7 in the preceding three weeks, were 5 last week, and were 4 below the corrected average. The deaths from *diarrhœa*, which had been 74, 60, and 48 in the preceding three weeks, fell to 34 last week, and were 30 below the corrected average; 5 deaths belonged to the Borough of Finsbury, 4 to Bermondsey, and 3 to Battersea. Of the 34 deaths from diarrhœa, 32 were those of children under 5 years of age; 11 other deaths at this age were certified as due to *enteritis* and 13 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 4, having been 2, 7, and 7 in the preceding three weeks.

Different forms of violence caused 43 deaths, concerning all of which inquests were held. Of these 43 deaths, 8 were cases of suicide, and 1 of homicide, while the remaining 34 were attributed to accident or negligence. Five of these latter were referred to vehicles in the streets, two to burns or scalds, and five, including four of infants under one year of age, to suffocation in bed. One death occurred while under an anæsthetic administered for surgical purposes.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 2 cases of small-pox, 2799 of scarlet fever, 991 of diphtheria, and 87 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 345 cases, against 373, 324, and 371; of diphtheria, 128 cases, against 144, 114, and 130; and of enteric fever, 9 cases, against 6, 14, and 13. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended October 16th, 1909.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 3525 births and 1489 deaths were registered. Allowing for increase of population, these numbers are 193 and 362 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 3 deaths from measles, 2 from scarlet fever, 6 from diphtheria, 3 from whooping-cough, and 6 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·69 inches, and that of the Thermometer 55°·7, the latter being 6°·9 above the week's average in the 65 years ended 1905. The general direction of the wind was South-Westerly, the horizontal movement of the air being 41 per cent. above the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 16·7 hours; the measured rainfall amounted to 0·46 of an inch.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 23rd October, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1909.*	Death-Rates from all Causes. Week ended 2nd Oct., 1909.	9th Oct., 1909.	16th Oct., 1909.	23rd Oct., 1909.	Rate from Diseases in Cols. 11–17. Week ended 23rd October, 1909.	Registered during the Week ended 23rd Oct., 1909. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17	18.	19.	20.	21.	Cols.
76 TOWNS	**16,445,281**	**12·3**	**12·9**	**12·2**	**12·0**	**1·0**	**8180**	**3771**	**924**	**1079**	**2**	**36**	**33**	**46**	**28**	**25**	**142**	**167**	**320**	**1072**	**37**	**76 TOWNS.**
LONDON	4,833,938	11·6	12·2	12·0	11·5	0·7	2221	1067	266	294	–	7	3	9	8	5	34	43	106	486	1	LONDON.
† CROYDON	161,078	8·4	6·5	7·1	7·1	–	85	22	2	10	–	–	–	–	–	–	–	–	1	4	–	CROYDON.
† WILLESDEN ..	160,424	6·5	9·8	6·8	6·5	–	92	20	3	9	–	–	–	–	–	–	–	1	1	5	–	WILLESDEN.
† HORNSEY	95,628	4·9	7·1	6·0	7·1	2·2	25	13	2	4	–	2	–	2	–	–	–	–	–	3	–	HORNSEY.
† TOTTENHAM ..	129,464	10·9	12·1	10·1	8·5	–	61	21	4	7	–	–	–	–	–	–	–	1	4	5	–	TOTTENHAM.
† WEST HAM ..	321,767	9·7	10·7	11·3	9·7	0·8	170	60	16	16	–	–	–	–	–	1	4	6	9	16	–	WEST HAM.
† EAST HAM	149,575	7·0	5·9	8·0	7·7	1·4	59	22	8	4	–	–	2	–	1	–	1	1	1	7	–	EAST HAM.
† LEYTON	129,614	10·5	8·0	7·2	6·8	1·2	69	17	3	9	–	–	–	–	1	1	1	–	–	1	–	LEYTON.
† WALTHAMSTOW	136,602	6·9	8·0	9·2	5·7	–	69	15	6	7	–	–	–	–	–	–	–	–	2	3	–	WALTHAMSTOW.
HASTINGS	68,165	14·5	9·2	9·2	11·5	0·8	26	15	2	10	–	–	–	–	–	–	1	–	–	2	–	HASTINGS.
BRIGHTON	130,926	10·4	12·3	10·0	11·2	0·4	56	28	4	9	–	–	–	–	–	–	1	1	2	6	–	BRIGHTON.
PORTSMOUTH ..	214,726	12·6	11·4	11·2	13·6	1·2	122	56	13	19	–	–	–	1	1	2	1	3	5	13	–	PORTSMOUTH.
BOURNEMOUTH ..	72,368	10·1	10·1	8·6	8·6	–	17	12	–	10	–	–	–	–	–	–	–	–	–	2	–	BOURNEMOUTH.
SOUTHAMPTON ..	124,667	13·4	9·6	12·5	8·8	0·4	71	21	4	7	–	–	–	–	1	–	–	1	2	9	–	SOUTHAMPTON.
READING	82,995	10·7	8·8	8·8	8·8	1·3	26	14	2	5	–	–	–	1	–	–	1	1	1	4	–	READING.
NORTHAMPTON ..	97,752	11·2	9·6	9·1	10·7	0·5	50	20	5	4	–	1	–	–	–	–	–	–	–	3	–	NORTHAMPTON.
IPSWICH	74,889	11·1	13·2	7·7	5·6	–	27	8	1	3	–	–	–	–	–	–	–	1	1	1	–	IPSWICH.
GREAT YARMOUTH	53,430	17·6	12·7	15·6	19·5	2·0	28	20	6	7	–	–	–	–	1	–	1	–	3	4	–	GREAT YARMOUTH.
NORWICH	124,136	12·2	14·7	10·5	6·7	1·3	50	16	1	9	–	–	2	–	–	1	–	1	1	6	1	NORWICH.
PLYMOUTH	124,180	12·2	13·0	9·7	10·5	–	75	25	3	12	–	–	–	–	–	–	–	2	2	6	–	PLYMOUTH.
DEVONPORT	83,103	9·4	8·8	12·5	10·0	1·9	40	16	3	6	–	–	–	–	–	–	3	–	–	4	–	DEVONPORT.
BRISTOL	377,642	12·7	11·0	12·6	9·4	0·8	209	68	9	28	–	3	–	1	–	–	2	3	6	15	–	BRISTOL.
HANLEY	68,831	15·9	14·4	12·9	18·2	3·0	48	24	5	6	–	1	1	–	–	1	1	–	1	6	1	HANLEY.
BURTON-ON-TRENT	54,453	11·5	9·6	9·6	9·6	–	18	10	–	6	–	–	–	–	–	–	–	–	–	–	–	BURTON-ON-TRENT.
WOLVERHAMPTON ..	104,633	11·5	10·0	14·0	15·9	2·5	49	52	8	5	–	1	1	–	–	2	1	1	3	5	–	WOLVERHAMPTON
WALSALL	99,399	13·1	12·6	12·6	8·4	0·5	44	16	6	4	–	–	–	–	–	–	1	1	2	4	–	WALSALL.
HANDSWORTH ..	70,186	11·1	9·7	6·7	6·7	1·5	34	9	2	4	–	–	–	2	–	–	–	–	–	–	–	HANDSWORTH.
WEST BROMWICH ..	70,457	13·3	12·6	14·8	14·8	2·2	31	20	5	4	–	1	–	–	–	1	1	1	1	4	1	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 23rd October, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 2nd Oct., 1909.	9th Oct., 1909.	16th Oct., 1909.	23rd Oct., 1909.	Rate from Diseases in Cols. 11-17. Week ended 23rd October, 1909.	Registered during the Week ended 23rd Oct. 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
BIRMINGHAM ..	563,629	12·0	14·0	12·4	14·2	0·8	308	153	38	44	-	-	2	1	1	1	4	7	10	43	6	BIRMINGHAM.
KINGS NORTON ..	81,632	7·0	10·2	9·6	7·0	1·3	30	11	1	5	-	-	-	1	-	-	1	-	-	2	-	KINGS NORTON.
SMETHWICK	70,377	9·6	10·4	16·3	7·4	-	43	10	-	7	-	-	-	-	-	-	-	-	-	2	-	SMETHWICK.
ASTON MANOR ..	85,257	9·2	11·0	8·0	9·8	-	38	16	6	4	-	-	-	-	-	-	-	1	2	-	-	ASTON MANOR.
COVENTRY	80,163	15·0	15·6	10·4	11·7	2·6	49	18	7	4	-	1	2	1	-	-	-	-	1	4	1	COVENTRY.
LEICESTER	244,255	10·0	10·2	11·5	8·8	0·6	111	41	11	13	-	-	-	-	-	-	3	2	2	8	2	LEICESTER.
GRIMSBY	73,036	10·7	12·9	17·8	14·3	-	53	20	6	9	-	-	-	-	-	-	-	-	3	1	-	GRIMSBY.
NOTTINGHAM ..	263,443	15·0	13·9	13·3	13·5	0·4	129	68	14	27	-	-	1	-	-	1	-	4	7	19	1	NOTTINGHAM.
DERBY	129,411	9·7	11·7	11·3	10·9	0·8	62	27	5	9	-	-	-	-	1	-	1	3	3	6	-	DERBY.
STOCKPORT	103,706	16·6	15·1	11·1	11·6	1·0	64	23	7	10	-	-	-	-	-	-	2	-	1	4	-	STOCKPORT.
BIRKENHEAD ..	121,123	9·0	11·2	14·6	15·9	2·2	58	37	9	11	-	3	-	-	1	-	1	-	1	6	-	BIRKENHEAD.
WALLASEY	71,004	11·7	11·0	14·7	9·5	0·7	24	13	2	5	-	-	-	-	-	-	1	-	-	5	-	WALLASEY.
LIVERPOOL	760,357	16·2	16·8	17·5	17·0	1·7	458	248	66	42	-	1	4	1	2	2	15	12	18	80	7	LIVERPOOL.
BOOTLE	69,393	15·8	19·5	12·0	18·8	1·5	48	25	7	3	-	-	-	1	-	-	1	-	-	10	-	BOOTLE.
ST. HELENS	95,161	14·8	17·0	15·3	19·2	2·2	59	35	14	7	-	-	1	-	-	-	3	2	2	4	2	ST. HELENS.
WIGAN	90,678	16·7	19·0	17·3	15·0	2·3	42	26	13	3	-	-	-	1	-	-	3	-	2	-	-	WIGAN.
WARRINGTON ..	72,276	13·7	14·4	7·2	15·2	0·7	44	21	3	6	-	-	-	1	-	-	-	3	4	8	-	WARRINGTON.
BOLTON	187,824	15·5	13·0	10·5	11·7	1·4	91	42	11	10	-	-	2	1	-	1	1	-	2	6	-	BOLTON.
BURY	59,234	9·7	21·1	8·8	7·9	-	23	9	1	2	-	-	-	-	-	-	-	-	-	1	1	BURY.
MANCHESTER ..	655,435	15·7	15·8	14·2	14·3	1·0	341	180	49	38	-	3	-	2	-	-	7	12	20	58	1	MANCHESTER.
SALFORD	241,950	16·8	19·0	17·2	15·5	2·8	128	72	23	15	-	3	1	4	1	-	4	4	7	11	1	SALFORD.
OLDHAM	143,301	20·0	16·0	18·9	18·9	0·4	62	52	14	21	-	-	-	-	1	-	-	1	3	6	-	OLDHAM.
ROCHDALE	89,653	13·4	15·1	12·8	12·2	0·6	44	21	-	7	-	-	1	-	-	-	-	-	4	6	-	ROCHDALE.
BURNLEY	106,267	19·1	17·2	12·8	16·7	3·4	66	34	5	5	-	2	2	1	-	-	2	2	3	6	2	BURNLEY.
BLACKBURN	136,959	11·4	16·8	12·9	16·4	2·3	63	43	8	12	-	-	4	-	-	1	1	2	4	9	-	BLACKBURN.
PRESTON	118,519	13·6	16·7	8·4	8·8	0·9	55	20	7	5	-	-	-	-	-	-	2	-	-	1	-	PRESTON.
BARROW-IN-FURNESS.	62,996	8·3	13·2	10·8	10·8	1·7	27	13	4	3	-	-	-	1	1	-	-	-	-	1	1	BARROW-IN-FURNESS.

* See note † on first page of this return.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 23rd October, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1909.*	Death-Rates from all Causes. Week ended 2nd Oct., 1909.	9th Oct., 1909.	16th Oct., 1909.	23rd Oct., 1909.	Rate from Diseases in Cols. 11-17. Week ended 23rd October, 1909.	Registered during the Week ended 23rd Oct., 1909. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,739	18·7	19·3	11·6	19·3	1·7	46	35	3	10	-	-	-	1	-	1	1	2	3	6	-	HUDDERSFIELD.
HALIFAX	111,911	10·7	14·0	12·6	13·5	2·3	38	29	6	11	-	-	1	2	-	-	2	1	2	6	-	HALIFAX.
BRADFORD	293,983	9·9	12·6	12·1	9·0	0·5	118	51	14	19	-	-	-	-	-	-	3	-	-	5	-	BRADFORD.
LEEDS	484,012	12·3	13·1	11·3	11·0	0·6	200	102	21	28	-	-	-	-	1	2	3	4	6	24	1	LEEDS.
SHEFFIELD	470,958	11·6	11·3	11·5	11·1	0·9	233	100	24	33	-	-	1	2	1	-	4	7	9	25	1	SHEFFIELD.
ROTHERHAM.. ..	65,070	5·6	6·4	10·4	12·8	2·4	47	16	4	4	-	-	-	1	-	1	1	-	-	5	-	ROTHERHAM.
YORK	87,004	13·2	10·8	10·8	16·2	-	41	27	6	11	-	-	-	-	-	-	-	3	4	6	-	YORK.
HULL	275,552	11·5	15·1	15·5	14·6	3·0	146	77	13	23	2	1	-	3	-	1	9	1	3	18	1	HULL.
MIDDLESBROUGH ..	105,255	13·9	15·9	16·3	19·3	0·5	71	39	9	11	-	-	-	-	-	-	1	3	4	5	2	MIDDLESBROUGH.
STOCKTON-ON-TEES	53,417	14·6	11·7	8·8	15·6	-	34	16	4	5	-	-	-	-	-	-	-	2	2	2	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL	79,686	8·5	11·1	7·2	5·2	0·7	33	8	3	1	-	1	-	-	-	-	-	-	-	1	-	WEST HARTLEPOOL.
SUNDERLAND ..	159,378	13·7	13·7	12·8	12·8	1·6	78	39	11	10	-	-	-	2	1	-	2	2	3	4	2	SUNDERLAND.
SOUTH SHIELDS ..	117,627	10·2	14·6	14·2	8·9	0·4	76	20	8	4	-	-	-	-	-	-	1	1	2	5	-	SOUTH SHIELDS.
GATESHEAD	131,024	14·7	15·5	7·6	9·2	1·6	76	23	11	8	-	-	1	1	-	-	2	-	-	1	-	GATESHEAD.
NEWCASTLE-ON-TYNE.	281,584	13·5	12·4	12·4	11·3	0·9	131	61	19	17	-	2	-	1	1	-	1	3	7	14	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH ..	55,808	14·0	12·1	12·1	17·8	1·9	46	19	6	5	-	-	-	-	-	-	2	3	4	2	1	TYNEMOUTH.
NEWPORT (MON.) ..	78,336	12·6	18·0	8·7	8·7	-	48	13	3	4	-	-	-	-	-	-	-	1	1	1	-	NEWPORT (MON.).
CARDIFF	195,303	11·7	13·6	9·6	7·7	-	93	29	10	9	-	-	-	-	-	-	-	3	3	3	-	CARDIFF.
RHONDDA	135,894	12·3	14·6	15·0	16·1	2·3	116	42	13	8	-	1	1	1	-	-	3	3	4	2	-	RHONDDA.
MERTHYR TYDFIL..	78,365	15·3	19·3	18·6	20·6	1·3	56	31	11	6	-	-	-	-	2	-	-	4	6	2	-	MERTHYR TYDFIL.
SWANSEA	98,308	14·9	14·9	15·4	15·4	2·1	61	29	5	7	-	2	-	-	1	-	1	1	4	4	-	SWANSEA.
GREATER LONDON	7,429,740	10·6	11·1	11·0	10·4	0·7	3525	1489	349	438	-	12	7	17	13	7	46	66	153	578	3	GREATER LONDON.
OUTER RING ..	2,595,802	8·8	9·2	9·0	8·5	0·7	1304	422	83	144	-	5	4	8	5	2	12	23	47	92	2	OUTER RING.
8 TOWNS IN OUTER RING.	1,284,152	8·4	8·8	8·7	7·7	0·6	630	190	44	66	-	2	2	2	2	2	6	9	18	44	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,311,650	9·2	9·5	9·3	9·2	0·8	674	232	39	78	-	3	2	6	3	-	6	14	29	48	2	REMAINDER OF OUTER RING.
EDINBURGH	355,366	12·8	11·2	12·6	10·4	1·0	160	71‡	13	26	-	2	-	3	-	-	2	-	?	24	4	EDINBURGH.
GLASGOW	872,021	12·6	12·7	13·7	14·8	1·6	443	247‡	55	53	-	3	3	6	1	-	14	7	?	83	8	GLASGOW.
DUBLIN (Registration Area).†	398,356	17·5	16·8	16·0	15·2	0·7	226	116	34	22	-	-	1	-	1	1	2	2	1	34	4	DUBLIN (Registration Area).†
BELFAST†	386,576	13·4	12·8	14·0	12·9	0·7	218	96	17	19	-	-	-	-	-	-	5	4	6	27	1	BELFAST †

* See note † on first page of this return.

† Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast respectively.

‡ Including 1 death from Cerebro-spinal meningitis in Edinburgh and 1 in Glasgow.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FORTY-SECOND Week of each of the Eleven Years, 1899–1909.

	1899	1900	1901	1902	1903	1904	1905	1906	1907	1908	Corrected Weekly Average in 5 Years 1904–1908.*	1909
TOTAL **Births** -	2529	2485	2389	2486	2345	2442	2372	2411	2198	2342	2408·9	2221
Males - - -	1284	1267	1201	1281	1231	1244	1222	1226	1113	1172	1223·8	1125
Females - -	1245	1218	1188	1205	1114	1198	1150	1185	1085	1170	1185·1	1096
TOTAL **Deaths** -	1567	1392	1394	1496	1333	1476	1331	1232	1270	1092	1310·6	1067
Males - - -	789	694	700	760	680	739	683	652	676	576	681·0	589
Females - -	778	698	694	736	653	737	648	580	594	516	629·6	478

* The numbers in this column are the average weekly numbers in the Forty-Second week of the five years 1904–1908, raised by 2·375 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	13 Weeks.
TOTAL **Births** -	2289	2054	2316	2169	2386	2317	2096	2223	2220	2057	2292	2243	2221	28883
TOTAL **Deaths** -	957	933	1047	1027	1153	1149	1139	1151	1126	1079	1127	1114	1067	14069
Ages at Death: Under 1 year -	177	204	213	223	338	336	349	309	301	260	274	276	266	3526
1—5 years -	85	83	111	105	122	114	104	109	108	80	97	98	98	1314
5—20 " -	66	55	61	60	57	45	52	68	56	71	50	54	62	757
20—40 " -	127	122	137	138	147	137	130	147	131	115	129	140	134	1734
40—60 " -	200	197	205	220	200	230	199	221	251	231	260	228	213	2855
60 yrs. & upwds.	302	272	320	281	289	287	305	297	279	322	317	318	294	3883
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	1	-	-	1
Measles - - -	9	19	22	17	12	10	8	5	5	3	6	10	7	133
Scarlet Fever - -	4	4	9	7	6	2	5	2	8	10	10	10	3	80
Diphtheria - -	19	3	10	6	5	9	8	7	16	13	4	10	9	119
Whooping-cough -	17	26	12	13	15	27	26	13	14	14	21	9	8	215
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	3	2	2	5	1	2	2	1	2	4	2	7	5	38
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	1	-	-	-	-	-	1
Diarrhœa, Dysentery	26	27	39	76	159	139	154	129	114	74	60	48	34	1079
All above diseases -	78	81	94	124	198	189	203	158	159	118	104	94	66	1666
Dis. of Resp. System	38	53	53	52	41	35	48	51	56	60	73	64	63	687
Pneumonia - -	68	67	72	69	62	68	57	79	92	72	113	103	111	1033
Phthisis - - -	90	98	105	102	104	109	90	101	115	112	103	98	100	1327
Dis. of Circ. System -	132	134	155	130	137	137	145	151	129	147	147	151	158	1853
Violence - - -	42	38	56	53	56	51	37	43	37	45	35	47	43	583
Inquest Cases - -	98	85	105	111	131	125	90	113	89	92	108	109	106	1362
Deaths in Institutions	431	403	486	477	464	495	489	480	539	509	513	479	486	6251
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	59·9	60·8	66·9	63·3	58·1	54·5	54·5	55·3	56·3	53·1	55·8	56·4	55·7	57·7
Mean of Highest -	69·4	72·7	80·8	73·6	67·8	64·5	63·1	62·9	65·5	60·1	64·6	63·3	62·1	67·0
Mean of Lowest -	53·4	50·9	54·1	55·7	51·1	46·3	47·3	49·4	48·4	47·4	47·5	49·8	50·1	50·1
Mean Humidity of the Air.	79	76	70	79	83	75	83	86	87	94	81	84	88	82
Rain-fall (in inches) -	1·31	0·26	0·00	0·82	0·70	0·30	0·32	0·58	0·57	0·72	1·01	0·59	0·46	7·64
Registered Sunshine (in hours).	34·4	54·4	81·5	40·2	30·2	41·7	35·0	20·9	27·7	6·0	33·7	22·5	16·7	444·9
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	2	2	-
Scarlet Fever - -	2667	2564	2518	2411	2347	2377	2436	2553	2686	2737	2745	2810	2799	2588
Diphtheria - - -	901	901	855	831	798	831	843	832	857	908	928	955	991	879
Typhus - - -	2	2	1	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	60	62	59	53	55	62	68	67	78	75	82	85	87	69

* The Metropolitan Asylums Board and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lander, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq. F.R.Met.Soc., Hull; the Meteorological Committee, Tynemouth; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the FORTY-SECOND Week of the Year 1909.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 42nd week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1310·6	1067	266	98	62	134	213	294
Small-pox*	-	-	-	-	-	-	-	-
Cowpox	0·2	-	-	-	-	-	-	-
Measles (Morbilli)	17·6	7	3	4	-	-	-	-
Scarlet Fever	12·3	3	-	3	-	-	-	-
Typhus	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-
Influenza	9·4	4	-	-	-	1	2	1
Whooping-cough	13·1	8	1	7	-	-	-	-
Diphtheria	10·4	9	2	5	2	-	-	-
Cerebro-spinal Fever ..	-	-	-	-	-	-	-	-
Pyrexia† (origin uncertain)	0·2	-	-	-	-	-	-	-
Enteric Fever	9·0	5	-	-	1	2	2	-
Asiatic Cholera	-	-	-	-	-	-	-	-
Epidemic Diarrhœa, Infective Enteritis	39·3	15	12	2	-	-	1	-
Diarrhœa, Dysentery ..	24·4	19	15	3	-	1	-	-
Tetanus	0·2	1	-	-	-	-	1	-
Rabies, Hydrophobia ..	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever)..	-	-	-	-	-	-	-	-
Venereal Dis.	7·8	2	2	-	-	-	-	-
Puerperal Septicæmia ..	3·9	2	-	-	-	2	-	-
Puerperal Pyæmia.. .	0·2	-	-	-	-	-	-	-
Puerperal Fever	0·4	-	-	-	-	-	-	-
Infective Endocarditis ..	1·6	1	-	-	-	1	-	-
Pneumonia: Lobar ..	12·1	9	-	2	-	3	2	2
Pneumonia: Broncho ..	45·7	58	35	12	1	1	2	7
Pneumonia: Epidemic ..	-	-	-	-	-	-	-	-
Pneumonia: Not defined	50·4	44	7	6	3	6	12	10
Erysipelas	4·7	4	2	-	1	-	-	1
Septicæmia (not Puerperal) ..	1·6	-	-	-	-	-	-	-
Pyæmia (not Puerperal)	0·6	-	-	-	-	-	-	-
Other Infective Processes	4·9	4	1	-	-	2	1	-
Tuberculous Phthisis ..	85·4	79	2	2	6	41	21	7
"*Phthisis*"	48·3	21	-	1	-	9	6	5
Tuberculous Meningitis ..	17·2	22	5	9	6	2	-	-
Tuberculous Peritonitis ..	9·0	3	2	1	-	-	-	-
Tabes Mesenterica	2·3	3	2	1	-	-	-	-
Tuberculous Dis., Other ..	16·6	15	2	3	5	3	2	-
Scrofula..	-	-	-	-	-	-	-	-
Alcoholism	8·4	8	-	-	-	1	5	2
Rheumatic Fever	4·9	3	-	-	2	-	-	1
Gout	1·8	2	-	-	-	-	-	2
Carcinoma	56·3	51	-	-	-	-	22	29
Sarcoma	5·7	5	-	-	1	2	2	-
Cancer (undefined) ..	35·4	23	-	-	-	-	13	10
Diabetes Mellitus	9·0	8	-	-	1	1	2	4
Premature Birth	49·3	50	50	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 42nd week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)..	11·1	9	3	1	2	1	2	-
Gen. Par. of Insane, Insanity	13·1	10	-	-	-	1	6	3
Epilepsy	7·2	5	-	-	2	-	2	1
Convulsions	17·2	10	9	1	-	-	-	-
Locomotor Ataxy.. ..	2·0	2	-	-	-	-	2	-
Paraplegia, Dis. of Cord.	3·5	2	-	-	1	-	-	1
Nervous Sys., Other Dis.	17·8	6	-	-	1	-	1	4
Valv. Dis., Endocarditis..	45·0	61	-	-	6	9	22	24
Cereb. Hæm. Cereb. Emb.	33·8	32	-	-	1	1	13	17
Apoplexy, Hemiplegia ..	15·8	11	-	-	-	-	5	6
Aneurysm	4·9	3	-	-	-	-	2	1
Embolism, Thrombosis (not Cerebral) ..	0·2	-	-	-	-	-	-	-
Heart & Blood Ves., Other Dis... ..	78·0	51	-	2	1	3	14	31
Croup (not Spasm: nor Memb.)	0·8	-	-	-	-	-	-	-
Bronchitis	75·8	53	19	8	1	2	4	19
Emphysema, Asthma ..	2·0	3	-	-	-	1	-	2
Pleurisy	2·9	1	-	-	-	1	-	-
Respiratory Dis., Other..	9·2	6	3	1	-	-	2	-
Tonsillitis, Quinsy.. ..	0·6	2	1	1	-	-	-	-
Enteritis (not Epid.) ..	16·8	15	9	2	-	2	-	2
Gastro-enteritis	13·7	13	8	5	-	-	-	-
Peritonitis (not Puerp.) ..	2·5	1	-	-	-	1	-	-
Cirrhosis of Liver.. ..	13·9	10	-	-	1	1	6	2
Liver Dis., Other	5·7	5	-	-	-	1	1	3
Digestive Sys., Other Dis.	36·2	32	3	3	6	4	5	11
Acute Nephritis	5·3	10	-	-	2	2	2	4
Bright's Dis., Albuminuria	34·4	29	-	-	-	6	11	12
Urinary Sys., Other Dis.	12·5	9	-	-	-	-	2	7
Generative Organs Dis...	3·7	8	-	-	1	4	2	1
Childbirth (Accid. of) ..	3·5	3	-	-	-	3	-	-
Old Age	44·6	48	-	-	-	-	-	48
Other Diseases	99·1	86	61	8	7	1	3	6
ACCIDENT.								
By Railways	1·6	-	-	-	-	-	-	-
By Vehicles and Horses..	6·8	5	-	-	1	1	1	2
In Ships, Boats, Docks, (exclusive of Drowning)	0·4	-	-	-	-	-	-	-
In Building Operations..	1·2	1	-	-	-	-	1	-
In Conflagrations	1·8	-	-	-	-	-	-	-
By Burns, Scalds, Explosions	3·5	2	-	2	-	-	-	-
By Drowning	4·9	1	-	-	-	1	-	-
By Suffocation in Bed ..	7·0	5	4	1	-	-	-	-
By Poisons or Poisonous Vapours	2·5	1	-	1	-	-	-	-
Other Deaths by Accident..	16·4	19	3	1	-	5	4	6
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	1·2	1	-	-	-	1	-	-
Suicide	10·9	8	-	-	-	4	4	-
Execution	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.
† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 23rd October, 1909.

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexiæ* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified causes of Death.
LONDON	4,536,267	2221	1067	266	294	-	7	3	9	8	-	5	-	34	43	106	486	1
WEST DISTRICTS	805,311	331	174	39	47	-	-	-	2	1	-	2	-	4	6	13	79	-
NORTH DISTRICTS	1,055,908	502	209	38	71	-	1	2	2	-	-	2	-	4	9	19	85	-
CENTRAL DISTRICTS	209,465	98	72	27	11	-	-	-	-	-	-	-	-	4	6	9	50	-
EAST DISTRICTS	715,739	380	192	72	28	-	5	-	1	4	-	-	-	8	9	26	98	-
SOUTH DISTRICTS	1,749,844	910	396	88	126	-	1	1	4	3	-	1	-	13	13	39	150	1
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	24	2	11	-	-	-	-	-	-	-	-	1	-	-	24	-
WEST DISTRICTS.																		
North Paddington *H*	63,603	26	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Central Paddington *W,3H*	50,053	25	24	5	4	-	-	-	-	-	-	2	-	-	-	-	14	-
South Paddington	30,320	5	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Kensington Town *2W,w,2H* ..	128,037	58	29	7	8	-	-	-	-	-	-	-	-	-	-	1	11	-
Brompton *2H*	48,591	10	5	-	4	-	-	-	-	-	-	-	-	-	-	-	1	-
North Hammersmith *2W,w,H* ..	49,192	35	14	5	5	-	-	-	-	-	-	-	-	1	-	-	3	-
South Hammersmith *w,2H* ..	63,047	25	18	6	6	-	-	-	-	-	-	-	-	1	2	2	7	-
North-west Fulham *W*	45,180	40	22	6	5	-	-	-	-	1	-	-	-	2	1	3	12	-
North-east Fulham *F*	46,405	26	7	2	1	-	-	-	2	-	-	-	-	-	-	-	2	-
South Fulham *W*	45,704	14	6	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Chelsea North *W,w,3H*	42,514	7	15	-	3	-	-	-	-	-	-	-	-	-	-	-	14	-
Chelsea South *W,2H*	31,328	14	6	1	1	-	-	-	-	-	-	-	-	-	1	1	4	-
Mayfair and Knightsbridge	28,743	8	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Belgrave *W,2H*	55,815	19	6	1	-	-	-	-	-	-	-	-	-	-	-	1	3	-
St. Margaret & St. John *6H*	43,698	13	11	3	3	-	-	-	-	-	-	-	-	-	-	1	7	-
St. James and St. Anne *W,6H* ..	33,081	6	4	-	1	-	-	-	-	-	-	-	-	-	2	2	1	-
NORTH DISTRICTS.																		
All Souls Marylebone *7H*	35,391	15	12	2	3	-	-	-	-	-	-	1	-	-	1	1	8	-
St. Mary Marylebone *W,4H* ..	37,948	40	7	3	1	-	-	-	-	-	-	-	-	1	-	1	4	-
Christchurch Marylebone	39,536	24	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. John Marylebone *2H*	20,426	7	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead *W,F,6H*	81,942	22	19	2	5	-	-	-	1	-	-	-	-	-	3	4	9	-
West St. Pancras *2H*	60,562	24	13	1	1	-	-	-	-	-	-	-	-	-	-	2	7	-
South St. Pancras *w,10H*	55,707	15	24	4	7	-	-	-	-	-	-	-	-	1	2	2	16	-
East St. Pancras *W,H*	60,320	33	17	4	4	-	-	-	-	-	-	1	-	-	1	3	7	-
North St. Pancras *2W*	58,728	26	10	3	2	-	-	-	-	-	-	-	-	-	-	-	4	-
Tufnell *W*	31,995	20	12	-	6	-	-	1	-	-	-	-	-	-	-	-	7	-
Upper Holloway *2W,w,H*	33,978	28	18	2	12	-	-	-	-	-	-	-	-	1	-	-	11	-
Tollington *W,w,H*	33,922	19	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lower Holloway	41,424	27	9	1	3	-	-	-	-	-	-	-	-	-	-	1	-	-
Barnsbury	54,478	23	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Islington South-east *F*	75,397	35	10	3	2	-	-	1	-	-	-	-	-	-	1	1	1	-
Highbury *2H*	63,797	21	5	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Stoke Newington *H*	51,247	20	7	3	2	-	-	-	-	-	-	-	-	-	-	1	-	-
North Hackney	50,398	20	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Central Hackney *w,F*	50,536	25	7	1	4	-	-	-	-	-	-	-	-	-	-	-	2	-
South-west Hackney *3H*	59,921	25	11	3	3	-	-	-	-	-	-	-	-	1	-	1	3	-
South-east Hackney *2W,H*	58,255	28	14	3	6	-	1	-	1	-	-	-	-	-	1	2	6	-
Hackney Union Workhouse, Brentwood	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 23rd October, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases	Deaths in Public Institutions.	Transported Cases of Death
CENTRAL DISTRICTS.																		
St. Giles and Bloomsbury 2*W*,2*H* ..	31,436	17	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	
Strand *W*,4*H*	21,674	1	9	1	4	-	-	-	-	-	-	-	-	-	-	1	4	
Strand Union Workhouse, Edmonton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Holborn *W*,5*H*	29,612	5	22	10	1	-	-	-	-	-	-	-	-	-	3	3	20	
Clerkenwell *H*	63,704	40	10	5	2	-	-	-	-	-	-	-	-	2	1	2	1	
St. Luke 3*H*,*L*	36,116	31	7	5	1	-	-	-	-	-	-	-	-	1	-	-	2	
Holborn Union Workhouse, Mitcham	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	
St. Botolph *H*	10,299	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Sepulchre and Allhallows *W*,2*H*	16,624	2	19	6	1	-	-	-	-	-	-	-	-	1	2	2	19	
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
EAST DISTRICTS.																		
Shoreditch South 3*H*	46,362	16	6	4	-	-	1	-	-	-	-	-	-	-	-	-	1	
Shoreditch North-West *W*,*w*,*H* ..	36,127	20	18	7	2	-	-	-	-	1	-	-	-	1	-	1	11	
Shoreditch North-East	36,148	13	5	4	-	-	-	-	-	-	-	-	-	-	1	1	-	
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	39	24	8	4	-	1	-	-	-	-	-	-	3	3	4	21	
Bethnal Green South-West *H* ..	64,542	35	11	4	3	-	2	-	-	-	-	-	-	1	-	2	2	
Spitalfields..	27,969	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Mile End New Town *W*,*H*	28,718	24	25	5	6	-	-	-	1	-	-	-	-	-	1	3	23	
Goodman's Fields	22,081	10	3	1	1	-	-	-	-	-	-	-	-	-	-	1	-	
St. George and St. John 2*W* ..	49,068	44	15	7	2	-	1	-	-	1	-	-	-	-	1	2	5	
Shadwell and Ratcliff *w*,*H* ..	25,568	10	16	8	-	-	-	-	-	1	-	-	-	-	1	1	13	
Limehouse *W*	32,369	19	6	3	-	-	-	-	-	-	-	-	-	-	1	2	-	
Mile End Old Town South-Western *H*	63,698	39	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Mile End Old Town North-Eastern *W*,*w*	49,129	27	12	6	2	-	-	-	-	-	-	-	-	1	-	1	2	
Bow	41,989	14	3	2	-	-	-	-	-	-	-	-	-	-	-	1	-	
Bromley 3*w*,*H*	68,319	25	33	8	7	-	-	-	-	1	-	-	-	1	-	4	20	
Poplar *W*,*w*	58,514	32	12	4	1	-	-	-	-	-	-	-	-	1	1	3	-	
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c. registered in each SUB-DISTRICT during the Week ended Saturday, 23rd October, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch and St. Saviour Southwark *W,2H*	23,319	11	15	5	4	-	-	-	-	-	-	-	-	-	-	2	10	-
Kent-road	21,904	10	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
St. George the Martyr West *W,2H,L*	39,094	15	16	9	3	-	-	-	-	-	-	-	-	1	1	2	10	-
Newington North	49,022	30	9	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Newington South *W*	72,841	38	3	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
St. Olave *2W*	9,817	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Bermondsey *W*	82,483	53	20	6	6	-	-	-	-	-	-	-	-	-	-	3	-	-
Rotherhithe *W,F*	38,460	17	20	3	5	-	-	-	-	-	-	-	-	4	-	1	14	-
Waterloo *2H*	27,440	20	5	3	-	-	-	-	-	-	-	-	-	2	-	-	3	-
Lambeth Church *H*	27,440	9	22	2	1	-	-	-	-	-	-	1	-	-	1	1	15	-
Kennington *2W*	62,518	31	24	5	10	-	-	-	-	-	-	-	-	-	2	2	16	-
Stockwell *HF*	63,826	44	10	4	2	-	-	-	-	2	-	-	-	1	1	1	2	-
Brixton *H*	73,673	29	12	5	5	-	-	-	-	-	1	-	-	-	-	-	-	-
Norwood *2WH*	56,998	30	7	-	4	-	-	-	-	-	-	-	-	-	-	-	1	-
East Battersea *H*	72,203	39	19	8	5	-	-	-	-	-	-	-	-	3	-	3	1	-
North-west Battersea	49,656	32	6	2	3	-	-	-	-	-	-	-	-	-	1	1	-	-
South-west Battersea *2W,H* ..	47,048	12	13	1	6	-	-	-	-	-	-	-	-	-	1	1	6	-
Clapham *2H*	51,361	19	7	1	4	-	-	-	-	-	-	-	-	-	-	-	-	1
Streatham *W,2w,2F,2L*	88,019	46	26	3	15	-	-	-	-	-	-	-	-	-	-	-	9	-
Springfield *2W,L*	27,959	26	6	-	4	-	-	-	-	-	-	-	-	-	-	1	1	-
Southfields *H*	40,444	34	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Putney	24,139	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich	13,359	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	19	19	1	9	-	-	-	-	-	-	-	-	-	1	2	14	-
Camberwell North *W,2L*	65,584	21	23	4	7	-	-	-	-	1	-	-	-	-	1	5	15	-
St. George	47,331	27	10	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Peckham North	48,913	26	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Peckham South *2W,w*	43,946	20	5	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Deptford North	37,613	20	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Deptford Central *F*	45,481	25	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Deptford South	34,625	8	5	-	2	-	-	-	-	-	-	-	-	-	2	2	-	-
Greenwich West *H*	23,456	15	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich East *2W,H*	43,859	29	16	2	4	-	-	-	-	1	-	-	-	-	-	1	9	-
Eltham *w,H*	7,226	6	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *w,H*	25,490	9	5	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Lewisham *2W,w,F*	58,352	38	24	6	7	-	-	1	1	-	-	-	-	-	1	3	14	-
Sydenham *H*	43,653	24	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Charlton *F,2H*	21,134	6	6	1	2	-	1	-	1	-	-	-	-	-	-	-	2	-
Woolwich *5H*	41,625	25	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead West *W,H*	39,376	23	7	1	3	-	-	-	-	-	-	-	-	-	-	1	-	-
Plumstead East *2W*	28,951	12	9	1	1	-	-	-	-	-	-	-	-	1	1	2	5	-
Workhouses:—																		
Belmont Workhouse	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Central London Sick Asylum .. (Westminster, St. Giles, and Strand Unions.)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Small-pox Hospitals:—																		
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																		
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																		
Children's Infirmary, Carshalton..	—	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-
M. A. B. Imbecile Asylums:—																		
Caterham	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Darenth	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Leavesden	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
London County Lunatic Asylums:—																		
Banstead	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-
Manor	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Grove	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-
Cane Hill	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dartford Heath	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hanwell	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Colney Hatch	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Claybury	—	-	3	-	2	-	-	-	-	-	-	-	-	1	-	-	3	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERATED POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 23rd October, 1909.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING ..	368,603	2,045,135	1304	422	83	144	-	5	4	8	5	2	12	23	47	92	2
30 : 1	Carshalton 2F,3H	12,228	32,997	20	2	-	-	-	-	-	1	-	-	-	-	-	2	-
2	Epsom, *part of** W,w,2F,H..	10,423	15,548	7	2	-	2	-	-	-	-	-	-	-	-	-	-	-
37 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	4	1	-	-	-	-	-	-	-	-	-	-	-	1	-
38 : 1	Coulsdon	11,069	8,166	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w,H ..	4,200	49,309	29	4	-	1	-	-	-	-	-	-	-	-	1	-	-
3	West Croydon 3W,F,H ..	2,168	42,888	36	12	2	7	-	-	-	-	-	-	-	1	1	5	-
4	North Croydon H	2,614	41,698	20	7	-	3	-	-	-	-	-	-	-	-	-	-	-
5	Penge w	770	22,465	5	2	-	1	-	-	-	-	-	-	-	-	1	-	-
6	Mitcham w	11,711	30,015	35	6	2	3	-	-	-	-	-	-	-	-	-	-	-
39 : 1	Wimbledon F,3H	3,221	41,652	29	11	1	3	-	-	-	1	-	-	-	-	1	1	-
2	Kingston 2W,H	6,224	42,068	17	12	3	5	-	-	-	-	-	-	2	1	2	4	-
3	Surbiton F,H	3,046	15,017	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** H	5,402	13,100	11	3	-	1	-	-	-	-	-	-	-	-	1	-	-
5	Hampton H,F,L	4,564	23,456	16	7	2	5	-	-	-	-	-	-	-	-	-	2	-
40 : 1	Richmond W,H	2,491	31,672	12	4	1	1	-	-	-	-	-	-	1	-	-	-	-
2	Mortlake F	2,518	17,821	18	4	2	-	-	-	-	-	1	-	-	2	2	-	-
41 : 1	Bromley F,3H	4,703	27,354	11	3	-	2	-	-	-	-	-	-	-	-	-	-	-
2	Beckenham H	7,825	28,497	14	7	-	2	-	-	-	1	-	-	-	-	-	1	-
3	Orpington, *part of** W,F ..	10,113	9,857	6	3	1	1	-	-	-	-	1	-	-	-	-	-	-
4	Chislehurst 2H	7,333	16,446	7	5	-	3	-	-	-	-	-	-	-	-	3	1	-
42 : 1	Bexley w,F,H	8,678	21,151	13	5	1	-	-	-	-	-	-	-	1	2	2	-	-
2	Erith F,H	3,854	25,296	16	3	-	2	-	-	-	-	-	-	-	-	1	-	-
3	Dartford W,F, *part of** ..	—	—	-	2	-	-	-	-	-	-	-	-	-	-	1	2	-
124 : 1	Sunbury w	11,054	18,683	8	6	4	-	-	-	-	-	-	-	-	-	1	-	-
2	Staines W,H	13,277	15,178	9	6	1	3	-	-	-	-	-	-	-	1	1	2	-
125 : 1	Hillingdon W,F,H	6,035	13,661	11	3	-	1	-	-	-	-	-	-	-	-	-	2	-
2	Uxbridge H	12,757	8,984	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w 2F,H	8,066	16,358	11	2	-	1	-	-	-	-	-	-	-	1	1	-	-
126 : 1	Isleworth 3W,3F,H	6,859	30,863	24	15	2	3	-	-	-	-	-	-	1	1	2	10	1
2	Twickenham F,2H	2,421	20,991	14	5	1	3	-	-	-	-	-	-	-	-	-	-	-
3	Brentford 3F,2H	4,319	48,289	40	8	-	2	-	-	-	1	-	-	-	1	2	2	-
4	Chiswick H	1,239	29,809	12	5	1	2	-	-	-	-	-	-	-	-	1	-	-
5	Acton w,F,3H	6,132	48,914	51	18	4	6	-	-	1	1	-	-	1	-	1	-	-
127A: 1	Harrow F,H	13,809	25,523	20	4	-	2	-	-	-	-	-	-	-	1	1	-	-
2	Edgware 2F,2H	6,994	4,521	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hendon W,F	8,382	22,450	10	7	2	1	-	-	-	-	1	-	-	-	-	-	1
127B: 1	Willesden† W,F,3H	4,384	111,811	92	19	3	8	-	-	-	-	-	-	-	1	1	4	-
128 : 1	South Mimms 2F,H ..	17,755	7,308	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,970	3	5	1	2	-	-	-	-	-	-	-	-	1	1	-
3	Finchley F,3H	4,663	33,692	18	7	1	2	-	1	-	-	-	-	-	-	-	-	-
129 : 1	Hornsey F,H	2,875	72,056	25	11	2	4	-	2	-	2	-	-	-	-	-	1	-
2	Wood Green H	1,625	34,233	26	4	1	-	-	-	-	-	-	-	-	1	1	1	-
3	West Tottenham	995	48,741	29	5	2	2	-	-	-	-	-	-	-	-	1	-	-
4	East Tottenham 2H ..	2,019	53,962	32	13	2	4	-	-	-	-	-	-	-	1	2	2	-
5	Edmonton W,w,2F	7,491	61,892	38	13	1	2	-	-	-	-	-	-	-	-	1	6	-
6	Enfield 2W,F,H	12,691	42,738	23	11	2	3	-	2	1	-	-	-	-	-	-	3	-
7	Waltham Abbey F	11,017	6,549	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	3	4	1	1	-	-	-	-	-	-	-	2	1	-	-
135 : 1	Hatfield, *part of** W ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey, *part of** H ..	9,195	7,051	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Watford, *part of** W,3F ..	138	2,122	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
186 : 1	Stratford H	1,091	52,974	27	9	4	1	-	-	-	-	-	-	-	1	1	1	-
2	Forest Gate	787	52,745	13	8	2	4	-	-	-	-	-	-	-	-	-	-	-
3	Plaistow F,2H	1,249	90,921	61	16	4	5	-	-	-	-	-	-	3	-	1	-	-
4	Canning Town H	1,556	70,718	69	12	7	1	-	-	-	-	-	-	1	4	5	-	-
5	South East Ham 2F ..	1,991	37,342	30	10	3	1	-	-	2	-	-	-	1	-	-	2	-
6	North East Ham w,H ..	1,333	58,666	29	8	4	3	-	-	-	-	-	-	-	1	1	1	-
7	Wanstead F	1,679	9,179	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	34	12	1	6	-	-	-	-	1	1	-	1	1	3	-
9	North Leyton 2W,w,F ..	1,963	48,445	35	26	3	9	-	-	-	-	1	1	1	-	1	19	-
10	Walthamstow 2H,L ..	6,504	108,929	78	12	6	5	-	-	-	-	-	-	-	-	2	-	-
187 : 1	Chigwell 2F,3H	11,778	16,397	6	3	1	2	-	-	-	-	-	-	-	-	-	-	-
2	Epping W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189 : 1	Romford, *part of** W,3F ..	6,556	6,091	5	2	-	1	-	-	-	-	-	-	-	-	1	-	-
2	Ilford F,L	8,496	41,244	36	9	-	2	-	-	-	1	-	-	-	-	-	3	-
3	Barking Town F	3,803	21,547	21	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	N.E. Hospital, Tottenham..	—	—	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
	London County Lunatic Asylum, Banstead.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Metropolitan Imbecile Asylum, Darenth.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Surrey County Lunatic Asylum, Brookwood.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
	Middlesex County Lunatic Asylum, Napsbury.	—	—	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
	Essex County Lunatic Asylum, Brentwood.	—	—	-	3	-	2	-	-	-	-	-	-	-	-	-	3	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30 : 2, excepting Ashtead parish; 37 : 1, Warlingham and Farley parishes; 39 : 4, excepting Esher parish; 41 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135 : 1, Northaw parish; 137 : 1, excepting the part in Watford Rural parish; 137 : 2, Oxhey parish; 189 : 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42 : 3, 137 : 2 and 187 : 2 and in the Croydon Mental Hospital in 37 : 1 are also included. † On 1st October, 1909, Willesden sub-district of Hendon district was created a Registration District.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Small-pox	Measles.	Scarlet Fever	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON - -	4,833,938	October 23	2221	1067	11·5	-	7	3	9	8	5	34
CALCUTTA - -	1,009,008	September 25	-	461	23·2	-	-	-	1	1	84†	48‡
BOMBAY - -	982,000	" 28	406	555	29·5	2	-	-	-	-	78†	57‡
MADRAS - -	548,974	" 24	494	394	40·2	2	4	?	?	?	99	57
PARIS - - -	2,760,000	October 16	928	751	14·3	-	6	1	1	2	7	33
BRUSSELS - -	704,975	" 16	213	174	12·8	-	1	-	-	2	2	23
ANTWERP - -	314,135	" 16	123	61	10·1	-	-	-	-	-	-	13
AMSTERDAM -	565,553	" 16	224	126	11·6	-	5	-	1	1	1	5
COPENHAGEN -	448,000	" 16	251	105	12·2	-	1	-	-	1	1	6
STOCKHOLM -	339,582	" 9	166	69	10·6	-	-	1	1	-	-	2
CHRISTIANIA -	235,674	" 16	122	54	11·9	-	2	1	1	1	-	-
ST. PETERSBURG	1,573,000	" 9	761	712	23·6	4	16	9	11	12	8	152‡
MOSCOW - -	1,452,100	" 9	-	923	33·1	-	7	35	18	14	3	324‡
BERLIN - -	2,104,108	" 2	832	523	13·0	-	3	13	15	6	1	68
HAMBURG - -	872,252	" 16	-	224	13·3	-	-	1	8	4	-	24
BRESLAU - -	502,676	" 9	-	190	19·7	-	4	-	4	3	-	38
MUNICH - -	566,000	" 16	-	185	17·0	-	-	1	-	-	-	38
VIENNA - -	2,064,037	" 16	810	559	13·9	-	1	7	9	-	1	86
PRAGUE - -	485,057	" 16	161	146	15·6	-	1	1	2	-	-	15
BUDAPEST - -	823,215	" 9	412	305	19·3	1	1	5	-	1	4	48
TRIESTE - -	217,706	" 16	137	74	17·5	-	-	-	-	1	-	12
ROME - - -	565,323	July 10	237	201	18·5	-	8	-	3	3	1	23
VENICE - -	179,286	September 4	67	51	14·8	-	-	-	-	-	-	12
BUCAREST - -	296,585	October 2	145	150	26·4	-	-	11	1	-	4	19
NEW YORK -	4,564,792	" 2	2179	1192	13·6	-	6	4	13	12	25	164
CHICAGO - -	2,224,490	" 2	-	616	14·4	-	-	3	11	2	10	131
PHILADELPHIA -	1,565,569	September 18	-	403	13·4	-	-	-	6	4	9	55
RIO DE JANEIRO	637,089	" 19	-	224	18·3	-	-	-	-	1	-	?
CAIRO:—												
Egyptians -	666,587	" 23	539	463	36·0	1	-	-	14	?	15	122
Foreigners -	95,219	" 23	9	11	16·2	-	-	-	-	?	2	4
ALEXANDRIA:—												
Egyptians -	341,965	" 23	317	248	37·4	1	-	-	1	?	7	73
Foreigners -	46,118	" 23	22	15	16·9	-	-	-	-	?	-	2

* Excluding deaths from croup in the Indian Cities.
† Including 5 deaths from plague in Calcutta and 24 in Bombay.
‡ Including 10 deaths from cholera in Calcutta, 14 in Bombay, 85 in St. Petersburg, and 1 in Moscow.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 23rd October, 1909.

Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	64·0	45·4	56·1	0·46	BRADFORD - -	-	-	-	0·72
BRIGHTON - -	62·0	47·0	56·5	0·56	YORK - - -	63·0	43·0	51·4	0·59
PORTSMOUTH - -	63 0	49·5	57·9	0·49	HULL - - -	63·0	44·0	54·5	0·43
NORWICH - -	62·0	41·2	54·9	0·55	TYNEMOUTH - -	63·0	42 0	52·4	1·47
PLYMOUTH - -	63 7	43·7	55·2	1·13	CARDIFF - - -	63·9	41·2	54·4	1·96
BRISTOL - - -	64·0	45·8	55 4	1 13	EDINBURGH - -	58·2	39·8	50·2	1·50
BIRMINGHAM - -	63·7	42 2	53·1	0 72	GLASGOW - -	60·0	42·7	50·4	1·45
NOTTINGHAM - -	63·3	41·4	53·0	0·85	DUBLIN Phœnix Park	62·6	41 2	51·1	1·90
LIVERPOOL OBSERVATORY	61·0	45 0	53·2	1·02	DUBLIN Fitz-william Square.†	62·3	43·9	52·8	1·57
MANCHESTER -	65·8	41 8	53·8	1·85					
BURNLEY - -	61·5	43·0	52 7	1·78					
HUDDERSFIELD -	61·0	42·2	53·5	1·30	BELFAST - - -	60 0	40·5	52·0	2·34

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to the seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0·9 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 23rd October, 1909.

[*Under the Superintendence of the Astronomer Royal.*]

1909. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
OCTOBER.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 17	..	29·352	63·0	52·1	10·9	57·2	+ 7·6	55·3	1·9	8·0	1·3	93	92·5	44·6	56·20	SSW.	WSW., SSW. & S.	3·2	0·0	0·3	353	+ 83	0·14	6·0
MONDAY - 18	..	29·597	61·8	50·5	11·3	56·1	+ 6·8	53·4	2·7	6·4	0·2	91	80·0	39·1	56·50	S. & SSW.	S., SSW. & SW.	0·5	0·0	0·0	156	−101	0·00	8·5
TUESDAY - 19	..	29·828	64·0	50·3	13·7	55·9	+ 6·8	53·0	2·9	8·8	0·4	90	92·1	38·9	56·50	SW. & WSW.	SW. & SSW.	1·8	0·0	0·1	225	− 25	0·00	1·0
WEDNESDAY 20	Greatest Dec. S.	29·648	60·0	53·0	7·0	56·9	+ 8·1	55·2	1·7	4·4	1·3	94	74·0	46·4	56·49	SSW. & SW.	SSW. & SW.	4·9	0·0	0·6	472	+226	0·15	8·0
THURSDAY - 21	..	29·827	62·0	46·6	15·4	52·5	+ 3·9	46·1	6·4	16·0	1·9	79	102·1	41·0	56·48	SW. & WSW.	WSW. & SW.	5·0	0·0	0·3	377	+130	0·03	4·0
FRIDAY - 22	First Qr.	29·982	60·8	45·4	15·4	53·4	+ 5·1	48·6	4·8	11·8	2·6	84	86·2	39·5	56·40	SW. & SSW.	SW.	5·7	0·0	0·4	399	+147	0·00	7·7
SATURDAY - 23	..	29·613	63·2	52·9	10·3	58·0	+ 9·9	53·2	4·8	8·5	0·0	84	94·1	49·5	56·11	SW.	SW. & SSW.	11·8	0·0	0·9	522	+263	0·14	11·8
MEANS - -		29·693	62·1	50·1	12·0	55·7	+ 6·9	52·1	3·6	9·1	1·1	88	88·7	42·7	56·38	SW.		..	..	..	Sum 2504	Sum +728	Sum 0·46	6·7
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. OCTOBER.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	General Remarks.
SUNDAY - 17	Insulation defective.	2·7	10·6	Overcast with almost continuous rain till 1h. P.M.; very fine generally till 10h. P.M.; then overcast with light shower at 10h. 15m. P.M.
MONDAY - 18	Insulation defective till noon; w. P. afterwards.	0·2	10·5	Overcast with slight exceptions till 7h. P.M.; very fine afterwards and nearly cloudless at night; a few drops of rain occasionally till afternoon.
TUESDAY - 19	w. P. throughout.	2·7	10·5	Generally overcast till afternoon; very fine after 2h. 30m. P.M. and cloudless with slight exceptions at night.
WEDNESDAY 20	Insulation defective.	0·0	10·4	Very fine in early morning; generally overcast with frequent rain after 3h. A.M.
THURSDAY - 21	Insulation defective till 2h. P.M.; w. P. afterwards.	7·8	10·3	Overcast in morning; very fine and bright after 7h. 30m. A.M.; rain in early morning.
FRIDAY - 22	w. P. throughout.	1·2	10·3	Generally overcast with occasional fine intervals; light showers at times after 4h. P.M. Faint solar halo observed; seen occasionally during the afternoon.
SATURDAY - 23	w. P. generally; occasional w. N. after 5h. P.M.	2·1	10·2	Generally overcast; occasional showers; strong gusty wind prevalent after 9h. A.M.
		Sum 16·7	Sum 72·8	
No. of Col. - -	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·43 in. at the beginning of the week to 29·30 in. by noon on the 17th; increased to 29·85 in. by 10h. A.M. on the 19th; decreased to 29·59 in. by 11h. P.M. on the 20th; increased to 30·06 in. by 8h. A.M. on the 22nd; and decreased to 29·23 in. by midnight on the 23rd.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 16th October, 1909.*

BOROUGHS.	Estimated Population in the middle of 1909.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	151,955	-	18	4	-	-	-	-	2	-	-
Kensington	183,683	-	11	6	-	-	-	-	1	-	-
Hammersmith	125,704	-	9	2	-	1	-	-	3	-	-
Fulham	176,406	-	10	1	-	-	-	-	3	-	-
Chelsea	75,249	-	7	7	-	-	-	-	-	-	-
City of Westminster ..	168,883	-	12	8	-	2	-	-	2	-	-
NORTH.											
St. Marylebone	126,027	-	12	2	-	2	-	-	3	-	-
Hampstead	94,185	-	4	-	-	-	-	-	1	-	-
St. Pancras	237,422	-	8	6	-	1	-	-	2	-	-
Islington	351,202	-	32	12	-	-	-	-	7	-	-
Stoke Newington	54,423	-	1	-	-	-	-	-	1	1	-
Hackney	237,601	-	15	8	-	1	-	-	2	-	-
CENTRAL.											
Holborn	53,802	-	3	2	-	-	-	-	-	-	-
Finsbury	95,289	-	7	5	-	-	-	-	5	-	-
City of London	18,193	-	-	1	-	-	-	-	-	-	-
EAST.											
Shoreditch	114,802	-	6	4	-	2	-	-	4	1	-
Bethnal Green	131,316	-	11	2	-	-	-	-	5	-	-
Stepney	312,525	2	19	19	-	3	-	-	15	-	-
Poplar	171,965	-	12	2	-	3	-	-	5	-	-
SOUTH.											
Southwark	211,125	-	24	4	-	-	-	-	2	-	-
Bermondsey	127,569	-	8	5	-	-	-	-	3	1	-
Lambeth	324,188	-	40	9	-	3	-	-	8	-	-
Battersea	186,036	-	13	3	-	4	-	-	3	-	-
Wandsworth	297,646	-	21	5	-	-	-	-	-	-	-
Camberwell	283,022	-	16	8	-	2	-	-	6	-	-
Deptford	118,583	-	8	2	-	1	-	-	2	-	-
Greenwich	111,014	-	6	3	-	2	-	-	1	1	-
Lewisham	160,749	-	25	11	-	-	-	-	4	-	-
Woolwich	133,374	-	23	9	-	-	-	-	4	-	-
Port of London	—	-	-	1	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,833,938	2	381	151	-	27	-	-	94	4	-
Ages 0-1		-	2	3	-	-	-	-	2	-	-
" 1-5		-	115	55	-	2	-	-	11	-	-
" 5-		-	157	57	-	4	-	-	5	-	-
" 10-		-	73	18	-	3	-	-	4	-	-
" 15-		-	10	2	-	3	-	-	6	-	-
" 20-		-	10	8	-	3	-	-	4	-	-
" 25-		2	12	7	-	6	-	-	9	-	-
" 35-		-	1	1	-	5	-	-	10	4	-
" 45-		-	-	-	-	-	-	-	17	-	-
" 55-		-	1	-	-	1	-	-	15	-	-
" 65 and upwards		-	-	-	-	-	-	-	11	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY DARLING & SON, LTD., 34-40 BACON STREET, E.

1909

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 43. 1909. VOL. LXX.] WEEK ENDED SATURDAY, OCT. 30. [Price 1½*d.*

General Register Office, Somerset House,
November 1st, 1909.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 12·0 per 1000 of their aggregate population, which is estimated † at 16,445,281 persons in the middle of this year. In the preceding three weeks the rates had been 12·9, 12·2, and 12·0. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 16·6 in Liverpool, 17·1 in Grimsby, 17·3 in Merthyr Tydfil, 17·5 in Oldham, 17·6 in Great Yarmouth, 18·0 in Newport (Mon.), and 19·7 in Hanley; from *measles*, 1·3 in Coventry and in Birkenhead, 1·5 in West Bromwich, in Wallasey, and in Burnley, and 3·8 in Hanley; and from *diarrhœa*, 1·5 in Burnley, 2·2 in West Bromwich, and 2·3 in Hanley. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2087 BIRTHS and 1107 DEATHS were registered. Allowing for increase of population, the births were 377 and the deaths 210 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-five other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(14612—41.) Wt. 109—472. 700. 11/09. D & S. G. 31. Sch. 4. 2 U

causes, which had been 12·2, 12·0, and 11·5 per 1000 in the preceding three weeks, was 11·9 last week. The death-rate in the four weeks ended last Saturday averaged 11·9 per 1000, being 2·1 per 1000 below the mean rate in the corresponding periods of the five years 1904–8.

The 1107 deaths included 9 from measles, 5 from scarlet fever, 15 from diphtheria, 7 from whooping-cough, 3 from enteric fever, and 28 from diarrhœa ; but not one death from small-pox, from typhus, or from ill-defined pyrexia: thus, to these diseases in the aggregate 67 deaths were referred, being 47 below the corrected average number in the forty-third week of the preceding five years.

The deaths from *measles*, which had been 6, 10, and 7 in the preceding three weeks, were 9 last week, and were 10 below the corrected average. The deaths from *scarlet fever*, which had been 10, 10, and 3 in the preceding three weeks, were 5 last week, and were 9 below the corrected average. The deaths from *diphtheria*, which had been 4, 10, and 9 in the preceding three weeks, rose to 15 last week, and were 2 above the corrected average. The deaths from *whooping-cough*, which had been 21, 9, and 8 in the preceding three weeks, were 7 last week, the corrected average being 10. The deaths from *enteric fever*, which had been 2, 7, and 5 in the preceding three weeks, were 3 last week, and were 4 below the corrected average. The deaths from *diarrhœa*, which had been 60, 48, and 34 in the preceding three weeks, further fell to 28 last week, and were 23 below the corrected average ; 4 deaths belonged to the Borough of Fulham, 3 to Shoreditch, and 3 to Poplar. Of the 28 deaths from diarrhœa, 27 were those of children under 5 years of age ; 10 other deaths at this age were certified as due to *enteritis* and 9 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 9, having been 7, 7, and 4 in the preceding three weeks.

Different forms of violence caused 31 deaths, concerning all but one of which inquests were held. Of these 31 deaths, 9 were cases of suicide, and 2 of homicide, while the remaining 20 were attributed to accident or negligence. Three of these latter were referred to vehicles in the streets, two to burns or scalds, four to drowning, and three, of infants under one year of age, to suffocation in bed. Two deaths occurred while under anæsthetics administered for surgical purposes.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 2 cases of small-pox, 2,743 of scarlet fever, 961 of diphtheria, 1 of typhus, and 79 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows :—Of scarlet fever, 288 cases, against 324, 371, and 345 ; of diphtheria, 104 cases, against 114, 130, and 128 ; of typhus, 1 case, against 0, 0, and 0 ; and of enteric fever, 7 cases, against 14, 13, and 9. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended October 23rd, 1909.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases ; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 3277 births and 1584 deaths were registered. Allowing for increase of population, these numbers are 592 and 271 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 8 deaths from measles, 1 from scarlet fever, 4 from diphtheria, 2 from whooping-cough, and 9 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·54 inches, and that of the Thermometer 41°·9, the latter being 5°·6 below the week's average in the 65 years ended 1905. The direction of the wind was variable, the horizontal movement of the air being 47 per cent. above the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 13·9 hours; the measured rainfall amounted to 1·87 inches.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 30th October, 1909, and DEATH-RATES in each of the preceding three Weeks

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 9th Oct., 1909.	16th Oct., 1909.	23rd Oct., 1909.	30th Oct., 1909.	Rate from Diseases in Cols. 11–17. Week ended 30th October, 1909.	Registered during the Week ended 30th Oct., 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17	18.	19.	20.	21.	Cols.
76 TOWNS	**16,445,281**	**12·9**	**12·2**	**12·0**	**12·0**	**0·9**	**7785**	**3786**	**939**	**1039**	**–**	**38**	**30**	**57**	**42**	**16**	**110**	**122**	**312**	**1049**	**27**	**76 TOWNS**
LONDON	4,833,938	12·2	12·0	11·5	11·9	0·7	2087	1107	260	322	–	9	5	15	7	3	28	31	102	476	2	LONDON.
† CROYDON	161,078	6·5	7·1	7·1	8·4	0·3	59	26	4	6	–	–	–	1	–	–	–	–	4	7	–	CROYDON.
† WILLESDEN ..	160,424	9·8	6·8	6·5	7·8	1·0	58	24	9	7	–	–	–	–	–	–	3	–	1	4	–	WILLESDEN.
† HORNSEY	95,628	7·1	6·0	7·1	7·1	0·5	27	13	2	8	–	1	–	–	–	–	–	–	1	1	–	HORNSEY.
† TOTTENHAM ..	129,464	12·1	10·1	8·5	9·3	0·4	53	23	4	8	–	–	–	–	1	–	–	–	3	4	–	TOTTENHAM.
† WEST HAM ..	321,767	10·7	11·3	9·7	9·7	1·0	158	60	16	10	–	–	1	–	3	–	2	2	6	16	–	WEST HAM.
† EAST HAM.. ..	149,575	5·9	8·0	7·7	9·1	1·7	71	26	6	8	–	–	1	2	2	–	–	1	2	7	–	EAST HAM.
† LEYTON	129,614	8·0	7·2	6·8	10·5	0·4	56	26	7	10	–	–	–	–	1	–	–	–	2	7	–	LEYTON.
† WALTHAMSTOW	136,602	8·0	9·2	5·7	6·9	0·8	62	18	6	6	–	–	–	–	1	–	1	1	3	3	–	WALTHAMSTOW.
HASTINGS	68,165	9·2	9·2	11·5	13·0	0·8	24	17	1	7	–	–	–	–	1	–	–	–	–	–	–	HASTINGS.
BRIGHTON	130,926	12·3	10·0	11·2	12·7	0·8	55	32	6	13	–	–	–	–	1	–	1	1	4	9	–	BRIGHTON.
PORTSMOUTH ..	214,726	11·4	11·2	13·6	10·4	1·0	108	43	7	12	–	–	1	–	–	2	1	–	1	9	–	PORTSMOUTH.
BOURNEMOUTH ..	72,368	10·1	8·6	8·6	11·5	–	22	16	1	11	–	–	–	–	–	–	–	–	–	3	–	BOURNEMOUTH.
SOUTHAMPTON ..	124,667	9·6	12·5	8·8	12·5	0·4	49	30	7	11	–	–	–	–	1	–	–	1	1	6	–	SOUTHAMPTON.
READING	82,995	8·8	8·8	8·8	10·1	–	32	16	3	5	–	–	–	–	–	–	–	–	–	8	1	READING.
NORTHAMPTON ..	97,752	9·6	9·1	10·7	10·1	0·5	31	19	–	8	–	–	–	1	–	–	–	2	3	5	–	NORTHAMPTON.
IPSWICH	74,889	13·2	7·7	5·6	11·8	0·7	38	17	2	4	–	1	–	–	–	–	–	2	2	2	–	IPSWICH.
GREAT YARMOUTH	53,430	12·7	15·6	19·5	17·6	1·0	34	18	2	3	–	–	–	–	–	–	1	2	3	–	–	GREAT YARMOUTH.
NORWICH	124,136	14·7	10·5	6·7	10·5	–	58	25	5	11	–	–	–	–	–	–	–	1	2	4	–	NORWICH.
PLYMOUTH	124,180	13·0	9·7	10·5	13·0	1·7	55	31	3	11	–	–	–	2	–	–	2	1	1	2	–	PLYMOUTH.
DEVONPORT	83,103	8·8	12·5	10·0	11·3	1·3	45	18	5	2	–	–	–	1	–	–	1	–	1	1	–	DEVONPORT.
BRISTOL	377,642	11·0	12·6	9·4	9·1	0·4	153	66	8	25	–	–	–	1	1	1	–	5	10	23	–	BRISTOL.
HANLEY	68,831	14·4	12·9	18·2	19·7	7·6	56	26	12	2	–	5	–	1	1	–	3	–	1	3	–	HANLEY.
BURTON-ON-TRENT	54,453	9·6	9·6	9·6	11·5	1·0	19	12	4	2	–	–	–	1	–	–	–	1	1	2	–	BURTON-ON-TRENT.
WOLVERHAMPTON..	104,633	10·0	14·0	15·9	7·0	0·5	49	14	2	4	–	–	–	1	–	–	–	–	1	4	–	WOLVERHAMPTON
WALSALL	99,399	12·6	12·6	8·4	10·0	1·6	45	19	10	5	–	–	–	1	–	–	2	1	1	1	–	WALSALL.
HANDSWORTH ..	70,186	9·7	6·7	6·7	8·2	0·7	31	11	3	3	–	–	1	–	–	–	–	–	–	1	–	HANDSWORTH.
WEST BROMWICH..	70,457	12·6	14·8	14·8	13·3	3·7	34	18	5	4	–	2	–	–	–	–	3	1	1	2	–	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 30th October, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 9th Oct., 1909.	16th Oct., 1909.	23rd Oct., 1909.	30th Oct., 1909.	Rate from Diseases in Cols. 11-17. Week ended 30th October, 1909.	Registered during the Week ended 30th Oct. 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include. Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
BIRMINGHAM ..	563,629	14·0	12·4	14·2	11·3	0·4	267	122	32	28	-	-	1	1	-	-	2	3	4	31	6	BIRMINGHAM.
KINGS NORTON ..	81,632	10·2	9·6	7·0	9·6	1·3	48	15	3	6	-	-	1	1	-	-	-	1	1	3	1	KINGS NORTON.
SMETHWICK	70,377	10·4	16·3	7·4	8·9	0·7	42	12	6	2	-	-	-	-	-	-	1	-	-	-	-	SMETHWICK.
ASTON MANOR ..	85,257	11·0	8·0	9·8	9·2	1·2	30	15	5	5	-	-	1	-	1	-	-	2	4	1	-	ASTON MANOR.
COVENTRY	80,163	15·6	10·4	11·7	9·8	1·3	34	15	2	5	-	2	-	-	-	-	-	-	-	1	-	COVENTRY.
LEICESTER	244,255	10·2	11·5	8·8	10·9	0·9	100	51	7	17	-	-	-	-	4	-	-	-	3	10	-	LEICESTER.
GRIMSBY	73,036	12·9	17·8	14·3	17·1	-	45	24	8	6	-	-	-	-	-	-	-	-	2	1	-	GRIMSBY.
NOTTINGHAM ..	263,443	13·9	13·3	13·5	11·7	1·0	141	59	14	18	-	-	-	1	-	1	3	1	4	8	1	NOTTINGHAM.
DERBY	129,411	11·7	11·3	10·9	11·7	1·2	69	29	8	6	-	-	1	1	-	-	1	2	3	6	-	DERBY.
STOCKPORT	103,706	15·1	11·1	11·6	10·1	1·0	48	20	7	5	-	1	-	-	-	-	1	2	2	4	-	STOCKPORT.
BIRKENHEAD ..	121,123	11·2	14·6	15·9	15·5	3·0	81	36	12	7	-	3	1	1	-	1	1	-	-	10	-	BIRKENHEAD.
WALLASEY	71,004	11·0	14·7	9·5	14·0	2·2	34	19	5	3	-	2	1	-	-	-	-	2	3	3	-	WALLASEY.
LIVERPOOL	760,357	16·8	17·5	17·0	16·6	1·4	393	242	69	60	-	1	4	2	3	-	10	8	16	75	8	LIVERPOOL.
BOOTLE	69,393	19·5	12·0	18·8	14·3	-	40	19	6	4	-	-	-	-	-	-	-	-	-	3	1	BOOTLE.
ST. HELENS	95,161	17·0	15·3	19·2	11·5	0·5	47	21	7	2	-	-	-	-	-	-	1	1	2	1	-	ST. HELENS.
WIGAN	90,678	19·0	17·3	15·0	12·7	1·2	44	22	6	3	-	-	-	1	-	1	-	-	1	3	-	WIGAN.
WARRINGTON ..	72,276	14·4	7·2	15·2	14·4	0·7	42	20	9	6	-	-	-	-	-	-	1	-	-	2	1	WARRINGTON.
BOLTON	187,824	13·0	10·5	11·7	11·4	0·8	102	41	16	9	-	-	2	-	1	-	-	1	2	8	-	BOLTON.
BURY	59,234	21·1	8·8	7·9	7·0	-	20	8	1	3	-	-	-	-	-	-	-	-	-	-	-	BURY.
MANCHESTER ..	655,435	15·8	14·2	14·3	13·2	0·7	339	166	50	42	-	2	3	2	1	-	1	6	12	43	2	MANCHESTER.
SALFORD	241,950	19·0	17·2	15·5	14·4	1·7	136	67	19	14	-	-	-	4	1	-	3	1	4	18	-	SALFORD.
OLDHAM	143,301	16·0	18·9	18·9	17·5	0·4	64	48	14	9	-	-	-	-	-	-	1	2	8	5	-	OLDHAM.
ROCHDALE	89,653	15·1	12·8	12·2	12·2	-	54	21	4	5	-	-	-	-	-	-	-	-	-	6	1	ROCHDALE.
BURNLEY	106,267	17·2	12·8	16·7	12·3	3·4	48	25	7	5	-	3	-	-	1	-	3	-	-	7	-	BURNLEY.
BLACKBURN	136,959	16·8	12·9	16·4	13·7	1·9	58	36	9	8	-	-	1	1	-	-	3	1	3	4	-	BLACKBURN.
PRESTON	118,519	16·7	8·4	8·8	14·5	0·9	67	33	13	5	-	-	-	-	-	-	2	3	4	4	-	PRESTON.
BARROW-IN-FURNESS.	62,996	13·2	10·8	10·8	12·4	2·5	34	15	3	-	-	-	1	2	-	-	-	-	-	2	-	BARROW-IN-FURNESS.

* See note † on first page of this return.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 30th October, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 9th Oct., 1909.	16th Oct., 1909.	23rd Oct., 1909.	30th Oct., 1909.	Rate from Diseases in Cols. 11-17. Week ended 30th October, 1909.	Registered during the Week ended 30th Oct., 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Smallpox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,739	19·3	11·6	19·8	15·4	2·2	48	28	4	12	–	–	–	2	–	–	2	–	2	5	–	HUDDERSFIELD.
HALIFAX	111,911	14·0	12·6	13·5	10·3	0·9	33	22	3	10	–	–	1	1	–	–	–	1	2	5	–	HALIFAX.
BRADFORD	293,983	12·6	12·1	9·0	12·2	0·7	112	69	14	25	–	–	–	2	–	–	2	3	6	17	–	BRADFORD.
LEEDS	484,012	13·1	11·3	11·0	11·3	0·8	177	105	16	42	–	1	–	1	2	2	1	4	10	25	–	LEEDS.
SHEFFIELD	470,958	11·3	11·5	11·1	12·3	0·6	267	111	26	25	–	–	1	–	–	–	4	4	15	26	1	SHEFFIELD.
ROTHERHAM.. ..	65,070	6·4	10·4	12·8	10·4	–	38	13	3	6	–	–	–	–	–	–	–	–	1	4	–	ROTHERHAM.
YORK	87,004	10·8	10·8	16·2	7·2	–	30	12	3	2	–	–	–	–	–	–	–	–	–	2	–	YORK.
HULL	275,552	15·1	15·5	14·6	12·1	0·9	175	64	17	14	–	1	–	–	1	–	3	6	9	15	1	HULL.
MIDDLESBROUGH ..	105,255	15·9	16·3	19·3	13·4	1·0	67	27	9	3	–	–	–	–	–	–	2	3	3	6	–	MIDDLESBROUGH.
STOCKTON-ON-TEES	53,417	11·7	8·8	15·6	13·7	1·0	22	14	3	4	–	–	–	–	–	–	1	–	–	2	–	STOCKTON-ON-TEES.
WEST HARTLEPOOL	79,686	11·1	7·2	5·2	7·2	0·7	44	11	3	2	–	–	–	–	1	–	–	–	–	3	–	WEST HARTLEPOOL.
SUNDERLAND ..	159,378	13·7	12·8	12·8	15·4	1·6	89	47	11	14	–	–	–	2	1	1	1	2	3	14	–	SUNDERLAND.
SOUTH SHIELDS ..	117,627	14·6	14·2	8·9	12·4	0·9	55	28	5	15	–	1	–	–	–	–	1	2	2	5	1	SOUTH SHIELDS.
GATESHEAD	131,024	15·5	7·6	9·2	12·7	1·6	74	32	12	3	–	1	–	–	–	–	3	3	3	2	–	GATESHEAD.
NEWCASTLE-ON-TYNE.	281,584	12·4	12·4	11·3	15·0	1·1	139	81	21	18	–	1	–	–	2	2	1	3	8	23	–	NEWCASTLE-ON-TYNE.
TYNEMOUTH ..	55,808	12·1	12·1	17·8	8·4	0·9	35	9	3	2	–	–	–	–	–	–	1	–	2	2	–	TYNEMOUTH.
NEWPORT (MON.) ..	78,336	18·0	8·7	8·7	18·0	2·0	46	27	5	8	–	–	–	1	–	–	2	–	3	8	–	NEWPORT (MON.).
CARDIFF	195,303	13·6	9·6	7·7	6·7	0·8	91	25	4	7	–	–	–	–	1	1	1	1	2	4	–	CARDIFF.
RHONDDA	135,894	14·6	15·0	16·1	12·7	1·5	117	33	11	3	–	1	–	1	–	1	1	–	2	3	–	RHONDDA.
MERTHYR TYDFIL..	78,365	19·3	18·6	20·6	17·3	4·0	65	26	10	5	–	–	2	2	–	–	2	–	2	4	–	MERTHYR TYDFIL.
SWANSEA	98,308	14·9	15·4	15·4	15·9	1·6	65	30	9	8	–	–	–	1	2	–	–	1	2	5	–	SWANSEA.
GREATER LONDON	7,429,740	11·1	11·0	10·4	11·1	0·8	3277	1584	369	483	–	18	8	22	17	3	43	46	146	566	2	GREATER LONDON.
OUTER RING ..	2,595,802	9·2	9·0	8·5	9·6	0·9	1190	477	109	161	–	9	3	7	10	–	15	15	44	90	–	OUTER RING.
8 TOWNS IN OUTER RING.	1,284,152	8·8	8·7	7·7	8·8	0·8	544	216	54	63	–	1	2	3	8	–	6	4	22	49	–	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,311,650	9·5	9·3	9·2	10·4	1·0	646	261	55	98	–	8	1	4	2	–	9	11	22	41	–	REMAINDER OF OUTER RING.
EDINBURGH	355,366	11·2	12·6	10·4	12·0	0·7	128	82	12	25	–	–	–	2	2	–	1	1	?	31	2	EDINBURGH.
GLASGOW	872,021	12·7	13·7	14·8	13·1	1·3	377	219	42	60	–	8	5	1	2	1	4	14	?	69	5	GLASGOW.
DUBLIN (Registration Area).†	398,356	16·8	16·0	15·2	18·6	0·7	203	142	25	33	–	–	–	–	1	1	3	2	2	69	6	DUBLIN (Registration Area).†
BELFAST†	386,576	12·8	14·0	12·9	15·6	1·1	202	116‡	22	31	–	–	–	–	5	–	3	2	6	27	1	BELFAST†

* See note † on first page of this return.

† Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast respectively.
‡ Including 1 death from Cerebro-spinal fever.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FORTY-THIRD Week of each of the Eleven Years, 1899–1909.

	1899	1900	1901	1902	1903	1904	1905	1906	1907	1908	Corrected Weekly Average in 5 Years 1904–1908.*	1909
TOTAL **Births** -	2495	2238	2655	2469	2567	2585	2362	2474	2450	2163	2464·0	2087
Males - - -	1261	1146	1386	1255	1294	1282	1223	1245	1263	1136	1259·0	1070
Females - -	1234	1092	1269	1214	1273	1303	1139	1229	1187	1027	1205·0	1017
TOTAL **Deaths** -	1844	1403	1404	1407	1401	1311	1433	1209	1265	1212	1316·5	1107
Males - - -	941	705	748	745	725	675	761	623	668	615	690·4	596
Females - -	903	698	656	662	676	636	672	586	597	567	626·1	511

* The numbers in this column are the average weekly numbers in the Forty-Third week of the five years 1904-1908, raised by 2·375 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	13 Weeks.
TOTAL **Births** -	2054	2316	2169	2386	2317	2096	2223	2220	2057	2292	2243	2221	2087	28681
TOTAL **Deaths** -	933	1047	1027	1153	1149	1139	1151	1126	1079	1127	1114	1067	1107	14219
Ages at Death: Under 1 year -	204	213	223	338	336	349	309	301	260	274	276	266	260	3609
1—5 years -	83	111	105	122	114	104	109	108	80	97	98	93	100	1329
5—20 " -	55	61	60	57	45	52	68	56	71	50	54	62	49	740
20—40 " -	122	137	138	147	137	130	147	131	115	129	140	134	145	1752
40—60 " -	197	205	220	200	230	199	221	251	231	260	228	213	231	2886
60 yrs. & upwds.	272	320	281	289	287	305	297	279	322	317	318	294	322	3903
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Measles - - -	19	22	17	12	10	8	5	5	3	6	10	7	9	133
Scarlet Fever - -	4	9	7	6	2	5	2	8	10	10	10	3	5	81
Diphtheria - -	3	10	6	5	9	8	7	16	13	4	10	9	15	115
Whooping-cough -	26	12	13	15	27	26	13	14	14	21	9	8	7	205
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	2	2	5	1	2	2	1	2	4	2	7	5	3	38
Pyrexia (origin uncertain).	-	-	-	-	-	-	1	-	-	-	-	-	-	1
Diarrhœa, Dysentery	27	39	76	159	139	154	129	114	74	60	48	34	28	1081
All above diseases -	81	94	124	198	189	203	158	159	118	104	94	66	67	1655
Dis. of Resp. System	53	53	52	41	35	48	51	56	60	73	64	63	79	728
Pneumonia - -	67	72	69	62	68	57	79	92	72	113	103	111	114	1079
Phthisis - - -	98	105	102	104	109	90	101	115	112	103	98	100	120	1357
Dis. of Circ. System -	134	155	130	137	137	145	151	129	147	147	151	158	170	1891
Violence - - -	38	56	53	56	51	37	43	37	45	35	47	43	31	572
Inquest Cases - -	85	105	111	131	125	90	113	89	92	108	109	106	102	1366
Deaths in Institutions	403	486	477	464	495	489	480	539	509	513	479	486	476	6296
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	60·8	66·9	63·3	58·1	54·5	54·5	55·3	56·3	53·1	55·8	53·4	55·7	41·9	56·4
Mean of Highest -	72·7	80·8	73·6	67·8	64·5	63·1	62·9	65·5	60·1	64·6	63·3	62·1	47·9	65·3
Mean of Lowest -	50·9	54·1	55·7	51·1	46·3	47·3	49·4	48·4	47·4	47·5	49·8	50·1	34·9	48·7
Mean Humidity of the Air.	76	70	79	83	75	83	86	87	94	81	84	88	86	82
Rain-fall (in inches) -	0·26	0·00	0·82	0·70	0·30	0·32	0·58	0·57	0·72	1·01	0·59	0·46	1·87	8·20
Registered Sunshine (in hours).	54·4	81·5	40·2	30·2	41·7	35·0	20·9	27·7	6·0	33·7	22·5	16·7	13·9	424·4
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	2	2	2	-
Scarlet Fever - -	2564	2518	2411	2347	2377	2436	2553	2686	2737	2745	2810	2799	2743	2594
Diphtheria - - -	901	855	831	798	831	843	832	857	908	928	955	991	961	884
Typhus - - -	2	1	-	-	-	-	-	-	-	-	-	-	1	-
Enteric Fever - -	62	59	53	55	62	68	67	78	75	82	85	87	79	70

* The Metropolitan Asylums Board and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office :—The Astronomer Royal, Greenwich ; D. Forbes, Esq., M.D., Brighton ; A. Mearns Fraser, Esq., M.D., Portsmouth ; A. W. Preston, Esq., F.R.Met.Soc., Norwich ; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth ; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol ; A. Cresswell, Esq., Edgbaston, Birmingham ; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq , M.D., Nottingham ; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool ; F. Gore, Esq., Prestwich, Manchester ; Thos. Holt, Esq., M.D., Burnley ; J. Firth, Esq., Huddersfield ; H. Lander, Esq., Bradford ; Oxley Grabham, Esq., M.A., York ; H. B. Witty, Esq. F.R.Met.Soc., Hull ; the Meteorological Committee, Tynemouth ; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the FORTY-THIRD Week of the Year 1909.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 43rd week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages: ALL AGES.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1316·5	1107	260	100	49	145	231	322
Small-pox*	-	-	-	-	-	-	-	-
Cowpox	-	-	-	-	-	-	-	-
Measles (Morbilli)	18·6	9	2	7	-	-	-	-
Scarlet Fever	13·9	5	2	2	1	-	-	-
Typhus	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-
Influenza	13·5	9	2	-	-	1	1	5
Whooping-cough	9·8	7	4	3	-	-	-	-
Diphtheria	12·7	15	4	7	4	-	-	-
Cerebro-spinal Fever ..	-	-	-	-	-	-	-	-
Pyrexia† (origin uncertain)	-	-	-	-	-	-	-	-
Enteric Fever	7·4	3	-	-	-	3	-	-
Asiatic Cholera	-	-	-	-	-	-	-	-
Epidemic Diarrhœa, Infective Enteritis	28·9	11	9	2	-	-	-	-
Diarrhœa, Dysentery ..	22·5	17	13	3	-	-	1	-
Tetanus	0·4	-	-	-	-	-	-	-
Rabies, Hydrophobia ..	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever)..	-	-	-	-	-	-	-	-
Venereal Dis.	8·4	8	8	-	-	-	-	-
Puerperal Septicæmia ..	2·5	2	-	-	-	2	-	-
Puerperal Pyæmia.. .	0·2	-	-	-	-	-	-	-
Puerperal Fever	1·6	-	-	-	-	-	-	-
Infective Endocarditis ..	1·2	2	-	-	-	2	-	-
Pneumonia: Lobar ..	14·9	14	-	-	-	6	4	4
Pneumonia: Broncho ..	52·2	58	29	19	-	1	3	6
Pneumonia: Epidemic ..	-	-	-	-	-	-	-	-
Pneumonia: Not defined	46·9	42	11	10	-	6	10	5
Erysipelas	4·5	-	-	-	-	-	-	-
Septicæmia (not Puerperal) ..	1·8	1	-	-	-	-	1	-
Pyæmia (not Puerperal)	0·4	1	-	-	1	-	-	-
Other Infective Processes	4·3	3	-	1	-	1	1	-
Tuberculous Phthisis ..	83·7	96	-	-	5	44	37	10
"*Phthisis*"	57·1	24	-	-	1	14	6	3
Tuberculous Meningitis ..	16·4	12	4	5	3	-	-	-
Tuberculous Peritonitis ..	8·6	4	2	-	1	-	1	-
Tabes Mesenterica	2·5	1	1	-	-	-	-	-
Tuberculous Dis., Other ..	16·4	14	4	3	2	1	2	2
Scrofula..	-	-	-	-	-	-	-	-
Alcoholism	10·9	8	-	-	-	3	4	1
Rheumatic Fever	5·3	5	-	-	3	2	-	-
Gout	0·6	-	-	-	-	-	-	-
Carcinoma	50·2	63	-	-	-	3	29	31
Sarcoma	5·5	9	-	1	2	1	2	3
Cancer (undefined) ..	33·4	25	-	-	-	-	14	11
Diabetes Mellitus	7·8	7	-	-	-	-	3	4
Premature Birth	55·7	51	51	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 43rd week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages: ALL AGES.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)..	11·5	7	2	2	-	-	3	-
Gen. Par. of Insane, Insanity	13·5	8	-	-	1	2	4	1
Epilepsy	8·0	10	-	-	5	1	-	4
Convulsions	17·4	14	13	1	-	-	-	-
Locomotor Ataxy.. ..	1·2	1	-	-	-	-	1	-
Paraplegia, Dis. of Cord.	3·9	4	-	-	1	1	1	1
Nervous Sys., Other Dis.	16·4	19	1	1	1	1	6	9
Valv. Dis., Endocarditis..	45·5	41	-	-	5	6	13	17
Cereb. Hæm. Cereb. Emb.	35·6	34	-	-	-	2	8	24
Apoplexy, Hemiplegia ..	13·1	13	-	-	-	3	2	8
Aneurysm	4·3	3	-	-	-	1	2	-
Embolism, Thrombosis (not Cerebral) ..	1·4	1	-	-	-	-	1	-
Heart & Blood Ves., Other Dis... ..	84·2	78	-	1	2	11	18	46
Croup (not Spasm: nor Memb.)	0·2	-	-	-	-	-	-	-
Bronchitis	96·2	68	21	9	-	-	6	32
Emphysema, Asthma ..	4·9	2	-	-	-	-	-	2
Pleurisy	2·3	3	1	-	-	-	1	1
Respiratory Dis., Other..	10·9	6	1	-	1	-	1	3
Tonsillitis, Quinsy.. ..	1·2	2	1	1	-	-	-	-
Enteritis (not Epid.) ..	20·3	13	9	1	-	2	1	-
Gastro-enteritis	12·3	10	4	5	1	-	-	-
Peritonitis (not Puerp.) ..	2·3	3	2	-	1	-	-	-
Cirrhosis of Liver.. ..	12·3	4	-	-	-	1	2	1
Liver Dis., Other	4·7	3	-	-	-	-	1	2
Digestive Sys., Other Dis.	35·6	22	6	2	1	3	6	4
Acute Nephritis	6·1	7	-	-	1	1	2	3
Bright's Dis., Albuminuria	32·8	25	-	-	-	1	14	10
Urinary Sys., Other Dis.	9·0	13	-	-	-	-	1	12
Generative Organs Dis...	5·1	5	-	-	-	2	2	1
Childbirth (Accid. of) ..	3·3	2	-	-	-	-	2	-
Old Age	46·5	46	-	-	-	-	1	45
Other Diseases	87·5	83	50	11	4	6	4	8
ACCIDENT.								
By Railways	1·0	1	-	-	-	1	-	-
By Vehicles and Horses..	7·4	3	-	-	1	1	-	1
In Ships, Boats, Docks, (exclusive of Drowning)	0·8	-	-	-	-	-	-	-
In Building Operations..	0·8	-	-	-	-	-	-	-
In Conflagrations	0·4	-	-	-	-	-	-	-
By Burns, Scalds, Explosions	3·5	2	-	1	-	-	1	-
By Drowning	1·6	4	-	-	-	1	2	1
By Suffocation in Bed ..	7·0	3	3	-	-	-	-	-
By Poisons or Poisonous Vapours	2·7	2	-	-	-	-	2	-
Other Deaths by Accident..	12·1	5	-	1	-	2	1	1
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	0·8	2	-	1	-	1	-	-
Suicide	8·2	9	-	-	1	5	3	-
Execution	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 30th October, 1909.

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia† (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified causes of Death.
LONDON	4,536,267	2087	1107	260	322	-	9	5	15	7	-	3	-	28	31	02	476	2
WEST DISTRICTS	805,311	254	182	45	64	-	-	-	4	1	-	-	-	11	3	14	72	-
NORTH DISTRICTS	1,055,908	446	232	47	67	-	1	1	1	1	-	-	-	2	8	26	89	1
CENTRAL DISTRICTS	209,465	121	58	15	12	-	1	-	-	1	-	-	-	1	5	9	31	-
EAST DISTRICTS	715,739	384	217	59	56	-	5	-	3	2	-	1	-	7	5	23	105	-
SOUTH DISTRICTS	1,749,844	882	370	93	115	-	2	4	6	2	-	2	-	5	10	30	131	1
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	48	1	15	-	-	-	1	-	-	-	-	2	-	-	48	-
WEST DISTRICTS.																		
North Paddington *H*	63,603	24	9	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Central Paddington *W,3H*	50,053	20	21	6	4	-	-	-	-	-	-	-	-	2	1	1	17	-
South Paddington	30,320	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town *2W,w,2H* ..	128,037	28	30	7	16	-	-	-	-	1	-	-	-	2	-	1	9	-
Brompton *2H*	48,591	4	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
North Hammersmith *2W,w,H* ..	49,192	16	17	3	6	-	-	-	1	-	-	-	-	1	-	2	7	-
South Hammersmith *w,2H* ..	63,047	16	14	4	4	-	-	-	-	-	-	-	-	-	-	-	2	-
North-west Fulham *W*	45,180	39	16	8	1	-	-	-	-	-	-	-	-	4	-	3	8	-
North-east Fulham *F*	46,405	29	11	2	6	-	-	-	3	-	-	-	-	-	-	1	3	-
South Fulham *W*	45,704	20	8	4	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Chelsea North *W,w,3H*	42,514	8	13	1	5	-	-	-	-	-	-	-	-	-	-	-	10	-
Chelsea South *W,2H*	31,328	14	11	2	4	-	-	-	-	-	-	-	-	-	1	2	4	-
Mayfair and Knightsbridge	28,743	4	5	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave *W,2H*	55,815	14	11	4	3	-	-	-	-	-	-	-	-	2	-	2	4	-
St. Margaret & St. John *6H*	43,698	9	8	-	2	-	-	-	-	-	-	-	-	-	1	1	7	-
St. James and St. Anne *W,6H* ..	33,081	7	2	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-
NORTH DISTRICTS.																		
All Souls Marylebone *7H*	35,391	15	21	2	4	-	-	-	-	-	-	-	-	-	-	2	11	-
St. Mary Marylebone *W,4H* ..	37,948	33	10	3	3	-	-	-	-	-	-	-	-	-	-	2	4	-
Christchurch Marylebone	39,536	7	4	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-
St. John Marylebone *2H*	20,426	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Hampstead *W,F,6H*	81,942	14	17	1	4	-	-	1	-	-	-	-	-	-	1	2	8	-
West St. Pancras *2H*	60,562	24	8	2	1	-	-	-	-	-	-	-	-	-	1	1	2	-
South St. Pancras *w,10H*	55,707	16	15	5	3	-	-	-	-	-	-	-	-	-	1	-	9	-
East St. Pancras *W,H*	60,320	25	16	3	7	-	-	-	-	-	-	-	-	1	-	-	10	-
North St. Pancras *2W*	58,728	24	18	3	6	-	-	-	-	-	-	-	-	-	-	-	7	-
Tufnell *W*	31,995	15	15	1	3	-	-	-	-	-	-	-	-	1	-	-	12	-
Upper Holloway *2W,w,H*	33,978	13	13	3	3	-	1	-	-	-	-	-	-	-	1	3	6	1
Tollington *W,w,H*	33,922	14	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Lower Holloway	41,424	25	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Barnsbury	54,478	17	9	2	1	-	-	-	-	-	-	-	-	-	-	3	-	-
Islington South-east *F*	75,397	34	9	4	1	-	-	-	-	-	-	-	-	-	-	2	-	-
Highbury *2H*	63,797	29	8	3	2	-	-	-	-	-	-	-	-	-	1	2	-	-
Stoke Newington *H*	51,247	19	7	2	5	-	-	-	-	-	-	-	-	-	-	-	-	-
North Hackney	50,398	15	6	-	3	-	-	-	-	-	-	-	-	-	1	2	-	-
Central Hackney *w,F*	50,536	21	9	1	2	-	-	-	1	-	-	-	-	-	-	2	1	-
South-west Hackney *3H*	59,921	46	13	2	3	-	-	-	-	-	-	-	-	-	2	3	3	-
South-east Hackney *2W,H*	58,255	35	23	6	6	-	-	-	-	-	-	-	-	-	-	3	14	-
Hackney Union Workhouse, Brentwood	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 30th October, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
St. Giles and Bloomsbury 2*W*,2*H* ..	31,436	22	5	-	4	-	-	-	-	-	-	-	-	-	-	1	2	-
Strand *W*,4*H*	21,674	3	8	-	1	-	-	-	-	-	-	-	-	-	-	-	6	-
Strand Union Workhouse, Edmonton	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Holborn *W*,5*H*	29,612	10	10	5	-	-	-	-	-	1	-	-	-	-	-	-	9	-
Clerkenwell *H*	63,704	34	12	7	1	-	-	-	-	-	-	-	-	-	-	-	1	-
St. Luke 3*H*,*L*	36,116	43	4	2	1	-	-	-	-	-	-	-	-	-	1	1	-	-
Holborn Union Workhouse, Mitcham	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
St. Botolph *H*	10,299	7	3	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	2	14	1	2	-	-	-	-	-	-	-	-	1	4	7	11	-
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
Shoreditch South 3*H*	46,362	16	6	3	2	-	-	-	1	-	-	-	-	1	1	1	-	-
Shoreditch North-West *W*,*w*,*H* ..	36,127	18	30	2	13	-	-	-	-	-	-	-	-	1	-	6	20	-
Shoreditch North-East	36,148	22	8	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	25	30	8	6	-	2	-	-	1	-	-	-	2	1	4	18	-
Bethnal Green South-West *H* ..	64,542	38	8	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-
Spitalfields..	27,969	15	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Mile End New Town *W*,*H*	28,718	18	33	9	7	-	-	-	1	-	-	1	-	-	-	3	28	-
Goodman's Fields	22,081	5	4	2	1	-	-	-	-	-	-	-	-	-	1	1	-	-
St. George and St. John 2*W* ..	49,068	33	17	1	3	-	1	-	-	-	-	-	-	-	-	-	7	-
Shadwell and Ratcliff *w*,*H* ..	25,568	19	16	6	-	-	-	-	-	-	-	-	-	-	1	1	9	-
Limehouse *W*	32,369	11	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mile End Old Town South-Western *H*	63,698	45	8	3	4	-	-	-	-	-	-	-	-	-	-	1	-	-
Mile End Old Town North-Eastern *W*,*w*	49,129	33	13	2	5	-	-	-	-	-	-	-	-	-	-	1	8	-
Bow	41,989	22	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Bromley 3*w*,*H*	63,319	32	22	7	6	-	1	-	-	1	-	-	-	1	1	3	11	-
Poplar *W*,*w*	58,514	32	12	5	3	-	-	-	-	-	-	-	-	2	-	2	4	-
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c. registered in each SUB-DISTRICT during the Week ended Saturday, 30th October, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch and St. Saviour Southwark *W,2H*	23,319	10	7	3	1	-	-	-	1	1	-	-	-	-	-	-	5	-
Kent-road	21,904	9	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George the Martyr West *W,2H,L*	39,094	15	14	4	4	-	-	-	-	-	-	-	-	2	-	1	7	-
Newington North	49,022	30	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Newington South *W*	72,841	46	12	1	2	-	-	-	-	-	-	-	-	-	1	4	1	-
St. Olave *2W*	9,817	3	2	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-
Bermondsey *W*	82,483	47	17	13	2	-	-	-	-	-	-	-	-	1	-	-	-	-
Rotherhithe *W,F*	38,460	18	17	2	6	-	-	-	-	-	-	-	-	-	-	-	11	-
Waterloo *2H*	27,440	24	7	3	2	-	-	-	-	-	-	-	-	-	-	1	2	-
Lambeth Church *H*	27,440	15	12	2	5	-	-	-	-	-	-	1	-	1	-	-	10	-
Kennington *2W*	52,518	29	20	2	8	-	-	-	-	-	-	-	-	-	1	3	10	-
Stockwell *HF*	63,826	30	5	1	-	-	-	1	1	-	-	1	-	-	-	-	3	-
Brixton *H*	73,673	37	13	3	4	-	-	-	-	-	-	-	-	1	-	1	-	-
Norwood *2WH*	56,998	19	12	7	3	-	-	1	-	-	-	-	-	-	-	1	-	-
East Battersea *H*	72,203	38	9	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-
North-west Battersea	49,656	36	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
South-west Battersea *2W,H*	47,048	12	20	2	7	-	-	-	-	1	-	-	-	-	1	3	13	-
Clapham *2H*	51,361	25	5	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Streatham *W,2w,2F,2L*	88,019	51	25	4	13	-	-	1	-	-	-	-	-	-	1	3	7	-
Springfield *2W,L*	27,959	19	5	3	1	-	-	-	-	-	-	-	-	-	-	1	1	-
Southfields *H*	40,444	25	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Putney	24,139	6	6	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich	13,359	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	20	22	5	9	-	-	-	-	-	-	-	-	-	-	1	16	-
Camberwell North *W,2L*	65,584	18	19	1	9	-	-	-	-	-	-	-	-	-	-	-	13	-
St. George	47,331	21	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Peckham North	48,913	32	9	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Peckham South *2W,w*	43,946	23	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Deptford North	37,613	16	9	1	1	-	1	-	-	-	-	-	-	-	1	1	-	-
Deptford Central *F*	45,481	20	10	1	2	-	-	-	1	-	-	-	-	-	1	2	2	-
Deptford South	34,625	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *H*	23,456	17	3	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Greenwich East *2W,H*	43,859	19	15	2	3	-	-	-	-	-	-	-	-	-	1	2	9	-
Eltham *w,H*	7,226	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *w,H*	25,490	7	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham *2W,w,F*	58,352	31	17	5	6	-	-	1	2	-	-	-	-	-	-	1	10	1
Sydenham *H*	43,653	24	4	1	3	-	-	-	-	-	-	-	-	-	-	1	-	-
Charlton *F,2H*	21,134	9	4	-	3	-	-	-	1	-	-	-	-	-	-	-	1	-
Woolwich *5H*	41,625	26	4	1	1	-	-	-	-	-	-	-	-	-	1	1	1	-
Plumstead West *W,H*	39,376	20	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *2W*	28,951	18	10	2	3	-	-	-	-	-	-	-	-	-	-	-	8	-
Workhouses:—																		
Belmont Workhouse	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
M. A. B. Small-pox Hospitals:—																		
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																		
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																		
Children's Infirmary, Carshalton	—	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-
M. A. B. Imbecile Asylums:—																		
Caterham	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Darenth	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden	—	-	4	-	3	-	-	-	-	-	-	-	-	-	-	-	4	-
London County Lunatic Asylums:—																		
Banstead	—	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-	6	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Manor	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
Long Grove	—	-	8	1	2	-	-	-	-	-	-	-	-	1	-	-	8	-
Cane Hill	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
Dartford Heath	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Hanwell	—	-	5	-	2	-	-	-	-	-	-	-	-	-	-	-	5	-
Colney Hatch	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
Claybury	—	-	7	-	4	-	-	-	-	-	-	-	-	-	-	-	7	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERATED POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 30th October, 1909.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING ..	368,603	2,045,135	1190	477	109	161	-	9	3	7	10	-	15	15	44	90	-
30 : 1	Carshalton *2F,3H*	12,228	32,997	11	7	1	4	-	-	-	1	-	-	1	1	1	1	-
2	Epsom, *part of* W,w,2F,H* ..	10,423	15,548	10	3	-	2	-	-	-	-	-	-	-	-	-	1	-
37 : 1	Godstone, *part of* W,F,L* ..	2,754	2,692	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
38 : 1	Coulsdon	11,069	8,166	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon *w,H* ..	4,200	49,309	16	9	2	2	-	-	-	-	-	-	-	-	2	-	-
3	West Croydon *3W,F,H* ..	2,168	42,888	27	19	2	4	-	-	-	1	-	-	-	1	3	11	-
4	North Croydon *H*	2,614	41,698	16	2	-	1	-	-	-	-	-	-	-	-	-	-	-
5	Penge *w*	770	22,465	7	5	2	3	-	-	-	-	-	-	-	-	-	-	-
6	Mitcham *w*	11,711	30,015	35	7	4	2	-	1	-	-	-	-	-	-	-	-	-
39 : 1	Wimbledon *F,3H*	3,221	41,652	18	14	2	6	-	-	1	-	-	-	-	-	-	-	-
2	Kingston *2W,H*	6,224	42,068	13	18	3	5	-	-	-	1	-	-	2	1	1	8	-
3	Surbiton *F,H*	3,046	15,017	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of* H*	5,402	13,100	13	3	1	2	-	-	-	-	1	-	-	-	-	-	-
5	Hampton *H,F,L*	4,564	23,456	12	4	-	2	-	-	-	-	-	-	-	-	-	-	-
40 : 1	Richmond *W,H*	2,491	31,672	9	10	2	6	-	2	-	-	-	-	-	-	-	-	-
2	Mortlake *F*	2,518	17,821	13	5	2	1	-	-	-	-	-	-	1	-	1	-	-
41 : 1	Bromley *F,3H*	4,703	27,354	17	4	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Beckenham *H*	7,825	28,497	4	4	-	3	-	-	-	-	-	-	-	-	-	-	-
3	Orpington, *part of* W,F* ..	10,113	9,857	4	2	-	1	-	-	-	-	-	-	1	-	-	1	-
4	Chislehurst *2H*	7,333	16,446	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
42 : 1	Bexley *w,F,H*	8,678	21,151	7	4	1	1	-	1	-	-	-	-	-	1	1	1	-
2	Erith *F,H*	3,854	25,296	18	6	3	1	-	-	-	-	-	-	-	1	1	-	-
3	Dartford *W,F, part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124 : 1	Sunbury *w*	11,054	18,683	9	3	1	2	-	-	-	-	-	-	-	-	-	-	-
2	Staines *W,H*	13,277	15,178	7	5	-	3	-	-	-	-	-	-	-	-	-	1	-
125 : 1	Hillingdon *W,F,H*	6,035	13,661	12	1	-	-	-	-	-	-	-	-	-	-	-	1	-
2	Uxbridge *H*	12,757	8,984	12	2	1	-	-	-	-	-	-	-	1	-	-	-	-
3	Hayes *w 2F,H*	8,066	16,358	15	2	1	-	-	-	-	-	-	-	-	1	1	-	-
126 : 1	Isleworth *3W,3F,H*	6,859	30,863	21	15	4	6	-	-	-	-	1	-	-	-	-	6	-
2	Twickenham *F,2H*	2,421	20,991	11	7	1	4	-	-	-	-	-	-	-	1	2	1	-
3	Brentford *3F,2H*	4,319	48,289	32	8	-	6	-	-	-	-	-	-	-	-	-	-	-
4	Chiswick *H*	1,249	29,809	23	6	2	3	-	-	-	-	-	-	-	-	1	-	-
5	Acton *w,F,3H*	6,132	48,914	42	14	5	3	-	1	-	1	-	-	2	-	2	-	-
127A : 1	Harrow *F,H*	13,809	25,523	23	8	1	1	-	-	-	-	-	-	-	-	-	-	-
2	Edgware *2F,2H*	6,994	4,521	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hendon *W,F*	8,382	22,450	14	3	-	1	-	-	-	-	-	-	-	-	-	-	-
127B : 1	Willesden† *W,F,2H*	4,384	114,811	58	24	9	7	-	-	-	-	-	-	3	-	1	4	-
128 : 1	South Mimms *2F,H* ..	17,755	7,308	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet *W,2H*	3,324	17,970	14	4	2	-	-	-	-	-	-	-	1	-	-	1	-
3	Finchley *F,3H*	4,638	33,692	22	8	2	5	-	-	-	-	-	-	-	-	-	-	-
129 : 1	Hornsey *F,H*	2,875	72,056	27	12	1	8	-	1	-	-	-	-	-	-	1	-	-
2	Wood Green *H*	1,625	34,233	18	8	3	2	-	-	-	-	-	-	-	-	-	-	-
3	West Tottenham	995	48,741	28	9	2	5	-	-	-	-	1	-	-	-	1	-	-
4	East Tottenham *2H* ..	2,019	53,962	25	13	2	2	-	-	-	-	-	-	-	2	4	3	-
5	Edmonton *W,w,2F*	7,491	61,892	40	22	5	9	-	-	-	-	-	-	-	-	3	7	-
6	Enfield *2W,F,H*	12,601	42,738	20	15	4	4	-	2	-	-	-	-	-	-	-	2	-
7	Waltham Abbey *F*	11,017	6,549	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt *F,H*	8,479	12,292	9	1	-	-	-	1	-	-	-	-	-	-	-	-	-
135 : 1	Hatfield, *part of* W* ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey, *part of* H* ..	9,195	7,051	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford, *part of* W,2F* ..	138	2,122	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
186 : 1	Stratford *H*	1,091	52,974	29	7	2	2	-	-	-	-	-	-	-	1	2	-	-
2	Forest Gate	787	52,745	19	6	1	-	-	-	-	-	-	-	-	-	-	-	-
3	Plaistow *F,2H*	1,249	90,921	55	17	5	3	-	-	1	-	2	-	-	1	1	2	-
4	Canning Town *H*	1,556	70,718	55	17	8	1	-	-	-	-	-	-	2	-	3	1	-
5	South East Ham *2F* ..	1,991	37,342	24	12	2	2	-	-	1	2	2	-	-	-	-	3	-
6	North East Ham *w,H* ..	1,333	58,666	47	10	4	4	-	-	-	-	-	-	-	-	1	-	-
7	Wanstead *F*	1,679	9,179	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton *2W*	631	50,467	26	8	3	4	-	-	-	-	-	-	-	-	1	2	-
9	North Leyton *2W,w,F* ..	1,963	48,445	30	33	4	11	-	-	-	-	2	-	-	1	3	20	-
10	Walthamstow *2H,L* ..	6,504	108,929	71	18	6	4	-	-	-	-	1	-	1	1	2	1	-
187 : 1	Chigwell *2F,3H*	11,778	16,397	10	5	-	3	-	-	-	-	-	-	-	2	2	1	-
2	Epping *W,F, part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189 : 1	Romford, *part of* W,2F* ..	6,556	6,091	2	2	-	1	-	-	-	-	-	-	-	-	-	2	-
2	Ilford *F,L*	8,496	41,244	23	11	1	1	-	-	-	1	-	-	-	-	3	1	-
3	Barking Town *F*	3,805	21,547	26	2	1	1	-	-	-	-	-	-	-	-	-	-	-
	City of London Lunatic Asylum, Stone.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Surrey County Lunatic Asylum, Betchworth.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Middlesex County Lunatic Asylum, Napsbury.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Essex County Lunatic Asylum, Brentwood	—	—	-	5	-	4	-	-	-	-	-	-	-	-	-	5	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30 : 2, excepting Ashtead parish; 37 : 1, Warlingham and Farley parishes; 39 : 4, excepting Esher parish; 41 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135 : 1, Northaw parish; 137 : 1, excepting the part in Watford Rural parish; 137 : 2, Oxhey parish; 189 : 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42 : 3, 137 : 2 and 187 : 2 and in the Croydon Mental Hospital in 37 : 1 are also included. † On 1st October, 1909, Willesden sub-district of Hendon district was created a Registration District.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox	Measles.	Scarlet Fever	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON - -	4,833,938	October 30	2087	1107	11·9	-	9	5	15	7	3	23
CALCUTTA - -	1,009,008	October 2	-	476	24·5	-	-	-	1	-	85†	48‡
BOMBAY - -	982,000	" 5	409	585	31·1	4	-	-	-	-	76†	57‡
MADRAS - -	548,974	" 1	456	371	37·8	2	3	?	?	?	106	46
PARIS - - -	2,760,000	" 23	842	750	14·3	-	5	1	3	5	5	31
BRUSSELS - -	704,975	" 23	207	154	11·4	-	1	-	1	-	1	15
ANTWERP - -	314,135	" 23	132	69	11·4	-	-	2	1	1	-	17
AMSTERDAM -	565,553	" 23	253	105	9·7	-	3	1	-	-	2	1
COPENHAGEN -	448,000	" 23	221	98	11·4	-	1	2	-	-	-	5
STOCKHOLM -	339,582	" 16	167	86	13·2	-	-	-	-	-	-	5
CHRISTIANIA -	235,674	" 23	124	48	10·6	-	2	-	1	-	-	2
ST. PETERSBURG	1,573,000	" 16	902	699	23·2	9	20	17	19	7	9	164‡
MOSCOW - -	1,452,100	" 16	-	784	28·2	-	6	39	23	8	11	227
BERLIN - -	2,100,459	" 9	855	575	14·3	-	2	14	16	11	4	73
HAMBURG - -	872,252	" 23	-	216	12·9	-	-	1	6	5	1	27
BRESLAU - -	502,676	" 16	-	171	17·7	-	1	1	4	1	-	26
MUNICH - -	566,000	" 23	-	168	15·4	-	1	1	1	2	-	31
VIENNA - -	2,064,037	" 23	798	585	14·6	-	-	3	7	3	3	77
PRAGUE - -	485,057	" 23	170	153	16·4	-	-	3	3	-	2	8
BUDAPEST - -	823,215	" 16	418	260	16·4	-	-	6	4	1	5	49
TRIESTE - -	217,706	" 23	131	97	23·0	-	1	2	-	2	-	10
ROME - - -	565,323	July 17	219	179	16·2	-	7	-	-	2	7§	28
VENICE - -	179,286	September 11	73	81	23·6	-	-	-	-	-	2	13
BUCAREST - -	296,585	October 9	-	-	-	-	-	-	-	-	-	-
NEW YORK -	4,564,792	" 9	2465	1337	15·3	-	7	2	9	12	24	161
CHICAGO - -	2,224,490	" 9	-	599	14·0	-	-	9	16	1	16	107
PHILADELPHIA -	1,565,569	September 25	-	440	14·6	-	1	2	7	-	1	68
RIO DE JANEIRO	637,089	" 26	-	226	18·5	-	-	-	-	-	1†	?
CAIRO:—												
Egyptians -	666,587	" 30	590	423	32·8	-	2	-	31	?	9§	106
Foreigners -	35,219	" 30	7	13	19·2	-	-	-	1	?	2	2
ALEXANDRIA:—												
Egyptians -	341,965	" 30	309	217	32·7	-	-	-	3	?	2	62
Foreigners -	46,118	" 30	35	8	9·0	-	-	-	-	-	-	2

* Excluding deaths from croup in the Indian Cities.
† Including 11 deaths from plague in Calcutta, 15 in Bombay, and 1 in Rio de Janeiro.
‡ Including 8 deaths from cholera in Calcutta, 6 in Bombay, and 89 in St. Petersburg.
§ Including 2 deaths from malarial fever in Rome, 2 in Cairo (Egyptians), and 1 in Alexandria (Egyptian).

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 30th October, 1909.

TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	55·1	28·2	41·4	1·87	BRADFORD - -	47·8	29·6	39·8	0·01
BRIGHTON - -	56·5	31·9	45·8	5·15	YORK - - -	51·0	29·0	41·6	0·22
PORTSMOUTH - -	52·2	32·5	45·0	3·82	HULL - - -	58·0	29·0	42·2	0·55
NORWICH - -	51·8	28·8	43·0	1·92	TYNEMOUTH - -	49·0	29·0	40·6	0·73
PLYMOUTH -	58·8	30·5	46·6	1·61	CARDIFF - - -	52·8	31·2	42·2	1·44
BRISTOL - - -	53·4	31·0	43·7	0·63	EDINBURGH - -	47·2	30·1	38·1	0·05
BIRMINGHAM - -	51·1	33·1	41·0	0·51	GLASGOW - -	50·2	23·0	37·7	0·01
NOTTINGHAM - -	51·2	31·5	41·7	0·40	DUBLIN Phœnix Park.	51·4	25·9	40·3	0·13
LIVERPOOL OBSERVATORY	50·0	36·0	42·5	0·30	DUBLIN Fitzwilliam Square.†	49·5	30·0	41·8	0·10
MANCHESTER -	50·8	29·5	40·7	0·64					
BURNLEY - -	50·0	26·0	39·7	0·26					
HUDDERSFIELD -	49·3	29·5	40·3	0·24	BELFAST - - -	50·0	27·5	44·2	1·64

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to the seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0°·8 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 30th October, 1909.

[*Under the Superintendence of the Astronomer Royal.*]

1909. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
OCTOBER.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 24	..	29·610	55·1	41·5	13·6	48·0	+ 0·1	39·2	8·8	14·6	4·8	71	94·1	36·0	55·90	SW., W. & WSW.	W. & WSW.	9·2	0·0	1·0	634	+365	0·00	4·5
MONDAY - 25	..	29·694	51·4	32·1	19·3	42·0	- 5·7	34·9	7·1	15·0	0·7	76	88·7	25·2	55·69	WSW., SW. & WNW.	W. & SSW.	3·5	0·0	0·2	341	+ 63	0·00	1·0
TUESDAY - 26	..	29·309	47·2	31·1	16·1	41·9	- 5·7	41·5	0·4	3·2	0·0	98	57·0	24·7	55·10	Variable, E. & ESE.	E., ENE. & NE.	4·3	0·0	0·3	311	+ 25	0·66	0·0
WEDNESDAY 27	In Equator Perigee. Full.	29·278	47·5	43·8	3·7	44·9	- 2·6	43·0	1·9	3·9	0·8	93	47·0	42·6	54·22	NNE. & NE.	NNE.	6·5	0·0	0·7	528	+237	0·48	0·5
THURSDAY - 28		29·416	47·0	38·6	8·4	43·1	- 4·3	38·5	4·6	8·5	1·8	84	55·8	37·0	53·58	N. & NNE.	NNE. & N.	7·9	0·0	1·0	602	+309	0·26	1·5
FRIDAY - 29	..	29·621	44·0	29·3	14·7	37·0	-10·3	33·6	3·4	9·7	0·9	88	53·6	23·2	52·70	N., NNW. & NW.	NW., W. & SW.	12·3	0·0	0·5	390	+ 98	0·47	0·0
SATURDAY - 30	..	29·327	43·0	28·2	14·8	36·4	-10·8	33·9	2·5	6·2	1·0	91	56·2	21·7	52·22	SW. & NNW.	N. & NNE.	0·3	0·0	0·0	136	-154	0·00	0·0
MEANS - -		29·536	47·9	34·9	12·9	41·9	- 5·6	37·8	4·1	8·7	1·4	86	64·6	30·1	54·20	Variable		..	..	..	Sum 2942	Sum +943	Sum 1·87	1·1
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. OCTOBER.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.
SUNDAY - 24	w. P. generally.	5·8	10·1
MONDAY - 25	w. P. generally till 1h. P.M.; m. P. till 10h. P.M.; w. P. afterwards.	7·3	10·1
TUESDAY - 26	w. P. and w. N.	0·0	10·0
WEDNESDAY 27	w. P. generally; occasional w. N.	0·0	10·0
THURSDAY - 28	w. P. till 5h. P.M.; v. P. and v. N. afterwards.	0·0	9·9
FRIDAY - 29	w. P. generally.	0·8	9·8
SATURDAY - 30	w. P. generally.	0·0	9·8
		Sum 13·9	Sum 69·7
No. of Col. - -	27	28	29

GENERAL REMARKS.

Generally cloudy till 10h. A.M.; very fine afterwards; strong gusty wind prevalent till 4h. P.M.

A very fine day; the amount of cloud was usually small; cloudless with slight hoar frost at night.

Cloudless with slight hoar frost till 1h. A.M.; cloudy till 4h. A.M.; overcast afterwards with nearly continuous rain after 5h. 30m. A.M.

Overcast throughout; frequent rain till shortly after 6h. P.M.; brisk wind prevalent after 10h. A.M.

Overcast with gusty wind; continuous rain between 1h. 30m. and 10h. P.M.

Overcast till 11h. 30m. A.M.; fine and partially cloudy till evening; cloudless with slight fog and hoar frost at night; continuous rain till 10h. 30m. A.M. accompanied by strong gusty wind till shortly after 6h. A.M.

Variably cloudy until 6h. A.M.; nearly overcast till 6h. P.M: with occasional fog and gloom in forenoon; fine with little cloud, slight fog and hoar frost after 6h. P.M.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and - "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·23 in. at the beginning of the week to 29·73 in. by 1h. A.M. on 25th; decreased to 29·17 in. by 11h. P.M. on 26th; and increased to 29·86 in. by midnight on 30th.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 23rd October, 1909.*

BOROUGHS.	Estimated Population in the middle of 1909.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	151,955	-	15	3	-	-	-	-	1	1	-
Kensington	183,683	-	17	3	-	1	-	-	4	1	-
Hammersmith	125,704	-	6	3	-	-	-	-	3	-	-
Fulham	176,406	-	10	10	-	2	-	-	4	-	-
Chelsea	75,249	-	4	3	-	-	-	-	-	-	-
City of Westminster ..	168,883	-	11	6	-	-	-	-	2	-	-
NORTH.											
St. Marylebone	126,027	-	10	6	-	-	-	-	1	-	-
Hampstead	94,185	-	-	-	-	-	-	-	1	-	-
St. Pancras	237,422	-	18	7	-	3	-	-	2	1	-
Islington	351,202	-	20	5	-	-	-	-	5	-	-
Stoke Newington	54,423	-	2	1	-	-	-	-	1	-	-
Hackney	237,601	-	16	6	-	-	-	-	6	-	-
CENTRAL.											
Holborn	53,802	-	-	1	-	-	-	-	-	-	-
Finsbury	95,289	-	7	7	-	1	-	-	7	-	-
City of London	18,193	-	-	-	-	-	-	-	-	-	-
EAST.											
Shoreditch	114,802	-	5	6	-	1	-	-	5	-	-
Bethnal Green	131,316	-	8	4	-	1	-	-	6	-	-
Stepney	312,525	-	27	6	-	2	-	-	14	1	-
Poplar	171,965	-	14	6	-	2	-	-	3	-	-
SOUTH.											
Southwark	211,125	-	11	4	-	1	-	-	5	-	-
Bermondsey	127,569	-	6	3	-	-	-	-	4	-	-
Lambeth	324,188	-	30	7	-	-	-	-	3	-	-
Battersea	186,036	-	15	7	-	1	-	-	5	-	-
Wandsworth	297,646	-	12	4	-	1	-	-	6	1	-
Camberwell	283,022	-	9	6	-	-	-	-	7	-	-
Deptford	118,583	-	14	6	-	-	-	-	2	-	-
Greenwich	111,014	-	13	4	-	-	-	-	7	-	-
Lewisham	160,749	-	25	14	-	3	-	-	5	-	-
Woolwich	133,374	-	22	5	-	-	-	-	-	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,833,938	-	347	143	-	19	-	-	109	5	-
Ages 0-1		-	4	3	-	-	-	-	6	-	-
" 1-5		-	101	40	-	1	-	-	4	-	-
" 5-		-	128	62	-	1	-	-	7	-	-
" 10-		-	72	19	-	3	-	-	6	-	-
" 15-		-	23	7	-	3	-	-	3	-	-
" 20-		-	8	6	-	5	-	-	5	1	-
" 25-		-	9	3	-	2	-	-	15	2	-
" 35-		-	2	2	-	3	-	-	20	2	-
" 45-		-	-	-	-	1	-	-	18	-	-
" 55-		-	-	1	-	-	-	-	10	-	-
" 65 and upwards		-	-	-	-	-	-	-	15	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY DARLING & SON, LTD., 34-40 BACON STREET, E.

1909

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office.

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 44. 1909. VOL. LXX.] WEEK ENDED SATURDAY, NOV. 6. [Price 1½*d.*

General Register Office, Somerset House,
November 8th, 1909.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 13·3 per 1000 of their aggregate population, which is estimated † at 16,445,281 persons in the middle of this year. In the preceding three weeks the rates had been 12·2, 12·0, and 12·0. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 16·0 in Huddersfield and in South Shields, 16·3 in Brighton, 16·4 in Swansea, 16·7 in Wigan and in Oldham, 17·6 in Liverpool, 18·2 in Burnley, 18·6 in Grimsby, 19·4 in Bury, 20·8 in Middlesbrough, and 22·7 in Hanley; from *measles*, 1·6 in Hornsey and 4·5 in Hanley; from "*fever*," 1·5 in Hanley; and from *diarrhœa*, 2·1 in Walsall and 3·0 in Hanley. One death from *small-pox* was registered in Swansea, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2361 BIRTHS and 1246 DEATHS were registered. Allowing for increase of population, the births were 120 and the deaths 163 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-five other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(14716—41.) Wt. 109—472. 700. 11/09. D & S. G. 31. Sch. 4. 2 X

causes, which had been 12·0, 11·5, and 11·9 per 1000 in the preceding three weeks, rose last week to 13·4. The death-rate in the four weeks ended last Saturday averaged 12·2 per 1000, being 2·1 per 1000 below the mean rate in the corresponding periods of the five years 1904–8.

The 1246 deaths included 5 from measles, 6 from scarlet fever, 13 from diphtheria, 12 from whooping-cough, 7 from enteric fever, and 34 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia: thus, to these diseases in the aggregate 77 deaths were referred, being 37 below the corrected average number in the forty-fourth week of the preceding five years.

The deaths from *measles*, which had been 10, 7, and 9 in the preceding three weeks, fell to 5 last week, and were 16 below the corrected average. The deaths from *scarlet fever*, which had been 10, 3, and 5 in the preceding three weeks, were 6 last week, and were 10 below the corrected average; 3 deaths belonged to the Borough of Stepney. The deaths from *diphtheria*, which had been 10, 9, and 15 in the preceding three weeks, were 13 last week, and were 5 below the corrected average. The deaths from *whooping-cough*, which had been 9, 8, and 7 in the preceding three weeks, rose to 12 last week, the corrected average being 11. The deaths from *enteric fever*, which had been 7, 5, and 3 in the preceding three weeks, were 7 last week, and were 1 above the corrected average. The deaths from *diarrhœa*, which had been 48, 34, and 28 in the preceding three weeks, were 34 last week, and were 8 below the corrected average. Of the 34 deaths from diarrhœa, 33 were those of children under 5 years of age; 9 other deaths at this age were certified as due to *enteritis* and 13 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 11, having been 7, 4, and 9 in the preceding three weeks.

Different forms of violence caused 45 deaths, concerning all of which inquests were held. Of these 45 deaths, 9 were cases of suicide, while the remaining 36 were attributed to accident or negligence. Five of these latter were referred to vehicles in the streets, five to burns or scalds, three to drowning, and six, of infants under one year of age, to suffocation in bed. One death occurred while under an anæsthetic administered for surgical purposes.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 3 cases of small-pox, 2716 of scarlet fever, 1002 of diphtheria, 1 of typhus, and 82 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 1 case, against 2, 0, and 0; of scarlet fever, 336 cases, against 371, 345, and 288; of diphtheria, 132 cases, against 130, 128, and 104; and of enteric fever, 14 cases, against 13, 9, and 7. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended October 30th, 1909.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 3782 births and 1760 deaths were registered. Allowing for increase of population, these numbers are 65 and 222 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 3 deaths from measles, 4 from scarlet fever, 4 from diphtheria, 5 from whooping-cough, and 9 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·93 inches, and that of the Thermometer 47°·1, the latter being 0°·6 above the week's average in the 65 years ended 1905. The general direction of the wind was Northerly, the horizontal movement of the air being 46 per cent. below the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 20·1 hours; the measured rainfall amounted to 0·15 of an inch.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 6th November, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 16th Oct., 1909.	23rd Oct., 1909.	30th Oct., 1909.	6th Nov., 1909.	Rate from Diseases in Cols. 11–17. Week ended 6th November, 1909.	Registered during the Week ended 6th Nov., 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17	18.	19.	20.	21.	Cols.
76 TOWNS	**16,445,281**	**12·2**	**12·0**	**12·0**	**13·3**	**0·9**	**8350**	**4180**	**1015**	**1208**	**1**	**43**	**36**	**42**	**31**	**19**	**111**	**152**	**326**	**1141**	**26**	**76 TOWNS.**
LONDON	4,833,938	12·0	11·5	11·9	13·4	0·8	2361	1246	277	386	–	5	6	13	12	7	34	45	119	529	–	LONDON.
† CROYDON	161,078	7·1	7·1	8·4	8·4	–	80	26	1	11	–	–	–	–	–	–	–	1	6	3	–	CROYDON.
† WILLESDEN ..	160,424	6·8	6·5	7·8	6·8	0·3	111	21	5	8	–	1	–	–	–	–	–	–	2	3	–	WILLESDEN.
† HORNSEY	95,628	6·0	7·1	7·1	8·2	1·6	24	15	2	7	–	3	–	–	–	–	–	–	2	1	–	HORNSEY.
† TOTTENHAM ..	129,464	10·1	8·5	9·3	10·5	0·4	98	26	8	6	–	–	–	1	–	–	–	1	3	11	–	TOTTENHAM.
† WEST HAM ..	321,767	11·3	9·7	9·7	11·5	1·5	184	71	18	21	–	3	1	1	4	–	–	1	5	17	–	WEST HAM.
† EAST HAM.. ..	149,575	8·0	7·7	9·1	7·3	–	73	21	11	5	–	–	–	–	–	–	–	1	2	2	–	EAST HAM.
† LEYTON	129,614	7·2	6·8	10·5	5·2	–	75	13	2	6	–	–	–	–	–	–	–	1	2	4	–	LEYTON.
† WALTHAMSTOW	136,602	9·2	5·7	6·9	8·4	–	63	22	3	3	–	–	–	–	–	–	–	–	2	5	–	WALTHAMSTOW.
HASTINGS	68,165	9·2	11·5	13·0	8·4	–	21	11	1	7	–	–	–	–	–	–	–	–	–	1	1	HASTINGS.
BRIGHTON	130,926	10·0	11·2	12·7	16·3	0·4	63	41	10	19	–	–	–	1	–	–	–	1	3	5	–	BRIGHTON.
PORTSMOUTH ..	214,726	11·2	13·6	10·4	15·5	1·9	130	64	11	24	–	–	1	3	–	2	2	2	6	21	–	PORTSMOUTH.
BOURNEMOUTH ..	72,368	8·6	8·6	11·5	7·2	0·7	28	10	1	4	–	–	–	–	–	–	1	–	1	1	–	BOURNEMOUTH.
SOUTHAMPTON ..	124,667	12·5	8·8	12·5	13·4	1·3	51	32	6	11	–	–	1	–	–	–	2	1	2	10	–	SOUTHAMPTON.
READING	82,995	8·8	8·8	10·1	10·7	–	37	17	2	8	–	–	–	–	–	–	–	1	1	5	–	READING.
NORTHAMPTON ..	97,752	9·1	10·7	10·1	13·9	0·5	48	26	5	8	–	–	–	–	–	–	1	1	1	5	–	NORTHAMPTON.
IPSWICH	74,889	7·7	5·6	11·8	13·2	2·1	26	19	5	7	–	2	–	–	–	1	–	–	2	5	–	IPSWICH.
GREAT YARMOUTH	53,430	15·6	19·5	17·6	12·7	–	34	13	1	5	–	–	–	–	–	–	–	–	2	3	–	GREAT YARMOUTH.
NORWICH	124,136	10·5	6·7	10·5	11·3	1·3	63	27	5	12	–	–	1	–	–	–	2	–	1	8	–	NORWICH.
PLYMOUTH	124,180	9·7	10·5	13·0	11·8	0·4	63	28	8	6	–	–	–	–	–	–	1	1	2	7	–	PLYMOUTH.
DEVONPORT	83,103	12·5	10·0	11·3	13·8	1·3	49	22	5	4	–	–	1	–	–	–	1	2	2	3	–	DEVONPORT.
BRISTOL	377,642	12·6	9·4	9·1	9·1	0·3	165	66	9	28	–	2	–	–	–	–	–	3	6	16	–	BRISTOL.
HANLEY	68,831	12·9	18·2	19·7	22·7	9·1	53	30	8	5	–	6	–	–	–	2	4	–	1	5	–	HANLEY.
BURTON-ON-TRENT	54,453	9·6	9·6	11·5	15·3	–	23	16	2	6	–	–	–	–	–	–	–	1	1	3	2	BURTON-ON-TRENT.
WOLVERHAMPTON..	104,633	14·0	15·9	7·0	15·0	–	63	30	10	9	–	–	–	–	–	–	–	1	4	8	–	WOLVERHAMPTON
WALSALL	99,399	12·6	8·4	10·0	15·2	2·6	53	29	9	6	–	–	1	–	–	–	4	1	1	1	–	WALSALL.
HANDSWORTH ..	70,186	6·7	6·7	8·2	6·7	0·7	20	9	5	1	–	–	–	–	–	–	1	–	2	–	–	HANDSWORTH.
WEST BROMWICH..	70,457	14·8	14·8	13·3	14·8	1·5	40	20	5	5	–	–	–	–	–	1	1	–	–	4	–	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 6th November, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 16th Oct., 1909.	23rd Oct., 1909.	30th Oct., 1909.	6th Nov., 1909.	Rate from Diseases in Cols. 11–17. Week ended 6th November, 1909.	Registered during the Week ended 6th Nov. 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
BIRMINGHAM ..	563,629	12·4	14·2	11·3	12·8	1·4	260	138	31	33	-	1	4	2	2	-	6	7	7	43	1	BIRMINGHAM.
KINGS NORTON ..	81,632	9·6	7·0	9·6	10·2	0·6	50	16	7	2	-	-	-	1	-	-	-	1	1	2	-	KINGS NORTON.
SMETHWICK	70,377	16·3	7·4	8·9	15·6	0·7	43	21	7	5	-	-	-	1	-	-	-	-	-	1	-	SMETHWICK.
ASTON MANOR ..	85,257	8·0	9·8	9·2	12·2	0·6	38	20	7	10	-	-	-	-	-	-	1	-	-	3	-	ASTON MANOR.
COVENTRY	80,163	10·4	11·7	9·8	13·7	-	45	21	6	6	-	-	-	-	-	-	-	-	-	4	1	COVENTRY.
LEICESTER	244,255	11·5	8·8	10·9	11·5	1·1	104	54	11	16	-	-	-	-	2	-	3	2	6	13	-	LEICESTER.
GRIMSBY	73,036	17·8	14·3	17·1	18·6	1·4	53	26	14	3	-	-	-	1	-	-	1	-	-	5	-	GRIMSBY.
NOTTINGHAM ..	263,443	13·3	13·5	11·7	14·3	0·2	126	72	22	20	-	-	-	1	-	-	-	3	4	17	-	NOTTINGHAM.
DERBY	129,411	11·3	10·9	11·7	13·3	0·8	56	33	9	12	-	1	-	-	-	-	1	1	1	4	-	DERBY.
STOCKPORT	103,706	11·1	11·6	10·1	14·6	0·5	57	29	9	4	-	-	-	-	-	-	1	1	3	2	-	STOCKPORT.
BIRKENHEAD ..	121,123	14·6	15·9	15·5	15·9	0·4	77	37	10	6	-	1	-	-	-	-	-	2	5	7	-	BIRKENHEAD.
WALLASEY	71,004	14·7	9·5	14·0	14·0	2·9	32	19	3	6	-	1	1	-	-	-	2	1	2	6	-	WALLASEY.
LIVERPOOL	760,357	17·5	17·0	16·6	17·6	0·8	434	257	72	63	-	1	3	-	-	1	6	13	17	77	9	LIVERPOOL.
BOOTLE	69,393	12·0	18·8	14·3	12·8	0·8	50	17	3	3	-	-	-	-	1	-	-	1	1	5	1	BOOTLE.
ST. HELENS	95,161	15·3	19·2	11·5	13·2	1·1	56	24	5	5	-	-	-	1	1	-	-	-	-	5	-	ST. HELENS.
WIGAN	90,678	17·3	15·0	12·7	16·7	1·2	54	29	7	6	-	-	-	1	-	-	1	-	-	1	-	WIGAN.
WARRINGTON ..	72,276	7·2	15·2	14·4	13·0	0·7	52	18	4	6	-	-	1	-	-	-	-	-	-	3	1	WARRINGTON.
BOLTON	187,824	10·5	11·7	11·4	13·6	0·6	72	49	12	12	-	-	-	-	-	2	-	2	4	5	-	BOLTON.
BURY	59,234	8·8	7·9	7·0	19·4	-	27	22	7	6	-	-	-	-	-	-	-	1	1	4	1	BURY.
MANCHESTER ..	655,435	14·2	14·3	13·2	15·8	1·1	349	199	49	40	-	1	6	1	1	1	4	11	18	49	-	MANCHESTER.
SALFORD	241,950	17·2	15·5	14·4	14·0	1·1	125	65	16	17	-	1	-	3	-	-	1	3	5	18	-	SALFORD.
OLDHAM	143,301	18·9	18·9	17·5	16·7	0·7	59	46	14	14	-	-	-	-	-	-	2	1	2	7	-	OLDHAM.
ROCHDALE	89,653	12·8	12·2	12·2	13·4	-	34	23	3	16	-	-	-	-	-	-	-	-	3	3	-	ROCHDALE.
BURNLEY	106,267	12·8	16·7	12·3	18·2	2·0	46	37	11	8	-	2	-	-	-	-	2	2	4	7	-	BURNLEY.
BLACKBURN	136,959	12·9	16·4	13·7	11·4	1·5	44	30	7	10	-	-	1	-	1	1	1	2	2	5	-	BLACKBURN.
PRESTON	118,519	8·4	8·8	14·5	10 6	1·8	54	24	7	8	-	-	1	-	-	-	3	-	1	-	-	PRESTON.
BARROW-IN-FURNESS.	62,996	10·8	10·8	12·4	5·8	0·8	28	7	3	1	-	-	1	-	-	-	-	1	1	-	-	BARROW-IN-FURNESS.

* See note † on first page of this return.

TABLE I (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 6th November, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1909.*	Death-Rates from all Causes. Week ended 16th Oct., 1909.	23rd Oct., 1909.	30th Oct., 1909.	6th Nov., 1909.	Rate from Diseases in Cols. 11–17. Week ended 6th November, 1909.	Registered during the Week ended 6th Nov., 1909. Births.	Deaths.	The Deaths registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,739	11·6	19·8	15·4	16·0	0·6	32	29	1	12	–	–	1	–	–	–	–	2	2	4	1	HUDDERSFIELD.
HALIFAX	111,911	12·6	13·5	10·3	12·6	0·5	27	27	–	12	–	–	–	–	1	–	–	1	1	5	–	HALIFAX.
BRADFORD	293,983	12·1	9·0	12·2	13·1	0·5	117	74	13	31	–	2	1	–	–	–	–	–	3	20	–	BRADFORD.
LEEDS	484,012	11·3	11·0	11·3	11·7	0·6	207	109	25	36	–	–	1	1	1	1	2	7	11	22	2	LEEDS.
SHEFFIELD	470,958	11·5	11·1	12·3	9·9	0·7	264	89	19	33	–	1	1	–	–	–	4	3	6	18	–	SHEFFIELD.
ROTHERHAM.. ..	65,070	10·4	12·8	10·4	12·8	0·8	40	16	5	3	–	–	–	–	–	–	1	–	–	4	–	ROTHERHAM.
YORK	87,004	10·8	16·2	7·2	10·8	–	42	18	5	5	–	–	–	–	–	–	–	–	–	3	–	YORK.
HULL	275,552	15·5	14·6	12·1	13·4	2·3	140	71	22	10	–	1	1	4	2	–	4	4	9	14	1	HULL.
MIDDLESBROUGH ..	105,255	16·3	19·3	13·4	20·8	0·5	63	42	21	9	–	–	–	–	–	–	1	1	2	3	–	MIDDLESBROUGH.
STOCKTON-ON-TEES	53,417	8·8	15·6	13·7	12·7	–	28	13	3	2	–	–	–	–	–	–	–	–	–	2	–	STOCKTON-ON-TEES.
WEST HARTLEPOOL	79,686	7·2	5·2	7·2	13·1	0·7	48	20	6	2	–	1	–	–	–	–	–	2	2	3	–	WEST HARTLEPOOL.
SUNDERLAND ..	159,378	12·8	12·8	15·4	13·7	2·0	90	42	14	8	–	–	–	2	2	–	2	2	3	11	1	SUNDERLAND.
SOUTH SHIELDS ..	117,627	14·2	8·9	12·4	16·0	1·8	70	36	10	7	–	–	1	2	–	–	1	–	–	7	2	SOUTH SHIELDS.
GATESHEAD	131,024	7·6	9·2	12·7	15·1	1·2	77	38	10	11	–	–	–	–	1	–	2	–	–	4	2	GATESHEAD.
NEWCASTLE-ON-TYNE.	281,584	12·4	11·3	15·0	15·9	0·7	159	86	25	25	–	1	–	1	–	–	2	1	9	19	–	NEWCASTLE-ON-TYNE.
TYNEMOUTH ..	55,808	12·1	17·8	8·4	13·1	–	42	14	3	4	–	–	–	–	–	–	–	–	–	2	–	TYNEMOUTH.
NEWPORT (MON.) ..	78,336	8·7	8·7	18·0	15·3	1·3	45	23	12	5	–	2	–	–	–	–	–	1	1	4	–	NEWPORT (MON.).
CARDIFF	195,303	9·6	7·7	6·7	11·2	0·5	85	42	6	12	–	1	–	1	–	–	–	3	3	4	–	CARDIFF.
RHONDDA	135,894	15·0	16·1	12·7	12·7	1·5	121	33	10	5	–	1	–	–	–	–	3	3	3	–	–	RHONDDA.
MERTHYR TYDFIL..	78,365	18·6	20·6	17·3	15·3	0·7	66	23	7	3	–	1	–	–	–	–	–	1	1	4	–	MERTHYR TYDFIL.
SWANSEA	98,308	15·4	15·4	15·9	16·4	1·1	65	31	7	7	1	1	–	–	–	–	–	1	1	6	–	SWANSEA.
GREATER LONDON	7,429,740	11·0	10·4	11·1	12·4	0·8	3782	1760	388	545	–	15	11	19	21	7	43	61	167	635	1	GREATER LONDON.
OUTER RING ..	2,595,802	9·0	8·5	9·6	10·3	0·8	1421	514	111	159	–	10	5	6	9	–	9	16	48	106	1	OUTER RING.
8 TOWNS IN OUTER RING.	1,284,152	8·7	7·7	8·8	8·7	0·6	708	215	50	67	–	7	1	2	4	–	–	5	24	46	–	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,311,650	9·3	9·2	10·4	11·9	1·0	713	299	61	92	–	3	4	4	5	–	9	11	24	60	1	REMAINDER OF OUTER RING.
EDINBURGH	355,366	12·6	10·4	12·0	12·5	1·0	115	85‡	17	26	–	5	1	–	1	–	–	1	?	23	3	EDINBURGH.
GLASGOW	872,021	13·7	14·8	13·1	18·2	2·6	396	304	65	63	–	18	3	9	6	1	7	11	?	91	5	GLASGOW.
DUBLIN (Registration Area).†	398,356	16·0	15·2	18·6	18·6	0·5	220	142	27	39	–	–	–	–	1	1	2	3	3	47	4	DUBLIN (Registration Area).†
BELFAST†	386,576	14·0	12·9	15·6	15·6	1·1	205	116	28	29	–	–	–	–	4	–	4	3	6	27	2	BELFAST†

* See note † on first page of this return.

† Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast respectively.
‡ Including 1 death from Cerebro-spinal meningitis.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FORTY-FOURTH Week of each of the Eleven Years, 1899–1909.

	1899	1900	1901	1902	1903	1904	1905	1906	1907	1908	Corrected Weekly Average in 5 Years 1904–1908.*	1909
TOTAL **Births** -	2613	2392	2737	2723	2563	2581	2494	2304	2379	2358	2480·8	2361
Males - - -	1305	1266	1385	1415	1261	1286	1279	1169	1191	1248	1264·0	1202
Females - -	1308	1126	1352	1308	1302	1295	1215	1135	1188	1110	1216·8	1159
TOTAL **Deaths** -	1626	1466	1516	1433	1426	1330	1494	1272	1390	1396	1409·1	1246
Males - - -	838	772	783	747	764	714	728	648	714	725	722·6	659
Females - -	788	694	733	686	662	616	766	624	676	671	686·5	587

* The numbers in this column are the average weekly numbers in the Forty-Fourth week of the five years 1904–1908, raised by 2·375 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	13 Weeks.
TOTAL **Births** -	2316	2169	2386	2317	2096	2223	2220	2057	2292	2243	2221	2087	2361	28988
TOTAL **Deaths** -	1047	1027	1153	1149	1139	1151	1126	1079	1127	1114	1067	1107	1246	14532
Ages at Death: Under 1 year -	213	223	338	336	349	309	301	260	273	276	266	260	277	3681
1—5 years -	111	105	122	114	104	109	108	80	98	98	98	100	82	1329
5—20 " -	61	60	57	45	52	68	56	71	50	54	62	49	67	752
20—40 " -	137	138	147	137	130	147	131	115	129	140	134	145	157	1787
40—60 " -	205	220	200	230	199	221	251	231	260	228	213	231	277	2966
60 yrs. & upwds.	320	281	289	287	305	297	279	322	317	318	294	322	386	4017
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	1	-	-	-	-	1
Measles - - -	22	17	12	10	8	5	5	3	6	10	7	9	5	119
Scarlet Fever - -	9	7	6	2	5	2	8	10	10	10	3	5	6	83
Diphtheria - -	10	6	5	9	8	7	15	13	4	10	9	15	13	124
Whooping-cough -	12	13	15	27	26	13	14	14	21	9	8	7	12	191
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	2	5	1	2	2	1	2	4	2	7	5	3	7	43
Pyrexia (origin uncertain).	-	-	-	-	-	1	-	-	-	-	-	-	-	1
Diarrhœa, Dysentery	39	76	159	139	154	120	114	74	60	43	34	28	34	1088
All above diseases -	94	124	198	189	203	158	158	118	104	94	66	67	77	1650
Dis. of Resp. System	53	52	41	35	48	51	57	60	73	64	63	79	120	796
Pneumonia - -	72	69	62	68	57	79	92	72	113	103	111	114	110	1122
Phthisis - - -	105	102	104	109	90	101	115	112	103	93	100	120	148	1407
Dis. of Circ. System -	155	130	137	137	145	151	129	147	147	151	158	170	175	1932
Violence - - -	56	53	56	51	37	43	37	45	35	47	43	31	45	579
Inquest Cases - -	105	111	131	125	90	113	89	92	108	109	106	102	119	1400
Deaths in Institutions	486	477	464	495	489	480	539	509	513	479	486	476	529	6422
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	66·9	63·3	58·1	54·5	54·5	55·3	56·3	53·1	55·8	53·4	55·7	41·9	47·1	55·3
Mean of Highest -	80·8	73·6	67·8	64·5	63·1	62·9	65·5	60·1	64·6	63·3	62·1	47·9	53·0	63·8
Mean of Lowest -	54·1	55·7	51·1	46·3	47·3	49·4	48·4	47·4	47·5	49·8	50·1	34·9	41·4	48·0
Mean Humidity of the Air.	70	79	83	75	83	86	87	94	81	84	88	86	90	84
Rain-fall (in inches) -	0·00	0·82	0·70	0·30	0·32	0·58	0·57	0·72	1·01	0·59	0·46	1·87	0·15	8·09
Registered Sunshine (in hours).	81·5	40·2	30·2	41·7	35·0	20·9	27·7	6·0	33·7	22·5	16·7	13·9	20·1	390·1
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	-	-	-	-	-	-	-	-	-	2	2	2	3	1
Scarlet Fever - -	2518	2411	2347	2377	2436	2553	2686	2737	2745	2810	2799	2743	2716	2606
Diphtheria - - -	855	831	798	831	843	832	857	908	928	955	991	961	1002	892
Typhus - - -	1	-	-	-	-	-	-	-	-	-	-	1	1	-
Enteric Fever - -	59	53	55	62	68	67	78	75	82	85	87	79	82	72

* The Metropolitan Asylums Board and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **3.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lander, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq. F.R.Met.Soc., Hull; the Meteorological Committee, Tynemouth; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the FORTY-FOURTH Week of the Year 1909.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 44th week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1409·1	1246	277	82	67	157	277	386
Small-pox*	-	-	-	-	-	-	-	-
Cowpox	-	-	-	-	-	-	-	-
Measles (Morbilli)	21·3	5	2	1	2	-	-	-
Scarlet Fever	15·6	6	-	5	1	-	-	-
Typhus	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-
Influenza	13·1	11	1	-	1	-	3	6
Whooping-cough	10·9	12	6	5	1	-	-	-
Diphtheria	18·0	13	2	6	5	-	-	-
Cerebro-spinal Fever ..	0·2	-	-	-	-	-	-	-
Pyrexia† (origin uncertain)	-	-	-	-	-	-	-	-
Enteric Fever	5·9	7	-	-	2	4	1	-
Asiatic Cholera	-	-	-	-	-	-	-	-
Epidemic Diarrhœa, Infective Enteritis	21·3	13	12	1	-	-	-	-
Diarrhœa, Dysentery ..	20·9	21	19	1	-	-	1	-
Tetanus	0·8	1	1	-	-	-	-	-
Rabies, Hydrophobia ..	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever)..	-	-	-	-	-	-	-	-
Venereal Dis.	8·6	4	-	1	-	2	1	-
Puerperal Septicæmia ..	3·3	7	-	-	-	7	-	-
Puerperal Pyæmia.. .	0·2	-	-	-	-	-	-	-
Puerperal Fever	0·6	1	-	-	-	1	-	-
Infective Endocarditis ..	3·7	1	-	-	-	-	-	1
Pneumonia: Lobar ..	15·8	7	-	1	1	1	1	3
Pneumonia: Broncho ..	62·7	59	37	13	1	2	1	5
Pneumonia: Epidemic ..	-	-	-	-	-	-	-	-
Pneumonia: Not defined	56·7	44	9	7	1	6	6	15
Erysipelas	6·8	6	2	-	-	1	2	1
Septicæmia (not Puerperal) ..	1·8	1	1	-	-	-	-	-
Pyæmia (not Puerperal)	0·8	1	-	-	-	-	1	-
Other Infective Processes	5·7	3	-	1	-	-	1	1
Tuberculous Phthisis ..	91·5	101	3	1	4	40	41	12
"*Phthisis*"	52·4	47	-	-	1	23	18	5
Tuberculous Meningitis ..	20·3	9	1	4	4	-	-	-
Tuberculous Peritonitis ..	6·1	2	-	1	1	-	-	-
Tabes Mesenterica	1·4	3	1	1	1	-	-	-
Tuberculous Dis., Other ..	13·9	14	1	6	1	1	4	1
Scrofula..	-	-	-	-	-	-	-	-
Alcoholism	10·4	2	-	-	-	1	1	-
Rheumatic Fever	6·6	8	-	-	2	2	3	1
Gout	2·0	2	-	-	-	-	1	1
Carcinoma	52·2	76	-	-	-	7	31	38
Sarcoma	4·3	11	-	-	-	6	2	3
Cancer (undefined) ..	34·0	35	-	-	-	1	13	21
Diabetes Mellitus	10·0	10	-	-	-	2	1	7
Premature Birth	49·1	36	36	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 44th week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)..	10·4	10	7	1	1	-	1	-
Gen. Par. of Insane, Insanity	13·3	15	-	-	-	1	9	5
Epilepsy	5·7	6	-	-	-	-	3	3
Convulsions	18·4	8	8	-	-	-	-	-
Locomotor Ataxy.. ..	2·3	3	-	-	-	-	2	1
Paraplegia, Dis. of Cord.	4·5	7	-	-	1	-	3	3
Nervous Sys., Other Dis.	18·6	16	2	-	-	2	6	6
Valv. Dis., Endocarditis..	49·5	48	-	-	8	5	15	20
Cereb. Hæm. Cereb. Emb.	36·9	33	-	1	-	-	13	19
Apoplexy, Hemiplegia ..	11·5	16	-	-	-	-	4	12
Aneurysm	9·4	3	-	-	-	-	1	2
Embolism, Thrombosis (not Cerebral) ..	1·0	2	-	-	-	-	-	2
Heart & Blood Ves., Other Dis... ..	85·8	73	1	-	8	3	17	44
Croup (not Spasm: nor Memb.)	0·2	1	-	-	1	-	-	-
Bronchitis	119·6	104	32	9	3	1	19	40
Emphysema, Asthma ..	4·5	3	-	-	-	1	-	2
Pleurisy	3·5	1	-	-	-	-	1	-
Respiratory Dis., Other..	10·6	11	2	2	-	1	4	2
Tonsillitis, Quinsy.. ..	0·2	1	-	-	-	1	-	-
Enteritis (not Epid.) ..	13·7	10	8	1	-	-	-	1
Gastro-enteritis	10·6	14	12	1	-	1	-	-
Peritonitis (not Puerp.) ..	2·9	1	-	1	-	-	-	-
Cirrhosis of Liver.. ..	13·9	12	-	-	-	3	6	3
Liver Dis., Other	4·7	2	-	-	-	-	-	2
Digestive Sys., Other Dis.	32·4	33	6	-	4	6	8	9
Acute Nephritis	8·4	5	-	1	-	1	1	2
Bright's Dis., Albuminuria	37·7	38	-	-	-	5	12	21
Urinary Sys., Other Dis.	9·6	12	-	-	-	1	4	7
Generative Organs Dis...	5·1	3	-	-	-	3	-	-
Childbirth (Accid. of) ..	3·9	1	-	-	-	1	-	-
Old Age	56·5	47	-	-	-	-	1	46
Other Diseases	100·7	83	59	6	5	6	3	4
ACCIDENT.								
By Railways	1·4	2	-	-	-	-	1	1
By Vehicles and Horses..	5·3	5	-	-	3	-	1	1
In Ships, Boats, Docks, (exclusive of Drowning)	0·6	-	-	-	-	-	-	-
In Building Operations..	0·6	-	-	-	-	-	-	-
In Conflagrations	0·2	-	-	-	-	-	-	-
By Burns, Scalds, Explosions	5·9	5	-	3	1	-	1	-
By Drowning	3·5	3	-	1	1	-	-	1
By Suffocation in Bed ..	7·2	6	6	-	-	-	-	-
By Poisons or Poisonous Vapours	1·8	3	-	-	-	1	2	-
Other Deaths by Accident..	17·4	12	-	-	1	3	2	6
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	0·8	-	-	-	-	-	-	-
Suicide	9·4	9	-	-	1	4	4	-
Execution	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 6th November, 1909.

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia*† (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified causes of Death.
LONDON	4,536,267	2361	1246	277	386	-	5	6	13	12	-	7	-	34	45	119	529	-
WEST DISTRICTS	805,311	346	222	55	67	-	-	1	4	1	-	-	-	9	9	21	89	-
NORTH DISTRICTS	1,055,908	509	272	47	98	-	2	1	2	2	-	1	-	2	13	28	109	-
CENTRAL DISTRICTS	209,465	91	65	14	21	-	-	-	-	2	-	1	-	1	3	10	28	-
EAST DISTRICTS	715,739	449	218	68	50	-	3	-	3	2	-	2	-	10	10	30	106	-
SOUTH DISTRICTS	1,749,844	966	421	93	133	-	-	4	4	5	-	2	-	12	10	30	149	-
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	48	-	17	-	-	-	-	-	-	1	-	-	-	-	48	-
WEST DISTRICTS.																		
North Paddington *H*	63,603	25	10	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Central Paddington *W,3H*	50,053	37	22	6	-	-	-	-	1	-	-	-	-	2	1	2	14	-
South Paddington	30,320	4	5	-	4	-	-	-	-	-	-	-	-	-	-	1	-	-
Kensington Town *2W,w,2H* ..	128,037	55	27	2	17	-	-	-	-	-	-	-	-	-	-	3	14	-
Brompton *2H*	48,591	7	7	-	3	-	-	-	-	-	-	-	-	-	-	-	2	-
North Hammersmith *2W,w,H* ..	49,192	35	23	6	8	-	-	-	-	1	-	-	-	1	-	1	8	-
South Hammersmith *w,2H* ..	63,047	34	21	8	5	-	-	-	-	-	-	-	-	2	1	3	5	-
North-west Fulham *W*	45,180	40	11	7	2	-	-	-	-	-	-	-	-	2	-	-	5	-
North-east Fulham *F*	46,405	19	19	6	4	-	-	1	3	-	-	-	-	-	1	3	4	-
South Fulham *W*	45,704	25	10	4	2	-	-	-	-	-	-	-	-	1	-	-	-	-
Chelsea North *W,w,3H*	42,514	8	25	1	7	-	-	-	-	-	-	-	-	-	2	2	19	-
Chelsea South *W,2H*	31,328	11	11	5	2	-	-	-	-	-	-	-	-	1	1	2	4	-
Mayfair and Knightsbridge	28,743	7	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave *W,2H*	55,815	14	10	-	2	-	-	-	-	-	-	-	-	-	-	-	6	-
St. Margaret & St. John *6H*	43,698	15	15	5	5	-	-	-	-	-	-	-	-	-	3	3	7	-
St. James and St. Anne *W,6H* ..	33,081	10	4	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-
NORTH DISTRICTS.																		
All Souls Marylebone *7H*	35,391	12	13	1	2	-	-	1	-	-	-	-	-	-	1	1	9	-
St. Mary Marylebone *W,4H* ..	37,948	46	8	1	5	-	-	-	-	-	-	-	-	-	1	2	4	-
Christchurch Marylebone	39,536	17	10	7	1	-	-	-	-	-	-	-	-	1	-	-	-	-
St. John Marylebone *2H*	20,426	4	3	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-
Hampstead *W,F,6H*	81,942	18	21	-	8	-	-	-	-	-	-	-	-	-	1	3	11	-
West St. Pancras *2H*	60,562	24	12	2	6	-	-	-	-	-	-	-	-	-	2	4	2	-
South St. Pancras *w,10H*	55,707	18	16	1	7	-	-	-	1	-	-	-	-	-	-	1	11	-
East St. Pancras *W,H*	60,320	32	21	3	10	-	1	-	-	-	-	-	-	-	-	-	14	-
North St. Pancras *2W*	58,728	35	22	3	5	-	-	-	-	-	-	-	-	-	1	2	13	-
Tufnell *W*	31,995	21	16	-	10	-	-	-	-	-	-	-	-	-	-	-	12	-
Upper Holloway *2W,w,H*	33,978	19	22	4	10	-	-	-	-	-	-	-	-	-	-	1	14	-
Tollington *W,w,H*	33,922	15	3	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Lower Holloway	41,424	20	6	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Barnsbury	54,478	29	14	3	5	-	-	-	-	-	-	-	-	-	-	1	-	-
Islington South-east *F*	75,397	36	18	4	3	-	-	-	1	1	-	-	-	-	1	1	1	-
Highbury *2H*	63,797	24	12	2	4	-	-	-	-	-	-	-	-	1	1	2	3	-
Stoke Newington *H*	51,247	26	6	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-
North Hackney	50,398	24	4	1	2	-	-	-	-	-	-	-	-	-	1	3	-	-
Central Hackney *w,F*	50,536	26	13	1	7	-	-	-	-	-	-	-	-	-	1	1	3	-
South-west Hackney *3H*	59,921	25	14	6	2	-	-	-	-	-	-	-	-	-	2	2	2	-
South-east Hackney *2W,H*	58,255	38	18	5	5	-	1	-	-	-	-	1	-	-	-	3	9	-
Hackney Union Workhouse, Brentwood	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 6th November, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
St. Giles and Bloomsbury 2*W*,2*H* ..	31,436	16	7	1	5	-	-	-	-	-	-	-	-	-	-	1	2	-
Strand *W*,4*H*	21,674	1	11	-	3	-	-	-	-	-	-	1	-	-	1	2	11	-
Strand Union Workhouse, Edmonton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn *W*,5*H*	29,612	6	15	6	5	-	-	-	-	1	-	-	-	-	-	-	10	-
Clerkenwell *H*	63,704	32	9	3	2	-	-	-	-	-	-	-	-	-	-	1	-	-
St. Luke 3*H*,*L*	36,116	31	10	2	3	-	-	-	-	-	-	-	-	1	-	3	-	-
Holborn Union Workhouse, Mitcham	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph *H*	10,299	2	4	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	3	9	1	3	-	-	-	-	-	-	-	-	-	2	2	5	-
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
Shoreditch South 3*H*	46,362	17	7	2	2	-	-	-	-	-	-	-	-	1	1	5	-	-
Shoreditch North-West *W*,*w*,*H* ..	36,127	18	27	6	10	-	-	-	-	-	-	-	-	-	-	-	21	-
Shoreditch North-East	36,148	19	8	3	2	-	-	-	-	-	-	-	-	-	1	1	-	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	56	54	14	5	-	1	-	-	-	-	-	-	3	1	5	21	-
Bethnal Green South-West *H* ..	64,542	49	9	3	2	-	1	-	-	-	-	-	-	-	-	-	2	-
Spitalfields..	27,969	13	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Mile End New Town *W*,*H*	28,718	16	28	4	2	-	-	-	2	-	-	2	-	1	3	4	26	-
Goodman's Fields	22,081	9	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
St. George and St. John 2*W* ..	49,068	25	10	1	6	-	-	-	-	-	-	-	-	-	-	1	6	-
Shadwell and Ratcliff *w*,*H* ..	25,568	14	13	7	3	-	-	-	-	1	-	-	-	1	-	-	9	-
Limehouse *W*	32,369	34	10	3	1	-	-	-	-	-	-	-	-	2	2	3	-	-
Mile End Old Town South-Western *H*	63,698	47	18	7	3	-	-	-	-	-	-	-	-	-	1	1	-	-
Mile End Old Town North-Eastern *W*,*w*	49,129	26	12	4	4	-	-	-	-	-	-	-	-	-	1	3	10	-
Bow	41,989	23	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bromley 3*w*,*H*	68,319	46	17	6	6	-	-	-	-	1	-	-	-	-	-	3	5	-
Poplar *W*,*w*	58,514	37	13	4	3	-	1	-	1	-	-	-	-	2	-	3	6	-
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 6th November, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch and St. Saviour Southwark *W,2H*	23,319	10	11	4	2	-	-	-	1	-	-	-	-	-	-	-	10	-
Kent-road	21,904	17	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George the Martyr West *W,2H,L*	39,094	19	6	2	1	-	-	-	-	1	-	-	-	-	-	-	4	-
Newington North	49,022	22	10	3	4	-	-	-	-	-	-	-	-	1	-	1	-	-
Newington South *W*	72,841	48	14	4	3	-	-	-	-	-	-	-	-	1	-	3	4	-
St. Olave *2W*	9,817	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bermondsey *W*	82,483	65	13	2	6	-	-	-	-	-	-	-	-	1	-	2	-	-
Rotherhithe *W,F*	38,460	21	15	-	5	-	-	-	-	1	-	-	-	-	-	-	7	-
Waterloo *2H*	27,440	36	12	7	2	-	-	-	-	-	-	-	-	2	-	-	5	-
Lambeth Church *H*	27,440	17	15	2	2	-	-	-	-	-	-	-	-	1	-	-	12	-
Kennington *2W*	52,518	28	24	1	9	-	-	-	-	-	-	-	-	-	1	1	18	-
Stockwell *HF*	63,826	45	7	1	4	-	-	-	1	-	-	-	-	-	-	-	2	-
Brixton *H*	73,673	31	17	7	5	-	-	-	-	-	-	-	-	1	-	-	2	-
Norwood *2WH*	56,998	25	6	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
East Battersea *H*	72,203	37	15	5	2	-	-	-	-	-	-	-	-	1	1	2	-	-
North-west Battersea	49,656	30	10	3	5	-	-	-	-	-	-	-	-	-	-	-	-	-
South-west Battersea *2W,H*	47,048	20	20	6	6	-	-	-	-	-	-	-	-	-	2	3	14	-
Clapham *2H*	51,361	16	11	2	5	-	-	-	-	-	-	-	-	-	-	-	2	-
Streatham *W,2w,2F,2L*	88,019	51	33	6	15	-	-	-	1	1	-	-	-	1	-	1	9	-
Springfield *2W,L*	27,959	16	8	1	4	-	-	-	-	-	-	-	-	-	-	1	4	-
Southfields *H*	40,444	22	3	-	3	-	-	-	-	-	-	-	-	-	1	1	-	-
Putney	24,139	11	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich	13,359	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	26	25	2	12	-	-	-	-	-	-	-	-	1	2	3	18	-
Camberwell North *W,2L*	65,584	30	20	3	2	-	-	-	-	-	-	-	-	-	-	1	9	-
St. George	47,331	29	9	4	2	-	-	-	-	-	-	-	-	1	-	1	-	-
Peckham North	48,913	19	5	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Peckham South *2W,w*	43,946	29	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Deptford North	37,613	28	8	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Deptford Central *F*	45,481	31	10	3	2	-	-	-	-	-	-	-	-	-	-	1	1	-
Deptford South	34,625	11	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *H*	23,456	15	6	2	2	-	-	-	-	-	-	-	-	-	1	1	1	-
Greenwich East *2W,H*	43,859	25	14	4	4	-	-	-	-	-	-	1	-	-	1	2	7	-
Eltham *w,H*	7,226	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *w,H*	25,490	7	6	-	3	-	-	-	-	-	-	-	-	-	-	-	2	-
Lewisham *2W,w,F*	58,352	46	13	3	4	-	-	3	-	-	-	-	-	-	1	1	7	-
Sydenham *H*	43,653	14	7	-	3	-	-	-	-	-	-	-	-	-	-	1	-	-
Charlton *F,2H*	21,134	10	7	1	1	-	-	1	1	-	-	1	-	-	-	1	4	-
Woolwich *5H*	41,625	26	5	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-
Plumstead West *W,H*	39,376	13	7	4	2	-	-	-	-	-	-	-	-	1	-	1	-	-
Plumstead East *2W*	28,951	9	11	-	3	-	-	-	-	-	-	-	-	-	-	-	7	-
Workhouses:—																		
Belmont Workhouse	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-
M. A. B. Small-pox Hospitals:—																		
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																		
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																		
Children's Infirmary, Carshalton	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums:—																		
Caterham	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Darenth	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Leavesden	—	-	5	-	2	-	-	-	-	-	-	-	-	-	-	-	5	-
London County Lunatic Asylums:—																		
Banstead	—	-	7	-	2	-	-	-	-	-	-	-	-	-	-	-	7	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
Manor	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Grove	—	-	4	-	3	-	-	-	-	-	-	-	-	-	-	-	4	-
Cane Hill	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
Dartford Heath	—	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-
Hanwell	—	-	6	-	1	-	-	-	-	-	-	-	-	-	-	-	6	-
Colney Hatch	—	-	7	-	2	-	-	-	-	-	-	-	-	-	-	-	7	-
Claybury	—	-	7	-	2	-	-	-	-	-	-	-	-	-	-	-	7	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERATED POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 6th November, 1909.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING ..	368,603	2,045,135	1421	514	111	159	-	10	5	6	9	-	9	16	48	106	1
30 : 1	Carshalton 2F,3H	12,228	32,997	22	7	2	-	-	-	-	1	1	-	-	-	-	-	-
2	Epsom, *part of** W,w,2F,H..	10,423	15,548	9	6	-	5	-	-	-	-	-	-	-	-	-	1	-
37 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38 : 1	Coulsdon	11,069	8,166	9	2	1	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w,H ..	4,200	49,309	27	7	-	4	-	-	-	-	-	-	-	-	2	-	-
3	West Croydon 3W,F,H ..	2,168	42,888	30	21	1	9	-	-	-	-	-	-	-	1	4	9	-
4	North Croydon H	2,644	41,698	23	5	-	1	-	-	-	-	-	-	-	-	2	1	-
5	Penge w	770	22,465	9	7	-	5	-	-	-	-	-	-	-	-	-	-	-
6	Mitcham w	11,711	30,015	26	9	-	3	-	-	-	1	-	-	-	1	1	-	-
39 : 1	Wimbledon F,3H	3,221	41,652	20	12	4	3	-	-	-	-	-	-	-	-	1	1	-
2	Kingston 2W,H	6,224	42,068	22	15	6	5	-	-	-	-	-	-	3	-	1	7	-
3	Surbiton F,H	3,046	15,017	10	5	-	2	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** H	5,402	13,100	13	6	-	5	-	-	-	-	-	-	-	1	1	-	-
5	Hampton H,F,L	4,564	23,456	8	7	-	5	-	-	-	-	-	-	-	-	-	2	-
40 : 1	Richmond W,H	2,491	31,672	10	10	-	4	-	1	-	-	-	-	-	-	-	1	-
2	Mortlake F	2,518	17,821	17	6	-	4	-	-	-	-	-	-	-	1	1	-	-
41 : 1	Bromley F,3H	4,703	27,354	7	3	1	1	-	-	-	-	-	-	-	1	2	-	-
2	Beckenham H	7,825	28,497	16	3	1	2	-	-	-	-	-	-	-	-	-	-	-
3	Orpington, *part of** W,F ..	10,113	9,857	9	4	-	1	-	-	-	-	-	-	1	-	1	2	-
4	Chislehurst 2H	7,333	16,446	10	5	2	1	-	-	-	-	-	-	-	1	1	-	-
42 : 1	Bexley w,F,H	8,678	21,151	11	3	2	-	-	-	-	-	1	-	-	-	-	-	-
2	Erith F,H	3,854	25,296	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Dartford W,F, *part of** ..	—	—	-	5	-	2	-	-	-	-	-	-	-	-	-	5	-
124 : 1	Sunbury w	11,054	18,683	11	3	1	2	-	-	-	-	-	-	-	-	-	-	-
2	Staines W,H	13,277	15,178	13	2	-	-	-	-	-	-	-	-	-	-	-	-	-
125 : 1	Hillingdon W,F,H	6,035	13,661	11	2	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Uxbridge H	12,757	8,984	7	3	2	1	-	-	-	-	-	-	-	-	1	-	-
3	Hayes w 2F,H	8,066	16,358	14	4	1	-	-	-	-	-	-	-	1	1	2	-	-
126 : 1	Isleworth 3W,3F,H	6,859	30,863	28	16	3	2	-	-	-	1	-	-	-	1	1	7	-
2	Twickenham F,2H	2,421	20,991	11	4	-	1	-	-	1	-	-	-	-	-	-	2	-
3	Brentford 3F,2H	4,319	48,289	46	7	4	1	-	-	-	-	1	-	1	-	1	-	-
4	Chiswick H	1,249	29,809	26	13	3	6	-	-	-	-	-	-	-	-	-	-	-
5	Acton w,F,3H	6,132	48,914	40	16	4	2	-	-	2	1	-	-	1	-	2	3	-
127A : 1	Harrow F,H	13,809	25,523	23	5	2	1	-	-	-	-	-	-	-	-	-	-	-
2	Edgware 2F,2H	6,994	4,521	1	1	-	-	-	-	1	-	-	-	-	-	-	1	-
3	Hendon W,F	8,382	22,450	13	7	2	-	-	-	-	-	-	-	-	-	-	2	-
127B : 1	Willesden W,F,2H	4,584	114,811	111	21	5	8	-	1	-	-	-	-	-	-	2	3	-
128 : 1	South Mimms 2F,H ..	17,755	7,308	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,970	4	3	1	2	-	-	-	-	-	-	-	-	-	-	-
3	Finchley F,3H	4,668	33,692	26	11	4	2	-	-	-	-	-	-	1	1	1	2	-
129 : 1	Hornsey F,H	2,875	72,056	24	14	2	6	-	3	-	-	-	-	-	-	2	-	-
2	Wood Green H	1,625	34,233	28	10	-	2	-	-	-	-	-	-	-	-	-	-	-
3	West Tottenham	995	48,741	41	5	2	1	-	-	-	-	-	-	-	-	-	-	-
4	East Tottenham 2H ..	2,019	53,962	57	16	6	5	-	-	-	-	-	-	-	1	3	6	-
5	Edmonton W,w,2F	7,491	61,892	45	27	6	4	-	1	-	-	-	-	1	-	2	9	-
6	Enfield 2W,F,H	12,601	42,738	21	9	3	4	-	1	-	-	1	-	-	-	-	-	-
7	Waltham Abbey F	11,017	6,549	1	3	1	-	-	-	-	-	1	-	-	1	1	-	-
8	Cheshunt F,H	8,479	12,292	10	1	1	-	-	-	-	-	-	-	-	-	-	-	1
135 : 1	Hatfield, *part of** W ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey, *part of** H ..	9,195	7,051	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford, *part of** W,2F ..	138	2,122	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
186 : 1	Stratford H	1,091	52,974	37	8	3	4	-	-	-	-	1	-	-	-	-	-	-
2	Forest Gate	787	52,745	25	11	6	3	-	-	-	-	-	-	-	1	2	-	-
3	Plaistow F,2H	1,249	90,921	65	25	3	6	-	3	1	1	1	-	-	-	-	5	-
4	Canning Town H	1,556	70,718	57	15	6	2	-	-	-	-	1	-	-	-	3	-	-
5	South East Ham 2F ..	1,991	37,342	32	8	4	3	-	-	-	-	-	-	-	-	-	-	-
6	North East Ham w,H ..	1,333	58,666	41	11	6	2	-	-	-	-	-	-	-	1	2	-	-
7	Wanstead F	1,679	9,170	3	2	-	2	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	33	11	2	7	-	-	-	-	-	-	-	-	1	6	-
9	North Leyton 2W,w,F ..	1,963	48,445	42	18	1	6	-	-	-	-	1	-	-	1	1	14	-
10	Walthamstow 2H,L ..	6,504	108,929	69	22	4	4	-	-	-	-	-	-	-	-	2	-	-
187 : 1	Chigwell 2F,3H	11,778	16,397	8	1	-	-	-	-	-	-	-	-	-	1	1	-	-
2	Epping W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189 : 1	Romford, *part of** W,2F ..	6,556	6,091	8	5	-	3	-	-	-	-	-	-	-	-	-	3	-
2	Ilford F,L	8,496	41,244	37	7	1	3	-	-	-	-	-	-	-	1	1	2	-
3	Barking Town F	3,805	21,547	12	7	1	1	-	-	-	-	-	-	-	-	-	-	-
	N.E. Hospital, Tottenham..	—	—	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	London County Lunatic Asylum, Claybury.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Metropolitan Imbecile Asylum, Leavesden.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Kent County Lunatic Asylum, Maidstone.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Middlesex County Lunatic Asylum, Napsbury.	—	—	-	6	-	1	-	-	-	-	-	-	-	-	-	6	-
	Essex County Lunatic Asylum, Brentwood.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30 : 2, excepting Ashtead parish; 37 : 1, Warlingham and Farley parishes; 39 : 4, excepting Esher parish; 41 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135 : 1, Northaw parish; 137 : 1, excepting the part in Watford Rural parish; 137 : 2, Oxhey parish; 189 : 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42 : 3, 137 : 2 and 187 : 2 and in the Croydon Mental Hospital in 37 : 1 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths.	Annual Death-rate per 1000 living.	Deaths from Small-pox	Measles.	Scarlet Fever	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON - -	4,833,938	November 6	2361	1246	13·4	–	5	6	14	12	7	34
CALCUTTA - -	1,009,008	October 9	–	461	23·7	–	–	–	–	2	75†	48‡
BOMBAY - -	982,000	„ 12	420	548	29·1	1	–	–	–	–	61†	42‡
MADRAS - -	548,974	„ 8	517	391	39·9	–	1	?	?	?	117	46
PARIS - - -	2,760,000	„ 30	894	777	14·8	–	6	2	6	5	5	37
BRUSSELS - -	704,975	„ 30	198	180	13·3	–	4	–	2	1	1	21
ANTWERP - -	314,135	„ 30	110	87	14·4	?	?	?	?	?	?	?
AMSTERDAM -	565,553	„ 30	244	115	10·6	–	2	–	–	4	–	5
COPENHAGEN -	448,000	„ 30	212	100	11·6	–	–	1	1	–	–	8
STOCKHOLM -	339,582	„ 23	142	69	10·6	–	–	–	1	–	–	2
CHRISTIANIA -	235,674	„ 30	98	57	12·6	–	1	–	4	–	–	2
ST. PETERSBURG	1,573,000	„ 23	732	620	20·6	4	16	6	11	9	6	125‡
MOSCOW - -	1,452,100	„ 23	–	729	26·2	1	6	37	17	5	8	157‡
BERLIN - -	2,103,403	„ 16	780	539	13·4	–	1	9	16	6	5	69
HAMBURG - -	872,252	„ 30	–	–	–	–	–	–	–	–	–	–
BRESLAU - -	502,676	„ 23	–	160	16·6	–	4	1	1	1	1	29
MUNICH - -	566,000	„ 30	–	–	–	–	–	–	–	–	–	–
VIENNA - -	2,064,037	„ 30	692	620	15·4	–	2	1	5	2	3	68
PRAGUE - -	485,057	„ 30	175	180	19·3	–	–	7	2	–	–	13
BUDAPEST - -	823,215	„ 23	435	275	17·3	–	2	6	2	1	9	50
TRIESTE - -	217,706	„ 30	94	91	22·2	–	–	–	1	3	–	6
ROME - - -	565,323	July 24	245	188	17·1	–	2	–	2	1	5	27
VENICE - -	179,286	September 18	53	57	16·6	–	–	–	–	–	1	12
BUCAREST - -	296,585	October 9	188	111	19·5	–	–	6	–	–	6	18
NEW YORK -	4,564,792	„ 16	2303	1324	15·1	–	4	6	14	8	13	149
CHICAGO - -	2,224,490	„ 16	–	542	12·7	–	–	9	13	2	7	63
PHILADELPHIA -	1,565,569	„ 2	–	390	12·9	–	–	3	8	2	7	37
RIO DE JANEIRO	637,089	„ 3	–	–	–	–	–	–	–	–	–	?
CAIRO:—												
Egyptians -	666,587	„ 7	549	439	34·1	–	1	–	26	?	11	100
Foreigners -	35,219	„ 7	15	19	23·1	–	–	–	1	?	1	4
ALEXANDRIA:—												
Egyptians -	341,965	„ 7	334	208	31·4	–	–	–	3	?	5	56
Foreigners -	46,118	„ 7	7	19	21·4	–	–	–	–	?	–	3

* Excluding deaths from croup in the Indian Cities.
† Including 5 deaths from plague in Calcutta and 8 in Bombay.
‡ Including 11 deaths from cholera in Calcutta, 3 in Bombay, 42 in St. Petersburg, and 2 in Moscow.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 6th November, 1909.

Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	56·7	34·2	47·2	0·15	BRADFORD - -	56·2	24·0	45·5	0·05
BRIGHTON - -	55·7	37·3	48·6	0·10	YORK - - -	56·0	25·0	45·9	0·01
PORTSMOUTH - -	58·0	36·3	48·6	0·18	HULL - - -	58·0	28·0	47·6	0·08
NORWICH - -	54·0	35·4	47·3	0·54	TYNEMOUTH - -	58·0	27·0	45·6	0·08
PLYMOUTH - -	59·0	30·0	47·7	0·00	CARDIFF - - -	55·0	29·0	45·7	0·05
BRISTOL - - -	57·0	27·4	45·9	0·11	EDINBURGH - -	56·2	28·9	45·5	0·06
BIRMINGHAM - -	55·3	30·6	46·0	0·07	GLASGOW - -	59·0	22·5	45·0	0·03
NOTTINGHAM - -	55·6	30·2	45·2	0·08	DUBLIN Phœnix Park.	58·6	23·9	45·0	0·12
LIVERPOOL OBSERVATORY	54·0	31·0	45·7	0·19	DUBLIN Fitz-william Square.†	56·8	30·0	46·8	0·07
MANCHESTER -	53·5	27·8	47·1	0·15					
BURNLEY - -	54·8	21·0	45·1	0·11					
HUDDERSFIELD -	55·0	25·0	46·8	0·07	BELFAST - - -	61·0	26·0	46·0	0·17

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to the seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0°·6 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 6th November, 1909.

[*Under the Superintendence of the Astronomer Royal.*]

1909. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
OCTOBER.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 31	..	29·847	46·4	36·0	10·4	42·6	− 4·5	40·6	2·0	4·6	1·3	93	57·0	29·0	51·75	N. & NNE.	NNE.	4·3	0·0	0·3	341	+ 54	0·13	0·0
NOVEMBER. MONDAY - 1	..	30·000	51·7	43·9	7·8	47·4	+ 0·4	46·1	1·3	3·6	0·0	95	66·0	42·0	51·10	NNE.	NNE. & ENE.	0·5	0·0	0·0	157	−128	0·00	0·0
TUESDAY - 2	Greatest Dec. N.	29·909	55·1	44·6	10·5	49·8	+ 3·0	44·2	5·6	10·4	0·0	81	88·4	39·0	51·10	SSW. & SW.	WSW.	0·9	0·0	0·0	190	− 92	0·01	4·0
WEDNESDAY 3	..	29·900	54·2	48·2	6·0	51·4	+ 4·8	50·2	1·2	3·3	0·2	96	59·7	44·0	51·10	NNW. & N.	N., NNE. & NE.	0·6	0·0	0·0	139	−142	0·01	0·0
THURSDAY - 4	Last Qr.	30·009	52·1	45·4	6·7	49·2	+ 2·8	46·9	2·3	4·1	0·4	92	56·3	39·7	51·28	NE. & calm.	Calm	0·0	0·0	0·0	62	−217	0·00	0·0
FRIDAY - 5	..	29·977	54·6	37·2	17·4	44·7	− 1·4	41·0	3·7	12·0	0·0	87	83·8	28·0	51·40	Calm	SE. & calm.	0·1	0·0	0·0	81	−198	0·00	0·0
SATURDAY - 6	..	29·894	56·7	34·2	22·5	44·7	− 1·1	40·8	3·9	11·6	0·0	86	93·8	25·3	51·40	Variable, SE. & calm.	Calm	0·1	0·0	0·0	86	−193	0·00	0·0
MEANS - -		29·934	53·0	41·4	11·6	47·1	+ 0·6	44·3	2·9	7·1	0·3	90	72·1	35·3	51·30	NNE. & calm		..	..	..	Sum 1056	Sum −916	Sum 0·15	0·6
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. OCTOBER.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY - 31	w. P. till 11h. A.M.; w. P. and w. N. afterwards.	0·0	9·7	Generally overcast; continuous light rain between 10h. 50m. A.M. and 10h. 30m. P.M.
NOVEMBER. MONDAY - 1	w. P. throughout,	0·2	9·6	Generally overcast; occasional slight rain till 10h. 30m. A.M.; slight fog at night.
TUESDAY - 2	w. P. throughout.	5·3	9·6	Overcast with slight fog in morning; very fine between 6h. A.M. and 3h. P.M.; overcast afterwards with frequent misty rain at night.
WEDNESDAY 3	w. P. throughout.	0·0	9·5	Overcast till 9h. P.M. then variably cloudy; frequent misty rain with slight fog and gloom till afternoon.
THURSDAY - 4	w. P. throughout.	0·0	9·4	Overcast with slight exceptions.
FRIDAY - 5	w. P. throughout.	6·1	9·4	Overcast in early morning; foggy interval between 3h. and 10h. A.M.; very fine and cloudless with slight exceptions afterwards; hoar frost at night.
SATURDAY - 6	w. P. throughout.	8·5	9·3	Very fine and generally cloudless till 5h. P.M.; foggy afterwards; hoar frost in morning.
		Sum 20·1	Sum 66·5	
No. of Col. - -	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·86 in. at the beginning of the week to 29·83 in. by 4h. P.M. on Oct. 31st; increased to 30·01 in. by 11h. A.M. on Nov. 1st; decreased to 29·85 in. by 3h. A.M. on Nov. 3rd; increased to 30·03 in. by 9h. P.M. on Nov. 4th; decreased to 29·87 in. by 4h. P.M. on Nov. 6th; and was 29·91 in. at midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 30th October, 1909.*

BOROUGHS.	Estimated Population in the middle of 1909.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	151,955	-	11	7	-	-	-	-	5	-	-
Kensington	183,683	-	8	2	-	-	-	-	1	-	-
Hammersmith	125,704	-	6	3	-	-	-	-	-	-	-
Fulham	176,406	-	12	10	-	-	-	-	-	-	-
Chelsea	75,249	-	-	2	-	-	-	-	3	-	-
City of Westminster ..	168,883	-	6	4	-	1	-	-	1	1	-
NORTH.											
St. Marylebone	126,027	-	11	2	-	-	-	-	2	-	-
Hampstead	94,185	-	6	1	-	-	-	-	-	-	-
St. Pancras	237,422	1	20	4	-	-	-	-	1	-	-
Islington	351,202	-	21	7	1	1	-	-	5	-	-
Stoke Newington	54,423	-	-	4	-	-	-	-	1	-	-
Hackney	237,601	-	11	-	-	-	-	-	4	-	-
CENTRAL.											
Holborn	53,802	-	-	2	-	-	-	-	3	-	-
Finsbury	95,289	-	7	4	-	1	-	-	3	-	-
City of London	18,193	-	-	1	-	-	-	-	-	-	-
EAST.											
Shoreditch	114,802	-	-	3	-	-	-	-	3	-	-
Bethnal Green	131,316	-	13	3	-	-	-	-	3	-	-
Stepney	312,525	-	15	6	-	3	-	-	11	-	-
Poplar	171,965	-	18	1	-	2	-	-	1	1	-
SOUTH.											
Southwark	211,125	-	14	5	-	1	-	-	5	-	-
Bermondsey	127,569	-	4	2	-	1	-	-	3	-	-
Lambeth	324,188	-	21	10	-	3	-	-	3	-	-
Battersea	186.036	-	23	8	-	1	-	-	2	-	-
Wandsworth	297,646	-	14	8	-	2	-	-	2	2	-
Camberwell	283,022	-	17	3	-	1	-	-	4	-	-
Deptford	118,583	-	4	6	-	-	-	-	-	1	-
Greenwich	111,014	-	3	6	-	-	-	-	-	-	1
Lewisham	160,749	-	31	7	-	-	-	-	2	-	-
Woolwich	133,374	-	17	5	-	-	-	-	2	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,833,938	1	313	126	1	17	-	-	70	5	1
Ages 0-1		1	3	6	-	-	-	-	2	-	-
„ 1-5		-	76	43	-	-	-	-	4	-	-
„ 5-		-	152	53	1	2	-	-	3	-	-
„ 10-		-	52	8	-	1	-	-	2	-	1
„ 15-		-	13	-	-	1	-	-	1	-	-
„ 20-		-	6	7	-	8	-	-	3	-	-
„ 25-		-	8	6	-	1	-	-	9	3	-
„ 35-		-	1	2	-	3	-	-	18	2	-
„ 45-		-	1	1	-	1	-	-	11	-	-
„ 55-		-	1	-	-	-	-	-	15	-	-
„ 65 and upwards		-	-	-	-	-	-	-	2	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY DARLING & SON, LTD., 34-40 BACON STREET, E.

1909

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office.

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 45. 1909. VOL. LXX.] WEEK ENDED SATURDAY, NOV. 13. [Price 1½*d.*

General Register Office, Somerset House,
November 15th, 1909.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 13·8 per 1000 of their aggregate population, which is estimated † at 16,445,281 persons in the middle of this year. In the preceding three weeks the rates had been 12·0, 12·0, and 13·3. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 17·0 in Manchester, 17·8 in Walsall and in Liverpool, 18·0 in Merthyr Tydfil, 18·3 in Gateshead, 18·6 in St. Helens, 19·0 in Blackburn, 19·2 in Burton upon Trent, 20·3 in Bootle, 23·1 in Stockport, and 24·2 in Hanley; from *measles*, 5·3 in Hanley; from *scarlet fever*, 1·0 in Willesden; from *whooping-cough*, 1·3 in Plymouth; from "*fever*," 1·1 in Bolton; and from *diarrhœa*, 2·3 in Rhondda. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2291 BIRTHS and 1285 DEATHS were registered. Allowing for increase of population, the births were 178 and the deaths 114 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-five other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(14773—41.) Wt. 109—472. 700. 11/09. D & S. G. 31. Sch. 4. 2 Y

causes, which had been 11·5, 11·9, and 13·4 per 1000 in the preceding three weeks, rose last week to 13·9. The death-rate in the four weeks ended last Saturday averaged 12·7 per 1000, being 2·0 per 1000 below the mean rate in the corresponding periods of the five years 1904–8.

The 1285 deaths included 8 from measles, 8 from scarlet fever, 9 from diphtheria, 16 from whooping-cough, 2 from enteric fever, and 16 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia: thus, to these diseases in the aggregate 59 deaths were referred, being 51 below the corrected average number in the forty-fifth week of the preceding five years.

The deaths from *measles*, which had been 7, 9, and 5 in the preceding three weeks, were 8 last week, and were 20 below the corrected average; 5 deaths belonged to the Borough of Stepney. The deaths from *scarlet fever*, which had been 3, 5, and 6 in the preceding three weeks, rose to 8 last week, but were 5 below the corrected average. The deaths from *diphtheria*, which had been 9, 15, and 13 in the preceding three weeks, were 9 last week, and were 5 below the corrected average. The deaths from *whooping-cough*, which had been 8, 7, and 12 in the preceding three weeks, rose to 16 last week, and were 7 above the corrected average. The deaths from *enteric fever*, which had been 5, 3, and 7 in the preceding three weeks, fell to 2 last week, and were 7 below the corrected average. The deaths from *diarrhœa*, which had been 34, 28, and 34 in the preceding three weeks, fell to 16 last week, and were 20 below the corrected average. Of the 16 deaths from diarrhœa, 14 were those of children under 5 years of age; 8 other deaths at this age were certified as due to *enteritis* and 10 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 14, having been 4, 9, and 11 in the preceding three weeks.

Different forms of violence caused 59 deaths, concerning all of which inquests were held. Of these 59 deaths, 14 were cases of suicide, and 3 of homicide, while the remaining 42 were attributed to accident or negligence. Six of these latter were referred to vehicles in the streets, seven to burns or scalds, and seven, of infants under one year of age, to suffocation in bed. One death occurred while under an anæsthetic administered for surgical purposes.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 4 cases of small-pox, 2624 of scarlet fever, 972 of diphtheria, 1 of typhus, and 79 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 3 cases, against 0, 0, and 1; of scarlet fever, 284 cases, against 345, 288, and 336; of diphtheria, 111 cases, against 128, 104, and 132; and of enteric fever, 9 cases, against 9, 7, and 14. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended November 6th, 1909.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 3607 births and 1793 deaths were registered. Allowing for increase of population, these numbers are 281 and 146 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 4 deaths from measles, 3 from scarlet fever, 1 from diphtheria, 5 from whooping-cough, and 8 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·89 inches, and that of the Thermometer 42°·3, the latter being 2°·0 below the week's average in the 65 years ended 1905. The general direction of the wind was Westerly, the horizontal movement of the air being 16 per cent. above the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 22·2 hours; the measured rainfall amounted to 0·03 of an inch.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 13th November, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 23rd Oct., 1909.	30th Oct., 1909.	6th Nov., 1909.	13th Nov., 1909.	Rate from Diseases in Cols. 11–17. Week ended 13th November, 1909.	Registered during the Week ended 13th Nov., 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include. Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17	18.	19.			Cols.
76 TOWNS	**16,445,281**	**12·0**	**12·0**	**13·3**	**13·8**	**0·8**	**8097**	**4353**	**1006**	**1361**	**–**	**40**	**44**	**41**	**48**	**20**	**68**	**166**	**363**	**1190**	**35**	**76 TOWNS.**
LONDON	4,833,938	11·5	11·9	13·4	13·9	0·6	2291	1285	264	438	–	8	8	9	16	2	16	59	135	531	1	LONDON.
† CROYDON	161,078	7·1	8·4	8·4	10·0	–	81	31	4	9	–	–	–	–	–	–	–	1	7	9	–	CROYDON.
† WILLESDEN ..	160,424	6·5	7·8	6·8	9·1	1·3	81	28	5	9	–	–	3	1	–	–	–	–	2	9	1	WILLESDEN.
† HORNSEY	95,628	7·1	7·1	8·2	7·1	1·6	25	13	3	4	–	2	–	1	–	–	–	–	–	1	–	HORNSEY.
† TOTTENHAM ..	129,464	8·5	9·3	10·5	9·7	–	79	24	8	10	–	–	–	–	–	–	–	1	6	2	–	TOTTENHAM.
† WEST HAM ..	321,767	9·7	9·7	11·5	13·9	1·3	174	86	18	26	–	1	2	1	2	–	2	4	11	17	–	WEST HAM.
† EAST HAM.. ..	149,575	7·7	9·1	7·3	5·2	0·3	71	15	8	3	–	–	–	–	1	–	–	–	–	1	–	EAST HAM.
† LEYTON	129,614	6·8	10·5	5·2	8·0	0·4	70	20	3	7	–	–	–	1	–	–	–	1	2	5	–	LEYTON.
† WALTHAMSTOW	136,602	5·7	6·9	8·4	10·7	0·4	70	28	11	8	–	–	1	–	–	–	–	1	1	7	–	WALTHAMSTOW.
HASTINGS	68,165	11·5	13·0	8·4	15·3	–	17	20	1	16	–	–	–	–	–	–	–	–	1	2	–	HASTINGS.
BRIGHTON	130,926	11·2	12·7	16·3	15·1	0·8	51	38	7	20	–	–	1	–	–	1	–	4	6	11	–	BRIGHTON.
PORTSMOUTH ..	214,726	13·6	10·4	15·5	12·4	0·7	143	51	10	19	–	–	–	1	–	–	2	2	4	9	2	PORTSMOUTH.
BOURNEMOUTH ..	72,368	8·6	11·5	7·2	15·9	–	18	22	3	12	–	–	–	–	–	–	–	1	2	5	–	BOURNEMOUTH.
SOUTHAMPTON ..	124,667	8·8	12·5	13·4	10·0	0·4	53	24	4	9	–	–	–	–	1	–	–	–	–	7	–	SOUTHAMPTON.
READING	82,995	8·8	10·1	10·7	5·0	–	30	8	1	5	–	–	–	–	–	–	–	1	2	3	–	READING.
NORTHAMPTON ..	97,752	10·7	10·1	13·9	13·3	1·6	40	25	7	8	–	1	–	1	–	–	1	–	–	6	–	NORTHAMPTON.
IPSWICH	74,889	5·6	11·8	13·2	15·3	1·4	42	22	6	6	–	2	–	–	–	–	–	1	1	–	–	IPSWICH.
GREAT YARMOUTH	53,430	19·5	17·6	12·7	14·6	–	28	15	2	7	–	–	–	–	–	–	–	1	2	2	–	GREAT YARMOUTH.
NORWICH	124,136	6·7	10·5	11·3	12·6	–	52	30	5	18	–	–	–	–	–	–	–	–	1	7	–	NORWICH.
PLYMOUTH	124,180	10·5	13·0	11·8	11·8	1·3	53	28	4	15	–	–	–	–	3	–	–	–	2	2	–	PLYMOUTH.
DEVONPORT	83,103	10·0	11·3	13·8	9·4	1·3	47	15	3	5	–	–	–	–	–	–	2	–	–	4	–	DEVONPORT.
BRISTOL	377,642	9·4	9·1	9·1	12·7	0·7	170	92	14	30	–	1	1	2	–	–	1	10	13	23	–	BRISTOL.
HANLEY	68,831	18·2	19·7	22·7	24·2	6·1	35	32	3	7	–	7	–	1	–	–	–	3	5	3	–	HANLEY.
BURTON-ON-TRENT	54,453	9·6	11·5	15·3	19·2	–	21	20	4	10	–	–	–	–	–	–	–	–	1	5	–	BURTON-ON-TRENT.
WOLVERHAMPTON..	104,633	15·9	7·0	15·0	13·0	–	33	26	3	8	–	–	–	–	–	–	–	1	1	7	–	WOLVERHAMPTON
WALSALL	99,399	8·4	10·0	15·2	17·8	1·6	70	34	10	10	–	–	1	–	1	–	1	1	1	5	2	WALSALL.
HANDSWORTH ..	70,186	6·7	8·2	6·7	9·7	–	24	13	2	5	–	–	–	–	–	–	–	–	–	1	–	HANDSWORTH.
WEST BROMWICH..	70,457	14·8	13·3	14·8	13·3	0·7	39	18	4	7	–	1	–	–	–	–	–	–	1	5	–	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 13th November, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS	Population estimated to the middle of the Year 1909.*	Death-Rates from all Causes. Week ended 23rd Oct., 1909.	30th Oct., 1909.	6th Nov., 1909.	13th Nov., 1909.	Rate from Diseases in Cols. 11–17. Week ended 13th November, 1909.	Registered during the Week ended 13th Nov. 1909. Births.	Deaths.	The Deaths registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
BIRMINGHAM ..	563,629	14·2	11·3	12·8	12·4	0·8	266	134	33	38	–	–	3	2	2	–	2	4	4	37	6	BIRMINGHAM.
KINGS NORTON ..	81,632	7·0	9·6	10·2	8·9	–	34	14	3	3	–	–	–	–	–	–	–	–	1	1	1	KINGS NORTON.
SMETHWICK	70,377	7·4	8·9	15·6	12·6	2·2	39	17	3	6	–	–	1	1	1	–	–	–	1	3	–	SMETHWICK.
ASTON MANOR ..	85,257	9·8	9·2	12·2	9·8	–	54	16	6	3	–	–	–	–	–	–	–	–	1	2	–	ASTON MANOR.
COVENTRY	80,163	11·7	9·8	13·7	14·3	0·7	58	22	5	8	–	–	1	–	–	–	–	1	1	–	1	COVENTRY.
LEICESTER	244,255	8·8	10·9	11·5	10·7	0·6	96	50	10	16	–	–	–	1	1	–	1	–	1	12	–	LEICESTER.
GRIMSBY	73,036	14·3	17·1	18·6	12·9	–	41	18	7	7	–	–	–	–	–	–	–	1	1	2	–	GRIMSBY.
NOTTINGHAM ..	263,443	13·5	11·7	14·3	16·2	1·0	134	82	25	24	–	–	–	2	–	2	1	5	6	19	–	NOTTINGHAM.
DERBY	129,411	10·9	11·7	13·3	15·3	0·8	58	38	15	9	–	–	–	–	2	–	–	1	5	10	–	DERBY.
STOCKPORT	103,706	11·6	10·1	14·6	23·1	1·0	64	46	13	21	–	–	–	1	–	–	1	–	3	7	–	STOCKPORT.
BIRKENHEAD ..	121,123	15·9	15·5	15·9	16·8	1·3	66	39	9	10	–	1	–	1	–	–	1	2	4	7	1	BIRKENHEAD.
WALLASEY	71,004	9·5	14·0	14·0	11·7	0·7	37	16	1	5	–	–	–	–	–	–	1	–	1	5	–	WALLASEY.
LIVERPOOL	760,357	17·0	16·6	17·6	17·8	1·0	420	260	72	63	–	3	3	1	2	2	4	8	15	83	8	LIVERPOOL.
BOOTLE	69,393	18·8	14·3	12·8	20·3	–	38	27	10	7	–	–	–	–	–	–	–	–	2	8	1	BOOTLE.
ST. HELENS	95,161	19·2	11·5	13·2	18·6	1·1	56	34	15	6	–	–	–	–	2	–	–	2	3	5	2	ST. HELENS.
WIGAN	90,678	15·0	12·7	16·7	15·5	1·7	58	27	11	6	–	–	1	1	1	–	–	1	3	1	–	WIGAN.
WARRINGTON ..	72,276	15·2	14·4	13·0	13·0	0·7	44	18	7	3	–	–	–	–	–	1	–	–	–	2	–	WARRINGTON.
BOLTON	187,824	11·7	11·4	13·6	15·0	2·2	78	54	11	12	–	–	2	–	–	4	2	2	3	11	–	BOLTON.
BURY	59,234	7·9	7·0	19·4	12·3	–	25	14	2	5	–	–	–	–		–	–	–	–	4	–	BURY.
MANCHESTER ..	655,435	14·3	13·2	15·8	17·0	1·1	315	214	44	51	–	1	7	3	–	1	2	10	17	73	–	MANCHESTER.
SALFORD	241,950	15·5	14·4	14·0	16·8	1·3	120	78	19	22	–	1	–	1	–	2	2	6	9	19	–	SALFORD.
OLDHAM	143,301	18·9	17·5	16·7	16·4	0·4	78	45	8	17	–	–	–	–	–	–	1	–	1	5	–	OLDHAM.
ROCHDALE	89,653	12·2	12·2	13·4	15·7	0·6	33	27	2	8	–	–	1	–	–	–	–	1	3	9	–	ROCHDALE.
BURNLEY	106,267	16·7	12·3	18·2	14·2	0·5	45	29	2	8	–	–	1	–	–	–	–	1	2	8	–	BURNLEY.
BLACKBURN	136,959	16·4	13·7	11·4	19·0	1·5	47	50	8	17	–	–	2	–	–	–	2	2	2	14	2	BLACKBURN.
PRESTON	118,519	8·8	14·5	10·6	16·3	2·2	52	37	11	9	–	1	–	–	2	–	2	–	1	3	–	PRESTON.
BARROW-IN-FURNESS.	62,996	10·8	12·4	5·8	9·1	–	35	11	2	2	–	–	–	–	–	–	–	–	–	2	–	BARROW-IN-FURNESS.

* See note † on first page of this return.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 13th November, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1909.*	Death-Rates from all Causes. Week ended 23rd Oct., 1909.	30th Oct., 1909.	6th Nov., 1909.	13th Nov., 1909.	Rate from Diseases in Cols. 11-17. Week ended 13th November, 1909.	Registered during the Week ended 13th Nov., 1909. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,739	19·8	15·4	16·0	9·9	–	44	18	2	4	–	–	–	–	–	–	–	–	1	1	–	HUDDERSFIELD.
HALIFAX	111,911	13·5	10·3	12·6	9·3	0·5	32	20	6	4	–	–	–	1	–	–	–	1	2	5	–	HALIFAX.
BRADFORD	293,983	9·0	12·2	13·1	10·8	0·5	113	61	9	21	–	–	1	1	–	–	1	–	5	10	–	BRADFORD.
LEEDS	484,012	11·0	11·3	11·7	13·6	0·6	207	126	29	40	–	1	–	–	–	3	2	3	14	23	–	LEEDS.
SHEFFIELD	470,958	11·1	12·3	9·9	12·2	0·9	258	110	21	39	–	–	2	1	2	1	2	4	8	30	1	SHEFFIELD.
ROTHERHAM.. ..	65,070	12·8	10·4	12·8	9·6	0·8	39	12	2	4	–	–	–	–	–	–	1	–	–	1	–	ROTHERHAM.
YORK	87,004	16·2	7·2	10·8	5·4	–	43	9	–	3	–	–	–	–	–	–	–	–	–	3	–	YORK.
HULL	275,552	14·6	12·1	13·4	14·0	1·1	153	74	28	12	–	–	–	–	5	–	1	3	5	7	–	HULL.
MIDDLESBROUGH ..	105,255	19·3	13·4	20·8	16·3	1·5	47	33	8	10	–	–	–	–	–	1	2	–	2	4	–	MIDDLESBROUGH.
STOCKTON-ON-TEES	53,417	15·6	13·7	12·7	12·7	1·0	30	13	1	6	–	1	–	–	–	–	–	–	–	2	–	STOCKTON-ON-TEES.
WEST HARTLEPOOL	79,686	5·2	7·2	13·1	3·9	0·7	43	6	1	2	–	1	–	–	–	–	–	–	–	1	–	WEST HARTLEPOOL.
SUNDERLAND ..	159,378	12·8	15·4	13·7	15·4	1·3	76	47	15	16	–	–	–	2	–	–	2	–	3	6	1	SUNDERLAND.
SOUTH SHIELDS ..	117,627	8·9	12·4	16·0	14·2	0·4	73	32	12	6	–	–	1	–	–	–	–	5	5	8	4	SOUTH SHIELDS.
GATESHEAD	131,024	9·2	12·7	15·1	18·3	1·2	66	46	20	10	–	–	–	–	2	–	1	–	1	2	1	GATESHEAD.
NEWCASTLE-ON-TYNE.	281,584	11·3	15·0	15·9	15·2	0·4	151	82	26	26	–	–	1	–	1	–	–	5	7	20	–	NEWCASTLE-ON-TYNE.
TYNEMOUTH ..	55,808	17·8	8·4	13·1	13·1	0·9	28	14	7	1	–	–	–	1	–	–	–	–	–	2	–	TYNEMOUTH.
NEWPORT (MON.) ..	78,336	8·7	18·0	15·3	16·6	2·7	39	25	5	9	–	2	–	1	–	–	1	1	1	3	–	NEWPORT (MON.).
CARDIFF	195,303	7·7	6·7	11·2	12·3	0·8	102	46	12	10	–	1	–	–	1	–	1	5	8	11	–	CARDIFF.
RHONDDA	135,894	16·1	12·7	12·7	15·7	3·5	110	41	15	5	–	2	–	1	–	–	6	–	1	–	–	RHONDDA.
MERTHYR TYDFIL..	78,365	20·6	17·3	15·3	18·0	2·0	74	27	7	5	–	1	–	1	–	–	1	–	2	7	–	MERTHYR TYDFIL.
SWANSEA	98,308	15·4	15·9	16·4	16·4	0·5	70	31	9	11	–	1	–	–	–	–	–	–	1	3	–	SWANSEA.
GREATER LONDON	7,429,740	10·4	11·1	12·4	12·6	0·7	3607	1793	378	606	–	15	17	14	24	2	26	73	183	616	3	GREATER LONDON.
OUTER RING ..	2,595,802	8·5	9·6	10·3	10·2	0·8	1316	508	114	168	–	7	9	5	8	–	10	14	48	85	2	OUTER RING.
8 TOWNS IN OUTER RING.	1,284,152	7·7	8·8	8·7	9·9	0·7	651	245	60	76	–	3	6	4	3	–	2	8	29	51	1	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,311,650	9·2	10·4	11·9	10·5	0·8	665	263	54	92	–	4	3	1	5	–	8	6	19	34	1	REMAINDER OF OUTER RING.
EDINBURGH	355,366	10·4	12·0	12·5	13·9	1·8	114	95	13	29	–	1	2	1	1	–	7	1	?	35	5	EDINBURGH.
GLASGOW	872,021	14·8	13·1	18·2	17·9	2·6	375	300‡	68	69	–	21	7	4	3	4	5	6	?	83	6	GLASGOW.
DUBLIN (Registration Area).†	398,356	15·2	18·6	18·6	21·7	1·0	215	166‡	32	55	–	–	1	1	1	1	4	3	4	69	5	DUBLIN (Registration Area).†
BELFAST†	386,576	12·9	15·6	15·6	17·5	1·2	174	130	30	31	–	–	–	1	4	2	2	2	8	30	1	BELFAST†

* See note † on first page of this return. † Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast respectively.
‡ Including 1 death from Cerebro-spinal meningitis in Glasgow, and 1 in Dublin.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FORTY-FIFTH Week of each of the Eleven Years, 1899–1909.

	1899	1900	1901	1902	1903	1904	1905	1906	1907	1908	Corrected Weekly Average in 5 Years 1904–1908.*	1909
TOTAL **Births** -	2711	2500	2437	2657	2466	2476	2485	2220	2393	2485	2469·1	2291
Males - - -	1380	1257	1257	1344	1278	1248	1263	1123	1197	1218	1238·6	1181
Females - -	1331	1243	1180	1313	1188	1228	1222	1097	1196	1267	1230·5	1110
TOTAL **Deaths** -	1506	1498	1688	1501	1476	1357	1489	1328	1269	1388	1398·6	1285
Males - - -	784	742	899	782	768	699	804	680	635	707	721·7	687
Females - -	722	756	789	719	708	658	685	648	634	681	676·9	598

* The numbers in this column are the average weekly numbers in the Forty-Fifth week of the five years 1904–1908, raised by 2·375 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	13 Weeks.
TOTAL **Births** -	2169	2386	2317	2096	2223	2220	2057	2292	2243	2221	2087	2361	2291	28963
TOTAL **Deaths** -	1027	1153	1149	1139	1151	1126	1079	1127	1114	1067	1107	1246	1285	14770
Ages at Death: Under 1 year -	223	338	336	349	309	301	260	273	276	266	260	277	261	3732
1—5 years -	105	122	114	104	109	108	80	98	98	98	100	82	105	1323
5—20 " -	60	57	45	52	68	56	71	50	54	62	49	67	65	756
20—40 " -	138	147	137	130	147	131	115	129	140	134	145	157	165	1815
40—60 " -	220	200	230	199	221	251	231	260	228	213	231	277	248	3009
60 yrs. & upwds.	281	289	287	305	297	279	322	317	318	294	322	386	438	4135
Deaths from—														
Small-pox† - - -	-	-	-	-	-	-	-	1	-	-	-	-	-	1
Measles - - -	17	12	10	8	5	5	3	6	10	7	9	5	8	105
Scarlet Fever - -	7	6	2	5	2	8	10	10	10	3	5	6	8	82
Diphtheria - - -	6	5	9	8	7	15	13	4	10	9	15	13	9	123
Whooping-cough -	13	15	27	26	13	14	14	21	9	8	7	12	16	195
Typhus - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	5	1	2	2	1	2	4	2	7	5	3	7	2	43
Pyrexia (origin uncertain).	-	-	-	-	1	-	-	-	-	-	-	-	-	1
Diarrhœa, Dysentery	76	159	139	154	129	114	74	60	48	34	28	34	16	1065
All above diseases -	124	198	189	203	158	158	118	104	94	66	67	77	59	1615
Dis. of Resp. System	52	41	35	48	51	57	60	73	64	63	79	120	137	880
Pneumonia - -	69	62	68	57	79	92	72	113	103	111	114	110	151	1201
Phthisis - - -	102	104	109	90	101	115	112	103	98	100	120	148	135	1437
Dis. of Circ. System -	130	137	137	145	151	129	147	147	151	158	170	175	166	1943
Violence - - -	53	56	51	37	43	37	45	35	47	43	31	45	59	582
Inquest Cases - -	111	131	125	90	113	89	92	108	109	106	102	119	135	1430
Deaths in Institutions	477	464	495	489	480	539	509	513	479	486	476	529	531	6467
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	63·3	58·1	54·5	54·5	55·3	56·3	53·1	55·8	56·4	55·7	41·9	47·1	42·3	53·4
Mean of Highest -	73·6	67·8	64·5	63·1	62·9	65·5	60·1	64·6	63·3	62·1	47·9	53·0	48·8	61·3
Mean of Lowest -	55·7	51·1	46·3	47·3	49·4	48·4	47·4	47·5	49·8	50·1	34·9	41·4	34·8	46·5
Mean Humidity of the Air.	79	83	75	83	86	87	94	81	84	88	86	90	82	84
Rain-fall (in inches) -	0·82	0·70	0·30	0·32	0·58	0·57	0·72	1·01	0·59	0·46	1·87	0·15	0·03	8·12
Registered Sunshine (in hours).	40·2	30·2	41·7	35·0	20·9	27·7	6·0	33·7	22·5	16·7	13·9	20·1	22·2	330·8
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	-	-	-	-	-	-	-	-	2	2	2	3	4	1
Scarlet Fever - -	2411	2347	2377	2436	2553	2686	2737	2745	2810	2799	2743	2716	2624	2614
Diphtheria - - -	831	798	831	843	832	857	908	928	955	991	961	1002	972	901
Typhus - - -	-	-	-	-	-	-	-	-	-	-	1	1	1	-
Enteric Fever - -	53	55	62	68	67	78	75	82	85	87	79	82	79	73

* The Metropolitan Asylums Board and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **3.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office :—The Astronomer Royal, Greenwich ; D. Forbes, Esq., M.D., Brighton ; A. Mearns Fraser, Esq., M.D., Portsmouth ; A. W. Preston, Esq., F.R.Met.Soc., Norwich ; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth ; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol ; A. Cresswell, Esq., Edgbaston, Birmingham ; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq , M.D., Nottingham ; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool ; F. Gore, Esq., Prestwich, Manchester ; Thos. Holt, Esq., M.D., Burnley ; J. Firth, Esq., Huddersfield ; H. Lander, Esq., Bradford ; Oxley Grabham, Esq., M.A., York ; H. B. Witty, Esq. F.R.Met.Soc., Hull ; the Meteorological Committee. Tynemouth ; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the FORTY-FIFTH Week of the Year 1909.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 45th week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.			
ALL CAUSES	1398·6	1285	264	105	65	165	248	438
Small-pox*	–	–	–	–	–	–	–	–
Cowpox	–	–	–	–	–	–	–	–
Measles (Morbilli)	28·1	8	3	5	–	–	–	–
Scarlet Fever	13·3	8	–	3	5	–	–	–
Typhus	–	–	–	–	–	–	–	–
Plague	–	–	–	–	–	–	–	–
Influenza	11·9	14	–	–	1	–	2	11
Whooping-cough	9·0	16	4	11	1	–	–	–
Diphtheria	14·1	9	–	5	4	–	–	–
Cerebro-spinal Fever ..	0·2	–	–	–	–	–	–	–
Pyrexia† (origin uncertain)	–	–	–	–	–	–	–	–
Enteric Fever	8·6	2	–	–	–	2	–	–
Asiatic Cholera	–	–	–	–	–	–	–	–
Epidemic Diarrhœa, Infective Enteritis	17·6	7	6	1	–	–	–	–
Diarrhœa, Dysentery ..	18·8	9	6	1	–	–	–	2
Tetanus	1·0	–	–	–	–	–	–	–
Rabies, Hydrophobia ..	–	–	–	–	–	–	–	–
Glanders	–	–	–	–	–	–	–	–
Anthrax (Splenic Fever)..	–	–	–	–	–	–	–	–
Venereal Dis.	9·6	5	3	–	–	–	2	–
Puerperal Septicæmia ..	2·0	1	–	–	–	1	–	–
Puerperal Pyæmia.. .	–	–	–	–	–	–	–	–
Puerperal Fever	0·8	–	–	–	–	–	–	–
Infective Endocarditis ..	3·1	3	–	–	–	2	1	–
Pneumonia: Lobar ..	12·3	15	–	3	–	4	7	1
Pneumonia: Broncho ..	71·5	85	44	26	3	1	2	9
Pneumonia: Epidemic ..	–	–	–	–	–	–	–	–
Pneumonia: Not defined	62·7	51	12	6	3	7	13	10
Erysipelas	5·9	3	–	–	–	–	–	3
Septicæmia (not Puerperal) ..	1·6	1	–	–	–	1	–	–
Pyæmia (not Puerperal)	1·4	2	1	–	1	–	–	–
Other Infective Processes	4·9	2	–	–	–	–	–	2
Tuberculous Phthisis ..	87·8	96	–	5	4	37	40	10
"*Phthisis*"	48·5	39	–	–	2	20	16	1
Tuberculous Meningitis ..	14·5	22	5	9	8	–	–	–
Tuberculous Peritonitis ..	6·6	6	2	2	1	1	–	–
Tabes Mesenterica	3·1	–	–	–	–	–	–	–
Tuberculous Dis., Other ..	15·8	12	1	3	1	2	3	2
Scrofula..	–	–	–	–	–	–	–	–
Alcoholism	8·8	4	–	–	–	–	3	1
Rheumatic Fever	6·8	3	–	–	2	1	–	–
Gout	1·2	2	–	–	–	–	1	1
Carcinoma	59·0	71	–	–	–	5	26	40
Sarcoma	7·6	7	–	1	1	1	1	3
Cancer (undefined) ..	35·2	28	–	–	–	3	10	15
Diabetes Mellitus	10·0	11	–	1	–	1	5	4
Premature Birth	48·9	41	41	–	–	–	–	–

CAUSES OF DEATH.	Corrected Average for the 45th week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.			
Meningitis (not tuberc.)..	10·9	3	2	–	1	–	–	–
Gen. Par. of Insane, Insanity	15·4	19	–	–	–	6	5	8
Epilepsy	6·3	5	1	–	1	2	–	1
Convulsions	18·2	11	9	2	–	–	–	–
Locomotor Ataxy.. ..	2·0	2	–	–	–	–	1	1
Paraplegia, Dis. of Cord.	5·3	4	1	–	–	1	2	–
Nervous Sys., Other Dis.	18·8	21	3	1	1	2	2	12
Valv. Dis., Endocarditis..	54·3	40	–	–	2	10	14	14
Cereb. Hæm. Cereb. Emb.	30·7	26	–	–	–	2	3	21
Apoplexy, Hemiplegia ..	13·5	16	–	–	–	–	3	13
Aneurysm	4·9	8	–	–	–	1	6	1
Embolism, Thrombosis (not Cerebral) ..	1·4	1	–	–	–	–	1	–
Heart & Blood Ves., Other Dis... ..	79·4	75	–	–	–	7	18	50
Croup (not Spasm: nor Memb.)	0·4	–	–	–	–	–	–	–
Bronchitis	120·4	118	22	9	1	4	16	66
Emphysema, Asthma ..	6·6	5	–	–	–	–	1	4
Pleurisy	4·7	1	–	–	–	–	1	–
Respiratory Dis., Other..	12·1	13	5	–	1	2	1	4
Tonsillitis, Quinsy.. ..	0·4	–	–	–	–	–	–	–
Enteritis (not Epid.) ..	14·1	14	7	1	–	–	1	5
Gastro-enteritis	6·8	10	9	1	–	–	–	–
Peritonitis (not Puerp.) ..	2·9	1	–	1	–	–	–	–
Cirrhosis of Liver.. ..	11·1	12	–	–	–	1	7	4
Liver Dis., Other	5·5	2	–	–	1	–	–	1
Digestive Sys., Other Dis.	33·6	24	3	–	4	1	8	8
Acute Nephritis	8·6	7	–	–	2	2	2	1
Bright's Dis., Albuminuria	36·4	31	–	–	2	4	10	15
Urinary Sys., Other Dis.	10·6	10	–	–	–	2	–	8
Generative Organs Dis...	4·5	4	–	–	–	3	1	–
Childbirth (Accid. of) ..	3·3	4	–	–	–	4	–	–
Old Age	51·6	62	–	–	–	–	–	62
Other Diseases	96·7	94	67	5	8	6	3	5
ACCIDENT.								
By Railways	0·6	1	–	–	–	–	1	–
By Vehicles and Horses..	7·8	6	–	1	1	–	3	1
In Ships, Boats, Docks, (exclusive of Drowning)	0·8	–	–	–	–	–	–	–
In Building Operations..	1·4	–	–	–	–	–	–	–
In Conflagrations	0·2	–	–	–	–	–	–	–
By Burns, Scalds, Explosions	5·5	7	–	2	2	1	–	2
By Drowning	3·9	–	–	–	–	–	–	–
By Suffocation in Bed ..	6·8	7	7	–	–	–	–	–
By Poisons or Poisonous Vapours	3·5	3	–	–	1	1	1	–
Other Deaths by Accident..	14·1	18	–	–	–	4	1	13
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	0·4	3	–	–	–	3	–	–
Suicide	9·8	14	–	–	–	7	4	3
Execution	0·2	–	–	–	–	–	–	–

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.
† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c. registered in each SUB-DISTRICT during the Week ended Saturday, 13th November, 1909.

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexiat (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified causes of Death.
LONDON	4,536,267	2291	1285	264	438	-	8	8	9	16	-	2	-	16	59	135	531	1
WEST DISTRICTS	805,311	336	220	37	85	-	1	1	2	2	-	-	-	2	10	19	85	-
NORTH DISTRICTS	1,055,908	457	273	43	108	-	-	2	2	2	-	1	-	1	16	30	101	-
CENTRAL DISTRICTS	209,465	90	60	13	14	-	-	-	-	-	-	-	-	1	5	10	36	-
EAST DISTRICTS	715,739	435	213	63	50	-	5	-	-	4	-	-	-	3	8	35	111	-
SOUTH DISTRICTS	1,749,844	973	478	106	168	-	2	4	3	7	-	1	-	9	20	41	157	1
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	41	2	13	-	-	1	2	1	-	-	-	-	-	-	41	-
WEST DISTRICTS.																		
North Paddington *H*	63,603	23	14	3	4	-	1	-	-	-	-	-	-	-	2	2	-	-
Central Paddington *W,3H*	50,053	24	16	2	7	-	-	-	-	1	-	-	-	-	1	1	13	-
South Paddington	30,320	6	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town *2W,w,2H* ..	128,037	58	28	1	16	-	-	-	-	-	-	-	-	-	-	3	12	-
Brompton *2H*	48,591	11	6	1	5	-	-	-	-	-	-	-	-	-	-	-	-	-
North Hammersmith *2W,w,H* ..	49,192	30	19	6	3	-	-	-	-	-	-	-	-	1	1	1	9	-
South Hammersmith *w,2H* ..	63,047	30	20	6	2	-	-	-	-	-	-	-	-	-	-	-	5	-
North-west Fulham *W*	45,180	33	13	4	7	-	-	-	-	-	-	-	-	1	-	1	6	-
North-east Fulham *F*	46,405	16	17	2	7	-	-	1	2	-	-	-	-	-	2	3	3	-
South Fulham *W*	45,704	27	9	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Chelsea North *W,w,3H*	42,514	19	31	1	17	-	-	-	-	1	-	-	-	-	2	3	22	-
Chelsea South *W,2H*	31,328	7	7	2	1	-	-	-	-	-	-	-	-	-	-	-	4	-
Mayfair and Knightsbridge	28,743	3	3	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Belgrave *W,2H*	55,815	20	12	2	4	-	-	-	-	-	-	-	-	-	1	3	3	-
St. Margaret & St. John *6H*	43,698	24	14	1	4	-	-	-	-	-	-	-	-	-	1	1	6	-
St. James and St. Anne *W,6H* ..	33,081	5	6	2	1	-	-	-	-	-	-	-	-	-	-	-	2	-
NORTH DISTRICTS.																		
All Souls Marylebone *7H*	35,391	14	16	3	5	-	-	-	-	-	-	-	-	-	2	3	13	-
St. Mary Marylebone *W,4H* ..	37,948	33	6	2	3	-	-	-	-	-	-	-	-	-	-	-	2	-
Christchurch Marylebone	39,536	21	7	2	5	-	-	-	-	1	-	-	-	-	-	2	-	-
St. John Marylebone *2H*	20,426	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead *W,F,6H*	81,942	24	17	1	5	-	-	2	1	-	-	-	-	-	-	-	8	-
West St. Pancras *2H*	60,562	37	13	3	6	-	-	-	-	-	-	-	-	1	1	3	4	-
South St. Pancras *w,10H*	55,707	19	14	2	1	-	-	-	-	-	-	-	-	-	-	1	8	-
East St. Pancras *W,H*	60,320	29	12	2	4	-	-	-	-	1	-	1	-	-	-	1	4	-
North St. Pancras *2W*	58,728	23	18	5	4	-	-	-	-	-	-	-	-	-	1	3	6	-
Tufnell *W*	31,995	9	17	2	9	-	-	-	-	-	-	-	-	-	2	2	12	-
Upper Holloway *2W,w,H*	33,978	21	23	2	8	-	-	-	-	-	-	-	-	-	2	2	16	-
Tollington *W,w,H*	33,922	12	6	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Lower Holloway	41,424	20	10	3	6	-	-	-	-	-	-	-	-	-	-	-	-	-
Barnsbury	54,478	32	10	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Islington South-east *F*	75,397	28	16	5	4	-	-	-	-	-	-	-	-	-	1	2	-	-
Highbury *2H*	63,797	19	16	2	8	-	-	-	-	-	-	-	-	-	1	2	1	-
Stoke Newington *H*	51,247	19	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
North Hackney	50,398	15	9	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-
Central Hackney *w,F*	50,536	22	10	-	5	-	-	-	1	-	-	-	-	-	1	2	2	-
South-west Hackney *3H*	59,921	25	17	3	7	-	-	-	-	-	-	-	-	-	3	3	5	-
South-east Hackney *2W,H*	58,255	30	30	1	13	-	-	-	-	-	-	-	-	-	2	4	20	-
Hackney Union Workhouse, Brentwood	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c. registered in each SUB-DISTRICT during the Week ended Saturday, 13th November, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
St. Giles and Bloomsbury 2*W*,2*H* ..	31,436	11	3	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-
Strand *W*,4*H*	21,674	-	17	1	1	-	-	-	-	-	-	-	-	-	2	4	15	-
Strand Union Workhouse, Edmonton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn *W*,5*H*	29,612	10	14	5	2	-	-	-	-	-	-	-	-	-	-	2	12	-
Clerkenwell *H*	63,704	27	14	4	6	-	-	-	-	-	-	-	-	-	1	1	-	-
St. Luke 3*H*,*L*	36,116	36	3	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Holborn Union Workhouse, Mitcham	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
St. Botolph *H*	10,299	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre-and-Allhallows *W*,2*H*	16,624	2	7	1	2	-	-	-	-	-	-	-	-	1	2	2	5	-
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
Shoreditch South 3*H*	46,362	19	4	3	-	-	-	-	-	-	-	-	-	-	1	3	-	-
Shoreditch North-West *W*,*w*,*H* ..	36,127	24	22	5	9	-	-	-	-	-	-	-	-	1	-	3	19	-
Shoreditch North-East	36,148	24	5	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	36	30	10	5	-	-	-	-	-	-	-	-	-	2	7	16	-
Bethnal Green South-West *H* ..	64,542	48	6	1	2	-	-	-	-	-	-	-	-	-	1	2	1	-
Spitalfields..	27,969	12	3	1	-	-	2	-	-	-	-	-	-	-	-	1	-	-
Mile End New Town *W*,*H*	28,718	25	31	6	4	-	1	-	-	-	-	-	-	1	1	2	28	-
Goodman's Fields	22,081	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George and St. John 2*W* ..	49,068	28	15	3	6	-	1	-	-	-	-	-	-	-	-	-	11	-
Shadwell and Ratcliff *w*,*H* ..	25,568	10	11	5	1	-	-	-	-	-	-	-	-	1	-	2	6	-
Limehouse *W*	32,369	21	8	2	1	-	1	-	-	1	-	-	-	-	1	3	-	-
Mile End Old Town South-Western *H*	63,698	51	8	4	-	-	-	-	-	1	-	-	-	-	-	2	1	-
Mile End Old Town North-Eastern *W*,*w*	49,129	20	10	2	2	-	-	-	-	-	-	-	-	-	-	2	7	-
Bow	41,989	28	9	1	3	-	-	-	-	-	-	-	-	-	-	1	-	-
Bromley 3*w*,*H*	68,319	54	37	9	12	-	-	-	-	2	-	-	-	-	1	5	16	-
Poplar *W*,*w*	58,514	29	13	5	5	-	-	-	-	-	-	-	-	-	1	1	6	-
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c. registered in each SUB-DISTRICT during the Week ended Saturday, 13th November, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch and St. Saviour Southwark *W,2H*	23,319	17	21	4	2	-	-	-	-	1	-	-	-	-	3	3	18	-
Kent-road	21,904	17	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George the Martyr West *W,2H,L*	39,094	23	16	9	1	-	1	-	-	1	-	-	-	1	-	1	10	-
Newington North	49,022	32	9	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Newington South *W*	72,841	45	14	3	4	-	-	-	-	-	-	-	-	-	-	3	-	-
St. Olave *2W*	9,817	9	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Bermondsey *W*	82,483	45	8	4	2	-	-	-	-	-	-	-	-	-	2	2	-	-
Rotherhithe *W,F*	38,460	15	20	1	8	-	-	-	-	-	-	-	-	-	-	1	13	-
Waterloo *2H*	27,440	21	6	4	-	-	-	-	-	-	-	-	-	1	-	-	5	-
Lambeth Church *H*	27,440	10	16	2	5	-	-	1	-	-	-	-	-	-	2	3	9	-
Kennington *2W*	52,518	25	17	1	11	-	-	-	-	-	-	-	-	-	-	2	10	-
Stockwell *HF*	63,826	48	16	2	7	-	-	2	-	-	-	1	-	-	-	1	3	-
Brixton *H*	73,673	45	13	3	5	-	-	-	-	-	-	-	-	-	1	1	-	-
Norwood *2WH*	56,998	20	12	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-
East Battersea *H*	72,203	41	11	5	4	-	-	-	-	-	-	-	-	1	1	2	-	-
North-west Battersea	49,656	40	15	4	5	-	-	-	1	-	-	-	-	-	1	1	-	-
South-west Battersea *2W,H* ..	47,048	15	28	3	10	-	-	-	-	2	-	-	-	-	1	2	20	1
Clapham *2H*	51,361	28	10	3	5	-	-	-	-	-	-	-	-	-	-	-	-	-
Streatham *W,2w,2F,2L*	88,019	57	25	5	11	-	-	-	-	-	-	-	-	-	-	-	6	-
Springfield *2W,L*	27,959	20	9	1	4	-	-	-	-	-	-	-	-	-	-	-	2	-
Southfields *H*	40,444	32	9	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Putney	24,139	7	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich	13,359	2	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	23	33	4	11	-	-	-	-	-	-	-	-	2	-	-	24	-
Camberwell North *W,2L*	65,584	26	23	4	5	-	-	-	-	-	-	-	-	1	-	2	14	-
St. George	47,331	22	11	5	1	-	-	-	-	1	-	-	-	-	1	1	-	-
Peckham North	48,913	22	7	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Peckham South *2W,w*	43,946	17	10	3	1	-	-	-	-	-	-	-	-	1	-	1	-	-
Deptford North	37,613	18	6	2	1	-	1	-	-	-	-	-	-	-	-	3	-	-
Deptford Central *F*	45,481	28	10	4	2	-	-	-	-	-	-	-	-	-	1	3	1	-
Deptford South	34,625	18	9	1	6	-	-	-	-	-	-	-	-	-	1	1	-	-
Greenwich West *H*	23,456	15	4	2	1	-	-	-	-	-	-	-	-	-	-	1	1	-
Greenwich East *2W,H*	43,859	23	9	-	3	-	-	-	-	1	-	-	-	-	1	1	6	-
Eltham *w,H*	7,226	7	4	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Lee *w,H*	25,490	5	6	-	3	-	-	-	-	-	-	-	-	-	3	3	1	-
Lewisham *2W,w,F*	58,352	42	18	4	10	-	-	-	1	-	-	-	-	-	2	2	7	-
Sydenham *H*	43,653	20	10	1	8	-	-	-	1	-	-	-	-	-	-	-	1	-
Charlton *F,2H*	21,134	7	5	2	2	-	-	1	-	-	-	-	-	-	-	-	1	-
Woolwich *5H*	41,625	24	7	2	3	-	-	-	-	-	-	-	-	1	-	-	-	-
Plumstead West *W,H*	39,376	25	9	1	5	-	-	-	-	1	-	-	-	1	-	-	-	-
Plumstead East *2W*	28,951	17	8	3	2	-	-	-	-	-	-	-	-	-	-	-	3	-
Workhouses:—																		
Belmont Workhouse	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asylum .. (Westminster, St. Giles, and Strand Unions.)	—	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
M. A. B. Small-pox Hospitals:—																		
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																		
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	3	-	-	-	-	1	2	-	-	-	-	-	-	-	3	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																		
Children's Infirmary, Carshalton..	—	-	3	2	-	-	-	-	-	1	-	-	-	-	-	-	3	-
M. A. B. Imbecile Asylums:—																		
Caterham	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
Darenth	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
London County Lunatic Asylums:—																		
Banstead	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
Manor	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Long Grove	—	-	6	-	1	-	-	-	-	-	-	-	-	-	-	-	6	-
Cane Hill	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Dartford Heath	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4	-
Hanwell	—	-	7	-	5	-	-	-	-	-	-	-	-	-	-	-	7	-
Colney Hatch	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
Claybury	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERATED POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 13th November, 1909.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING ..	368,603	2,045,135	1316	508	114	168	-	7	9	5	8	-	10	14	48	85	2
30 : 1	Carshalton 2F,3H	12,228	32,997	11	7	1	3	-	-	-	-	-	-	-	-	-	-	-
2	Epsom, *part of** W,w,2F,H..	10,423	15,548	10	3	-	-	-	-	1	-	1	-	-	-	-	2	-
37 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	1	3	-	3	-	-	-	-	-	-	-	-	-	2	-
38 : 1	Coulsdon	11,069	8,166	9	3	2	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w,H ..	4,200	49,309	20	3	-	1	-	-	-	-	-	-	-	-	-	-	-
3	West Croydon 3W,F,H ..	2,168	42,888	40	23	1	7	-	-	-	-	-	-	-	2	7	10	-
4	North Croydon H	2,614	41,698	21	6	4	-	-	-	-	-	-	-	-	-	1	-	-
5	Penge w	770	22,465	6	6	2	1	-	-	-	-	-	-	-	-	-	-	-
6	Mitcham w	11,711	30,015	30	15	3	6	-	2	-	-	-	-	-	-	4	1	-
39 : 1	Wimbledon F,3H	3,221	41,652	26	10	2	3	-	-	-	-	-	-	-	-	1	2	-
2	Kingston 2W,H	6,224	42,068	30	6	-	1	-	-	-	-	-	-	-	-	-	3	-
3	Surbiton F,H	3,046	15,017	11	4	-	2	-	-	-	-	-	-	-	-	1	-	-
4	Esher, *part of** H	5,402	13,100	10	2	1	1	-	-	-	-	-	-	-	-	-	-	-
5	Hampton H,F,L	4,564	23,456	14	4	1	2	-	-	-	-	-	-	-	-	-	-	-
40 : 1	Richmond W,H	2,491	31,672	10	4	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Mortlake F	2,518	17,821	16	5	2	-	-	-	-	1	-	-	-	-	-	1	-
41 : 1	Bromley F,3H	4,703	27,354	16	6	1	3	-	-	1	-	-	-	-	1	2	1	-
2	Beckenham H	7,825	28,497	8	7	2	3	-	-	-	-	-	-	-	-	-	-	-
3	Orpington, *part of** W,F ..	10,113	9,857	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-
4	Chislehurst 2H	7,333	16,446	5	4	1	3	-	-	-	-	-	-	-	-	-	-	-
42 : 1	Bexley w,F,H	8,678	21,151	12	4	-	2	-	-	-	-	-	-	-	-	-	1	-
2	Erith F,H	3,854	25,236	15	3	-	1	-	-	1	-	-	-	-	-	-	-	-
3	Dartford W,F, *part of** ..	—	—	-	4	-	4	-	-	-	-	-	-	1	-	-	4	1
124 : 1	Sunbury w	11,054	18,683	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Staines W,H	13,277	15,178	15	6	-	3	-	-	-	-	-	-	-	1	1	2	-
125 : 1	Hillingdon W,F,H	6,035	13,661	7	4	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Uxbridge H	12,757	8,984	3	2	-	-	-	-	-	-	-	-	1	-	-	-	-
3	Hayes w 2F,H	8,066	16,358	13	8	3	4	-	-	-	-	-	-	1	-	-	-	-
126 : 1	Isleworth 3W,3F,H	6,859	30,863	23	17	5	3	-	-	-	-	1	-	1	-	-	7	-
2	Twickenham F,2H	2,421	20,991	15	2	-	2	-	-	-	-	-	-	-	-	1	-	-
3	Brentford 3F,2H	4,319	48,289	45	13	3	6	-	-	-	-	-	-	1	1	1	-	-
4	Chiswick H	1,249	29,809	20	3	1	1	-	-	-	-	-	-	-	-	-	-	-
5	Acton w,F,3H	6,132	48,914	34	12	6	2	-	-	-	-	-	-	2	1	1	-	-
127A : 1	Harrow F,H	13,809	25,523	10	5	1	2	-	-	-	-	-	-	-	-	-	-	-
2	Edgware 2F,2H	6,994	4,521	4	2	-	-	-	1	-	-	-	-	-	-	-	-	-
3	Hendon W,F	8,382	22,450	9	7	1	4	-	-	-	-	-	-	-	-	-	1	-
127B : 1	Willesden W,F,2H	4,384	114,811	81	27	5	9	-	-	3	1	-	-	-	-	2	8	1
128 : 1	South Mimms 2F,H ..	17,755	7,308	2	2	-	-	-	-	-	-	-	-	-	-	-	1	-
2	Barnet W,2H	3,324	17,970	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Finchley F,3H	4,636	33,692	27	6	1	3	-	-	-	-	-	-	-	-	-	-	-
129 : 1	Hornsey F,H	2,875	72,056	25	12	3	4	-	2	-	1	-	-	-	-	-	-	-
2	Wood Green H	1,625	34,233	21	3	-	-	-	-	-	-	-	-	-	-	-	-	-
3	West Tottenham	995	48,741	48	10	5	3	-	-	-	-	-	-	-	-	3	-	-
4	East Tottenham 2H ..	2,019	53,962	31	12	3	5	-	-	-	-	-	-	-	1	3	-	-
5	Edmonton W,w,2F	7,491	61,892	46	19	4	9	-	-	-	-	-	-	-	-	3	2	-
6	Enfield 2W,F,H	12,601	42,738	19	9	4	1	-	1	-	-	-	-	-	-	1	1	-
7	Waltham Abbey F	11,017	6,549	1	4	-	1	-	-	-	-	2	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	3	4	1	2	-	-	-	-	-	-	1	-	-	-	-
135 : 1	Hatfield, *part of** W ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey, *part of** H ..	9,195	7,051	4	2	-	2	-	-	-	-	-	-	-	-	-	-	-
2	Watford, *part of** W,2F ..	138	2,122	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
186 : 1	Stratford H	1,091	52,974	36	19	6	3	-	-	-	-	1	-	-	2	3	2	-
2	Forest Gate	787	52,745	23	10	1	4	-	-	-	-	-	-	-	-	2	-	-
3	Plaistow F,2H	1,249	90,921	67	24	7	6	-	1	1	1	1	-	1	1	2	3	-
4	Canning Town H	1,556	70,718	48	22	3	8	-	-	1	-	-	-	1	1	4	1	-
5	South East Ham 2F ..	1,991	37,342	30	6	4	2	-	-	-	-	1	-	-	-	-	-	-
6	North East Ham w,H ..	1,333	58,666	41	8	4	1	-	-	-	-	-	-	-	-	-	-	-
7	Wanstead F	1,679	9,179	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	35	12	-	9	-	-	-	1	-	-	-	-	1	6	-
9	North Leyton 2W,w,F ..	1,963	48,445	35	25	6	5	-	-	-	-	-	-	-	1	1	16	-
10	Walthamstow 2H,L ..	6,504	108,929	76	23	9	7	-	-	-	-	-	-	-	1	1	-	-
187 : 1	Chigwell 2F,3H	11,778	16,397	9	3	-	1	-	-	1	-	-	-	-	1	1	1	-
2	Epping W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189 : 1	Romford, *part of** W,2F ..	6,556	6,091	8	4	1	1	-	-	-	-	-	-	-	-	-	-	-
2	Ilford F,L	8,496	41,244	27	6	-	4	-	-	-	-	-	-	-	-	-	-	-
3	Barking Town F	3,805	21,547	16	10	3	-	-	-	-	-	1	-	-	-	1	-	-
	London County Lunatic Asylum, Colney Hatch.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Surrey County Lunatic Asylum, Brookwood.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Middlesex County Lunatic Asylum, Napsbury.	—	—	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
	Essex County Lunatic Asylum, Brentwood.	—	—	-	3	-	2	-	-	-	-	-	-	-	-	-	3	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30 : 2, excepting Ashtead parish; 37 : 1, Warlingham and Farley parishes; 39 : 4, excepting Esher parish; 41 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135 : 1, Northaw parish; 137 : 1, excepting the part in Watford Rural parish; 137 : 2, Oxhey parish; 189 : 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42 : 3, 137 : 2 and 187 : 2 and in the Croydon Mental Hospital in 37 : 1 are also included

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox	Measles.	Scarlet Fever	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON - -	4,833,938	November 13	2291	1285	13·9	–	8	8	9	16	2	16
CALCUTTA - -	1,009,008	October 16	–	–	–	–	–	–	–	–	–	–
BOMBAY - -	982,000	„ 19	408	553	29·4	–	1	–	–	–	62†	48‡
MADRAS - -	548,974	„ 15	399	345	35·2	1	3	?	?	?	90	47‡
PARIS - - -	2,760,000	November 6	834	773	14·7	–	7	1	2	7	3	33
BRUSSELS - -	704,975	„ 6	240	198	14·6	–	2	2	3	–	2	19
ANTWERP - -	314,135	„ 6	134	87	14·4	–	5	–	–	–	2	14
AMSTERDAM -	565,553	„ 6	238	121	11·1	–	3	–	–	–	–	5
COPENHAGEN -	448,000	„ 6	250	109	12·7	–	–	1	–	–	–	6
STOCKHOLM -	339,582	October 30	164	80	12·2	–	–	–	2	1	–	2
CHRISTIANIA -	235,674	November 6	113	51	11·2	–	2	–	2	–	–	4
ST. PETERSBURG	1,573,000	October 30	889	626	20·8	5	19	14	18	10	7	93‡
MOSCOW - -	1,452,100	„ 30	–	793	28·5	–	17	51	34	11	7	125
BERLIN - -	2,106,695	„ 23	752	549	13·6	–	3	12	17	5	3	66
HAMBURG - -	872,252	November 6	–	226	13·5	–	1	2	6	3	–	20
BRESLAU - -	502,676	October 30	–	193	20·0	–	5	1	1	7	–	28
MUNICH - -	566,000	„ 30	–	195	17·9	–	–	–	–	1	1	34
		November 6	–	173	15·9	–	–	–	2	–	1	32
VIENNA - -	2,064,037	„ 6	753	588	14·7	–	1	6	4	–	–	53
PRAGUE - -	485,057	„ 6	193	155	16·6	–	–	1	2	1	1	9
BUDAPEST - -	823,215	October 30	398	298	18·8	–	3	4	2	–	4	42
TRIESTE - -	217,706	November 6	158	69	16·3	–	1	–	–	1	–	4
ROME - - -	565,323	July 31	259	210	19·1	–	–	2	2	1	3§	41
VENICE - -	179,286	September 25	77	61	17·7	–	–	–	2	1	1	8
BUCAREST - -	296,585	October 16	196	162	28·5	–	1	6	1	–	7	21
NEW YORK -	4,564,792	„ 23	2229	1346	15·4	–	9	3	19	4	25	111
CHICAGO - -	2,224,490	„ 23	–	598	14·0	–	1	2	18	1	7	67
PHILADELPHIA -	1,565,569	„ 9	–	458	15·2	–	1	5	8	2	10	48
RIO DE JANEIRO	637,089	„ 3	–	–	–	–	–	–	–	–	–	?
CAIRO:—												
Egyptians -	666,587	„ 14	590	430	33·4	–	2	–	21	?	4	95
Foreigners -	35,219	„ 14	5	19	28·1	–	1	–	1	–	–	5
ALEXANDRIA:—												
Egyptians -	341,965	„ 14	315	196	29·5	–	–	–	4	–	3†	52
Foreigners -	46,118	„ 14	5	15	16·9	–	–	–	–	–	1	4

* Excluding deaths from croup in the Indian Cities.
† Including 14 deaths from plague in Bombay, and 2 in Alexandria.
‡ Including 4 deaths from cholera in Bombay, 1 in Madras, and 29 in St. Petersburg.
§ Including 1 death from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 13th November, 1909

TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	53·8	29·1	41·8	0·03	BRADFORD - -	50·0	28·6	40·2	0·03
BRIGHTON - -	54·9	30·9	43·9	0·21	YORK - - -	53·0	31·0	42·6	0·03
PORTSMOUTH - -	54·5	30·0	43·5	0·10	HULL - - -	52·0	30·0	42·7	0·07
NORWICH - -	52·1	30·8	42·7	0·10	TYNEMOUTH - -	54·0	30·0	41·0	0·03
PLYMOUTH -	53·0	28·4	44·1	0·04	CARDIFF - - -	51·7	29·0	43·1	0·09
BRISTOL - -	52·0	24·0	42·3	0·04	EDINBURGH - -	50·8	27·8	41·2	0·02
BIRMINGHAM - -	50·6	31·8	41·9	0·12	GLASGOW - -	52·8	32·2	44·0	0·38
NOTTINGHAM - -	51·7	23·9	41·2	0·08	DUBLIN: Phœnix Park	50·9	25·4	41·9	0·73
LIVERPOOL OBSERVATORY	52·0	37·0	44·9	0·13	DUBLIN: Fitzwilliam Square.†	53·0	30·0	43·7	0·70
MANCHESTER -	50·0	29·8	40·3	0·27					
BURNLEY - -	49·8	24·0	39·5	0·26					
HUDDERSFIELD -	50·4	30·3	42·1	0·20	BELFAST - - -	54·5	31·0	43·5	0·23

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to the seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0°·5 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 13th November, 1909.

[*Under the Superintendence of the Astronomer Royal.*]

1909. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
NOVEMBER.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 7	..	29·961	47·0	34·8	12·2	42·0	- 3·4	40·7	1·3	3·8	0·0	95	62·1	30·6	51·16	Calm & N.	N.	2·1	0·0	0·1	193	- 87	0·00	0 0
MONDAY - 8	..	30·157	48·9	33·7	15·2	40·9	- 4·1	37·5	3·4	9·9	0·0	88	77·0	25·6	50·77	NNW. & N.	NNE., NNW. & calm.	1·5	0·0	0·1	184	- 99	0·00	0·0
TUESDAY - 9	Apogee. in Eqr.	30·008	48·5	29·1	19·4	40·1	- 4·5	34·1	6·0	10·9	0·0	79	80·8	25·2	50·34	SW.	SW.	3·0	0·0	0·2	317	+ 32	0·00	6·0
WEDNESDAY 10	..	29·961	46·9	35·5	11·4	41·2	- 3·1	36·7	4·5	9·5	0·8	84	57·6	28·2	49·86	SW., WSW. & WNW.	NW., WNW. & W.	6·2	0·0	0·2	318	+ 30	0·01	0·0
THURSDAY - 11	..	29·990	46·2	34·1	12·1	41·5	- 2·5	35·0	6·5	11·8	2·5	78	66·2	26·7	49·49	W., NW. & NNW.	NW., W. & WSW.	2·6	0·0	0·1	317	+ 29	0·01	0·0
FRIDAY - 12	..	29·632	53·8	44·4	9·4	49·3	+ 6·1	42·2	7·6	11·4	4·4	75	60·0	39·5	49·20	WSW. & W.	W. & WSW.	13·3	0·0	0·8	628	+340	0·00	0·0
SATURDAY - 13	New	29·507	50·6	32·3	18·3	40·9	- 2·6	33·7	7·2	12·0	0·6	75	69·4	23·6	49·06	WSW., NW. & W.	W. NW. & NNW.	8·0	0·0	0·4	367	+ 79	0·01	0·0
MEANS - -		29·888	48·8	34·8	14·0	42·3	- 2·0	37·1	5·2	9·9	1·2	82	67·6	28·5	49·98	NNW. & WSW.		..	..	..	Sum 232½	Sum +324	Sum 0·03	0·9
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. NOVEMBER.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.
SUNDAY - 7	w. P. throughout.	0·0	9·3
MONDAY - 8	w. P. generally.	5·8	9·2
TUESDAY - 9	m. P. till 11h. A.M.; w. P. afterwards.	6·6	9·2
WEDNESDAY 10	w. P. generally; w. N. at 1h. P.M.	3·2	9·1
THURSDAY - 11	w. P. till 10h. A.M.; m. P. generally till 7h. P.M.; w. P. afterwards.	3·2	9·1
FRIDAY - 12	w. P. throughout.	0·0	9·0
SATURDAY - 13	w. P. generally till 9h. A.M.; m. P. generally afterwards; w. N. at 3h. A.M.	3·4	9·0
		Sum 22·2	Sum 63·9
No. of Col. - -	27	28	29

GENERAL REMARKS.

Dense fog prevalent till 3h. 30m. A.M.; fine but cloudy till 6h. P.M.; nearly cloudless afterwards.

Very fine with small amounts of cloud till 5h. P.M.; then cloudless; hoar frost and slight fog in morning and also at night.

Cloudless till 1h. 30m. P.M.; increasing amount of cloud till 3h. 30m. P.M.; overcast till 6h. 30m. P.M.; cloudy afterwards; hoar frost and fog of varying density in morning.

Overcast at first with very slight rain shortly after midnight; very fine and nearly cloudless between 3h. and 10h. 30m. A.M.; cloudy with light shower till 2h. 30m. P.M.; very fine afterwards with slight fog at night; hoar frost in morning and at night.

Fine and partially cloudy till 2h. P.M.; overcast till 8h. 30m. P.M.; generally cloudy afterwards. Solar halo observed at 9h. A.M.; slight shower at and about 3h. P.M.

Overcast with slight exceptions; light shower at 0h. 30m. A.M.; strong gusty wind prevalent at night.

Cloudy at first with strong gusty wind till 4h. 30m. A.M.; fine with variable amounts of cloud after 4h. A.M.; slight shower at 3h. A.M.; low fog after 11h. P.M.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and - "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·91 in. at the beginning of the week to 30·20 in. by 9h. P.M. on the 8th; decreased to 29·81 in. by 5h. A.M. on the 10th; increased to 30·02 in. by 11h. A.M. on the 11th; decreased to 29·35 in. by 3h. A.M. on the 13th; and increased to 29·57 in. by midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 6th November, 1909.*

BOROUGHS.	Estimated Population in the middle of 1909.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	151,955	-	9	3	-	1	-	-	3	-	-
Kensington	183,683	-	5	4	-	5	-	-	1	1	-
Hammersmith	125,704	-	3	5	-	-	-	-	3	2	-
Fulham	176,406	-	18	10	-	-	-	-	4	3	-
Chelsea	75,249	-	3	1	-	-	-	-	1	-	-
City of Westminster	168,883	-	8	2	-	-	-	-	-	-	-
NORTH.											
St. Marylebone	126,027	-	11	1	-	-	-	-	2	-	-
Hampstead	94,185	-	8	-	-	-	-	-	2	-	-
St. Pancras	237,422	-	15	8	-	2	-	-	4	-	-
Islington	351,202	-	35	4	-	-	-	-	6	-	2
Stoke Newington	54,423	-	1	1	-	-	-	-	-	-	-
Hackney	237,601	-	21	8	-	1	-	-	11	-	-
CENTRAL.											
Holborn	53,802	-	3	2	-	-	-	-	-	-	-
Finsbury	95,289	-	-	5	-	-	-	-	2	-	-
City of London	18,193	1	-	-	-	-	-	-	-	-	-
EAST.											
Shoreditch	114,802	-	5	4	-	-	-	-	1	-	-
Bethnal Green	131,316	-	10	3	-	1	-	-	4	-	-
Stepney	312,525	1	14	7	-	4	-	-	13	-	-
Poplar	171,965	-	8	3	-	4	-	-	3	-	-
SOUTH.											
Southwark	211,125	-	11	4	-	-	-	-	6	-	-
Bermondsey	127,569	-	9	2	-	2	-	-	5	1	-
Lambeth	324,188	-	21	10	-	-	-	-	4	-	-
Battersea	186,036	-	21	4	-	3	-	-	3	-	-
Wandsworth	297,646	-	13	12	-	-	-	-	5	-	-
Camberwell	283,022	-	28	10	-	-	-	-	3	-	-
Deptford	118,583	-	6	4	-	1	-	-	3	-	-
Greenwich	111,014	-	3	2	-	-	-	-	2	-	-
Lewisham	160,749	-	17	12	-	-	-	-	3	-	-
Woolwich	133,374	-	11	4	-	-	-	-	2	1	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,833,938	2	317	135	-	24	-	-	96	8	2
Ages 0-1		-	2	2	-	-	-	-	4	-	2
„ 1-5		-	94	41	-	2	-	-	7	-	-
„ 5-		-	142	53	-	1	-	-	5	-	-
„ 10-		-	47	19	-	6	-	-	3	-	-
„ 15-		-	13	11	-	2	-	-	6	-	-
„ 20-		-	9	2	-	3	-	-	5	2	-
„ 25-		-	8	3	-	8	-	-	9	5	-
„ 35-		1	1	-	-	1	-	-	16	1	-
„ 45-		-	1	2	-	-	-	-	18	-	-
„ 55-		1	1	2	-	1	-	-	10	-	-
„ 65 and upwards		-	-	-	-	-	-	-	13	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
BY DARLING & SON, LTD., 34-40 BACON STREET, E.

1909

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office.

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 46. 1909. VOL. LXX.] WEEK ENDED SATURDAY, NOV. 20. [Price 1½*d.*

General Register Office, Somerset House,
November 22nd, 1909.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 14 6 per 1000 of their aggregate population, which is estimated † at 16,445,281 persons in the middle of this year. In the preceding three weeks the rates had been 12·0, 13·3, and 13·8. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were :—from *all causes*, 20·2 in Bury, 20·3 in Middlesbrough, 20·8 in St. Helens, 21·1 in Birkenhead, 21·3 in Sunderland, 21·8 in Bootle, 23·3 in Merthyr Tydfil, 24·9 in Swansea, and 26·5 in Hanley; from *measles*, 3·0 in Hanley and 3·2 in Northampton; from *scarlet fever*, 1·8 in Bury; from *diphtheria*, 1·0 in Stockport and 1·4 in Warrington; from *whooping-cough*, 1·3 in Coventry and 1·5 in Middlesbrough; and from *diarrhœa*, 1·3 in Merthyr Tydfil, and 1·8 in Aston Manor and in South Shields. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2173 BIRTHS and 1363 DEATHS were registered. Allowing for increase of population, the births were 217 and the deaths 110 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-five other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(14812—41.) Wt. 109—472. 700. 11/09. D & S. G. 31. Sch. 4. 2 Z

causes, which had been 11·9, 13·4, and 13·9 per 1000 in the preceding three weeks, further rose last week to 14·7. The death-rate in the four weeks ended last Saturday averaged 13·5 per 1000, being 1·6 per 1000 below the mean rate in the corresponding periods of the five years 1904–8.

The 1363 deaths included 12 from measles, 3 from scarlet fever, 13 from diphtheria, 20 from whooping-cough, 1 from enteric fever, and 24 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia: thus, to these diseases in the aggregate 73 deaths were referred, being 34 below the corrected average number in the forty-sixth week of the preceding five years.

The deaths from *measles*, which had been 9, 5, and 8 in the preceding three weeks, rose to 12 last week, but were 15 below the corrected average; 5 deaths belonged to the Borough of Stepney. The deaths from *scarlet fever*, which had been 5, 6, and 8 in the preceding three weeks, were 3 last week, and were 5 below the corrected average. The deaths from *diphtheria*, which had been 15, 13, and 9 in the preceding three weeks, were 13 last week, and were 7 below the corrected average. The deaths from *whooping-cough*, which had been 7, 12, and 16 in the preceding three weeks, further rose to 20 last week, and were 6 above the corrected average; 5 deaths belonged to Poplar. One death from *enteric fever* was registered last week as compared with 3, 7, and 2 in the preceding three weeks, the corrected average being 8. The deaths from *diarrhœa*, which had been 28, 34, and 16 in the preceding three weeks, rose to 24 last week, and were 5 below the corrected average; 3 deaths belonged to Paddington and 3 to Lambeth. Of the 24 deaths from diarrhœa, 19 were those of children under 5 years of age; 7 other deaths at this age were certified as due to *enteritis* and 5 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 16, having been 9, 11, and 14 in the preceding three weeks.

Different forms of violence caused 51 deaths, concerning all but one of which inquests were held. Of these 51 deaths, 7 were cases of suicide, and 2 of homicide, while the remaining 42 were attributed to accident or negligence. Five of these latter were referred to vehicles in the streets, six to burns or scalds, and eight, of infants under one year of age, to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 5 cases of small-pox, 2606 of scarlet fever, 949 of diphtheria, and 74 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 1 case, against 0, 1, and 3; of scarlet fever, 308 cases, against 288, 336, and 284; of diphtheria, 91 cases, against 104, 132, and 111; and of enteric fever, 7 cases, against 7, 14, and 9. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended November 13th, 1909.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 3368 births and 1884 deaths were registered. Allowing for increase of population, these numbers are 365 and 144 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 2 deaths from measles, 3 from scarlet fever, 7 from diphtheria, 5 from whooping-cough, and 2 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·79 inches, and that of the Thermometer 38°·7, the latter being 3°·9 below the week's average in the 65 years ended 1905. The general direction of the wind was North-Easterly, the horizontal movement of the air being 2 per cent. above the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 14·0 hours; the measured rainfall amounted to 0·28 of an inch.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 20th November, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1909.*	Death-Rates from all Causes. Week ended 30th Oct., 1909.	6th Nov., 1909.	13th Nov., 1909.	20th Nov., 1909.	Rate from Diseases in Cols. 11–17. Week ended 20th November, 1909.	Registered during the Week ended 20th Nov., 1909. Births.	Deaths.	The Deaths registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17	18.	19.	20.	21.	Cols.
76 TOWNS	**16,445,281**	**12·0**	**13·3**	**13·8**	**14·6**	**0·9**	**7566**	**4606**	**974**	**1461**	–	**45**	**28**	**47**	**69**	**19**	**73**	**146**	**367**	**1264**	**40**	**76 TOWNS.**
LONDON	4,833,938	11·9	13·4	13·9	14·7	0·8	2173	1363	269	452	–	12	3	13	20	1	24	51	134	573	–	LONDON.
† CROYDON	161,078	8·4	8·4	10·0	9·1	0·3	73	28	5	11	–	–	–	–	–	–	1	2	4	4	–	CROYDON.
† WILLESDEN ..	160,424	7·8	6·8	9·1	9·1	0·3	77	28	7	8	–	–	–	–	1	–	–	1	5	1	1	WILLESDEN.
† HORNSEY	95,628	7·1	8·2	7·1	6·5	1·1	29	12	2	4	–	1	1	–	–	–	–	1	1	–	–	HORNSEY.
† TOTTENHAM ..	129,464	9·3	10·5	9·7	10·5	1·2	58	26	7	7	–	–	–	1	2	–	–	–	3	3	–	TOTTENHAM.
† WEST HAM ..	321,767	9·7	11·5	13·9	12·8	1·0	144	79	14	28	–	–	2	1	–	–	3	1	3	18	1	WEST HAM.
† EAST HAM.. ..	149,575	9·1	7·3	5·2	9·8	0·3	73	28	8	8	–	–	–	–	1	–	–	1	3	1	–	EAST HAM.
† LEYTON	129,614	10·5	5·2	8·0	10·1	0·4	51	25	–	6	–	–	–	1	–	–	–	1	4	6	–	LEYTON.
† WALTHAMSTOW	136,602	6·9	8·4	10·7	8·8	1·1	61	23	7	5	–	–	–	–	2	–	1	1	4	8	–	WALTHAMSTOW.
HASTINGS	68,165	13·0	8·4	15·3	13·0	0·8	19	17	1	7	–	–	–	1	–	–	–	–	2	2	–	HASTINGS.
BRIGHTON	130,926	12·7	16·3	15·1	13·9	0·8	50	35	7	11	–	–	–	–	–	1	1	2	6	7	–	BRIGHTON.
PORTSMOUTH ..	214,726	10·4	15·5	12·4	13·6	1·0	111	56	6	30	–	–	1	1	–	2	–	1	6	16	–	PORTSMOUTH.
BOURNEMOUTH ..	72,368	11·5	7·2	15·9	8·6	–	22	12	1	6	–	–	–	–	–	–	–	–	–	1	–	BOURNEMOUTH.
SOUTHAMPTON ..	124,667	12·5	13·4	10·0	12·1	0·8	66	29	4	16	–	–	–	–	1	–	1	–	1	8	–	SOUTHAMPTON.
READING	82,995	10·1	10·7	5·0	8·2	–	30	13	2	6	–	–	–	–	–	–	–	–	–	2	1	READING.
NORTHAMPTON ..	97,752	10·1	13·9	13·3	14·4	3·2	35	27	6	7	–	6	–	–	–	–	–	–	–	4	–	NORTHAMPTON.
IPSWICH	74,889	11·8	13·2	15·3	17·4	2·1	37	25	5	6	–	1	–	1	1	–	–	2	2	7	–	IPSWICH.
GREAT YARMOUTH	53,430	17·6	12·7	14·6	17·6	–	23	18	3	7	–	–	–	–	–	–	–	1	1	3	–	GREAT YARMOUTH.
NORWICH	124,136	10·5	11·3	12·6	14·7	0·4	42	35	4	8	–	–	1	–	–	–	–	–	2	7	1	NORWICH.
PLYMOUTH	124,180	13·0	11·8	11·8	17·6	0·8	45	42	6	21	–	–	–	–	2	–	–	1	2	7	–	PLYMOUTH.
DEVONPORT	83,103	11·3	13·8	9·4	9·4	–	37	15	4	6	–	–	–	–	–	–	–	–	–	3	–	DEVONPORT.
BRISTOL	377,642	9·1	9·1	12·7	11·3	1·1	152	82	19	32	–	5	–	1	–	1	1	2	9	23	1	BRISTOL.
HANLEY	68,831	19·7	22·7	24·2	26·5	3·8	37	35	12	11	–	4	–	–	–	–	1	2	4	7	–	HANLEY.
BURTON-ON-TRENT	54,453	11·5	15·3	19·2	6·7	–	18	7	–	4	–	–	–	–	–	–	–	–	–	1	–	BURTON-ON-TRENT.
WOLVERHAMPTON..	104,633	7·0	15·0	13·0	13·5	0·5	41	27	6	7	–	1	–	–	–	–	–	–	–	8	–	WOLVERHAMPTON
WALSALL	99,399	10·0	15·2	17·8	18·9	1·0	50	36	11	9	–	–	–	–	2	–	–	–	3	7	–	WALSALL.
HANDSWORTH ..	70,186	8·2	6·7	9·7	11·1	0·7	13	15	1	5	–	–	–	–	1	–	–	–	–	1	–	HANDSWORTH.
WEST BROMWICH..	70,457	13·3	14·8	13·3	19·2	3·0	27	26	8	3	–	2	–	1	–	–	1	–	1	1	–	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

ended Saturday, 20th November, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 30th Oct., 1909.	6th Nov., 1909.	13th Nov., 1909.	20th Nov., 1909.	Rate from Diseases in Cols. 11-17. Week ended 20th November, 1909.	Registered during the Week ended 20th Nov. 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
BIRMINGHAM ..	563,629	11·3	12·8	12·4	13·7	1·3	253	148	34	50	-	1	7	-	6	-	-	3	4	33	8	BIRMINGHAM.
KINGS NORTON ..	81,632	9·6	10·2	8·9	12·8	-	24	20	7	3	-	-	-	-	-	-	-	-	1	2	-	KINGS NORTON.
SMETHWICK	70,377	8·9	15·6	12·6	18·5	-	38	25	7	10	-	-	-	-	-	-	-	1	2	5	-	SMETHWICK.
ASTON MANOR ..	85,257	9·2	12·2	9·8	18·3	1·8	29	30	12	8	-	-	-	-	-	-	3	-	2	3	-	ASTON MANOR.
COVENTRY	80,163	9·8	13·7	14·3	16·9	2·0	48	26	3	11	-	1	-	-	2	-	-	1	2	6	1	COVENTRY.
LEICESTER	244,255	10·9	11·5	10·7	13·4	0·6	101	63	13	24	-	-	-	-	3	-	-	3	6	10	-	LEICESTER.
GRIMSBY	73,036	17·1	18·6	12·9	14·3	0·7	50	20	6	6	-	-	-	-	-	1	-	1	3	3	-	GRIMSBY.
NOTTINGHAM ..	263,443	11·7	14·3	16·2	14·4	0·2	128	73	10	33	-	-	-	-	1	-	-	2	7	19	-	NOTTINGHAM.
DERBY	129,411	11·7	13·3	15·3	12·9	0·4	44	32	6	11	-	-	-	-	-	-	1	-	2	4	-	DERBY.
STOCKPORT	103,706	10·1	14·6	23·1	15·6	2·0	43	31	9	8	-	-	-	2	-	-	2	-	2	5	-	STOCKPORT.
BIRKENHEAD ..	121,123	15·5	15·9	16·8	21·1	1·3	79	49	15	15	-	2	-	-	1	-	-	2	6	9	-	BIRKENHEAD.
WALLASEY	71,004	14·0	14·0	11·7	14·0	-	35	19	2	10	-	-	-	-	-	-	-	-	1	2	-	WALLASEY.
LIVERPOOL	760,357	16·6	17·6	17·8	17·0	1·3	423	248	54	68	-	-	1	6	5	1	6	6	12	79	5	LIVERPOOL.
BOOTLE	69,393	14·3	12·8	20·3	21·8	0·8	42	29	5	7	-	-	1	-	-	-	-	3	3	7	-	BOOTLE.
ST. HELENS	95,161	11·5	13·2	18·6	20·8	1·1	60	38	12	7	-	-	-	-	1	1	-	1	1	6	2	ST. HELENS.
WIGAN	90,678	12·7	16·7	15·5	9·8	0·6	55	17	2	4	-	-	-	-	-	1	-	1	2	2	-	WIGAN.
WARRINGTON ..	72,276	14·4	13·0	13·0	18·8	2·2	31	26	10	4	-	-	-	2	-	1	-	-	-	4	-	WARRINGTON.
BOLTON	187,824	11·4	13·6	15·0	12·2	0·8	92	44	7	9	-	1	1	-	-	1	-	1	2	11	-	BOLTON.
BURY	59,234	7·0	19·4	12·3	20·2	2·6	22	23	3	12	-	-	2	1	-	-	-	1	1	5	-	BURY.
MANCHESTER ..	655,435	13·2	15·8	17·0	19·1	0·9	335	240	49	68	-	2	5	1	1	1	1	15	28	91	1	MANCHESTER.
SALFORD	241,950	14·4	14·0	16·8	15·5	1·5	131	72	27	19	-	1	1	2	-	-	3	-	4	16	-	SALFORD.
OLDHAM	143,301	17·5	16·7	16·4	16·4	0·4	67	45	16	13	-	-	-	-	-	-	1	1	3	5	1	OLDHAM.
ROCHDALE	89,653	12·2	13·4	15·7	17·4	0·6	37	30	7	8	-	-	1	-	-	-	-	3	6	3	1	ROCHDALE.
BURNLEY	106,267	12·3	18·2	14·2	16·2	1·0	45	33	9	8	-	-	-	-	-	1	1	-	-	7	-	BURNLEY.
BLACKBURN	136,959	13·7	11·4	19·0	14·1	0·8	48	37	6	11	-	-	-	-	-	-	2	1	2	3	1	BLACKBURN.
PRESTON	118,519	14·5	10·6	16·3	13·2	0·9	50	30	3	15	-	-	-	1	-	-	1	-	1	5	-	PRESTON.
BARROW-IN-FURNESS.	62,996	12·4	5·8	9·1	9·1	-	28	11	2	6	-	-	-	-	-	-	-	-	-	-	-	BARROW-IN-FURNESS.

* See note † on first page of this return.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 20th November, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1909.*	Death-Rates from all Causes. Week ended 20th Oct., 1909.	6th Nov., 1909.	13th Nov., 1909.	20th Nov., 1909.	Rate from Diseases in Cols. 11-17. Week ended 20th November, 1909.	Registered during the Week ended 20th Nov., 1909. Births.	Deaths.	The Deaths registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unverified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,739	15·4	16·0	9·9	16·5	0·6	44	30	2	12	-	-	-	-	1	-	-	1	2	4	-	HUDDERSFIELD.
HALIFAX	111,911	10·3	12·6	9·3	13·5	0·9	38	29	1	11	-	-	-	2	-	-	-	1	2	10	-	HALIFAX.
BRADFORD	293,983	12·2	13·1	10·8	13·3	0·7	86	75	8	24	-	-	-	3	-	1	-	2	7	20	-	BRADFORD.
LEEDS	484,012	11·3	11·7	13·6	12·9	0·9	209	120	18	35	-	1	-	1	2	3	1	9	17	19	-	LEEDS.
SHEFFIELD	470,958	12·3	9·9	12·2	13·2	0·3	232	119	32	34	-	1	1	-	-	-	1	2	6	23	4	SHEFFIELD.
ROTHERHAM.. ..	65,070	10·4	12·8	9·6	17·6	1·6	40	22	4	9	-	-	-	-	-	1	1	-	-	6	1	ROTHERHAM.
YORK	87,004	7·2	10·8	5·4	12·0	0·6	39	20	1	8	-	1	-	-	-	-	-	-	-	2	-	YORK.
HULL	275,552	12·1	13·4	14·0	16·8	0·9	147	89	17	31	-	-	-	1	2	-	2	2	8	24	-	HULL.
MIDDLESBROUGH ..	105,255	13·4	20·8	16·3	20·3	2·5	53	41	11	6	-	-	-	-	3	-	2	1	1	3	2	MIDDLESBROUGH.
STOCKTON-ON-TEES	53,417	13·7	12·7	12·7	12·7	-	21	13	2	2	-	-	-	-	-	-	-	1	2	3	1	STOCKTON-ON-TEES.
WEST HARTLEPOOL	79,686	7·2	13·1	3·9	11·8	0·7	33	18	4	4	-	-	-	-	-	1	-	-	-	4	1	WEST HARTLEPOOL.
SUNDERLAND ..	159,378	15·4	13·7	15·4	14·3	2·0	89	65	20	19	-	-	-	1	3	-	2	-	-	8	2	SUNDERLAND.
SOUTH SHIELDS ..	117,627	12·4	16·0	14·2	18·6	1·8	54	42	14	8	-	-	-	-	-	-	4	1	4	7	4	SOUTH SHIELDS.
GATESHEAD	131,024	12·7	15·1	18·3	13·1	1·6	60	33	13	9	-	-	-	1	2	-	1	1	1	6	-	GATESHEAD.
NEWCASTLE-ON-TYNE.	281,584	15·0	15·9	15·2	12·8	0·4	142	69	14	17	-	-	-	-	2	-	-	4	6	14	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH ..	55,808	8·4	13·1	13·1	14·0	0·9	35	15	8	3	-	-	-	-	-	-	1	-	1	2	-	TYNEMOUTH.
NEWPORT (MON.) ..	78,336	18·0	15·3	16·6	12·0	-	44	18	6	5	-	-	-	-	-	-	-	-	-	2	-	NEWPORT (MON.).
CARDIFF	195,303	6·7	11·2	12·3	13·6	0·3	80	51	6	18	-	-	-	-	-	-	1	3	5	12	-	CARDIFF.
RHONDDA	135,894	12·7	12·7	15·7	12·3	0·8	95	32	12	7	-	1	-	1	-	-	-	-	-	3	-	RHONDDA.
MERTHYR TYDFIL..	78,365	17·3	15·3	18·0	23·3	2·7	43	35	13	3	-	-	-	1	1	-	2	2	2	4	-	MERTHYR TYDFIL.
SWANSEA	98,308	15·9	16·4	16·4	24·9	0·5	50	47	7	17	-	1	-	-	-	-	-	-	-	14	-	SWANSEA.
GREATER LONDON	7,429,740	11·1	12·4	12·6	13·2	0·8	3368	1884	380	633	-	15	9	23	31	1	31	69	189	673	2	GREATER LONDON.
OUTER RING ..	2,595,802	9·6	10·3	10·2	10·5	0·7	1195	521	111	181	-	3	6	10	11	-	7	18	55	100	2	OUTER RING.
8 TOWNS IN OUTER RING.	1,284,152	8·8	8·7	9·9	10·1	0·7	566	249	50	77	-	1	3	3	6	-	5	8	27	11	2	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,311,650	10·4	11·9	10·5	10·8	0·8	629	272	61	104	-	2	3	7	5	-	2	10	28	59	-	REMAINDER OF OUTER RING.
EDINBURGH	355,366	12·0	12·5	13·9	14·8	0·9	139	141	20	31	-	2	1	2	-	-	1	3	?	28	6	EDINBURGH.
GLASGOW	872,021	13·1	18·2	17·9	24·9	3·6	353	416‡	84	87	-	34	7	7	10	-	3	13	?	110	13	GLASGOW.
DUBLIN (Registration Area).†	398,356	18·6	18·6	21·7	23·6	0·8	238	180	29	64	-	-	-	2	2	-	2	6	10	76	4	DUBLIN (Registration Area).†
BELFAST†	386,576	15·6	15·6	17·5	18·1	0·9	180	134	28	38	-	-	1	-	4	-	2	2	4	23	-	BELFAST†

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FORTY-SIXTH Week of each of the Eleven Years, 1899–1909.

	1899	1900	1901	1902	1903	1904	1905	1906	1907	1908	Corrected Weekly Average in 5 Years 1904–1908.*	1909
TOTAL **Births** -	2674	2323	2574	2679	2331	2455	2298	2390	2342	2189	2390·3	2173
Males - - -	1357	1133	1350	1401	1212	1242	1153	1205	1168	1159	1213·6	1090
Females - -	1317	1190	1224	1278	1119	1213	1145	1185	1174	1030	1176·7	1083
TOTAL **Deaths** -	1528	1505	1744	1558	1473	1505	1552	1391	1326	1418	1472·6	1363
Males - - -	769	815	870	797	767	784	776	697	667	739	750·0	685
Females - -	759	690	874	761	706	721	776	694	659	679	722·6	678

* The numbers in this column are the average weekly numbers in the Forty-Sixth week of the five years 1904-1908, raised by 2·375 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	13 Weeks.
TOTAL **Births** -	2386	2317	2096	2223	2220	2057	2292	2243	2221	2087	2361	2291	2173	28967
TOTAL **Deaths** -	1153	1149	1139	1151	1126	1079	1127	1114	1067	1107	1246	1285	1363	15106
Ages at Death: Under 1 year -	338	336	349	309	301	260	273	276	266	260	277	264	239	3778
1—5 years -	122	114	104	109	108	80	98	93	93	100	82	105	109	1327
5—20 " -	57	45	52	68	56	71	50	54	62	49	67	65	85	781
20—40 " -	147	137	130	147	131	115	129	140	134	145	157	165	164	1841
40—60 " -	200	230	199	221	251	231	200	228	213	231	277	243	284	3073
60 yrs. & upwds.	289	287	305	297	279	322	317	318	294	322	586	438	452	4306
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	1	-	-	-	-	-	-	1
Measles - - -	12	10	8	5	5	3	6	10	7	9	5	8	12	100
Scarlet Fever - -	6	2	5	2	8	10	10	10	3	5	6	8	3	78
Diphtheria - -	5	9	8	7	15	13	4	10	9	15	13	9	13	130
Whooping-cough -	15	27	26	13	14	14	21	9	8	7	12	16	20	202
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	1	2	2	1	2	4	2	7	5	3	7	2	1	39
Pyrexia (origin uncertain).	-	-	-	1	-	-	-	-	-	-	-	-	-	1
Diarrhœa, Dysentery	159	139	154	129	114	74	60	48	34	28	34	16	24	1013
All above diseases -	198	189	203	158	158	118	104	94	66	67	77	59	73	1564
Dis. of Resp. System	41	35	48	51	57	60	73	64	63	79	120	137	149	977
Pneumonia - -	62	68	57	79	92	72	113	103	111	114	110	151	134	1266
Phthisis - - -	104	109	90	101	115	112	103	98	100	120	148	135	132	1467
Dis. of Circ. System -	137	137	145	151	129	147	147	151	158	170	175	166	199	2012
Violence - - -	56	51	37	43	37	45	35	47	43	31	45	59	51	580
Inquest Cases - -	131	125	90	113	89	92	108	109	106	102	119	135	134	1453
Deaths in Institutions	464	495	489	480	539	509	513	479	486	476	529	532	573	6564
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	58·1	54·5	54·5	55·3	56·3	53·1	55·8	56·4	55·7	41·9	47·1	42·3	38·7	51·5
Mean of Highest -	67·8	64·5	63·1	62·9	65·5	60·1	64·6	63·3	62·1	47·9	53·0	48·8	43·5	59·0
Mean of Lowest -	51·1	46·3	47·3	49·4	48·4	47·4	47·5	49·8	50·1	34·9	41·4	34·8	34·0	44·8
Mean Humidity of the Air.	83	75	83	86	87	94	81	84	88	86	90	82	85	85
Rain-fall (in inches) -	0·70	0·30	0·32	0·58	0·57	0·72	1·01	0·59	0·46	1·87	0·15	0·03	0·28	7·58
Registered Sunshine (in hours).	30·2	41·7	35·0	20·9	27·7	6·0	33·7	22·5	16·7	13·9	20·1	22·2	14·0	304·6
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	-	-	-	-	-	-	-	2	2	2	3	4	5	1
Scarlet Fever - -	2347	2377	2436	2553	2686	2737	2745	2810	2799	2743	2716	2624	2606	2629
Diphtheria - - -	798	831	843	832	857	908	928	955	991	961	1092	972	949	910
Typhus - - -	-	-	-	-	-	-	-	-	-	1	1	1	-	0
Enteric Fever - -	55	62	68	67	78	75	82	85	87	79	82	79	74	75

* The Metropolitan Asylums Board and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8**.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lander, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq. F.R.Met.Soc., Hull; the Meteorological Committee, Tynemouth; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the FORTY-SIXTH Week of the Year 1909.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 46th week of the 5 years 1904–1908.	1909—Deaths of Persons of the Ages: All Ages.	Under 20: 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1472·6	1363	269	109	85	164	284	452
Small-pox*	–	–	–	–	–	–	–	–
Cowpox	–	–	–	–	–	–	–	–
Measles (Morbilli)	26·8	12	2	10	–	–	–	–
Scarlet Fever	8·4	3	–	2	1	–	–	–
Typhus	–	–	–	–	–	–	–	–
Plague	–	–	–	–	–	–	–	–
Influenza	13·3	16	–	–	–	3	8	5
Whooping-cough	14·1	20	4	15	1	–	–	–
Diphtheria	20·3	13	–	7	6	–	–	–
Cerebro-spinal Fever ..	–	–	–	–	–	–	–	–
Pyrexia† (origin uncertain)	–	–	–	–	–	–	–	–
Enteric Fever	8·4	1	–	–	1	–	–	–
Asiatic Cholera	–	–	–	–	–	–	–	–
Epidemic Diarrhœa, Infective Enteritis	14·1	5	2	2	–	–	1	–
Diarrhœa, Dysentery ..	14·9	19	13	2	–	–	4	–
Tetanus	1·4	1	1	–	–	–	–	–
Rabies, Hydrophobia ..	–	–	–	–	–	–	–	–
Glanders	0·4	–	–	–	–	–	–	–
Anthrax (Splenic Fever)..	0·2	–	–	–	–	–	–	–
Venereal Dis.	8·6	12	9	–	–	1	2	–
Puerperal Septicæmia ..	2·7	2	–	–	–	2	–	–
Puerperal Pyæmia.. .	–	–	–	–	–	–	–	–
Puerperal Fever	1·0	2	–	–	–	2	–	–
Infective Endocarditis ..	4·1	2	1	–	–	–	1	–
Pneumonia: Lobar ..	15·2	19	–	1	2	3	9	4
Pneumonia: Broncho ..	85·0	59	33	15	5	1	1	4
Pneumonia: Epidemic ..	–	–	–	–	–	–	–	–
Pneumonia: Not defined	70·2	56	11	6	1	7	15	16
Erysipelas	3·5	3	1	–	–	–	–	2
Septicæmia (not Puerperal) ..	1·4	1	–	–	1	–	–	–
Pyæmia (not Puerperal)	1·0	1	1	–	–	–	–	–
Other Infective Processes	4·9	4	–	–	–	1	2	1
Tuberculous Phthisis ..	100·9	98	–	2	8	46	37	5
"*Phthisis*"	59·0	34	–	–	4	18	7	5
Tuberculous Meningitis ..	17·2	22	4	12	5	1	–	–
Tuberculous Peritonitis ..	8·8	8	6	–	1	1	–	–
Tabes Mesenterica	1·4	1	–	1	–	–	–	–
Tuberculous Dis., Other ..	19·9	11	2	4	1	3	–	1
Scrofula..	0·2	–	–	–	–	–	–	–
Alcoholism	8·0	5	–	–	–	–	3	2
Rheumatic Fever	5·9	4	–	–	4	–	–	–
Gout	2·7	1	–	–	–	–	1	–
Carcinoma	57·5	72	–	–	–	3	31	38
Sarcoma	4·7	6	–	1	1	–	1	3
Cancer (undefined) ..	38·5	42	–	–	–	2	17	23
Diabetes Mellitus	8·8	10	–	–	–	3	3	4
Premature Birth	47·1	53	53	–	–	–	–	–

CAUSES OF DEATH.	Corrected Average for the 46th week of the 5 years 1904–1908.	1909—Deaths of Persons of the Ages: All Ages.	Under 20: 0–1.	1–5.	5–20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)..	11·9	7	2	1	3	–	–	1
Gen. Par. of Insane, Insanity	14·9	13	–	–	1	1	8	3
Epilepsy	5·5	5	1	–	–	1	1	2
Convulsions	19·0	11	10	1	–	–	–	–
Locomotor Ataxy.. ..	2·0	2	–	–	–	–	2	–
Paraplegia, Dis. of Cord.	5·1	5	–	–	–	–	3	2
Nervous Sys., Other Dis.	18·2	20	–	1	3	4	3	9
Valv. Dis., Endocarditis..	50·2	55	–	–	4	12	15	24
Cereb. Hæm. Cereb. Emb.	34·4	41	–	–	–	2	9	30
Apoplexy, Hemiplegia ..	15·4	8	–	–	–	–	–	8
Aneurysm	5·3	4	–	–	–	–	4	–
Embolism, Thrombosis (not Cerebral) ..	1·8	2	–	–	–	–	–	2
Heart & Blood Ves., Other Dis... ..	89·1	89	–	–	7	6	23	53
Croup (not Spasm: nor Memb.)	0·6	–	–	–	–	–	–	–
Bronchitis	139·0	123	39	4	–	1	11	68
Emphysema, Asthma ..	5·5	9	–	–	–	–	5	4
Pleurisy	3·5	7	–	2	–	2	3	–
Respiratory Dis., Other..	10·9	10	2	1	2	–	2	3
Tonsillitis, Quinsy.. ..	0·6	–	–	–	–	–	–	–
Enteritis (not Epid.) ..	12·9	11	7	–	–	1	2	1
Gastro-enteritis	6·8	6	3	2	–	–	–	1
Peritonitis (not Puerp.) ..	3·1	3	–	–	2	–	–	1
Cirrhosis of Liver.. ..	12·5	10	–	–	–	–	7	3
Liver Dis., Other	6·1	5	1	–	–	–	2	2
Digestive Sys., Other Dis.	37·1	37	6	2	4	5	3	17
Acute Nephritis	8·8	9	–	1	1	3	1	3
Bright's Dis., Albuminuria	39·5	40	–	–	2	7	15	16
Urinary Sys., Other Dis.	10·4	10	–	–	–	–	4	6
Generative Organs Dis...	4·7	6	–	–	–	2	2	2
Childbirth (Accid. of) ..	3·1	5	–	–	–	4	1	–
Old Age	50·0	59	–	–	–	–	–	59
Other Diseases	87·5	82	43	8	7	11	5	8
ACCIDENT.								
By Railways	1·6	1	–	–	–	–	1	–
By Vehicles and Horses..	5·7	5	–	–	4	1	–	–
In Ships, Boats, Docks, (exclusive of Drowning)	0·6	–	–	–	–	–	–	–
In Building Operations..	1·8	–	–	–	–	–	–	–
In Conflagrations	0·8	–	–	–	–	–	–	–
By Burns, Scalds, Explosions	6·1	6	1	3	1	–	1	–
By Drowning	3·7	1	–	–	–	–	1	–
By Suffocation in Bed ..	8·4	8	8	–	–	–	–	–
By Poisons or Poisonous Vapours	3·3	1	–	–	–	–	1	–
Other Deaths by Accident..	14·1	20	2	3	2	1	3	9
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	0·6	2	1	–	–	1	–	–
Suicide	9·8	7	–	–	–	2	3	2
Execution	0·2	–	–	–	–	–	–	–

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 20th November, 1909.

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia† (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified causes of Death.
LONDON	4,536,267	2173	1363	269	452	-	12	3	13	20	-	1	-	24	51	134	573	-
WEST DISTRICTS	805,311	274	241	47	85	-	1	-	1	3	-	-	-	4	15	27	101	-
NORTH DISTRICTS	1,055,908	498	282	42	112	-	2	1	3	2	-	-	-	1	12	27	127	-
CENTRAL DISTRICTS	209,465	94	57	13	16	-	1	-	-	1	-	-	-	-	3	7	35	-
EAST DISTRICTS	715,739	418	242	57	70	-	6	-	1	6	-	-	-	4	5	27	119	-
SOUTH DISTRICTS	1,749,844	889	512	110	161	-	2	2	8	8	-	1	-	11	16	46	162	-
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	29	-	8	-	-	-	-	-	-	-	-	4	-	-	29	-
WEST DISTRICTS.																		
North Paddington *H*	63,603	29	10	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Central Paddington *W,3H*	50,053	14	30	6	11	-	-	-	-	-	-	-	-	2	1	1	21	-
South Paddington	30,320	4	6	-	3	-	-	-	-	-	-	-	-	-	-	2	-	-
Kensington Town *2W,w,2H* ..	128,037	43	51	11	16	-	-	-	-	-	-	-	-	-	4	7	26	-
Brompton *2H*	48,591	7	10	-	1	-	-	-	-	-	-	-	-	-	2	3	1	-
North Hammersmith *2W,w,H* ..	49,192	25	22	6	11	-	1	-	-	1	-	-	-	1	1	3	6	-
South Hammersmith *w,2H* ..	63,047	27	13	4	3	-	-	-	-	-	-	-	-	-	3	4	5	-
North-west Fulham *W*	45,180	34	15	3	4	-	-	-	-	-	-	-	-	1	1	1	9	-
North-east Fulham *F*	46,405	17	14	3	7	-	-	-	1	1	-	-	-	-	2	3	1	-
South Fulham *W*	45,704	15	7	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Chelsea North *W,w,3H*	42,514	9	20	3	12	-	-	-	-	-	-	-	-	-	1	1	16	-
Chelsea South *W,2H*	31,328	11	10	2	4	-	-	-	-	-	-	-	-	-	-	-	2	-
Mayfair and Knightsbridge	28,743	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave *W,2H*	55,815	15	18	1	5	-	-	-	-	-	-	-	-	-	-	1	8	-
St. Margaret & St. John *6H*	43,698	19	11	4	3	-	-	-	-	-	-	-	-	-	-	-	6	-
St. James and St. Anne *W,6H* ..	33,081	2	2	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
NORTH DISTRICTS.																		
All Souls Marylebone *7H*	35,391	17	15	3	1	-	-	-	-	-	-	-	-	-	1	1	10	-
St. Mary Marylebone *W,4H* ..	37,948	52	9	1	5	-	-	-	-	-	-	-	-	-	-	1	2	-
Christchurch Marylebone	39,536	15	7	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-
St. John Marylebone *2H*	20,426	4	4	-	3	-	-	-	-	-	-	-	-	-	-	1	-	-
Hampstead *W,F,6H*	81,942	19	19	3	6	-	-	-	2	-	-	-	-	1	1	2	13	-
West St. Pancras *2H*	60,562	33	15	2	8	-	-	-	-	-	-	-	-	-	-	-	4	-
South St. Pancras *w,10H*	55,707	16	23	5	8	-	-	-	-	-	-	-	-	-	-	2	16	-
East St. Pancras *W,H*	60,320	26	25	3	15	-	-	-	-	-	-	-	-	-	1	1	14	-
North St. Pancras *2W*	58,728	18	12	2	5	-	-	-	-	-	-	-	-	-	-	-	4	-
Tufnell *W*	31,995	17	25	2	7	-	-	-	-	-	-	-	-	-	2	2	19	-
Upper Holloway *2W,w,H*	33,978	16	25	3	8	-	-	-	-	1	-	-	-	-	1	2	19	-
Tollington *W,w,H*	33,922	13	11	2	5	-	-	-	-	-	-	-	-	-	1	2	-	-
Lower Holloway	41,424	23	5	3	2	-	-	-	-	-	-	-	-	-	1	1	-	-
Barnsbury	54,478	38	12	3	5	-	-	-	-	1	-	-	-	-	-	2	-	-
Islington South-east *F*	75,397	38	9	1	3	-	-	-	-	-	-	-	-	-	-	1	-	-
Highbury *2H*	63,797	24	9	1	5	-	-	-	-	-	-	-	-	-	-	1	1	-
Stoke Newington *H*	51,247	22	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
North Hackney	50,398	13	8	1	3	-	-	-	-	-	-	-	-	-	-	1	-	-
Central Hackney *w,F*	50,536	27	10	1	3	-	-	1	1	-	-	-	-	-	-	-	6	-
South-west Hackney *3H*	59,921	37	14	1	6	-	1	-	-	-	-	-	-	-	-	2	3	-
South-east Hackney *2W,H*	58,255	30	21	2	12	-	1	-	-	-	-	-	-	-	3	4	15	-
Hackney Union Workhouse, Brentwood	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c. registered in each SUB-DISTRICT during the Week ended Saturday, 20th November, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
St. Giles and Bloomsbury 2*W*,2*H* ..	31,436	16	3	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Strand *W*,4*H*	21,674	2	9	1	2	-	-	-	-	-	-	-	-	-	-	-	7	-
Strand Union Workhouse, Edmonton	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Holborn *W*,5*H*	29,612	12	12	3	2	-	-	-	-	-	-	-	-	-	-	-	11	-
Clerkenwell *H*	63,704	35	7	2	3	-	-	-	-	-	-	-	-	-	1	4	-	-
St. Luke 3*H*,*L*	36,116	27	6	1	1	-	-	-	-	-	-	-	-	-	1	1	2	-
Holborn Union Workhouse, Mitcham	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
St. Botolph *H*	10,299	2	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	-	14	3	4	-	-	-	-	1	-	-	-	-	1	2	10	-
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
Shoreditch South 3*H*	46,362	24	8	3	1	-	1	-	-	-	-	-	-	1	1	1	1	-
Shoreditch North-West *W*,*w*,*H* ..	36,127	28	24	5	10	-	-	-	-	-	-	-	-	-	-	4	19	-
Shoreditch North-East	36,148	16	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	41	28	12	8	-	-	-	-	-	-	-	-	1	1	2	19	-
Bethnal Green South-West *H* ..	64,542	42	17	8	4	-	1	-	-	-	-	-	-	-	1	5	1	-
Spitalfields..	27,969	12	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Mile End New Town *W*,*H*	28,718	27	42	2	11	-	-	-	1	-	-	-	-	-	2	5	38	-
Goodman's Fields	22,081	10	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George and St. John 2*W* ..	49,068	26	6	3	1	-	-	-	-	-	-	-	-	-	-	1	4	-
Shadwell and Ratcliff *w*,*H* ..	25,568	15	9	3	3	-	-	-	-	-	-	-	-	1	-	2	4	-
Limehouse *W*	32,369	16	9	3	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Mile End Old Town South-Western *H*	63,698	45	14	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Mile End Old Town North-Eastern *W*,*w*	49,129	22	29	5	12	-	2	-	-	1	-	-	-	-	-	1	12	-
Bow	41,989	22	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Bromley 3*w*,*H*	68,319	44	28	5	7	-	-	-	-	1	-	-	-	1	-	2	18	-
Poplar *W*,*w*	58,514	28	17	4	4	-	-	-	-	4	-	-	-	-	-	3	3	-
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c. registered in each SUB-DISTRICT during the Week ended Saturday, 20th November, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch and St. Saviour Southwark *W,2H*	23,319	11	17	1	3	-	-	-	-	1	-	1	-	-	2	2	12	-
Kent-road	21,904	7	5	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-
St. George the Martyr West *W,2H,L*	39,094	18	7	3	1	-	-	-	-	1	-	-	-	-	-	-	4	-
Newington North	49,022	25	9	2	1	-	-	-	-	-	-	-	-	-	-	3	-	-
Newington South *W*	72,841	48	15	5	3	-	-	-	-	-	-	-	-	-	-	1	3	-
St. Olave *2W*	9,817	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Bermondsey *W*	82,483	49	14	6	4	-	-	-	-	-	-	-	-	2	-	1	-	-
Rotherhithe *W,F*	38,460	17	17	4	6	-	-	-	-	-	-	-	-	-	-	-	10	-
Waterloo *2H*	27,440	31	8	4	1	-	-	-	-	-	-	-	-	1	-	-	4	-
Lambeth Church *H*	27,440	8	20	1	3	-	-	-	-	-	-	-	-	1	-	2	17	-
Kennington *2W*	52,518	37	23	4	10	-	-	-	-	-	-	-	-	2	-	2	17	-
Stockwell *HF*	63,826	22	18	3	4	-	-	-	3	1	-	-	-	1	-	1	3	-
Brixton *H*	73,673	25	15	3	5	-	-	-	-	-	-	-	-	-	-	2	-	-
Norwood *2WH*	56,998	19	11	3	3	-	-	-	-	-	-	-	-	-	2	3	-	-
East Battersea *H*	72,203	23	8	1	4	-	-	-	-	-	-	-	-	-	-	1	1	-
North-west Battersea	49,656	27	7	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-
South-west Battersea *2W,H*	47,048	11	37	6	18	-	-	-	-	-	-	-	-	-	2	6	18	-
Clapham *2H*	51,361	22	15	-	7	-	-	-	-	-	-	-	-	-	-	1	-	-
Streatham *W,2w,2F,2L*	88,019	59	24	1	17	-	-	-	-	-	-	-	-	-	-	-	8	-
Springfield *2W,L*	27,959	14	4	1	1	-	-	-	-	2	-	-	-	-	-	-	1	-
Southfields *H*	40,444	19	8	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Putney	24,139	12	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich	13,359	11	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	17	15	1	5	-	-	-	-	-	-	-	-	1	-	-	10	-
Camberwell North *W,2L*	65,584	27	32	9	7	-	-	-	-	-	-	-	-	-	-	3	17	-
St. George	47,331	27	7	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Peckham North	48,913	35	15	4	4	-	-	-	-	-	-	-	-	-	2	2	-	-
Peckham South *2W,w*	43,946	22	15	2	6	-	-	-	1	-	-	-	-	-	1	3	-	-
Deptford North	37,613	24	14	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Deptford Central *F*	45,481	39	12	5	-	-	1	-	1	-	-	-	-	1	1	4	1	-
Deptford South	34,625	10	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *H*	23,456	9	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Greenwich East *2W,H*	43,859	24	25	6	7	-	-	-	-	-	-	-	-	1	-	-	13	-
Eltham *w,H*	7,226	3	5	1	2	-	-	-	-	-	-	-	-	1	-	-	-	-
Lee *w,H*	25,490	8	4	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Lewisham *2W,w,F*	58,352	44	27	7	10	-	-	1	1	-	-	-	-	-	3	3	12	-
Sydenham *H*	43,653	29	7	1	2	-	-	-	-	-	-	-	-	-	2	3	-	-
Charlton *F,2H*	21,134	7	10	-	4	-	-	1	2	-	-	-	-	-	-	-	6	-
Woolwich *5H*	41,625	21	11	2	6	-	-	-	-	-	-	-	-	-	-	1	-	-
Plumstead West *W,H*	39,376	11	6	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-
Plumstead East *2W*	28,951	11	10	3	4	-	-	-	-	-	-	-	-	-	-	-	3	-
Workhouses:—																		
Belmont Workhouse	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Small-pox Hospitals:—																		
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																		
Gore Farm (temporary)	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
North-Eastern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																		
Children's Infirmary, Carshalton	—	-	4	-	-	-	-	-	-	-	-	-	-	1	-	-	4	-
M. A. B. Imbecile Asylums:—																		
Caterham	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
Darenth	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Leavesden	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
London County Lunatic Asylums:—																		
Banstead	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Manor	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Long Grove	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
Cane Hill	—	-	3	-	1	-	-	-	-	-	-	-	-	2	-	-	3	-
Dartford Heath	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hanwell	—	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Colney Hatch	—	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	5	-
Claybury	—	-	3	-	1	-	-	-	-	-	-	-	-	1	-	-	3	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERATED POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 20th November, 1909.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING ..	368,603	2,045,135	1195	521	111	181	-	3	6	10	11	-	7	18	55	100	2
30 : 1	Carshalton 2F,3H	12,228	32,997	22	5	1	1	-	-	-	-	-	-	-	-	-	1	-
2	Epsom, part of* W,w,2F,H..	10,423	15,548	7	4	-	1	-	-	-	-	-	-	-	1	1	1	-
37 : 1	Godstone, part of* W,F,L ..	2,754	2,692	3	2	-	1	-	-	-	-	-	-	-	-	-	1	-
38 : 1	Coulsdon	11,069	8,166	5	1	-	-	-	-	1	-	-	-	-	-	-	-	-
2	South Croydon w,H ..	4,200	49,309	19	4	1	3	-	-	-	-	-	-	-	-	-	-	-
3	West Croydon 3W,F,H ..	2,168	42,888	32	18	4	5	-	-	-	-	-	-	1	2	3	7	-
4	North Croydon H	2,644	41,698	22	11	1	6	-	-	-	-	-	-	-	2	3	2	-
5	Penge w	770	22,465	6	4	2	1	-	-	-	-	-	-	-	-	-	-	-
6	Mitcham w	11,711	30,015	33	8	2	4	-	1	-	-	1	-	-	-	-	-	-
39 : 1	Wimbledon F,3H	3,221	41,652	20	6	1	2	-	-	-	-	-	-	-	-	1	-	-
2	Kingston 2W,H	6,224	42,068	21	14	3	6	-	-	-	-	-	-	1	-	1	9	-
3	Surbiton F,H	3,046	15,017	8	1	-	1	-	-	-	-	-	-	-	-	-	-	-
4	Esher, part of* H	5,402	13,100	9	1	-	1	-	-	-	-	-	-	-	-	-	-	-
5	Hampton H,F,L	4,564	23,456	15	5	1	2	-	-	-	-	-	-	-	-	-	1	-
40 : 1	Richmond W,H	2,491	31,672	8	9	2	2	-	-	-	-	-	-	-	1	2	-	-
2	Mortlake F	2,518	17,821	8	6	1	3	-	-	-	-	1	-	-	-	1	-	-
41 : 1	Bromley F,3H	4,703	27,354	19	7	5	2	-	-	-	-	-	-	-	-	-	-	-
2	Beckenham H	7,825	28,497	14	7	-	6	-	-	-	-	-	-	-	-	1	-	-
3	Orpington, part of* W,F ..	10,113	9,857	3	4	-	3	-	-	-	-	-	-	-	-	-	3	-
4	Chislehurst 2H	7,333	16,446	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
42 : 1	Bexley w,F,H	8,678	21,151	14	3	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Erith F,H	3,854	25,236	11	3	1	1	-	-	-	-	-	-	-	-	-	-	-
3	Dartford W,F, part of* ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124 : 1	Sunbury w	11,054	18,683	10	2	1	-	-	-	-	-	1	-	-	-	-	-	-
2	Staines W,H	13,277	15,178	5	3	-	2	-	-	-	-	-	-	-	-	-	1	-
125 : 1	Hillingdon W,F,H	6,035	13,661	5	7	1	2	-	-	1	-	-	-	-	1	1	2	-
2	Uxbridge H	12,757	8,984	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w 2F,H	8,066	16,358	16	3	-	-	-	-	-	1	-	-	-	-	-	1	-
126 : 1	Isleworth 3W,3F,H	6,859	30,863	25	13	2	8	-	-	-	-	-	-	-	-	1	7	-
2	Twickenham F,2H	2,421	20,991	11	7	2	2	-	-	-	1	-	-	-	-	-	-	-
3	Brentford 3F,2H	4,319	48,289	31	6	2	3	-	-	-	-	-	-	-	-	-	-	-
4	Chiswick H	1,249	29,809	8	7	-	4	-	-	-	-	-	-	-	-	-	-	-
5	Acton w,F,3H	6,132	48,914	37	10	6	1	-	-	-	-	1	-	1	1	3	-	-
127A: 1	Harrow F,H	13,809	25,523	18	6	1	3	-	-	-	-	-	-	-	1	1	-	-
2	Edgware 2F,2H	6,994	4,521	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-
3	Hendon W,F	8,382	22,450	11	3	1	-	-	-	-	-	-	-	-	-	-	2	-
127B: 1	Willesden W,F,2H	4,384	114,811	77	28	7	8	-	-	-	-	1	-	-	1	5	1	1
128 : 1	South Mimms 2F,H ..	17,755	7,308	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,970	7	5	-	4	-	-	-	-	-	-	-	-	-	1	-
3	Finchley F,3H	4,668	33,692	20	9	2	3	-	-	-	1	-	-	-	-	2	2	-
129 : 1	Hornsey F,H	2,875	72,056	29	12	2	4	-	1	1	-	-	-	-	1	1	-	-
2	Wood Green H	1,625	34,233	30	5	-	3	-	-	-	-	-	-	-	-	-	1	-
3	West Tottenham	995	48,741	27	9	2	5	-	-	-	-	2	-	-	-	2	-	-
4	East Tottenham 2H ..	2,019	53,962	31	16	5	3	-	-	-	1	-	-	-	-	1	2	-
5	Edmonton W,w,2F	7,491	61,892	53	25	8	6	-	-	-	3	-	-	-	1	3	3	-
6	Enfield 2W,F,H	12,601	42,738	27	14	2	4	-	1	1	-	-	-	-	1	2	2	-
7	Waltham Abbey F	11,017	6,549	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	10	2	1	-	-	-	-	-	-	-	-	-	1	-	-
135 : 1	Hatfield, part of* W ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey, part of* H ..	9,195	7,051	5	2	-	-	-	-	-	-	-	-	-	1	1	-	-
2	Watford, part of* W,2F ..	138	2,122	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
186 : 1	Stratford H	1,091	52,974	18	15	5	4	-	-	-	-	-	-	1	-	1	2	-
2	Forest Gate	787	52,745	24	16	1	9	-	-	-	1	-	-	-	-	-	-	-
3	Plaistow F,2H	1,249	90,931	57	24	6	7	-	-	2	-	-	-	1	-	1	1	1
4	Canning Town H	1,556	70,718	45	9	2	1	-	-	-	-	-	-	1	1	1	-	-
5	South East Ham 2F ..	1,991	37,342	33	11	4	2	-	-	-	-	-	-	-	1	1	-	-
6	North East Ham w,H ..	1,333	58,666	40	16	4	6	-	-	-	-	1	-	-	-	2	-	-
7	Wanstead F	1,679	9,170	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-
8	South Leyton 2W	631	50,467	17	15	-	7	-	-	-	-	-	-	-	-	2	7	-
9	North Leyton 2W,w,F ..	1,963	48,445	34	31	2	8	-	-	-	1	1	-	-	1	3	20	-
10	Walthamstow 2H,L ..	6,504	108,929	68	19	7	4	-	-	-	-	1	-	1	1	3	1	-
187 : 1	Chigwell 2F,3H	11,778	16,397	5	2	-	2	-	-	-	-	-	-	-	-	-	-	-
2	Epping W,F, part of* ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189 : 1	Romford, part of* W,2F ..	6,556	6,091	5	8	1	5	-	-	-	-	-	-	-	-	-	5	-
2	Ilford F,L	8,496	41,244	28	16	4	6	-	-	-	-	1	-	-	-	3	2	-
3	Barking Town F	3,805	21,547	9	5	2	-	-	-	-	1	-	-	-	-	-	1	-
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	London County Lunatic Asylum (Manor Asylum), Epsom.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Surrey County Lunatic Asylum, Brookwood.	—	—	-	4	-	1	-	-	-	-	-	-	-	-	-	4	-
	Kent County Lunatic Asylum, Maidstone.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Essex County Lunatic Asylum, Brentwood.	—	—	-	4	-	1	-	-	-	-	-	-	-	-	-	4	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30 : 2, excepting Ashtead parish; 37 : 1, Warlingham and Farley parishes; 39 : 4, excepting Esher parish; 41 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135 : 1, Northaw parish; 137 : 1, excepting the part in Watford Rural parish; 137 : 2, Oxhey parish; 189 : 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42 : 3, 137 : 2 and 187 : 2 and in the Croydon Mental Hospital in 37 : 1 are also included

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox	Measles.	Scarlet Fever	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON - -	4,833,938	November 20	2173	1363	14·7	-	12	3	13	20	1	24
CALCUTTA - -	1,009,008	October 16	-	435	22·4	-	2	-	1	-	77†	46‡
BOMBAY - -	982,000	" 26	462	504	26·8	-	-	-	-	-	65†	37
MADRAS - -	548,974	" 22	422	380	38·7	2	4	?	?	?	103	53
PARIS - - -	2,760,000	November 13	893	902	17·2	-	2	1	6	2	4	32
BRUSSELS - -	704,975	" 13	210	199	14·7	-	2	1	1	2	3	14
ANTWERP - -	314,135	" 13	130	66	10·9	-	-	-	-	-	-	10
AMSTERDAM -	565,553	" 13	276	141	13·0	-	4	-	-	3	-	4
COPENHAGEN -	448,000	" 13	245	105	12·2	-	-	-	-	-	1	2
STOCKHOLM -	339,582	" 6	163	85	13·0	-	-	-	1	-	-	1
CHRISTIANIA -	235,674	" 13	135	57	12·6	-	1	-	2	-	-	1
ST. PETERSBURG	1,573,000	" 6	841	604	20·0	9	21	10	15	12	7	61‡
MOSCOW - -	1,452,100	" 6	-	633	24·5	1	8	42	30	7	9	99
BERLIN - -	2,108,830	October 30	780	590	14·6	-	2	10	19	5	3	48
HAMBURG - -	872,252	November 13	-	240	14·3	-	-	3	7	1	-	18
BRESLAU - -	502,676	" 6	-	183	19·5	-	-	1	4	4	-	30
MUNICH - -	566,000	" 13	-	187	17·2	-	3	1	3	2	-	23
VIENNA - -	2,064,037	" 13	714	556	13·9	-	2	1	6	-	2	46
PRAGUE - -	485,057	" 13	178	134	14·1	-	2	1	2	-	-	17
BUDAPEST - -	823,215	" 6	360	322	20·3	-	1	2	10	2	8	28
TRIESTE - -	217,706	" 13	126	86	20·3	-	-	-	-	-	-	6
ROME - - -	565,323	August 7	256	198	18·0	-	4	-	2	-	2	32
VENICE - -	179,286	October 2	74	63	18·3	-	-	-	-	-	1	6
BUCAREST - -	296,585	" 23	190	157	27·6	-	-	3	-	-	2	20
NEW YORK -	4,564,792	" 30	2223	1258	14·4	1	6	8	29	2	21	92
CHICAGO - -	2,224,490	" 30	-	586	13·7	-	-	4	19	2	5	42
PHILADELPHIA -	1,565,569	" 16	-	409	13·5	-	1	-	7	-	4	39
RIO DE JANEIRO	637,089	" 3	-	-	-	-	-	-	-	-	-	?
CAIRO:—												
Egyptians -	666,587	" 21	570	449	34·9	-	2	-	21	?	6	95
Foreigners -	35,219	" 21	5	8	11·8	-	-	-	3	?	-	2
ALEXANDRIA:—												
Egyptians -	341,965	" 21	279	187	28·2	1	-	1	3	?	6	47
Foreigners -	46,118	" 21	15	21	23·7	1	-	-	-	?	2	6

* Excluding deaths from croup in the Indian Cities.
† Including 5 deaths from plague in Calcutta and 10 in Bombay.
‡ Including 7 deaths from cholera in Calcutta and 23 in St. Petersburg.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 20th November, 1909

TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	48·0	30·1	38·7	0·28	BRADFORD - -	46·4	23·0	35·8	0·02
BRIGHTON - -	46·9	31·9	40·1	0·34	YORK - - -	48·0	24·0	36·5	0·03
PORTSMOUTH - -	48·0	34·5	40·6	0·05	HULL - - -	46·0	26·0	38·5	0·13
NORWICH - -	48·4	26·6	39·0	0·50	TYNEMOUTH - -	46·0	26·0	36·3	0·36
PLYMOUTH - -	51·9	31·7	40·9	0·03	CARDIFF - - -	48·9	30·5	37·7	0·26
BRISTOL - - -	45·6	27·0	36·2	0·32	EDINBURGH - -	43·8	24·1	32·3	0·01
BIRMINGHAM - -	44·5	28·9	36·6	0·23	GLASGOW - -	45·5	23·0	30·7	0·00
NOTTINGHAM - -	45·4	27·1	37·3	0·09	DUBLIN Phœnix Park.	47·7	20·9	37·7	0·04
LIVERPOOL OBSERVATORY.	47·0	30·0	37·2	0·02	DUBLIN Fitzwilliam Square.†	47·2	28·2	40·0	0·19
MANCHESTER -	43·8	26·9	36·4	0·00					
BURNLEY - -	44·4	23·2	34·9	0·00					
HUDDERSFIELD -	46·4	25·0	36·0	0·03	BELFAST - - -	50·0	17·0	34·0	0·03

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to the seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0°·3 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables

† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 20th November, 1909.

[*Under the Superintendence of the Astronomer Royal.*]

1909. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Wind. Osler's. General Direction. P.M.	Wind. Osler's. Pressure on the Square Foot. Greatest.	Wind. Osler's. Pressure. Least.	Wind. Osler's. Pressure. Mean of 24 hourly obs.	Wind. Robinson's. Horizontal Movement of the Air on each Day.	Wind. Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
NOVEMBER.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 14	..	29·388	42·0	30·1	11·9	36·5	− 6·8	36·0	0·5	2·5	0·0	98	59·8	22·2	48·98	Calm & variable.	ESE. & NE.	0·5	0·0	0·0	159	−129	0·16	0·0
MONDAY - 15	..	29·583	42·0	36·1	5·9	39·3	− 3·8	34·7	4·6	8·0	2·5	84	61·1	29·8	48·71	NE.	NNE. & NE.	2·8	0·0	0·2	331	+ 43	0·01	0·0
TUESDAY - 16	..	29·802	40·2	33·1	7·1	36·8	− 6·0	34·1	2·7	7·8	0·0	90	63·0	26·6	48·30	NE. & NNE.	NNE. & NE.	3·4	0·0	0·3	374	+ 85	0·05	3·0
WEDNESDAY 17	Greatest Dec. S.	29·861	48·0	34·2	13·8	40·9	− 1·7	34·1	6·8	13·9	2·7	77	71·0	28·9	47·91	NNE. & NE.	NE. & NNE.	4·4	0·0	0·3	371	+ 81	0·03	0·0
THURSDAY - 18	..	29·900	47·0	38·0	9·0	41·9	− 0·5	36·3	5·6	10·3	2·1	80	82·9	30·5	47·56	NE. & ENE.	E. & ENE.	5·2	0·0	0·3	369	+ 78	0·01	1·5
FRIDAY - 19	..	30·000	43·5	34·3	9·2	38·9	− 3·4	31·7	7·2	11·7	2·2	76	75·6	25·0	47·31	E.	ENE. & NE.	6·0	0·0	0·3	343	+ 49	0·00	4·5
SATURDAY - 20	First Qr.	29·980	41·5	32·2	9·3	36·9	− 5·3	33·3	3·6	7·4	0·5	87	45·5	23·2	47·10	N. & NNW.	WSW. & NNW.	0·1	0·0	0·0	126	−170	0·02	0·0
MEANS - -		29·788	43·5	34·0	9·5	38·7	− 3·9	34·3	4·4	8·8	1·4	85	65·6	26·6	47·98	NE.		..	..	..	Sum 2073	Sum + 37	Sum 0·28	1·3
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. NOVEMBER.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.
SUNDAY - 14	w. P. generally till 9h. A.M.; v. P. and v. N. till 2h. P.M.; w. P. afterwards.	0·2	8·9
MONDAY - 15	w. P. generally.	0·1	8·8
TUESDAY - 16	w.P. generally; v.P. and v. N. between 6h. and 7h. P.M.	0·9	8·8
WEDNESDAY 17	w. P. generally.	3·3	8·8
THURSDAY - 18	w.P. and w.N. till 2h. A.M.; w.P. till 5h. P.M.; m. P. till 10h. P.M.; w. P. afterwards.	4·9	8·7
FRIDAY - 19	w. P. till 8h. A.M.; m. P. afterwards.	3·2	8·7
SATURDAY - 20	m.P. till 2h. A.M.; w.P. generally till 8h. A.M.; m. P. afterwards; m. N. at 2h. 30m. A.M.	1·4	8·6
		Sum 14·0	Sum 61·3
No. of Col. - -	27	28	29

GENERAL REMARKS.

Partially cloudy with fog and hoar frost in morning; overcast with frequent rain between 8h. A.M. and 2h. P.M.; partially cloudy till 4h. P.M.; overcast afterwards.

Generally cloudy with fine intervals; light shower in early morning.

Fine; variably cloudy; hoar frost in morning; sleet and snow between 10h. and 11h. A.M. and shower of rain from 5h. 30m. to 6h. 30m. P.M.

Overcast at first with light shower at 2h. 30m. A.M.; then fine and partially cloudy till 3h. P.M.; variable and showery afterwards; slight hoar frost in morning.

Cloudy in morning with rain between 0h. 30m. and 3h. 15m. A.M.; very fine from 7h. A.M. to 1h. P.M.; variably cloudy afterwards.

Fine but generally cloudy; hoar frost at night.

Overcast with slight rain in early morning; very fine generally after 5h. A.M.; slight fog prevalent after 9h. A.M.; hoar frost.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong: and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·57 in. at the beginning of the week to 29·35 in. by 4h. P.M. on the 14th; increased to 30·04 in. by midnight on the 19th; and decreased to 29·90 in. by midnight on the 20th.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 13th November, 1909.*

BOROUGHS.	Estimated Population in the middle of 1909.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	151,955	-	19	5	-	-	-	-	3	-	-
Kensington	183,683	-	11	1	-	1	-	-	1	-	-
Hammersmith	125,704	-	4	5	-	-	-	-	1	1	-
Fulham	176,406	-	18	5	-	3	-	-	1	1	-
Chelsea	75,249	-	-	2	-	-	-	-	1	-	-
City of Westminster ..	168,883	-	9	2	-	-	-	-	-	-	-
NORTH.											
St. Marylebone	126,027	-	7	2	-	-	-	-	5	-	-
Hampstead	94,185	-	4	-	-	-	-	-	2	1	-
St. Pancras	237,422	-	12	5	-	5	-	-	5	1	-
Islington	351,202	-	20	9	-	2	-	-	5	-	-
Stoke Newington	54,423	-	5	-	-	-	-	-	-	-	-
Hackney	237,601	-	11	5	-	-	-	-	9	-	-
CENTRAL.											
Holborn	53,802	-	1	-	-	1	-	-	-	-	-
Finsbury	95,289	-	2	-	-	-	-	-	2	-	-
City of London	18,193	-	-	-	-	-	-	-	-	-	-
EAST.											
Shoreditch	114,802	-	5	-	-	-	-	-	3	-	-
Bethnal Green	131,316	-	5	3	-	2	-	-	4	-	-
Stepney	312,525	3	8	11	-	4	-	-	13	1	-
Poplar	171,965	-	16	6	-	1	-	-	4	1	-
SOUTH.											
Southwark	211,125	-	9	6	-	-	-	-	5	-	-
Bermondsey	127,569	-	19	-	-	-	-	-	3	-	-
Lambeth	324,188	-	27	8	-	2	-	-	-	-	-
Battersea	186,036	-	16	9	-	2	-	-	2	1	-
Wandsworth	297,646	-	12	4	-	-	-	-	4	2	-
Camberwell	283,022	-	20	5	-	-	-	-	8	-	-
Deptford	118,583	-	6	3	-	-	-	-	1	-	-
Greenwich	111,014	-	3	3	-	-	-	-	1	-	-
Lewisham	160,749	-	21	11	-	-	-	-	4	-	-
Woolwich	133,374	-	18	2	-	1	-	-	3	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,833,938	3	311	112	-	24	-	-	90	9	-
Ages 0-1		-	4	1	-	-	-	-	1	-	-
" 1-5		-	78	37	-	1	-	-	2	-	-
" 5-		-	149	48	-	2	-	-	6	-	-
" 10-		-	57	15	-	2	-	-	4	-	-
" 15-		-	10	6	-	6	-	-	4	-	-
" 20-		-	8	3	-	4	-	-	4	-	-
" 25-		-	4	2	-	3	-	-	10	7	-
" 35-		1	1	-	-	2	-	-	20	2	-
" 45-		2	-	-	-	3	-	-	19	-	-
" 55-		-	-	-	-	1	-	-	7	-	-
" 65 and upwards		-	-	-	-	-	-	-	13	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

Returns of London Water Districts.

(Furnished by the Metropolitan Water Board.)

The following is an account of the number of services and the average daily amount of water supplied during the month of October, 1909, inclusive of supply to the Borough of Croydon and to the Urban Districts of Tottenham and Enfield. The supply was in the ratio of 208 gallons to one service.

Districts.	Number of Services.		Average Daily Supply of Water in Gallons.	
	October, 1908.	October, 1909.	October, 1908.	October, 1909.
Total Supply - - -	1,084,610	1,095,693	227,902,323	227,501,666
New River - - - - - - -	214,078	215,897	44,120,637	43,449,704
Eastern - - - - - - -	243,331	246,043	43,744,806	45,201,742
Western { Chelsea, Grand Junction, West Middlesex } - -	222,201	224,173	56,803,574	56,502,433
Southern { Lambeth - - - , Southwark and Vauxhall }	286,001	289,424	63,287,859	62,470,889
Kent - - - - - - - - -	118,999	120,156	19,945,450	19,876,898

Note.—The Return for October, 1909, as compared with that for the corresponding month of 1908, shows an increase of 11,083 services, and a decrease of 400,660 gallons of water supplied daily.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office.

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 47. 1909. VOL. LXX.] WEEK ENDED SATURDAY, NOV. 27. [Price 1½*d.*

General Register Office, Somerset House,
November 29th, 1909.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 16·4 per 1000 of their aggregate population, which is estimated † at 16,445,281 persons in the middle of this year. In the preceding three weeks the rates had been 13·3, 13·8, and 14·6. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were :—from *all causes*, 22·0 in Salford, 22·2 in Liverpool, 22·4 in Great Yarmouth, 22·6 in Huddersfield, 23·7 in Birkenhead, 24·0 in Oldham, 26·5 in Wigan, 27·3 in Hanley and in Merthyr Tydfil, and 29·2 in Swansea; from *measles*, 1·6 in Swansea, 2·3 in Hanley, and 2·7 in Northampton; and from *diarrhœa*, 1·5 in Rhondda. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2195 BIRTHS and 1442 DEATHS were registered. Allowing for increase of population, the births were 191 and the deaths 78 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-five other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(14867—41.) Wt. 109—472. 700. 12/09. D & S. G. 31. Sch. 4. 3 A

causes, which had been 13·4, 13·9, and 14·7 per 1000 in the preceding three weeks, further rose last week to 15·6. The death-rate in the four weeks ended last Saturday averaged 14·4 per 1000, being 1·3 per 1000 below the mean rate in the corresponding periods of the five years 1904–8.

The 1442 deaths included 12 from measles, 7 from scarlet fever, 17 from diphtheria, 25 from whooping-cough, 2 from enteric fever, and 15 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia: thus, to these diseases in the aggregate 78 deaths were referred, being 20 below the corrected average number in the forty-seventh week of the preceding five years.

The deaths from *measles*, which had been 5, 8, and 12 in the preceding three weeks, were again 12 last week, and were 19 below the corrected average; 3 deaths belonged to the Borough of Stepney. The deaths from *scarlet fever*, which had been 6, 8, and 3 in the preceding three weeks, were 7 last week, and were 5 below the corrected average; 3 deaths belonged to Fulham. The deaths from *diphtheria*, which had been 13, 9, and 13 in the preceding three weeks, rose to 17 last week, and were 2 above the corrected average; 3 deaths belonged to Bethnal Green. The deaths from *whooping-cough*, which had been 12, 16, and 20 in the preceding three weeks, further rose to 25 last week, and were 12 above the corrected average; 5 deaths belonged to Stepney. The deaths from *enteric fever*, which had been 7, 2, and 1 in the preceding three weeks, were 2 last week, the corrected average being 4. The deaths from *diarrhœa*, which had been 34, 16, and 24 in the preceding three weeks, fell to 15 last week, and were 7 below the corrected average; 3 deaths belonged to Finsbury and 3 to Stepney. Of the 15 deaths from diarrhœa, 12 were those of children under 5 years of age; 9 other deaths at this age were certified as due to *enteritis* and 7 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 13, having been 11, 14, and 16 in the preceding three weeks.

Different forms of violence caused 61 deaths, concerning all of which inquests were held. Of these 61 deaths, 10 were cases of suicide, while the remaining 51 were attributed to accident or negligence. Seven of these latter were referred to vehicles in the streets, eight to burns or scalds, and fifteen, of infants under one year of age, to suffocation in bed. One death occurred while under an anæsthetic administered for surgical purposes.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 4 cases of small-pox, 2518 of scarlet fever, 948 of diphtheria, and 71 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 1 case, against 1, 3, and 1; of scarlet fever, 264 cases, against 336, 284, and 308; of diphtheria, 88 cases, against 132, 111, and 91; and of enteric fever, 8 cases, against 14, 9, and 7. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended November 20th, 1909.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 3408 births and 2086 deaths were registered. Allowing for increase of population, these numbers are 297 and 69 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 5 deaths from measles, 2 from scarlet fever, 3 from diphtheria, 7 from whooping-cough, 1 from "fever," and 1 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·99 inches, and that of the Thermometer 37°·0, the latter being 4°·9 below the week's average in the 65 years ended 1905. The general direction of the wind was Westerly, the horizontal movement of the air being 19 per cent. below the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 14·7 hours; the measured rainfall amounted to 0·01 of an inch.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 27th November, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 6th Nov., 1909.	13th Nov., 1909.	20th Nov., 1909.	27th Nov. 1909.	Rate from Diseases in Cols. 11–17 Week ended 27th November, 1909.	Registered during the Week ended 27th Nov., 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17	18.	19.	20.	21.	Cols.
76 TOWNS	**16,445,281**	**13·3**	**13·8**	**14·6**	**16·4**	**0·9**	**7648**	**5167**	**1062**	**1734**	**–**	**44**	**41**	**58**	**61**	**19**	**55**	**177**	**419**	**1335**	**48**	**76 TOWNS.**
LONDON	4,833,938	13·4	13·9	14·7	15·6	0·8	2195	1442	276	523	–	12	7	17	25	2	15	61	153	558	–	LONDON.
† CROYDON	161,078	8·4	10·0	9·1	14·6	0·6	81	45	7	23	–	–	2	–	–	–	–	–	1	13	–	CROYDON.
† WILLESDEN ..	160,424	6·8	9·1	9·1	11·4	0·3	87	35	11	7	–	–	1	–	–	–	–	1	1	5	–	WILLESDEN.
† HORNSEY	95,628	8·2	7·1	6·5	11·5	1·1	21	21	2	10	–	–	–	1	–	–	1	3	3	3	–	HORNSEY.
† TOTTENHAM ..	129,464	10·5	9·7	10·5	11·7	0·4	86	29	8	8	–	–	–	–	1	–	–	2	5	7	–	TOTTENHAM.
† WEST HAM ..	321,767	11·5	13·9	12·8	14·1	0·8	142	87	16	28	–	1	1	1	1	–	1	–	6	25	1	WEST HAM.
† EAST HAM.. ..	149,575	7·3	5·2	9·8	12·9	1·0	61	37	10	9	–	–	–	–	1	1	1	2	4	5	–	EAST HAM.
† LEYTON	129,614	5·2	8·0	10·1	10·1	0·4	64	25	4	12	–	–	–	1	–	–	–	3	4	6	–	LEYTON.
† WALTHAMSTOW	136,602	8·4	10·7	8·8	11·1	1·1	52	29	5	10	–	1	–	–	1	–	1	–	3	8	–	WALTHAMSTOW.
HASTINGS	68,165	8·4	15·3	13·0	15·3	1·5	24	20	3	8	–	–	–	–	2	–	–	1	1	4	–	HASTINGS.
BRIGHTON	130,926	16·3	15·1	13·9	15 1	–	53	38	6	25	–	–	–	–	–	–	–	3	5	9	1	BRIGHTON.
PORTSMOUTH ..	214,726	15·5	12·4	13·6	14·6	1·5	97	60	10	21	–	–	1	3	–	2	–	2	4	13	–	PORTSMOUTH.
BOURNEMOUTH ..	72,368	7·2	15·9	8·6	8·6	–	18	12	3	2	–	–	–	–	–	–	–	1	1	1	–	BOURNEMOUTH.
SOUTHAMPTON ..	124,667	13·4	10·0	12·1	16·3	1·3	50	39	10	18	–	–	–	1	–	–	2	–	2	14	–	SOUTHAMPTON.
READING	82,995	10·7	5·0	8·2	8·2	–	29	13	3	6	–	–	–	–	–	–	–	–	–	1	–	READING.
NORTHAMPTON ..	97,752	13·9	13·3	14·4	18·7	3·7	33	35	8	7	–	5	–	1	–	–	1	3	3	3	–	NORTHAMPTON.
IPSWICH	74,889	13·2	15·3	17·4	16·0	1·4	31	23	3	11	–	1	–	–	1	–	–	1	1	4	–	IPSWICH.
GREAT YARMOUTH	53,430	12·7	14·6	17·6	22·4	–	21	23	1	12	–	–	–	–	–	–	–	3	3	2	–	GREAT YARMOUTH.
NORWICH	124,136	11·3	12·6	14·7	13·9	0·4	45	33	3	16	–	–	–	–	–	–	1	1	3	8	–	NORWICH.
PLYMOUTH	124,180	11·8	11·8	17·6	16·4	1·3	58	39	4	21	–	–	–	2	1	–	–	2	6	8	–	PLYMOUTH.
DEVONPORT	83,103	13·8	9·4	9·4	15·1	1·3	44	24	4	11	–	–	–	1	–	–	1	–	3	4	–	DEVONPORT.
BRISTOL	377,642	9·1	12·7	11·3	15·3	1·0	137	111	12	49	–	3	–	2	–	1	1	1	2	28	–	BRISTOL.
HANLEY	68,831	22·7	24·2	26·5	27·3	2·3	49	36	15	8	–	3	–	–	–	–	–	1	1	3	1	HANLEY.
BURTON-ON-TRENT	54,453	15·3	19·2	6·7	11·5	1·0	27	12	1	8	–	–	–	1	–	–	–	–	–	–	1	BURTON-ON-TRENT.
WOLVERHAMPTON..	104,633	15·0	13·0	13·5	15·9	–	32	32	6	10	–	–	–	–	–	–	–	–	2	2	1	WOLVERHAMPTON
WALSALL	99,399	15·2	17·8	18·9	20·5	1·0	48	39	13	9	–	–	–	–	–	–	2	1	2	6	–	WALSALL.
HANDSWORTH ..	70,186	6·7	9·7	11·1	8·9	0·7	19	12	3	5	–	–	–	–	1	–	–	–	–	–	–	HANDSWORTH.
WEST BROMWICH..	70,457	14·8	13·3	19·2	19·2	1·5	40	26	8	6	–	–	–	–	1	1	–	2	3	4	1	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 27th November, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 6th Nov., 1909.	13th Nov., 1909.	20th Nov., 1909.	27th Nov., 1909.	Rate from Diseases in Cols. 11-17. Week ended 27th November, 1909.	Registered during the Week ended 27th Nov. 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
BIRMINGHAM ..	563,629	12·8	12·4	13·7	15·6	0·9	233	169	37	50	-	-	1	3	2	2	2	2	5	41	7	BIRMINGHAM.
KINGS NORTON ..	81,632	10·2	8·9	12·8	13·4	1·9	40	21	-	8	-	-	-	2	1	-	-	-	-	4	-	KINGS NORTON.
SMETHWICK	70,377	15·6	12·6	18·5	13·3	1·5	33	18	5	8	-	-	-	1	1	-	-	1	1	4	-	SMETHWICK.
ASTON MANOR ..	85,257	12·2	9·8	18·3	13·5	1·8	31	22	5	5	-	-	-	1	2	-	-	-	-	1	-	ASTON MANOR.
COVENTRY	80,163	13·7	14·3	16·9	14·3	-	44	22	6	7	-	-	-	-	-	-	-	1	1	5	-	COVENTRY.
LEICESTER	244,255	11·5	10·7	13·4	20·9	0·6	106	98	25	34	-	-	-	-	3	-	-	1	9	14	-	LEICESTER.
GRIMSBY	73,036	18·6	12·9	14·3	15·0	0·7	36	21	1	6	-	-	-	-	1	-	-	-	1	1	-	GRIMSBY.
NOTTINGHAM ..	263,443	14·3	16·2	14·4	16·0	1·2	125	81	14	28	-	1	2	2	-	-	1	1	4	18	-	NOTTINGHAM.
DERBY	129,411	13·3	15·3	12·9	16·9	-	59	42	9	18	-	-	-	-	-	-	-	2	7	5	-	DERBY.
STOCKPORT	103,706	14·6	23·1	15·6	20·1	0·5	39	40	13	10	-	-	-	-	-	-	1	-	2	8	-	STOCKPORT.
BIRKENHEAD ..	121,123	15·9	16·8	21·1	23·7	0·9	57	55	10	23	-	1	-	-	1	-	-	4	5	12	-	BIRKENHEAD.
WALLASEY	71,004	14·0	11·7	14·0	14·7	0·7	38	20	3	8	-	1	-	-	-	-	-	-	1	1	-	WALLASEY.
LIVERPOOL	760,357	17·6	17·8	17·0	22·2	1·0	417	323	69	93	-	3	2	1	3	1	4	14	27	120	9	LIVERPOOL.
BOOTLE	69,393	12·8	20·3	21·8	21·8	0·8	47	29	4	8	-	-	1	-	-	-	-	1	1	7	2	BOOTLE.
ST. HELENS	95,161	13·2	18·6	20·8	14·2	0·5	52	26	10	5	-	-	1	-	-	-	-	2	2	7	2	ST. HELENS.
WIGAN	90,678	16·7	15·5	9·8	26·5	1·2	55	46	16	10	-	-	2	-	-	-	-	3	5	3	-	WIGAN.
WARRINGTON ..	72,276	13·0	13·0	18·8	18·0	-	47	25	4	7	-	-	-	-	-	-	-	-	-	8	2	WARRINGTON.
BOLTON	187,824	13·6	15·0	12·2	18·3	1·1	88	66	9	23	-	-	1	-	-	2	1	-	4	14	-	BOLTON.
BURY	59,234	19·4	12·3	20·2	15·8	0·9	22	18	3	7	-	-	-	-	-	-	1	-	-	6	1	BURY.
MANCHESTER ..	655,435	15·8	17·0	19·1	20·0	0·8	324	251	41	80	-	1	5	2	-	-	2	7	14	74	1	MANCHESTER.
SALFORD	241,950	14·0	16·8	15·5	22·0	0·9	123	102	20	35	-	1	1	2	-	-	-	3	6	20	1	SALFORD.
OLDHAM	143,301	16·7	16·4	16·4	24·0	1·1	66	66	12	20	-	-	-	-	1	-	2	-	2	11	-	OLDHAM.
ROCHDALE	89,653	13·4	15·7	17·4	16·3	0·6	41	28	9	11	-	-	1	-	-	-	-	-	1	5	2	ROCHDALE.
BURNLEY	106,267	18·2	14·2	16·2	17·2	1·5	49	35	8	5	-	2	-	1	-	-	-	1	2	6	-	BURNLEY.
BLACKBURN	136,959	11·4	19·0	14·1	17·5	0·8	52	46	8	18	-	-	-	1	-	1	-	-	-	8	-	BLACKBURN.
PRESTON	118,519	10·6	16·3	13·2	19·8	-	44	45	6	22	-	-	-	-	-	-	-	2	4	10	2	PRESTON.
BARROW-IN-FURNESS.	62,996	5·8	9·1	9·1	9·9	1·7	34	12	1	6	-	-	1	-	1	-	-	-	-	2	-	BARROW-IN-FURNESS.

* See note † on first page of this return.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 27th November, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 6th Nov., 1909.	13th Nov., 1909.	20th Nov., 1909.	27th Nov., 1909.	Rate from Diseases in Cols. 11–17. Week ended 27th November, 1909.	Registered during the Week ended 27th Nov., 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,739	16·0	9·9	16·5	22 6	1·1	40	41	7	15	–	–	–	–	1	–	1	2	2	5	–	HUDDERSFIELD.
HALIFAX	111,911	12·6	9·3	13·5	15·8	0·5	28	34	6	14	–	–	–	–	1	–	–	–	3	6	–	HALIFAX.
BRADFORD	293,983	13·1	10·8	13·3	14·0	0·5	85	79	13	28	–	–	–	1	1	–	1	4	7	20	1	BRADFORD.
LEEDS	484,012	11·7	13·6	12·9	15·0	0·5	193	139	20	53	–	3	1	1	–	–	–	4	13	33	–	LEEDS.
SHEFFIELD	470,958	9·9	12·2	13·2	14·7	1·1	248	133	36	25	–	1	4	1	1	2	1	5	9	28	1	SHEFFIELD.
ROTHERHAM.. ..	65,070	12·8	9·6	17·6	16·8	–	39	21	7	5	–	–	–	–	–	–	–	2	3	5	1	ROTHERHAM.
YORK	87,004	10·8	5·4	12·0	12·6	0·6	40	21	7	7	–	–	–	1	–	–	–	–	3	3	–	YORK.
HULL	275,552	13·4	14·0	16·8	14·2	1·1	136	75	10	25	–	–	–	3	1	1	1	1	10	18	–	HULL.
MIDDLESBROUGH ..	105,255	20·8	16·3	20·3	19·8	1·5	63	40	12	8	–	–	–	1	1	–	1	1	3	5	1	MIDDLESBROUGH.
STOCKTON-ON-TEES	53,417	12·7	12·7	12·7	15·6	1·0	24	16	5	4	–	–	–	–	–	–	1	1	1	1	1	STOCKTON-ON-TEES.
WEST HARTLEPOOL	79,686	13·1	3·9	11·8	12·4	0·7	33	19	5	6	–	–	–	1	–	–	–	1	2	2	–	WEST HARTLEPOOL.
SUNDERLAND ..	159,378	13·7	15·4	21·3	16·0	0·3	94	49	18	11	–	–	–	–	–	–	1	4	5	8	1	SUNDERLAND.
SOUTH SHIELDS ..	117,627	16·0	14·2	18·6	19·1	1·8	67	43	19	8	–	–	1	–	2	–	1	2	5	1	2	SOUTH SHIELDS.
GATESHEAD	131,024	15·1	18·3	13·1	14·3	–	69	36	16	7	–	–	–	–	–	–	–	–	–	1	3	GATESHEAD.
NEWCASTLE-ON-TYNE.	281,584	15·9	15·2	12·8	14·3	0·4	139	77	17	24	–	–	1	1	–	–	–	2	9	14	–	NEWCASTLE-ON-TYNE.
TYNEMOUTH ..	55,808	13·1	13·1	14·0	16·8	–	35	18	6	4	–	–	–	–	–	–	–	1	2	2	–	TYNEMOUTH.
NEWPORT (MON.) ..	78,336	15·3	16·6	12·0	12·0	1·3	44	18	5	3	–	–	–	–	–	2	–	–	–	4	–	NEWPORT (MON.).
CARDIFF	195,303	11·2	12·3	13·6	15·8	–	112	59	13	19	–	–	–	–	–	–	–	2	6	8	–	CARDIFF.
RHONDDA	135,894	12·7	15·7	12·3	18·8	2·3	110	49	9	9	–	–	1	1	–	–	4	5	5	4	–	RHONDDA.
MERTHYR TYDFIL..	78,365	15·3	18·0	23·3	27·3	4·0	50	41	9	10	–	1	2	–	2	–	1	1	2	5	1	MERTHYR TYDFIL.
SWANSEA	98,308	16·4	16·4	24·9	29·2	3·2	53	55	19	11	–	3	1	–	–	1	1	–	3	3	1	SWANSEA.
GREATER LONDON	7,429,740	12·4	12·6	13·2	14·6	0·8	3408	2086	420	748	–	19	13	23	36	4	20	84	209	690	2	GREATER LONDON.
OUTER RING ..	2,595,802	10·3	10·2	10·5	12·9	0·7	1213	644	144	225	–	7	6	6	11	2	5	23	56	132	2	OUTER RING.
8 TOWNS IN OUTER RING.	1,284,152	8·7	9·9	10·1	12·5	0·7	594	308	63	107	–	2	4	3	4	1	4	11	27	72	1	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,311,650	11·9	10·5	10·8	13·4	0·8	619	336	81	118	–	5	2	3	7	1	1	12	29	60	1	REMAINDER OF OUTER RING.
EDINBURGH	355,366	12·5	13·9	14·8	18·8	1·9	137	128‡	25	46	–	4	1	4	–	–	4	2	?	46	8	EDINBURGH.
GLASGOW	872,021	18·2	17·9	24·9	32·7	4·5	398	547	96	161	–	45	5	6	9	3	8	7	?	138	14	GLASGOW.
DUBLIN (Registration Area).†	398,356	18·6	21·7	23·6	20·7	1·0	196	158	23	55	–	2	1	1	–	1	3	4	4	65	2	DUBLIN (Registration Area).†
BELFAST†	386,576	15·6	17·5	18·1	22·5	1·1	168	167	41	37	–	–	–	–	7	–	1	3	5	32	1	BELFAST†

* See note † on first page of this return.

† Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast respectively.
‡ Including 1 death from Cerebro-spinal meningitis.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FORTY-SEVENTH Week of each of the Eleven Years, 1899–1909.

	1899	1900	1901	1902	1903	1904	1905	1906	1907	1908	Corrected Weekly Average in 5 Years 1904–1908.*	1909
TOTAL **Births** -	2556	2538	2519	2410	2342	2356	2366	2532	2214	2187	2386·4	2195
Males - - -	1267	1311	1316	1207	1186	1254	1202	1305	1168	1088	1232·0	1116
Females - -	1289	1227	1203	1203	1156	1102	1164	1227	1046	1099	1154·4	1079
TOTAL **Deaths** -	1526	1515	1939	1532	1536	1502	1739	1453	1373	1357	1520·1	1442
Males - - -	798	761	997	811	791	772	881	745	715	701	781·0	742
Females - -	728	754	942	721	745	730	858	708	658	656	739·1	700

* The numbers in this column are the average weekly numbers in the Forty-Seventh week of the five years 1904-1908, raised by 2·375 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	13 Weeks.
TOTAL **Births** -	2317	2096	2223	2220	2057	2292	2243	2221	2087	2361	2291	2173	2195	28776
TOTAL **Deaths** -	1149	1139	1151	1126	1079	1127	1114	1067	1107	1246	1284	1363	1442	15394
Ages at Death: Under 1 year -	336	349	309	301	260	273	276	266	260	277	264	269	276	3710
1—5 years -	114	104	109	108	80	98	98	93	109	82	105	109	130	1335
5—20 " -	45	52	68	56	71	50	54	62	49	67	65	85	59	783
20—40 " -	137	130	147	131	115	129	140	134	145	157	165	164	151	1848
40—60 " -	230	199	221	251	231	260	228	213	231	277	247	284	300	3172
60 yrs. & upwds.	287	305	297	279	322	317	318	294	322	386	438	452	523	4540
Deaths from—														
Small-pox† - -	-	-	-	-	-	1	-	-	-	-	-	-	-	1
Measles - - -	10	8	5	5	3	6	10	7	9	5	8	12	12	100
Scarlet Fever - -	2	5	2	8	10	10	10	3	5	6	8	3	7	79
Diphtheria - -	9	8	7	15	13	4	10	9	15	13	9	13	17	142
Whooping-cough -	27	26	13	14	14	21	9	8	7	12	16	20	25	212
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	2	2	1	2	4	2	7	5	3	7	2	1	2	40
Pyrexia (origin uncertain).	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Diarrhœa, Dysentery	139	154	129	114	74	60	48	34	28	34	16	24	15	869
All above diseases -	189	203	158	158	118	104	94	66	67	77	59	73	78	1444
Dis. of Resp. System	35	48	51	57	60	73	64	63	79	120	137	149	207	1143
Pneumonia - -	68	57	79	92	72	113	103	111	114	110	151	134	180	1384
Phthisis - - -	109	90	101	115	112	103	93	100	120	148	135	132	123	1486
Dis. of Circ. System -	137	145	151	129	147	147	151	158	170	175	166	199	206	2081
Violence - - -	51	37	43	37	45	35	47	43	31	45	59	51	61	585
Inquest Cases - -	125	90	113	89	92	108	109	106	102	119	135	134	153	1475
Deaths in Institutions	485	489	480	539	509	513	479	486	476	529	531	572	558	6656
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - -	54·5	54·5	55·3	56·3	53·1	55·8	56·4	55·7	41·9	47·1	42·3	38·7	37·0	49·9
Mean of Highest -	64·5	63·1	62·9	65·5	60·1	64·6	65·3	62·1	47·9	53·0	48·3	43·5	41·9	57·0
Mean of Lowest -	46·3	47·3	49·4	48·4	47·4	47·5	49·8	50·1	34·9	41·4	34·8	34·0	31·6	43·3
Mean Humidity of the Air.	75	83	86	87	94	81	84	88	86	90	82	85	86	85
Rain-fall (in inches) -	0·30	0·32	0·58	0·57	0·72	1·01	0·59	0·46	1·87	0·15	0·03	0·28	0·01	6·89
Registered Sunshine (in hours).	41·7	35·0	20·9	27·7	6·0	33·7	22·5	16·7	15·9	20·1	22·2	14·0	14·7	289·1
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	-	-	-	-	-	-	2	2	2	3	4	5	4	2
Scarlet Fever - -	2377	2436	2553	2686	2737	2745	2810	2799	2743	2716	2624	2606	2518	2642
Diphtheria - - -	831	843	832	857	908	928	955	991	961	1002	972	949	948	921
Typhus - - -	-	-	-	-	-	-	-	-	1	1	1	-	-	-
Enteric Fever - -	62	68	67	78	75	82	85	87	79	82	79	74	71	76

* The Metropolitan Asylums Board and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office :—The Astronomer Royal, Greenwich ; D. Forbes, Esq., M.D., Brighton ; A. Mearns Fraser, Esq., M.D., Portsmouth ; A. W. Preston, Esq., F.R.Met.Soc., Norwich ; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth ; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol ; A. Cresswell, Esq., Edgbaston, Birmingham ; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham ; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool ; F. Gore, Esq., Prestwich, Manchester ; Thos. Holt, Esq., M.D., Burnley ; J. Firth, Esq., Huddersfield ; H. Lander, Esq., Bradford ; Oxley Grabham, Esq., M.A., York ; H. B. Witty, Esq. F.R.Met.Soc., Hull ; the Meteorological Committee, Tynemouth ; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the FORTY-SEVENTH Week of the Year 1909.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 47th week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1520·1	1442	276	130	59	154	300	523
Small-pox*	-	-	-	-	-	-	-	-
Cowpox	-	-	-	-	-	-	-	-
Measles (Morbilli)	31·1	12	3	9	-	-	-	-
Scarlet Fever	12·1	7	-	4	3	-	-	-
Typhus	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-
Influenza	18·2	13	1	-	-	-	5	7
Whooping-cough	12·7	25	10	14	1	-	-	-
Diphtheria	15·2	17	1	11	5	-	-	-
Cerebro-spinal Fever ..	0·2	-	-	-	-	-	-	-
Pyrexia† (origin uncertain)	-	-	-	-	-	-	-	-
Enteric Fever	4·3	2	-	1	-	1	-	-
Asiatic Cholera	-	-	-	-	-	-	-	-
Epidemic Diarrhœa, Infective Enteritis	9·8	2	2	-	-	-	-	-
Diarrhœa, Dysentery ..	12·5	13	9	1	-	1	-	2
Tetanus	1·0	1	-	-	-	-	1	-
Rabies, Hydrophobia ..	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever)..	-	-	-	-	-	-	-	-
Venereal Dis.	8·6	11	7	1	-	1	2	-
Puerperal Septicæmia ..	3·5	3	-	-	-	3	-	-
Puerperal Pyæmia.. .	0·4	-	-	-	-	-	-	-
Puerperal Fever	0·2	-	-	-	-	-	-	-
Infective Endocarditis ..	3·9	4	-	-	2	1	1	-
Pneumonia: Lobar ..	18·4	18	-	1	1	3	5	8
Pneumonia: Broncho ..	87·0	88	40	25	2	2	5	14
Pneumonia: Epidemic ..	-	-	-	-	-	-	-	-
Pneumonia: Not defined	67·0	74	15	13	2	4	16	24
Erysipelas	8·0	5	-	-	-	-	1	4
Septicæmia (not Puerperal) ..	0·8	3	-	1	1	-	1	-
Pyæmia (not Puerperal)	1·2	1	-	-	-	1	-	-
Other Infective Processes	4·3	4	-	-	-	-	3	1
Tuberculous Phthisis ..	94·6	94	2	-	8	35	35	14
"*Phthisis*"	54·7	29	-	1	-	10	13	5
Tuberculous Meningitis ..	18·8	20	7	11	2	-	-	-
Tuberculous Peritonitis ..	10·2	9	4	2	2	-	1	-
Tabes Mesenterica	2·0	1	-	1	-	-	-	-
Tuberculous Dis., Other ..	18·2	23	1	5	4	9	3	1
Scrofula..	0·6	-	-	-	-	-	-	-
Alcoholism	12·1	4	-	-	-	-	3	1
Rheumatic Fever	8·6	6	-	-	1	5	-	-
Gout	2·5	1	-	-	-	-	-	1
Carcinoma	58·4	63	-	-	-	3	26	34
Sarcoma	4·7	5	-	-	-	2	1	2
Cancer (undefined) ..	31·3	24	-	-	-	1	7	16
Diabetes Mellitus	9·2	10	-	-	-	4	4	2
Premature Birth	51·2	43	43	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 47th week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)..	13·5	9	2	3	1	2	1	-
Gen. Par. of Insane, Insanity	12·9	14	-	-	-	2	7	5
Epilepsy	5·9	7	-	-	1	2	2	2
Convulsions	15·4	10	9	1	-	-	-	-
Locomotor Ataxy.. ..	2·9	-	-	-	-	-	-	-
Paraplegia, Dis. of Cord.	4·9	4	-	-	-	-	1	3
Nervous Sys., Other Dis.	16·8	14	-	1	-	4	6	3
Valv. Dis., Endocarditis..	49·3	47	-	-	5	7	15	20
Cereb. Hæm. Cereb. Emb.	36·9	46	-	-	-	1	12	33
Apoplexy, Hemiplegia ..	17·4	12	-	-	-	-	3	9
Aneurysm	4·9	8	-	-	-	1	4	3
Embolism, Thrombosis (not Cerebral) ..	1·0	-	-	-	-	-	-	-
Heart & Blood Ves., Other Dis... ..	90·1	93	-	-	5	6	18	64
Croup (not Spasm: nor Memb.)	1·8	-	-	-	-	-	-	-
Bronchitis	172·2	171	32	3	-	4	27	105
Emphysema, Asthma ..	8·0	12	-	-	-	-	3	9
Pleurisy	3·5	6	2	1	-	-	3	-
Respiratory Dis., Other..	14·5	18	2	1	3	2	4	6
Tonsillitis, Quinsy.. ..	0·8	1	-	1	-	-	-	-
Enteritis (not Epid.) ..	10·9	14	6	3	1	1	2	1
Gastro-enteritis	7·0	8	7	-	1	-	-	-
Peritonitis (not Puerp.) ..	2·9	2	1	-	-	1	-	-
Cirrhosis of Liver.. ..	14·1	13	-	-	-	1	10	2
Liver Dis., Other	6·8	3	-	-	-	1	-	2
Digestive Sys., Other Dis.	34·0	30	2	1	2	8	8	9
Acute Nephritis	6·8	9	-	-	2	1	2	4
Bright's Dis., Albuminuria	41·0	44	-	-	-	5	15	24
Urinary Sys., Other Dis.	9·0	5	-	-	-	-	1	4
Generative Organs Dis...	3·9	6	-	-	-	-	3	3
Childbirth (Accid. of) ..	3·5	7	-	-	-	6	1	-
Old Age	58·6	57	-	-	-	-	-	57
Other Diseases	92·1	76	51	8	2	2	5	8
ACCIDENT.								
By Railways	1·4	1	-	-	-	-	1	-
By Vehicles and Horses..	5·5	7	-	-	-	3	3	1
In Ships, Boats, Docks, (exclusive of Drowning)	0·6	-	-	-	-	-	-	-
In Building Operations..	0·6	1	-	-	-	-	1	-
In Conflagrations	0·6	1	-	-	-	1	-	-
By Burns, Scalds, Explosions	8·4	8	1	6	1	-	-	-
By Drowning	2·7	1	-	-	-	1	-	-
By Suffocation in Bed ..	8·4	15	15	-	-	-	-	-
By Poisons or Poisonous Vapours	2·3	2	-	-	-	1	-	1
Other Deaths by Accident..	17·2	15	1	-	1	2	5	6
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	1·6	-	-	-	-	-	-	-
Suicide	10·0	10	-	-	-	3	4	3
Execution	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.
† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 27th November, 1909.

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexiæ* † (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified causes of Death.
LONDON	4,536,267	2195	1442	276	523	-	12	7	17	25	-	2	-	15	61	153	558	-
WEST DISTRICTS	805,311	327	227	42	86	-	-	3	4	2	-	-	-	1	9	17	108	-
NORTH DISTRICTS	1,055,908	480	287	47	116	-	3	2	3	3	-	-	-	1	11	26	97	-
CENTRAL DISTRICTS	209,465	109	63	11	18	-	1	-	-	-	-	-	-	2	9	15	30	-
EAST DISTRICTS	715,739	430	259	68	65	-	7	-	1	8	-	1	-	8	14	37	112	-
SOUTH DISTRICTS	1,749,844	849	563	108	220	-	1	1	9	12	-	1	-	3	18	58	168	-
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	43	-	18	-	-	1	-	-	-	-	-	-	-	-	43	-
WEST DISTRICTS.																		
North Paddington *H*	63,603	25	6	-	4	-	-	-	-	-	-	-	-	-	-	-	1	-
Central Paddington *W,3H*	50,053	21	25	5	5	-	-	-	-	-	-	-	-	-	1	1	18	-
South Paddington	30,320	7	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town *2W,w,2H* ..	128,037	55	50	5	26	-	-	-	-	1	-	-	-	-	3	5	29	-
Brompton *2H*	48,591	4	6	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-
North Hammersmith *2W,w,H* ..	49,192	37	14	3	5	-	-	-	-	-	-	-	-	-	-	1	5	-
South Hammersmith *w,2H* ..	63,047	21	16	5	5	-	-	-	-	-	-	-	-	-	3	3	6	-
North-west Fulham *W*	45,180	29	14	3	6	-	-	-	-	-	-	-	-	-	-	-	7	-
North-east Fulham *F*	46,405	17	12	1	3	-	-	3	3	-	-	-	-	-	-	1	7	-
South Fulham *W*	45,704	30	14	4	6	-	-	-	-	-	-	-	-	-	-	-	-	-
Chelsea North *W,w,3H*	42,514	13	25	5	9	-	-	-	-	1	-	-	-	-	-	3	20	-
Chelsea South *W,2H*	31,328	17	11	4	4	-	-	-	-	-	-	-	-	-	-	-	4	-
Mayfair and Knightsbridge	28,743	1	7	1	1	-	-	-	-	-	-	-	-	1	1	1	-	-
Belgrave *W,2H*	55,815	23	12	1	2	-	-	-	1	-	-	-	-	-	1	2	5	-
St. Margaret & St. John *6H*	43,698	18	8	2	3	-	-	-	-	-	-	-	-	-	-	-	4	-
St. James and St. Anne *W,6H* ..	33,081	9	4	-	3	-	-	-	-	-	-	-	-	-	-	-	2	-
NORTH DISTRICTS.																		
All Souls Marylebone *7H*	35,391	18	17	4	1	-	-	-	-	-	-	-	-	-	-	1	12	-
St. Mary Marylebone *W,4H* ..	37,948	38	11	4	3	-	-	-	-	-	-	-	-	-	-	-	6	-
Christchurch Marylebone	39,536	19	9	3	4	-	-	-	-	1	-	-	-	-	1	1	-	-
St. John Marylebone *2H*	20,426	8	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead *W,F,6H*	81,942	22	27	2	11	-	1	1	-	-	-	-	-	-	1	1	10	-
West St. Pancras *2H*	60,562	31	14	3	5	-	-	-	-	-	-	-	-	-	2	3	5	-
South St. Pancras *w,10H*	55,707	18	19	3	5	-	-	-	-	1	-	-	-	-	-	1	11	-
East St. Pancras *W,H*	60,320	26	17	2	8	-	-	-	-	-	-	-	-	-	-	2	6	-
North St. Pancras *2W*	58,728	34	13	2	4	-	-	-	-	-	-	-	-	-	-	1	6	-
Tufnell *W*	31,995	16	16	2	7	-	-	-	-	-	-	-	-	-	-	1	12	-
Upper Holloway *2W,w,H*	33,978	16	17	1	8	-	1	-	-	-	-	-	-	-	-	-	12	-
Tollington *W,w,H*	33,922	11	4	-	2	-	-	-	-	-	-	-	-	-	1	1	-	-
Lower Holloway	41,424	19	7	1	6	-	-	-	-	-	-	-	-	-	-	-	-	-
Barnsbury	51,178	20	13	2	3	-	-	-	-	-	-	-	-	-	1	2	-	-
Islington South-east *F*	75,397	29	20	4	7	-	-	-	-	-	-	-	-	-	-	4	-	-
Highbury *2H*	63,797	27	10	1	8	-	-	-	-	-	-	-	-	-	1	2	-	-
Stoke Newington *H*	51,247	18	9	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-
North Hackney	50,398	28	15	3	9	-	-	-	-	-	-	-	-	-	-	-	-	-
Central Hackney *w,F*	50,536	21	13	1	4	-	1	1	3	-	-	-	-	-	2	2	5	-
South-west Hackney *3H*	59,921	31	18	3	11	-	-	-	-	-	-	-	-	1	2	4	6	-
South-east Hackney *2W,H*	58,255	30	13	2	5	-	-	-	-	1	-	-	-	-	-	-	6	-
Hackney Union Workhouse, Brentwood	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c. registered in each SUB-DISTRICT during the Week ended Saturday, 27th November, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
St. Giles and Bloomsbury 2*W*,2*H* ..	31,436	18	6	-	2	-	-	-	-	-	-	-	-	-	1	1	-	
Strand *W*,4*H*	21,674	6	10	1	3	-	-	-	-	-	-	-	-	-	1	2	9	
Strand Union Workhouse, Edmonton	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	3	
Holborn *W*,5*H*	29,612	10	10	2	4	-	-	-	-	-	-	-	-	-	1	1	5	
Clerkenwell *H*	63,704	34	12	4	3	-	-	-	-	-	-	-	-	2	3	6	-	
St. Luke 3*H*,*L*	36,116	37	7	3	1	-	1	-	-	-	-	-	-	-	-	-	3	
Holborn Union Workhouse, Mitcham	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Botolph *H*	10,299	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Sepulchre and Allhallows *W*,2*H*	16,624	4	15	1	2	-	-	-	-	-	-	-	-	-	3	5	10	
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
EAST DISTRICTS.																		
Shoreditch South 3*H*	46,362	25	4	1	-	-	-	-	-	-	-	-	-	-	1	1	-	
Shoreditch North-West *W*,*w*,*H* ..	36,127	34	34	6	16	-	-	-	-	1	-	-	-	2	-	3	18	
Shoreditch North-East	36,148	10	7	1	2	-	-	-	-	-	-	-	-	1	1	2	-	
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	32	40	8	17	-	-	-	-	-	-	-	-	-	3	5	29	
Bethnal Green South-West *H* ..	64,542	33	5	3	1	-	2	-	-	-	-	-	-	-	-	1	-	
Spitalfields..	27,969	10	6	1	1	-	1	-	-	-	-	-	-	1	-	-	-	
Mile End New Town *W*,*H*	28,718	19	43	8	5	-	1	-	-	-	-	-	-	-	3	6	37	
Goodman's Fields	22,081	9	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
St. George and St. John 2*W* ..	49,068	43	17	8	5	-	-	-	-	-	-	-	-	-	1	5	3	
Shadwell and Ratcliff *w*,*H* ..	25,568	14	12	3	-	-	-	-	-	3	-	-	-	2	1	1	7	
Limehouse *W*	32,369	24	6	2	1	-	-	-	-	1	-	-	-	-	-	-	-	
Mile End Old Town South-Western *H*	63,698	52	13	3	5	-	1	-	-	-	-	-	-	-	-	1	1	
Mile End Old Town North-Eastern *W*,*w*	49,129	24	22	3	6	-	-	-	1	2	-	1	-	-	-	3	8	
Bow	41,989	21	8	4	1	-	-	-	-	-	-	-	-	-	-	-	-	
Bromley 3*w*,*H*	68,319	43	24	9	2	-	-	-	-	-	-	-	-	1	2	4	9	
Poplar *W*,*w*	58,514	37	15	8	3	-	2	-	-	1	-	-	-	1	2	4	-	
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 27th November, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch and St. Saviour Southwark *W,2H*	23,319	9	11	2	1	-	-	-	-	-	-	-	-	-	1	1	10	-
Kent-road	21,904	15	7	3	1	-	-	-	-	-	-	-	-	-	1	2	-	-
St. George the Martyr West *W,2H,L*	39,094	16	15	5	3	-	-	-	-	2	-	-	-	-	3	4	7	-
Newington North	49,022	30	16	4	6	-	-	-	-	-	-	-	-	1	2	4	-	-
Newington South *W*	72,841	30	7	-	1	-	-	-	-	-	-	-	-	-	2	2	-	-
St. Olave *2W*	9,817	8	5	1	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Bermondsey *W*	82,483	55	13	5	5	-	-	-	-	-	-	-	-	-	1	4	-	-
Rotherhithe *W,F*	38,460	21	29	2	6	-	-	-	-	2	-	-	-	-	1	3	17	-
Waterloo *2H*	27,440	26	6	4	1	-	-	-	-	-	-	-	-	-	-	-	3	-
Lambeth Church *H*	27,440	13	20	6	3	-	-	-	3	1	-	-	-	-	1	1	11	-
Kennington *2W*	52,518	25	25	6	14	-	-	-	-	-	-	-	-	-	-	2	12	-
Stockwell *HF*	63,826	33	8	1	3	-	-	-	1	-	-	-	-	1	-	-	1	-
Brixton *H*	73,673	30	12	2	5	-	-	-	-	1	-	-	-	-	-	1	2	-
Norwood *2WH*	56,998	18	13	1	9	-	-	-	-	-	-	-	-	-	-	2	-	-
East Battersea *H*	72,203	41	15	2	5	-	-	-	-	-	-	-	-	-	-	3	-	-
North-west Battersea	49,656	23	17	9	2	-	-	-	-	-	-	-	-	-	-	1	-	-
South-west Battersea *2W,H*	47,048	10	23	3	9	-	-	-	-	2	-	-	-	-	1	2	12	-
Clapham *2H*	51,361	17	10	1	5	-	-	-	-	-	-	-	-	-	-	2	1	-
Streatham *W,2w,2F,2L*	88,019	46	41	9	16	-	-	-	1	-	-	-	-	-	1	3	13	-
Springfield *2W,L*	27,959	29	15	4	4	-	-	-	-	-	-	-	-	1	-	1	1	-
Southfields *H*	40,444	18	9	3	3	-	-	-	-	-	-	-	-	-	-	-	2	-
Putney	24,139	6	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich	13,359	3	4	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	17	25	1	16	-	-	-	-	-	-	-	-	-	-	-	15	-
Camberwell North *W,2L*	65,584	22	33	4	13	-	-	-	-	-	-	-	-	-	1	3	17	-
St. George	47,331	29	12	1	5	-	-	-	-	-	-	-	-	-	-	2	-	-
Peckham North	48,913	20	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Peckham South *2W,w*	43,946	21	9	1	5	-	-	-	-	-	-	-	-	-	1	2	-	-
Deptford North	37,613	21	13	4	1	-	1	-	-	4	-	-	-	-	-	2	-	-
Deptford Central *F*	45,481	24	5	1	1	-	-	-	1	-	-	-	-	-	-	-	1	-
Deptford South	34,625	15	8	1	5	-	-	-	-	-	-	-	-	-	1	1	-	-
Greenwich West *H*	23,456	8	7	2	-	-	-	-	-	-	-	1	-	-	-	3	1	-
Greenwich East *2W,H*	43,859	20	28	2	17	-	-	-	-	-	-	-	-	-	-	1	19	-
Eltham *w,H*	7,226	11	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *w,H*	25,490	5	6	-	5	-	-	-	-	-	-	-	-	-	1	1	-	-
Lewisham *2W,w,F*	58,352	30	28	1	16	-	-	1	2	-	-	-	-	-	-	-	12	-
Sydenham *H*	43,653	20	13	-	11	-	-	-	-	-	-	-	-	-	-	-	-	-
Charlton *F,2H*	21,134	5	7	2	2	-	-	-	1	-	-	-	-	-	-	2	1	-
Woolwich *5H*	41,625	25	10	2	1	-	-	-	-	-	-	-	-	-	-	-	2	-
Plumstead West *W,H*	39,376	13	10	5	5	-	-	-	-	-	-	-	-	-	-	1	-	-
Plumstead East *2W*	28,951	21	17	6	4	-	-	-	-	-	-	-	-	-	-	2	6	-
Workhouses:—																		
Belmont Workhouse	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	-	5	-	3	-	-	-	-	-	-	-	-	-	-	-	5	-
M. A. B. Small-pox Hospitals:—																		
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																		
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																		
Children's Infirmary, Carshalton	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums:—																		
Caterham	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
Leavesden	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
London County Lunatic Asylums:—																		
Banstead	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
Manor	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Grove	—	-	6	-	2	-	-	-	-	-	-	-	-	-	-	-	6	-
Cane Hill	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
Dartford Heath	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-
Hanwell	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
Colney Hatch	—	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	4	-
Claybury	—	-	9	-	5	-	-	-	-	-	-	-	-	-	-	-	9	-

TABLE **6.** LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERATED POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 27th November, 1909.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years & upwds.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of
	LONDON—OUTER RING ..	368,603	2,045,135	1213	644	144	225	-	7	6	6	11	2	5	23	56	132	
30 : 1	Carshalton 2F,3H	12,228	32,997	21	10	1	4	-	-	-	1	1	-	-	1	2	1	
2	Epsom, *part of** W,w,2F,H..	10,423	15,548	10	3	-	2	-	-	-	-	-	-	-	-	-	1	
37 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
38 : 1	Coulsdon	11,069	8,166	6	1	-	1	-	-	-	-	-	-	-	-	-	-	
2	South Croydon w,H ..	4,200	49,309	23	9	1	8	-	-	-	-	-	-	-	-	-	-	
3	West Croydon 3W,F,H ..	2,168	42,888	34	30	5	11	-	-	1	-	-	-	-	-	-	16	
4	North Croydon H	2,614	41,698	24	10	2	4	-	-	-	-	-	-	-	1	1	1	
5	Penge w	770	22,465	13	4	-	1	-	-	-	-	-	-	-	-	1	-	
6	Mitcham w	11,711	30,015	32	16	6	4	-	1	-	-	-	-	-	2	3	-	
39 : 1	Wimbledon F,3H	3,221	41,652	18	9	2	4	-	-	-	-	-	-	-	1	1	-	
2	Kingston 2W,H	6,224	42,068	16	19	1	7	-	-	-	-	-	-	-	2	2	10	
3	Surbiton F,H	3,046	15,017	9	6	2	3	-	-	-	-	1	-	-	-	1	1	
4	Esher, *part of** H	5,402	13,100	3	3	1	-	-	-	-	-	-	-	-	-	-	-	
5	Hampton H,F,L	4,564	23,456	14	8	-	2	-	-	-	-	1	-	-	-	-	1	
40 : 1	Richmond W,H	2,491	31,672	9	5	-	4	-	-	-	-	-	-	-	-	1	3	
2	Mortlake F	2,518	17,821	11	6	3	2	-	-	-	-	-	-	-	-	-	-	
41 : 1	Bromley F,3H	4,703	27,354	5	5	3	1	-	-	-	-	-	-	-	-	-	1	
2	Beckenham H	7,825	28,497	12	8	-	3	-	-	-	-	-	-	-	-	-	1	
3	Orpington, *part of** W,F ..	10,113	9,857	2	5	1	1	-	-	-	-	-	-	-	-	-	1	
4	Chislehurst 2H	7,333	16,446	10	4	2	2	-	-	-	-	-	-	-	-	-	-	
42 : 1	Bexley w,F,H	8,678	21,151	12	5	2	-	-	-	-	-	-	-	-	1	1	-	
2	Erith F,H	3,854	25,296	16	3	2	1	-	-	-	-	-	-	-	-	-	-	
3	Dartford W,F, *part of** ..	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	
124 : 1	Sunbury w	11,054	18,683	9	5	1	3	-	-	-	-	-	-	-	-	-	-	
2	Staines W,H	13,277	15,178	14	7	4	-	-	1	-	-	1	-	-	-	-	-	
125 : 1	Hillingdon W,F,H	6,035	13,661	4	4	-	2	-	-	-	-	-	-	-	-	-	1	
2	Uxbridge H	12,757	8,984	6	3	1	1	-	-	-	1	-	-	-	-	-	-	
3	Hayes w 2F,H	8,066	16,358	22	5	1	1	-	-	-	-	-	-	-	-	-	-	
126 : 1	Isleworth 3W,3F,H	6,859	30,863	23	15	4	5	-	1	-	-	-	-	-	-	1	5	
2	Twickenham F,2H	2,421	20,991	12	2	1	1	-	-	-	-	1	-	-	-	-	-	
3	Brentford 3F,2H	4,319	48,289	29	9	1	6	-	-	-	-	-	-	-	-	-	-	
4	Chiswick H	1,249	29,809	13	7	-	4	-	-	-	-	-	-	-	-	-	1	
5	Acton w,F,3H	6,122	48,914	47	22	6	10	-	-	-	-	-	-	-	-	-	-	
127A: 1	Harrow F,H	13,809	25,523	24	3	-	1	-	-	-	-	-	-	-	-	-	-	
2	Edgware 2F,2H	6,984	4,521	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Hendon W,F	8,382	22,450	11	3	-	2	-	-	-	-	-	-	-	-	1	1	
127B: 1	Willesden W,F,2H	4,384	114,811	87	36	11	7	-	-	1	-	-	1	-	1	1	6	
128 : 1	South Mimms 2F,H ..	17,755	7,308	3	2	-	2	-	-	-	-	-	-	-	-	-	-	
2	Barnet W,2H	3,324	17,970	2	5	1	3	-	-	-	-	-	-	-	-	-	1	
3	Finchley F,3H	4,638	33,692	19	9	3	3	-	-	-	-	-	-	-	2	2	1	
129 : 1	Hornsey F,H	2,875	72,056	21	19	1	10	-	-	-	1	-	-	1	2	2	1	
2	Wood Green H	1,625	34,233	16	11	4	4	-	-	1	-	-	-	-	-	1	-	
3	West Tottenham	995	48,741	48	10	4	1	-	-	-	-	-	-	-	-	1	-	
4	East Tottenham 2H ..	2,019	53,962	38	15	4	6	-	-	-	-	1	-	-	1	3	3	
5	Edmonton W,w,2F	7,491	61,892	46	29	11	6	-	-	-	-	-	-	-	2	7	10	
6	Enfield 2W,F,H	12,601	42,738	25	15	7	2	-	2	-	1	1	-	-	-	2	3	
7	Waltham Abbey F	11,017	6,549	2	2	1	-	-	-	-	-	-	-	-	-	-	-	
8	Cheshunt F,H	8,479	12,292	3	4	-	2	-	-	-	-	-	-	-	-	-	-	
135 : 1	Hatfield, *part of** W ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
137 : 1	Bushey, *part of** H ..	9,195	7,051	4	2	-	-	-	-	-	-	-	-	-	-	-	-	
2	Watford, *part of** W,2F ..	138	2,122	-	1	-	-	-	-	-	-	-	-	-	-	-	1	
186 : 1	Stratford H	1,091	52,974	21	8	2	4	-	-	-	-	-	-	-	-	3	-	
2	Forest Gate	787	52,745	25	17	4	7	-	-	-	-	-	-	-	-	1	-	
3	Plaistow F,2H	1,249	90,921	51	25	5	6	-	1	1	1	1	-	1	-	-	5	
4	Canning Town H	1,556	70,718	45	17	5	4	-	-	-	-	-	-	-	-	1	-	
5	South East Ham 2F ..	1,991	37,342	27	14	7	3	-	-	-	-	1	-	1	2	2	-	
6	North East Ham w,H ..	1,333	58,666	34	18	2	6	-	-	-	-	-	-	-	-	2	-	
7	Wanstead F	1,679	9,179	4	-	-	-	-	-	-	-	-	-	-	-	-	-	
8	South Leyton 2W	631	50,467	32	16	1	11	-	-	-	-	-	-	-	-	-	8	
9	North Leyton 2W,w,F ..	1,963	48,445	32	38	5	9	-	-	-	1	-	1	1	3	5	27	
10	Walthamstow 2H,L ..	6,504	108,929	58	28	4	12	-	1	-	-	1	-	-	1	5	1	
187 : 1	Chigwell 2F,3H	11,778	16,397	5	3	-	3	-	-	-	-	-	-	-	-	-	-	
2	Epping W,F, *part of** ..	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	
189 : 1	Romford, *part of** W,2F ..	6,556	6,091	3	3	-	1	-	-	-	-	-	-	-	-	-	3	
2	Ilford F,L	8,496	41,244	28	20	5	6	-	-	-	-	1	-	-	-	1	2	
3	Barking Town F	3,805	21,547	17	9	4	2	-	-	1	-	-	-	-	-	-	1	
	London Fever Hospital, Islington.	—	—	-	1	-	-	-	-	1	-	-	-	-	-	-	1	
	N.E. Hospital, Tottenham..	—	—	-	2	-	-	-	-	-	-	-	-	-	1	1	2	
	Belmont Workhouse, Carshalton.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	1	1	
	London County Lunatic Asylum (Long Grove), Epsom.	—	—	-	1	-	-	-	-	-	-	-	-	1	-	-	1	
	Surrey County Lunatic Asylum, Brookwood.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	
	Middlesex County Lunatic Asylum, Napsbury.	—	—	-	4	-	1	-	-	-	-	-	-	-	-	-	4	
	Essex County Lunatic Asylum, Brentwood.	—	—	-	2	-	-	-	-	-	-	-	-	-	-	-	2	

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30 : 2, excepting Ashtead parish; 37 : 1, Warlingham and Farley parishes; 39 : 4, excepting Esher parish; 41 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135 : 1, Northaw parish; 137 : 1, excepting the part in Watford Rural parish; 137 : 2, Oxhey parish; 189 : 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42 : 3, 137 : 2 and 187 : 2 and in the Croydon Mental Hospital in 37 : 1 are also included

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox	Measles.	Scarlet Fever	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON - -	4,833,938	November 27	2195	1442	15·6	-	12	7	17	25	2	15
CALCUTTA - -	1,009,008	October 23	-	465	23·9	-	1	-	-	-	97†	48‡
		" 30	-	491	25·3	-	-	-	-	1	120†	42‡
BOMBAY - -	982,000	November 2	461	522	27·7	1	-	-	-	-	72†	32‡
MADRAS - -	548,974	October 29	447	374	38·1	1	1	?	?	?	127	47
PARIS - - -	2,760,000	November 20	859	844	16·1	1	10	3	10	1	7	22
BRUSSELS - -	704,975	" 20	217	193	14·2	-	3	1	1	1	-	14
ANTWERP - -	314,135	" 20	115	107	17·7	-	-	-	-	-	1	9
AMSTERDAM -	565,553	" 20	264	135	12·4	-	3	-	-	2	-	2
COPENHAGEN -	451,000	" 20	208	122	14·1	-	-	3	-	2	1	2
STOCKHOLM -	339,582	" 13	134	88	13·5	-	1	1	-	1	-	1
CHRISTIANIA -	235,674	" 20	104	62	13·7	-	1	-	3	-	-	6
ST. PETERSBURG	1,573,000	" 13	934	603	20·0	7	18	11	13	6	7	59‡
MOSCOW - -	1,452,100	" 13	-	719	25·8	1	10	43	32	15	10	73
BERLIN - -	2,111,251	" 6	746	593	14·6	-	1	17	16	7	4	44
HAMBURG - -	872,252	" 20	-	225	13·4	-	2	3	14	2	-	14
BRESLAU - -	502,676	" 13	251	163	16·9	-	1	3	2	5	2	19
MUNICH - -	566,000	" 20	-	187	17·2	-	5	-	-	3	-	20
VIENNA - -	2,064,037	" 20	817	564	14·1	-	3	8	7	2	2	39
PRAGUE - -	485,057	" 20	181	157	16·5	-	-	1	-	1	1	11
BUDAPEST - -	823,215	" 13	435	293	18·5	1	4	5	5	1	3	25
TRIESTE - -	217,706	" 20	123	97	23·0	-	-	-	-	-	-	3
ROME - - -	565,323	August 14	259	207	18·8	-	-	1	2	1	11§	48
		" 21	245	186	16·9	-	-	-	2	-	3§	35
VENICE - -	179,286	October 9	94	48	14·0	-	-	-	1	-	-	11
BUCAREST - -	296,585	" 30	185	155	27·3	-	-	4	-	-	7	19
NEW YORK -	4,564,792	November 6	2252	1333	15·2	-	8	10	29	8	16	68
CHICAGO - -	2,224,490	" 6	-	622	14·6	-	1	7	22	2	6	39
PHILADELPHIA -	1,565,569	October 23	-	-	-	-	-	-	-	-	-	-
RIO DE JANEIRO	637,089	" 17	-	221	18·1	-	-	-	-	2	-	?
CAIRO:—												
Egyptians -	666,587	" 28	556	439	34·1	-	-	-	14	?	6	108
Foreigners -	35,219	" 28	8	10	14·8	-	-	-	-	?	-	4
ALEXANDRIA:—												
Egyptians -	341,965	" 28	268	185	27·9	-	-	-	2	?	4	52
Foreigners -	46,118	" 28	11	18	20·3	-	-	-	1	?	2	3

* Excluding deaths from croup in the Indian Cities.
† Including 5 and 10 deaths from plague in Calcutta and 3 in Bombay.
‡ Including 5 and 9 deaths from cholera in Calcutta, 1 in Bombay and 16 in St. Petersburg.
§ Including 4 deaths and 1 death from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 27th November, 1909

TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	44·8	27·6	36·7	0·01	BRADFORD - -	48·2	31·4	37·9	0·24
BRIGHTON - -	48·9	29·9	37·7	0·11	YORK - - -	45·0	30·0	36·8	0·17
PORTSMOUTH - -	46·7	31·0	38·3	0·03	HULL - - -	45·0	31·0	38·0	0·62
NORWICH - -	46·0	25·8	37·1	0·47	TYNEMOUTH - -	45·0	30·0	37·4	0·43
PLYMOUTH - -	53·2	27·7	41·6	0·23	CARDIFF - - -	48·3	27·3	39·9	0·43
BRISTOL - - -	49·1	25·0	38·3	0·29	EDINBURGH - -	46·3	29·3	37·9	0·35
BIRMINGHAM - -	43·5	28·3	37·3	0·09	GLASGOW - -	49·0	29·0	40·3	0·17
NOTTINGHAM - -	47·3	27·0	37·2	0·16	DUBLIN Phœnix Park.	50·2	25·0	38·4	0·25
LIVERPOOL OBSERVATORY	49·0	33·0	40·0	0·28	DUBLIN Fitzwilliam Square.†	50·4	29·3	40·0	0·18
MANCHESTER -	44·1	23·6	35·8	0·30					
BURNLEY - -	47·2	24·2	35·5	0·59					
HUDDERSFIELD -	44·4	32·5	38·3	0·20	BELFAST - - -	50·5	25·0	38·5	0·16

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to the seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0°·2 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 27th November, 1909.

[*Under the Superintendence of the Astronomer Royal.*]

1909. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
NOVEMBER.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 21	..	29·727	43·5	31·1	12·4	37·3	− 4·8	32·3	5·0	9·0	0·0	82	57·0	23·3	46·80	NNW. & variable.	NNW. & N.	4·5	0·0	0·1	267	− 30	0·00	0·0
MONDAY - 22	..	29·877	40·0	31·7	8·3	35·4	− 6·7	31·8	3·6	6·7	1·8	86	64·9	24·5	46·41	NNW. & N.	N.	3·2	0·0	0·2	333	+ 33	0·00	2·0
TUESDAY - 23	In Eqr.	30·195	38·9	31·2	7·7	34·9	− 7·1	32·3	2·6	4 4	1·1	90	46·6	26·8	46·00	N. & NNW.	NNW. NW. & WSW.	2·3	0·0	0·1	220	− 83	0·01	0·0
WEDNESDAY 24	..	30·214	40·0	30·7	9·3	35·9	− 6·1	32·1	3·8	6·1	1·4	86	47·4	26·2	45·59	WSW. & SW.	W. & WSW.	1·2	0·0	0·1	284	− 22	0·00	0·0
THURSDAY - 25	Perigee	30·115	43·2	27·6	15·6	36·4	− 5·5	34·2	2·2	5·5	0·0	92	51·8	23·1	45·27	W., NW. & NNW.	N., calm & SW.	0·5	0·0	0·0	145	−167	0·00	0·0
FRIDAY - 26	..	29·987	42·9	29·6	13·3	37·5	− 4·3	33·4	4·1	8·4	0·4	85	46·1	24·0	45·08	Variable. SSW. & SW.	WSW. SW. & S	0·2	0·0	0·0	155	−162	0·00	0·0
SATURDAY - 27	Full	29·824	44·8	39·0	5·8	41·9	+ 0·2	36·3	5·6	8·3	3·1	80	69·3	34·0	44·89	S. & SSW.	S. & SSW.	3·0	0·0	0·2	331	+ 13	0·00	4·0
MEANS - -		29·991	41·9	31·6	10·3	37·0	− 4·9	33·2	3·8	6·9	1·1	86	54·7	26·0	45·72	NNW. & SSW.		..	..	..	Sum 1735	Sum −418	Sum 0·01	0·9
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. NOVEMBER.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.
SUNDAY - 21	m. P. generally.	3·8	8·6
MONDAY - 22	m. P. generally ; w. P. in early morning.	5·8	8·5
TUESDAY - 23	w. P. generally till 9h. A.M. ; m. P. afterwards.	0·0	8·5
WEDNESDAY 24	m.P. generally ; occasional s. P.	1·8	8·4
THURSDAY - 25	m.P. till 7h. A.M.; w. P. till 3h. P.M. ; m. P. afterwards.	0·2	8·4
FRIDAY - 26	m. P. generally ; occasional s. P.	0·0	8·3
SATURDAY - 27	w. P. generally ; v. N. between 5h. and 6h. P.M.	3·1	8·3
		Sum 14·7	Sum 59·0
No. of Col. - -	27	28	29

GENERAL REMARKS.

Very fine with small amounts of cloud generally till 3h. P.M.; cloudy interval till 7h. P.M.; nearly cloudless afterwards ; hoar frost in morning and at night.

Very fine throughout ; the amount of cloud was usually small ; hoar frost in morning and at night.

Very fine till 1h. 30m. A.M. ; overcast with slight exceptions till 9h. P.M. ; fine but hazy afterwards ; slight snow 3h. 15m.-45m. A.M.

Cloudy till 3h. A.M. ; very fine till 10h. 30m. A.M. ; generally cloudy afterwards ; hoar frost in morning.

Variably cloudy : fine interval with hoar frost between 1h. 30m. and 5h. A.M. : fog prevalent after 5h. P.M. ; gradually intensifying and becoming very dense by 9h. P.M.

Gradually diminishing fog in morning ; overcast with slight exceptions after 3h. A.M.

Generally overcast till 10h. 30m. A.M. ; very fine with little cloud till 2h. P.M. ; generally overcast afterwards ; light shower between 6h. and 7h. P.M. Lunar halo observed at 11h. P.M.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea ; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M. ; noon ; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive ; N. negative ; w. weak ; m. moderate ; s. strong ; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·90 in. at the beginning of the week to 29·69 in. by 5h. P.M. on the 21st ; increased to 30·25 in. by 10h. P.M. on the 23rd ; and decreased to 29·74 in. by midnight on the 27th.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 20th November, 1909.*

BOROUGHS.	Estimated Population in the middle of 1909.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	151,955	-	8	6	-	-	-	-	1	-	-
Kensington	183,683	-	7	1	-	1	-	-	4	-	-
Hammersmith	125,704	-	8	2	-	-	-	-	1	-	-
Fulham	176,406	-	12	6	-	1	-	-	1	-	-
Chelsea	75,249	-	1	3	-	-	-	-	1	-	-
City of Westminster ..	168,883	-	9	1	-	1	-	-	2	-	1
NORTH.											
St. Marylebone	126,027	-	8	2	-	-	-	-	1	-	-
Hampstead	94,185	-	6	4	-	-	-	-	-	-	-
St. Pancras	237,422	-	17	5	-	2	-	-	2	-	-
Islington	351,202	-	20	13	-	-	-	-	2	-	-
Stoke Newington	54,423	-	1	-	-	-	-	-	2	-	-
Hackney	237,601	-	9	5	-	1	-	-	3	-	-
CENTRAL.											
Holborn	53,802	-	1	-	-	-	-	-	-	-	-
Finsbury	95,289	-	2	1	-	-	-	-	4	1	-
City of London	18,193	-	2	-	-	-	-	-	2	-	-
EAST.											
Shoreditch	114,802	-	3	-	-	-	-	-	2	-	-
Bethnal Green	131,316	-	14	3	-	-	-	-	2	-	-
Stepney	312,525	1	12	12	-	7	-	-	15	2	-
Poplar	171,965	-	6	1	-	-	-	-	6	-	-
SOUTH.											
Southwark	211,125	-	5	2	-	-	-	-	4	-	-
Bermondsey	127,569	-	9	3	-	-	-	-	4	1	-
Lambeth	324,188	-	23	9	-	1	-	-	5	-	-
Battersea	186,036	-	13	3	-	1	-	-	1	-	-
Wandsworth	297,646	-	13	2	-	-	-	-	7	2	-
Camberwell	283,022	-	33	11	-	-	-	-	4	-	-
Deptford	118,583	-	7	3	-	1	-	-	3	-	-
Greenwich	111,014	-	5	3	-	1	-	-	-	-	-
Lewisham	160,749	-	32	7	-	-	-	-	1	-	-
Woolwich	133,374	-	18	5	-	-	-	-	1	1	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,833,938	1	304	113	-	17	-	-	81	7	1
Ages 0-1		-	6	2	-	-	-	-	3	-	-
„ 1-5		-	78	43	-	2	-	-	4	-	-
„ 5-		-	135	47	-	3	-	-	5	-	-
„ 10-		-	54	9	-	3	-	-	4	-	-
„ 15-		-	13	1	-	1	-	-	2	-	-
„ 20-		-	8	2	-	3	-	-	2	1	1
„ 25-		1	7	7	-	2	-	-	14	5	-
„ 35-		-	2	2	-	1	-	-	17	1	-
„ 45-		-	1	-	-	2	-	-	11	-	-
„ 55-		-	-	-	-	-	-	-	13	-	-
„ 65 and upwards		-	-	-	-	-	-	-	6	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY DARLING & SON, LTD., 34-40 BACON STREET, E.

1909

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office.

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 48. 1909. VOL. LXX.] WEEK ENDED SATURDAY, DEC. 4. [Price 1½*d.*

General Register Office, Somerset House,

December 6th, 1909.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 16·5 per 1000 of their aggregate population, which is estimated † at 16,445,281 persons in the middle of this year. In the preceding three weeks the rates had been 13·8, 14·6, and 16·4. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 21·3 in Middlesbrough, 21·5 in Walsall, 21·7 in South Shields, 21·9 in Manchester, 22·1 in Burnley, 22·5 in Bolton, 23·1 in Brighton, 25·5 in Swansea, and 28·0 in Hanley and in Oldham; from *measles*, 2·0 in Burnley and 2·3 in Hanley; from *whooping-cough*, 1·1 in Oldham and 1·4 in Ipswich; and from *diarrhœa*, 1·5 in Blackburn and 2·2 in South Shields. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 1933 BIRTHS and 1484 DEATHS were registered. Allowing for increase of population, the births were 440 and the deaths 142 below the average numbers in the corresponding

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-five other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(14916—41.) Wt. 109—472. 700. 12/09. D & S. G. 31. Sch. 4. 3 B

weeks of the previous five years. The annual death-rate from all causes, which had been 13·9, 14·7, and 15·6 per 1000 in the preceding three weeks, further rose last week to 16·0. The death-rate in the four weeks ended last Saturday averaged 15·1 per 1000, being 1·2 per 1000 below the mean rate in the corresponding periods of the five years 1904–8.

The 1484 deaths included 16 from measles, 11 from scarlet fever, 6 from diphtheria, 23 from whooping-cough, 5 from enteric fever, and 14 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia: thus, to these diseases in the aggregate 75 deaths were referred, being 38 below the corrected average number in the forty-eighth week of the preceding five years.

The deaths from *measles*, which had been 8, 12, and 12 in the preceding three weeks, rose to 16 last week, but were 20 below the corrected average; 3 deaths belonged to the Borough of Poplar. The deaths from *scarlet fever*, which had been 8, 3, and 7 in the preceding three weeks, were 11 last week, and were 1 below the corrected average. The deaths from *diphtheria*, which had been 9, 13, and 17 in the preceding three weeks, fell to 6 last week, and were 15 below the corrected average. The deaths from *whooping-cough*, which had been 16, 20, and 25 in the preceding three weeks, were 23 last week, and were 9 above the corrected average; 3 deaths belonged to Poplar and 3 to Deptford. The deaths from *enteric fever*, which had been 2, 1, and 2 in the preceding three weeks, were 5 last week, the corrected average being 8. The deaths from *diarrhœa*, which had been 16, 24, and 15 in the preceding three weeks, were 14 last week, and were 8 below the corrected average. Of the 14 deaths from diarrhœa, 12 were those of children under 5 years of age; 9 other deaths at this age were certified as due to *enteritis* and 4 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 13, having been 14, 16, and 13 in the preceding three weeks.

Different forms of violence caused 58 deaths, concerning all of which inquests were held. Of these 58 deaths, 12 were cases of suicide, and 1 of homicide, while the remaining 45 were attributed accident or negligence. Five of these latter were referred to vehicles in the streets, nine to burns or scalds, three to drowning, and seven, of infants under one year of age, to suffocation in bed.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 3 cases of small-pox, 2488 of scarlet fever, 952 of diphtheria, and 67 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 281 cases, against 284, 308, and 264; of diphtheria, 104 cases, against 111, 91, and 88; and of enteric fever, 7 cases, against 9, 7, and 8. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended November 27th, 1909.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 3092 births and 2093 deaths were registered. Allowing for increase of population, these numbers are 625 and 185 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 8 deaths from measles, 3 from diphtheria, 3 from whooping-cough, and 5 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·04 inches, and that of the Thermometer 44°·6, the latter being 3°·5 above the week's average in the 65 years ended 1905. The general direction of the wind was South-Westerly, the horizontal movement of the air being 69 per cent. above the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 13·2 hours; the measured rainfall amounted to 1·40 inches.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 4th December, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 13th Nov., 1909.	20th Nov., 1909.	27th Nov. 1909.	4th Dec., 1909.	Rate from Diseases in Cols. 11-17 Week ended 4th December, 1909.	Registered during the Week ended 4th Dec., 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17	18.	19.	20.	21.	Cols.
76 TOWNS	**16,445,281**	**13·8**	**14·6**	**16·4**	**16·5**	**0·9**	**7056**	**5196**	**1010**	**1755**	–	**53**	**41**	**48**	**65**	**32**	**58**	**170**	**414**	**1369**	**41**	**76 TOWNS.**
LONDON	4,833,938	13·9	14·7	15·6	16·0	0·8	1933	1484	214	574	–	16	11	6	23	5	14	58	144	611	3	LONDON.
† CROYDON	161,078	10·0	9·1	14·6	9·1	0·3	62	28	6	14	–	–	–	1	–	–	–	1	5	7	–	CROYDON.
† WILLESDEN ..	160,424	9·1	9·1	11·4	10·4	1·0	72	32	8	10	–	1	–	–	1	–	1	1	2	7	–	WILLESDEN.
† HORNSEY	95,628	7·1	6·5	11·5	10·9	–	28	20	2	7	–	–	–	–	–	–	–	–	–	3	–	HORNSEY.
† TOTTENHAM ..	129,464	9·7	10·5	11·7	13·7	–	67	34	9	11	–	–	–	–	–	–	–	1	9	3	–	TOTTENHAM.
† WEST HAM ..	321,767	13·9	12·8	14·1	15·6	1·0	153	84	15	22	–	1	2	–	1	1	1	3	7	23	–	WEST HAM.
† EAST HAM.. ..	149,575	5·2	9·8	12·9	7·7	–	62	22	5	8	–	–	–	–	–	–	–	–	–	4	–	EAST HAM.
† LEYTON	129,614	8·0	10·1	10·1	12·1	1·6	47	30	4	15	–	–	–	2	2	–	–	–	2	9	–	LEYTON.
† WALTHAMSTOW	136,602	10·7	8·8	11·1	8·0	0·8	54	21	5	7	–	–	1	–	1	–	–	1	3	6	–	WALTHAMSTOW.
HASTINGS	68,165	15·3	13·0	15·3	8·4	–	20	11	1	4	–	–	–	–	–	–	–	–	–	–	–	HASTINGS.
BRIGHTON	130,926	15·1	13·9	15·1	23·1	–	27	58	8	23	–	–	–	–	–	–	–	1	3	17	–	BRIGHTON.
PORTSMOUTH ..	214,726	12·4	13·6	14·6	14·8	0·7	93	61	11	18	–	–	1	1	–	1	–	2	6	15	1	PORTSMOUTH.
BOURNEMOUTH ..	72,368	15·9	8·6	8·6	15·1	0·7	23	21	4	8	–	–	–	1	–	–	–	–	–	2	–	BOURNEMOUTH.
SOUTHAMPTON ..	124,667	10·0	12·1	16·3	14·2	0·4	49	34	5	8	–	–	–	–	–	1	–	3	6	13	–	SOUTHAMPTON.
READING	82,995	5·0	8·2	8·2	12·6	1·9	43	20	4	7	–	–	–	1	–	–	2	–	–	2	1	READING.
NORTHAMPTON ..	97,752	13·3	14·4	18·7	17·1	1·1	44	32	10	10	–	2	–	–	–	–	–	–	3	6	1	NORTHAMPTON.
IPSWICH	74,889	15·3	17·4	16·0	17·4	2·1	28	25	4	9	–	–	–	–	2	–	1	1	3	2	–	IPSWICH.
GREAT YARMOUTH	53,430	14·6	17·6	22·4	18·5	1·0	25	19	4	8	–	–	–	1	–	–	–	1	1	3	–	GREAT YARMOUTH.
NORWICH	124,136	12·6	14·7	13·9	11·8	0·8	55	28	10	9	–	–	–	–	–	2	–	–	1	5	1	NORWICH.
PLYMOUTH	124,180	11·8	17·6	16·4	15·5	0·4	52	37	6	14	–	–	1	–	–	–	–	–	2	3	–	PLYMOUTH.
DEVONPORT	83,103	9·4	9·4	15·1	11·3	0·6	59	18	5	5	–	–	–	–	–	–	1	–	2	5	–	DEVONPORT.
BRISTOL	377,642	12·7	11·3	15·3	14·8	0·8	149	107	19	45	–	4	–	2	–	–	–	4	10	22	–	BRISTOL.
HANLEY	68,831	24·2	26·5	27·3	28·0	3·8	28	37	10	10	–	3	–	2	–	–	–	1	3	–	–	HANLEY.
BURTON-ON-TRENT	54,453	19·2	6·7	11·5	20·1	1·9	18	21	7	6	–	–	–	–	1	–	1	–	–	4	–	BURTON-ON-TRENT.
WOLVERHAMPTON..	104,633	13·0	13·5	15·9	15·0	0·5	42	30	14	7	–	–	–	–	–	–	1	3	6	6	–	WOLVERHAMPTON
WALSALL	99,399	17·8	18·9	20·5	21·5	1·0	42	41	10	16	–	–	1	–	–	–	1	1	2	5	1	WALSALL.
HANDSWORTH ..	70,186	9·7	11·1	8·9	11·1	0·7	21	15	3	9	–	–	–	–	–	–	1	–	1	1	–	HANDSWORTH.
WEST BROMWICH..	70,457	13·3	19·2	19·2	19·2	2·2	48	26	11	3	–	1	1	–	1	–	–	1	1	4	2	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 4th December, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 13th Nov., 1909.	20th Nov., 1909.	27th Nov., 1909.	4th Dec., 1909.	Rate from Diseases in Cols. 11–17. Week ended 4th December, 1909.	Registered during the Week ended 4th Dec. 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
BIRMINGHAM ..	563,629	12·4	13·7	15·6	14·1	0·6	253	152	36	35	-	-	3	1	1	1	1	7	9	41	5	BIRMINGHAM.
KINGS NORTON ..	81,632	8·9	12·8	13·4	12·1	1·3	26	19	5	7	-	-	1	1	-	-	-	-	1	1	1	KINGS NORTON.
SMETHWICK	70,377	12·6	18·5	13·3	14·8	1·5	37	20	4	5	-	-	-	-	-	2	-	-	4	4	-	SMETHWICK.
ASTON MANOR ..	85,257	9·8	18·3	13·5	17·1	0·6	23	28	5	10	-	-	-	-	1	-	-	-	1	3	-	ASTON MANOR.
COVENTRY	80,163	14·3	16·9	14·3	20·8	1·3	38	32	4	8	-	-	1	-	-	-	1	1	3	5	-	COVENTRY.
LEICESTER	244,255	10·7	13·4	20·9	19·0	1·3	79	89	18	41	-	-	1	1	4	-	-	1	3	12	-	LEICESTER.
GRIMSBY	73,036	12·9	14·3	15·0	10·0	-	44	14	4	5	-	-	-	-	-	-	-	-	-	2	-	GRIMSBY.
NOTTINGHAM ..	263,443	16·2	14·4	16·0	16·4	1·0	114	83	23	27	-	-	1	1	2	-	1	3	7	14	-	NOTTINGHAM.
DERBY	129,411	15·3	12·9	16·9	15·7	0·8	42	39	10	9	-	1	-	-	-	-	1	-	1	14	-	DERBY.
STOCKPORT	103,706	23·1	15·6	20·1	20·6	1·0	44	41	10	10	-	1	-	-	-	-	1	1	1	6	-	STOCKPORT.
BIRKENHEAD ..	121,123	16·8	21·1	23·7	17·2	2·2	67	40	8	16	-	2	1	-	1	1	-	2	3	7	-	BIRKENHEAD.
WALLASEY	71,004	11·7	14·0	14·7	16·2	0·7	27	22	2	15	-	1	-	-	-	-	-	-	-	1	-	WALLASEY.
LIVERPOOL	760,357	17·8	17·0	22·2	20·1	1·9	400	293	62	84	-	1	6	3	10	3	4	7	18	97	7	LIVERPOOL.
BOOTLE	69,393	20·3	21·8	21·8	15·8	1·5	29	21	6	4	-	-	1	1	-	-	-	-	-	6	1	BOOTLE.
ST. HELENS	95,161	18·6	20·8	14·2	15·9	1·6	53	29	6	6	-	-	-	2	1	-	-	-	-	4	1	ST. HELENS.
WIGAN	90,678	15·5	9·8	26·5	19·6	1·2	45	34	13	4	-	-	-	-	1	1	-	2	3	5	-	WIGAN.
WARRINGTON ..	72,276	13·0	18·8	18·0	14·4	-	37	20	4	3	-	-	-	-	-	-	-	-	-	6	-	WARRINGTON.
BOLTON	187,824	15·0	12·2	18·3	22·5	1·4	64	81	12	31	-	-	1	1	1	2	-	5	8	14	1	BOLTON.
BURY	59,234	12·3	20·2	15·8	14·1	-	17	16	1	7	-	-	-	-	-	-	-	-	1	2	-	BURY.
MANCHESTER ..	655,435	17·0	19·1	20·0	21·9	0·6	291	275	63	90	-	1	-	3	-	3	1	12	22	84	3	MANCHESTER.
SALFORD	241,950	16·8	15·5	22·0	16·4	1·1	115	76	13	28	-	1	1	-	-	-	3	4	11	18	-	SALFORD.
OLDHAM	143,301	16·4	16·4	24·0	28·0	2·5	60	77	16	22	-	-	-	-	3	2	2	2	6	13	-	OLDHAM.
ROCHDALE	89,653	15·7	17·4	16·3	20·4	1·2	30	35	4	16	-	-	1	-	-	1	-	-	1	3	-	ROCHDALE.
BURNLEY	106,267	14·2	16·2	17·2	22·1	2·9	40	45	8	16	-	4	1	1	-	-	-	-	-	5	-	BURNLEY.
BLACKBURN	136,959	19·0	14·1	17·5	19·8	2·7	52	52	15	15	-	-	2	1	-	-	4	1	4	9	-	BLACKBURN.
PRESTON	118,519	16·3	13·2	19·8	19·4	1·3	57	44	10	17	-	1	-	1	-	1	-	1	2	6	1	PRESTON.
BARROW-IN-FURNESS.	62,996	9·1	9·1	9·9	19·9	2·5	34	24	6	5	-	-	-	1	-	1	1	2	3	3	-	BARROW-IN-FURNESS.

* See note † on first page of this return.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 4th December, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1909.*	Death-Rates from all Causes. Week ended 13th Nov., 1909.	20th Nov., 1909.	27th Nov., 1909.	4th Dec., 1909.	Rate from Diseases in Cols. 11-17. Week ended 4th December, 1909.	Registered during the Week ended 4th Dec., 1909. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,739	9·9	16·5	22·6	12·1	0·6	32	22	5	7	-	-	-	-	-	-	1	1	2	2	-	HUDDERSFIELD.
HALIFAX	111,911	9·3	13·5	15·8	14·9	0·9	31	32	5	10	-	-	-	1	-	-	1	1	3	8	1	HALIFAX.
BRADFORD	293,983	10·8	13·3	14·0	19·2	-	82	108	17	43	-	-	-	-	-	-	-	3	6	24	-	BRADFORD.
LEEDS	484,012	13·6	12·9	15·0	15·7	0·6	183	146	23	41	-	3	-	2	-	-	1	7	20	28	-	LEEDS.
SHEFFIELD	470,958	12·2	13·2	14·7	14·8	0·6	221	134	20	50	-	1	-	1	-	1	2	4	9	33	-	SHEFFIELD.
ROTHERHAM.. ..	65,070	9·6	17·6	16·8	18·4	-	35	23	7	4	-	-	-	-	-	-	-	1	1	5	-	ROTHERHAM.
YORK	87,004	5·4	12·0	12·6	15·0	1·8	39	25	3	8	-	2	-	-	1	-	-	-	3	-	-	YORK.
HULL	275,552	14·0	16·8	14·2	17·6	0·9	137	93	27	25	-	1	1	1	-	1	1	3	10	22	-	HULL.
MIDDLESBROUGH ..	105,255	16·3	20·3	19·8	21·3	1·0	69	43	8	12	-	1	-	-	-	-	1	-	1	10	-	MIDDLESBROUGH.
STOCKTON-ON-TEES	53,417	12·7	12·7	15·6	11·7	-	25	12	1	5	-	-	-	-	-	-	-	1	1	1	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL	79,686	3·9	11·8	12·4	13·7	0·7	34	21	4	6	-	-	1	-	-	-	-	-	-	4	-	WEST HARTLEPOOL.
SUNDERLAND ..	159,378	15·4	21·3	16·0	20·0	1·3	77	61	14	24	-	-	-	1	2	-	1	1	1	11	3	SUNDERLAND.
SOUTH SHIELDS ..	117,627	14·2	18·6	19·1	21·7	4·0	71	49	14	10	-	-	-	2	2	-	5	1	3	5	1	SOUTH SHIELDS.
GATESHEAD	131,024	18·3	13·1	14·3	13·9	0·8	62	35	11	8	-	-	-	2	-	-	-	1	1	1	1	GATESHEAD.
NEWCASTLE-ON-TYNE.	281,584	15·2	12·8	14·3	16·7	1·1	135	90	16	25	-	-	-	3	2	1	-	5	6	14	1	NEWCASTLE-ON-TYNE.
TYNEMOUTH ..	55,808	13·1	14·0	16·8	14·0	-	23	15	1	7	-	-	-	-	-	-	-	2	3	-	1	TYNEMOUTH.
NEWPORT (MON.) ..	78,336	16·6	12·0	12·0	13·3	-	40	20	4	6	-	-	-	-	-	-	-	-	1	6	-	NEWPORT (MON.).
CARDIFF	195,303	12·3	13·6	15·8	14·2	0·5	96	53	12	15	-	1	-	-	-	-	1	-	2	11	-	CARDIFF.
RHONDDA	135,894	15·7	12·3	18·8	18·4	0·4	105	48	18	8	-	1	-	-	-	-	-	2	2	2	-	RHONDDA.
MERTHYR TYDFIL..	78,365	18·0	23·3	27·3	14·0	0·7	45	21	7	4	-	-	-	-	1	-	-	-	-	-	1	MERTHYR TYDFIL.
SWANSEA	98,308	16·4	24·9	29·2	25·5	1·6	52	48	11	14	-	2	-	-	-	1	-	3	5	9	2	SWANSEA.
GREATER LONDON	7,429,740	12·6	13·2	14·6	14·7	0·8	3092	2093	347	799	-	26	14	12	31	6	21	73	191	721	3	GREATER LONDON.
OUTER RING ..	2,595,802	10·2	10·5	12·9	12·2	0·7	1159	609	133	225	-	10	3	6	8	1	7	15	47	110	-	OUTER RING.
8 TOWNS IN OUTER RING.	1,284,152	9·9	10·1	12·5	11·0	0·6	545	271	54	94	-	2	3	3	5	1	2	7	22	62	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,311,650	10·5	10·8	13·4	13·4	0·8	614	338	79	131	-	8	-	3	3	-	5	8	19	48	-	REMAINDER OF OUTER RING.
EDINBURGH	355,366	13·9	14·8	18·8	19·5	1·6	129	133	27	41	-	1	3	-	3	-	4	5	?	46	5	EDINBURGH.
GLASGOW	872,021	17·9	24·9	32·7	27·3	3·6	417	457	100	128	-	40	5	2	8	2	4	15	?	114	14	GLASGOW.
DUBLIN (Registration Area).†	398,356	21·7	23·6	20·7	22·1	0·5	206	169	29	55	-	-	-	1	-	1	2	5	10	67	3	DUBLIN (Registration Area).†
BELFAST†	386,576	17·5	18·1	22·5	19·8	1·3	189	147	44	36	-	-	-	1	6	-	3	5	8	31	3	BELFAST†

* See note † on first page of this return.

† Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast respectively

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FORTY-EIGHTH Week of each of the Eleven Years, 1899–1909.

	1899	1900	1901	1902	1903	1904	1905	1906	1907	1908	Corrected Weekly Average in 5 Years 1904–1908.*	1909
TOTAL **Births** -	2439	2338	2460	2373	2460	2542	2275	2345	2205	2221	2372·6	1933
Males - - -	1259	1191	1234	1171	1244	1296	1128	1180	1082	1108	1186·3	990
Females - -	1180	1147	1226	1202	1216	1246	1147	1165	11:3	1113	1186·3	943
TOTAL **Deaths** -	1695	1572	1785	1708	1578	1932	1623	1406	1531	1451	1626·3	1484
Males - - -	879	804	910	854	789	983	838	706	797	740	832·1	718
Females - -	816	768	875	854	789	949	785	700	734	711	794·2	766

* The numbers in this column are the average weekly numbers in the Forty-Eighth week of the five years 1904-1908, raised by 2·375 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	13 Weeks.
TOTAL **Births** -	2096	2223	2220	2057	2292	2243	2221	2087	2361	2291	2173	2195	1933	28392
TOTAL **Deaths** -	1139	1151	1126	1079	1127	1114	1067	1107	1246	1284	1363	1442	1484	15729
Ages at Death: Under 1 year -	349	309	301	260	273	276	266	260	277	264	269	276	214	3594
1—5 years -	104	109	108	80	98	98	98	100	82	105	109	130	120	1341
5—20 " -	52	68	56	71	50	54	62	49	67	65	85	59	63	801
20—40 " -	130	147	131	115	129	140	134	145	157	165	164	154	167	1878
40—60 " -	199	221	251	231	260	228	213	231	277	247	284	300	346	3288
60 yrs. & upwds.	305	297	279	322	317	318	294	322	386	438	452	523	574	4827
Deaths from—														
Small-pox† - -	-	-	-	-	1	-	-	-	-	-	-	-	-	1
Measles - - -	8	5	5	3	6	10	7	9	5	8	12	12	16	106
Scarlet Fever - -	5	2	8	10	10	10	3	5	6	8	3	7	11	88
Diphtheria - -	8	7	15	13	4	10	9	15	13	9	13	17	6	139
Whooping-cough -	26	13	14	14	21	9	8	7	12	16	20	25	23	208
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	2	1	2	4	2	7	5	3	7	2	1	2	5	43
Pyrexia (origin uncertain).	-	1	-	-	-	-	-	-	-	-	-	-	-	1
Diarrhœa, Dysentery	154	129	114	74	60	48	34	28	34	16	24	15	14	744
All above diseases -	203	158	158	118	104	91	66	67	77	59	73	78	75	1330
Dis. of Resp. System	48	51	57	60	73	64	63	79	120	137	149	207	211	1319
Pneumonia - -	57	79	92	72	113	103	111	114	110	151	134	180	221	1537
Phthisis - - -	90	101	115	112	103	93	100	120	148	135	132	123	138	1515
Dis. of Circ. System -	145	151	129	147	147	151	158	170	175	166	199	206	202	2146
Violence - - -	37	43	37	45	35	47	43	31	45	59	51	61	58	592
Inquest Cases - -	90	113	89	92	108	109	106	102	119	135	134	153	144	1494
Deaths in Institutions	489	480	539	509	513	479	486	476	529	531	572	558	611	6772
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	54·5	55·3	56·3	53·1	55·8	53·4	55·7	41·9	47·1	42·3	38·7	37·0	44·6	49·1
Mean of Highest -	63·1	62·9	65·5	60·1	64·6	63·3	62·1	47·9	53·0	48·3	43·5	41·9	50·1	55·9
Mean of Lowest -	47·3	49·4	48·4	47·4	47·5	49·8	50·1	34·9	41·4	34·8	34·0	31·6	40·1	42·8
Mean Humidity of the Air.	83	86	87	94	81	84	88	86	90	82	85	86	85	85
Rain-fall (in inches) -	0·32	0·58	0·57	0·72	1·01	0·59	0·46	1·87	0·15	0·03	0·28	0·01	1·40	7·99
Registered Sunshine (in hours).	35·0	20·9	27·7	6·0	33·7	22·5	16·7	13·9	20·1	22·2	14·0	14·7	13·2	260·6
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	-	-	-	-	-	2	2	2	3	4	5	4	3	2
Scarlet Fever - -	2436	2553	2686	2737	2745	2810	2799	2743	2716	2624	2606	2518	2488	2651
Diphtheria - - -	843	832	857	908	928	955	991	961	1002	972	949	948	952	931
Typhus - - -	-	-	-	-	-	-	-	1	1	1	-	-	-	-
Enteric Fever - -	68	67	78	75	82	85	87	79	82	79	74	71	67	76

* The Metropolitan Asylums Board, and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office :—The Astronomer Royal, Greenwich ; D. Forbes, Esq., M.D., Brighton ; A. Mearns Fraser, Esq., M.D., Portsmouth ; A. W. Preston, Esq., F.R.Met.Soc., Norwich ; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth ; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol ; A. Cresswell, Esq., Edgbaston, Birmingham ; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq , M.D., Nottingham ; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool ; F. Gore, Esq., Prestwich, Manchester ; Thos. Holt, Esq., M.D., Burnley ; J. Firth, Esq., Huddersfield ; H. Lander, Esq., Bradford ; Oxley Grabham, Esq., M.A., York ; H. B. Witty, Esq. F.R.Met.Soc., Hull ; the Meteorological Committee, Tynemouth : and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the FORTY-EIGHTH Week of the Year 1909.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 48th week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages: All Ages.	Under 20: 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1626·3	1484	214	120	63	167	346	574
Small-pox*	–	–	–	–	–	–	–	–
Cowpox	–	–	–	–	–	–	–	–
Measles (Morbilli)	35·6	16	4	12	–	–	–	–
Scarlet Fever	11·7	11	–	6	5	–	–	–
Typhus	–	–	–	–	–	–	–	–
Plague	–	–	–	–	–	–	–	–
Influenza	20·5	13	1	1	–	1	2	8
Whooping-cough	14·1	23	8	12	3	–	–	–
Diphtheria	21·1	6	1	3	2	–	–	–
Cerebro-spinal Fever ..	0·2	–	–	–	–	–	–	–
Pyrexia† (origin uncertain)	0·2	–	–	–	–	–	–	–
Enteric Fever	7·6	5	–	–	1	4	–	–
Asiatic Cholera	–	–	–	–	–	–	–	–
Epidemic Diarrhœa, Infective Enteritis	9·0	3	3	–	–	–	–	–
Diarrhœa, Dysentery ..	13·3	11	9	–	–	–	1	1
Tetanus	0·8	–	–	–	–	–	–	–
Rabies, Hydrophobia ..	–	–	–	–	–	–	–	–
Glanders	–	–	–	–	–	–	–	–
Anthrax (Splenic Fever)..	–	–	–	–	–	–	–	–
Venereal Dis.	9·0	6	4	–	–	–	2	–
Puerperal Septicæmia ..	1·8	3	–	–	–	3	–	–
Puerperal Pyæmia.. .	–	1	–	–	–	1	–	–
Puerperal Fever	0·6	1	–	–	–	–	1	–
Infective Endocarditis ..	3·7	5	–	1	1	2	1	–
Pneumonia: Lobar ..	21·7	28	–	–	–	7	7	14
Pneumonia: Broncho ..	99·7	95	30	20	1	3	14	27
Pneumonia: Epidemic ..	–	–	–	–	–	–	–	–
Pneumonia: Not defined	69·4	98	7	8	5	15	26	37
Erysipelas	4·3	3	1	1	–	–	–	1
Septicæmia (not Puerperal) ..	1·2	2	–	–	1	–	1	–
Pyæmia (not Puerperal)	1·4	–	–	–	–	–	–	–
Other Infective Processes	5·5	4	2	–	1	–	–	1
Tuberculous Phthisis ..	101·8	96	–	3	5	38	34	16
"*Phthisis*"	53·4	42	–	–	4	16	19	3
Tuberculous Meningitis ..	17·4	18	5	10	3	–	–	–
Tuberculous Peritonitis ..	7·8	5	3	–	2	–	–	–
Tabes Mesenterica	2·0	1	–	1	–	–	–	–
Tuberculous Dis., Other ..	18·6	19	4	5	3	3	3	1
Scrofula..	0·2	–	–	–	–	–	–	–
Alcoholism	11·9	5	–	–	–	1	4	–
Rheumatic Fever	9·6	7	–	1	1	1	3	1
Gout	3·3	4	–	–	–	–	–	4
Carcinoma	60·8	61	–	–	–	4	29	28
Sarcoma	5·1	7	–	–	1	2	2	2
Cancer (undefined) ..	37·5	29	–	–	–	3	13	13
Diabetes Mellitus	8·8	11	–	–	1	1	5	4
Premature Birth	51·6	34	34	–	–	–	–	–

CAUSES OF DEATH.	Corrected Average for the 48th week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages: All Ages.	Under 20: 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)..	12·5	5	2	2	1	–	–	–
Gen. Par. of Insane, Insanity	16·6	17	–	–	–	5	5	7
Epilepsy	5·9	7	–	–	1	3	3	–
Convulsions	21·1	11	8	3	–	–	–	–
Locomotor Ataxy.. ..	3·5	3	–	–	–	–	1	2
Paraplegia, Dis. of Cord.	5·7	6	–	–	–	1	2	3
Nervous Sys., Other Dis.	19·2	13	–	–	–	2	6	5
Valv. Dis., Endocarditis..	53·4	51	–	–	6	2	21	22
Cereb. Hæm. Cereb. Emb.	40·7	41	–	–	–	1	10	30
Apoplexy, Hemiplegia ..	14·7	13	–	–	–	–	1	12
Aneurysm	7·0	7	–	–	–	3	2	2
Embolism, Thrombosis (not Cerebral) ..	1·4	2	–	–	–	–	1	1
Heart & Blood Ves., Other Dis.. ..	95·2	88	–	1	3	5	25	54
Croup (not Spasm: nor Memb.)	0·2	–	–	–	–	–	–	–
Bronchitis	207·0	186	20	9	1	1	34	121
Emphysema, Asthma ..	8·0	5	–	–	–	–	2	3
Pleurisy	3·7	3	–	–	–	–	2	1
Respiratory Dis., Other..	12·3	17	2	2	–	1	3	9
Tonsillitis, Quinsy.. ..	0·8	1	–	–	1	–	–	–
Enteritis (not Epid.) ..	10·9	12	9	–	–	1	1	1
Gastro-enteritis	7·4	9	2	2	–	–	1	4
Peritonitis (not Puerp.) ..	2·5	4	1	2	–	–	1	–
Cirrhosis of Liver.. ..	13·1	8	–	–	1	–	6	1
Liver Dis., Other	2·3	1	–	–	–	–	–	1
Digestive Sys., Other Dis.	32·6	41	4	1	3	8	11	16
Acute Nephritis	5·9	9	–	1	–	4	2	2
Bright's Dis., Albuminuria	44·6	47	–	–	–	6	19	22
Urinary Sys., Other Dis.	12·7	10	–	–	–	1	1	8
Generative Organs Dis...	3·1	2	–	–	–	2	–	–
Childbirth (Accid. of) ..	2·7	2	–	–	–	2	–	–
Old Age	60·0	65	–	–	–	–	1	64
Other Diseases	91·2	67	42	6	2	4	3	10
ACCIDENT.								
By Railways	1·4	–	–	–	–	–	–	–
By Vehicles and Horses..	7·2	5	–	–	1	2	2	–
In Ships, Boats, Docks, (exclusive of Drowning)	0·4	–	–	–	–	–	–	–
In Building Operations..	1·2	2	–	–	–	–	1	1
In Conflagrations	0·6	1	–	–	–	–	–	1
By Burns, Scalds, Explosions	8·2	9	–	6	2	–	–	1
By Drowning	3·5	3	–	–	–	1	2	–
By Suffocation in Bed ..	10·4	7	7	–	–	–	–	–
By Poisons or Poisonous Vapours	1·8	7	–	1	2	2	–	2
Other Deaths by Accident..	18·8	11	1	–	1	1	3	5
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	1·0	1	–	–	–	1	–	–
Suicide	11·7	12	–	–	–	3	7	2
Execution	–	–	–	–	–	–	–	–

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 4th December, 1909.

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia† (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified causes of Death.
LONDON	4,536,267	1933	1484	214	574	-	16	11	6	23	-	5	-	14	58	144	611	3
WEST DISTRICTS	805,311	269	244	32	94	-	1	1	3	1	-	2	-	2	8	15	95	1
NORTH DISTRICTS	1,055,908	411	350	37	146	-	3	2	-	4	-	1	-	1	20	47	133	-
CENTRAL DISTRICTS	209,465	84	72	15	25	-	1	-	-	-	-	1	-	1	3	8	37	-
EAST DISTRICTS	715,739	385	245	45	81	-	7	-	1	8	-	-	-	3	11	29	113	-
SOUTH DISTRICTS	1,749,844	784	522	82	216	-	3	7	1	10	-	1	-	6	16	45	182	2
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	51	3	12	-	1	1	1	-	-	-	-	1	-	-	51	-
WEST DISTRICTS.																		
North Paddington *H*	63,603	28	13	2	4	-	-	-	-	-	-	-	-	-	-	1	-	-
Central Paddington *W,3H*	50,053	20	21	3	6	-	-	-	-	-	-	-	-	1	1	2	12	
South Paddington	30,320	7	5	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town *2W,w,2H* ..	128,037	51	49	10	17	-	1	-	-	-	-	-	-	-	1	1	29	-
Brompton *2H*	48,591	4	10	2	5	-	-	-	-	-	-	-	-	-	-	-	1	-
North Hammersmith *2W,w,H* ..	49,192	22	16	2	7	-	-	-	-	-	-	-	-	-	-	-	4	-
South Hammersmith *w,2H* ..	63,047	23	11	2	5	-	-	-	-	-	-	-	-	-	-	-	-	1
North-west Fulham *W*	45,180	19	14	3	4	-	-	-	-	1	-	-	-	-	-	1	9	-
North-east Fulham *F*	46,405	13	12	2	3	-	-	1	2	-	-	-	-	1	-	2	3	-
South Fulham *W*	45,704	16	10	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Chelsea North *W,w,3H*	42,514	10	30	2	16	-	-	-	-	-	-	-	-	-	-	1	25	-
Chelsea South *W,2H*	31,328	8	12	1	6	-	-	-	-	-	-	-	-	-	1	1	3	-
Mayfair and Knightsbridge	28,743	4	4	-	2	-	-	-	-	-	-	-	-	-	1	1	-	-
Belgrave *W,2H*	55,815	24	25	1	8	-	-	-	-	-	-	2	-	-	2	2	6	-
St. Margaret & St. John *6H*	43,698	12	10	1	3	-	-	-	1	-	-	-	-	-	2	3	3	-
St. James and St. Anne *W,6H* ..	33,081	8	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																		
All Souls Marylebone *7H*	35,391	13	21	1	8	-	-	-	-	-	-	-	-	-	1	2	12	-
St. Mary Marylebone *W,4H* ..	37,948	47	11	3	6	-	-	-	-	-	-	-	-	-	-	-	2	-
Christchurch Marylebone	39,536	11	5	-	1	-	-	-	-	1	-	-	-	-	1	1	-	-
St. John Marylebone *2H*	20,426	2	6	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead *W,F,6H*	81,942	20	19	1	6	-	-	1	-	-	-	-	-	-	-	2	6	-
West St. Pancras *2H*	60,562	25	19	2	8	-	-	-	-	-	-	-	-	-	3	3	5	-
South St. Pancras *w,10H*	55,707	21	21	1	10	-	-	-	-	-	-	-	-	-	1	1	11	-
East St. Pancras *W,H*	60,320	28	23	2	14	-	-	-	-	-	-	-	-	-	-	3	11	-
North St. Pancras *2W*	58,728	19	20	1	11	-	-	-	-	-	-	-	-	-	1	2	6	-
Tufnell *W*	31,995	16	22	1	13	-	-	-	-	-	-	-	-	1	-	-	19	-
Upper Holloway *2W,w,H*	33,978	15	26	1	5	-	1	-	-	1	-	-	-	-	1	2	23	-
Tollington *W,w,H*	33,922	8	7	2	3	-	-	-	-	-	-	-	-	-	1	1	-	-
Lower Holloway	41,424	18	9	3	3	-	-	-	-	1	-	-	-	-	1	2	-	-
Barnsbury	54,478	21	12	1	2	-	-	-	-	-	-	-	-	-	4	5	-	-
Islington South-east *F*	75,397	25	19	2	10	-	-	-	-	1	-	-	-	-	3	6	-	-
Highbury *2H*	63,797	19	17	2	7	-	-	-	-	-	-	-	-	-	-	1	-	-
Stoke Newington *H*	51,247	14	7	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
North Hackney	50,398	19	15	4	5	-	-	-	-	-	-	-	-	-	1	2	-	-
Central Hackney *w,F*	50,536	20	16	1	5	-	-	1	-	-	-	1	-	-	-	1	8	-
South-west Hackney *3H*	59,921	20	17	5	5	-	-	-	-	-	-	-	-	-	1	5	6	-
South-east Hackney *2W,H*	58,255	30	37	2	17	-	2	-	-	-	-	-	-	-	1	8	23	-
Hackney Union Workhouse, Brentwood	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 4th December, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
St. Giles and Bloomsbury 2*W*,2*H* ..	31,436	6	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Strand *W*,4*H*	21,674	1	7	-	3	-	-	-	-	-	-	-	-	-	-	1	5	-
Strand Union Workhouse, Edmonton	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Holborn *W*,5*H*	29,612	14	17	7	5	-	-	-	-	-	-	-	-	-	1	2	11	-
Clerkenwell *H*	63,704	20	15	3	7	-	1	-	-	-	-	1	-	1	1	1	-	-
St. Luke 3*H*,*L*	36,116	38	6	4	1	-	-	-	-	-	-	-	-	-	-	2	2	-
Holborn Union Workhouse, Mitcham	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
St. Botolph *H*	10,299	3	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	2	17	1	2	-	-	-	-	-	-	-	-	-	1	2	16	-
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
Shoreditch South 3*H*	46,362	23	11	3	1	-	-	-	-	2	-	-	-	1	1	2	2	-
Shoreditch North-West *W*,*w*,*H* ..	36,127	22	25	3	12	-	-	-	-	-	-	-	-	-	-	3	18	-
Shoreditch North-East	36,148	16	8	1	6	-	-	-	-	-	-	-	-	-	-	3	-	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	26	31	6	10	-	-	-	-	1	-	-	-	-	1	2	23	-
Bethnal Green South-West *H* ..	64,542	41	13	1	3	-	2	-	-	-	-	-	-	-	2	3	2	-
Spitalfields..	27,969	6	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Mile End New Town *W*,*H*	28,718	16	34	7	9	-	1	-	-	-	-	-	-	1	1	4	30	-
Goodman's Fields	22,081	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George and St. John 2*W* ..	49,068	26	1	2	4	-	1	-	-	-	-	-	-	-	-	-	5	-
Shadwell and Ratcliff *w*,*H* ..	25,568	7	9	2	-	-	-	-	-	-	-	-	-	-	3	3	7	-
Limehouse *W*	32,369	28	8	1	3	-	-	-	-	1	-	-	-	-	-	1	-	-
Mile End Old Town South-Western *H*	63,698	51	17	5	6	-	-	-	1	-	-	-	-	1	-	-	-	-
Mile End Old Town North-Eastern *W*,*w*	49,129	39	18	4	6	-	-	-	-	1	-	-	-	-	-	-	8	-
Bow	41,989	19	8	3	3	-	-	-	-	-	-	-	-	-	2	3	-	-
Bromley 3*w*,*H*	68,319	30	25	1	8	-	1	-	-	2	-	-	-	-	-	3	15	-
Poplar *W*,*w*	58,514	30	22	6	7	-	2	-	-	1	-	-	-	-	1	2	3	-
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c. registered in each SUB-DISTRICT during the Week ended Saturday, 4th December, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch and St. Saviour Southwark *W,2H*	23,319	4	22	3	6	-	-	-	-	-	-	-	-	1	3	4	18	-
Kent-road	21,904	16	4	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-
St. George the Martyr West *W,2H,L*	39,094	26	10	1	4	-	-	-	-	1	-	-	-	-	-	3	6	-
Newington North	49,022	16	11	3	1	-	-	-	-	-	-	-	-	1	-	1	-	-
Newington South *W*	72,841	29	22	5	9	-	-	-	-	-	-	-	-	-	-	3	4	-
St. Olave *2W*	9,817	8	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Bermondsey *W*	82,483	38	20	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Rotherhithe *W,F*	38,460	14	9	1	3	-	-	-	-	-	-	-	-	-	-	-	6	-
Waterloo *2H*	27,440	17	5	1	1	-	-	-	-	-	-	-	-	1	1	1	2	-
Lambeth Church *H*	27,440	9	15	3	6	-	-	-	-	1	-	-	-	-	-	-	11	-
Kennington *2W*	52,518	20	40	3	21	-	-	-	-	-	-	1	-	-	-	2	25	-
Stockwell *HF*	63,826	30	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Brixton *H*	73,673	31	19	3	11	-	-	-	-	-	-	-	-	-	3	3	-	-
Norwood *2WH*	56,993	21	14	2	8	-	-	-	-	-	-	-	-	-	-	-	1	1
East Battersea *H*	72,203	39	8	2	1	-	-	-	-	-	-	-	-	-	-	2	1	-
North-west Battersea	49,656	24	8	2	4	-	-	-	-	-	-	-	-	-	-	2	-	-
South-west Battersea *2W,H* ..	47,048	15	24	6	10	-	-	-	-	1	-	-	-	1	1	3	19	-
Clapham *2H*	51,361	19	12	1	5	-	-	-	-	-	-	-	-	-	-	-	-	-
Streatham *W,2w,2F,2L*	88,019	51	37	2	20	-	-	-	1	1	-	-	-	-	1	1	16	-
Springfield *2W,L*	27,959	9	4	1	1	-	-	-	-	-	-	-	-	-	1	3	-	-
Southfields *H*	40,444	21	8	2	3	-	-	-	-	-	-	-	-	-	-	1	-	-
Putney	24,139	4	7	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1
Dulwich	13,359	3	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	22	21	2	10	-	-	-	-	-	-	-	-	-	1	2	14	-
Camberwell North *W,2L*	65,584	40	27	2	12	-	-	-	-	-	-	-	-	-	1	2	15	-
St. George	47,331	20	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Peckham North	48,913	28	14	6	5	-	-	-	-	-	-	-	-	-	-	1	-	-
Peckham South *2W,w*	43,946	11	11	2	5	-	-	-	-	-	-	-	-	-	-	1	-	-
Deptford North	37,613	21	11	6	2	-	-	-	-	2	-	-	-	-	-	-	-	-
Deptford Central *F*	45,481	21	10	-	3	-	-	2	-	-	-	-	-	-	-	1	2	-
Deptford South	34,625	13	7	1	4	-	1	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *H*	23,456	6	10	4	3	-	-	-	-	1	-	-	-	1	1	1	-	-
Greenwich East *2W,H*	43,859	19	23	2	9	-	2	-	-	1	-	-	-	-	1	2	14	-
Eltham *w,H*	7,226	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *w,H*	25,490	12	4	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Lewisham *2W,w,F*	58,352	22	31	1	21	-	-	3	-	-	-	-	-	-	2	3	18	-
Sydenham *H*	43,653	22	8	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Charlton *F,2H*	21,134	8	7	1	1	-	-	2	-	1	-	-	-	-	-	-	3	-
Woolwich *5H*	41,625	20	6	2	4	-	-	-	-	-	-	-	-	-	-	1	-	-
Plumstead West *W,H*	39,376	16	8	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *2W*	28,951	14	12	2	7	-	-	-	-	-	-	-	-	-	-	1	5	-
Workhouses:—																		
Belmont Workhouse	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.) ..	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Small-pox Hospitals:—																		
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																		
Gore Farm (temporary)	—	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
North-Eastern	—	-	3	-	-	-	1	-	1	-	-	-	-	-	-	-	3	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																		
Children's Infirmary, Carshalton..	—	-	5	3	-	-	-	-	-	-	-	-	-	-	-	-	5	-
M. A. B. Imbecile Asylums:—																		
Caterham	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Darenth	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4	-
Leavesden	—	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-
London County Lunatic Asylums:—																		
Banstead	—	-	4	-	3	-	-	-	-	-	-	-	-	-	-	-	4	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	5	-
Manor	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Grove	—	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-
Cane Hill	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Dartford Heath	—	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4	-
Hanwell	—	-	7	-	2	-	-	-	-	-	-	-	-	-	-	-	7	-
Colney Hatch	—	-	4	-	1	-	-	-	-	-	-	-	-	1	-	-	4	-
Claybury	—	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	5	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERATED POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 4th December, 1909.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING ..	368,603	2,045,135	1159	609	133	225	-	10	3	6	8	1	7	15	47	110	-
30 : 1	Carshalton 2F,3H	12,228	32,997	16	2	-	-	-	-	-	1	-	-	-	-	-	1	-
2	Epsom, *part of** W,w,2F,H..	10,423	15,548	4	4	1	1	-	-	-	-	-	-	-	1	1	1	-
37 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38 : 1	Coulsdon	11,069	8,166	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w,H ..	4,200	49,309	17	3	1	1	-	-	-	-	-	-	-	1	1	-	-
3	West Croydon 2W,F,H ..	2,168	42,888	28	20	4	10	-	-	-	1	-	-	-	-	3	9	-
4	North Croydon H	2,614	41,698	17	7	2	4	-	-	-	-	-	-	-	-	1	-	-
5	Penge w	770	22,465	6	8	3	3	-	-	-	-	-	-	-	-	-	-	-
6	Mitcham w	11,711	30,015	32	15	6	4	-	1	-	-	-	-	-	-	-	-	-
39 : 1	Wimbledon F,3H	3,221	41,652	22	8	4	2	-	-	-	-	-	-	-	-	1	-	-
2	Kingston 2W,H	6,224	42,068	27	17	3	10	-	-	-	-	-	-	1	-	-	6	-
3	Surbiton F,H	3,046	15,017	5	4	3	1	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** H	5,402	13,100	10	5	2	2	-	-	-	-	-	-	-	-	-	-	-
5	Hampton H,F,L	4,564	23,456	12	3	1	1	-	-	-	-	-	-	-	-	-	1	-
40 : 1	Richmond W,H	2,491	31,672	6	8	1	5	-	2	-	-	-	-	-	-	1	-	-
2	Mortlake F	2,518	17,821	17	7	1	3	-	-	-	-	-	-	-	-	-	-	-
41 : 1	Bromley F,3H	4,703	27,354	11	10	3	3	-	-	-	-	-	-	-	1	2	-	-
2	Beckenham H	7,825	28,497	17	6	1	4	-	-	-	-	-	-	-	-	-	1	-
3	Orpington, *part of** W,F ..	10,113	9,857	6	6	2	1	-	-	-	-	-	-	1	-	-	2	-
4	Chislehurst 2H	7,333	16,446	6	3	1	2	-	-	-	-	-	-	-	-	-	-	-
42 : 1	Bexley w,F,H	8,678	21,151	14	2	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Erith F,H	3,854	25,296	13	9	2	3	-	2	-	-	-	-	-	-	-	-	-
3	Dartford W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124 : 1	Sunbury w	11,054	18,683	5	5	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Staines W,H	13,277	15,178	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-
125 : 1	Hillingdon W,F,H	6,035	13,661	8	6	-	2	-	-	-	-	-	-	-	-	-	-	-
2	Uxbridge H	12,757	8,984	11	6	3	1	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w 2F,H	8,066	16,358	17	7	2	4	-	-	-	-	-	-	-	-	1	-	-
126 : 1	Isleworth 3W,3F,H	6,859	30,863	31	22	1	13	-	1	-	-	-	-	-	-	1	11	-
2	Twickenham F,2H	2,421	20,991	10	7	-	4	-	-	-	-	1	-	-	-	-	-	-
3	Brentford 3F,2H	4,319	48,289	31	17	5	4	-	-	-	-	1	-	-	3	5	1	-
4	Chiswick H	1,249	29,809	14	15	4	7	-	-	-	-	-	-	1	-	-	-	-
5	Acton w,F,3H	6,132	48,914	29	13	4	5	-	-	-	-	-	-	-	-	-	-	-
127A : 1	Harrow F,H	13,809	25,523	22	11	3	2	-	-	-	-	-	-	-	2	1	-	-
2	Edgware 2F,2H	6,994	4,521	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hendon W,F	8,382	22,450	9	10	2	3	-	-	-	-	-	-	-	-	-	-	-
127B : 1	Willesden W,F,2H	4,884	114,811	72	32	8	10	-	1	-	-	1	-	1	1	2	7	-
128 : 1	South Mimms 2F,H ..	17,755	7,308	3	4	-	2	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,970	6	6	-	3	-	-	-	-	-	-	-	-	-	3	-
3	Finchley F,3H	4,638	33,692	15	9	-	7	-	-	-	-	-	-	-	-	-	2	-
129 : 1	Hornsey F,H	2,875	72,056	28	17	2	5	-	-	-	-	-	-	-	-	-	-	-
2	Wood Green H	1,625	34,233	19	10	3	4	-	-	-	-	-	-	-	-	1	2	-
3	West Tottenham	995	48,741	28	19	5	7	-	-	-	-	-	-	-	1	7	-	-
4	East Tottenham 2H ..	2,019	53,962	39	17	4	4	-	-	-	-	-	-	1	1	3	5	-
5	Edmonton W,w,2F	7,491	61,892	42	22	5	10	-	-	-	-	-	-	1	-	2	9	-
6	Enfield 2W,F,H	12,601	42,738	24	12	2	3	-	2	-	-	-	-	-	-	-	1	-
7	Waltham Abbey F	11,017	6,549	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	4	2	1	-	-	-	-	-	-	-	-	-	-	1	-
135 : 1	Hatfield, *part of** W ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey, *part of** H ..	9,195	7,051	6	5	1	2	-	-	-	-	-	-	-	-	1	-	-
2	Watford, *part of** W,2F ..	138	2,122	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
186 : 1	Stratford H	1,091	52,974	22	14	-	5	-	-	-	-	-	-	-	-	1	-	-
2	Forest Gate	787	52,745	16	16	2	5	-	-	-	-	1	-	-	-	-	-	-
3	Plaistow F,2H	1,249	90,921	63	23	8	1	-	1	1	-	-	1	1	1	2	1	-
4	Canning Town H	1,556	70,718	52	19	2	3	-	-	-	-	-	-	-	-	1	1	-
5	South East Ham 2F ..	1,991	37,342	31	6	1	1	-	-	-	-	-	-	-	-	-	-	-
6	North East Ham w,H ..	1,333	58,666	31	12	3	5	-	-	-	-	-	-	-	-	-	-	-
7	Wanstead F	1,679	9,179	4	3	1	1	-	-	-	-	-	-	-	-	1	-	-
8	South Leyton 2W	631	50,467	26	15	2	11	-	-	-	-	1	-	-	1	3	10	-
9	North Leyton 2W,w,F ..	1,963	48,445	21	44	6	18	-	-	-	2	1	-	-	2	3	28	-
10	Walthamstow 2H,L ..	6,504	108,929	61	15	5	3	-	-	-	-	1	-	-	-	2	-	-
187 : 1	Chigwell 2F,3H	11,778	16,397	7	3	1	2	-	-	-	-	-	-	-	-	-	-	-
2	Epping W,F, *part of** ..	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
189 : 1	Romford, *part of** W,2F ..	6,556	6,091	3	1	-	-	-	-	-	1	-	-	-	-	-	1	-
2	Ilford F,L	8,496	41,244	32	11	-	4	-	-	-	1	-	-	-	-	-	2	-
3	Barking Town F	3,805	21,547	14	8	4	1	-	-	-	-	1	-	-	-	-	-	-
	Eastern Hospital, Hackney	—	—	-	2	-	-	-	-	2	-	-	-	-	-	-	2	-
	Surrey County Lunatic Asylum, Betchworth.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30 : 2, excepting Ashtead parish; 37 : 1, Warlingham and Farley parishes; 39 : 4, excepting Esher parish; 41 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135 : 1, Northaw parish; 137 : 1, excepting the part in Watford Rural parish; 137 : 2, Oxhey parish; 189 : 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42 : 3, 137 : 2 and 187 : 2 and in the Croydon Mental Hospital in 37 : 1 are also included

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox	Measles.	Scarlet Fever	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON - -	4,833,938	December 4	1933	1484	16·0	-	16	11	6	23	5	14
CALCUTTA - -	1,009,008	November 6	-	447	23·0	1	-	-	-	1	95†	41‡
BOMBAY - -	982,000	" 9	470	532	28·3	-	1	-	-	-	65†	39‡
MADRAS - -	548,974	" 5	425	371	37·8	-	1	?	?	?	117	64
PARIS - - -	2,760,000	" 27	858	950	18·1	-	7	1	7	2	7	27
BRUSSELS - -	704,975	" 27	210	248	18·3	-	1	1	3	2	-	13
ANTWERP - -	314,135	" 27	122	87	14·4	?	?	?	?	?	?	?
AMSTERDAM -	565,553	" 27	257	152	14·0	-	4	-	-	-	-	4
COPENHAGEN -	451,000	" 27	243	120	13·9	-	-	-	1	1	-	2
STOCKHOLM -	339,582	" 20	151	75	11·5	-	-	-	1	-	-	2
CHRISTIANIA -	235,674	" 27	109	68	15·0	-	-	-	4	2	-	2
ST. PETERSBURG	1,573,000	" 20	852	660	21·9	14	32	23	22	7	5	43‡
MOSCOW - -	1,452,100	" 20	-	718	25·8	2	17	47	25	5	13	73
BERLIN - -	2,112,986	" 13	765	595	14·7	-	2	16	16	3	4	44
HAMBURG - -	872,252	" 27	-	249	14·8	-	3	3	11	2	1	14
BRESLAU - -	502,676	" 20	252	168	17·4	-	2	-	-	5	1	11
MUNICH - -	566,000	" 27	-	207	19·0	-	4	-	3	3	-	19
VIENNA - -	2,064,037	" 27	723	605	15·1	-	4	3	10	1	3	39
PRAGUE - -	485,057	" 27	184	169	17·8	-	-	3	5	-	-	7
BUDAPEST - -	823,215	" 20	389	282	17·8	-	5	1	3	1	2	13
TRIESTE - -	217,706	" 27	140	101	23·9	-	-	-	3	1	-	2
ROME - - -	565,323	August 28	239	179	16·2	-	2	-	-	-	7§	28
VENICE - -	179,286	October 16	70	51	14·8	-	-	-	-	-	-	10
BUCAREST - -	296,585	November 6	-	-	-	-	-	-	-	-	-	-
NEW YORK -	4,564,792	" 13	2290	1389	15·9	-	3	15	38	3	19	55
CHICAGO - -	2,224,490	" 13	-	594	13·9	-	1	15	14	2	6	42
PHILADELPHIA -	1,565,569	October 23	-	-	-	-	-	-	-	-	-	-
RIO DE JANEIRO	637,089	" 24	-	233	19·1	-	1	1	1	1	-	?
CAIRO:—												
Egyptians -	666,587	November 4	530	435	33·8	-	1	-	27	?	9	92
Foreigners -	35,219	" 4	5	15	22·1	-	-	-	1	?	-	1
ALEXANDRIA:—												
Egyptians -	341,965	" 4	305	169	25·5	3	-	-	1	?	2	49
Foreigners -	46,118	" 4	16	17	19·2	-	1	-	-	?	1	1

* Excluding deaths from croup in the Indian Cities.
† Including 5 deaths from plague in Calcutta, and 8 in Bombay.
‡ Including 7 deaths from cholera in Calcutta, 3 in Bombay, and 5 in St. Petersburg.
§ Including 1 death from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 4th December, 1909.

TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches
	°	°	°			°	°	°	
LONDON (Greenwich)	53·0	34·3	45·1	1·40	BRADFORD - -	53·0	33·8	39·8	2·31
BRIGHTON - -	50·7	41·5	45·9	2·26	YORK - - -	51·0	28·0	40·7	1·26
PORTSMOUTH - -	53·3	39·0	46·6	1·66	HULL - - -	52·0	31·0	41·1	1·02
NORWICH - -	52·2	33·2	42·9	1·39	TYNEMOUTH - -	51·0	33·0	39·4	1·10
PLYMOUTH -	53·8	39·0	47·7	2·00	CARDIFF - - -	52·3	31·9	44·0	2·23
BRISTOL - - -	52·5	37·0	44·6	2·34	EDINBURGH - -	50·6	31·3	38·8	1·42
BIRMINGHAM - -	51·9	32·4	42·2	1·53	GLASGOW - -	?	?	?	?
NOTTINGHAM - -	51·3	33·0	41·3	1·45	DUBLIN Phœnix Park	52·1	28·7	41·8	1·16
LIVERPOOL OBSERVATORY	53·0	34·0	43·5	2·21	DUBLIN Fitzwilliam Square†	53·1	31·6	43·3	1·17
MANCHESTER -	49·5	30·8	41·0	2·94					
BURNLEY - -	49·0	30·0	39·9	2·75					
HUDDERSFIELD -	50·2	32·2	41·0	3·01	BELFAST - - -	51·5	32·6	40·5	1·74

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to the seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0°·2 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 4th December, 1909.

[*Under the Superintendence of the Astronomer Royal.*]

1909. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est.	Daily Range.	Mean daily value.	Departure from Average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
NOVEMBER.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 28	..	29·612	52·5	43·0	9·5	48·6	+ 7·1	44·2	4·4	6·9	1·0	85	65·0	36·0	44·98	SSW. & SW.	SW.	3·9	0·0	0·4	473	+158	0·04	2·0
MONDAY - 29	Greatest Dec. N.	29·232	52·5	45·7	6·8	49·3	+ 8·1	47·6	1·7	4·2	1·0	94	55·0	39·5	45·10	SW.	SW.	5·0	0·0	0·5	497	+187	0·41	6·7
TUESDAY - 30	..	29·198	48·2	40·1	8·1	43·9	+ 2·9	36·5	7·4	10·7	3·6	75	71·2	33·5	45·61	SW.	SW.	4·5	0·0	0·4	480	+176	0·00	5·5
DECEMBER. WEDNESDAY 1	..	28·966	47·0	38·7	8·3	43·5	+ 2·6	39·8	3·7	8·6	1·8	87	47·0	32·1	45·80	WSW., SW. & SSW.	SSW., W. & WNW.	11·5	0·0	0·8	524	+222	0·22	0·8
THURSDAY - 2	..	29·017	53·0	40·6	12·4	45·5	+ 4·6	42·3	3·2	6·4	2·2	89	57·4	35·6	45·80	W., WSW & WNW.	SSW., S. & SW.	12·5	0·0	0·7	486	+182	0·26	4·5
FRIDAY - 3	..	28·686	53·0	38·5	14·5	42·2	+ 1·1	35·5	6·7	10·8	4·6	77	71·8	33·0	45·80	SW. & WSW.	WSW. & SW.	27·0	0·0	2·4	859	+546	0·14	6·0
SATURDAY - 4	Last Qr.	28·570	44·5	34·3	10·2	39·4	− 1·9	35·9	3·5	6·4	1·6	88	63·0	29·5	45·80	SW., S. & SSW.	SW., NNW. & W.	2·7	0·0	0·2	348	+ 23	0·33	4·5
MEANS - -		29·040	50·1	40·1	10·0	44·6	+ 3·5	40·3	4·4	7·7	2·3	85	61·5	34·2	45·56	SW.		..	..	..	Sum 3667	Sum +1494	Sum 1·40	4·3
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. NOVEMBER.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY - 28	w. P. throughout.	0·1	8·2	Overcast with slight exceptions; very mild; slight rain between 3h. and 9h. A.M. Lunar halo observed at 10h. P.M.
MONDAY - 29	w.P. till noon: w.P. and w.N. till 7h. P.M.; w. P. afterwards.	0·0	8·2	Generally overcast with frequent rain; very mild.
TUESDAY - 30	w. P. generally till 3h. P.M.; m. P. till 10h. P.M.; w. P. afterwards.	6·4	8·2	Cloudy with fine intervals till 5h. A.M.; very fine and bright with little cloud till evening; variably cloudy after 9h. P.M. Lunar halo at night and light shower shortly after 10h. P.M.
DECEMBER. WEDNESDAY 1	w.P. till 10h. A.M.; w. P. & v. N. till 3h. P.M.; loss of Register till 8h. P.M.; m.P. afterwards.	0·0	8·1	Partially cloudy in morning; overcast with frequent rain between 8h. A.M. and 3h. P.M.; very fine afterwards with occasional cloudy intervals; strong wind at night amounting to a gale at and about 8h. P.M.
THURSDAY - 2	w. P. and m. P. till 2h. P.M.: w. P. till 8h. P.M.; w.N. afterwards.	0·1	8·1	Generally overcast; nearly continuous rain after 2h. P.M.; strong gusty wind prevalent after 5h. P.M. and rising to a gale by midnight.
FRIDAY - 3	w. N. till 1h. A.M.; w. P. till 3h. P.M.; m. P. principally afterwards.	5·3	8·1	Overcast till 3h. A.M.; very fine generally with occasional cloudy intervals afterwards; heavy rain till 1h. 30m. A.M.; strong gale in morning gradually abating after 4h. 30m. A.M.; frequent lightning at night.
SATURDAY - 4	w.P. till 7h. A.M.; v.P. & v.N. till 10h. A.M.; w. P. till noon; m.P. principally afterwards.	1·3	8·1	Fine and partially cloudy in morning; overcast with frequent rain between 6h. A.M. and noon; cloudy with fine intervals till 5h. P.M.; generally overcast afterwards with shower between 6h. and 7h. P.M.
		Sum 13·2	Sum 57·0	
No. of Col. - -	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·74 in. at the beginning of the week to 29·13 in. by 1h. A.M. on Nov. 30th; increased to 29·23 in. by 5h. A.M. on Dec. 1st; decreased to 28·77 in. by 6h. P.M. on the same day; increased to 29·24 in. by 10h. A.M. on Dec. 2nd; decreased to 28·34 in. by 4h. A.M. on Dec. 3rd; increased to 28·84 in. by 11h. P.M. on the same day; decreased to 28·49 in. by 3h. P.M. on Dec. 4th; and increased to 28·80 in. by midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 27th November, 1909.*

BOROUGHS.	Estimated Population in the middle of 1909.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	151,955	-	5	11	-	-	-	-	4	-	-
Kensington	183,683	-	6	5	-	2	-	-	1	-	-
Hammersmith	125,704	-	3	4	-	-	-	-	-	-	-
Fulham	176,406	-	6	5	-	-	-	-	1	-	-
Chelsea	75,249	-	3	2	-	-	-	-	1	-	-
City of Westminster ..	168,883	-	5	2	-	2	-	-	-	-	-
NORTH.											
St. Marylebone	126,027	-	3	3	-	-	-	-	3	-	-
Hampstead	94,185	-	1	-	-	-	-	-	1	-	-
St. Pancras	237,422	-	20	6	-	1	-	-	3	-	-
Islington	351,202	-	19	8	-	2	-	-	2	-	-
Stoke Newington	54,423	-	-	-	-	-	-	-	-	-	-
Hackney	237,601	-	17	4	-	1	-	-	11	-	-
CENTRAL.											
Holborn	53,802	-	-	1	-	-	-	-	-	-	-
Finsbury	95,289	-	2	-	-	-	-	-	2	1	-
City of London	18,193	-	-	-	-	-	-	-	-	-	-
EAST.											
Shoreditch	114,802	-	4	1	-	-	-	-	5	-	-
Bethnal Green	131,316	-	10	3	-	-	-	-	4	-	-
Stepney	312,525	-	12	11	-	3	-	-	11	-	-
Poplar	171,965	-	9	3	-	-	-	-	6	1	-
SOUTH.											
Southwark	211,125	-	8	5	-	3	-	-	4	-	-
Bermondsey	127,569	-	11	1	-	-	-	-	2	-	-
Lambeth	324,188	-	26	1	-	3	-	-	5	1	-
Battersea	186,036	-	18	4	-	-	-	-	4	-	-
Wandsworth	297,646	-	19	1	-	-	-	-	2	1	-
Camberwell	283,022	-	17	5	-	2	-	-	3	-	-
Deptford	118,583	-	10	3	-	-	-	-	7	-	-
Greenwich	111,014	-	6	1	-	-	-	-	-	1	-
Lewisham	160,749	-	34	6	-	-	-	-	3	-	-
Woolwich	133,374	-	10	3	-	-	-	-	-	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,833,938	-	284	99	-	19	-	-	85	5	-
Ages 0–1		-	3	1	-	-	-	-	2	-	-
" 1–5		-	86	44	-	-	-	-	7	-	-
" 5–		-	118	30	-	2	-	-	3	-	-
" 10–		-	49	15	-	5	-	-	4	-	-
" 15–		-	13	1	-	2	-	-	4	-	-
" 20–		-	4	5	-	2	-	-	3	-	-
" 25–		-	7	3	-	6	-	-	15	4	-
" 35–		-	3	-	-	2	-	-	12	1	-
" 45–		-	-	-	-	-	-	-	14	-	-
" 55–		-	1	-	-	-	-	-	16	-	-
" 65 and upwards		-	-	-	-	-	-	-	5	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY DARLING & SON, LTD., 34-40 BACON STREET, E.

1909

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office.

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 49. 1909. VOL. LXX.] WEEK ENDED SATURDAY, DEC. 11. [Price 1½*d.*

General Register Office, Somerset House,
December 13th, 1909.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 16·6 per 1000 of their aggregate population, which is estimated † at 16,445,281 persons in the middle of this year. In the preceding three weeks the rates had been 14·6, 16·4, and 16·5. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 22·4 in Liverpool, 22·8 in Swansea, 22·9 in Preston, 23·0 in Wigan, 23·6 in Sunderland, 24·4 in Ipswich, 24·8 in Barrow in Furness, and 25·4 in Coventry; from *measles*, 1·3 in Birkenhead, 1·6 in Northampton, and 2·1 in Ipswich; from *diphtheria*, 1·1 in Walthamstow; from *whooping-cough*, 1·3 in Sunderland and in Merthyr Tydfil, 1·4 in Ipswich, and 1·7 in Barrow in Furness; and from *diarrhœa*, 1·5 in Rhondda and 1·7 in Barrow in Furness. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2207 BIRTHS and 1540 DEATHS were registered. Allowing for increase of population, the births were 121 below and the deaths 22 above the average numbers in the corresponding

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-five other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(14976—41.) Wt. 109—472. 700. 12/09. D & S. G. 31. Sch. 4. 3 C

weeks of the previous five years. The annual death-rate from all causes, which had been 14·7, 15·6, and 16·0 per 1000 in the preceding three weeks, further rose last week to 16·6. The death-rate in the four weeks ended last Saturday averaged 15·7 per 1000, being 0·9 per 1000 below the mean rate in the corresponding periods of the five years 1904–8.

The 1540 deaths included 14 from measles, 4 from scarlet fever, 12 from diphtheria, 18 from whooping-cough, 1 from enteric fever, and 12 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia: thus, to these diseases in the aggregate 61 deaths were referred, being 45 below the corrected average number in the forty-ninth week of the preceding five years.

The deaths from *measles*, which had been 12, 12, and 16 in the preceding three weeks, were 14 last week, and were 19 below the corrected average; 7 deaths belonged to the Borough of Stepney. The deaths from *scarlet fever*, which had been 3, 7, and 11 in the preceding three weeks, were 4 last week, and were 10 below the corrected average. The deaths from *diphtheria*, which had been 13, 17, and 6 in the preceding three weeks, were 12 last week, and were 8 below the corrected average. The deaths from *whooping-cough*, which had been 20, 25, and 23 in the preceding three weeks, fell to 18 last week, the corrected average being 17; 4 deaths belonged to Poplar. One death from *enteric fever* was registered last week, against 1, 2, and 5 in the preceding three weeks, the corrected average being 6. The deaths from *diarrhœa*, which had been 24, 15, and 14 in the preceding three weeks, were 12 last week, and were 4 below the corrected average. Of the 12 deaths from diarrhœa, 9 were those of children under 5 years of age; 13 other deaths at this age were certified as due to *enteritis* and 8 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 30, having been 16, 13, and 13 in the preceding three weeks.

Different forms of violence caused 49 deaths, concerning all of which inquests were held. Of these 49 deaths, 8 were cases of suicide, while the remaining 41 were attributed to accident or negligence. Seven of these latter were referred to vehicles in the streets, eleven to burns or scalds, two to drowning, and four, of infants under one year of age, to suffocation in bed. Two deaths occurred while under anæsthetics administered for surgical purposes.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 3 cases of small-pox, 2475 of scarlet fever, 946 of diphtheria, and 70 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 1 case, against 1, 0, and 0; of scarlet fever, 266 cases, against 308, 264, and 281; of diphtheria, 102 cases, against 91, 88, and 104; and of enteric fever, 8 cases, against 7, 8, and 7. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended December 4th, 1909.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 3410 births and 2114 deaths were registered. Allowing for increase of population, these numbers are 236 and 54 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great towns," 5 deaths from measles, 1 from scarlet fever, 6 from diphtheria, 4 from whooping-cough, and 1 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·55 inches, and that of the Thermometer 38°·6, the latter being 2°·3 below the week's average in the 65 years ended 1905. The general direction of the wind was Southerly, the horizontal movement of the air being 17 per cent. below the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 16·7 hours; the measured rainfall amounted to 0·36 of an inch.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 11th December, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 20th Nov., 1909.	27th Nov., 1909.	4th Dec., 1909.	11th Dec., 1909.	Rate from Diseases in Cols. 11–17 Week ended 11th December, 1909.	Registered during the Week ended 11th Dec., 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17	18.	19.	20.	21.	Cols.
76 TOWNS	**16,445,281**	**14·6**	**16·4**	**16·5**	**16·6**	**0·8**	**7613**	**5238**	**1032**	**1808**	–	**47**	**22**	**47**	**67**	**17**	**46**	**155**	**388**	**1450**	**47**	**76 TOWNS.**
LONDON	4,833,938	14·7	15·6	16·0	16·6	0·7	2207	1510	247	566	–	14	4	12	18	1	12	49	154	691	3	LONDON.
† CROYDON	161,078	9·1	14·6	9·1	9·7	–	62	30	8	17	–	–	–	–	–	–	–	1	5	6	–	CROYDON.
† WILLESDEN ..	160,424	9·1	11·4	10·4	8·5	0·7	79	26	6	7	–	–	–	1	–	–	1	1	1	1	–	WILLESDEN.
† HORNSEY	95,628	6·5	11·5	10·9	7·1	0·5	26	13	2	6	–	1	–	–	–	–	–	–	–	1	–	HORNSEY.
† TOTTENHAM ..	129,464	10·5	11·7	13·7	14·1	1·2	69	35	10	10	–	–	–	1	–	–	2	–	5	9	–	TOTTENHAM.
† WEST HAM ..	321,767	12·8	14·1	13·6	13·3	0·6	172	82	17	25	–	1	–	1	1	1	–	3	6	19	–	WEST HAM.
† EAST HAM.. ..	149,575	9·8	12·9	7·7	8·4	–	55	24	3	10	–	–	–	–	–	–	–	–	2	7	–	EAST HAM.
† LEYTON	129,614	10·1	10·1	12·1	10·5	–	61	26	4	11	–	–	–	–	–	–	–	1	2	6	–	LEYTON.
† WALTHAMSTOW	136,602	8·8	11·1	8·0	13·4	1·9	53	35	6	7	–	–	–	3	1	1	–	–	1	6	–	WALTHAMSTOW.
HASTINGS	68,165	13·0	15·3	8·4	13·0	–	13	17	2	7	–	–	–	–	–	–	–	–	–	6	–	HASTINGS.
BRIGHTON	130,926	13·9	15·1	23·1	17·1	0·4	56	43	5	18	–	–	–	1	–	–	–	1	5	13	–	BRIGHTON.
PORTSMOUTH ..	214,726	13·6	14·6	14·8	16·0	0·7	105	66	7	24	–	–	1	2	–	–	–	–	3	16	–	PORTSMOUTH.
BOURNEMOUTH ..	72,368	8·6	8·6	15·1	18·7	–	17	26	2	10	–	–	–	–	–	–	–	1	3	3	–	BOURNEMOUTH.
SOUTHAMPTON ..	124,667	12·1	16·3	14·2	19·7	0·4	53	47	6	19	–	–	–	1	–	–	–	1	4	20	–	SOUTHAMPTON.
READING	82,995	8·2	8·2	12·6	12·6	–	35	20	5	9	–	–	–	–	–	–	–	–	–	3	–	READING.
NORTHAMPTON ..	97,752	14·4	18·7	17·1	12·3	2·1	41	23	3	8	–	3	–	1	–	–	–	1	1	1	–	NORTHAMPTON.
IPSWICH	74,889	17·4	16·0	17·4	24·4	4·2	42	35	8	14	–	3	–	1	2	–	–	2	3	4	–	IPSWICH.
GREAT YARMOUTH	53,430	17·6	19·5	18·5	18·5	–	28	19	2	12	–	–	–	–	–	–	–	–	1	5	–	GREAT YARMOUTH.
NORWICH	124,136	14·7	13·9	11·8	14·7	0·4	49	35	4	17	–	–	–	1	–	–	–	–	3	8	–	NORWICH.
PLYMOUTH	124,180	17·6	16·4	15·5	13·0	0·8	40	31	5	14	–	–	–	–	1	1	–	1	2	6	–	PLYMOUTH.
DEVONPORT	83,103	9·4	15·1	11·3	16·3	–	40	26	9	7	–	–	–	–	–	–	–	2	4	1	–	DEVONPORT.
BRISTOL	377,642	11·3	15·3	14·8	14·9	1·0	145	108	21	49	–	2	–	3	–	–	2	3	5	22	–	BRISTOL.
HANLEY	68,831	26·5	27·3	28·0	18·2	1·5	38	24	6	10	–	1	–	–	1	–	–	–	–	2	1	HANLEY.
BURTON-ON-TRENT	54,453	6·7	11·5	20·1	19·2	1·0	13	20	3	11	–	–	–	1	–	–	–	2	2	9	–	BURTON-ON-TRENT.
WOLVERHAMPTON..	104,633	13·5	15·9	15·0	14·0	0·5	50	28	5	13	–	1	–	–	–	–	–	–	3	5	–	WOLVERHAMPTON
WALSALL	99,399	18·9	20·5	21·5	11·0	–	56	21	4	8	–	–	–	–	–	–	–	–	1	2	–	WALSALL.
HANDSWORTH ..	70,186	11·1	8·9	11·1	8·2	0·7	33	11	2	1	–	–	–	–	1	–	–	–	–	1	–	HANDSWORTH.
WEST BROMWICH..	70,457	19·2	19·2	19·2	18·5	0·7	43	25	8	4	–	–	–	–	1	–	–	1	1	3	–	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 11th December, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 20th Nov., 1909.	27th Nov., 1909.	4th Dec., 1909.	11th Dec., 1909.	Rate from Diseases in Cols. 11–17. Week ended 11th December, 1909.	Registered during the Week ended 11th Dec. 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
BIRMINGHAM ..	563,629	13·7	15·6	14·1	17·4	1·1	274	188	39	59	–	1	–	1	6	1	3	7	8	47	2	BIRMINGHAM.
KINGS NORTON ..	81,632	12·8	13·4	12·1	6·4	0·6	30	19	–	2	–	–	–	–	1	–	–	–	–	1	–	KINGS NORTON.
SMETHWICK	70,377	18·5	13·3	14·8	8·2	0·7	31	11	4	4	–	–	–	–	1	–	–	–	–	1	–	SMETHWICK.
ASTON MANOR ..	85,257	18·3	13·5	17·1	13·5	0·6	42	22	3	8	–	–	–	–	1	–	–	1	2	2	–	ASTON MANOR.
COVENTRY	80,163	16·9	14·3	20·8	25·4	0·7	62	39	8	11	–	–	1	–	–	–	–	1	1	2	–	COVENTRY.
LEICESTER	244,255	13·4	20·9	19·0	15·8	–	96	74	20	25	–	–	–	–	–	–	–	3	3	12	–	LEICESTER.
GRIMSBY	73,036	14·3	15·0	10·0	12·1	–	43	17	3	6	–	–	–	–	–	–	–	–	1	3	2	GRIMSBY.
NOTTINGHAM ..	263,443	14·4	16·0	16·4	18·4	0·6	113	93	22	48	–	–	1	–	–	1	1	–	4	23	1	NOTTINGHAM.
DERBY	129,411	12·9	16·9	15·7	14·5	0·4	51	36	7	10	–	–	1	–	–	–	–	–	3	13	–	DERBY.
STOCKPORT	103,706	15·6	20·1	20·6	15·1	0·5	43	30	4	7	–	–	–	–	–	–	1	–	1	7	–	STOCKPORT.
BIRKENHEAD ..	121,123	21·1	23·7	17·2	19·4	3·0	64	45	10	14	–	3	–	1	2	1	–	2	3	7	–	BIRKENHEAD.
WALLASEY	71,004	14·0	14·7	16·2	10·3	–	25	14	2	9	–	–	–	–	–	–	–	–	–	3	–	WALLASEY.
LIVERPOOL	760,357	17·0	22·2	20·1	22·4	1·0	403	326	84	85	–	2	2	1	5	1	4	10	19	118	7	LIVERPOOL.
BOOTLE	69,393	21·8	21·8	15·8	16·5	0·8	48	22	4	6	–	–	1	–	–	–	–	2	2	8	3	BOOTLE.
ST. HELENS	95,161	20·8	14·2	15·9	21·4	1·6	45	39	12	8	–	–	1	–	1	1	–	–	–	7	–	ST. HELENS.
WIGAN	90,678	9·8	26·5	19·6	23·0	1·7	54	40	12	13	–	–	1	–	–	1	1	1	1	8	–	WIGAN.
WARRINGTON ..	72,276	18·8	18·0	14·4	18·8	–	46	26	2	8	–	–	–	–	–	–	–	–	1	2	2	WARRINGTON.
BOLTON	187,824	12·2	18·3	22·5	19·7	0·6	70	71	19	26	–	–	–	–	1	–	1	–	5	8	–	BOLTON.
BURY	59,234	20·2	15·8	14·1	14·1	–	18	16	4	8	–	–	–	–	–	–	–	1	2	3	–	BURY.
MANCHESTER ..	655,435	19·1	20·0	21·9	17·8	1·0	320	224	47	65	–	5	1	2	1	–	3	14	23	52	2	MANCHESTER.
SALFORD	241,950	15·5	22·0	16·4	19·4	1·5	107	90	10	23	–	2	1	3	–	1	–	3	6	26	2	SALFORD.
OLDHAM	143,301	16·4	24·0	28·0	19·6	–	67	54	10	19	–	–	–	–	–	–	–	–	4	10	–	OLDHAM.
ROCHDALE	89,653	17·4	16·3	20·4	12·2	–	50	21	3	10	–	–	–	–	–	–	–	2	2	5	–	ROCHDALE.
BURNLEY	106,267	16·2	17·2	22·1	17·7	1·5	59	36	11	8	–	1	1	1	–	–	–	1	1	6	–	BURNLEY.
BLACKBURN	136,959	14·1	17·5	19·8	14·8	1·1	54	39	4	13	–	–	–	1	–	2	–	1	1	4	1	BLACKBURN.
PRESTON	118,519	13·2	19·8	19·4	22·9	0·9	53	52	10	21	–	–	1	–	1	–	–	–	–	6	4	PRESTON.
BARROW-IN-FURNESS.	62,996	9·1	9·9	19·9	24·8	4·1	28	30	9	11	–	–	–	–	2	1	2	1	1	3	1	BARROW-IN-FURNESS.

* See note † on first page of this return.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 11th December, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 20th Nov., 1909.	27th Nov., 1909.	4th Dec., 1909.	11th Dec., 1909.	Rate from Diseases in Cols 11-17. Week ended 11th December, 1909.	Registered during the Week ended 11th Dec., 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,739	16·5	22·6	12·1	20·9	0·6	39	38	4	17	-	-	-	-	-	-	1	1	1	4	-	HUDDERSFIELD.
HALIFAX	111,911	13·5	15·8	14·9	20·5	0·9	34	44	9	16	-	-	1	1	-	-	-	-	2	5	2	HALIFAX.
BRADFORD	293,983	13·3	14·0	19·2	17·4	0·4	97	98	17	40	-	1	-	-	-	1	-	3	6	15	1	BRADFORD.
LEEDS	484,012	12·9	15·0	15·7	16·6	0·6	186	154	32	61	-	1	1	-	3	-	1	9	18	26	-	LEEDS.
SHEFFIELD	470,958	13·2	14·7	14·8	13·1	0·2	235	118	27	37	-	-	-	1	-	1	-	2	4	27	2	SHEFFIELD.
ROTHERHAM.. ..	65,070	17·6	16·8	18·4	14·4	1·6	32	18	9	5	-	1	-	-	-	-	1	1	1	2	-	ROTHERHAM.
YORK	87,004	12·0	12·6	15·0	9·6	-	28	16	4	8	-	-	-	-	-	-	-	-	-	2	-	YORK.
HULL	275,552	16·8	14·2	17·6	17·6	1·1	138	93	17	32	-	-	-	1	4	-	1	3	5	18	1	HULL.
MIDDLESBROUGH ..	105,255	20·3	19·8	21·3	17·8	0·5	70	36	9	8	-	-	-	1	-	-	-	-	1	3	1	MIDDLESBROUGH.
STOCKTON-ON-TEES	53,417	12·7	15·6	11·7	12·7	1·0	20	13	5	2	-	-	-	-	1	-	-	-	1	3	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL	79,686	11·8	12·4	13·7	15·1	1·3	41	23	6	6	-	-	-	1	1	-	-	-	-	2	-	WEST HARTLEPOOL.
SUNDERLAND ..	159,378	21·3	16·0	20·0	23·6	2·0	86	72	19	23	-	-	-	-	4	1	1	1	4	14	1	SUNDERLAND.
SOUTH SHIELDS ..	117,627	18·6	19·1	21·7	17·7	0·4	40	40	12	8	-	-	-	-	-	-	1	1	1	9	1	SOUTH SHIELDS.
GATESHEAD	131,024	13·1	14·3	13·9	12·3	0·4	62	31	10	8	-	-	-	1	-	-	-	1	1	8	4	GATESHEAD.
NEWCASTLE-ON-TYNE.	281,584	12·8	14·3	16·7	19·1	0·4	117	103	15	35	-	-	-	1	1	-	-	2	13	22	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH ..	55,808	14·0	16·8	14·0	21·5	-	34	23	7	12	-	-	-	-	-	-	-	1	1	3	2	TYNEMOUTH.
NEWPORT (MON.) ..	78,336	12·0	12·0	13·3	21·3	1·3	44	32	9	6	-	1	1	-	-	-	-	1	1	4	-	NEWPORT (MON.).
CARDIFF	195,303	13·6	15·8	14·2	15·2	0·3	91	57	10	14	-	1	-	-	-	-	-	5	9	10	-	CARDIFF.
RHONDDA	135,894	12·3	18·8	18·4	21·9	2·7	120	57	16	13	-	-	2	-	1	-	4	2	5	4	-	RHONDDA.
MERTHYR TYDFIL..	78,365	23·3	27·3	14·0	18·6	2·7	57	28	10	7	-	-	-	-	2	-	2	-	-	1	-	MERTHYR TYDFIL.
SWANSEA	98,308	24·9	29·2	25·5	22·8	3·2	65	43	12	9	-	2	-	1	2	-	1	2	3	5	1	SWANSEA.
GREATER LONDON	7,429,740	13·2	14·6	14·7	14·8	0·7	3410	2114	349	790	-	21	5	24	24	3	16	59	188	801	5	GREATER LONDON.
OUTER RING ..	2,595,802	10·5	12·9	12·2	11·5	0·6	1203	574	102	224	-	7	1	12	6	2	4	10	34	110	2	OUTER RING.
8 TOWNS IN OUTER RING.	1,284,152	10·1	12·5	11·0	11·0	0·6	577	271	56	93	-	2	-	6	2	2	3	6	22	55	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,311,650	10·8	13·4	13·4	12·0	0·7	626	303	46	131	-	5	1	6	4	-	1	4	12	55	2	REMAINDER OF OUTER RING.
EDINBURGH	355,366	14·8	18·8	19·5	17·5	1·9	115	119	17	38	-	4	4	2	3	-	-	4	?	43	5	EDINBURGH.
GLASGOW	872,021	24·9	32·7	27·3	31·6	5·7	387	529	129	126	-	60	4	8	7	7	9	11	?	124	21	GLASGOW.
DUBLIN (Registration Area).†	398,356	23·6	20·7	22·1	22·0	1·2	174	168	22	52	-	1	1	-	2	1	4	3	3	61	4	DUBLIN (Registration Area).†
BELFAST†	386,576	18·1	22·5	19·8	29·4	2·4	190	218	62	53	-	-	-	-	15	1	2	5	12	40	3	BELFAST†

* See note † on first page of this return.

† Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FORTY-NINTH Week of each of the Eleven Years, 1899–1909.

	1899	1900	1901	1902	1903	1904	1905	1906	1907	1908	Corrected Weekly Average in 5 Years 1904–1908.*	1909
TOTAL **Births** -	2339	2299	2374	2225	2443	2185	2462	2338	2345	2040	2328·0	2207
Males - - -	1217	1156	1250	1144	1245	1107	1310	1215	1204	1042	1203·5	1128
Females - -	1122	1143	1124	1081	1203	1078	1152	1123	1141	998	1124·5	1079
TOTAL **Deaths** -	1957	1544	1698	1506	1669	1613	1460	1482	1475	1383	1517·8	1540
Males - - -	1012	810	859	776	878	837	760	748	740	707	776·4	777
Females - -	945	734	839	730	791	776	700	734	735	676	741·4	763

* The numbers in this column are the average weekly numbers in the Forty-Ninth week of the five years 1904–1908, raised by 2·375 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Sept. 18.	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	13 Weeks.
TOTAL **Births** -	2223	2220	2057	2292	2243	2221	2087	2361	2291	2173	2195	1933	2207	28503
TOTAL **Deaths** -	1151	1126	1079	1127	1114	1067	1107	1246	1284	1363	1442	1484	1540	16130
Ages at Death: Under 1 year -	309	301	260	273	276	266	260	277	264	239	276	214	247	3492
1—5 years -	109	108	80	98	98	93	100	82	105	109	130	120	115	1352
5—20 " -	68	56	71	50	54	62	49	67	65	85	59	63	70	819
20—40 " -	147	131	115	129	140	134	145	157	165	164	154	167	181	1929
40—60 " -	221	251	231	270	228	213	231	277	247	284	300	346	361	3450
60 yrs. & upwds.	297	279	322	317	318	294	322	386	438	452	523	574	566	5088
Deaths from—														
Small-pox† - -	-	-	-	1	-	-	-	-	-	-	-	-	-	1
Measles - - -	5	5	3	6	10	7	9	5	8	12	12	16	14	112
Scarlet Fever - -	2	8	10	10	10	3	5	6	8	3	7	11	4	87
Diphtheria - -	7	15	13	4	10	9	15	13	9	13	17	6	12	143
Whooping-cough -	13	14	14	21	9	8	7	12	16	20	25	23	18	200
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	1	2	4	2	7	5	3	7	2	1	2	5	1	42
Pyrexia (origin uncertain).	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Diarrhœa, Dysentery	129	114	74	60	48	34	28	34	16	24	15	14	12	602
All above diseases -	158	158	118	104	94	66	67	77	59	73	78	75	61	1188
Dis. of Resp. System	51	57	60	73	64	63	79	120	137	149	207	211	194	1465
Pneumonia - -	79	92	72	113	103	111	114	110	151	134	180	221	223	1703
Phthisis - - -	101	115	112	103	93	100	120	148	135	132	123	138	156	1581
Dis. of Circ. System -	151	129	147	147	151	158	170	175	166	199	203	202	219	2220
Violence - - -	43	37	45	35	47	43	31	45	59	51	61	58	49	604
Inquest Cases - -	113	89	92	108	109	106	102	119	135	134	153	144	154	1558
Deaths in Institutions	480	539	509	513	479	486	476	529	531	572	558	611	691	6974
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	55·3	56·3	53·1	55·8	56·4	55·7	41·9	47·1	42·3	38·7	37·0	44·6	38·6	47·9
Mean of Highest -	62·9	65·5	60·1	64·6	63·3	62·1	47·9	53·0	48·3	43·5	41·9	50·1	43·0	54·4
Mean of Lowest -	49·4	48·4	47·4	47·5	49·8	50·1	34·9	41·4	34·8	34·0	31·6	40·1	33·3	41·7
Mean Humidity of the Air.	86	87	94	81	84	88	86	90	82	85	86	85	91	87
Rain-fall (in inches) -	0·58	0·57	0·72	1·01	0·59	0·46	1·87	0·15	0·03	0·28	0·01	1·40	0·36	8·03
Registered Sunshine (in hours).	20·9	27·7	6·0	33·7	22·5	16·7	13·9	20·1	22·2	14·0	14·7	13·2	16·7	242·3
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	-	-	-	-	2	2	2	3	4	5	4	3	3	2
Scarlet Fever - -	2553	2686	2737	2745	2810	2799	2743	2716	2624	2606	2518	2488	2475	2654
Diphtheria - - -	832	857	908	928	955	991	961	1002	972	949	948	952	946	939
Typhus - - -	-	-	-	-	-	-	1	1	1	-	-	-	-	-
Enteric Fever - -	67	78	75	82	85	87	79	82	79	74	71	67	70	77

* The Metropolitan Asylums Board and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lander, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq. F.R.Met.Soc., Hull; the Meteorological Committee, Tynemouth: and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the FORTY-NINTH Week of the Year 1909.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 49th week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1517·8	1540	247	115	70	181	361	566
Small-pox*	-	-	-	-	-	-	-	-
Cowpox	-	-	-	-	-	-	-	-
Measles (Morbilli)	33·2	14	1	13	-	-	-	-
Scarlet Fever	13·7	4	-	2	2	-	-	-
Typhus	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-
Influenza	24·6	30	-	2	-	4	12	12
Whooping-cough	16·8	18	6	11	1	-	-	-
Diphtheria	19·9	12	1	7	4	-	-	-
Cerebro-spinal Fever ..	0·4	-	-	-	-	-	-	-
Pyrexia† (origin uncertain)	-	-	-	-	-	-	-	-
Enteric Fever	6·3	1	-	-	-	-	1	-
Asiatic Cholera	-	-	-	-	-	-	-	-
Epidemic Diarrhœa, Infective Enteritis	6·3	3	2	1	-	-	-	-
Diarrhœa, Dysentery ..	9·6	9	4	2	1	1	1	-
Tetanus	0·8	1	-	-	-	1	-	-
Rabies, Hydrophobia ..	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever)..	0·2	-	-	-	-	-	-	-
Venereal Dis.	6·8	6	5	-	-	-	1	-
Puerperal Septicæmia ..	2·5	6	-	-	-	6	-	-
Puerperal Pyæmia.. .	0·2	-	-	-	-	-	-	-
Puerperal Fever	0·4	1	-	-	-	1	-	-
Infective Endocarditis ..	3·9	1	-	-	-	1	-	-
Pneumonia: Lobar ..	18·0	39	1	3	1	10	15	9
Pneumonia: Broncho ..	86·6	83	23	19	6	2	10	23
Pneumonia: Epidemic ..	-	-	-	-	-	-	-	-
Pneumonia: Not defined	70·8	101	11	9	3	11	31	36
Erysipelas	7·4	5	1	-	-	-	2	2
Septicæmia (not Puerperal) ..	1·4	-	-	-	-	-	-	-
Pyæmia (not Puerperal)	0·6	1	-	-	-	1	-	-
Other Infective Processes	6·1	4	-	-	-	1	1	2
Tuberculous Phthisis ..	85·8	109	-	2	7	52	41	7
"*Phthisis*"	53·2	47	-	-	8	19	13	7
Tuberculous Meningitis ..	18·4	16	3	7	6	-	-	-
Tuberculous Peritonitis ..	6·6	6	2	4	-	-	-	-
Tabes Mesenterica	0·4	2	2	-	-	-	-	-
Tuberculous Dis., Other ..	18·0	13	5	1	3	2	2	-
Scrofula..	0·2	-	-	-	-	-	-	-
Alcoholism	9·4	10	-	-	-	1	7	2
Rheumatic Fever	5·9	-	-	-	-	-	-	-
Gout	3·3	2	-	-	-	-	1	1
Carcinoma	58·6	73	-	-	-	2	28	43
Sarcoma	6·3	6	-	1	-	1	3	1
Cancer (undefined) ..	36·4	24	-	-	-	3	7	14
Diabetes Mellitus	10·4	7	-	-	1	1	2	3
Premature Birth	47·7	38	38	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 49th week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)..	10·6	11	2	5	3	1	-	-
Gen. Par. of Insane, Insanity	14·9	17	-	-	-	4	9	4
Epilepsy	7·4	3	-	-	-	-	3	-
Convulsions	16·6	16	15	1	-	-	-	-
Locomotor Ataxy.. ..	1·8	1	-	-	-	-	1	-
Paraplegia, Dis. of Cord.	6·8	5	-	-	-	-	1	4
Nervous Sys., Other Dis.	19·5	16	-	-	-	3	2	11
Valv. Dis., Endocarditis..	47·1	58	-	-	6	7	21	24
Cereb. Hæm. Cereb. Emb.	36·4	40	-	-	-	-	12	23
Apoplexy, Hemiplegia ..	18·2	16	-	-	-	1	4	11
Aneurysm	4·5	7	-	-	-	-	6	1
Embolism, Thrombosis (not Cerebral) ..	1·0	2	-	-	-	-	2	-
Heart & Blood Ves., Other Dis... ..	95·0	96	-	-	3	6	29	58
Croup (not Spasm: nor Memb.)	0·4	-	-	-	-	-	-	-
Bronchitis	171·4	168	34	1	1	4	24	104
Emphysema, Asthma ..	7·8	8	-	-	-	-	5	3
Pleurisy	4·9	9	-	3	-	1	1	4
Respiratory Dis., Other..	12·5	9	1	-	1	1	1	5
Tonsillitis, Quinsy.. ..	0·6	1	-	-	1	-	-	-
Enteritis (not Epid.) ..	12·3	15	11	2	-	1	1	-
Gastro-enteritis	6·8	8	6	2	-	-	-	-
Peritonitis (not Puerp.) ..	1·8	3	1	-	1	-	-	1
Cirrhosis of Liver.. ..	12·5	8	-	-	-	-	3	5
Liver Dis., Other	5·9	6	-	-	2	-	1	3
Digestive Sys., Other Dis.	32·1	46	4	4	5	8	10	15
Acute Nephritis	7·0	7	-	-	-	1	4	2
Bright's Dis., Albuminuria	36·0	41	-	-	-	5	10	26
Urinary Sys., Other Dis.	12·5	13	-	-	-	-	1	12
Generative Organs Dis...	4·9	10	-	-	-	4	5	1
Childbirth (Accid. of) ..	4·5	4	-	-	-	3	1	-
Old Age	61·4	64	-	-	-	-	-	64
Other Diseases	85·1	91	62	5	3	5	8	8
ACCIDENT.								
By Railways	2·5	2	-	-	-	1	1	-
By Vehicles and Horses..	5·5	7	-	-	-	1	2	4
In Ships, Boats, Docks, (exclusive of Drowning)	0·6	1	-	-	-	-	1	-
In Building Operations..	1·4	1	-	-	-	-	-	1
In Conflagrations	0·4	-	-	-	-	-	-	-
By Burns, Scalds, Explosions	8·8	11	-	8	1	1	1	-
By Drowning	2·0	2	-	-	-	1	1	-
By Suffocation in Bed ..	11·5	4	4	-	-	-	-	-
By Poisons or Poisonous Vapours	1·4	2	-	-	-	-	2	-
Other Deaths by Accident..	14·7	11	2	-	-	-	5	4
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	0·6	-	-	-	-	-	-	-
Suicide	11·1	8	-	-	-	2	5	1
Execution	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.
† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 11th December, 1909.

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexiæ†* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified causes of Death.
LONDON	4,536,267	2207	1540	247	566	-	14	4	12	18	-	1	-	12	49	154	691	3
WEST DISTRICTS	805,311	317	287	39	126	-	2	1	1	3	-	-	-	-	13	21	132	-
NORTH DISTRICTS	1,055,908	466	320	47	129	-	-	-	4	6	-	-	-	2	9	36	132	1
CENTRAL DISTRICTS	209,465	95	74	18	23	-	-	-	-	-	-	1	-	3	3	6	40	-
EAST DISTRICTS	715,739	442	276	57	71	-	10	-	1	6	-	-	-	3	8	45	145	-
SOUTH DISTRICTS	1,749,844	887	524	85	198	-	2	3	5	3	-	-	-	2	15	45	183	2
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	59	1	19	-	-	-	1	-	-	-	-	2	1	1	59	-
WEST DISTRICTS.																		
North Paddington *H*	63,603	24	19	5	8	-	-	-	-	-	-	-	-	-	1	2	-	-
Central Paddington *W,3H*	50,053	28	37	5	18	-	1	-	-	1	-	-	-	-	3	3	21	-
South Paddington	30,320	4	5	-	3	-	-	-	-	-	-	-	-	-	-	1	-	-
Kensington Town *2W,w,2H* ..	128,037	55	62	8	35	-	-	-	1	-	-	-	-	-	1	1	33	-
Brompton *2H*	48,591	10	8	-	6	-	1	-	-	-	-	-	-	-	1	1	-	-
North Hammersmith *2W,w,H* ..	49,192	28	20	3	5	-	-	-	-	-	-	-	-	-	-	2	10	-
South Hammersmith *w,2H* ..	63,047	21	27	1	10	-	-	-	-	-	-	-	-	-	3	4	8	-
North-west Fulham *W*	45,180	30	13	2	1	-	-	-	-	-	-	-	-	-	-	1	5	-
North-east Fulham *F*	46,405	26	10	1	6	-	-	1	-	1	-	-	-	-	-	-	1	-
South Fulham *W*	45,704	27	8	1	5	-	-	-	-	-	-	-	-	-	-	-	-	-
Chelsea North *W,w,3H*	42,514	13	33	4	17	-	-	-	-	1	-	-	-	-	-	2	30	-
Chelsea South *W,2H*	31,328	10	5	2	2	-	-	-	-	-	-	-	-	-	-	-	3	-
Mayfair and Knightsbridge	28,743	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave *W,2H*	55,815	17	17	2	6	-	-	-	-	-	-	-	-	-	2	2	10	-
St. Margaret & St. John *6H*	43,698	15	17	5	4	-	-	-	-	-	-	-	-	-	1	1	9	-
St. James and St. Anne *W,6H* ..	33,081	6	5	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-
NORTH DISTRICTS.																		
All Souls Marylebone *7H*	35,391	11	21	3	8	-	-	-	-	-	-	-	-	-	1	1	13	-
St. Mary Marylebone *W,4H* ..	37,948	42	9	2	3	-	-	-	-	-	-	-	-	-	-	1	2	-
Christchurch Marylebone	39,536	19	4	2	-	-	-	-	-	1	-	-	-	-	-	1	-	-
St. John Marylebone *2H*	20,426	3	5	1	3	-	-	-	-	-	-	-	-	-	-	2	-	-
Hampstead *W,F,6H*	81,942	23	25	2	9	-	-	-	2	-	-	-	-	-	1	1	14	-
West St. Pancras *2H*	60,562	26	9	4	2	-	-	-	-	-	-	-	-	-	-	2	3	-
South St. Pancras *w,10H*	55,707	12	20	2	7	-	-	-	-	1	-	-	-	-	-	2	10	-
East St. Pancras *W,H*	60,320	25	21	1	16	-	-	-	-	-	-	-	-	-	1	3	15	-
North St. Pancras *2W*	58,728	23	15	2	7	-	-	-	-	1	-	-	-	-	1	2	8	-
Tufnell *W*	31,995	15	30	2	16	-	-	-	-	-	-	-	-	-	2	2	19	-
Upper Holloway *2W,w,H*	33,978	19	24	-	8	-	-	-	-	-	-	-	-	1	1	1	17	-
Tollington *W,w,H*	33,922	10	7	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Lower Holloway	41,424	12	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Barnsbury	54,478	29	15	5	3	-	-	-	-	2	-	-	-	-	-	2	-	-
Islington South-east *F*	75,397	36	14	2	5	-	-	-	-	-	-	-	-	-	-	4	-	-
Highbury *2H*	63,797	27	12	3	6	-	-	-	-	-	-	-	-	-	-	-	-	-
Stoke Newington *H*	51,247	24	9	-	5	-	-	-	-	-	-	-	-	-	-	-	-	1
North Hackney	50,398	12	8	2	5	-	-	-	-	-	-	-	-	1	-	-	-	-
Central Hackney *w,F*	50,536	27	16	3	6	-	-	-	2	-	-	-	-	-	1	3	5	-
South-west Hackney *3H*	59,921	45	18	5	5	-	-	-	-	1	-	-	-	-	-	1	4	-
South-east Hackney *2W,H*	58,255	26	34	4	10	-	-	-	-	-	-	-	-	-	1	8	22	-
Hackney Union Workhouse, Brentwood	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 11th December, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
St. Giles and Bloomsbury 2*W*,2*H* ..	31,436	28	7	1	4	-	-	-	-	-	-	-	-	-	-	-	2	-
Strand *W*,4*H*	21,674	1	8	1	4	-	-	-	-	-	-	-	-	1	-	1	6	-
Strand Union Workhouse, Edmonton	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Holborn *W*,5*H*	29,612	5	14	7	1	-	-	-	-	-	-	-	-	-	-	-	10	-
Clerkenwell *H*	63,704	33	8	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Luke 3*H*,*L*	36,116	23	9	2	2	-	-	-	-	-	-	-	-	1	-	1	1	-
Holborn Union Workhouse, Mitcham	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	3	-
St. Botolph *H*	10,299	1	3	1	1	-	-	-	-	-	-	1	-	-	1	1	-	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	4	21	3	4	-	-	-	-	-	-	-	-	1	2	3	17	-
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
Shoreditch South 3*H*	46,362	22	11	2	4	-	-	-	-	-	-	-	-	2	-	2	1	-
Shoreditch North-West *W*,*w*,*H* ..	36,127	20	22	2	8	-	-	-	-	1	-	-	-	-	-	3	16	-
Shoreditch North-East	36,148	23	6	2	2	-	-	-	-	-	-	-	-	-	-	3	-	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	44	41	8	12	-	-	-	1	1	-	-	-	-	1	2	31	-
Bethnal Green South-West *H* ..	64,542	39	6	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Spitalfields..	27,969	21	7	1	1	-	1	-	-	-	-	-	-	1	-	3	-	-
Mile End New Town *W*,*H*	28,718	27	45	3	6	-	-	-	-	-	-	-	-	-	1	7	43	-
Goodman's Fields	22,081	9	3	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
St. George and St. John 2*W* ..	49,068	43	19	4	5	-	1	-	-	-	-	-	-	-	1	4	8	-
Shadwell and Ratcliff *w*,*H* ..	25,568	18	13	6	1	-	3	-	-	-	-	-	-	-	1	2	10	-
Limehouse *W*	32,369	13	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mile End Old Town South-Western *H*	63,698	46	10	4	3	-	-	-	-	-	-	-	-	-	-	2	-	-
Mile End Old Town North-Eastern *W*,*w*	49,129	32	20	5	7	-	2	-	-	-	-	-	-	-	1	2	10	-
Bow	41,989	16	12	2	5	-	1	-	-	-	-	-	-	-	-	1	-	-
Bromley 3*w*,*H*	68,319	38	37	9	8	-	-	-	-	3	-	-	-	-	2	7	21	-
Poplar *W*,*w*	58,514	31	21	4	8	-	1	-	-	1	-	-	-	-	1	5	3	-
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 11th December, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch and St. Saviour Southwark *W,2H*	23,319	12	14	3	1	-	-	-	-	-	-	-	-	-	2	2	12	-
Kent-road	21,904	14	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George the Martyr West *W,2H,L*	39,094	20	13	6	2	-	-	-	-	-	-	-	-	-	1	3	5	-
Newington North	49,022	24	4	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Newington South *W*	72,841	35	16	3	9	-	-	-	-	-	-	-	-	-	1	2	3	-
St. Olave *2W*	9,817	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bermondsey *W*	82,483	54	13	3	5	-	-	-	-	1	-	-	-	-	1	1	-	-
Rotherhithe *W,F*	38,460	23	16	3	2	-	-	-	-	-	-	-	-	-	1	3	8	-
Waterloo *2H*	27,440	20	7	1	-	-	-	-	-	-	-	-	-	-	-	-	3	-
Lambeth Church *H*	27,440	11	27	4	9	-	-	-	-	-	-	-	-	-	-	2	22	-
Kennington *2W*	52,518	23	30	4	12	-	-	-	-	-	-	-	-	-	-	-	11	-
Stockwell *HF*	63,826	22	14	4	2	-	-	-	1	-	-	-	-	-	-	2	2	-
Brixton *H*	73,673	33	25	5	10	-	-	-	-	1	-	-	-	-	-	2	2	-
Norwood *2WH*	56,998	25	6	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-
East Battersea *H*	72,203	40	17	5	7	-	1	-	-	-	-	-	-	-	-	2	-	-
North-west Battersea	49,656	29	8	3	2	-	-	-	-	-	-	-	-	-	-	1	-	-
South-west Battersea *2W,H*	47,048	14	23	4	11	-	1	-	-	-	-	-	-	-	2	3	19	-
Clapham *2H*	51,361	23	14	2	8	-	-	-	-	-	-	-	-	-	-	1	1	-
Streatham *W,2w,2F,2L*	88,019	52	50	3	27	-	-	1	2	-	-	-	-	-	1	4	19	-
Springfield *2W,L*	27,959	16	8	2	4	-	-	-	-	-	-	-	-	-	-	-	1	-
Southfields *H*	40,444	30	9	-	5	-	-	-	-	-	-	-	-	-	-	-	1	-
Putney	24,139	11	7	1	4	-	-	-	-	-	-	-	-	-	-	1	-	-
Dulwich	13,359	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Camberwell South *W,w*	40,206	17	30	1	9	-	-	-	-	-	-	-	-	-	-	1	26	-
Camberwell North *W,2L*	65,584	34	28	3	11	-	-	-	-	-	-	-	-	-	1	2	19	-
St. George	47,331	34	11	2	5	-	-	-	-	-	-	-	-	-	1	1	-	1
Peckham North	48,913	18	8	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-
Peckham South *2W,w*	43,946	28	8	3	3	-	-	-	-	-	-	-	-	1	1	1	-	-
Deptford North	37,613	22	13	5	2	-	-	-	-	1	-	-	-	1	1	1	-	-
Deptford Central *F*	45,481	23	9	2	3	-	-	1	1	-	-	-	-	-	-	1	2	-
Deptford South	34,625	9	9	2	5	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *H*	23,456	12	9	2	5	-	-	-	-	-	-	-	-	-	1	2	-	-
Greenwich East *2W,H*	43,859	23	18	-	5	-	-	-	-	-	-	-	-	-	-	2	10	-
Eltham *w,H*	7,226	4	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Lee *w,H*	25,490	9	5	-	3	-	-	-	-	-	-	-	-	-	-	-	1	-
Lewisham *2W,w,F*	58,352	43	16	3	6	-	-	1	1	-	-	-	-	-	-	1	6	-
Sydenham *H*	43,653	16	9	2	5	-	-	-	-	-	-	-	-	-	-	-	-	-
Charlton *F,2H*	21,134	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Woolwich *5H*	41,625	16	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead West *W,H*	39,376	21	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *2W*	28,951	12	15	1	6	-	-	-	-	-	-	-	-	-	-	1	8	-
Workhouses:—																		
Belmont Workhouse	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	4	-
M. A. B. Small-pox Hospitals:—																		
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																		
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																		
Children's Infirmary, Carshalton	—	-	4	1	-	-	-	-	-	-	-	-	-	-	-	-	4	-
M. A. B. Imbecile Asylums:—																		
Caterham	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Darenth	—	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-
Leavesden	—	-	8	-	2	-	-	-	-	-	-	-	-	-	-	-	8	-
London County Lunatic Asylums:—																		
Banstead	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	5	-	4	-	-	-	-	-	-	-	-	-	-	-	5	-
Manor	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
Long Grove	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
Cane Hill	—	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	5	-
Dartford Heath	—	-	5	-	2	-	-	-	-	-	-	-	-	1	-	-	5	-
Hanwell	—	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	4	-
Colney Hatch	—	-	5	-	-	-	-	-	-	-	-	-	-	1	-	-	5	-
Claybury	—	-	5	-	2	-	-	-	-	-	-	-	-	-	1	1	5	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERATED POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 11th December, 1909.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING ..	368,603	2,045,135	1203	574	102	224	-	7	1	12	6	2	4	10	34	110	2
30 : 1	Carshalton 2F,3H	12,228	32,997	23	7	-	1	-	-	-	1	-	-	-	-	-	1	1
2	Epsom, *part of** W,w,2F,H..	10,423	15,548	10	6	-	5	-	-	-	-	-	-	-	-	-	3	-
37 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	2	2	-	2	-	-	-	-	-	-	-	-	-	1	-
38 : 1	Coulsdon	11,069	8,166	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w,H ..	4,200	49,309	18	10	3	6	-	-	-	-	-	-	-	-	2	-	-
3	West Croydon 3W,F,H ..	2,168	42,888	23	12	1	7	-	-	1	-	-	-	-	1	2	7	-
4	North Croydon H	2,644	41,698	21	11	4	5	-	-	-	-	-	-	-	-	1	2	-
5	Penge w	770	22,465	7	5	1	3	-	-	-	-	-	-	-	-	1	-	-
6	Mitcham w	11,711	30,015	28	6	1	2	-	1	-	-	-	-	-	-	-	-	-
39 : 1	Wimbledon F,3H	3,221	41,652	23	8	1	3	-	-	-	-	-	-	-	1	2	1	-
2	Kingston 2W,H	6,224	42,068	24	17	2	8	-	-	-	-	-	-	-	-	-	5	-
3	Surbiton F,H	3,046	15,017	7	1	-	-	-	-	-	-	1	-	-	-	-	1	-
4	Esher, *part of** H	5,402	13,100	6	4	-	1	-	-	-	-	-	-	-	-	-	1	-
5	Hampton H,F,L	4,564	23,456	5	4	2	1	-	-	-	-	-	-	-	-	1	-	-
40 : 1	Richmond W,H	2,491	31,672	8	6	-	2	-	-	-	-	-	-	-	-	-	3	-
2	Mortlake F	2,518	17,821	12	11	1	5	-	-	-	-	-	-	-	1	1	-	-
41 : 1	Bromley F,3H	4,703	27,354	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Beckenham H	7,825	28,497	9	6	1	3	-	-	-	-	-	-	-	-	-	-	-
3	Orpington, *part of** W,F ..	10,113	9,857	5	5	-	4	-	-	-	-	-	-	-	-	-	2	-
4	Chislehurst 2H	7,333	16,446	10	2	1	-	-	-	-	-	-	-	-	-	-	-	-
42 : 1	Bexley w,F,H	8,678	21,151	5	3	-	1	-	-	-	-	1	-	-	-	-	-	-
2	Erith F,H	3,854	25,296	11	2	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Dartford W,F, *part of** ..	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
124 : 1	Sunbury w	11,054	18,683	10	6	1	4	-	-	-	1	-	-	-	-	-	-	-
2	Staines W,H	13,277	15,178	5	8	2	1	-	-	-	-	-	-	-	-	-	4	-
125 : 1	Hillingdon W,F,H	6,035	13,661	9	2	-	1	-	-	-	-	-	-	-	-	-	2	-
2	Uxbridge H	12,757	8,984	5	3	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w 2F,H	8,066	16,358	14	4	2	1	-	-	-	-	-	-	-	1	1	-	-
126 : 1	Isleworth 3W,3F,H	6,859	30,863	24	14	2	6	-	1	-	-	-	-	-	-	-	4	-
2	Twickenham F,2H	2,421	20,991	10	3	-	2	-	-	-	-	-	-	-	-	-	-	-
3	Brentford 3F,2H	4,319	48,289	27	15	2	9	-	-	-	-	-	-	-	-	-	-	-
4	Chiswick H	1,249	29,809	18	10	3	4	-	-	-	-	-	-	-	-	-	-	-
5	Acton w,F,3H	6,132	48,914	29	7	2	2	-	-	-	1	-	-	1	-	-	1	-
127A: 1	Harrow F,H	13,809	25,523	29	10	1	6	-	-	-	-	-	-	-	-	1	1	-
2	Edgware 2F,2H	6,994	4,521	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hendon W,F	8,382	22,450	12	4	2	1	-	-	-	-	-	-	-	-	-	-	-
127B: 1	Willesden W,F,2H	4,384	114,811	79	25	6	7	-	-	-	1	-	-	1	1	1	-	-
128 : 1	South Mimms 2F,H ..	17,755	7,308	8	2	-	1	-	-	-	-	-	-	-	-	-	1	-
2	Barnet W,2H	3,324	17,970	9	9	1	6	-	-	-	-	-	-	-	-	-	2	-
3	Finchley F,3H	4,638	33,692	31	5	1	2	-	-	-	-	-	-	-	-	1	-	-
129 : 1	Hornsey F,H	2,875	72,056	26	13	2	6	-	1	-	1	-	-	-	-	-	1	-
2	Wood Green H	1,625	34,233	18	6	-	2	-	-	-	-	-	-	-	-	-	-	-
3	West Tottenham	995	48,741	31	11	3	3	-	-	-	-	-	-	-	-	1	-	-
4	East Tottenham 2H ..	2,019	53,962	38	18	4	4	-	-	-	1	-	-	-	-	4	3	-
5	Edmonton W,w,2F	7,491	61,892	47	24	5	10	-	-	-	-	-	-	2	-	-	8	-
6	Enfield 2W,F,H	12,601	42,738	23	17	5	4	-	2	-	1	1	-	-	-	-	1	-
7	Waltham Abbey F	11,017	6,549	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	5	4	1	1	-	-	-	-	-	-	-	-	-	-	1
135 : 1	Hatfield, *part of** W ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey, *part of** H ..	9,195	7,051	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Watford, *part of** W,2F ..	138	2,122	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
186 : 1	Stratford H	1,091	52,974	27	16	3	5	-	-	-	-	-	-	-	-	1	-	-
2	Forest Gate	787	52,745	22	8	-	2	-	-	-	-	1	-	-	1	1	-	-
3	Plaistow F,2H	1,249	90,921	57	19	6	5	-	-	-	1	-	1	-	-	-	1	-
4	Canning Town H	1,556	70,718	66	22	8	6	-	1	-	-	-	-	-	2	4	1	-
5	South East Ham 2F ..	1,991	37,342	28	8	1	2	-	-	-	-	-	-	-	-	1	-	-
6	North East Ham w,H ..	1,333	58,666	27	9	2	5	-	-	-	-	-	-	-	-	1	-	-
7	Wanstead F	1,679	9,179	1	2	-	1	-	-	-	-	-	-	-	-	1	-	-
8	South Leyton 2W	631	50,467	21	16	1	9	-	-	-	-	-	-	-	-	-	5	-
9	North Leyton 2W,w,F ..	1,963	48,445	40	33	3	11	-	-	-	-	-	-	-	1	2	24	-
10	Walthamstow 2H,L ..	6,504	108,929	62	38	7	10	-	-	-	2	1	1	-	-	1	2	-
187 : 1	Chigwell 2F,3H	11,778	16,397	9	14	2	4	-	-	-	1	-	-	-	1	2	2	-
2	Epping W,F, *part of** ..	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
189 : 1	Romford, *part of** W,2F ..	6,556	6,091	3	3	1	1	-	-	-	-	-	-	-	-	-	1	-
2	Ilford F,L	8,496	41,244	33	13	2	5	-	-	-	1	1	-	-	-	1	2	-
3	Barking Town F	3,805	21,547	20	5	3	1	-	-	-	-	-	-	-	-	-	-	-
	Eastern Hospital, Hackney	—	—	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	5	-	3	-	-	-	-	-	-	-	-	-	5	-
	Kent County Lunatic Asylum, Maidstone.	—	—	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-
	Middlesex County Lunatic Asylum, Napsbury.	—	—	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
	Essex County Lunatic Asylum, Brentwood	—	—	-	5	-	5	-	-	-	-	-	-	-	-	-	5	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30 : 2, excepting Ashtead parish; 37 : 1, Warlingham and Farley parishes; 39 : 4, excepting Esher parish; 41 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135 : 1, Northaw parish; 137 : 1, excepting the part in Watford Rural parish; 137 : 2, Oxhey parish; 189 : 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42 : 3, 137 : 2 and 187 : 2 and in the Croydon Mental Hospital in 37 : 1 are also included

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths.	Annual Death-rate per 1000 living.	Deaths from Small-pox	Measles.	Scarlet Fever	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON - -	4,833,938	December 11	2207	1540	16·6	-	14	4	12	18	1	12
CALCUTTA - -	1,009,008	November 13	-	503	25·9	-	-	-	-	-	120†	51‡
BOMBAY - -	982,000	" 16	423	518	27·5	5	-	-	-	-	62†	38‡
MADRAS - -	548,974	" 12	372	396	40·4	-	3	?	?	?	131	60
PARIS - - -	2,760,000	December 4	922	912	17·4	-	7	1	5	4	2	24
BRUSSELS - -	704,975	" 4	230	249	18·4	-	2	1	1	2	-	13
ANTWERP - -	314,135	" 4	126	68	11·3	-	1	-	-	1	-	10
AMSTERDAM -	565,553	" 4	260	140	12·9	-	7	-	2	1	-	1
COPENHAGEN -	451,000	" 4	218	114	13·2	-	-	-	-	-	-	4
STOCKHOLM -	339,582	November 27	146	78	11·9	-	1	1	2	1	-	2
CHRISTIANIA -	235,674	December 4	124	70	15·4	-	2	1	2	1	-	3
ST. PETERSBURG	1,573,000	November 27	680	785	26·0	11	22	20	19	13	5	40‡
MOSCOW - -	1,452,100	" 27	-	694	24·9	-	19	51	35	7	9	73
BERLIN - -	2,115,672	" 20	776	644	15·9	-	1	15	26	6	4	32
HAMBURG - -	872,252	December 4	-	245	14·6	-	2	4	13	-	2	16
BRESLAU - -	502,676	November 27	-	196	20·3	-	7	-	1	4	1	14
MUNICH - -	566,000	December 4	-	192	17·6	-	2	1	6	-	-	19
VIENNA - -	2,064,037	" 4	802	609	15·2	-	1	-	10	2	-	30
PRAGUE - -	485,057	" 4	189	183	19·2	-	1	1	3	-	-	4
BUDAPEST - -	823,215	November 27	434	302	20·2	-	1	8	6	2	7	17
TRIESTE - -	217,706	December 4	130	109	25·8	-	2	-	-	-	2	3
ROME - - -	574,666	September 4	229	160	14·5	-	2	-	-	1	3§	37
VENICE - -	179,286	October 23	70	64	18·6	-	-	-	1	-	-	8
BUCAREST - -	296,585	November 6	-	-	-	-	-	-	-	-	-	-
NEW YORK -	4,564,792	" 20	2205	1389	15·9	-	8	14	32	3	16	62
CHICAGO - -	2,224,490	" 20	-	512	12·0	-	-	9	27	1	5	43
PHILADELPHIA -	1,565,569	October 23	-	427	14·2	-	-	2	6	3	8	41
		" 30	-	481	16·0	-	-	4	10	2	2	30
RIO DE JANEIRO	637,089	" 31	-	206	16·9	-	3	-	-	1	-	
CAIRO:—												
Egyptians -	669,617	November 11	556	391	30·4	-	-	-	22	?	11	93
Foreigners -	35,219	" 11	8	14	20·7	-	-	-	1	?	-	1
ALEXANDRIA:—												
Egyptians -	345,003	" 11	288	171	25·8	2	-	-	5	?	6	38
Foreigners -	46,118	" 11	5	16	18·0	6	-	-	-	?	-	-

* Excluding deaths from croup in the Indian Cities.
† Including 5 deaths from plague in Calcutta and 5 in Bombay.
‡ Including 9 deaths from cholera in Calcutta, 2 in Bombay, and 6 in St. Petersburg.
§ Including 1 death from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 11th December, 1909.

Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	47·9	28·8	38·1	0·36	BRADFORD - -	51·8	23·8	36·7	0·33
BRIGHTON - -	47·7	29·9	39·4	0·82	YORK - - -	51·0	26·0	37·3	1·11
PORTSMOUTH - -	48·2	28·8	39·8	1·04	HULL - - -	51·0	25·0	37·2	0·99
NORWICH - -	46·4	28·0	36·6	1·48	TYNEMOUTH - -	54·0	25·0	37·6	1·56
PLYMOUTH - -	52·3	23·8	41·1	2·42	CARDIFF - - -	49·8	29·2	39·9	1·66
BRISTOL - - -	51·7	29·0	40·6	0·90	EDINBURGH - -	51·9	21·9	34·6‡	0·74
BIRMINGHAM - -	49·2	29·7	38·3	0·91	GLASGOW - -	53·2	22·0	37·0	1·25
NOTTINGHAM - -	50·3	27·3	37·5	0·43	DUBLIN Phœnix Park	55·7	25·1	39·1	1·20
LIVERPOOL OBSERVATORY	54·0	33·0	41·0	1·34	DUBLIN Fitzwilliam Square†	56·3	28·1	40·9	1·39
MANCHESTER -	50·3	19·4	35·3	1·51					
BURNLEY - -	51·0	18·5	36·1	0·74					
HUDDERSFIELD -	52·2	22·5	37·3	0·50	BELFAST - - -	55·0	24·5	35·2	0·59

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to the seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0°·1 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.
‡ Six days' average.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 11th December, 1909.

[*Under the Superintendence of the Astronomer Royal.*]

1909. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. Highest.	Temperature. Of the Air. Lowest.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Greatest.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Greatest.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
DECEMBER.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 5	..	28·996	43·3	29·9	13·4	36·6	− 4·9	32·9	3·7	9·2	0·8	86	65·0	23·1	45·60	WSW. & SW.	SW., S. & SE.	0·7	0·0	0·0	223	−106	0·03	0·0
MONDAY - 6	..	28·953	41·9	33·3	8·6	37·7	− 3·8	35·8	1·9	5·9	0·3	93	54·0	26·0	45·23	SE. & SW.	SW., S. & SSE.	0·6	0·0	0·0	189	−150	0·14	0·0
TUESDAY - 7	In Eqr. Apogee.	29·174	37·5	29·2	8·3	34·6	− 6·7	33·3	1·3	3·6	0·3	95	37·0	22·6	44·87	SW., calm & WSW.	NW., NNW. & WNW.	1·7	0·0	0·1	202	−135	0·00	0·0
WEDNESDAY 8	..	29·850	40·2	30·6	9·6	35·0	− 6·0	30·8	4·2	10·1	2·2	84	44·7	24·0	44·53	NW. WNW. & W.	NW., W. & WSW.	0·9	0·0	0·0	266	− 64	0·00	0·0
THURSDAY - 9	..	30·210	43·0	28·8	14·2	36·9	− 3·7	33·3	3·6	6·8	2·1	87	52·6	21·5	44·05	WSW. & SW.	SW., S. & SSW.	1·3	0·0	0·0	244	− 73	0·02	1·5
FRIDAY - 10	..	29·935	47·9	42·2	5·7	45·8	+ 5·4	44·5	1·3	2·6	1·0	95	51·0	38·2	43·78	SSW.	SSW.	4·3	0·0	0·5	495	+184	0·15	6·0
SATURDAY - 11	..	29·733	47·0	38·9	8·1	43·5	+ 3·3	42·2	1·3	2·5	0·2	95	51·3	36·0	43·79	SSW. & S.	S., SSE. & SE.	2·6	0·0	0·1	269	− 37	0·02	4·5
MEANS - -		29·550	43·0	33·3	9·7	38·6	− 2·3	36·1	2·5	5·8	1·0	91	50·8	27·3	44·55	SSW. & SSE.		..	..	..	Sum 1893	Sum −384	Sum 0·36	1·7
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. DECEMBER.	Electricity. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.
SUNDAY - 5	m.P. till 10h. A.M.; s. P. principally till 8h. P.M.: v. P. and v. N. afterwards.	6·3	8·0
MONDAY - 6	w.P. with occasional v. N. till 9h. A.M.; m. P. principally afterwards; s.N. at 9h. P.M.	3·6	8·0
TUESDAY - 7	m. P. generally.	0·0	8·0
WEDNESDAY 8	m. P. till 7h. A.M.; s. P. till 6h. P.M.; m. P. afterwards.	2·9	7·9
THURSDAY - 9	m.P. till 11h. A.M.; s. P. till 8h. P.M.; m. P. till 11h. P.M.; then w. P.	3·9	7·9
FRIDAY - 10	w. P. throughout.	0·0	7·9
SATURDAY - 11	w. P. generally.	0·0	7·9
		Sum 16·7	Sum 55·6
No. of Col. - -	27	28	29

GENERAL REMARKS.

Overcast till 1h. A.M.; very fine with small amounts of cloud till 5h. P.M.; cloudy afterwards with rain between 9h. 30m. and 10h. 30m. P.M.; hoar frost in morning.

Generally overcast with frequent rain in morning; partially cloudy with slight fog between 8h. and 10h. 30m. A.M.; very fine till 7h. P.M.; generally overcast with frequent rain afterwards. Parhelion and solar halo observed between 9h. and 10h. A.M.

Fine and partially cloudy with hoar frost in morning; becoming overcast about 6h. A.M. and remaining very dull with frequent gloomy intervals.

Fine with variable amounts of cloud; hoar frost in morning and again at night.

Very fine with little cloud till shortly before 1h. P.M.; fine and variably cloudy till 7h. P.M.; then overcast with occasional rain; hoar frost in morning and slight fog between 7h. and 9h. A.M.

Overcast; very mild; small rain in early morning and nearly continuous light rain after 3h. P.M.

Generally overcast with occasional rain till 9h. P.M.; then variably cloudy.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 28·86 in. at the beginning of the week to 29·04 in. by 10h. A.M. on the 5th; decreased to 28·86 in. by 5h. A.M. on the 6th; increased to 30·24 in. by 11h. A.M. on the 9th; decreased to 29·71 in. by 2h. P.M. on the 11th; and increased to 29·77 in. by midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 4th December, 1909.*

BOROUGHS.	Estimated Population in the middle of 1909.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	151,955	-	10	7	-	-	-	-	4	-	-
Kensington	183,683	-	7	5	-	1	-	-	5	1	-
Hammersmith	125,704	-	5	1	-	-	-	-	1	-	-
Fulham	176,406	-	9	4	-	2	-	-	1	5	-
Chelsea	75,249	-	1	1	-	-	-	-	-	-	-
City of Westminster ..	168,883	-	12	11	-	1	-	-	1	-	-
NORTH.											
St. Marylebone	126,027	-	5	2	-	-	-	-	3	-	-
Hampstead	94,185	-	4	-	-	-	-	-	-	-	-
St. Pancras	237,422	-	26	3	-	2	-	-	5	-	-
Islington	351,202	-	25	14	-	-	-	-	5	-	-
Stoke Newington	54,423	-	3	-	-	-	-	-	1	-	-
Hackney	237,601	-	15	8	-	-	-	-	4	-	-
CENTRAL.											
Holborn	53,802	-	2	-	-	-	-	-	-	-	-
Finsbury	95,289	-	4	3	-	1	-	-	2	-	-
City of London	18,193	-	2	-	-	1	-	-	2	-	-
EAST.											
Shoreditch	114,802	-	2	3	-	-	-	-	5	-	-
Bethnal Green	131,316	-	6	4	-	-	-	-	8	-	-
Stepney	312,525	-	8	11	-	3	-	-	13	-	-
Poplar	171,965	-	7	6	-	-	-	-	7	-	-
SOUTH.											
Southwark	211,125	-	10	6	-	-	-	-	9	-	-
Bermondsey	127,569	-	13	3	-	1	-	-	3	-	-
Lambeth	324,188	-	22	4	-	1	-	-	2	1	-
Battersea	186,036	-	14	7	-	2	-	-	-	-	1
Wandsworth	297,646	-	11	8	-	-	-	-	9	1	-
Camberwell	283,022	-	20	7	-	1	-	-	5	1	-
Deptford	118,583	-	4	2	-	1	1	-	4	-	-
Greenwich	111,014	-	8	4	-	-	-	-	3	-	-
Lewisham	160,749	-	9	6	-	2	-	-	3	-	-
Woolwich	133,374	-	13	2	-	-	-	-	-	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,833,938	-	277	128	-	19	1	-	105	9	1
Ages 0-1		-	4	3	-	-	-	-	3	-	-
„ 1-5		-	66	41	-	1	-	-	2	-	1
„ 5-		-	113	51	-	3	-	-	5	-	-
„ 10-		-	57	13	-	2	-	-	1	-	-
„ 15-		-	16	9	-	1	-	-	4	-	-
„ 20-		-	4	3	-	1	1	-	9	3	-
„ 25-		-	13	5	-	3	-	-	9	5	-
„ 35-		-	3	1	-	4	-	-	25	1	-
„ 45-		-	1	1	-	4	-	-	19	-	-
„ 55-		-	-	1	-	-	-	-	13	-	-
„ 65 and upwards		-	-	-	-	-	-	-	15	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY DARLING & SON, LTD., 34-40 BACON STREET, E.

1909.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS,

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office.

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 50. 1909. VOL. LXX.] WEEK ENDED SATURDAY, DEC. 18. [Price 1½*d.*

General Register Office, Somerset House,
December 20th, 1909.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 15·0 per 1000 of their aggregate population, which is estimated † at 16,445,281 persons in the middle of this year. In the preceding three weeks the rates had been 16·4, 16·5, and 16·6. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 19·2 in Salford, 19·6 in Stockport and in Tynemouth, 20·2 in Ipswich, 20·6 in Sunderland, 20·8 in St. Helens, 20·9 in Blackburn, 22·2 in Oldham, 22·6 in Burnley, 24·2 in Hanley, and 29·2 in Swansea; from *measles*, 1·6 in Swansea and 2·3 in Hanley; from *whooping-cough*, 1·0 in Sunderland, 1·1 in St. Helens, 1·3 in Birkenhead, and 2·1 in Swansea; from "*fever*," 1·1 in St. Helens; and from *diarrhœa*, 1·3 in Coventry and 1·5 in Smethwick. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2105 BIRTHS and 1330 DEATHS were registered. Allowing for increase of population, the births were 189 and the deaths 268 below the average numbers in the corresponding

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-five other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(15042—41.) Wt. 109—472. 700. 12/09. D & S. G. 31. Sch. 4 3 D

weeks of the previous five years. The annual death-rate from all causes, which had been 15·6, 16·0, and 16·6 per 1000 in the preceding three weeks, fell last week to 14·3. The death-rate in the four weeks ended last Saturday averaged 15·6 per 1000, being 1·3 per 1000 below the mean rate in the corresponding periods of the five years 1904–8.

The 1330 deaths included 15 from measles, 5 from scarlet fever, 6 from diphtheria, 24 from whooping-cough, 2 from enteric fever, and 10 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia: thus, to these diseases in the aggregate 62 deaths were referred, being 42 below the corrected average number in the fiftieth week of the preceding five years.

The deaths from *measles*, which had been 12, 16, and 14 in the preceding three weeks, were 15 last week, and were 23 below the corrected average; 3 deaths belonged to the Borough of Stepney. The deaths from *scarlet fever*, which had been 7, 11, and 4 in the preceding three weeks, were 5 last week, and were 8 below the corrected average. The deaths from *diphtheria*, which had been 17, 6, and 12 in the preceding three weeks, were 6 last week, and were 8 below the corrected average. The deaths from *whooping-cough*, which had been 25, 23, and 18 in the preceding three weeks, were 24 last week, and were 5 above the corrected average; 4 deaths belonged to Poplar and 3 to Stepney. The deaths from *enteric fever*, which had been 2, 5, and 1 in the preceding three weeks, were 2 last week, the corrected average being 7. The deaths from *diarrhœa*, which had been 15, 14, and 12 in the preceding three weeks, fell to 10 last week, the corrected average being 13. Of the 10 deaths from diarrhœa, 8 were those of children under 5 years of age; 10 other deaths at this age were certified as due to *enteritis* and 4 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 16, having been 13, 13, and 30 in the preceding three weeks. The death of a lighterman, aged 36 years, was certified after inquest, as due to *anthrax*.

Different forms of violence caused 49 deaths, concerning all of which inquests were held. Of these 49 deaths, 6 were cases of suicide, while the remaining 43 were attributed to accident or negligence. Eight of these latter were referred to vehicles in the streets, seven to burns or scalds, and nine, of infants under one year of age, to suffocation in bed. One death occurred while under an anæsthetic administered for surgical purposes.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 4 cases of small-pox, 2403 of scarlet fever, 938 of diphtheria, and 67 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 1 case, against 0, 0, and 1; of scarlet fever, 254 cases, against 264, 281, and 266; of diphtheria, 99 cases, against 88, 104, and 102; and of enteric fever, 8 cases, against 8, 7, and 8. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended December 11th, 1909.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 3282 births and 1910 deaths were registered. Allowing for increase of population, these numbers are 320 and 347 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 4 deaths from measles, 1 from scarlet fever, 8 from diphtheria, 4 from whooping-cough, and 2 from "fever," were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·82 inches, and that of the Thermometer 38°·4, the latter being 2°·1 below the week's average in the 65 years ended 1905. The general direction of the wind was Easterly, the horizontal movement of the air being 4 per cent. above the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 0·4 of an hour; the measured rainfall amounted to 0·43 of an inch.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 18th December, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1909.*	Death-Rates from all Causes. Week ended 27th Nov., 1909.	4th Dec., 1909.	11th Dec., 1909.	18th Dec., 1909.	Rate from Diseases in Cols. 11-17 Week ended 18th December, 1909.	Registered during the Week ended 18th Dec., 1909. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17	18.	19.	20.	21.	Cols.
76 TOWNS	**16,445,281**	**16·4**	**16·5**	**16·6**	**15·0**	**0·8**	**7715**	**4726**	**928**	**1609**	**-**	**48**	**26**	**38**	**77**	**21**	**40**	**173**	**431**	**1303**	**42**	**76 TOWNS.**
LONDON	4,833,938	15·6	16·0	16·6	14·3	0·7	2105	1330	241	495	-	15	5	6	24	2	10	49	150	585	1	LONDON.
† CROYDON	161,078	14·6	9·1	9·7	9·4	0·6	71	29	4	11	-	-	-	-	1	1	-	1	3	6	-	CROYDON.
† WILLESDEN ..	160,424	11·4	10·4	8·5	10·1	1·0	71	31	5	13	-	2	-	1	-	-	-	-	2	5	-	WILLESDEN.
† HORNSEY	95,628	11·5	10·9	7·1	12·0	0·5	20	22	1	11	-	-	-	-	-	-	1	-	1	2	-	HORNSEY.
† TOTTENHAM ..	129,464	11·7	13·7	14·1	11·7	0·4	67	29	7	6	-	-	-	1	-	-	-	1	4	7	-	TOTTENHAM.
† WEST HAM ..	321,767	14·1	13·6	13·3	11·0	0·6	171	68	17	24	-	1	-	1	2	-	-	4	7	19	-	WEST HAM.
† EAST HAM.. ..	149,575	12·9	7·7	8·4	11·2	0·7	64	32	9	10	-	-	1	-	1	-	-	1	3	7	-	EAST HAM.
† LEYTON	129,614	10·1	12·1	10·5	7·6	0·4	44	19	4	11	-	-	-	-	1	-	-	-	3	7	-	LEYTON.
† WALTHAMSTOW	136,602	11·1	8·0	13·4	12·2	0·8	56	32	6	10	-	-	-	1	1	-	-	1	5	11	-	WALTHAMSTOW.
HASTINGS	68,165	15·3	8·4	13·0	11·5	-	16	15	1	7	-	-	-	-	-	-	-	2	3	1	-	HASTINGS.
BRIGHTON	130,926	15·1	23·1	17·1	17·5	-	49	44	4	27	-	-	-	-	-	-	-	2	3	16	-	BRIGHTON.
PORTSMOUTH ..	214,726	14·6	14·8	16·0	13·4	1·0	112	55	13	19	-	-	1	1	-	1	1	1	3	17	-	PORTSMOUTH.
BOURNEMOUTH ..	72,368	8·6	15·1	18·7	10·8	-	22	15	2	6	-	-	-	-	-	-	-	-	1	4	-	BOURNEMOUTH.
SOUTHAMPTON ..	124,667	16·3	14·2	19·7	13·0	-	53	31	2	14	-	-	-	-	-	-	-	2	7	10	-	SOUTHAMPTON.
READING	82,995	8·2	12·6	12·6	13·8	-	34	22	3	10	-	-	-	-	-	-	-	-	1	2	2	READING.
NORTHAMPTON ..	97,752	18·7	17·1	12·3	11·2	1·1	29	21	5	8	-	2	-	-	-	-	-	1	1	3	-	NORTHAMPTON.
IPSWICH	74,889	16·0	17·4	24·4	20·2	0·7	27	29	3	11	-	-	-	-	1	-	-	2	3	6	-	IPSWICH.
GREAT YARMOUTH	53,430	19·5	18·5	18·5	13·7	1·0	16	14	3	8	-	-	-	-	-	-	1	1	1	1	-	GREAT YARMOUTH.
NORWICH	124,136	13·9	11·8	14·7	16·8	0·4	62	40	6	18	-	-	-	1	-	-	-	-	2	8	1	NORWICH.
PLYMOUTH	124,180	16·4	15·5	13·0	17·6	1·3	49	42	7	18	-	-	1	-	1	-	1	2	6	6	-	PLYMOUTH.
DEVONPORT	83,103	15·1	11·3	16·3	11·3	-	36	18	4	6	-	-	-	-	-	-	-	2	3	2	-	DEVONPORT.
BRISTOL	377,642	15·3	14·8	14·9	11·9	0·7	150	86	22	33	-	2	-	1	1	-	1	3	10	18	-	BRISTOL.
HANLEY	68,831	27·3	28·0	18·2	24·2	3·0	46	32	9	7	-	3	1	-	-	-	-	-	-	4	1	HANLEY.
BURTON-ON-TRENT	54,453	11·5	20·1	19·2	10·5	-	15	11	1	5	-	-	-	-	-	-	-	1	1	-	-	BURTON-ON-TRENT.
WOLVERHAMPTON..	104,633	15·9	15·0	14·0	17·9	0·5	58	36	7	16	-	1	-	-	-	-	-	1	4	5	-	WOLVERHAMPTON
WALSALL	99,399	20·5	21·5	11·0	11·5	-	51	22	3	7	-	-	-	-	-	-	-	-	1	1	-	WALSALL.
HANDSWORTH ..	70,186	8·9	11·1	8·2	11·1	-	30	15	2	7	-	-	-	-	-	-	-	1	1	-	-	HANDSWORTH.
WEST BROMWICH ..	70,457	19·2	19·2	18·5	17·8	2·2	57	24	9	6	-	1	-	1	-	-	1	-	-	4	-	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 18th December, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 27th Nov., 1909.	4th Dec., 1909.	11th Dec., 1909.	18th Dec., 1909.	Rate from Diseases in Cols. 11–17. Week ended 18th December, 1909.	Registered during the Week ended 18th Dec. 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
BIRMINGHAM ..	563,629	15·6	14·1	17·4	16·0	1·0	279	173	34	57	-	-	3	3	3	1	1	5	5	39	5	BIRMINGHAM.
KINGS NORTON ..	81,632	13·4	12·1	6·4	5·1	-	31	8	-	6	-	-	-	-	-	-	-	-	-	2	-	KINGS NORTON.
SMETHWICK	70,377	13·3	14·8	8·2	10·4	1·5	37	14	4	3	-	-	-	-	-	-	2	-	1	1	1	SMETHWICK.
ASTON MANOR ..	85,257	13·5	17·1	13·5	11·0	-	34	18	2	8	-	-	-	-	-	-	-	-	2	2	-	ASTON MANOR.
COVENTRY	80,163	14·3	20·8	25·4	17·6	2·0	49	27	8	4	-	-	-	-	1	-	2	-	-	4	-	COVENTRY.
LEICESTER	244,255	20·9	19·0	15·8	14·3	0·9	115	67	8	24	-	-	-	-	4	-	-	1	3	10	1	LEICESTER.
GRIMSBY	73,036	15·0	10·0	12·1	12·9	-	34	18	2	4	-	-	-	-	-	-	-	1	2	-	-	GRIMSBY.
NOTTINGHAM ..	263,443	16·0	16·4	18·4	18·4	1·0	121	93	9	40	-	2	-	2	-	1	-	3	7	21	1	NOTTINGHAM.
DERBY	129,411	16·9	15·7	14·5	11·7	0·4	61	29	7	10	-	-	-	1	-	-	-	-	3	4	-	DERBY.
STOCKPORT	103,706	20·1	20·6	15·1	19·6	1·0	62	39	6	13	-	-	-	2	-	-	-	2	3	12	-	STOCKPORT.
BIRKENHEAD ..	121,123	23·7	17·2	19·4	15·1	2·2	69	35	11	9	-	2	-	-	3	-	-	-	3	3	1	BIRKENHEAD.
WALLASEY	71,004	14·7	16·2	10·3	14·7	1·5	27	20	5	6	-	1	-	1	-	-	-	1	1	2	-	WALLASEY.
LIVERPOOL	760,357	22·2	20·1	22·4	17·9	1·4	466	261	62	55	-	3	2	-	6	4	6	18	28	93	3	LIVERPOOL.
BOOTLE	69,393	21·8	15·8	16·5	12·8	0·8	41	17	2	4	-	1	-	-	-	-	-	-	-	2	1	BOOTLE.
ST. HELENS	95,161	14·2	15·9	21·4	20·8	2·2	74	38	14	7	-	-	-	-	2	2	-	4	4	5	2	ST. HELENS.
WIGAN	90,678	26·5	19·6	23·0	15·5	1·2	49	27	5	6	-	-	-	-	-	1	1	1	2	4	-	WIGAN.
WARRINGTON ..	72,276	18·0	14·4	18·8	15·9	0·7	38	22	5	5	-	-	-	1	-	-	-	-	1	11	-	WARRINGTON.
BOLTON	187,824	18·3	22·5	19·7	18·9	0·6	81	68	12	22	-	-	1	-	-	1	-	1	6	12	1	BOLTON.
BURY	59,234	15·8	14·1	14·1	18·5	-	21	21	3	7	-	-	-	-	-	-	-	-	2	5	-	BURY.
MANCHESTER ..	655,435	20·0	21·9	17·8	18·9	0·6	338	238	46	80	-	3	-	1	-	1	3	7	17	61	1	MANCHESTER.
SALFORD	241,950	22·0	16·4	19·4	19·2	1·7	109	89	22	27	-	1	-	2	3	2	-	2	9	23	-	SALFORD.
OLDHAM	143,301	24·0	28·0	19·6	22·2	-	75	61	13	18	-	-	-	-	-	-	-	1	2	7	-	OLDHAM.
ROCHDALE	89,653	16·3	20·4	12·2	11·6	0·6	48	20	2	13	-	-	1	-	-	-	-	-	1	1	-	ROCHDALE.
BURNLEY	106,267	17·2	22·1	17·7	22·6	1·0	36	46	16	17	-	-	-	-	-	-	2	3	4	10	2	BURNLEY.
BLACKBURN	136,959	17·5	19·8	14·8	20·9	1·5	63	55	4	19	-	-	2	-	-	-	2	-	-	12	1	BLACKBURN.
PRESTON	118,519	19·8	19·4	22·9	17·2	0·9	47	39	5	12	-	-	-	1	1	-	-	1	1	6	3	PRESTON.
BARROW-IN-FURNESS.	62,996	9·9	19·9	24·8	13·2	0·8	28	16	3	6	-	-	-	-	1	-	-	2	2	2	1	BARROW-IN-FURNESS.

* See note † on first page of this return.

TABLE I (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 18th December, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 27th Nov., 1909.	4th Dec., 1909.	11th Dec., 1909.	18th Dec., 1909.	Rate from Diseases in Cols 11-17. Week ended 18th December, 1909.	Registered during the Week ended 18th Dec., 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS,
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,739	22·6	12·1	20·9	14·3	-	58	26	4	8	-	-	-	-	-	-	-	-	4	2	-	HUDDERSFIELD.
HALIFAX	111,911	15·8	14·9	20·5	17·7	1·4	35	38	7	16	-	-	-	2	1	-	-	1	3	6	2	HALIFAX.
BRADFORD	293,983	14·0	19·2	17·4	14·7	0·5	98	83	13	29	-	-	2	-	-	-	1	4	8	25	-	BRADFORD.
LEEDS	484,012	15·0	15·7	16·6	13·8	0·6	202	128	17	51	-	2	-	2	2	-	-	6	15	22	-	LEEDS.
SHEFFIELD	470,958	14·7	14·8	13·1	13·8	0·1	216	125	23	36	-	-	-	-	1	-	-	5	6	37	3	SHEFFIELD.
ROTHERHAM.. ..	65,070	16·8	18·4	14·4	14·4	0·8	43	18	5	6	-	-	-	-	-	-	1	-	1	4	-	ROTHERHAM.
YORK	87,004	12·6	15·0	9·6	8·4	0·6	40	14	-	4	-	-	-	-	1	-	-	-	1	2	-	YORK.
HULL	275,552	14·2	17·6	17·6	16·3	0·6	160	86	20	31	-	-	-	2	1	-	-	4	10	16	1	HULL.
MIDDLESBROUGH ..	105,255	19·8	21·3	17·8	16·3	1·0	50	33	6	9	-	1	-	1	-	-	-	1	3	3	-	MIDDLESBROUGH.
STOCKTON-ON-TEES	53,417	15·6	11·7	12·7	14·6	-	25	15	5	2	-	-	-	-	-	-	-	1	2	-	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL	79,686	12·4	13·7	15·1	9·2	-	30	14	2	5	-	-	-	-	-	-	-	1	1	2	-	WEST HARTLEPOOL.
SUNDERLAND ..	159,378	16·0	20·0	23·6	20·6	1·6	87	63	19	18	-	-	-	2	3	-	-	1	4	10	2	SUNDERLAND.
SOUTH SHIELDS ..	117,627	19·1	21·7	17·7	16·4	1·3	64	37	10	14	-	-	-	-	1	1	1	-	-	9	2	SOUTH SHIELDS.
GATESHEAD	131,024	14·3	13·9	12·3	14·7	0·4	65	37	11	10	-	-	-	-	1	-	-	2	2	5	3	GATESHEAD.
NEWCASTLE-ON-TYNE.	281,584	14·3	16·7	19·1	13·1	0·6	146	71	16	16	-	-	2	-	1	-	-	3	11	13	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH ..	55,808	16·8	14·0	21·5	19·6	0·9	35	21	3	4	-	-	1	-	-	-	-	1	1	5	-	TYNEMOUTH.
NEWPORT (MON.) ..	78,336	12·0	13·3	21·3	17·3	0·7	41	26	9	6	-	-	-	-	-	1	-	2	4	5	-	NEWPORT (MON.).
CARDIFF	195,303	15·8	14·2	15·2	11·5	1·3	85	43	9	8	-	1	1	1	1	-	1	3	6	10	-	CARDIFF.
RHONDDA	135,894	18·8	18·4	21·9	16·1	2·3	105	42	12	8	-	1	1	-	2	2	-	1	4	4	-	RHONDDA.
MERTHYR TYDFIL..	78,365	27·3	14·0	18·6	18·6	2·0	60	28	9	5	-	-	1	-	1	-	1	3	3	8	-	MERTHYR TYDFIL.
SWANSEA	98,308	29·2	25·5	22·8	29·2	3·7	56	55	18	17	-	3	-	-	4	-	-	3	4	4	-	SWANSEA.
GREATER LONDON	7,429,740	14·6	14·7	14·8	13·4	0·7	3282	1910	338	739	-	22	7	18	34	5	11	71	208	709	1	GREATER LONDON.
OUTER RING ..	2,595,802	12·9	12·2	11·5	11·7	0·7	1177	580	97	244	-	7	2	12	10	3	1	22	53	124	-	OUTER RING.
8 TOWNS IN OUTER RING.	1,284,152	12·5	11·0	11·0	10·6	0·6	564	262	53	96	-	3	1	4	6	1	1	8	23	64	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,311,650	13·4	13·4	12·0	12·6	0·8	613	318	44	148	-	4	1	8	4	2	-	14	30	60	-	REMAINDER OF OUTER RING.
EDINBURGH	355,366	18·8	19·5	17·5	17·2	1·8	147	117	19	42	-	4	1	1	4	1	1	1	?	38	6	EDINBURGH.
GLASGOW	872,021	32·7	27·3	31·6	23·0	3·4	405	384	99	95	-	42	2	4	3	2	4	9	?	98	10	GLASGOW.
DUBLIN (Registration Area).†	398,356	20·7	22·1	22·0	19·4	0·9	216	148	28	51	-	1	1	2	2	-	1	4	3	53	5	DUBLIN (Registration Area).†
BELFAST†	386,576	22·5	19·8	29·4	23·9	1·3	181	177	41	50	-	-	-	-	9	-	1	6	10	28	2	BELFAST†

* See note † on first page of this return.

† Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FIFTIETH Week of each of the Eleven Years, 1899–1909.

	1899	1900	1901	1902	1903	1904	1905	1906	1907	1908	Corrected Weekly Average in 5 Years 1904–1908.*	1909
TOTAL **Births** -	2269	2527	2231	2339	2544	2446	2279	2172	2123	2186	2294·4	2105
Males - - -	1179	1295	1151	1189	1331	1215	1168	1142	1115	1140	1183·4	1082
Females - -	1090	1232	1080	1150	1213	1231	1111	1030	1008	1046	1111·0	1023
TOTAL **Deaths** -	2078	1454	1612	1682	1486	1696	1725	1628	1446	1311	1598·3	1330
Males - - -	1040	762	834	884	752	850	915	804	719	688	814·1	689
Females - -	1038	692	778	798	734	846	810	824	727	623	784·2	641

* The numbers in this column are the average weekly numbers in the Fiftieth week of the five years 1904-1908, raised by 2·375 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Sept. 25.	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	13 Weeks.
TOTAL **Births** -	2220	2057	2292	2243	2221	2087	2361	2291	2173	2195	1933	2207	2105	28385
TOTAL **Deaths** -	1126	1079	1127	1114	1067	1107	1246	1284	1363	1442	1484	1540	1330	16309
Ages at Death: Under 1 year -	301	260	273	276	266	260	277	264	269	276	214	247	241	3424
1—5 years -	108	80	98	98	98	100	82	105	109	130	120	115	95	1338
5—20 " -	56	71	50	54	62	49	67	65	85	59	63	70	61	812
20—40 " -	131	115	129	140	134	145	157	165	164	154	167	181	146	1928
40—60 " -	251	231	260	228	213	231	277	247	284	300	346	361	292	3521
60 yrs. & upwds.	279	322	317	318	294	322	386	438	452	523	574	566	495	5286
Deaths from—														
Small-pox† - -	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Measles - - -	5	3	6	10	7	9	5	8	12	12	16	14	15	122
Scarlet Fever - -	8	10	10	10	3	5	6	8	3	7	11	4	5	90
Diphtheria - -	15	13	4	10	9	15	13	9	13	17	6	12	6	142
Whooping-cough -	14	14	21	9	8	7	12	16	20	25	23	18	24	211
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	2	4	2	7	5	3	7	2	1	2	5	1	2	43
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery	114	74	60	48	34	28	34	16	24	15	14	12	10	483
All above diseases -	158	118	104	94	66	67	77	59	73	78	75	61	62	1092
Dis. of Resp. System	57	60	73	64	63	79	120	137	149	207	211	194	167	1581
Pneumonia - -	92	72	113	103	111	114	110	151	134	180	221	223	175	1799
Phthisis - - -	115	112	103	98	100	120	148	135	132	123	138	156	116	1596
Dis. of Circ. System -	129	147	147	151	158	170	175	166	199	206	202	219	201	2270
Violence - - -	37	45	35	47	43	31	45	59	51	61	58	49	49	610
Inquest Cases - -	89	92	108	109	106	102	119	135	134	153	144	154	150	1595
Deaths in Institutions	539	509	513	479	486	476	529	531	572	558	611	691	585	7079
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	56·3	53·1	55·8	56·4	55·7	41·9	47·1	42·3	38·7	37·0	44·6	38·6	38·4	46·6
Mean of Highest -	65·5	60·1	64·6	63·3	62·1	47·9	53·0	48·8	43·5	41·9	50·1	43·0	40·7	52·7
Mean of Lowest -	48·4	47·4	47·5	49·8	50·1	34·9	41·4	34·8	34·0	31·6	40·1	33·3	35·8	40·7
Mean Humidity of the Air.	87	94	81	84	88	86	90	82	85	86	85	91	89	87
Rain-fall (in inches) -	0·57	0·72	1·01	0·59	0·46	1·87	0·15	0·03	0·28	0·01	1·40	0·36	0·43	7·88
Registered Sunshine (in hours).	27·7	6·0	33·7	22·5	16·7	13·9	20·1	22·2	14·0	14·7	13·2	16·7	0·4	221·8
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	-	-	-	2	2	2	3	4	5	4	3	3	4	2
Scarlet Fever - -	2686	2737	2745	2810	2799	2743	2716	2624	2606	2518	2488	2475	2403	2642
Diphtheria - - -	857	908	928	955	991	961	1002	972	949	948	952	946	938	947
Typhus - - -	-	-	-	-	-	1	1	1	-	-	-	-	-	-
Enteric Fever - -	78	75	82	85	87	79	82	79	74	71	67	70	67	77

* The Metropolitan Asylums Board and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **3.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; D. Forbes, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; A. W. Preston, Esq., F.R.Met.Soc., Norwich; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; F. Gore, Esq., Prestwich, Manchester; Thos. Holt, Esq., M.D., Burnley; J. Firth, Esq., Huddersfield; H. Lander, Esq., Bradford; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq. F.R.Met.Soc., Hull; the Meteorological Committee. Tynemouth; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the FIFTIETH Week of the Year 1909.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 50th week of the 5 years 1904–1908.	1909—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1598·3	1330	241	95	61	146	292	495
Small-pox*	–	–	–	–	–	–	–	–
Cowpox	–	–	–	–	–	–	–	–
Measles (Morbilli)	38·5	15	4	10	1	–	–	–
Scarlet Fever	13·1	5	–	2	2	1	–	–
Typhus	–	–	–	–	–	–	–	–
Plague	–	–	–	–	–	–	–	–
Influenza	30·1	16	1	–	1	4	3	7
Whooping-cough	18·6	24	8	16	–	–	–	–
Diphtheria	13·9	6	–	4	2	–	–	–
Cerebro-spinal Fever ..	0·2	–	–	–	–	–	–	–
Pyrexia† (origin uncertain)	–	–	–	–	–	–	–	–
Enteric Fever	6·6	2	–	–	2	–	–	–
Asiatic Cholera	–	–	–	–	–	–	–	–
Epidemic Diarrhœa, Infective Enteritis	4·9	2	2	–	–	–	–	–
Diarrhœa, Dysentery ..	8·4	8	6	–	–	1	1	–
Tetanus	0·4	1	–	–	–	1	–	–
Rabies, Hydrophobia ..	–	–	–	–	–	–	–	–
Glanders	0·2	–	–	–	–	–	–	–
Anthrax (Splenic Fever)..	0·2	1	–	–	–	1	–	–
Venereal Dis.	8·4	4	2	1	–	–	–	1
Puerperal Septicæmia ..	2·7	2	–	–	–	1	1	–
Puerperal Pyæmia.. .	0·2	–	–	–	–	–	–	–
Puerperal Fever	0·4	–	–	–	–	–	–	–
Infective Endocarditis ..	3·3	4	–	–	1	2	1	–
Pneumonia: Lobar ..	19·0	35	–	–	3	7	14	11
Pneumonia: Broncho ..	90·9	79	30	19	2	5	7	16
Pneumonia: Epidemic ..	–	–	–	–	–	–	–	–
Pneumonia: Not defined	75·6	61	7	4	3	6	20	21
Erysipelas	5·5	5	2	1	–	–	1	1
Septicæmia (not Puerperal) ..	1·6	1	–	–	–	1	–	–
Pyæmia (not Puerperal)	0·8	–	–	–	–	–	–	–
Other Infective Processes	7·4	2	–	1	–	1	–	–
Tuberculous Phthisis ..	97·5	83	2	1	5	32	34	9
"*Phthisis*"	60·4	33	–	1	1	10	16	5
Tuberculous Meningitis ..	21·1	20	9	8	2	1	–	–
Tuberculous Peritonitis ..	6·1	5	2	2	–	1	–	–
Tabes Mesenterica	2·9	–	–	–	–	–	–	–
Tuberculous Dis., Other ..	18·8	8	1	1	3	3	–	–
Scrofula..	–	–	–	–	–	–	–	–
Alcoholism	7·2	7	–	–	–	3	4	–
Rheumatic Fever . ..	8·8	3	–	–	2	1	–	–
Gout	2·3	–	–	–	–	–	–	–
Carcinoma	59·0	56	–	–	–	–	29	27
Sarcoma	7·0	6	–	–	1	–	3	2
Cancer (undefined) ..	31·7	18	–	–	–	–	10	8
Diabetes Mellitus	10·6	11	–	–	–	3	2	6
Premature Birth	51·0	44	44	–	–	–	–	–

CAUSES OF DEATH.	Corrected Average for the 50th week of the 5 years 1904–1908.	1909—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)..	12·1	8	4	1	1	1	1	–
Gen. Par. of Insane, Insanity	16·2	14	–	–	–	2	7	5
Epilepsy	5·9	3	–	–	1	–	1	1
Convulsions	16·0	16	13	3	–	–	–	–
Locomotor Ataxy.. ..	2·7	2	–	–	–	–	2	–
Paraplegia, Dis. of Cord.	4·1	2	–	–	–	1	1	–
Nervous Sys., Other Dis.	20·5	15	2	1	1	3	5	3
Valv. Dis., Endocarditis..	50·4	52	–	–	6	4	19	23
Cereb. Hæm. Cereb. Emb.	39·3	51	–	–	1	1	12	37
Apoplexy, Hemiplegia ..	16·0	20	–	–	–	–	3	17
Aneurysm	3·9	3	–	–	–	–	3	–
Embolism, Thrombosis (not Cerebral) ..	1·0	1	–	–	–	–	–	1
Heart & Blood Ves., Other Dis... ..	99·1	74	–	–	3	4	22	45
Croup (not Spasm : nor Memb.)	0·6	–	–	–	–	–	–	–
Bronchitis	194·1	147	13	3	–	7	26	98
Emphysema, Asthma ..	9·2	6	–	–	–	1	4	1
Pleurisy	3·7	4	–	2	1	–	–	1
Respiratory Dis., Other..	13·7	10	2	1	–	2	3	2
Tonsillitis, Quinsy.. ..	1·4	–	–	–	–	–	–	–
Enteritis (not Epid.) ..	10·6	15	9	1	–	3	1	1
Gastro-enteritis	4·3	5	4	–	–	–	–	1
Peritonitis (not Puerp.) ..	2·7	3	1	–	1	1	–	–
Cirrhosis of Liver.. ..	12·5	10	–	–	–	–	5	5
Liver Dis., Other	6·1	3	–	–	1	–	2	–
Digestive Sys., Other Dis.	35·8	40	6	2	4	8	9	11
Acute Nephritis	6·3	10	1	–	1	2	4	2
Bright's Dis., Albuminuria	42·6	28	–	–	–	5	7	16
Urinary Sys., Other Dis.	12·9	7	–	–	–	1	1	5
Generative Organs Dis...	5·3	4	–	–	–	2	1	1
Childbirth (Accid. of) ..	1·8	2	–	–	–	2	–	–
Old Age	60·0	75	–	–	–	–	–	75
Other Diseases	92·5	84	53	8	2	4	4	13
ACCIDENT.								
By Railways	1·4	–	–	–	–	–	–	–
By Vehicles and Horses..	4·7	8	–	1	4	1	–	2
In Ships, Boats, Docks, (exclusive of Drowning)	0·8	–	–	–	–	–	–	–
In Building Operations..	1·2	1	–	–	–	–	–	1
In Conflagrations	1·6	–	–	–	–	–	–	–
By Burns, Scalds, Explosions	7·0	7	1	–	2	2	–	2
By Drowning	3·5	1	–	–	–	1	–	–
By Suffocation in Bed ..	9·6	9	9	–	–	–	–	–
By Poisons or Poisonous Vapours	3·5	2	–	1	–	–	–	1
Other Deaths by Accident..	15·4	15	3	–	1	1	1	9
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	1·0	–	–	–	–	–	–	–
Suicide	9·6	6	–	–	–	2	2	2
Execution	0·4	–	–	–	–	–	–	–

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.
† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 18th December, 1909.

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia† (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified causes of Death.
LONDON	4,536,267	2105	1330	241	495	-	15	5	6	24	-	2	-	10	49	150	585	1
WEST DISTRICTS	805,311	275	229	46	88	-	3	1	-	2	-	-	-	1	5	19	95	-
NORTH DISTRICTS	1,055,908	456	286	56	114	-	2	-	2	6	-	1	-	1	14	31	115	-
CENTRAL DISTRICTS	209,465	90	70	15	22	-	1	-	-	1	-	-	-	-	7	14	37	-
EAST DISTRICTS	715,739	403	222	42	69	-	6	-	1	6	-	1	-	3	9	43	123	-
SOUTH DISTRICTS	1,749,844	881	474	80	187	-	3	2	3	7	-	-	-	3	14	43	166	1
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	49	2	15	-	-	2	-	2	-	-	-	2	-	-	49	-
WEST DISTRICTS.																		
North Paddington *H*	63,603	30	14	3	6	-	-	-	-	-	-	-	-	-	-	2	-	-
Central Paddington *W,3H*	50,053	20	21	6	6	-	-	-	-	2	-	-	-	1	1	4	11	-
South Paddington	30,320	4	9	1	4	-	-	-	-	-	-	-	-	-	1	1	-	-
Kensington Town *2W,w,2H* ..	128,037	39	48	9	19	-	-	-	-	-	-	-	-	-	2	3	32	-
Brompton *2H*	48,591	9	10	1	6	-	-	-	-	-	-	-	-	-	-	-	1	-
North Hammersmith *2W,w,H* ..	49,192	26	19	3	9	-	-	-	-	-	-	-	-	-	-	1	6	-
South Hammersmith *w,2H* ..	63,047	21	12	2	4	-	-	-	-	-	-	-	-	-	1	3	5	-
North-west Fulham *W*	45,180	24	15	3	4	-	-	-	-	-	-	-	-	-	-	1	6	-
North-east Fulham *F*	46,405	19	8	3	1	-	1	1	-	-	-	-	-	-	-	-	1	-
South Fulham *W*	45,704	27	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Chelsea North *W,w,3H*	42,514	7	22	2	8	-	2	-	-	-	-	-	-	-	-	2	14	-
Chelsea South *W,2H*	31,328	11	10	3	6	-	-	-	-	-	-	-	-	-	-	1	3	-
Mayfair and Knightsbridge	28,743	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave *W,2H*	55,815	15	16	2	7	-	-	-	-	-	-	-	-	-	-	1	7	-
St. Margaret & St. John *6H*	43,698	8	14	5	3	-	-	-	-	-	-	-	-	-	-	-	8	-
St. James and St. Anne *W,6H* ..	33,081	10	5	2	2	-	-	-	-	-	-	-	-	-	-	-	1	-
NORTH DISTRICTS.																		
All Souls Marylebone *7H*	35,391	14	12	2	4	-	-	-	-	-	-	-	-	1	2	3	5	-
St. Mary Marylebone *W,4H* ..	37,948	41	10	1	4	-	-	-	-	1	-	-	-	-	1	1	6	-
Christchurch Marylebone	39,536	21	4	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-
St. John Marylebone *2H*	20,426	2	6	-	3	-	-	-	-	-	-	-	-	-	1	1	-	-
Hampstead *W,F,6H*	81,942	26	23	3	11	-	-	-	1	-	-	1	-	-	-	-	10	-
West St. Pancras *2H*	60,562	25	13	3	6	-	-	-	-	-	-	-	-	-	1	3	1	-
South St. Pancras *w,10H*	55,707	19	31	3	10	-	-	-	-	-	-	-	-	-	2	3	22	-
East St. Pancras *W,H*	60,320	20	18	5	7	-	-	-	-	-	-	-	-	-	1	3	6	-
North St. Pancras *2W*	58,728	23	19	4	9	-	-	-	-	-	-	-	-	-	-	-	8	-
Tufnell *W*	31,995	15	18	4	7	-	-	-	-	1	-	-	-	-	1	3	10	-
Upper Holloway *2W,w,H*	33,978	18	21	3	9	-	-	-	-	-	-	-	-	-	3	3	18	-
Tollington *W,w,H*	33,922	10	10	3	2	-	-	-	-	1	-	-	-	-	-	-	-	-
Lower Holloway	41,424	24	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Barnsbury	54,478	25	5	2	1	-	-	-	-	-	-	-	-	-	1	1	-	-
Islington South-east *F*	75,397	32	13	5	5	-	-	-	-	-	-	-	-	-	-	1	-	-
Highbury *2H*	63,797	23	16	3	9	-	-	-	-	-	-	-	-	-	-	3	1	-
Stoke Newington *H*	51,247	18	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
North Hackney	50,398	18	8	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Central Hackney *w,F*	50,536	19	11	1	6	-	-	-	-	-	-	-	-	-	-	2	4	-
South-west Hackney *3H*	59,921	27	16	6	5	-	-	-	1	2	-	-	-	-	-	2	7	-
South-east Hackney *2W,H*	58,255	36	21	4	9	-	2	-	-	-	-	-	-	-	1	2	17	-
Hackney Union Workhouse, Brentwood	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c. registered in each SUB-DISTRICT during the Week ended Saturday, 18th December, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Deaths of: Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
St. Giles and Bloomsbury 2*W*,2*H* ..	31,436	15	6	–	4	–	–	–	–	–	–	–	–	–	–	1	4	–
Strand *W*,4*H*	21,674	7	10	2	2	–	–	–	–	–	–	–	–	–	–	1	5	–
Strand Union Workhouse, Edmonton	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Holborn *W*,5*H*	29,612	5	18	7	4	–	–	–	–	1	–	–	–	–	–	3	12	–
Clerkenwell *H*	63,704	21	10	2	4	–	1	–	–	–	–	–	–	–	2	2	–	–
St. Luke 3*H*,*L*	36,116	41	6	1	3	–		–	–	–	–	–	–	–	1	2	1	–
Holborn Union Workhouse, Mitcham	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
St. Botolph *H*	10,299	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
St. Sepulchre and Allhallows *W*,2*H*	16,624	1	16	3	3	–	–	–	–	–	–	–	–	–	4	5	13	–
City of London Asylum, Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
EAST DISTRICTS.																		
Shoreditch South 3*H*	46,362	12	5	3	1	–	–	–	–	–	–	–	–	–	2	2	1	–
Shoreditch North-West *W*,*w*,*H* ..	36,127	19	31	6	13	–	–	–	–	–	–	–	–	–	1	8	25	–
Shoreditch North-East	36,148	19	5	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Shoreditch Union Workhouse, Wood Green	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	35	27	2	11	–	1	–	1	–	–	–	–	–	1	4	18	–
Bethnal Green South-West *H* ..	64,542	38	7	1	2	–	–	–	–	–	–	–	–	–	–	3	–	–
Spitalfields..	27,969	15	5	2	–	–	1	–	–	–	–	–	–	–	–	1	–	–
Mile End New Town *W*,*H*	28,718	24	36	6	5	–	1	–	–	–	–	–	–	–	3	8	33	–
Goodman's Fields	22,081	10	3	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–
St. George and St. John 2*W* ..	49,068	34	10	3	1	–	–	–	–	1	–	–	–	–	–	1	3	–
Shadwell and Ratcliff *w*,*H* ..	25,568	6	8	3	–	–	–	–	–	–	–	–	–	1	–	1	4	–
Limehouse *W*	32,369	28	7	1	1	–	1	–	–	–	–	–	–	–	–	1	–	–
Mile End Old Town South-Western *H*	63,698	44	5	3	2	–	–	–	–	1	–	–	–	1	–	–	–	–
Mile End Old Town North-Eastern *W*,*w*	49,129	21	18	3	12	–	–	–	–	–	–	–	–	–	–	2	13	–
Bow	41,989	30	12	–	7	–	–	–	–	–	–	–	–	–	–	2	–	–
Bromley 3*w*,*H*	68,319	43	31	4	9	–	1	–	–	–	–	1	–	1	2	8	24	–
Poplar *W*,*w*	58,514	25	11	3	2	–	1	–	–	4	–	–	–	–	–	1	1	–
Workhouse, Forest Ga (Parish of Poplar Borough).	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–

ABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 18th December, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch and St. Saviour Southwark *W,2H*	23,319	15	21	4	7	-	1	-	-	-	-	-	-	1	3	6	13	-
Kent-road	21,904	9	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George the Martyr West *W,2H,L*	39,094	13	3	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Newington North	49,022	28	7	3	1	-	-	-	-	-	-	-	-	-	1	3	-	-
Newington South *W*	72,841	39	16	1	10	-	-	-	-	1	-	-	-	-	-	2	4	-
St. Olave *2W*	9,817	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bermondsey *W*	82,483	50	15	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Rotherhithe *W,F*	38,460	21	20	1	9	-	-	-	-	-	-	-	-	1	-	2	11	-
Waterloo *2H*	27,440	38	9	6	1	-	-	-	-	-	-	-	-	-	-	1	2	-
Lambeth Church *H*	27,440	7	21	3	4	-	-	-	1	-	-	-	-	-	1	2	15	-
Kennington *2W*	52,518	33	27	3	12	-	-	-	-	-	-	-	-	-	1	2	20	-
Stockwell *HF*	63,826	32	12	1	4	-	-	1	1	-	-	-	-	-	-	-	2	-
Brixton *H*	73,673	27	11	3	4	-	-	-	-	-	-	-	-	-	-	2	-	-
Norwood *2WH*	56,998	15	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
East Battersea *H*	72,203	38	6	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-
North-west Battersea	49,656	32	11	5	3	-	-	-	-	1	-	-	-	1	-	1	-	-
South-west Battersea *2W,H* ..	47,048	7	26	2	10	-	-	-	-	1	-	-	-	-	-	-	20	-
Clapham *2H*	51,361	18	8	2	3	-	-	-	-	-	-	-	-	-	1	1	-	-
Streatham *W,2w,2F,2L*	88,019	64	32	6	13	-	-	-	1	-	-	-	-	-	2	2	12	-
Springfield *2W,L*	27,959	24	8	1	4	-	-	-	-	-	-	-	-	-	-	1	1	-
Southfields *H*	40,444	30	8	1	3	-	-	-	-	-	-	-	-	-	-	2	-	-
Putney	24,139	8	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich	13,359	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	7	29	-	16	-	-	-	-	1	-	-	-	-	1	3	21	-
Camberwell North *W,2L*	65,584	30	24	3	13	-	-	-	-	-	-	-	-	-	1	2	13	-
St. George	47 331	23	6	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Peckham North	48,913	27	11	3	2	-	-	-	-	-	-	-	-	-	1	1	-	-
Peckham South *2W,w*	43,946	15	7	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-
Deptford North	37,613	28	9	2	4	-	1	-	-	-	-	-	-	-	-	2	-	-
Deptford Central *F*	45,481	24	9	2	2	-	1	-	-	-	-	-	-	-	-	1	1	1
Deptford South	34,625	13	6	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West *H*	23,456	15	5	-	3	-	-	-	-	-	-	-	-	-	-	-	1	-
Greenwich East *2W,H*	43,859	17	21	2	6	-	-	-	-	-	-	-	-	-	1	1	12	-
Eltham *w,H*	7,226	7	7	3	3	-	-	-	-	-	-	-	-	-	-	1	1	-
Lee *w,H*	25,490	6	7	-	4	-	-	-	-	1	-	-	-	-	-	-	-	-
Lewisham *2W,w,F*	58,352	31	28	3	14	-	-	1	-	-	-	-	-	-	1	3	11	-
Sydenham *H*	43,653	27	7	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-
Charlton *F,2H*	21,134	7	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Woolwich *5H*	41,625	19	5	2	1	-	-	-	-	-	-	-	-	-	-	1	1	-
Plumstead West *W,H*	39,376	18	8	2	3	-	-	-	-	1	-	-	-	-	-	-	-	-
Plumstead East *2W*	28,951	12	8	-	2	-	-	-	-	1	-	-	-	-	-	-	3	-
Workhouses:—																		
Belmont Workhouse	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asylum .. (Westminster, St. Giles, and Strand Unions.)	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
M. A. B. Small-pox Hospitals:—																		
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																		
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-
Northern	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Children's Hospital:—																		
Children's Infirmary, Carshalton..	—	-	3	2	-	-	-	-	-	2	-	-	-	-	-	-	3	-
M. A. B. Imbecile Asylums:—																		
Caterham	—	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
Darenth	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
London County Lunatic Asylums:—																		
Banstead	—	-	8	-	3	-	-	-	-	-	-	-	-	-	-	-	8	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Manor	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Long Grove	—	-	9	-	3	-	-	-	-	-	-	-	-	-	-	-	9	-
Cane Hill	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Dartford Heath	—	-	2	-	1	-	-	-	-	-	-	-	-	1	-	-	2	-
Hanwell	—	-	5	-	2	-	-	-	-	-	-	-	-	-	-	-	5	-
Colney Hatch	—	-	5	-	1	-	-	-	-	-	-	-	-	1	-	-	5	-
Claybury	—	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERATED POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 18th December, 1909.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING ..	368,603	2,045,135	1177	580	97	244	-	7	2	12	10	3	1	22	58	124	-
30 : 1	Carshalton 2F,3H	12,228	32,997	10	7	-	3	-	-	-	2	-	-	-	1	1	3	-
2	Epsom, *part of** W,w,2F,H ..	10,423	15,548	4	3	-	1	-	-	-	-	-	-	-	-	-	1	-
37 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38 : 1	Coulsdon	11,069	8,166	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w,H ..	4,200	49,309	18	12	2	4	-	-	-	-	-	1	-	-	1	-	-
3	West Croydon 3W,F,H ..	2,168	42,888	23	13	2	5	-	-	-	-	1	-	-	1	2	8	-
4	North Croydon H	2,644	41,698	30	7	-	4	-	-	-	-	-	-	-	-	-	1	-
5	Penge w	770	22,465	5	6	1	2	-	-	-	-	-	-	-	1	1	-	-
6	Mitcham w	11,711	30,015	31	9	2	5	-	-	-	-	-	-	-	-	-	-	-
39 : 1	Wimbledon F,3H	3,221	41,652	22	10	2	3	-	-	-	-	-	-	-	1	2	-	-
2	Kingston 2W,H	6,224	42,068	16	20	2	9	-	-	-	-	-	-	-	-	1	5	-
3	Surbiton F,H	3,046	15,017	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-
4	Esher, *part of** H	5,402	13,100	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-
5	Hampton H,F,L	4,564	23,456	10	5	-	2	-	-	-	-	1	-	-	-	-	1	-
40 : 1	Richmond W,H	2,491	31,672	5	6	1	3	-	-	-	-	-	-	-	2	2	1	-
2	Mortlake F	2,518	17,821	11	4	-	2	-	-	-	-	-	-	-	1	1	-	-
41 : 1	Bromley F,3H	4,703	27,354	13	9	-	5	-	-	-	1	-	-	-	-	2	2	-
2	Beckenham H	7,825	28,497	14	9	1	8	-	-	-	-	-	-	-	-	-	-	-
3	Orpington, *part of** W,F ..	10,113	9,857	1	6	-	3	-	-	-	-	-	-	-	-	1	3	-
4	Chislehurst 2H	7,333	16,446	8	4	-	3	-	-	-	-	-	-	-	-	1	-	-
42 : 1	Bexley w,F,H	8,678	21,151	8	7	2	3	-	-	-	-	-	-	-	-	-	1	-
2	Erith F,H	3,854	25,296	16	1	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Dartford W,F, *part of** ..	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
124 : 1	Sunbury w	11,054	18,683	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Staines W,H	13,277	15,178	10	9	1	6	-	-	-	-	-	-	-	-	1	-	-
125 : 1	Hillingdon W,F,H	6,035	13,661	6	4	1	2	-	-	-	-	-	-	-	-	-	-	-
2	Uxbridge H	12,757	8,984	2	3	1	1	-	-	-	1	-	-	-	-	-	-	-
3	Hayes w 2F,H	8,066	16,358	16	5	1	3	-	-	-	-	-	-	-	-	-	-	-
126 : 1	Isleworth 3W,3F,H	6,859	30,863	20	17	2	8	-	1	-	-	-	-	-	1	1	10	-
2	Twickenham F,2H	2,421	20,991	16	10	-	3	-	-	-	-	-	-	-	-	-	1	-
3	Brentford 3F,2H	4,319	48,289	32	14	3	10	-	-	-	-	1	-	-	-	-	-	-
4	Chiswick H	1,249	29,809	20	5	-	3	-	-	-	-	-	-	-	-	1	-	-
5	Acton w,F,3H	6,132	48,914	36	11	2	3	-	-	-	1	-	-	-	2	2	2	-
127A : 1	Harrow F,H	13,899	25,523	23	2	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Edgware 2F,2H	6,994	4,521	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hendon W,F	8,382	22,450	21	7	-	5	-	-	-	-	-	-	-	-	-	4	-
127B : 1	Willesden W,F,2H	4,584	114,811	71	31	5	13	-	2	-	1	-	-	-	-	2	5	-
128 : 1	South Mimms 2F,H ..	17,755	7,308	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,970	10	8	2	3	-	-	-	-	-	-	-	-	-	1	-
3	Finchley F,3H	4,638	33,692	25	16	2	7	-	-	-	-	-	-	-	1	3	-	-
129 : 1	Hornsey F,H	2,875	72,056	20	20	1	9	-	-	-	-	-	-	1	-	-	-	-
2	Wood Green H	1,625	34,233	19	6	1	2	-	-	-	-	-	1	-	-	-	1	-
3	West Tottenham	995	48,741	28	9	2	-	-	-	-	-	-	-	-	-	1	-	-
4	East Tottenham 2H ..	2,019	53,962	39	19	5	6	-	-	-	2	-	-	-	1	2	6	-
5	Edmonton W,w,2F	7,491	61,892	50	23	2	11	-	-	-	1	-	-	-	-	7	11	-
6	Enfield 2W,F,H	12,601	42,738	22	12	4	3	-	2	1	-	-	-	-	-	-	2	-
7	Waltham Abbey F	11,017	6,549	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	5	4	-	2	-	-	-	-	-	-	-	-	-	-	-
135 : 1	Hatfield, *part of** W ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey, *part of** H ..	9,195	7,051	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford, *part of** W,2F ..	138	2,122	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
186 : 1	Stratford H	1,091	52,974	17	8	3	2	-	-	-	-	1	-	-	2	2	1	-
2	Forest Gate	787	52,745	20	15	2	8	-	-	-	1	-	-	-	1	2	-	-
3	Plaistow F,2H	1,248	90,921	77	16	7	4	-	-	-	-	1	-	-	-	-	1	-
4	Canning Town H	1,556	70,718	57	13	4	2	-	1	-	-	-	-	-	2	4	1	-
5	South East Ham 2F ..	1,991	37,342	35	11	4	3	-	-	1	-	-	-	-	-	-	1	-
6	North East Ham w,H ..	1,333	58,666	29	16	4	5	-	-	-	-	1	-	-	1	3	1	-
7	Wanstead F	1,679	9,179	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	17	15	2	12	-	-	-	-	-	-	-	-	-	11	-
9	North Leyton 2W,w,F ..	1,963	48,445	27	32	5	13	-	-	-	-	1	-	-	-	3	24	-
10	Walthamstow 2H,L ..	6,504	108,929	61	27	7	9	-	-	-	-	1	1	-	1	5	1	-
187 : 1	Chigwell 2F,3H	11,778	16,397	6	5	-	3	-	-	-	-	-	-	-	1	1	-	-
2	Epping W,F, *part of** ..	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
189 : 1	Romford, *part of** W,2F ..	6,556	6,091	8	3	-	3	-	-	-	-	-	-	-	-	-	2	-
2	Ilford F,L	8,496	41,244	36	12	2	2	-	1	-	-	2	-	-	-	-	1	-
3	Barking Town F	3,805	21,547	15	13	5	4	-	-	-	1	-	-	-	2	3	1	-
	Eastern Hospital, Hackney	—	—	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-
	City of London Lunatic Asylum, Stone.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Surrey County Lunatic Asylum, Brookwood.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
	Essex County Lunatic Asylum, Brentwood.	—	—	-	5	-	2	-	-	-	-	-	-	-	-	-	5	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30 : 2, excepting Ashtead parish; 37 : 1, Warlingham and Farley parishes; 39 : 4, excepting Esher parish; 41 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135 : 1, Northaw parish; 137 : 1, excepting the part in Watford Rural parish; 137 : 2, Oxhey parish; 189 : 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42 : 3, 137 : 2 and 187 : 2 and in the Croydon Mental Hospital in 37 : 1 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS. Exclusive of Stillborn.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox	Measles.	Scarlet Fever	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON - -	4,833,938	December 18	2105	1330	14·3	-	15	5	6	24	2	10
CALCUTTA - -	1,009,008	November 20	-	532	27·4	1	2	-	2	1	97†	60‡
BOMBAY - -	982,000	" 23	464	559	29·7	3	-	-	-	-	51†	56‡
MADRAS - -	548,974	" 19	400	360	36·7	-	2	?	?	?	114	48
PARIS - - -	2,760,000	December 11	879	908	17·3	-	11	1	9	4	4	16
BRUSSELS - -	704,975	" 11	228	176	13·0	-	1	-	1	-	2	8
ANTWERP - -	314,135	" 11	114	69	11·4	-	1	1	-	-	-	9
AMSTERDAM -	565,553	" 11	253	145	13·3	-	7	-	1	4	1	2
COPENHAGEN -	451,000	" 11	219	99	11·4	-	-	1	2	-	-	1
STOCKHOLM -	339,582	" 4	150	86	13·2	-	-	1	1	2	-	1
CHRISTIANIA -	235,674	" 11	117	73	16·1	-	3	-	-	-	-	2
ST. PETERSBURG	1,573,000	" 4	1475	662	21·9	9	32	35	24	9	8	40‡
MOSCOW - -	1,452,100	" 4	-	-	-	-	-	-	-	-	-	-
BERLIN - -	2,116,973	November 27	768	595	14·7	-	3	11	18	5	1	34
HAMBURG - -	872,252	December 11	-	251	15·0	-	5	-	5	6	-	14
BRESLAU - -	502,990	" 4	-	199	20·6	-	3	1	-	5	2	16
MUNICH - -	566,000	" 11	-	199	18·3	-	2	2	2	2	-	20
VIENNA - -	2,064,037	" 11	839	615	15·3	-	3	5	10	3	1	37
PRAGUE - -	485,057	" 11	180	160	16·8	-	3	1	6	-	-	3
BUDAPEST - -	823,215	" 4	442	323	20·4	-	3	10	5	1	9	15
TRIESTE - -	217,706	" 11	131	121	28·6	-	2	-	-	-	-	2
ROME - - -	574,666	September 11	246	168	15·2	-	-	-	-	1	10§	19
VENICE - -	179,286	October 30	60	47	13·7	-	-	-	-	-	-	8
BUCAREST - -	296,585	November 6	-	-	-	-	-	-	-	-	-	-
NEW YORK -	4,564,792	" 27	2271	1336	15·3	-	7	9	29	7	12	48
CHICAGO - -	2,224,490	" 27	-	586	13·0	-	-	7	10	2	3	28
PHILADELPHIA -	1,565,569	" 6	-	418	13·9	-	-	4	7	3	6	22
		" 13	-	425	14·2	-	-	3	8	3	1	26
RIO DE JANEIRO	637,089	" 7	-	222	18·2	-	1	-	1	-	2	?
CAIRO:—												
Egyptians -	669,617	" 18	576	399	31·0	-	-	-	18	?	6	86
Foreigners -	35,219	" 18	4	20	29·5	-	-	-	3	?	1	1
ALEXANDRIA:—												
Egyptians -	345,003	" 18	273	196	29·5	4	-	-	5	?	-	48
Foreigners -	46,118	" 18	4	28	31·6	1	-	-	1	?	1	6

* Excluding deaths from croup in the Indian Cities.
† Including 6 deaths from plague in Calcutta and 4 in Bombay.
‡ Including 26 deaths from cholera in Calcutta, 11 in Bombay, and 1 in St. Petersburg.
§ Including 4 deaths from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 18th December, 1909.

TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	42·6	32·6	38·3	0·43	BRADFORD - -	42·0	32·8	37·4	0·35
BRIGHTON - -	44·9	32·9	38·7	0·58	YORK - - -	47·0	30·0	40·3	0·38
PORTSMOUTH - -	46·5	33·0	39·9	0·74	HULL - - -	47·0	30·0	40·6	0·33
NORWICH - -	42·1	35·0	39·0	0·97	TYNEMOUTH - -	45·0	33·0	40·4	0·12
PLYMOUTH -	47·0	29·3	38·3	0·54	CARDIFF - - -	44·9	31·0	37·4	1·31
BRISTOL - - -	42·6	30·0	37·3	1·27	EDINBURGH - -	45·2	31·6	38·6	0·05
BIRMINGHAM - -	45·0	32·1	37·8	0·65	GLASGOW - -	47·2	27·5	38·5	0·02
NOTTINGHAM - -	42·2	34·0	38·7	0·94	DUBLIN Phœnix Park.	49·0	30·2	41·4	0·21
LIVERPOOL OBSERVATORY	45·0	35·0	39·8	0·33	DUBLIN Fitz-william Square.†	49·3	34·3	42·6	0·46
MANCHESTER -	46·8	28·3	38·7	0·22					
BURNLEY - -	43·0	25·5	36·9	0·12					
HUDDERSFIELD -	45·5	28·8	37·9	0·49	BELFAST - - -	51·0	34·0	44·0	0·19

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to the seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0°·0 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 18th December, 1909.

[*Under the Superintendence of the Astronomer Royal.*]

1909. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Temperature. Of the Air. Low-est.	Temperature. Of the Air. Daily Range.	Temperature. Of the Air. Mean daily value.	Temperature. Of the Air. Departure from Average of 65 years.	Temperature. Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Difference. Great-est.	Difference. Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Temperature. Of Radiation. Lowest on the Grass.	Temperature. Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	Osler's. General Direction. P.M.	Osler's. Pressure on the Square Foot. Great-est.	Osler's. Pressure. Least.	Osler's. Pressure. Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Robinson's. Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
DECEMBER.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 12	New	29·844	42·1	35·0	7·1	37·6	− 2·7	35·5	2·1	4·4	1·1	92	40·0	31·8	44·08	ESE. & E.	NNE., NE. & ENE.	2·2	0·0	0·1	249	− 57	0·03	0·0
MONDAY - 13	..	30·125	42·6	39·4	3·2	41·2	+ 0·7	38·0	3·2	3·8	0·7	88	44·0	37·0	44·21	ENE. & NE.	ENE. & NE.	3·7	0·0	0·3	385	+ 78	0·00	0·0
TUESDAY - 14	Greatest Dec. S.	30·208	40·3	36·0	4·3	39·0	− 1·7	35·3	3·7	5·2	2·3	87	45·9	30·2	44·32	NE. & ENE.	ENE.	9·8	0·0	0·7	508	+200	0·09	0·0
WEDNESDAY 15	..	30·091	38·3	32·6	5·7	35·7	− 5·1	31·7	4·0	6·2	3·1	86	40·0	29·5	44·21	ENE. & NE.	NE., ESE. & E.	4·9	0·0	0·4	411	+103	0·03	0·0
THURSDAY - 16	..	29·910	39·2	33·1	6·1	36·3	− 4·4	33·8	2·5	5·1	0·0	91	42·7	30·0	44·02	E.	E	0·9	0·0	0·0	187	−120	0·17	4·2
FRIDAY - 17	..	29·341	41·1	38·6	2·5	39·8	− 0·6	39·3	0·5	1·2	0·0	98	42·1	37·5	43·80	ENE. & E.	E., ESE. & NE.	1·1	0·0	0·0	149	−153	0·03	0·8
SATURDAY - 18	..	29·227	41·1	36·2	4·9	39·3	− 0·7	34·7	4·6	5·7	1·4	84	46·0	29·5	43·71	NW. & WNW.	W., WSW. & SW.	3·7	0·0	0·2	341	+ 44	0·14	0·0
MEANS - -		29·821	40·7	35·8	4·8	38·4	− 2·1	35·5	2·9	4·5	1·2	89	43·0	32·2	44·05	ENE.		..	..	..	Sum 2230	Sum + 95	Sum 0·43	0·7
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. DECEMBER.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY - 12	w. P. throughout.	0·0	7·8	Generally overcast; a little misty rain between 6h. and 9h. A.M.; and nearly continuous slight rain after 5h. P.M.
MONDAY - 13	w. P. throughout.	0·0	7·8	Generally overcast; small range of temperature.
TUESDAY - 14	w. P. throughout.	0·0	7·8	Overcast with slight exceptions; gusty wind prevalent after 9h. A.M.
WEDNESDAY 15	w. P. generally; occasional m. P.	0·0	7·8	Cloudy till 3h. A.M.; generally overcast afterwards; gusty wind at times in morning; slight snow between 3h. and 5h. P.M., followed by sleet and snow till 6h. 30m. P.M.
THURSDAY - 16	w. P. generally till 10h. A.M.; w. P. and v. N. principally afterwards.	0·0	7·8	Generally overcast; rain, snow and sleet between 10h. 45m. A.M. and noon, followed by frequent rain.
FRIDAY - 17	v. N. and w. P. till 6h. A.M.; w. P. afterwards.	0·0	7·8	Overcast; continuous rain till 4h. 30m. A.M. and frequently after 2h. P.M.; very slight mist after 8h. P.M.
SATURDAY - 18	w. P. generally till 9h. A.M.; m. P. afterwards; m. N. at 3h. A.M.	0·4	7·8	Generally overcast; fine intervals in afternoon; frequent rain till 4h. A.M.
		Sum 0·4	Sum 54·6	
No. of Col. - -	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29·77 in. at the beginning of the week to 30·23 in. by 11h. P.M. on the 14th; decreased to 29·03 in. by 4h. A.M. on the 18th; and increased to 29·31 in. by midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 11th December, 1909.*

BOROUGHS.	Estimated Population in the middle of 1909.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	151,955	-	8	5	-	-	-	-	1	-	-
Kensington	183,683	-	17	2	-	-	-	-	4	-	1
Hammersmith	125,704	-	7	5	-	-	-	-	4	-	-
Fulham	176,406	-	13	5	-	-	-	-	3	-	1
Chelsea	75,249	-	2	2	-	-	-	-	-	-	-
City of Westminster ..	168,883	-	6	3	-	1	-	-	4	-	-
NORTH.											
St. Marylebone	126,027	-	8	2	-	-	-	-	2	-	1
Hampstead	94,185	-	2	1	-	-	-	-	-	-	1
St. Pancras	237,422	-	10	8	-	2	-	-	1	-	-
Islington	351,202	-	19	7	-	-	-	-	4	1	-
Stoke Newington	54,423	-	2	-	-	-	-	-	1	-	-
Hackney	237,601	-	5	5	-	3	-	-	8	-	-
CENTRAL.											
Holborn	53,802	-	3	-	-	1	-	-	-	-	-
Finsbury	95,289	-	4	3	-	-	-	-	3	-	-
City of London	18,193	-	-	1	-	-	-	-	1	-	-
EAST.											
Shoreditch	114,802	-	3	1	-	-	-	-	9	1	-
Bethnal Green	131,316	-	11	5	-	-	-	-	7	-	-
Stepney	312,525	-	8	12	-	3	-	-	12	-	-
Poplar	171,965	-	10	4	-	-	-	-	5	-	-
SOUTH.											
Southwark	211,125	1	6	2	-	-	-	-	8	-	-
Bermondsey	127,569	-	10	3	-	-	-	-	4	-	-
Lambeth	324,188	-	23	7	-	-	-	-	1	1	-
Battersea	186,036	-	16	6	-	-	-	-	3	1	-
Wandsworth	297,646	-	15	7	-	-	-	-	6	-	-
Camberwell	283,022	-	26	7	-	-	-	-	5	-	-
Deptford	118,583	-	5	3	-	-	1	-	5	-	-
Greenwich	111,014	-	5	1	-	-	-	-	3	2	-
Lewisham	160,749	-	32	8	-	-	-	-	6	-	-
Woolwich	133,374	-	11	7	-	3	-	-	1	-	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,833,938	1	287	122	-	13	1	-	111	6	4
Ages 0–1		-	2	3	-	-	-	-	4	-	3
„ 1–5		-	79	50	-	-	-	-	8	-	-
„ 5–		-	128	39	-	3	-	-	7	-	1
„ 10–		-	40	16	-	3	-	-	4	-	-
„ 15–		-	12	4	-	1	-	-	7	-	-
„ 20–		1	8	3	-	-	-	-	8	-	-
„ 25–		-	15	5	-	4	1	-	10	6	-
„ 35–		-	3	1	-	2	-	-	14	-	-
„ 45–		-	-	1	-	-	-	-	28	-	-
„ 55–		-	-	-	-	-	-	-	10	-	-
„ 65 and upwards		-	-	-	-	-	-	-	11	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

Returns of London Water Districts.

(Furnished by the Metropolitan Water Board.)

The following is an account of the number of services and the average daily amount of water supplied during the month of November, 1909, inclusive of supply to the Borough of Croydon and to the Urban Districts of Tottenham and Enfield. The supply was in the ratio of 202 gallons to one service.

Districts.	Number of Services.		Average Daily Supply of Water in Gallons.	
	November, 1908.	November, 1909.	November, 1908.	November, 1909.
Total Supply - - -	1,085,455	1,096,467	213,517,445	221,043,169
New River - - - - - - -	214,283	216,024	41,670,369	42,349,624
Eastern - - - - - - -	243,495	246,229	39,412,733	44,341,967
Western { Chelsea, Grand Junction, West Middlesex } - -	222,363	224,293	53,125,304	55,036,710
Southern { Lambeth - - - Southwark and Vauxhall }	286,199	289,673	60,410,607	59,174,196
Kent - - - - - - - -	119,115	120,248	18,898,432	20,140,672

Note.—The Return for November, 1909, as compared with that for the corresponding month of 1908, shows an increase of 11,012 services, and of 7,525,724 gallons of water supplied daily.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office.

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 51. 1909. VOL. LXX.] WEEK ENDED SATURDAY, DEC. 25. [Price 1½*d.*

General Register Office, Somerset House,
December 28th, 1909.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 15·4 per 1000 of their aggregate population, which is estimated † at 16,445,281 persons in the middle of this year. In the preceding three weeks the rates had been 16·5, 16·6, and 15·0. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 20·2 in Bournemouth and in Blackburn, 20·4 in Huddersfield, 22·1 in Burnley, 22·2 in Oldham, 24·0 in Merthyr Tydfil, 24·6 in Bury, 25·8 in Middlesbrough, 27·0 in Wigan, 29·2 in Swansea, and 29·5 in Hanley; from *measles*, 2·6 in Birkenhead and 3·0 in Hanley; from *whooping-cough*, 1·0 in West Ham, 1·1 in Swansea, and 1·4 in Ipswich and in Halifax; and from *diarrhœa*, 1·6 in Walsall, in Rotherham, and in Swansea. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 1860 BIRTHS and 1399 DEATHS were registered. Allowing for increase of population, the births were 525 and the deaths 249 below the average numbers in the corresponding

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-five other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(15165—41.) Wt. 109—472. 700. 12/09. D & S. G. 31. Sch. 4 3 E

weeks of the previous five years. The annual death-rate from all causes, which had been 16·0, 16·6, and 14·3 per 1000 in the preceding three weeks, rose last week to 15·1. The death-rate in the four weeks ended last Saturday averaged 15·5 per 1000, being 1·8 per 1000 below the mean rate in the corresponding periods of the five years 1904–8.

The 1399 deaths included 14 from measles, 6 from scarlet fever, 9 from diphtheria, 25 from whooping-cough, 2 from enteric fever, and 9 from diarrhœa; but not one death from small-pox, from typhus, or from ill-defined pyrexia: thus, to these diseases in the aggregate 65 deaths were referred, being 48 below the corrected average number in the fifty-first week of the preceding five years.

The deaths from *measles*, which had been 16, 14, and 15 in the preceding three weeks, were 14 last week, and were 23 below the corrected average; 5 deaths belonged to the Borough of Stepney. The deaths from *scarlet fever*, which had been 11, 4, and 5 in the preceding three weeks, were 6 last week, and were 8 below the corrected average; 3 deaths belonged to Islington. The deaths from *diphtheria*, which had been 6, 12, and 6 in the preceding three weeks, were 9 last week, and were 8 below the corrected average. The deaths from *whooping-cough*, which had been 23, 18, and 24 in the preceding three weeks, were 25 last week, and were 2 above the corrected average; 10 deaths belonged to Stepney and 3 to Islington. The deaths from *enteric fever*, which had been 5, 1, and 2 in the preceding three weeks, were again 2 last week, the corrected average being 7. The deaths from *diarrhœa*, which had been 14, 12, and 10 in the preceding three weeks, were 9 last week, and were 7 below the corrected average. Of the 9 deaths from diarrhœa, 7 were those of children under 5 years of age; 6 other deaths at this age were certified as due to *enteritis* and 9 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 24, having been 13, 30, and 16 in the preceding three weeks.

Different forms of violence caused 60 deaths, concerning all of which inquests were held. Of these 60 deaths, 8 were cases of suicide, while the remaining 52 were attributed to accident or negligence. Seven of these latter were referred to vehicles in the streets, eleven to burns or scalds, three to drowning, and eight, of infants under one year of age, to suffocation in bed. One death occurred while under an anæsthetic administered for surgical purposes.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 4 cases of small-pox, 2361 of scarlet fever, 917 of diphtheria, and 68 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 1 case, against 0, 1, and 1; of scarlet fever, 224 cases, against 281, 266, and 254; of diphtheria, 88 cases, against 104, 102, and 99; and of enteric fever, 8 cases, against 7, 8, and 8. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended December 18th, 1909.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 2937 births and 1934 deaths were registered. Allowing for increase of population, these numbers are 830 and 397 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 6 deaths from measles, 5 from diphtheria, 4 from whooping-cough, 1 from "fever," and 3 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·27 inches, and that of the Thermometer 39°·0, the latter being 0°·4 above the week's average in the 65 years ended 1905. The general direction of the wind was South-Westerly, the horizontal movement of the air being 23 per cent. above the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 18·1 hours; the measured rainfall amounted to 0·46 of an inch.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 25th December, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 4th Dec., 1909.	11th Dec., 1909.	18th Dec., 1909.	25th Dec., 1909.	Rate from Diseases in Cols. 11-17 Week ended 25th December, 1909.	Registered during the Week ended 25th Dec., 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17	18.	19.	20.	21.	Cols.
76 TOWNS	**16,445,281**	**16·5**	**16·6**	**15·0**	**15·4**	**0·9**	**6520**	**4854**	**992**	**1652**	-	**53**	**40**	**47**	**78**	**17**	**38**	**188**	**440**	**1319**	**38**	**76 TOWNS.**
LONDON	4,833,938	16·0	16·6	14·3	15·1	0·7	1860	1399	234	525	-	14	6	9	25	2	9	60	158	588	2	LONDON.
† CROYDON	161,078	9·1	9·7	9·4	10·0	-	55	31	5	15	-	-	-	-	-	-	-	-	1	4	-	CROYDON.
† WILLESDEN ..	160,424	10·4	8·5	10·1	8·5	0·3	58	26	8	8	-	-	-	-	-	-	1	1	2	4	-	WILLESDEN.
† HORNSEY	95,628	10·9	7·1	12·0	7·6	-	27	14	-	9	-	-	-	-	-	-	-	1	2	-	-	HORNSEY.
† TOTTENHAM ..	129,464	13·7	14·1	11·7	12·1	0·8	63	30	8	13	-	-	-	1	1	-	-	1	4	3	-	TOTTENHAM.
† WEST HAM ..	321,767	13·6	13·3	11·0	12·5	1·5	151	77	16	26	-	1	1	-	8	1	-	1	5	17	-	WEST HAM.
† EAST HAM.. ..	149,575	7·7	8·4	11·2	9·8	1·0	68	28	6	12	-	-	1	1	1	-	-	1	3	12	-	EAST HAM.
† LEYTON	129,614	12·1	10·5	7·6	10·1	0·8	54	25	4	8	-	-	-	1	1	-	-	1	4	7	-	LEYTON.
† WALTHAMSTOW	136,602	8·0	13·4	12·2	9·9	0·4	53	26	4	10	-	-	-	-	1	-	-	-	1	6	1	WALTHAMSTOW.
HASTINGS	68,165	8·4	13·0	11·5	10·7	-	21	14	2	9	-	-	-	-	-	-	-	1	1	3	1	HASTINGS.
BRIGHTON	130,926	23·1	17·1	17·5	14·3	-	49	36	9	12	-	-	-	-	-	-	-	1	3	11	-	BRIGHTON.
PORTSMOUTH ..	214,726	14·8	16·0	13·4	10·9	0·2	115	45	9	19	-	1	-	-	-	-	-	1	2	13	-	PORTSMOUTH.
BOURNEMOUTH ..	72,368	15·1	18·7	10·8	20·2	1·4	25	28	6	9	-	-	-	1	1	-	-	-	-	10	-	BOURNEMOUTH.
SOUTHAMPTON ..	124,667	14·2	19·7	13·0	13·4	0·4	52	32	5	15	-	-	-	-	-	-	1	1	5	10	-	SOUTHAMPTON.
READING	82,995	12·6	12·6	13·8	12·6	-	27	20	2	9	-	-	-	-	-	-	-	-	1	5	-	READING.
NORTHAMPTON ..	97,752	17·1	12·3	11·2	17·1	-	39	32	7	12	-	-	-	-	-	-	-	-	-	6	1	NORTHAMPTON.
IPSWICH	74,889	17·4	24·4	20·2	12·5	2·8	35	18	3	6	-	2	-	-	2	-	-	-	1	3	-	IPSWICH.
GREAT YARMOUTH	53,430	18·5	18·5	13·7	18·5	-	21	19	5	8	-	-	-	-	-	-	-	3	3	3	-	GREAT YARMOUTH.
NORWICH	124,136	11·8	14·7	16·8	19·3	0·4	49	46	7	22	-	-	-	1	-	-	-	-	6	11	-	NORWICH.
PLYMOUTH	124,180	15·5	13·0	17·6	16·8	1·3	44	40	6	17	-	-	-	-	2	-	1	1	2	4	-	PLYMOUTH.
DEVONPORT	83,103	11·3	16·3	11·3	9·4	1·9	36	15	6	4	-	-	-	1	1	-	1	-	2	4	-	DEVONPORT.
BRISTOL	377,642	14·8	14·9	11·9	14·8	0·3	137	107	23	43	-	1	-	-	-	-	1	5	9	20	-	BRISTOL.
HANLEY	68,831	28·0	18·2	24·2	29·5	3·8	33	39	16	6	-	4	-	-	-	-	1	1	5	7	-	HANLEY.
BURTON-ON-TRENT	54,453	20·1	19·2	10·5	10·5	1·0	34	11	2	5	-	-	-	1	-	-	-	-	1	3	-	BURTON-ON-TRENT.
WOLVERHAMPTON..	104,633	15·0	14·0	17·9	15·0	1·0	33	30	7	12	-	2	-	-	-	-	-	-	1	5	-	WOLVERHAMPTON
WALSALL	99,399	21·5	11·0	11·5	13·1	2·1	52	25	9	5	-	-	1	-	-	-	3	2	4	-	-	WALSALL.
HANDSWORTH ..	70,186	11·1	8·2	11·1	11·9	-	25	16	5	5	-	-	-	-	-	-	-	-	1	2	-	HANDSWORTH.
WEST BROMWICH ..	70,457	19·2	18·5	17·8	17·8	2·2	30	24	5	11	-	1	-	1	-	-	1	1	3	1	-	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 25th December, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 4th Dec., 1909.	11th Dec., 1909.	18th Dec., 1909.	25th Dec., 1909.	Rate from Diseases in Cols. 11-17. Week ended 25th December, 1909.	Registered during the Week ended 25th Dec. 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
BIRMINGHAM ..	563,629	14·1	17·4	16·0	15·8	1·1	231	171	46	61	-	-	2	1	5	2	2	5	8	38	3	BIRMINGHAM.
KINGS NORTON ..	81,632	12·1	6·4	5·1	7·7	-	26	12	2	7	-	-	-	-	-	-	-	-	-	2	-	KINGS NORTON.
SMETHWICK	70,377	14·8	8·2	10·4	8·9	0·7	33	12	5	2	-	-	-	-	1	-	-	-	1	2	-	SMETHWICK.
ASTON MANOR ..	85,257	17·1	13·5	11·0	14·1	0·6	26	23	1	12	-	-	-	-	1	-	-	-	-	4	-	ASTON MANOR.
COVENTRY	80,163	20·8	25·4	17·6	15·6	2·0	38	24	9	5	-	1	-	1	-	1	-	1	2	7	2	COVENTRY.
LEICESTER	244,255	19·0	15·8	14·3	14·3	0·4	84	67	17	22	-	-	-	-	2	-	-	1	5	13	-	LEICESTER.
GRIMSBY	73,036	10·0	12·1	12·9	10·0	-	30	14	1	7	-	-	-	-	-	-	-	-	3	2	-	GRIMSBY.
NOTTINGHAM ..	263,443	16·4	18·4	18·4	17·2	1·0	103	87	12	29	-	1	-	2	2	-	-	-	3	23	-	NOTTINGHAM.
DERBY	129,411	15·7	14·5	11·7	11·3	1·2	44	28	7	11	-	1	-	-	2	-	-	4	12	4	-	DERBY.
STOCKPORT	103,706	20·6	15·1	19·6	19·1	-	41	38	10	9	-	-	-	-	-	-	-	1	3	3	-	STOCKPORT.
BIRKENHEAD ..	121,123	17·2	19·4	15·1	15·1	3·4	35	35	6	11	-	6	1	1	-	-	-	1	2	6	-	BIRKENHEAD.
WALLASEY	71,004	16·2	10·3	14·7	14·0	0·7	24	19	2	8	-	-	1	-	-	-	-	1	2	2	1	WALLASEY.
LIVERPOOL	760,357	20·1	22·4	17·9	18·1	1·0	349	264	48	89	-	1	5	2	5	-	1	19	25	93	4	LIVERPOOL.
BOOTLE	69,393	15·8	16·5	12·8	15·8	0·8	27	21	6	6	-	-	-	-	1	-	-	-	-	4	4	BOOTLE.
ST. HELENS	95,161	15·9	21·4	20·8	18·6	2·2	46	34	9	9	-	-	2	-	-	2	-	1	1	4	1	ST. HELENS.
WIGAN	90,678	19·6	23·0	15·5	27·0	2·3	33	47	13	8	-	-	2	-	-	1	1	6	8	7	-	WIGAN.
WARRINGTON ..	72,276	14·4	18·8	15·9	18·8	0·7	32	26	5	7	-	-	-	1	-	-	-	-	-	4	3	WARRINGTON.
BOLTON	187,824	22·5	19·7	18·9	14·7	0·3	53	53	7	8	-	-	-	-	1	-	-	4	6	6	-	BOLTON.
BURY	59,234	14·1	14·1	18·5	24·6	-	18	28	5	11	-	-	-	-	-	-	-	1	1	5	1	BURY.
MANCHESTER ..	655,435	21·9	17·8	18·9	16·5	1·1	275	208	37	67	-	5	4	2	1	1	1	11	18	56	2	MANCHESTER.
SALFORD	241,950	16·4	19·4	19·2	17·7	1·5	80	82	13	24	-	1	2	1	1	2	-	1	5	26	-	SALFORD.
OLDHAM	143,301	25·0	19·6	22·2	22·2	1·5	60	61	11	17	-	-	1	-	1	-	2	1	4	6	-	OLDHAM.
ROCHDALE	89,653	20·4	12·2	11·6	19·8	2·3	27	34	8	14	-	1	1	1	1	-	-	1	3	5	2	ROCHDALE.
BURNLEY	106,267	22·1	17·7	22·6	22·1	1·5	42	45	14	12	-	1	-	-	-	-	2	1	1	10	-	BURNLEY.
BLACKBURN	136,959	19·8	14·8	20·9	20·2	0·8	31	53	9	25	-	-	-	2	-	-	-	2	2	5	1	BLACKBURN.
PRESTON	118,519	19·4	22·9	17·2	19·8	0·4	47	45	10	15	-	-	-	1	-	-	-	-	-	5	1	PRESTON.
BARROW-IN-FURNESS.	62,996	19·9	24·8	13·2	14·1	-	14	17	3	8	-	-	-	-	-	-	-	1	1	3	2	BARROW-IN-FURNESS.

* See note † on first page of this return.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 25th December, 1909, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 4th Dec., 1909.	11th Dec., 1909.	18th Dec., 1909.	25th Dec., 1909.	Rate from Diseases in Cols 11–17. Week ended 25th December, 1909.	Registered during the Week ended 25th Dec., 1909. BIRTHS.	DEATHS.	The DEATHS registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,739	12·1	20·9	14·3	20·4	1·7	27	37	3	13	-	-	1	2	-	-	-	2	3	4	-	HUDDERSFIELD.
HALIFAX	111,911	14·9	20·5	17·7	17·7	1·9	25	38	5	15	-	-	-	1	3	-	-	3	4	5	1	HALIFAX.
BRADFORD	293,983	19·2	17·4	14·7	14·2	1·8	98	80	19	27	-	1	4	2	1	1	1	2	7	18	-	BRADFORD.
LEEDS	484,012	15·7	16·6	13·8	14·0	0·6	126	130	17	43	-	3	-	1	-	2	-	4	14	38	-	LEEDS.
SHEFFIELD	470,958	14·8	13·1	13·8	13·1	0·3	188	118	30	36	-	-	2	-	-	-	1	8	10	28	1	SHEFFIELD.
ROTHERHAM.. ..	65,070	18·4	14·4	14·4	18·4	1·6	37	23	8	6	-	-	-	-	-	-	2	1	2	2	-	ROTHERHAM.
YORK	87,004	15·0	9·6	8·4	12·6	-	26	21	3	10	-	-	-	-	-	-	-	-	2	2	-	YORK.
HULL	275,552	17·6	17·6	16·3	15·9	0·9	97	84	23	25	-	-	-	3	1	1	-	2	5	15	1	HULL.
MIDDLESBROUGH ..	105,255	21·3	17·8	16·3	25·8	1·0	55	52	12	12	-	-	-	1	-	1	-	1	2	10	1	MIDDLESBROUGH.
STOCKTON-ON-TEES	53,417	11·7	12·7	14·6	11·7	-	34	12	5	4	-	-	-	-	-	-	-	-	1	1	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL	79,686	13·7	15·1	9·2	11·8	0·7	26	18	4	5	-	-	-	-	1	-	-	-	-	4	-	WEST HARTLEPOOL.
SUNDERLAND ..	159,378	20·0	23·6	20·6	18·6	1·0	79	57	15	16	-	-	1	-	2	-	-	2	6	16	-	SUNDERLAND.
SOUTH SHIELDS ..	117,627	21·7	17·7	16·4	13·7	0·4	72	31	9	3	-	-	-	1	-	-	-	2	5	4	1	SOUTH SHIELDS.
GATESHEAD	131,024	13·9	12·3	14·7	15·5	0·4	59	39	11	11	-	-	-	-	-	-	1	1	2	11	1	GATESHEAD.
NEWCASTLE-ON-TYNE.	281,584	16·7	19·1	13·1	15·0	0·4	147	81	23	16	-	-	-	1	1	-	-	6	13	24	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH ..	55,808	14·0	21·5	19·6	18·7	0·9	29	20	4	6	-	-	1	-	-	-	-	2	3	2	-	TYNEMOUTH.
NEWPORT (MON.) ..	78,336	13·3	21·3	17·3	16·6	0·7	41	25	9	7	-	-	-	-	1	-	-	1	3	4	-	NEWPORT (MON.).
CARDIFF	195,303	14·2	15·2	11·5	15·2	0·8	69	57	13	12	-	2	-	1	-	-	-	1	5	10	-	CARDIFF.
RHONDDA	135,894	18·4	21·9	16·1	15·0	1·5	99	39	15	6	-	-	1	2	-	-	1	2	2	1	-	RHONDDA.
MERTHYR TYDFIL..	78,365	14·0	18·6	18·6	24·0	2·0	43	36	14	6	-	1	-	-	1	-	1	1	1	5	-	MERTHYR TYDFIL.
SWANSEA	98,308	25·5	22·8	29·2	29·2	3·7	48	55	15	14	-	2	-	-	2	-	3	1	4	8	-	SWANSEA.
GREATER LONDON	7,429,740	14·7	14·8	13·4	13·6	0·7	2937	1934	342	735	-	21	8	17	39	4	13	82	214	689	4	GREATER LONDON.
OUTER RING ..	2,595,802	12·2	11·5	11·7	10·7	0·7	1077	535	108	210	-	7	2	8	14	2	4	22	56	101	2	OUTER RING.
8 TOWNS IN OUTER RING.	1,284,152	11·0	11·0	10·6	10·4	0·7	529	257	51	101	-	1	2	3	10	1	1	6	22	53	1	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,311,650	13·4	12·0	12·6	11·1	0·8	548	278	57	109	-	6	-	5	4	1	3	16	34	48	1	REMAINDER OF OUTER RING.
EDINBURGH	355,366	19·5	17·5	17·2	16·3	1·8	128	111	17	41	-	6	1	2	1	-	2	-	?	37	11	EDINBURGH.
GLASGOW	872,021	27·3	31·6	23·0	21·5	3·6	381	359‡	67	87	-	34	4	7	8	3	5	18	?	100	7	GLASGOW.
DUBLIN (Registration Area).†	398,356	22·1	22·0	19·4	19·6	0·7	135	150	28	45	-	-	1	-	2	2	-	2	1	68	7	DUBLIN (Registration Area).†
BELFAST†	386,576	19·8	29·4	23·9	19·4	1·5	170	144	33	36	-	-	-	-	10	-	1	4	4	24	3	BELFAST†

* See note † on first page of this return.

† Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast respectively.

‡ Including 1 death from Cerebro-Spinal meningitis.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FIFTY-FIRST Week of each of the Eleven Years, 1899–1909.

	1899	1900	1901	1902	1903	1904	1905	1906	1907	1908	Corrected Weekly Average in 5 Years 1904–1908.*	1909
TOTAL **Births** -	2585	2436	2493	2407	1802	2122	2488	2503	2403	2133	2385·1	1860
Males - - -	1348	1282	1262	1259	909	1117	1217	1307	1236	1067	1217·0	941
Females - -	1237	1154	1231	1148	893	1005	1271	1196	1167	1066	1168·1	919
TOTAL **Deaths** -	2607	1382	1625	1720	1204	1572	1746	1886	1485	1359	1647·8	1399
Males - - -	1304	752	844	890	586	815	860	957	734	717	836·0	736
Females - -	1303	630	781	830	618	757	886	929	751	642	811·8	663

* The numbers in this column are the average weekly numbers in the Fifty-First week of the five years 1904-1908, raised by 2·375 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Oct. 2.	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	13 Weeks.
TOTAL **Births** -	2057	2292	2243	2221	2087	2361	2291	2173	2195	1933	2207	2105	1860	28025
TOTAL **Deaths** -	1079	1127	1114	1067	1107	1246	1284	1363	1442	1484	1540	1330	1399	16582
Ages at Death: Under 1 year -	260	273	276	266	260	277	264	269	276	214	247	241	234	3357
1—5 years -	80	98	98	98	100	82	105	109	130	120	115	95	107	1337
5—20 " -	71	50	54	62	49	67	65	85	59	63	70	61	61	817
20—40 " -	115	129	140	134	145	157	165	164	154	167	181	146	168	1965
40—60 " -	231	260	228	213	231	277	247	284	300	346	361	292	304	3574
60 yrs. & upwds.	322	317	318	294	322	386	438	452	523	574	566	495	525	5532
Deaths from—														
Small-pox† - -	-	1	-	-	-	-	-	-	-	-	-	-	-	1
Measles - - -	3	6	10	7	9	5	8	12	12	16	14	15	14	131
Scarlet Fever - -	10	10	10	3	5	6	8	3	7	11	4	5	6	88
Diphtheria - -	13	4	10	9	15	13	9	13	17	6	12	6	9	136
Whooping-cough -	14	21	9	8	7	12	16	20	25	23	18	24	25	222
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	4	2	7	5	3	7	2	1	2	5	1	2	2	43
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery	74	60	48	34	28	34	16	24	15	14	12	10	9	378
All above diseases -	118	104	94	66	67	77	59	73	78	75	61	62	65	999
Dis. of Resp. System	60	73	64	63	79	120	137	149	207	211	194	167	160	1684
Pneumonia - -	72	113	103	111	114	110	151	134	180	221	223	175	162	1869
Phthisis - - -	112	103	98	100	120	148	135	132	123	138	156	116	148	1629
Dis. of Circ. System -	147	147	151	158	170	175	166	199	206	202	219	201	208	2349
Violence - - -	45	35	47	43	31	45	59	51	61	58	49	49	60	633
Inquest Cases - -	92	108	109	106	102	119	135	134	153	144	154	150	158	1664
Deaths in Institutions	509	513	479	486	476	529	531	572	558	611	691	585	588	7128
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	53·1	55·8	56·4	55·7	41·9	47·1	42·3	38·7	37·0	44·6	38·6	38·4	39·0	45·3
Mean of Highest -	60·1	64·6	63·3	62·1	47·9	53·0	48·8	43·5	41·9	50·1	43·0	40·7	45·0	51·1
Mean of Lowest -	47·4	47·5	49·8	50·1	34·9	41·4	34·8	34·0	31·6	40·1	33·3	35·8	31·1	39·4
Mean Humidity of the Air.	94	81	84	88	86	90	82	85	86	85	91	89	84	87
Rain-fall (in inches) -	0·72	1·01	0·59	0·46	1·87	0·15	0·03	0·28	0·01	1·40	0·36	0·43	0·46	7·77
Registered Sunshine (in hours).	6·0	33·7	22·5	16·7	13·9	20·1	22·2	14·0	14·7	13·2	16·7	0·4	18·1	212·2
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	-	-	2	2	2	3	4	5	4	3	3	4	4	3
Scarlet Fever - -	2737	2745	2810	2799	2743	2716	2624	2606	2518	2488	2475	2403	2361	2617
Diphtheria - - -	908	928	955	991	961	1002	972	949	948	952	946	938	917	951
Typhus - - -	-	-	-	-	1	1	1	-	-	-	-	-	-	-
Enteric Fever - -	75	82	85	87	79	82	79	74	71	67	70	67	68	76

* The Metropolitan Asylums Board and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office :—The Astronomer Royal, Greenwich ; D. Forbes, Esq., M.D., Brighton ; A. Mearns Fraser, Esq., M.D., Portsmouth ; A. W. Preston, Esq., F.R.Met.Soc., Norwich ; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth ; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol ; A. Cresswell, Esq., Edgbaston, Birmingham ; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq , M.D., Nottingham ; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool ; F. Gore, Esq., Prestwich, Manchester ; Thos. Holt, Esq., M.D., Burnley ; J. Firth, Esq., Huddersfield ; H. Lander, Esq., Bradford ; Oxley Grabham, Esq., M.A., York ; H. B. Witty, Esq. F.R.Met.Soc., Hull ; the Meteorological Committee. Tynemouth ; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the FIFTY-FIRST Week of the Year 1909.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 51st week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1647·8	1399	234	107	61	168	304	525
Small-pox*	-	-	-	-	-	-	-	-
Cowpox	-	-	-	-	-	-	-	-
Measles (Morbilli)	36·7	14	4	8	2	-	-	-
Scarlet Fever	13·9	6	-	3	3	-	-	-
Typhus	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-
Influenza	32·4	24	-	1	1	4	6	12
Whooping-cough	22·9	25	10	15	-	-	-	-
Diphtheria	17·2	9	-	3	5	-	-	1
Cerebro-spinal Fever ..	0·4	-	-	-	-	-	-	-
Pyrexia† (origin uncertain)	-	-	-	-	-	-	-	-
Enteric Fever	7·0	2	-	-	1	1	-	-
Asiatic Cholera	-	-	-	-	-	-	-	-
Epidemic Diarrhœa, Infective Enteritis	6·6	3	2	-	-	-	1	-
Diarrhœa, Dysentery ..	9·0	6	5	-	-	-	1	-
Tetanus	1·2	-	-	-	-	-	-	-
Rabies, Hydrophobia ..	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever)..	0·2	-	-	-	-	-	-	-
Venereal Dis.	7·2	5	4	1	-	-	-	-
Puerperal Septicæmia ..	2·7	1	-	-	-	1	-	-
Puerperal Pyæmia.. .	0·4	-	-	-	-	-	-	-
Puerperal Fever	0·4	-	-	-	-	-	-	-
Infective Endocarditis ..	2·5	5	-	-	3	2	-	-
Pneumonia: Lobar ..	18·8	24	2	1	1	8	6	6
Pneumonia: Broncho ..	102·2	76	23	23	3	3	7	17
Pneumonia: Epidemic ..	-	-	-	-	-	-	-	-
Pneumonia: Not defined	84·4	62	8	3	2	8	14	27
Erysipelas	4·5	4	1	-	-	1	-	2
Septicæmia (not Puerperal) ..	1·0	-	-	-	-	-	-	-
Pyæmia (not Puerperal)	1·2	1	-	-	-	-	1	-
Other Infective Processes	5·9	9	-	-	-	2	4	3
Tuberculous Phthisis ..	107·1	95	-	5	6	40	31	13
"*Phthisis*"	55·1	53	-	-	3	31	16	3
Tuberculous Meningitis ..	20·3	17	4	8	1	2	2	-
Tuberculous Peritonitis ..	7·0	3	1	2	-	-	-	-
Tabes Mesenterica	2·0	1	1	-	-	-	-	-
Tuberculous Dis., Other ..	16·2	8	1	1	3	2	1	-
Scrofula..	0·4	-	-	-	-	-	-	-
Alcoholism	9·0	7	-	-	-	2	5	-
Rheumatic Fever	4·3	4	-	-	-	2	-	2
Gout	3·3	-	-	-	-	-	-	-
Carcinoma	54·3	70	-	-	-	1	28	41
Sarcoma	4·5	4	1	-	-	2	-	1
Cancer (undefined) ..	32·6	38	-	-	-	3	16	19
Diabetes Mellitus	9·2	13	-	-	1	2	5	5
Premature Birth	48·3	35	35	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 51st week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)..	13·5	14	9	4	-	-	1	-
Gen. Par. of Insane, Insanity	17·4	13	-	-	-	-	8	5
Epilepsy	8·2	2	-	-	-	1	1	-
Convulsions	17·0	6	5	1	-	-	-	-
Locomotor Ataxy.. ..	1·4	1	-	-	-	1	-	-
Paraplegia, Dis. of Cord.	5·5	5	-	1	-	1	1	2
Nervous Sys., Other Dis.	20·9	11	1	-	1	2	2	5
Valv. Dis., Endocarditis..	49·1	51	-	1	3	10	18	19
Cereb. Hæm. Cereb. Emb.	40·1	49	-	-	-	2	7	40
Apoplexy, Hemiplegia ..	17·4	13	-	-	-	-	4	9
Aneurysm	5·5	1	-	-	-	1	-	-
Embolism, Thrombosis (not Cerebral) ..	0·8	2	-	-	-	-	2	-
Heart & Blood Ves., Other Dis... ..	107·7	92	-	1	-	4	22	65
Croup (not Spasm: nor Memb.)	0·2	-	-	-	-	-	-	-
Bronchitis	196·6	139	24	8	1	2	17	87
Emphysema, Asthma ..	7·0	6	-	-	-	1	3	2
Pleurisy	7·0	4	-	-	-	-	1	3
Respiratory Dis., Other..	14·1	11	2	1	-	-	3	5
Tonsillitis, Quinsy.. ..	1·8	2	-	-	2	-	-	-
Enteritis (not Epid.) ..	9·8	9	5	1	-	1	1	1
Gastro-enteritis	5·1	9	7	2	-	-	-	-
Peritonitis (not Puerp.) ..	2·3	3	1	-	-	-	1	1
Cirrhosis of Liver.. ..	15·8	13	-	-	-	2	8	3
Liver Dis., Other	5·5	4	-	-	-	-	3	1
Digestive Sys., Other Dis.	38·3	39	8	1	6	3	8	13
Acute Nephritis	8·0	13	-	-	3	4	5	1
Bright's Dis., Albuminuria	39·9	35	-	-	1	2	14	18
Urinary Sys., Other Dis.	10·2	10	1	-	-	1	2	6
Generative Organs Dis...	4·7	4	-	-	-	-	2	2
Childbirth (Accid. of) ..	3·3	1	-	-	-	1	-	-
Old Age	64·7	60	-	-	-	-	-	60
Other Diseases	97·6	93	60	5	5	5	9	9
ACCIDENT.								
By Railways	1·4	1	-	-	-	-	1	-
By Vehicles and Horses..	7·0	7	-	-	2	1	1	3
In Ships, Boats, Docks, (exclusive of Drowning)	0·2	1	-	-	-	1	-	-
In Building Operations..	1·2	-	-	-	-	-	-	-
In Conflagrations	0·2	1	-	-	-	-	-	1
By Burns, Scalds, Explosions	10·4	11	-	6	1	2	-	2
By Drowning	3·9	3	-	-	-	-	3	-
By Suffocation in Bed ..	7·4	8	8	-	-	-	-	-
By Poisons or Poisonous Vapours	1·8	3	-	-	-	-	2	1
Other Deaths by Accident..	16·8	17	1	1	-	3	5	7
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	0·2	-	-	-	-	-	-	-
Suicide	8·6	8	-	-	1	-	5	2
Execution	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday 25th December, 1909.

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexiat (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified causes of Death.
LONDON	4,536,267	1860	1399	234	525	-	14	6	9	25	-	2	-	9	60	158	588	2
WEST DISTRICTS	805,311	254	214	32	89	-	3	-	-	1	-	1	-	1	9	18	82	-
NORTH DISTRICTS	1,055,908	351	299	42	135	-	1	-	2	6	-	-	-	1	12	35	115	-
CENTRAL DISTRICTS	209,465	82	50	10	10	-	-	-	1	1	-	-	-	-	4	7	27	-
EAST DISTRICTS	715,739	391	280	62	66	-	8	-	-	11	-	-	-	3	16	41	126	-
SOUTH DISTRICTS	1,749,844	782	524	88	209	-	2	1	5	6	-	1	-	3	19	57	186	2
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	52	-	16	-	-	5	1	-	-	-	-	1	-	-	52	-
WEST DISTRICTS.																		
North Paddington *H*	63,603	22	10	1	5	-	-	-	-	-	-	-	-	-	1	3	1	-
Central Paddington *W,3H*	50,053	15	22	2	12	-	1	-	-	-	-	-	-	-	2	3	16	-
South Paddington	30,320	4	6	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town *2W,w,2H* ..	128,037	31	44	4	15	-	1	-	-	1	-	-	-	-	1	2	23	-
Brompton *2H*	48,591	7	14	3	5	-	-	-	-	-	-	-	-	-	1	1	-	-
North Hammersmith *2W,w,H* ..	49,192	21	14	4	5	-	-	-	-	-	-	-	-	-	-	1	4	-
South Hammersmith *w,2H* ..	63,047	25	14	5	7	-	-	-	-	-	-	1	-	-	-	-	5	-
North-west Fulham *W*	45,180	41	23	5	7	-	-	-	-	-	-	-	-	1	-	1	14	-
North-east Fulham *F*	46,405	17	6	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-
South Fulham *W*	45,704	22	6	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-
Chelsea North *W,w,3H*	42,514	12	15	-	8	-	1	-	-	-	-	-	-	-	1	1	7	-
Chelsea South *W,2H*	31,328	8	13	2	6	-	-	-	-	-	-	-	-	-	2	4	1	-
Mayfair and Knightsbridge	28,743	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave *W,2H*	55,815	8	12	2	3	-	-	-	-	-	-	-	-	-	-	-	5	-
St. Margaret & St. John *6H*	43,698	13	11	2	4	-	-	-	-	-	-	-	-	-	-	-	6	-
St. James and St. Anne *W,6H* ..	33,081	3	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
NORTH DISTRICTS.																		
All Souls Marylebone *7H*	35,391	15	15	1	3	-	-	-	-	-	-	-	-	-	-	-	9	-
St. Mary Marylebone *W,4H* ..	37,948	35	5	1	3	-	-	-	-	1	-	-	-	-	-	-	-	-
Christchurch Marylebone	39,536	15	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. John Marylebone *2H*	20,426	3	8	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead *W,F,6H*	81,942	15	22	2	13	-	-	-	1	-	-	-	-	-	2	4	9	-
West St. Pancras *2H*	60,562	9	13	1	9	-	-	-	-	-	-	-	-	-	-	2	3	-
South St. Pancras *w,10H*	55,707	11	24	2	11	-	-	-	-	-	-	-	-	-	2	4	15	-
East St. Pancras *W,H*	60,320	25	24	3	16	-	-	-	-	1	-	-	-	-	1	3	13	-
North St. Pancras *2W*	58,728	21	19	5	8	-	-	-	-	1	-	-	-	-	1	1	11	-
Tufnell *W*	31,995	8	20	3	9	-	-	-	-	-	-	-	-	-	-	2	12	-
Upper Holloway *2W,w,H*	33,978	4	11	1	4	-	-	-	-	-	-	-	-	-	-	-	10	-
Tollington *W,w,H*	33,922	5	10	4	5	-	-	-	-	2	-	-	-	-	-	1	1	-
Lower Holloway	41,424	20	11	-	5	-	-	-	-	-	-	-	-	-	-	1	-	-
Barnsbury	54,478	22	16	4	6	-	-	-	-	1	-	-	-	1	-	-	-	-
Islington South-east *F*	75,397	30	12	3	3	-	-	-	-	-	-	-	-	-	-	2	-	-
Highbury *2H*	63,797	25	11	2	7	-	-	-	-	-	-	-	-	-	-	1	1	-
Stoke Newington *H*	51,247	14	11	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-
North Hackney	50,398	15	12	1	5	-	-	-	-	-	-	-	-	-	1	1	-	-
Central Hackney *w,F*	50,536	14	9	3	2	-	-	-	1	-	-	-	-	-	-	2	2	-
South-west Hackney *3H*	59,921	27	18	1	6	-	1	-	-	-	-	-	-	-	3	7	8	-
South-east Hackney *2W,H*	58,255	18	25	3	11	-	-	-	-	-	-	-	-	-	2	4	21	-
Hackney Union Workhouse, Brentwood	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c registered in each SUB-DISTRICT during the Week ended Saturday, 25th December, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
St. Giles and Bloomsbury 2*W*,2*H* ..	31,436	10	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Strand *W*,4*H*	21,674	4	10	1	1	-	-	-	-	-	-	-	-	-	-	2	6	-
Strand Union Workhouse, Edmonton	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Holborn *W*,5*H*	29,612	14	10	3	2	-	-	-	1	-	-	-	-	-	2	2	8	-
Clerkenwell *H*	63,704	27	11	3	2	-	-	-	-	-	-	-	-	-	1	2	-	-
St. Luke 3*H*,*L*	36,116	21	5	2	1	-	-	-	-	-	-	-	-	-	1	1	-	-
Holborn Union Workhouse, Mitcham	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph *H*	10,299	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre and Allhallows *W*,2*H*	16,624	4	9	1	1	-	-	-	-	1	-	-	-	-	-	-	9	-
City of London Asylum, Stone	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
EAST DISTRICTS.																		
Shoreditch South 3*H*	46,362	18	5	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Shoreditch North-West *W*,*w*,*H* ..	36,127	27	25	4	12	-	-	-	-	-	-	-	-	-	-	3	19	-
Shoreditch North-East	36,148	12	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	33	46	13	13	-	-	-	-	1	-	-	-	-	4	8	28	-
Bethnal Green South-West *H* ..	64,542	28	13	4	2	-	1	-	-	-	-	-	-	-	1	5	-	-
Spitalfields..	27,969	17	6	5	-	-	1	-	-	1	-	-	-	-	-	1	-	-
Mile End New Town *W*,*H*	28,718	20	46	5	10	-	2	-	-	-	-	-	-	-	7	9	40	-
Goodman's Fields	22,081	8	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
St. George and St. John 2*W* ..	49,068	23	16	3	3	-	-	-	-	1	-	-	-	1	-	1	7	-
Shadwell and Ratcliff *w*,*H* ..	25,568	11	15	7	1	-	1	-	-	2	-	-	-	1	-	1	11	-
Limehouse *W*	32,369	12	12	3	1	-	-	-	-	5	-	-	-	-	-	2	-	-
Mile End Old Town South-Western *H*	63,698	48	13	4	2	-	1	-	-	-	-	-	-	1	1	2	-	-
Mile End Old Town North-Eastern *W*,*w*	49,129	27	12	3	5	-	-	-	-	-	-	-	-	-	-	-	4	-
Bow	41,989	27	5	1	2	-	-	-	-	-	-	-	-	-	1	1	-	-
Bromley 3*w*,*H*	68,319	42	32	6	11	-	2	-	-	1	-	-	-	-	2	5	16	-
Poplar *W*,*w*	58,514	38	7	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-
Workhouse, Forest Gate (Parish of Poplar Borough).	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 25th December, 1909.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch and St. Saviour Southwark *W,2H*	23,319	10	20	2	2	-	-	-	1	-	-	-	-	-	2	2	18	-
Kent-road	21,904	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George the Martyr West *W,2H,L*	39,094	20	15	6	3	-	-	-	-	1	-	-	-	-	2	4	9	-
Newington North	49,022	19	10	1	5	-	-	-	-	-	-	-	-	-	1	1	-	-
Newington South *W*	72,841	35	15	4	8	-	-	-	-	-	-	-	-	-	-	3	4	-
St. Olave *2W*	9,817	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Bermondsey *W*	82,483	40	25	6	6	-	-	-	-	1	-	-	-	1	2	4	-	-
Rotherhithe *W,F*	38,460	21	14	4	1	-	-	-	-	-	-	-	-	1	2	2	4	-
Waterloo *2H*	27,440	39	2	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Lambeth Church *H*	27,440	14	25	5	5	-	-	-	-	-	-	-	-	-	2	2	17	-
Kennington *2W*	52,518	19	28	2	14	-	-	-	-	-	-	-	-	-	1	2	15	-
Stockwell *HF*	63,826	26	14	2	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Brixton *H*	73,673	33	25	9	10	-	-	-	-	-	-	-	-	-	-	-	4	-
Norwood *2WH*	56,998	16	8	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
East Battersea *H*	72,203	28	13	4	4	-	-	-	-	-	-	-	-	-	-	3	-	-
North-west Battersea	49,656	27	11	3	5	-	-	-	-	-	-	-	-	-	-	2	-	-
South-west Battersea *2W,H*	47,048	13	28	3	8	-	-	-	-	1	-	-	-	-	-	4	17	-
Clapham *2H*	51,361	22	6	2	1	-	-	-	-	-	-	-	-	-	1	4	-	-
Streatham *W,2w,2F,2L*	88,019	44	39	3	27	-	-	-	-	1	-	-	-	-	-	-	18	-
Springfield *2W,L*	27,959	17	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Southfields *H*	40,444	27	12	1	8	-	-	-	-	-	-	-	-	-	-	-	1	-
Putney	24,139	9	7	1	3	-	-	-	-	-	-	-	-	1	-	1	-	-
Dulwich	13,359	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South *W,w*	40,206	17	22	-	11	-	-	-	-	-	-	-	-	-	2	3	18	-
Camberwell North *W,2L*	65,584	18	27	4	9	-	-	-	-	-	-	-	-	-	1	3	16	1
St. George	47,331	19	5	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Peckham North	48,913	28	8	3	5	-	-	-	-	-	-	-	-	-	-	1	-	-
Peckham South *2W,w*	43,946	13	11	1	4	-	-	-	-	-	-	-	-	-	-	2	-	-
Deptford North	37,613	17	7	3	3	-	-	-	-	-	-	-	-	-	-	1	-	-
Deptford Central *F*	45,481	27	6	1	2	-	-	-	-	-	-	1	-	-	1	1	1	-
Deptford South	34,625	14	12	3	6	-	-	-	-	1	-	-	-	-	1	3	-	1
Greenwich West *H*	23,456	7	5	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich East *2W,H*	43,859	19	33	3	12	-	2	-	-	1	-	-	-	-	-	2	25	-
Eltham *w,H*	7,226	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee *w,H*	25,490	6	10	1	5	-	-	-	-	-	-	-	-	-	-	1	2	-
Lewisham *2W,w,F*	58,352	37	11	-	6	-	-	-	-	-	-	-	-	-	1	1	5	-
Sydenham *H*	43,653	12	6	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Charlton *F,2H*	21,134	8	10	-	5	-	-	1	3	-	-	-	-	-	-	-	6	-
Woolwich *5H*	41,625	15	7	3	3	-	-	-	1	-	-	-	-	-	-	2	1	-
Plumstead West *W,H*	39,376	11	7	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East *2W*	28,951	17	10	-	7	-	-	-	-	-	-	-	-	-	-	1	4	-
Workhouses:—																		
Belmont Workhouse	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Small-pox Hospitals:—																		
Long Reach	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:—																		
Gore Farm (temporary)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	—	-	4	-	-	-	-	3	1	-	-	-	-	-	-	-	4	-
Northern	—	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-
M. A. B. Children's Hospital:—																		
Children's Infirmary, Carshalton	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
M. A. B. Imbecile Asylums:—																		
Caterham	—	-	6	-	1	-	-	-	-	-	-	-	-	-	-	-	6	-
Darenth	—	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Leavesden	—	-	6	-	3	-	-	-	-	-	-	-	-	-	-	-	6	-
London County Lunatic Asylums:—																		
Banstead	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
Ewell (Epileptic Colony)	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Manor	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Grove	—	-	7	-	2	-	-	-	-	-	-	-	-	1	-	-	7	-
Cane Hill	—	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
Dartford Heath	—	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	4	-
Hanwell	—	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
Colney Hatch	—	-	7	-	4	-	-	-	-	-	-	-	-	-	-	-	7	-
Claybury	—	-	5	-	3	-	-	-	-	-	-	-	-	-	-	-	5	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Boar Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERATE POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 25th December, 1909.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of
	LONDON—OUTER RING ..	368,603	2,045,135	1077	535	108	210	-	7	2	8	14	2	4	22	56	101	2
30 : 1	Carshalton 2F,3H	12,228	32,997	15	10	1	6	-	-	-	-	-	-	-	2	3	1	-
2	Epsom, *part of** W,w,2F,H..	10,423	15,548	10	5	1	4	-	-	-	-	-	-	-	-	-	2	-
37 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
38 : 1	Coulsdon	11,069	8,166	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w,H ..	4,200	49,309	18	9	-	6	-	-	-	-	-	-	-	-	-	-	-
3	West Croydon 3W,F,H ..	2,168	42,888	18	16	3	6	-	-	-	-	-	-	-	1	2	7	-
4	North Croydon H	2,644	41,698	19	9	2	4	-	-	-	-	-	-	-	-	-	-	-
5	Penge w	770	22,465	7	6	1	3	-	-	-	-	-	-	-	-	-	-	-
6	Mitcham w	11,711	30,015	24	10	3	2	-	-	-	-	-	-	-	-	2	-	-
39 : 1	Wimbledon F,3H	3,221	41,652	16	6	1	5	-	-	-	-	-	-	-	-	-	-	-
2	Kingston 2W,H	6,224	42,068	25	20	3	12	-	-	-	-	1	-	-	1	4	8	-
3	Surbiton F,H	3,046	15,017	5	2	-	1	-	-	-	1	-	-	1	-	-	1	-
4	Esher, *part of** H	5,402	13,100	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-
5	Hampton H,F,L	4,564	23,456	11	8	2	5	-	-	-	-	-	-	-	-	-	-	-
40 : 1	Richmond W,H	2,491	31,672	12	4	-	4	-	-	-	-	-	-	-	-	-	1	-
2	Mortlake F	2,518	17,821	12	7	3	2	-	-	-	-	-	-	-	-	2	1	-
41 : 1	Bromley F,3H	4,703	27,354	13	7	-	3	-	-	-	-	-	-	-	-	1	2	-
2	Beckenham H	7,825	28,497	11	4	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Orpington, *part of** W,F ..	10,113	9,857	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-
4	Chislehurst 2H	7,335	16,446	6	3	-	1	-	-	-	-	-	-	-	1	1	-	-
42 : 1	Bexley w,F,H	8,678	21,151	16	2	1	-	-	-	-	-	-	-	-	1	1	-	-
2	Erith F,H	3,854	25,296	14	2	-	1	-	-	-	-	-	-	-	1	1	-	-
3	Dartford W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124 : 1	Sunbury w	11,054	18,683	5	4	1	-	-	-	-	-	-	-	-	1	1	-	-
2	Staines W,H	13,277	15,178	6	9	2	3	-	1	-	1	-	-	-	-	1	1	-
125 : 1	Hillingdon W,F,H	6,035	13,661	4	4	-	3	-	-	-	-	-	-	-	-	-	2	-
2	Uxbridge H	12,757	8,984	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w 2F,H	8,066	16,358	5	2	1	-	-	-	-	-	1	-	-	-	-	-	-
126 : 1	Isleworth 3W,3F,H	6,859	30,863	22	13	2	4	-	1	-	-	-	-	-	-	-	4	-
2	Twickenham F,2H	2,421	20,991	15	5	2	3	-	-	-	-	-	-	-	-	1	-	-
3	Brentford 3F,2H	4,319	48,289	24	8	3	4	-	-	-	-	-	-	-	-	-	-	-
4	Chiswick H	1,249	29,809	15	4	2	-	-	-	-	-	-	-	-	1	1	-	-
5	Acton w,F,3H	6,132	48,914	27	10	2	4	-	-	-	-	-	-	-	-	-	-	-
127A: 1	Harrow F,H	13,809	25,523	14	6	1	2	-	-	-	-	-	-	-	1	1	-	1
2	Edgware 2F,2H	6,994	4,521	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Hendon W,F	8,382	22,450	14	2	-	1	-	-	-	-	-	-	-	-	-	1	-
127B: 1	Willesden W,F,2H	4,384	114,811	58	25	8	8	-	-	-	-	-	-	1	1	2	3	-
128 : 1	South Mimms 2F,H ..	17,755	7,308	3	4	1	-	-	-	-	-	-	-	-	-	-	1	-
2	Barnet W,2H	3,324	17,970	13	12	1	5	-	-	-	-	-	-	-	-	-	4	-
3	Finchley F,3H	4,638	33,692	13	10	4	4	-	-	-	-	-	-	-	2	2	-	-
129 : 1	Hornsey F,H	2,875	72,056	27	14	-	9	-	-	-	-	-	-	-	1	2	-	-
2	Wood Green H	1,625	34,233	19	12	1	2	-	-	-	1	-	-	-	2	3	1	-
3	West Tottenham	995	48,741	38	15	5	5	-	-	-	-	1	-	-	-	2	-	-
4	East Tottenham 2H ..	2,019	53,962	25	16	3	7	-	-	-	1	-	1	-	1	2	4	-
5	Edmonton W,w,2F	7,491	61,892	32	18	6	4	-	-	-	1	-	-	2	2	3	5	-
6	Enfield 2W,F,H	12,601	42,738	28	13	2	7	-	1	-	-	-	-	-	-	2	2	-
7	Waltham Abbey F	11,017	6,549	2	2	-	-	-	-	-	-	2	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-
135 : 1	Hatfield, *part of** W ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey, *part of** H ..	9,195	7,051	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford, *part of** W,2F ..	138	2,122	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
186 : 1	Stratford H	1,091	52,974	34	14	2	7	-	-	-	-	-	-	-	1	3	1	-
2	Forest Gate	787	52,745	10	8	2	1	-	-	-	-	1	-	-	-	-	-	-
3	Plaistow F,2H	1,249	90,921	52	25	5	5	-	1	1	-	2	1	-	-	1	4	-
4	Canning Town H	1,556	70,718	55	18	7	5	-	-	-	-	3	-	-	-	1	-	-
5	South East Ham 2F ..	1,991	37,342	36	13	3	4	-	-	1	1	-	-	-	-	1	2	-
6	North East Ham w,H ..	1,333	58,666	32	6	2	2	-	-	-	-	-	-	-	1	2	1	-
7	Wanstead F	1,679	9,179	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	33	16	1	10	-	-	-	-	-	-	-	-	-	9	-
9	North Leyton 2W,w,F ..	1,963	48,445	21	32	4	13	-	-	-	1	2	-	-	1	4	21	-
10	Walthamstow 2H,L ..	6,504	108,929	60	21	4	7	-	-	-	-	1	-	-	-	2	-	1
187 : 1	Chigwell 2F,3H	11,778	16,397	11	2	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Epping W,F, *part of** ..	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189 : 1	Romford, *part of** W,2F ..	6,556	6,091	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Ilford F,L	8,496	41,244	22	15	5	5	-	3	-	1	-	-	-	-	-	1	-
3	Barking Town F	3,805	21,547	18	8	3	3	-	-	-	-	-	-	-	-	2	-	-
	Middlesex County Lunatic Asylum, Wandsworth.	—	—	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
	Metropolitan Imbecile Asylum, Darenth.	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Surrey County Lunatic Asylum, Betchworth.	—	—	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
	Essex County Lunatic Asylum, Brentwood	—	—	-	4	-	2	-	-	-	-	-	-	-	-	-	4	-
	Middlesex County Lunatic Asylum, Napsbury.	—	—	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30 : 2, excepting Ashtead parish; 37 : 1, Warlingham and Farley parishes; 39 : 4, excepting Esher parish; 41 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135 : 1, Northaw parish; 137 : 1, excepting the part in Watford Rural parish; 137 : 2, Oxhey parish; 189 : 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42 : 3, 137 : 2 and 187 : 2 and in the Croydon Mental Hospital in 37 : 1 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH-RATE per 1000 living.	DEATHS FROM Small-pox	Measles.	Scarlet Fever	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON - -	4,833,938	December 25	1860	1399	15·1	–	14	6	9	25	2	9
CALCUTTA - -	1,009,008	November 27	–	558	28·7	–	–	–	–	2	117†	68‡
BOMBAY - -	982,000	„ 30	486	638	33·9	3	–	–	–	–	62†	65‡
MADRAS - -	548,974	„ 26	379	296	30·2	–	3	?	?	?	89	31
PARIS - - -	2,760,000	December 18	927	962	18·3	–	4	–	10	3	9	22
BRUSSELS - -	704,975	„ 18	188	210	15·5	–	2	–	5	1	–	13
ANTWERP - -	314,135	„ 18	101	90	14·9	–	4	–	1	1	–	10
AMSTERDAM -	565,553	„ 18	246	157	14·4	–	2	–	1	4	–	3
COPENHAGEN -	451,000	„ 18	237	118	13·6	–	–	2	–	1	1	7
STOCKHOLM -	339,582	„ 11	159	87	13·3	–	1	–	–	1	–	1
CHRISTIANIA -	235,674	„ 18	111	63	13·9	–	1	1	2	–	–	3
ST. PETERSBURG	1,573,000	„ 11	993	646	21·4	13	32	16	23	10	2	48‡
MOSCOW - -	1,452,100	„ 11	–	762	27·4	1	19	55	20	8	12	91‡
BERLIN - -	2,118,629	„ 4	800	611	15·0	–	4	19	14	3	3	31
HAMBURG - -	872,252	„ 18	–	264	15·7	–	2	5	11	–	–	13
BRESLAU - -	502,990	„ 11	–	205	21·3	–	4	1	2	5	–	13
MUNICH - -	566,000	„ 18	–	178	16·4	–	1	1	2	2	–	13
VIENNA - -	2,064,037	„ 18	–	–	–	–	–	–	–	–	–	–
PRAGUE - -	485,057	„ 18	193	158	16·6	–	1	2	1	2	2	8
BUDAPEST - -	823,215	„ 11	391	299	18·9	–	1	5	–	–	4	15
TRIESTE - -	217,706	„ 18	156	105	24·8	–	–	–	–	1	–	1
ROME - - -	574,666	September 18	241	167	15·2	–	–	–	–	–	8§	23
VENICE - -	179,286	November 6	65	64	18·6	–	–	–	1	–	2	7
BUCAREST - -	296,585	„ 6	210	137	24·1	–	–	7	–	–	4	17
NEW YORK -	4,564,792	December 4	3274	1370	15·7	–	3	16	30	3	14	37
CHICAGO - -	2,224,490	„ 4	–	570	13·4	–	2	6	20	4	9	27
PHILADELPHIA -	1,565,569	November 20	–	428	14·2	–	–	3	12	4	5	23
RIO DE JANEIRO	637,089	„ 14	–	210	17·2	–	–	–	–	1	–	?
CAIRO:—												
Egyptians -	669,617	„ 25	515	376	29·2	–	2	–	13	–	7	71
Foreigners -	35,219	„ 25	6	18	26·6	–	–	–	–	–	–	3
ALEXANDRIA:—												
Egyptians -	345,003	„ 25	288	182	27·4	3	–	–	5	–	2	52
Foreigners -	46,118	„ 25	4	25	28·2	1	–	–	–	–	–	4

* Excluding deaths from croup in the Indian Cities.
† Including 5 deaths from plague in Calcutta and 7 in Bombay.
‡ Including 23 deaths from cholera in Calcutta, 3 in Bombay, 2 in St. Petersburg, and 37 in Moscow.
§ Including 3 deaths from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 25th December, 1909.

TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	TOWNS.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	53·2	22·1	38·1	0·46	BRADFORD - -	47·4	18·0	32·8	2·79
BRIGHTON - -	50·1	25·3	39·2	1·24	YORK - - -	45·0	10·0	32·3	1·66
PORTSMOUTH - -	53·5	24·3	40·4	1·56	HULL - - -	48·0	12·0	33·2	1·79
NORWICH - -	51·4	23·0	36·3	1·11	TYNEMOUTH - -	47·0	23·0	33·5	0·98
PLYMOUTH - -	53·0	24·9	41·2	2·11	CARDIFF - - -	51·5	22·0	37·7	1·01
BRISTOL - - -	52·4	21·8	38·3	1·35	EDINBURGH - -	45·2	22·7	32·1	0·36
BIRMINGHAM - -	49·6	22·0	36·2	1·16	GLASGOW - -	44·5	20·6	31·9	0·76
NOTTINGHAM - -	49·0	15·0	33·6	0·99	DUBLIN Phœnix Park	48·0	8·8	33·5	1·18
LIVERPOOL OBSERVATORY	49·0	22·0	36·2	1·77	DUBLIN Fitzwilliam Square†	48·2	19·5	35·8	1·45
MANCHESTER -	46·8	16·9	32·9	1·99					
BURNLEY - -	47·0	10·0	31·1	2·06					
HUDDERSFIELD -	47·2	21·0	33·4	2·12	BELFAST - - -	45·0	19·5	33·8	0·91

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to the seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0°·0 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 25th December, 1909.

[*Under the Superintendence of the Astronomer Royal.*]

1909. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est.	Daily Range.	Mean daily value.	Departure from Average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Depar-ture from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
DECEMBER.		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
SUNDAY - 19	..	28·987	43·0	27·6	15·4	36·4	− 3·1	32·7	3·7	7·4	0·0	87	68·0	15·5	43·60	SW., S. & SSE.	SSW, WSW. & NW.	4·4	0·0	0·3	353	+ 63	0·03	0·8
MONDAY - 20	First Qr. In Eqr.	29·406	36·7	26·5	10·2	31·7	− 7·3	23·1	8·6	10·1	2·6	69	52·3	20·6	43·51	WNW. & WSW.	SW.	2·2	0·0	0·1	322	+ 38	0·00	2·2
TUESDAY - 21	..	29·608	36·3	22·1	14·2	30·3	− 8·4	23·1	7·2	11·8	3·4	73	53·2	14·6	43·08	SW. & calm.	ESE. & E	4·6	0·0	0·1	220	− 58	0·00	2·5
WEDNESDAY 22	..	28·801	53·2	33·4	19·8	48·2	+ 9·8	47·2	1·0	10·8	0·2	96	58·1	31·0	42·65	ESE. & SSW.	SW. & SSW.	5·0	0·0	0·5	479	+206	0·29	5·5
THURSDAY - 23	Perigee	28·914	52·5	48·5	4·0	50·8	+12·6	47·3	3·5	5·9	1·7	88	58·2	44·0	42·50	SW. & SSW.	SW.	9·0	0·0	0·4	436	+166	0·11	3·0
FRIDAY - 24	..	29·445	49·0	30·3	18·7	37·1	− 1·1	35·4	1·7	7·7	0·4	94	47·0	24·0	43·01	NW., W. & WSW.	NNW., W. & SW.	3·1	0·0	0·1	207	− 67	0·00	0·0
SATURDAY - 25	..	29·702	44·6	29·5	15·1	38·7	+ 0·3	33·8	4·9	9·9	0·0	83	57·2	21·9	43·38	SW. & SSW.	WNW, WSW. & SW.	5·5	0·0	0·3	374	+ 93	0·03	4·5
MEANS - -		29·266	45·0	31·1	13·9	39·0	+ 0·4	34·7	4·4	9·1	1·2	84	56·3	24·5	43·10	SW.		..	..	..	Sum 2391	Sum +441	Sum 0·46	2·6
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

DATE. DECEMBER.	Electricity (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
SUNDAY - 19	m. P. generally; s. P. and s. N. at 3h. P.M.	2·5	7·8	Cloudy till 3h. A.M.; very fine interval till 11h. 30m. A.M.; overcast with slight exceptions afterwards; light showers of rain in afternoon and slight fall of snow at 10h. P.M.
MONDAY - 20	m. P. till 6h. A.M.; s. P. afterwards.	6·2	7·8	A very fine cold day; the amount of cloud was usually small. Lunar halo, slight fog, and hoar frost at night.
TUESDAY - 21	s. P. till 8h. P.M.; m. P. afterwards.	4·8	7·8	A cold day; very fine with small amounts of light cloud generally till 5h. P.M.; nearly overcast afterwards; hoar frost in morning. Lunar halo in evening; slight fall of granular snow followed by rain at 11h. P.M.
WEDNESDAY 22	v. N. and v. P. till 6h. A.M.; w. P. afterwards.	0·0	7·7	Generally overcast; frequent rain till evening followed by fine intervals at night; rapid thaw after 2h. 30m. A.M.; a very mild humid day. Lunar halo observed in evening.
THURSDAY - 23	w. P. throughout.	0·2	7·7	Overcast with slight exceptions and very mild; frequent showers of rain; gusty wind between noon and 3h. P.M.
FRIDAY - 24	w. P. generally.	0·0	7·8	Very fine generally; slight fog generally prevalent after 7h. A.M.; hoar frost in morning and at night.
SATURDAY - 25	w. P. generally.	4·4	7·8	Very fine generally with variable amounts of cloud; hoar frost in morning; sharp shower of sleet and rain shortly before 9h. A.M.; hoar frost and lunar halo at night.
		Sum 18·1	Sum 54·4	
No. of Col. - -	27	28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and − "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·31 in. at the beginning of the week to 28·87 in. by 6h. P.M. on the 19th; increased to 29·67 in. by 10h. A.M. on the 21st; decreased to 28·78 in. by 9h. A.M. on the 22nd; increased to 29·83 in. by 9h. P.M. on the 25th; and was 29·76 in. at midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 18th December, 1909.*

BOROUGHS.	Estimated Population in the middle of 1909.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	151,955	-	11	4	-	1	-	-	2	-	-
Kensington	183,683	-	8	1	-	3	-	-	4	-	-
Hammersmith	125,704	-	6	-	-	-	-	-	1	-	-
Fulham	176,406	-	6	4	-	1	-	-	3	1	-
Chelsea	75,249	-	2	-	-	-	-	-	-	-	-
City of Westminster ..	168,883	-	14	6	-	-	-	-	-	-	-
NORTH.											
St. Marylebone	126,027	-	4	1	-	-	-	-	4	-	-
Hampstead	94,185	-	6	3	-	2	-	-	1	-	-
St. Pancras	237,422	-	16	10	-	3	-	-	5	-	-
Islington	351,202	-	13	8	-	2	-	-	2	-	1
Stoke Newington	54,423	-	1	-	-	1	-	-	2	-	-
Hackney	237,601	-	14	3	-	1	-	-	7	1	-
CENTRAL.											
Holborn	53,802	-	1	-	-	-	-	-	-	-	-
Finsbury	95,289	-	3	1	-	-	-	-	-	-	-
City of London	18,193	-	-	1	-	-	-	-	-	-	-
EAST.											
Shoreditch	114,802	-	5	1	-	-	-	-	-	-	-
Bethnal Green	131,316	-	6	1	-	-	-	-	4	-	-
Stepney	312,525	-	13	7	-	-	-	-	9	-	-
Poplar	171,965	-	10	2	-	2	-	-	6	-	-
SOUTH.											
Southwark	211,125	-	8	4	-	1	-	-	4	1	-
Bermondsey	127,569	-	8	5	-	-	-	-	1	-	-
Lambeth	324,188	-	32	8	-	-	-	-	12	-	-
Battersea	186,036	-	8	5	-	1	-	-	3	1	-
Wandsworth	297,646	-	16	6	-	-	-	-	1	-	-
Camberwell	283,022	-	20	4	-	1	-	-	3	-	-
Deptford	118,583	-	8	6	-	-	-	-	2	1	-
Greenwich	111,014	-	16	4	-	-	-	-	-	-	-
Lewisham	160,749	-	17	5	-	1	-	-	3	-	-
Woolwich	133,374	-	13	5	-	-	-	-	-	1	-
Port of London	—	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,833,938	-	285	105	-	20	-	-	80	6	1
Ages 0–1		-	2	1	-	-	-	-	5	-	-
„ 1–5		-	82	32	-	-	-	-	5	-	1
„ 5–		-	124	39	-	2	-	-	3	-	-
„ 10–		-	41	12	-	1	-	-	1	-	-
„ 15–		-	12	10	-	5	-	-	4	-	-
„ 20–		-	9	2	-	2	-	-	2	2	-
„ 25–		-	12	6	-	4	-	-	7	3	-
„ 35–		-	2	2	-	5	-	-	19	1	-
„ 45–		-	1	-	-	1	-	-	17	-	-
„ 55–		-	-	-	-	-	-	-	8	-	-
„ 65 and upwards		-	-	1	-	-	-	-	9	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY DARLING & SON, LTD., 34-40 BACON STREET, E.

1909.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 52. 1909. } WEEK ENDED SATURDAY, JAN. 1ST, 1910. [Price 1½*d.*
VOL. LXX. }

General Register Office, Somerset House,
January 3rd, 1910.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 16·7 per 1000 of their aggregate population, which is estimated † at 16,445,281 persons in the middle of the year 1909. In the preceding three weeks the rates had been 16·6, 15·0, and 15·4. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living were:—from *all causes*, 22·3 in Middlesbrough, 23·2 in Sunderland, 23·3 in Halifax and in Merthyr Tydfil, 24·8 in Huddersfield, 25·1 in Ipswich, 25·8 in Hanley, 27·3 in Barrow in Furness, and 28·0 in Birkenhead; from *measles*, 1·6 in Swansea, 2·1 in Northampton, and 3·4 in Birkenhead; from *diphtheria*, 2·5 in Barrow in Furness and 3·0 in Hanley; and from *whooping-cough*, 1·5 in Walthamstow and in Smethwick, 1·6 in Derby, and 2·3 in Hanley. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2182 BIRTHS and 1502 DEATHS were registered. Allowing for increase of population, the births were 379 above and the deaths 71 below the average numbers in the corresponding

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Workhouse at Hackney, the London Fever Hospital, the Metropolitan Asylums Board Hospitals and Asylums, and the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring. The figures relating to the seventy-five other great towns have been corrected by distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

(15210—41.) Wt. 109—472. 700. 1/10. D & S. G. 31. Sch. 4 3 F

weeks of the previous five years. The annual death-rate from all causes, which had been 16·6, 14·3, and 15·1 per 1000 in the preceding three weeks, was 16·2 last week. The death-rate in the four weeks ended last Saturday averaged 15·6 per 1000, being 1·5 per 1000 below the mean rate in the corresponding periods of the five years 1904–8.

The 1502 deaths included 8 from measles, 8 from scarlet fever, 9 from diphtheria, 33 from whooping-cough, and 8 from diarrhœa; but not one death from small-pox, from typhus, from enteric fever, or from ill-defined pyrexia: thus, to these diseases in the aggregate 66 deaths were referred, being 49 below the corrected average number in the fifty-second week of the preceding five years.

The deaths from *measles*, which had been 14, 15, and 14 in the preceding three weeks, fell to 8 last week, and were 33 below the corrected average; 3 deaths belonged to the Borough of Hackney. The deaths from *scarlet fever*, which had been 4, 5, and 6 in the preceding three weeks, rose to 8 last week, but were 3 below the corrected average; 3 deaths belonged to Woolwich. The deaths from *diphtheria*, which had been 12, 6, and 9 in the preceding three weeks, were again 9 last week, and were 9 below the corrected average. The deaths from *whooping-cough*, which had been 18, 24, and 25 in the preceding three weeks, further rose to 33 last week, and were 11 above corrected average; 6 deaths belonged to Greenwich, 4 each to Shoreditch, Poplar, Southwark, and Deptford. No death from *enteric fever* was registered last week, the numbers in the three preceding weeks having been 1, 2, and 2 and the corrected average 5. The deaths from *diarrhœa*, which had been 12, 10, and 9 in the preceding three weeks, were 8 last week, the corrected average being 17. Of the 8 deaths from diarrhœa, 7 were those of children under 5 years of age; 11 other deaths at this age were certified as due to *enteritis* and 3 to *gastro-enteritis*. The deaths attributed directly to *influenza* numbered 16, having been 30, 16, and 24 in the preceding three weeks.

Different forms of violence caused 58 deaths, concerning all of which inquests were held. Of these 58 deaths, 11 were cases of suicide, and 1 of homicide, while the remaining 46 were attributed to accident or negligence. Seven of these latter were referred to vehicles in the streets, eight to burns or scalds, two to drowning, and eleven, of infants under one year of age, to suffocation in bed. One death occurred while under an anæsthetic administered for surgical purposes.

Cases of Infectious Disease.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 4 cases of small-pox, 2362 of scarlet fever, 912 of diphtheria, and 62 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 1 case, against 1, 1, and 1; of scarlet fever, 244 cases, against 266, 254, and 224; of diphtheria, 85 cases, against 102, 99, and 88; and of enteric fever, 9 cases, against 8, 8, and 8. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended December 25th, 1909.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Greater London.

In Greater London 3370 births and 2108 deaths were registered. Allowing for increase of population, these numbers are 598 above and 137 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is not included in the area of any "great town," 4 deaths from measles, 2 from scarlet fever, 5 from diphtheria, 3 from whooping-cough, and 1 from diarrhœa were registered.

Meteorology.

The mean reading of the Barometer last week at Greenwich was 29·87 inches, and that of the Thermometer 44°·4, the latter being 5°·6 above the week's average in the 65 years ended 1905. The general direction of the wind was South-Westerly, the horizontal movement of the air being 17 per cent above the week's average in the 40 years ended 1906. The duration of registered bright sunshine in the week was 8·3 hours; the measured rainfall amounted to 0·27 of an inch.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 1st January, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1909.*	DEATH-RATES from all Causes. Week ended 11th Dec., 1909.	18th Dec., 1909.	25th Dec., 1909.	1st Jan., 1910.	Rate from Diseases in Cols. 11-17 Week ended 1st January, 1910.	Registered during the Week ended 1st Jan., 1910. BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17	18.	19.	20.	21.	Cols.
76 TOWNS	**16,445,281**	**16·6**	**15·0**	**15·4**	**16·7**	**0·9**	**7744**	**5276**	**1015**	**1845**	**–**	**50**	**34**	**51**	**109**	**16**	**34**	**197**	**498**	**1389**	**54**	**76 TOWNS.**
LONDON	4,833,938	16·6	14·3	15·1	16·2	0·7	2182	1502	247	555	–	8	8	9	33	–	8	58	174	628	–	LONDON,
CROYDON	161,078	9·7	9·4	10·0	11·0	0·6	60	34	6	19	–	–	1	1	–	–	–	–	4	5	–	CROYDON.
WILLESDEN ..	160,424	8·5	10·1	8·5	9·1	–	73	28	4	9	–	–	–	–	–	–	–	–	2	6	–	WILLESDEN.
HORNSEY	95,628	7·1	12·0	7·6	8·2	–	29	15	–	10	–	–	–	–	–	–	–	–	3	1	–	HORNSEY.
TOTTENHAM ..	129,464	14·1	11·7	12·1	13·7	–	74	34	9	8	–	–	–	–	–	–	–	1	7	8	–	TOTTENHAM.
WEST HAM ..	321,767	13·3	11·0	12·5	13·0	1·1	156	80	21	21	–	1	–	3	2	–	1	4	6	21	1	WEST HAM.
EAST HAM.. ..	149,575	8·4	11·2	9·8	8·0	0·7	58	23	5	9	–	–	–	1	–	–	1	3	5	7	–	EAST HAM.
LEYTON	129,614	10·5	7·6	10·1	8·0	0·8	41	20	2	9	–	–	–	1	1	–	–	–	1	4	–	LEYTON.
WALTHAMSTOW	136,602	13·4	12·2	9·9	12·2	1·9	60	32	7	8	–	1	–	–	4	–	–	1	4	6	–	WALTHAMSTOW.
HASTINGS	68,165	13·0	11·5	10·7	11·5	0·8	15	15	3	6	–	–	–	–	–	–	1	1	1	1	–	HASTINGS.
BRIGHTON	130,926	17·1	17·5	14·3	21·1	0·8	43	53	5	24	–	–	–	–	2	–	–	2	3	20	–	BRIGHTON.
PORTSMOUTH ..	214,726	16·0	13·4	10·9	15·3	0·7	111	63	17	21	–	–	–	1	1	1	–	2	8	10	–	PORTSMOUTH.
BOURNEMOUTH ..	72,368	18·7	10·8	20·2	10·1	0·7	20	14	–	8	–	1	–	–	–	–	–	–	1	3	–	BOURNEMOUTH.
SOUTHAMPTON ..	124,667	19·7	13·0	13·4	13·4	0·4	54	32	5	14	–	–	–	–	–	1	–	1	3	10	–	SOUTHAMPTON.
READING	82,995	12·6	13·8	12·6	15·7	0·6	32	25	4	10	–	1	–	–	–	–	–	–	–	7	1	READING.
NORTHAMPTON ..	97,752	12·3	11·2	17·1	19·7	2·1	28	37	8	14	–	4	–	–	–	–	–	1	1	4	–	NORTHAMPTON.
IPSWICH	74,889	24·4	20·2	12·5	25·1	1·4	34	36	6	16	–	–	–	1	1	–	–	–	2	4	–	IPSWICH.
GREAT YARMOUTH	53,430	18·5	13·7	18·5	15·6	–	32	16	1	8	–	–	–	–	–	–	–	–	2	3	–	GREAT YARMOUTH.
NORWICH	124,136	14·7	16·8	19·3	10·9	0·4	51	26	7	12	–	–	–	–	–	–	1	–	1	1	–	NORWICH.
PLYMOUTH	124,180	13·0	17·6	16·8	19·7	2·1	46	47	11	15	–	–	–	1	2	1	1	1	3	11	–	PLYMOUTH.
DEVONPORT	83,103	16·3	11·3	9·4	14·4	–	43	23	3	10	–	–	–	–	–	–	–	–	1	3	–	DEVONPORT.
BRISTOL	377,642	14·9	11·9	14·8	14·5	0·4	154	105	16	43	–	1	–	–	1	–	1	6	11	20	–	BRISTOL.
HANLEY	68,831	18·2	24·2	29·5	25·8	6·1	32	34	5	9	–	–	–	4	3	1	–	1	1	6	–	HANLEY.
BURTON-ON-TRENT	54,453	19·2	10·5	10·5	13·4	1·0	20	14	1	5	–	–	–	1	–	–	–	2	2	5	–	BURTON-ON-TRENT.
WOLVERHAMPTON..	104,633	14·0	17·9	15·0	14·5	1·5	62	29	8	10	–	–	1	–	1	–	1	4	6	6	–	WOLVERHAMPTON
WALSALL	99,399	11·0	11·5	13·1	20·5	0·5	49	39	9	13	–	1	–	–	–	–	–	–	3	5	–	WALSALL.
HANDSWORTH ..	70,186	8·2	11·1	11·9	4·5	0·7	19	6	–	1	–	–	–	–	1	–	–	1	1	–	1	HANDSWORTH.
WEST BROMWICH..	70,457	18·5	17·8	17·8	13·3	2·2	41	18	5	5	–	–	1	–	1	–	1	1	3	7	–	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 1st January, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1909.*	Death-Rates from all Causes. Week ended 11th Dec., 1909.	18th Dec., 1909.	25th Dec., 1909.	1st Jan., 1910.	Rate from Diseases in Cols. 11-17. Week ended 1st January, 1910.	Registered during the Week ended 1st Jan. 1910. Births.	Deaths.	The Deaths registered in the Week include. Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18	19.	20.	21.	Cols.
BIRMINGHAM ..	563,629	17·4	16·0	15·8	15·0	0·7	264	162	29	51	-	-	3	1	3	1	-	6	9	33	8	BIRMINGHAM.
KINGS NORTON ..	81,632	6·4	5·1	7·7	7·0	-	31	11	2	9	-	-	-	-	-	-	-	-	-	1	-	KINGS NORTON.
SMETHWICK	70,377	8·2	10·4	8·9	13·3	2·2	36	18	5	5	-	-	-	1	2	-	-	1	1	1	-	SMETHWICK.
ASTON MANOR ..	85,257	13·5	11·0	14·1	12·8	-	40	21	4	11	-	-	-	-	-	-	-	1	1	4	-	ASTON MANOR.
COVENTRY	80,163	25·4	17·6	15·6	16·9	1·3	51	26	4	6	-	-	1	-	1	-	-	-	-	5	2	COVENTRY.
LEICESTER	244,255	15·8	14·3	14·3	17·9	1·1	116	84	22	28	-	-	-	-	4	-	1	1	4	13	-	LEICESTER.
GRIMSBY	73,036	12·1	12·9	10·0	17·8	1·4	41	25	5	11	-	-	-	-	1	1	-	-	5	1	-	GRIMSBY.
NOTTINGHAM ..	263,443	18·4	18·4	17·2	21·2	0 2	122	107	13	43	-	-	-	-	-	1	-	3	7	29	-	NOTTINGHAM.
DERBY	129,411	14·5	11·7	11·3	21·4	1·6	56	53	8	15	-	-	-	-	4	-	-	2	5	9	-	DERBY.
STOCKPORT	103,706	15·1	19·6	19·1	21·1	1·0	52	42	9	10	-	2	-	-	-	-	-	2	7	8	1	STOCKPORT.
BIRKENHEAD ..	121,123	19·4	15·1	15·1	28·0	4·3	69	65	15	15	-	8	1	-	1	-	-	2	9	8	-	BIRKENHEAD.
WALLASEY	71,004	10·3	14·7	14·0	18·4	1·5	36	25	9	9	-	2	-	-	-	-	-	-	-	5	-	WALLASEY.
LIVERPOOL	760,357	22·4	17·8	18·7	21·4	1·5	474	312	52	97	-	2	2	6	11	-	1	17	28	95	9	LIVERPOOL.
BOOTLE	69,393	16·5	12·8	15·8	16·5	1·5	32	22	2	7	-	-	-	-	1	-	1	1	2	1	2	BOOTLE.
ST. HELENS	95,161	21·4	20·8	18·6	14·8	-	49	27	8	3	-	-	-	-	-	-	-	1	1	6	1	ST. HELENS.
WIGAN	90,678	23·0	15·5	27·0	19·6	1·2	40	34	13	11	-	-	-	-	2	-	-	2	5	2	-	WIGAN.
WARRINGTON ..	72,276	18·8	15·9	18·8	12·3	-	44	17	3	5	-	-	-	-	-	-	-	1	1	5	1	WARRINGTON.
BOLTON	187,824	19·7	18·9	14·7	16·7	0·3	81	60	12	21	-	-	1	-	-	-	-	1	2	5	-	BOLTON.
BURY	59,234	14·1	18·5	24·6	7·0	-	17	8	2	2	-	-	-	-	-	-	-	-	-	2	-	BURY.
MANCHESTER ..	655,435	17·8	18·9	16·5	18·6	1·1	316	234	45	66	-	5	3	1	2	1	2	10	26	69	1	MANCHESTER.
SALFORD	241,950	19·4	19·2	17·7	21·8	2·4	112	101	14	39	-	1	3	4	2	-	1	9	12	28	-	SALFORD.
OLDHAM	143,301	19·6	22·2	22·2	18·6	0·4	70	51	13	17	-	-	-	-	-	-	1	2	4	5	-	OLDHAM.
ROCHDALE	89,653	12·2	11·6	19·8	20·9	0·6	39	36	4	16	-	-	-	-	1	-	-	-	2	4	3	ROCHDALE.
BURNLEY	106,267	17·7	22·6	22·1	21·6	1·0	44	44	10	12	-	2	-	-	-	-	-	2	5	6	-	BURNLEY.
BLACKBURN	136,959	14·8	20·9	20·2	15·6	0·4	54	41	6	21	-	-	-	-	-	1	-	1	1	12	-	BLACKBURN.
PRESTON	118,519	22·9	17·2	19·8	17·6	0·9	63	40	5	18	-	-	-	-	1	1	-	1	1	6	1	PRESTON.
BARROW-IN-FURNESS.	62,996	24·8	13·2	14·1	27·3	3·3	34	33	6	6	-	-	-	3	1	-	-	1	1	3	2	BARROW-IN-FURNESS.

* See note † on first page of this return.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 1st January, 1910, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Population estimated to the middle of the Year 1909.*	Death-Rates from all Causes. Week ended 11th Dec., 1909.	18th Dec., 1909.	25th Dec., 1909.	1st Jan., 1910.	Rate from Diseases in Cols 11-17. Week ended 1st January, 1910.	Registered during the Week ended 1st Jan. 1910. Births.	Deaths.	The Deaths registered in the Week include: Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unclassified Causes of Death.	TOWNS.
Cols.	1.	2.	3.	4.	5	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDERSFIELD ..	94,739	20·9	14·3	20·4	24·8	0·6	31	45	7	22	-	-	1	-	-	-	-	1	3	10	1	HUDDERSFIELD.
HALIFAX	111,911	20·5	17·7	17·7	23·3	1·4	42	50	5	22	-	-	1	1	1	-	-	2	4	10	2	HALIFAX.
BRADFORD	293,983	17·4	14·7	14·2	18·8	0·9	101	106	21	55	-	1	2	1	-	1	-	1	8	18	-	BRADFORD.
LEEDS	484,012	16·6	13·8	14·0	17·5	0·6	208	162	29	63	-	2	-	1	1	-	2	8	25	34	-	LEEDS.
SHEFFIELD	470,958	13·1	13·8	13·1	14·4	0·4	234	130	27	43	-	-	-	1	1	1	1	4	8	28	7	SHEFFIELD.
ROTHERHAM.. ..	65,070	14·4	14·4	18·4	21·6	0·8	41	27	8	8	-	-	-	-	-	1	-	2	3	3	1	ROTHERHAM.
YORK	87,004	9·6	8·4	12·6	17·4	-	51	29	6	13	-	-	-	-	-	-	-	-	3	4	-	YORK.
HULL	275,552	17·6	16·3	15·9	19·7	0·9	166	104	26	23	-	-	-	4	1	-	-	6	9	19	1	HULL.
MIDDLESBROUGH ..	105,255	17·8	16·3	25·8	22·3	2·0	50	45	11	9	-	-	-	2	1	1	-	2	3	9	-	MIDDLESBROUGH.
STOCKTON-ON-TEES	53,417	12·7	14·6	11·7	13·7	2·0	24	14	-	4	-	-	-	-	-	-	2	1	1	3	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL	79,686	15·1	9·2	11·8	12·4	2·0	32	19	4	3	-	-	-	-	2	1	-	1	2	4	-	WEST HARTLEPOOL.
SUNDERLAND ..	159,378	23·6	20·6	18·6	23·2	2·3	68	71	18	25	-	1	2	1	3	-	-	1	4	17	5	SUNDERLAND.
SOUTH SHIELDS ..	117,627	17·7	16·4	13·7	13·7	1·8	58	31	9	6	-	-	2	-	1	-	1	1	2	8	1	SOUTH SHIELDS.
GATESHEAD	131,024	12·3	14·7	15·5	16 7	1·6	59	42	11	15	-	-	-	-	2	-	2	1	2	5	-	GATESHEAD.
NEWCASTLE-ON-TYNE.	281,584	19·1	13·1	15·0	14·3	0·6	146	77	19	29	-	-	-	1	1	1	-	3	6	10	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH ..	55,808	21·5	19·6	18·7	17·8	0·9	30	19	5	5	-	-	1	-	-	-	-	1	1	5	-	TYNEMOUTH.
NEWPORT (MON.) ..	78,336	21·3	17·3	16·6	16·6	-	39	25	5	5	-	-	-	-	-	-	-	-	4	3	-	NEWPORT (MON.).
CARDIFF	195,303	15·2	11·5	15·2	17·6	0·8	115	66	18	27	-	-	-	-	2	-	1	3	6	12	-	CARDIFF.
RHONDDA	135,894	21·9	16·1	15·0	15 7	1·5	116	41	15	9	-	2	-	-	1	-	1	1	3	-	-	RHONDDA.
MERTHYR TYDFIL..	78,365	18·6	18·6	24·0	23·3	1·3	58	35	17	5	-	1	-	-	-	-	1	1	1	5	1	MERTHYR TYDFIL.
SWANSEA	98,308	22·8	29·2	29·2	20·7	2·7	73	39	19	8	-	3	-	-	2	-	-	-	2	4	1	SWANSEA.
GREATER LONDON	7,429,740	14·8	13·4	13 6	14·8	0·7	3370	2108	364	789	-	14	11	20	43	-	11	74	227	748	4	GREATER LONDON.
OUTER RING ..	2,595,802	11·5	11·7	10·7	12·2	0·7	1188	606	117	234	-	6	3	11	10	-	3	16	53	120	4	OUTER RING.
8 TOWNS IN OUTER RING.	1,284,152	11·0	10·6	10·4	10·8	0·7	551	266	54	93	-	2	1	6	7	-	2	9	32	53	1	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,311,650	12·0	12·6	11·1	13·5	0·6	637	340	63	141	-	4	2	5	3	-	1	7	21	62	3	REMAINDER OF OUTER RING.
EDINBURGH	355,366	17·5	17·2	16·3	15·8	1·9	106	108‡	18	41	-	13	-	-	-	-	-	4	?	37	-	EDINBURGH.
GLASGOW	872,021	31·6	23·0	21·5	20·7	3·8	413	347	73	79	-	49	3	4	3	1	3	14	?	99	6	GLASGOW.
DUBLIN (Registration Area).†	398,356	22·0	19·4	19·6	25·9	1·3	232	198	49	56	-	-	2	1	1	2	4	1	5	79	10	DUBLIN (Registration Area).†
BELFAST†	386,576	29·4	23·9	18·4	25·9	2·0	215	192	48	45	-	-	-	1	13	-	1	3	8	36	1	BELFAST†

* See note † on first page of this return.

† Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast respectively.
‡ Including 1 death from Cerebro-Spinal meningitis.

TABLE 2. LONDON.—**Births** and **Deaths** Registered in the FIFTY-SECOND Week of each of the Eleven Years, 1899–1909.

	1899	1900	1901	1902	1903	1904	1905	1906	1907	1908	Corrected Weekly Average in 5 Years 1904–1908.*	1909
TOTAL **Births** -	1880	1591	1668	1651	2828	2320	1807	1694	1548	1438	1803·2	2182
Males - - -	950	842	881	868	1454	1200	937	871	824	703	928·5	1137
Females - -	930	749	787	783	1374	1120	870	823	724	735	874·7	1045
TOTAL **Deaths** -	3067	1466	1791	1458	1866	1868	1602	1850	1326	1038	1573·3	1502
Males - - -	1485	751	918	735	957	939	796	909	689	515	787·9	773
Females - -	1582	715	873	723	909	929	806	941	637	523	785·4	729

* The numbers in this column are the average weekly numbers in the Fifty-Second week of the five years 1904-1908, raised by 2·375 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Oct. 9.	Oct. 16.	Oct. 23.	Oct. 30.	Nov. 6.	Nov. 13.	Nov. 20.	Nov. 27.	Dec. 4.	Dec. 11.	Dec. 18.	Dec. 25.	1910. Jan. 1.	13 Weeks.
TOTAL **Births** -	2292	2243	2221	2087	2361	2291	2173	2195	1933	2207	2105	1860	2182	28150
TOTAL **Deaths** -	1127	1114	1067	1107	1246	1284	1363	1442	1484	1540	1330	1399	1502	17005
Ages at Death: Under 1 year -	273	276	266	260	277	264	269	276	214	247	241	234	247	3344
Ages at Death: 1—5 years -	98	98	98	100	82	105	109	130	120	115	95	107	114	1371
Ages at Death: 5—20 " -	50	54	62	49	67	65	85	59	63	70	61	61	86	832
Ages at Death: 20—40 " -	129	140	134	145	157	165	164	154	167	181	146	168	177	2027
Ages at Death: 40—60 " -	260	228	213	231	277	247	284	300	346	361	292	304	323	3666
Ages at Death: 60 yrs. & upwds.	317	318	294	322	586	438	452	523	574	566	495	525	555	5765
Deaths from—														
Small-pox† - -	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Measles - - -	6	10	7	9	5	8	12	12	16	14	15	14	8	136
Scarlet Fever - -	10	10	3	5	6	8	3	7	11	4	5	6	8	86
Diphtheria - -	4	10	9	15	13	9	13	17	6	12	6	9	9	132
Whooping-cough -	21	9	8	7	12	16	20	25	23	18	24	25	33	241
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	2	7	5	3	7	2	1	2	5	1	2	2	-	39
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery	60	48	34	28	34	16	24	15	14	12	10	9	8	312
All above diseases -	104	94	66	67	77	59	73	78	75	61	62	65	66	947
Dis. of Resp. System	73	64	63	79	120	137	149	207	211	194	167	160	196	1820
Pneumonia - -	113	103	111	114	110	151	134	180	221	223	175	162	164	1961
Phthisis - - -	103	98	100	120	148	135	132	123	138	156	116	148	152	1669
Dis. of Circ. System -	147	151	158	170	175	166	199	206	202	219	201	208	231	2433
Violence - - -	35	47	43	31	45	59	51	61	58	49	49	60	58	646
Inquest Cases - -	108	109	106	102	119	135	134	153	144	154	150	158	174	1746
Deaths in Institutions	513	479	486	476	529	531	572	558	611	691	535	589	628	7248
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - - -	55·8	56·4	55·7	41·9	47·1	42·3	38·7	37·0	44·6	38·6	38·4	39·0	44·4	44·6
Mean of Highest -	64·6	63·3	62·1	47·9	53·0	48·8	43·5	41·9	50·1	43·0	40·7	45·0	49·7	50·3
Mean of Lowest -	47·5	49·8	50·1	34·9	41·4	34·8	34·0	31·6	40·1	33·3	35·8	31·1	37·8	38·6
Mean Humidity of the Air.	81	84	88	86	90	82	85	86	85	91	89	84	87	86
Rain-fall (in inches) -	1·01	0·59	0·46	1·87	0·15	0·03	0·28	0·01	1·40	0·36	0·43	0·46	0·27	7·32
Registered Sunshine (in hours).	33·7	22·5	16·7	13·9	20·1	22·2	14·0	14·7	13·2	16·7	0·4	18·1	8·3	214·5
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	-	2	2	2	3	4	5	4	3	3	4	4	4	3
Scarlet Fever - -	2745	2810	2799	2743	2716	2624	2606	2518	2488	2475	2403	2361	2362	2538
Diphtheria - - -	928	955	991	961	1002	972	949	948	952	946	938	917	912	952
Typhus - - -	-	-	-	1	1	1	-	-	-	-	-	-	-	-
Enteric Fever - -	82	85	87	79	82	79	74	71	67	70	67	68	62	75

* The Metropolitan Asylums Board and London Fever Hospitals.
† *See* note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(*See* TABLE **8.**) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office :—The Astronomer Royal, Greenwich ; D. Forbes, Esq., M.D., Brighton ; A. Mearns Fraser, Esq., M.D., Portsmouth ; A. W. Preston, Esq., F.R.Met.Soc., Norwich ; H. Victor Prigg, Esq., A.M.I.C.E., F.R.Met.Soc., Plymouth ; R. C. Cann Lippincott, Esq., F.R.Met.Soc., Bristol ; A. Cresswell, Esq., Edgbaston, Birmingham ; Arthur Brown, Esq., M.Inst. C.E., F.R.Met.Soc., and P. Boobbyer, Esq., M.D., Nottingham ; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool ; F. Gore, Esq., Prestwich, Manchester ; Thos. Holt, Esq., M.D., Burnley ; J. Firth, Esq., Huddersfield ; H. Lander, Esq., Bradford ; Oxley Grabham, Esq., M.A., York ; H. B. Witty, Esq. F.R.Met.Soc., Hull ; the Meteorological Committee, Tynemouth ; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the FIFTY-SECOND Week of the Year 1909.

The terms printed in italics being the names of symptoms merely, or being unauthorised or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 52nd week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1573·3	1502	247	114	86	177	323	555
Small-pox*	-	-	-	-	-	-	-	-
Cowpox	-	-	-	-	-	-	-	-
Measles (Morbilli)	41·2	8	-	6	2	-	-	-
Scarlet Fever	10·6	8	1	4	3	-	-	-
Typhus	-	-	-	-	-	-	-	-
Plague	0·2	-	-	-	-	-	-	-
Influenza	22·3	16	-	1	1	-	4	10
Whooping-cough	22·3	33	14	17	2	-	-	-
Diphtheria	18·4	9	-	4	5	-	-	-
Cerebro-spinal Fever ..	0·4	-	-	-	-	-	-	-
Pyrexia† (origin uncertain)	-	-	-	-	-	-	-	-
Enteric Fever	5·3	-	-	-	-	-	-	-
Asiatic Cholera	-	-	-	-	-	-	-	-
Epidemic Diarrhœa, Infective Enteritis	6·1	-	-	-	-	-	-	-
Diarrhœa, Dysentery ..	11·1	8	6	1	-	-	1	-
Tetanus	-	1	-	-	-	-	1	-
Rabies, Hydrophobia ..	-	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-
Anthrax (Splenic Fever)..	-	-	-	-	-	-	-	-
Venereal Dis.	5·9	8	5	-	-	1	1	1
Puerperal Septicæmia ..	3·9	5	-	-	-	5	-	-
Puerperal Pyæmia.. .	0·4	-	-	-	-	-	-	-
Puerperal Fever	0·2	-	-	-	-	-	-	-
Infective Endocarditis ..	2·3	4	-	-	1	3	-	-
Pneumonia: Lobar ..	13·7	25	-	2	-	6	10	7
Pneumonia: Broncho ..	97·7	66	25	19	1	1	10	10
Pneumonia: Epidemic ..	-	-	-	-	-	-	-	-
Pneumonia: Not defined	68·4	73	9	9	5	14	15	21
Erysipelas	5·1	4	1	-	-	-	1	2
Septicæmia (not Puerperal) ..	1·2	8	-	1	2	2	1	2
Pyæmia (not Puerperal)	0·8	2	-	-	-	-	1	1
Other Infective Processes	6·6	4	-	-	-	1	2	1
Tuberculous Phthisis ..	93·0	107	-	1	10	40	46	10
"*Phthisis*"	61·4	45	-	-	7	18	15	5
Tuberculous Meningitis ..	19·2	19	3	11	2	3	-	-
Tuberculous Peritonitis ..	7·2	5	2	1	-	2	-	-
Tabes Mesenterica	3·3	-	-	-	-	-	-	-
Tuberculous Dis., Other ..	13·7	17	-	2	4	7	3	1
Scrofula..	0·2	-	-	-	-	-	-	-
Alcoholism	12·1	8	-	-	-	2	5	1
Rheumatic Fever	4·7	6	-	-	4	-	2	-
Gout	2·5	3	-	-	-	-	-	3
Carcinoma	56·5	56	-	-	-	2	22	32
Sarcoma	4·9	2	-	-	-	-	1	1
Cancer (undefined) ..	29·7	38	-	-	-	2	14	22
Diabetes Mellitus	7·8	9	-	-	1	1	4	3
Premature Birth	47·3	46	46	-	-	-	-	-

CAUSES OF DEATH.	Corrected Average for the 52nd week of the 5 years 1904-1908.	1909—Deaths of Persons of the Ages: All Ages.	Under 20. 0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
Meningitis (not tuberc.)..	12·5	16	8	6	1	-	1	-
Gen. Par. of Insane, Insanity	16·0	18	-	-	-	5	5	8
Epilepsy	7·6	8	-	1	1	1	3	2
Convulsions	17·6	15	13	2	-	-	-	-
Locomotor Ataxy.. ..	0·8	4	-	-	-	-	3	1
Paraplegia, Dis. of Cord.	6·8	2	-	-	-	-	-	2
Nervous Sys., Other Dis.	19·9	24	-	1	3	2	7	11
Valv. Dis., Endocarditis..	52·0	49	-	-	5	8	20	16
Cereb. Hæm. Cereb. Emb.	40·1	56	-	-	-	1	13	42
Apoplexy, Hemiplegia ..	13·5	14	-	-	-	-	3	11
Aneurysm	3·7	7	-	-	-	1	4	2
Embolism, Thrombosis (not Cerebral) ..	0·6	1	-	-	-	-	1	-
Heart & Blood Ves., Other Dis... ..	90·7	104	-	-	7	5	27	65
Croup (not Spasm: nor Memb.)	0·2	-	-	-	-	-	-	-
Bronchitis	211·7	165	20	5	-	5	26	109
Emphysema, Asthma ..	5·3	7	-	-	-	1	2	4
Pleurisy	4·3	4	-	-	-	1	1	2
Respiratory Dis., Other..	13·7	20	3	3	-	3	6	5
Tonsillitis, Quinsy.. ..	1·4	2	-	-	-	-	1	1
Enteritis (not Epid.) ..	11·7	16	8	3	-	1	1	3
Gastro-enteritis	4·9	4	3	-	-	-	-	1
Peritonitis (not Puerp.) ..	1·6	2	-	-	2	-	-	-
Cirrhosis of Liver.. ..	12·7	11	-	-	-	1	5	5
Liver Dis., Other	5·5	8	-	-	-	1	2	5
Digestive Sys., Other Dis.	34·2	36	5	-	4	3	10	14
Acute Nephritis	7·8	7	1	-	1	1	1	3
Bright's Dis., Albuminuria	38·9	27	-	-	2	2	9	14
Urinary Sys., Other Dis.	9·2	10	-	-	-	1	1	8
Generative Organs Dis...	4·5	2	-	-	-	-	2	-
Childbirth (Accid. of) ..	3·7	5	-	-	1	4	-	-
Old Age	65·7	68	-	-	-	-	-	68
Other Diseases	80·5	89	58	8	5	5	3	10
ACCIDENT.								
By Railways	1·0	3	-	-	-	2	1	-
By Vehicles and Horses..	6·1	7	-	1	2	1	2	1
In Ships, Boats, Docks, (exclusive of Drowning)	0·4	-	-	-	-	-	-	-
In Building Operations..	0·6	2	-	-	-	1	1	-
In Conflagrations	0·4	-	-	-	-	-	-	-
By Burns, Scalds, Explosions	8·8	8	1	5	-	1	-	1
By Drowning	4·1	2	-	-	-	1	-	1
By Suffocation in Bed ..	14·5	11	11	-	-	-	-	-
By Poisons or Poisonous Vapours	0·8	3	-	-	1	2	-	-
Other Deaths by Accident..	20·5	10	3	-	1	1	1	4
VIOLENCE OTHER THAN ACCIDENTAL.								
Homicide	0·8	1	1	-	-	-	-	-
Suicide	8·4	11	-	-	-	6	2	3
Execution	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON.*—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday 1st January, 1910.

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia† (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified causes of Death.
LONDON	4,536,267	2182	1502	247	555	-	8	8	9	33	-	-	-	8	58	174	628	-
WEST DISTRICTS	805,311	304	256	35	107	-	1	-	1	1	-	-	-	-	11	28	122	-
NORTH DISTRICTS	1,055,908	493	315	45	125	-	3	-	2	5	-	-	-	2	10	34	114	-
CENTRAL DISTRICTS	209,465	91	70	9	18	-	-	-	1	2	-	-	-	-	5	13	39	-
EAST DISTRICTS	715,739	408	237	59	70	-	1	-	1	7	-	-	-	3	13	40	103	-
SOUTH DISTRICTS	1,749,844	886	568	99	210	-	3	8	4	17	-	-	-	2	19	59	194	-
METROPOLITAN WORKHOUSES, HOSPITALS, AND ASYLUMS OUTSIDE REGISTRATION LONDON*	—	-	56	-	25	-	-	-	-	1	-	-	-	1	-	-	56	-
WEST DISTRICTS.																		
North Paddington *H*	63,603	34	13	1	9	-	-	-	-	-	-	-	-	-	-	3	1	-
Central Paddington *W,3H*	50,053	18	24	3	13	-	-	-	-	-	-	-	-	-	-	3	12	-
South Paddington	30,320	2	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town *2W,w,2H* ..	128,037	47	58	12	22	-	1	-	-	1	-	-	-	-	1	2	38	-
Brompton *2H*	48,591	7	10	1	4	-	-	-	-	-	-	-	-	-	1	1	1	-
North Hammersmith *2W,w,H* ..	49,192	28	18	5	8	-	-	-	-	-	-	-	-	-	2	3	4	-
South Hammersmith *w,2H* ..	63,047	26	18	4	5	-	-	-	-	-	-	-	-	-	2	5	6	-
North-west Fulham *W*	45,180	33	8	-	4	-	-	-	-	-	-	-	-	-	-	-	6	-
North-east Fulham *F*	46,405	12	8	-	4	-	-	-	1	-	-	-	-	-	-	-	1	-
South Fulham *W*	45,704	22	8	2	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Chelsea North *W,w,3H*	42,514	10	39	1	24	-	-	-	-	-	-	-	-	-	-	2	31	-
Chelsea South *W,2H*	31,328	14	8	1	2	-	-	-	-	-	-	-	-	-	-	1	2	-
Mayfair and Knightsbridge	28,743	2	4	-	1	-	-	-	-	-	-	-	-	-	1	2	-	-
Belgrave *W,2H*	55,815	24	21	3	2	-	-	-	-	-	-	-	-	-	4	4	13	-
St. Margaret & St. John *6H*	43,698	13	12	2	4	-	-	-	-	-	-	-	-	-	-	1	6	-
St. James and St. Anne *W,6H* ..	33,081	12	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
NORTH DISTRICTS.																		
All Souls Marylebone *7H*	35,391	14	13	3	3	-	-	-	-	-	-	-	-	-	2	3	9	-
St. Mary Marylebone *W,4H* ..	37,948	48	11	1	7	-	-	-	-	-	-	-	-	-	-	1	4	-
Christchurch Marylebone	39,536	12	6	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
St. John Marylebone *2H*	20,426	5	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead *W,F,6H*	81,942	30	20	3	8	-	-	-	1	-	-	-	-	1	-	2	8	-
West St. Pancras *2H*	60,562	20	11	6	4	-	-	-	-	-	-	-	-	1	-	-	1	-
South St. Pancras *w,10H*	55,707	15	20	2	4	-	-	-	-	-	-	-	-	-	1	1	14	-
East St. Pancras *W,H*	60,320	29	27	2	14	-	-	-	-	1	-	-	-	-	1	3	9	-
North St. Pancras *2W*	58,728	22	19	1	6	-	-	-	-	-	-	-	-	-	-	1	7	-
Tufnell *W*	31,995	15	16	1	7	-	-	-	-	-	-	-	-	-	-	2	13	-
Upper Holloway *2W,w,H*	33,978	15	25	4	11	-	-	-	-	1	-	-	-	-	1	2	16	-
Tollington *W,w,H*	33,922	14	9	-	6	-	-	-	-	-	-	-	-	-	-	1	1	-
Lower Holloway	41,424	12	10	2	3	-	-	-	-	1	-	-	-	-	-	1	-	-
Barnsbury	54,478	30	21	7	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Islington South-east *F*	75,397	40	12	3	4	-	-	-	-	-	-	-	-	-	1	2	-	-
Highbury *2H*	63,797	25	10	-	8	-	-	-	-	-	-	-	-	-	-	1	-	-
Stoke Newington *H*	51,247	17	11	1	6	-	-	-	-	-	-	-	-	-	1	2	-	-
North Hackney	50,398	15	9	-	5	-	-	-	-	-	-	-	-	-	-	1	-	-
Central Hackney *w,F*	50,536	22	13	1	4	-	-	-	1	1	-	-	-	-	1	4	3	-
South-west Hackney *3H*	59,921	49	19	5	5	-	-	-	-	1	-	-	-	-	-	1	8	-
South-east Hackney *2W,H*	58,255	35	28	2	11	-	3	-	-	-	-	-	-	-	2	6	20	-
Hackney Union Workhouse, Brentwood	—	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of the same kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 1st January, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
St. Giles and Bloomsbury 2*W*,2*H* ..	31,436	19	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Strand *W*,4*H*	21,674	5	11	1	3	–	–	–	–	–	–	–	–	–	1	2	10	–
Strand Union Workhouse, Edmonton	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Holborn *W*,5*H*	29,612	3	13	3	–	–	–	–	–	–	–	–	–	–	–	–	11	–
Clerkenwell *H*	63,704	29	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
St. Luke 3*H*,*L*	36,116	31	10	2	6	–		–	–	–	–	–	–	–	2	4	–	–
Holborn Union Workhouse, Mitcham	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
St. Botolph *H*	10,299	2	4	–	2	–	–	–	–	–	–	–	–	–	–	1	–	–
St. Sepulchre and Allhallows *W*,2*H*	16,624	2	21	1	4	–	–	–	1	2	–	–	–	–	2	5	14	–
City of London Asylum, Stone	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	2	–
EAST DISTRICTS.																		
Shoreditch South 3*H*	46,362	15	11	4	2	–	–	–	–	1	–	–	–	–	–	3	1	–
Shoreditch North-West *W*,*w*,*H* ..	36,127	16	25	1	14	–	–	–	–	–	–	–	–	–	1	3	18	–
Shoreditch North-East	36,148	11	3	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Shoreditch Union Workhouse, Wood Green	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bethnal Green North-East 2*W*, 2*H*,*L*	65,138	31	29	7	8	–	–	–	–	–	–	–	–	–	–	4	17	–
Bethnal Green South-West *H* ..	64,542	41	14	2	4	–	–	–	–	–	–	–	–	–	–	3	–	–
Spitalfields..	27,969	15	4	1	2	–	–	–	–	–	–	–	–	–	–	1	–	–
Mile End New Town *W*,*H*	28,718	20	31	7	4	–	–	–	–	–	–	–	–	–	1	4	28	–
Goodman's Fields	22,081	4	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
St. George and St. John 2*W* ..	49,068	27	12	4	3	–	–	–	–	–	–	–	–	–	–	2	4	–
Shadwell and Ratcliff *w*,*H* ..	25,568	18	12	6	1	–	–	–	–	2	–	–	–	–	–	1	5	–
Limehouse *W*	32,369	17	9	2	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Mile End Old Town South-Western *H*	63,698	68	14	6	1	–	–	–	–	–	–	–	–	1	2	6	–	–
Mile End Old Town North-Eastern *W*,*w*	49,129	17	21	4	8	–	–	–	–	–	–	–	–	1	1	2	12	–
Bow	41,989	21	10	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Bromley 3*w*,*H*	68,319	38	26	7	8	–	–	–	–	2	–	–	–	1	7	9	15	–
Poplar *W*,*w*	58,514	49	15	4	6	–	1	–	1	2	–	–	–	–	1	2	3	–
Workhouse, Forest Gate (Parish of Poplar Borough).	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

TABLE 5. (*cont.*) LONDON.—ENUMERATED POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 1st January, 1910.

REGISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include: Deaths of: Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from: Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus	Enteric (or Typhoid) Fever.	*Pyrexia* (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
SOUTH DISTRICTS.																		
Christchurch and St. Saviour Southwark *W,2H*	23,319	11	16	6	2	–	–	–	–	1	–	–	–	1	2	3	12	–
Kent-road	21,904	10	5	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
St. George the Martyr West *W,2H,L*	39,094	18	17	8	2	–	–	–	–	3	–	–	–	–	1	2	5	–
Newington North	49,022	24	16	2	4	–	–	–	–	–	–	–	–	–	–	1	–	–
Newington South *W*	72,841	46	26	7	7	–	–	–	–	–	–	–	–	1	–	4	3	–
St. Olave *2W*	9,817	7	3	1	–	–	–	–	–	–	–	–	–	–	–	–	2	–
Bermondsey *W*	32,483	63	12	3	3	–	–	–	–	–	–	–	–	–	–	1	–	–
Rotherhithe *W,F*	38,460	21	18	1	8	–	–	–	–	–	–	–	–	–	–	1	12	–
Waterloo *2H*	27,440	32	9	4	2	–	–	–	–	–	–	–	–	–	–	1	2	–
Lambeth Church *H*	27,440	15	21	4	3	–	–	–	–	–	–	–	–	–	–	3	15	–
Kennington *2W*	52,518	22	22	2	15	–	–	–	–	1	–	–	–	–	–	–	12	–
Stockwell *HF*	63,826	32	15	1	7	–	–	–	–	–	–	–	–	–	–	2	1	–
Brixton *H*	73,673	31	19	1	4	–	–	–	–	1	–	–	–	–	–	3	4	–
Norwood *2WH*	56,998	23	11	3	7	–	–	–	–	–	–	–	–	–	–	1	–	–
East Battersea *H*	72,203	33	14	3	6	–	1	–	–	–	–	–	–	–	–	2	–	–
North-west Battersea	49,656	33	7	4	2	–	–	–	–	–	–	–	–	–	–	1	–	–
South-west Battersea *2W,H*	47,048	15	27	5	11	–	–	–	–	–	–	–	–	–	4	6	21	–
Clapham *2H*	51,361	27	12	1	6	–	–	–	–	–	–	–	–	–	1	2	2	–
Streatham *W,2w,2F,2L*	88,019	55	39	–	16	–	–	1	2	–	–	–	–	–	1	3	18	–
Springfield *2W,L*	27,959	14	10	1	5	–	–	–	1	–	–	–	–	–	–	–	4	–
Southfields *H*	40,444	18	9	2	5	–	–	–	–	–	–	–	–	–	–	–	1	–
Putney	24,139	9	11	1	7	–	1	–	–	–	–	–	–	–	–	–	–	–
Dulwich	13,359	4	2	–	1	–	–	–	–	–	–	–	–	–	1	1	–	–
Camberwell South *W,w*	40,206	17	24	2	12	–	–	–	–	–	–	–	–	–	–	1	20	–
Camberwell North *W,2L*	65,584	33	34	5	14	–	–	–	–	–	–	–	–	–	2	2	24	–
St. George	47 331	18	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peckham North	48,913	35	13	3	6	–	–	–	–	–	–	–	–	–	–	2	–	–
Peckham South *2W,w*	43,946	23	8	3	4	–	–	–	–	–	–	–	–	–	1	2	–	–
Deptford North	37,613	13	10	1	2	–	–	–	–	2	–	–	–	–	–	1	–	–
Deptford Central *F*	45,481	19	15	4	2	–	1	3	–	1	–	–	–	–	1	2	5	–
Deptford South	34,625	15	9	2	4	–	–	–	–	1	–	–	–	–	–	–	–	–
Greenwich West *H*	23,456	17	9	3	3	–	–	–	–	4	–	–	–	–	–	–	–	–
Greenwich East *2W,H*	43,859	23	19	3	10	–	–	–	–	2	–	–	–	–	1	3	9	–
Eltham *w,H*	7,226	4	5	–	3	–	–	–	–	–	–	–	–	–	–	–	1	–
Lee *w,H*	25,490	10	7	3	2	–	–	–	–	–	–	–	–	–	2	2	–	–
Lewisham *2W,w,F*	58,352	21	23	1	8	–	–	1	1	–	–	–	–	–	–	2	11	–
Sydenham *H*	43,653	27	9	3	3	–	–	–	–	–	–	–	–	–	1	3	–	–
Charlton *F,2H*	21,134	5	10	2	3	–	–	3	–	–	–	–	–	–	–	–	5	–
Woolwich *5H*	41,625	17	9	1	1	–	–	–	–	1	–	–	–	–	1	1	–	–
Plumstead West *W,H*	39,376	11	10	2	4	–	–	–	–	–	–	–	–	–	–	1	–	–
Plumstead East *2W*	28,951	15	11	1	5	–	–	–	–	–	–	–	–	–	–	–	5	–
Workhouses:—																		
Belmont Workhouse	—	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	2	–
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	—	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
M. A. B. Small-pox Hospitals:—																		
Long Reach	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joyce Green	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
M. A. B. Fever Hospitals:—																		
Gore Farm (temporary)	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
North-Eastern	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Northern	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
M. A. B. Children's Hospital:—																		
Children's Infirmary, Carshalton	—	–	3	–	–	–	–	–	–	1	–	–	–	–	–	–	3	–
M. A. B. Imbecile Asylums:—																		
Caterham	—	–	5	–	3	–	–	–	–	–	–	–	–	–	–	–	5	–
Darenth	—	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–
Leavesden	—	–	9	–	2	–	–	–	–	–	–	–	–	–	–	–	9	–
London County Lunatic Asylums:—																		
Banstead	—	–	4	–	4	–	–	–	–	–	–	–	–	–	–	–	4	–
Ewell (Epileptic Colony)	—	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Horton	—	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	2	–
Manor	—	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–
Long Grove	—	–	6	–	3	–	–	–	–	–	–	–	–	–	–	–	6	–
Cane Hill	—	–	4	–	2	–	–	–	–	–	–	–	–	–	–	–	4	–
Dartford Heath	—	–	3	–	1	–	–	–	–	–	–	–	–	–	–	–	3	–
Hanwell	—	–	5	–	2	–	–	–	–	–	–	–	–	–	–	–	5	–
Colney Hatch	—	–	6	–	4	–	–	–	–	–	–	–	–	1	–	–	6	–
Claybury	—	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; ENUMERATED POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 1st January, 1910.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include: Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 60 Years & upwds.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
	LONDON—OUTER RING ..	368,603	2,045,135	1188	606	117	234	-	6	3	11	10	-	3	16	53	120	4
30 : 1	Carshalton 2F,3H	12,228	32,997	15	6	1	3	-	-	1	-	-	-	-	-	-	1	-
2	Epsom, *part of** W,w,2F,H..	10,423	15,548	9	4	-	2	-	-	-	1	-	-	-	-	-	3	-
37 : 1	Godstone, *part of** W,F,L ..	2,754	2,692	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
38 : 1	Coulsdon	11,069	8,166	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w,H ..	4,200	49,309	9	9	2	4	-	-	-	-	-	-	-	-	2	-	-
3	West Croydon 3W,F,H ..	2,168	42,888	21	14	1	9	-	-	1	1	-	-	-	-	-	5	-
4	North Croydon H	2,644	41,698	30	11	3	6	-	-	-	-	-	-	-	-	2	-	-
5	Penge w	770	22,465	9	2	1	1	-	-	-	-	-	-	-	-	-	-	-
6	Mitcham w	11,711	30,015	31	14	6	7	-	-	-	-	-	-	-	-	-	-	2
39 : 1	Wimbledon F,3H	3,221	41,652	20	12	2	5	-	1	-	-	-	-	-	-	1	-	-
2	Kingston 2W,H	6,224	42,068	15	16	2	7	-	-	-	-	-	-	-	-	1	5	-
3	Surbiton F,H	3,046	15,017	8	3	-	1	-	-	-	-	-	-	-	-	-	1	-
4	Esher, *part of** H	5,402	13,100	6	4	-	2	-	-	-	-	-	-	-	-	-	-	-
5	Hampton H,F,L	4,564	23,456	12	6	-	1	-	-	-	-	-	-	-	-	-	-	-
40 : 1	Richmond W,H	2,491	31,672	15	7	1	2	-	1	-	-	-	-	-	-	-	1	-
2	Mortlake F	2,518	17,821	15	2	-	1	-	-	-	-	-	-	-	-	-	-	-
41 : 1	Bromley F,3H	4,703	27,354	15	4	-	2	-	-	-	-	1	-	-	-	-	1	-
2	Beckenham H	7,825	28,497	8	4	-	3	-	-	-	-	-	-	-	-	-	1	-
3	Orpington, *part of** W,F ..	10,113	9,857	8	3	2	1	-	-	-	-	-	-	-	-	1	2	-
4	Chislehurst 2H	7,383	16,446	6	5	2	1	-	-	-	-	-	-	-	-	-	-	-
42 : 1	Bexley w,F,H	8,678	21,151	12	3	-	1	-	-	-	-	-	-	-	-	1	-	-
2	Erith F,H	3,854	25,296	11	8	2	4	-	-	-	-	-	-	-	1	1	1	1
3	Dartford W,F, *part of** ..	—	—	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-
124 : 1	Sunbury w	11,054	18,683	7	10	2	4	-	-	-	-	-	-	-	-	2	1	-
2	Staines W,H	13,277	15,178	4	8	1	3	-	-	-	-	-	-	-	-	-	2	-
125 : 1	Hillingdon W,F,H	6,035	13,661	5	6	1	3	-	-	-	1	-	-	-	-	-	2	-
2	Uxbridge H	12,757	8,984	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w 2F,H	8,066	16,358	21	9	3	4	-	-	-	-	2	-	-	1	1	-	-
126 : 1	Isleworth 3W,3F,H	6,859	30,863	23	19	4	8	-	-	-	-	-	-	-	-	1	7	-
2	Twickenham F,2H	2,421	20,991	15	4	1	1	-	-	-	-	-	-	-	-	-	-	-
3	Brentford 3F,2H	4,319	48,289	34	15	2	8	-	-	-	1	-	-	-	-	-	2	-
4	Chiswick H	1,249	29,809	15	7	2	3	-	-	-	-	-	-	-	-	-	-	-
5	Acton w,F,3H	6,132	48,914	47	17	4	7	-	-	-	-	-	-	-	2	2	1	-
127A: 1	Harrow F,H	13,809	25,523	18	13	3	8	-	-	-	-	-	-	-	1	1	-	-
2	Edgware 2F,2H	6,994	4,521	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hendon W,F	8,382	22,450	14	4	-	1	-	-	-	-	-	-	-	-	-	1	-
127B: 1	Willesden W,F,2H	4,384	114,811	73	28	4	9	-	-	-	-	-	-	-	-	2	6	-
128 : 1	South Mimms 2F,H ..	17,755	7,308	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,970	10	6	3	-	-	-	-	-	-	-	-	-	-	2	-
3	Finchley F,3H	4,688	33,692	26	10	2	7	-	-	-	-	-	-	-	-	1	-	-
129 : 1	Hornsey F,H	2,875	72,056	29	16	-	9	-	-	-	2	-	-	-	-	3	2	-
2	Wood Green H	1,625	34,233	16	11	1	4	-	-	-	-	-	-	1	-	-	1	-
3	West Tottenham	995	48,741	43	13	4	4	-	-	-	-	-	-	-	1	1	-	-
4	East Tottenham 2H ..	2,019	53,962	31	21	5	5	-	-	-	-	-	-	-	1	5	8	-
5	Edmonton W,w,2F	7,491	61,892	46	26	3	12	-	1	-	-	-	-	-	-	6	10	-
6	Enfield 2W,F,H	12,601	42,738	21	1	-	-	-	-	1	-	-	-	-	-	-	1	-
7	Waltham Abbey F	11,017	6,549	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	8	3	1	-	-	-	-	-	-	-	-	-	-	-	-
135 : 1	Hatfield, *part of** W ..	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137 : 1	Bushey, *part of** H ..	9,195	7,051	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford, *part of** W,2F ..	138	2,122	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
186 : 1	Stratford H	1,091	52,974	34	8	-	2	-	-	-	-	-	-	1	-	1	-	-
2	Forest Gate	787	52,745	19	8	2	4	-	-	-	-	1	-	-	-	-	-	-
3	Plaistow F,2H	1,249	90,921	58	33	9	7	-	-	-	3	-	-	-	2	2	7	1
4	Canning Town H	1,556	70,718	45	19	7	5	-	1	-	-	1	-	-	2	2	2	-
5	South East Ham 2F ..	1,991	37,342	29	6	2	1	-	-	-	-	-	-	1	2	2	-	-
6	North East Ham w,H ..	1,333	58,666	29	10	3	3	-	-	-	1	-	-	-	1	3	-	-
7	Wanstead F	1,679	9,179	4	5	2	1	-	-	-	-	-	-	-	-	1	-	-
8	South Leyton 2W	631	50,467	16	17	2	9	-	-	-	-	-	-	-	-	1	8	-
9	North Leyton 2W,w,F ..	1,963	48,445	25	25	5	9	-	1	-	1	1	-	-	1	2	18	-
10	Walthamstow 2H,L ..	6,504	108,929	66	27	5	7	-	-	-	-	4	-	-	1	4	1	-
187 : 1	Chigwell 2F,3H	11,778	16,397	3	7	1	4	-	-	-	-	-	-	-	-	-	-	-
2	Epping W,F, *part of** ..	—	—	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-
189 : 1	Romford, *part of** W,2F ..	6,556	6,091	4	10	-	7	-	-	-	-	-	-	-	-	-	4	-
2	Ilford F,L	8,496	41,244	42	18	6	4	-	1	-	-	-	-	-	-	1	2	-
3	Barking Town F	3,805	21,547	20	9	1	3	-	-	-	-	-	-	-	-	-	-	-
	N.E. Hospital, Tottenham..	—	—	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Surrey County Lunatic Asylum, Betchworth.	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Kent County Lunatic Asylum, Maidstone.	—	—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Middlesex County Lunatic Asylum, Napsbury.	—	—	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-
	Essex County Lunatic Asylum, Brentwood	—	—	-	4	-	1	-	-	-	-	-	-	-	-	-	4	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30 : 2, excepting Ashtead parish; 37 : 1, Warlingham and Farley parishes; 39 : 4, excepting Esher parish; 41 : 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135 : 1, Northaw parish; 137 : 1, excepting the part in Watford Rural parish; 137 : 2, Oxhey parish; 189 : 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42 : 3, 137 : 2 and 187 : 2 and in the Croydon Mental Hospital in 37 : 1 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

Cities.	Population (enumerated or estimated).	Date of Return. Week ended	Births. Exclusive of Stillborn.	Deaths. Exclusive of Stillborn.	Annual Death-rate per 1000 living.	Deaths from Small-pox	Measles.	Scarlet Fever	Diphtheria and Croup.*	Whooping-cough.	Fever.	Diarrhœal Diseases.
LONDON - -	4,833,938	January 1	2182	1502	16·2	-	8	8	9	33	-	8
CALCUTTA - -	1,009,008	December 4	-	571	29·4	-	2	-	1	2	94†	61‡
BOMBAY - -	982,000	" 7	503	588	31·3	6	-	-	-	-	59†	57‡
MADRAS - -	548,974	" 3	400	334	34·0	-	2	?	?	?	104	32
PARIS - - -	2,760,000	" 25	967	991	18·9	-	10	1	4	5	3	23
BRUSSELS - -	704,975	" 25	198	190	14·0	-	2	-	1	1	1	8
ANTWERP - -	314,135	" 25	126	76	12·6	1	1	-	-	-	-	7
AMSTERDAM -	565,553	" 25	-	-	-	-	-	-	-	-	-	-
COPENHAGEN -	451,000	" 25	214	108	12·5	-	-	3	1	-	-	1
STOCKHOLM -	339,582	" 18	177	89	13·6	-	-	-	1	1	-	4
CHRISTIANIA -	235,674	" 25	94	44	9·7	-	-	1	3	-	-	-
ST. PETERSBURG	1,573,000	" 18	798	663	22·0	8	17	19	11	6	6	51‡
MOSCOW - -	1,452,100	" 18	-	762	27·4	2	28	41	30	8	5	101‡
BERLIN - -	2,118,568	" 11	776	564	13·9	-	1	22	13	2	2	31
HAMBURG - -	872,252	" 25	-	249	14·8	-	4	1	10	4	-	9
BRESLAU - -	502,990	" 18	-	179	18·6	-	4	-	2	1	-	8
MUNICH - -	566,000	" 25	-	-	-	-	-	-	-	-	-	-
VIENNA - -	2,064,037	" 18	779	651	16·2	-	2	3	7	1	3	33
PRAGUE - -	485,057	" 25	193	166	17·4	-	-	-	2	-	1	9
BUDAPEST - -	823,215	" 18	414	292	18·4	-	2	1	9	-	3	15
		" 25	390	291	18·3	-	3	6	1	1	6	11
TRIESTE - -	217,706	" 25	112	110	26·0	-	3	-	-	-	-	3
ROME - - -	574,666	September 25	245	140	12·7	-	-	-	1	1	9§	22
		October 2	243	155	14·1	-	1	1	-	1	6§	21
VENICE - -	179,286	November 13	-	-	-	-	-	-	-	-	-	-
BUCAREST - -	296,585	" 13	144	157	27·6	-	-	7	1	-	7	14
		" 20	178	172	30·2	-	1	5	1	-	8	12
NEW YORK -	4,564,792	December 11	2754	1432	16·4	-	9	14	45	5	11	41
CHICAGO - -	2,224,490	" 11	-	570	13·4	-	3	15	20	6	5	43
PHILADELPHIA -	1,565,569	November 27	-	421	14·0	-	2	2	7	1	3	19
RIO DE JANEIRO	637,089	" 21	-	208	17·0	-	5	-	-	-	1†	?
CAIRO:—												
Egyptians -	669,617	December 2	526	381	29·6	-	2	-	16	?	6	71
Foreigners -	35,219	" 2	4	13	19·2	1	-	-	-	?	1	-
ALEXANDRIA:—												
Egyptians -	345,003	" 2	308	175	26·4	1	-	1	6	?	2	49
Foreigners -	46,118	" 2	28	17	19·2	1	-	-	-	-	-	1

* Excluding deaths from croup in the Indian Cities.
† Including 5 deaths from plague in Calcutta, 6 in Bombay, and 1 in Rio de Janeiro.
‡ Including 19 deaths from cholera in Calcutta, 4 in Bombay, 1 in St. Petersburg, and 44 in Moscow.
§ Including 4 and 2 deaths from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 1st January, 1910.

Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.	Towns.	Temperature of Air. Highest.	Lowest.	Mean.*	Rainfall in Inches.
	°	°	°			°	°	°	
LONDON (Greenwich)	53·5	28·2	43·8	0·27	BRADFORD - -	53·2	31·4	42·6	0·76
BRIGHTON - -	49·7	30·3	43·3	0·23	YORK - - -	54·0	32·0	42·9	0·20
PORTSMOUTH - -	52·9	31·0	44·8	0·14	HULL - - -	53·0	30·0	42·2	0·60
NORWICH - -	52·6	29·2	42·9	0·26	TYNEMOUTH - -	56·0	31·0	42·8	0·49
PLYMOUTH - -	53·0	34·2	47·6	0·11	CARDIFF - - -	52·3	35·0	44·4	0·56
BRISTOL - - -	53·5	31·8	44·4	0·27	EDINBURGH - -	51·2	30·7	41·8	0·74
BIRMINGHAM - -	51·7	34·0	43·4	0·39	GLASGOW - -	52·8	31·0	43·1	1·46
NOTTINGHAM - -	53·1	32·2	43·4	0·48	DUBLIN Phœnix Park	55·1	29·9	45·9	0·34
LIVERPOOL OBSERVATORY	54·0	36·0	45·0	0·59	DUBLIN Fitzwilliam Square†	56·2	34·6	47·6	0·23
MANCHESTER -	51·8	? 33·0	43·4	1·32					
BURNLEY - -	53·0	30·0	42·6	1·19					
HUDDERSFIELD -	53·0	31·5	43·7	1·00	BELFAST - - -	54·0	30·2	43·0	1·09

* At the English stations, the figures in this column which are compiled in the Meteorological Office, (*see* footnote to the seventh page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0°·1 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir John W. Moore, M.A., M.D., Dublin.

[*Under the Superintendence of the Astronomer Royal.*]

1909–10. Month and Day.	Phases of the Moon.	Barometer. Mean daily reading (corrected and reduced to 32° Fahrenheit).	Temperature. Of the Air. High-est.	Low-est.	Daily Range.	Mean daily value.	Departure from Average of 65 years.	Of the Dew point. Mean daily value.	Difference between the Air Temperature and Dew Point Temperature. Mean daily value.	Great-est.	Least.	Degree of Humidity (Saturation equals 100).	Temperature. Of Radiation. Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface	Wind as deduced from Anemometers. Osler's. General Direction. A.M.	P.M.	Pressure on the Square Foot. Great-est.	Least.	Mean of 24 hourly obs.	Robinson's. Horizontal Movement of the Air on each Day.	Departure from Average of 40 years.	Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.	Ozone.
		in.	°	°	°	°	°	°	°	°	°		°	°	°			lbs.	lbs.	lbs.	Miles.	Miles.	in.	
DECEMBER.																								
SUNDAY - 26	Full	29·578	53·2	38·2	15·0	47·4	+ 8·8	44·2	3·2	6 2	2·5	88	64·1	31·7	43·29	SSW. & SW.	WSW. & SW.	5·0	0·0	0·4	447	+155	0·06	5 2
MONDAY - 27	Greatest Dec. N.	29·657	52·8	47·6	5·2	50·5	+11·7	48·9	1·6	3·6	1·0	94	57·0	43·1	43·29	SW. & WSW.	SW. & SSW.	3·8	0·0	0·2	347	+ 40	0·05	3·5
TUESDAY - 28	..	29·431	53 5	48·0	5·5	50·8	+11·9	44·1	6 7	8·6	2·4	78	59·1	42·5	43·60	SW. & WSW.	WSW. & NW.	10·0	0·0	1·2	694	+375	0·07	5·0
WEDNESDAY 29	..	30·027	48·0	31·7	16·3	40·1	+ 1·1	35·1	5·0	8·6	0·3	82	57·8	17·7	44·15	N. & NNW.	N., NNE. & calm.	6·6	0·0	0·3	273	- 52	0·00	0·8
THURSDAY - 30	..	30·218	43·0	28·2	14·8	36·8	- 2·1	34·6	2·2	4·9	0·3	92	52·9	11·5	44·40	Calm & SW.	SW., S. & SSW.	1·3	0·0	0·0	160	-167	0·00	1·5
FRIDAY - 31	..	29·989	51·8	38·1	13·7	45 0	+ 6·3	40·7	4·3	8·4	1·9	85	70·0	31·0	44·20	SSW. & SW.	WSW., WNW. & W.	4·5	0·0	0·4	417	+ 94	0·02	4·5
JANUARY. SATURDAY - 1	..	30·170	45·8	33·1	12·7	40·0	+ 1·4	37·5	2·5	5·1	0·4	91	52·1	26·2	44·08	SW.	SW. & SSW.	1·0	0·0	0·0	243	- 72	0·07	0·0
MEANS - -		29·867	49·7	37·8	11·9	44·4	+ 5·6	40·7	3·6	6·5	1·3	87	59·0	29·1	43·86	SW.		..	..	..	Sum 2581	Sum +373	Sum 0·27	2·9
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

Date.	Electricity. (For explanation of symbols, *see* Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.
DECEMBER.			
SUNDAY - 26	w. P. generally; w. N. at 2h. 30m. A.M.	1·4	7·8
MONDAY - 27	w. P. throughout.	0·0	7·8
TUESDAY - 28	w. P. generally; w. N. between 9h. and 10h. P.M.	0·8	7·8
WEDNESDAY 29	w. P. generally.	2·4	7 8
THURSDAY - 30	w. P. generally.	1·2	7·8
FRIDAY - 31	w. P. generally till 7h. P.M.; m. P. afterwards; m. N. at 2h. P.M.	2·5	7·8
JANUARY. SATURDAY - 1	m. P. till noon; w. P. afterwards.	0·0	7·8
		Sum 8·3	Sum 54 6
No. of Col. - -	27	28	29

GENERAL REMARKS.

Generally cloudy; very mild; occasional rain in early morning.

Generally overcast; very mild; frequent slight rain after 1h. 50m. P.M.

Fine but cloudy generally with occasional light showers till 9h. P.M.; overcast afterwards with rain till 10h. 30m. P.M.; gusty wind prevalent after 3h. A.M.; very mild.

Overcast in morning with brisk wind till 3h. A.M.; very fine generally after 8h. A.M. with variable amounts of cloud. Solar halo observed in afternoon and lunar halo in evening; hoar frost at night.

Fine in early morning with hoar frost; variably cloudy till 4h. 30m. P.M.; overcast afterwards; thick fog prevalent between 3h. and 7h. 30m. A.M.; then gradually thinning and clearing about noon.

Overcast in morning with occasional slight rain between 6h. and 9h. 30m. A.M.; very fine generally afterwards with slight shower at 4h. 40m. P.M.

Very fine with hoar frost and little cloud in morning; clouding between 9h. A.M. and noon; overcast afterwards with light showers after 2h. 25m. P.M.; very mild at night.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and – "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29·76 in. at the beginning of the week to 29·55 in. by 11h. A.M. on Dec. 26th; increased to 29·68 in. by 1h. P.M. on Dec. 27th; decreased to 29·40 in. by 6h. A.M. on Dec. 28th, increased to 29·48 in. by 10h. A.M.; and decreased to 29·39 in. by 7h. P.M. on the same day; increased to 30·27 in. by 10h. A.M. on Dec. 30th; decreased to 29·94 in. by noon on Dec. 31st; increased to 30·22 in. by 7h. A.M. on Jan. 1st; and decreased to 30·13 in. by midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 25th December, 1909.*

BOROUGHS.	Estimated Population in the middle of 1909.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	151,955	-	2	5	-	-	-	-	4	-	-
Kensington	183,683	-	6	2	-	-	-	-	-	-	-
Hammersmith	125,704	-	7	2	-	1	-	-	2	-	-
Fulham	176,406	-	15	5	-	2	-	-	2	-	-
Chelsea	75,249	-	3	1	-	-	1	-	-	-	-
City of Westminster ..	168,883	-	6	7	-	-	-	-	2	-	-
NORTH.											
St. Marylebone	126,027	-	2	2	-	-	-	-	2	-	-
Hampstead	94,185	-	2	-	-	-	-	-	-	-	-
St. Pancras	237,422	-	13	1	-	2	-	-	2	-	-
Islington	351,202	2	11	4	-	2	-	-	1	-	-
Stoke Newington	54,423	-	1	-	-	-	-	-	-	-	-
Hackney	237,601	-	17	2	-	-	-	-	5	1	-
CENTRAL.											
Holborn	53,802	-	1	-	-	-	-	-	2	-	-
Finsbury	95,289	-	1	1	-	-	-	-	-	-	-
City of London	18,193	-	-	-	-	-	-	-	-	-	-
EAST.											
Shoreditch	114,802	-	2	4	-	-	-	-	4	-	-
Bethnal Green	131,316	-	4	1	-	-	-	-	4	2	-
Stepney	312,525	-	10	6	-	1	-	-	8	1	-
Poplar	171,965	-	6	2	-	1	-	-	2	-	-
SOUTH.											
Southwark	211,125	-	9	6	-	-	-	-	2	-	-
Bermondsey	127,569	-	5	3	-	-	-	-	2	-	-
Lambeth	324,188	-	29	7	-	2	-	-	-	-	-
Battersea	186,036	-	13	2	-	-	-	-	2	-	-
Wandsworth	297,646	-	20	12	-	1	-	-	2	-	-
Camberwell	283,022	-	17	2	-	-	-	-	8	1	-
Deptford	118,583	-	4	2	-	-	-	-	2	-	-
Greenwich	111,014	-	-	1	-	5	-	-	3	-	-
Lewisham	160,749	-	22	5	-	-	-	-	1	-	-
Woolwich	133,374	-	6	6	-	-	-	-	4	-	-
Port of London	—	-	-	-	-	-	-	-	2	-	-
ADMINISTRATIVE COUNTY OF LONDON.	4,833,938	2	234	91	-	17	1	-	68	5	-
Ages 0-1		-	1	-	-	-	-	-	1	-	-
„ 1-5		-	69	31	-	1	-	-	5	-	-
„ 5-		1	98	42	-	1	-	-	-	-	-
„ 10-		-	48	7	-	3	-	-	1	-	-
„ 15-		-	7	3	-	2	-	-	4	-	-
„ 20-		-	8	4	-	2	-	-	5	2	-
„ 25-		1	2	2	-	3	1	-	12	2	-
„ 35-		-	1	2	-	3	-	-	13	1	-
„ 45-		-	-	-	-	2	-	-	12	-	-
„ 55-		-	-	-	-	-	-	-	10	-	-
„ 65 and upwards		-	-	-	-	-	-	-	5	-	-
Age not stated		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY DARLING & SON, LTD., 34-40 BACON STREET, E.

1910.